

Automation test result

16-Mar-2026, 4:47:59 pm

Start : Mar 16, 4:47:04.795 pm

End : Mar 16, 4:47:58.507 pm

Duration : 53.712 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 2



FAILED - 5

SKIPPED - 0

PASSED - 15


FAILED - 5

SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Action</u>	53.712 s	7	2	5	0	35	15	5	15

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Login	7	2	5	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Login Action	7	2	5	0	53.712 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	5	0	0	17.494 s
2	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	5	0	0	16.316 s
3	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	1	1	3	3.850 s
4	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	1	1	3	4.149 s
5	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	1	1	3	4.153 s
6	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	1	1	3	4.147 s
7	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	1	1	3	3.520 s

Login Action


FAILED	DURATION - 53.712 s	Total - 7 Pass - 2 Fail - 5 Skip - 0		Total - 35 Pass - 15 Fail - 5 Skip - 15	
/ 4:47:04.795 pm // 4:47:58.507 pm /					

Validate login with different credentials

PASSED	DURATION - 17.494 s		Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 4:47:04.805 pm // 4:47:22.299 pm /				
@Login				


#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	1.367 s
2	When the user enters username "patrickjane@gmail.com"	PASSED	0.274 s
3	And the user enters password "Xsdc#23jane45"	PASSED	0.194 s
4	And the user clicks on the login button	PASSED	0.750 s
5	Then the system should display Login dashboard or error "dashboard"	PASSED	10.079 s

Validate login with different credentials

PASSED	DURATION - 16.316 s		Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 4:47:22.314 pm // 4:47:38.630 pm /				
@Login				

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	1.211 s
2	When the user enters username "lisbonRose45@ymail.com"	PASSED	0.291 s
3	And the user enters password "jiuRose23@12"	PASSED	0.175 s
4	And the user clicks on the login button	PASSED	0.742 s
5	Then the system should display Login dashboard or error "dashboard"	PASSED	10.106 s


Validate login with different credentials

FAILED	DURATION - 3.850 s		Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 4:47:38.639 pm // 4:47:42.489 pm /				
@Login				

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.434 s
2	When the user enters username "monkeydeal76@y.com"	FAILED	0.038 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='email']"} (Session info: chrome=145.0.7632.162) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e845db11fd8744e394133179774e4d73, findElement {value=email, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.162, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\tript\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56354}, goog:processID: 8760, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56354/devtoo..., se.cdpVersion: 145.0.7632.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e845db11fd8744e394133179774e4d73 atjdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at com.cucumber.pages.LoginPage.enterEmail(LoginPage.java:32) at com.cucumber.LoginStepDef.theUserEntersUsername(LoginStepDef.java:38) at ?.the user enters username "monkeydeal76@y.com"(classpath:Features/Login.feature:7) * Not displayable characters are replaced by '?'.		
3	And the user enters password "HJiu*trupj"	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.000 s
5	Then the system should display Login dashboard or error "dashboard"	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.361 s
	Test failed: Validate login with different credentials		



Validate login with different credentials

FAILED DURATION - 4.149 s / 4:47:42.508 pm // 4:47:46.657 pm / @Login		Total - 5 Pass - 1 Fail - 1 Skip - 3	
---	---	---	--

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.420 s
2	When the user enters username ""	FAILED	0.028 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='email']"} (Session info: chrome=145.0.7632.162) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e8641d3d116387a461faf794511fc5af, findElement {value=email, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.162, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir:		

#	Step / Hook Details	Status	Duration
	C:\Users\tript\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58892}, goog:processID: 4432, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58892/devtoo..., se:cdpVersion: 145.0.7632.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e8641d3d116387a461faf794511fc5af at jdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at com.cucumber.pages.LoginPage.enterEmail(LoginPage.java:32) at com.cucumber.LoginStepDef.theUserEntersUsername(LoginStepDef.java:38) at ?.the user enters username ""(classpath:Features/Login.feature:7) * Not displayable characters are replaced by '?'.		
3	And the user enters password "Xsdc#23jane45"	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.000 s
5	Then the system should display Login dashboard or error "Invalid username or password"	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.347 s
	Test failed: Validate login with different credentials		


Validate login with different credentials

FAILED DURATION - 4.153 s			Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 4:47:46.665 pm // 4:47:50.818 pm /				
@Login				

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.424 s
2	When the user enters username "patrickjane@gmail.com"	FAILED	0.026 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='email']"} (Session info: chrome=145.0.7632.162) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b31342a799c8f0c6cb640a68978a53b, findElement {value=email, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.162, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\tript\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51589}, goog:processID: 27264, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51589/devtoo..., se:cdpVersion: 145.0.7632.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b31342a799c8f0c6cb640a68978a53b at jdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at com.cucumber.pages.LoginPage.enterEmail(LoginPage.java:32) at com.cucumber.LoginStepDef.theUserEntersUsername(LoginStepDef.java:38)		

#	Step / Hook Details	Status	Duration
	at ?.the user enters username "patrickjane@gmail.com"(classpath:Features/Login.feature:7) * Not displayable characters are replaced by '?'. 3 And the user enters password "" 4 And the user clicks on the login button 5 Then the system should display Login dashboard or error "Invalid username or password"		
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.339 s
	Test failed: Validate login with different credentials		



Validate login with different credentials

FAILED	DURATION - 4.147 s		Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 4:47:50.830 pm // 4:47:54.977 pm /				
@Login				

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.424 s
2	When the user enters username "" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='email']"} (Session info: chrome=145.0.7632.162) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21f216a7fd97d06d5eaeabfe6f8db077, findElement {value=email, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.162, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\tript\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55309}, goog:processID: 27328, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55309/devtoo..., se:cdpVersion: 145.0.7632.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 21f216a7fd97d06d5eaeabfe6f8db077 at jdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at com.cucumber.pages.LoginPage.enterEmail(LoginPage.java:32) at com.cucumber.LoginStepDef.theUserEntersUsername(LoginStepDef.java:38) at ?.the user enters username ""(classpath:Features/Login.feature:7) * Not displayable characters are replaced by '?'.		
3	And the user enters password "Xsdc#23jane45"	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.000 s
5	Then the system should display Login dashboard or error ""	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.339 s
	Test failed: Validate login with different credentials		

Validate login with different credentials

FAILED DURATION - 3.520 s / 4:47:54.987 pm // 4:47:58.507 pm / @Login		Total - 5 Pass - 1 Fail - 1 Skip - 3	
---	---	---	--

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.386 s
2	When the user enters username "patrickjane@gmail.com"	FAILED	0.026 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='email']"} (Session info: chrome=145.0.7632.162) For documentation on this error, please visit: https://www.		

#	Step / Hook Details	Status	Duration
	selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [8b9d81fcf8389a81db80e0ebdb62bbb7, findElement {value=email, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.162, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\tript\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58251}, goog:processID: 11764, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58251/devtoo..., se:cdpVersion: 145.0.7632.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b9d81fcf8389a81db80e0ebdb62bbb7 at jdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at com.cucumber.pages.LoginPage.enterEmail(LoginPage.java:32) at com.cucumber.LoginStepDef.theUserEntersUsername(LoginStepDef.java:38) at ?.the user enters username "patrickjane@gmail.com"(classpath:Features/Login.feature:7) * Not displayable characters are replaced by '?'. 		
3	And the user enters password ""	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.000 s
5	Then the system should display Login dashboard or error ""	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.385 s
	Test failed: Validate login with different credentials		