



Automation test result


03-Apr-2026, 5:27:56 pm

Start : Apr 03, 5:26:51.917 pm	End : Apr 03, 5:27:55.916 pm	Duration : 1 m 3.999 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 5 SKIPPED - 0	PASSED - 18 FAILED - 5 SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Action</u>	1 m 3.999 s	7	2	5	0	35	18	5	12

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Login	7	2	5	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Login Action	7	2	5	0	1 m 3.999 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	5	0	0	16.847 s
2	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	5	0	0	16.759 s
3	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	4	1	0	15.317 s
4	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	1	1	3	3.811 s
5	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	1	1	3	3.533 s
6	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	1	1	3	4.011 s
7	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	1	1	3	3.664 s

Login Action


FAILED	DURATION - 1 m 3.999 s	Total - 7 Pass - 2 Fail - 5 Skip - 0		Total - 35 Pass - 18 Fail - 5 Skip - 12	
/ 5:26:51.917 pm // 5:27:55.916 pm /					

Validate login with different credentials

PASSED	DURATION - 16.847 s		Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:26:51.926 pm // 5:27:08.773 pm /				
@Login				


#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	2.690 s
2	When the user enters username "patrickjane@gmail.com"	PASSED	0.174 s
3	And the user enters password "Xsdc#23jane45"	PASSED	0.119 s
4	And the user clicks on the login button	PASSED	0.583 s
5	Then the system should display Login dashboard or error "dashboard"	PASSED	10.322 s

Validate login with different credentials

PASSED	DURATION - 16.759 s		Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:27:08.788 pm // 5:27:25.547 pm /				
@Login				



#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	1.080 s
2	When the user enters username "lisbonRose45@ymail.com"	PASSED	0.191 s
3	And the user enters password "jiuRose23@12"	PASSED	0.128 s
4	And the user clicks on the login button	PASSED	0.578 s
5	Then the system should display Login dashboard or error "dashboard"	PASSED	10.322 s

Validate login with different credentials

FAILED DURATION - 15.317 s / 5:27:25.551 pm // 5:27:40.868 pm / @Login			Total - 5 Pass - 4 Fail - 1 Skip - 0	
---	--	--	---	---

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.859 s
2	When the user enters username "monkeydeal76@y.com"	PASSED	0.160 s
3	And the user enters password "HJiu*trupj"	PASSED	0.102 s
4	And the user clicks on the login button	PASSED	0.848 s
5	Then the system should display Login dashboard or error "dashboard"	FAILED	10.497 s
	java.lang.AssertionError: The following asserts failed: Login failed — expected 'Your Account' in title but got: Just a moment... expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:46) at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:30) at com.cucumber.LoginStepDef.theSystemShouldDisplayLoginDashboardOrError(LoginStepDef.java:69) at ?.the system should display Login dashboard or error "dashboard"(classpath:Features/Login.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.411 s
	Test failed: Validate login with different credentials		



Validate login with different credentials

FAILED DURATION - 3.811 s			Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 5:27:40.878 pm // 5:27:44.689 pm /				
@Login				

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.575 s
2	When the user enters username "" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='email']"} (Session info: chrome=146.0.7680.165) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d0174c06ff3c62e74274406644ddd10, findElement {value=email, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 146.0.7680.165, chrome: {chromedriverVersion: 146.0.7680.165 (4b989da09e1..., userDataDir: C:\Users\tript\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64906}, goog:processID: 36768, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64906/devtoo..., se:cdpVersion: 146.0.7680.165, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d0174c06ff3c62e74274406644ddd10 atjdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at com.cucumber.pages.LoginPage.enterEmail(LoginPage.java:34) at com.cucumber.LoginStepDef.theUserEntersUsername(LoginStepDef.java:38)	FAILED	0.048 s

#	Step / Hook Details	Status	Duration
	at ?.the user enters username ""(classpath:Features/Login.feature:7) * Not displayable characters are replaced by '?'. 3 And the user enters password "Xsdc#23jane45" 4 And the user clicks on the login button 5 Then the system should display Login dashboard or error "Invalid username or password"		
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.320 s
	Test failed: Validate login with different credentials		



Validate login with different credentials

FAILED	DURATION - 3.533 s		Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 5:27:44.695 pm // 5:27:48.228 pm /				
@Login				

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.570 s
2	When the user enters username "patrickjane@gmail.com" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='email']"} (Session info: chrome=146.0.7680.165) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b4485946430a8616f716f3fd49d05f3, findElement {value=email, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 146.0.7680.165, chrome: {chromedriverVersion: 146.0.7680.165 (4b989da09e1..., userDataDir: C:\Users\tript\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63262}, goog:processID: 25420, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63262/devtoo..., se:cdpVersion: 146.0.7680.165, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b4485946430a8616f716f3fd49d05f3 at jdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)	FAILED	0.036 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at com.cucumber.pages.LoginPage.enterEmail(LoginPage.java:34) at com.cucumber.LoginStepDef.theUserEntersUsername(LoginStepDef.java:38) at ?.the user enters username "patrickjane@gmail.com"(classpath:Features/Login.feature:7) * Not displayable characters are replaced by '?'.		
3	And the user enters password ""	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.001 s
5	Then the system should display Login dashboard or error "Invalid username or password"	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.304 s
	Test failed: Validate login with different credentials		



Validate login with different credentials

FAILED DURATION - 4.011 s / 5:27:48.236 pm // 5:27:52.247 pm / @Login		Total - 5 Pass - 1 Fail - 1 Skip - 3	
---	---	---	--

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.523 s
2	When the user enters username ""	FAILED	0.021 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='email']"} (Session info: chrome=146.0.7680.165) For documentation on this error, please visit: https://www.		

#	Step / Hook Details	Status	Duration
	selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [468b9de211d5a58ea782924333e680f4, findElement {value=email, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 146.0.7680.165, chrome: {chromedriverVersion: 146.0.7680.165 (4b989da09e1..., userDataDir: C:\Users\tript\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50493}, goog:processID: 30116, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50493/devtoo..., se:cdpVersion: 146.0.7680.165, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 468b9de211d5a58ea782924333e680f4 atjdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at com.cucumber.pages.LoginPage.enterEmail(LoginPage.java:34) at com.cucumber.LoginStepDef.theUserEntersUsername(LoginStepDef.java:38) at ?.the user enters username ""(classpath:Features/Login.feature:7) * Not displayable characters are replaced by '?'. 		
3	And the user enters password "Xsdc#23jane45"	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.000 s
5	Then the system should display Login dashboard or error ""	SKIPPED	0.001 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.306 s
	Test failed: Validate login with different credentials		

Validate login with different credentials

FAILED	DURATION - 3.664 s		Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 5:27:52.252 pm // 5:27:55.916 pm /				
@Login				

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the login page	PASSED	0.552 s
2	When the user enters username "patrickjane@gmail.com"	FAILED	0.033 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='email']"} (Session info: chrome=146.0.7680.165) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd04b12a207c46f991074efd84161bed, findElement {value=email, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 146.0.7680.165, chrome: {chromedriverVersion: 146.0.7680.165 (4b989da09e1..., userDataDir: C:\Users\tript\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63954}, goog:processID: 3716, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63954/devtoo..., se:cdpVersion: 146.0.7680.165, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd04b12a207c46f991074efd84161bed at jdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at com.cucumber.pages.LoginPage.enterEmail(LoginPage.java:34) at com.cucumber.LoginStepDef.theUserEntersUsername(LoginStepDef.java:38)		

#	Step / Hook Details	Status	Duration
	at ?.the user enters username "patrickjane@gmail.com"(classpath:Features/Login.feature:7) * Not displayable characters are replaced by '?'. 3 And the user enters password "" 4 And the user clicks on the login button 5 Then the system should display Login dashboard or error ""		
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.311 s
	Test failed: Validate login with different credentials		