

Automation test result

09-Mar-2026, 10:51:48 pm

Start : Mar 09, 10:51:36.843 pm

End : Mar 09, 10:51:47.617 pm

Duration : 10.774 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 5
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 25




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Action</u>	10.774 s	5	0	5	0	25	0	0	25

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Login	5	0	5	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Login Action	5	0	5	0	10.774 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	0	0	5	3.017 s
2	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	0	0	5	2.043 s
3	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	0	0	5	1.820 s
4	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	0	0	5	1.942 s
5	<u>Login Action</u>	<u>Validate login with different credentials</u>	5	0	0	5	1.904 s

Login Action

FAILED	DURATION - 10.774 s	Total - 5 Pass - 0 Fail - 5 Skip - 0		Total - 25 Pass - 0 Fail - 0 Skip - 25	
/ 10:51:36.843 pm // 10:51:47.617 pm /					


Validate login with different credentials

FAILED	DURATION - 3.017 s		Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:51:36.851 pm // 10:51:39.868 pm /				
@Login				

#	Step / Hook Details	Status	Duration
	BEFORE - com.cucumber.Hooks.setUp(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=145.0.7632.160) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6fba969954aeb901c3c1ea8e1aa46cf9, get {url=https://www.kapruka.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.160, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\tript\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51621}, goog:processID: 31532, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51621/devtoo..., se:cdpVersion: 145.0.7632.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6fba969954aeb901c3c1ea8e1aa46cf9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	2.581 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:302) at com.cucumber.Hooks.setUp(Hooks.java:28)		
1	Given the user navigates to the login page	SKIPPED	0.001 s
2	When the user enters username "patrickjane@gmail.com"	SKIPPED	0.000 s
3	And the user enters password "Xsdc#23jane45"	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.001 s
5	Then the system should display Login dashboard	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.403 s
	Test failed: Validate login with different credentials		

Validate login with different credentials

FAILED	DURATION - 2.043 s		Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:51:39.890 pm // 10:51:41.933 pm /				
@Login				

#	Step / Hook Details	Status	Duration
	BEFORE - com.cucumber.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	1.705 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=145.0.7632.160) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c28c67fca266b342bf9ac49bbacef28f, get {url=https://www.kapruka.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.160, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\tript\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65167}, goog:processID: 15500, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65167/devtoo..., se:cdpVersion: 145.0.7632.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c28c67fca266b342bf9ac49bbacef28f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:302) at com.cucumber.Hooks.setUp(Hooks.java:28)		
1	Given the user navigates to the login page	SKIPPED	0.002 s
2	When the user enters username "lisbonRose45@ymail.com"	SKIPPED	0.001 s
3	And the user enters password "jiuRose23@12"	SKIPPED	0.001 s
4	And the user clicks on the login button	SKIPPED	0.001 s
5	Then the system should display Login dashboard	SKIPPED	0.001 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.329 s
	Test failed: Validate login with different credentials		


Validate login with different credentials

FAILED DURATION - 1.820 s / 10:51:41.940 pm // 10:51:43.760 pm / @Login		Total - 5 Pass - 0 Fail - 0 Skip - 5	
---	--	---	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.cucumber.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	1.536 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=145.0.7632.160) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3068c38e4a89f9cbc5c762724389897, get {url=https://www.kapruka.com/}		

#	Step / Hook Details	Status	Duration
	<pre> }} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.160, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\tript\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57127}, goog:processID: 17584, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57127/devtoo..., se:cdpVersion: 145.0.7632.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3068c38e4a89f9cbc5c762724389897 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:302) at com.cucumber.Hooks.setUp(Hooks.java:28) </pre>		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters username "monkeydeal76@y.com"	SKIPPED	0.000 s
3	And the user enters password "HJiu*trupj"	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.000 s
5	Then the system should display Login dashboard	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.282 s
	Test failed: Validate login with different credentials		


Validate login with different credentials

FAILED		DURATION - 1.942 s			Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:51:43.766 pm // 10:51:45.708 pm /						
@Login						

#	Step / Hook Details	Status	Duration
	BEFORE - com.cucumber.Hooks.setUp(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=145.0.7632.160) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d0bc98598fe8e19b7fe01193007fdf6f, get {url=https://www.kapruka.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.160, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\tript\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57129}, goog:processID: 32084, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57129/devtoo..., se:cdpVersion: 145.0.7632.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d0bc98598fe8e19b7fe01193007fdf6f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:302) at com.cucumber.Hooks.setUp(Hooks.java:28)	FAILED	1.680 s
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters username ""	SKIPPED	0.000 s
3	And the user enters password "Xsdc#23jane45"	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.000 s
5	Then the system should display Login dashboard	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.258 s
	Test failed: Validate login with different credentials		

Validate login with different credentials

FAILED	DURATION - 1.904 s		Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:51:45.713 pm // 10:51:47.617 pm /				
@Login				

#	Step / Hook Details	Status	Duration
	BEFORE - com.cucumber.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	1.619 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=145.0.7632.160) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c3be721c9a88b2ea4e396fab96b5e65, get {url=https://www.kapruka.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.160, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\tript\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51883}, goog:processID: 32672, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51883/devtoo..., se:cdpVersion: 145.0.7632.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c3be721c9a88b2ea4e396fab96b5e65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:302)		

#	Step / Hook Details	Status	Duration
	at com.cucumber.Hooks.setUp(Hooks.java:28)		
1	Given the user navigates to the login page	SKIPPED	0.001 s
2	When the user enters username "patrickjane@gmail.com"	SKIPPED	0.000 s
3	And the user enters password ""	SKIPPED	0.000 s
4	And the user clicks on the login button	SKIPPED	0.001 s
5	Then the system should display Login dashboard	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.280 s
	Test failed: Validate login with different credentials		