


PUBLISHED: JULY 9, 2026

Notable Weather and Climate Events: June 2026



GLOBAL AVERAGE TEMPERATURE

Average global surface temperature was the second-warmest Jun on record.



Please note: Material provided in this map was compiled from NOAA's State of the Climate Reports. For more information please visit: <https://www.nccl.noaa.gov/access/monitoring/monthly-report/global/>

Temperature

With the release of the January 2026 Global Climate Report, NOAA transitioned to version 6.1.0 of its Global Surface Temperature (NOAAGlobalTemp) dataset, replacing version 6.0.0. This update introduces the new version of the sea surface temperature data set ([ERSST v6](#)). While specific anomalies and rankings may shift slightly, the short-term and long-term trends are statistically consistent with version 6.0.0.


NOAA's National Centers for Environmental Information calculates the global temperature anomaly every month based on preliminary data generated from authoritative datasets of temperature observations from around the globe. The major dataset, [NOAAGlobalTemp version 6.1.0](#), uses comprehensive data collections of increased global area coverage over both [land](#) and [ocean](#) surfaces.

NOAAGlobalTempv6.1.0 is a reconstructed dataset, meaning that the entire period of record is recalculated each month with new data. Based on those new calculations, the new historical data can bring about updates to previously reported values. These factors, together, mean that calculations from the past may be superseded by the most recent data and can affect the numbers reported in the monthly climate reports. The most current reconstruction analysis is always considered the most representative and precise of the climate system, and it is publicly available through [Climate at a Glance](#).

June

The June 2026 global surface temperature was 1.09°C (1.96°F) above average—the second warmest June in the 177-year record. This value was 0.09°C (0.16°F) below the 2024 record and only 0.02°C (0.04°F) above June 2023, which currently ranks as the third warmest June on record. The 10 warmest Junes on record have all occurred since 2015, with each of the last eight years (2019–2026) ranking among them. Additionally, this month marked the 50th consecutive June with global temperatures above the 20th-century average; the last below-average June occurred half a century ago in 1976 (-0.05°C / -0.09°F).


Global Land and Ocean Average Temperature Departures



The global ocean temperature departure for June was the highest on record at 0.99°C (1.78°F) above average, eclipsing the previous June record set in 2024 by 0.04°C (0.07°F). Across all 2,118 months in the historical record since January 1850, June 2026 tied with July 2023 as the seventh-highest global ocean temperature departure. Meanwhile, global land surface temperatures ranked as the fourth warmest on record for the month.

Jun 2026 Global Temperature Departures


NOAA's National Centers for Environmental Information



[June 2026 Blended Land and Sea Surface Temperature Anomalies in degrees Celsius](#)

Jun 2026 Global Temperature Percentiles

NOAA's National Centers for Environmental Information



[June 2026 Blended Land and Sea Surface Temperature Percentiles](#)

The percentile maps feature a brand-new category. To learn more about this addition and what it signifies, please read our 'Did You Know?' feature titled "[Characterizing Low-Variability Data Ties in the Global Percentiles Maps](#)".

June featured warmer-than-average temperatures across much of the globe's land and ocean surfaces. The most notable high temperature departures, +2.0°C (+3.6°F) or higher, spanned Europe, eastern Australia, parts of Africa, the Arctic, the Weddell Sea, and a vast swath of Siberia extending into south-central Asia. These notable departures also stretched along the equator in the eastern and central tropical Pacific Ocean, where an active El Niño continues to strengthen. According to [NOAA's Climate Prediction Center](#), there is a 97% chance that this climate pattern will persist through early spring 2027. Record-high June temperatures were shattered across the eastern and central tropical Pacific Ocean, as well as portions of Canada, northern South America, Africa, Europe, Asia, and across parts of every major ocean basin.

Below-average temperatures covered much of Antarctica, resulting in its coolest June since 2021. Pockets of cooler-than-average conditions were also observed across portions of South America and Asia, as well as northwestern Alaska and, along its adjacent Arctic waters. Despite these cooler pockets, no land or ocean areas on Earth experienced record-cold temperatures for the month.

Several continents and regions recorded a top-four warm June. The Arctic experienced its warmest June on record at 2.22°C (4.00°F) above average, eclipsing the previous 2012 record by 0.26°C (0.47°F). Additionally, this was the first time the Arctic saw a June temperature departure of 2.0°C (3.6°F) or greater. Notably, the Arctic's 10 warmest Junes have all occurred since 2012.

North America, Europe (tied), and Africa each experienced their second-warmest June on record. During mid- to late June, Europe was gripped by one of its most severe early-summer heat waves on record. Driven by a persistent high-pressure system, the heat wave pushed temperatures above 40°C (104°F) in Spain, France and Italy. The extreme conditions strained power grids and heightened wildfire risks, particularly across the Mediterranean. It also severely disrupted transportation; in France and the United Kingdom, rail operators imposed speed restrictions and faced widespread delays because intense heat threatened to expand and buckle steel tracks. Record-breaking temperatures were set across the region.

- [France](#) experienced a June heatwave that surpassed the absolute intensity of the historic 2003 event, despite being two days shorter (14 days vs 16). From June 24–25, the country's national 24-hour mean temperature exceeded 30.0°C (86.0°F) for the first time on record, eclipsing the previous all-time record of 29.4°C (84.9°F) set on August 5, 2003 and again on July 25, 2019. This unprecedented severity prompted Météo France to simultaneously place 72 departments under a red heatwave alert—the highest number since the alert system's inception in 2004. Daytime (maximum) temperatures were unprecedented with over 40% of the nation soaring past 40.0°C (104.0°F) at least once during the heat wave. Nighttime (minimum) temperatures offered little relief as nearly 75% of France endured "tropical nights" where minimum temperatures remained above 20.0°C (68.0°F). Hundreds of local maximum and minimum records were broken during this heat wave.

- The United Kingdom shattered its June temperature records on consecutive days in late June 2026. The nation initially broke the record on June 24 with a temperature of 36.1°C (97.0°F), only to surpass it the next day (June 25) when Yeovilton reached 36.4°C (97.5°F). Both values eclipsed the previous long-standing June record of 35.6°C (96.1°F), set in June of 1957 and matched in June 1976. The unprecedented heat wave forced officials to issue a Red Warning for extreme heat for three consecutive days—a historic first for the country. The UK also provisionally broke its record for the highest June minimum temperature when Bute Park, Cardiff, recorded an exceptionally warm overnight low of 23.5°C (74.3°F) on June 25.
- In [Germany](#), it was reported that 8–10 days had temperatures above 35.0°C (95.0°F) in parts of southwestern Germany and temperatures exceeding 40.0°C (104.0°F) at 46 weather stations. A preliminary new all-time high temperature of 41.7°C (107.1°F) was recorded on June 28 at Neisse-münde-Coschen, Brandenburg. The nights were also exceptionally warm, with Germany recording one of its warmest nights during the peak of the heat wave, at 29.4°C (84.9°F).
- At the peak of the heat wave, parts of Spain recorded temperatures that were above 40°C (104°F). On June 24, Bilbao Airport registered a maximum temperature of 42.7°C (108.9°F), setting a new maximum temperature for June in the nation.
- [The Netherlands](#) experienced an unprecedented day of extreme heat on June 26. In Ell, a new national June temperature record was established as temperatures soared to 39.4°C (102.9°F). On the same day, Terschelling reached 33.6°C (92.5°F), marking the highest temperature ever recorded on Dutch Wadden Island. These extreme conditions prompted authorities to issue a Code Red warning for extreme heat across much of the nation for the first time on record.

Oceania experienced its third-warmest June on record and Asia recorded its fourth warmest. While South America also observed an above-average June temperature, it did not rank among the ten warmest Junes.

The following national June temperature summaries were compiled from national meteorological services and media reports. These insights reflect preliminary data that was available prior to our publication date:

- In [the Netherlands](#), De Bilt recorded an average temperature of 19.1°C (66.4°F), which is 2.9°C (5.2°F) above average. This marked the second-warmest June since records began in 1901, trailing the record set in June 2023 by just 0.2°C (0.4°F).
- The [United Kingdom](#) recorded its second-warmest June on record, surpassed only by June 2023. On a regional level, England experienced its warmest June on record; its average temperature of 17.1°C (62.8°F) was nearly 3.0°C (5.4°F) above average, eclipsing the previous record that was set just last year in 2025. Meanwhile, Wales had its second-warmest June, and Scotland and Northern Ireland both tied for fourth warmest since records began in 1884. A historic late-month heat wave brought unprecedented daytime and nighttime temperatures, prompting the first consecutive three-day Red Extreme Heat Warning since the warning system was introduced in 2021. Exceptionally high nighttime temperatures drove the highest June average minimum temperatures on record for the United Kingdom, England, and Wales, while Scotland tied for highest.
- [Spain](#) had a June temperature departure of +3.2°C (+5.8°F)—the second highest for June since national records began in 1961, trailing only the 2025 record. According to Spain's National Agency of Meteorology, 13 of the 15 warmest Junes have all occurred in the 21st century.
- [Switzerland](#) experienced its third-warmest June since national records began in 1864, with an average temperature of 3.5°C (6.3°F) above average.

- With a national mean temperature departure of 3.8°C (6.8°F) above the 1991–2020 period, [France](#) experienced its warmest June on record. This value surpassed the previous record, set in June 2003, by 0.30°C (0.54°F).
- [Germany's](#) national average temperature for June reached 19.5°C (67.0°F), marking the country's second-warmest June since records began. This value represents a 4.1°C (7.4°F) temperature departure above the 1961–1990 average, sitting just 0.30°C (0.54°F) below the record-holding June of 2019.
- June 2026 in [Austria](#) experienced an exceptionally intense late-month heat wave in June 2026, which shattered monthly temperature records at 1577 of 266 weather stations. However, because temperatures during the first half of the month trended near or below normal, June ranked as the fourth-warmest June on record for the nation.
- [Japan's](#) June temperature was 0.46°C (0.83°F) above the 1991–2020 average. Although the month was warmer than normal, it did not rank among the nation's five warmest Junes on record. Notably, this was the country's lowest June temperature departure since 2019.

- [Australia](#) experienced an exceptionally warm June, with a national mean temperature 1.50°C (2.70°F) above the 1961–1990 average—the highest June temperature departure since 1966 and the fifth highest since national records began in 1910. Although above-average conditions spanned the entire country, the warmth was most pronounced across the southeast. New South Wales recorded its second-warmest June, Victoria and Tasmania observed their third warmest, and South Australia logged its fifth warmest, while Queensland tied for seventh warmest. Nighttime temperatures were also notable: New South Wales and Victoria recorded their second-warmest June minimum temperatures and South Australia saw its fourth warmest. Nationally, the average minimum temperature ranked as the fifth warmest on record, while the average maximum temperature was the ninth highest. Furthermore, Queensland, New South Wales, Victoria, Tasmania, and the Northern Territory all placed within their respective top eight-warmest June maximum temperature.
- [New Zealand](#) recorded its warmest June since national records began in 1909, with a June temperature of 10.6°C (51.1°F), which is 1.9°C (3.4°F) above average. On June 20, Bromley (Christchurch), reached 26.0°C (78.8°F), setting New Zealand's highest June temperature on record.

June Ranks and Records

Globe

Continents

Regions

June	Departure from Average (1901-2000)	1850-2026 Rank (177 years)	Record		
Global Land	+1.34°C	4th Warmest	2024	+1.69°C	
		174th Coolest	1894	-0.69°C	

Global Ocean	+0.99°C	1st Warmest	202 6	+0.99° C	
		177th Coolest	190 4	-0.41° C	
Global Land and Ocean	+1.09°C	2nd Warmest	202 4	+1.18° C	
		176th Coolest	191 1	-0.41° C	
Northern Hemisphere Land	+1.75°C	2nd Warmest	202 4	+1.88° C	
		176th Coolest	190 7	-0.73° C	
Northern Hemisphere Ocean	+1.16°C	2nd Warmest	202 4	+1.19° C	
		176th Coolest	190 4	-0.53° C	
Northern Hemisphere Land and Ocean	+1.42°C	2nd Warmest	202 4	+1.49° C	
		176th Coolest	190 9	-0.52° C	

Southern Hemisphere Land	+0.39°C	39th Warmest	1991	+1.30°C	
		139th Coolest	1885	-0.99°C	
	Ties: 1903, 2011				
Southern Hemisphere Ocean	+0.86°C	1st Warmest	2026	+0.86°C	
		177th Coolest	1911	-0.42°C	
Southern Hemisphere Land and Ocean	+0.77°C	3rd Warmest	2023	+0.88°C	
		175th Coolest	1911	-0.50°C	
North America	+1.70°C	2nd Warmest	2021	+1.76°C	
		176th Coolest	1907	-1.10°C	
South America	+0.89°C	19th Warmest	2024	+2.17°C	
		159th Coolest	1875	-1.80°C	

	Ties: 1898, 1998					
Europe	+2.38°C	2nd Warmest	2019	+2.61°C		
		176th Coolest	1923	-1.78°C		
	Ties: 2024					
Africa	+1.54°C	2nd Warmest	2024	+2.02°C		
		176th Coolest	1855	-0.97°C		
Asia	+1.79°C	4th Warmest	2024	+2.04°C		
		174th Coolest	1881	-1.16°C		
Oceania	+1.37°C	3rd Warmest	1996	+1.73°C		
		175th Coolest	1908	-1.54°C		
Arctic	+2.22°C	1st Warmest	2026	+2.22°C		
		177th Coolest	1881	-1.46°C		


Antarctic	-0.45°C	151st Warmest	199 1	+1.21° C	
		27th Coolest	196 0	-1.14° C	
	Ties: 1936				
Caribbean Islands	+0.88°C	8th Warmest	202 4	+1.48° C	
		170th Coolest	191 3	-0.96° C	
Atlantic MDR	+0.66°C	17th Warmest	202 4	+1.63° C	
		161st Coolest	190 4	-0.88° C	
Gulf of America	+0.95°C	9th Warmest	187 1	+1.55° C	
		169th Coolest	191 0	-1.05° C	
Hawaiian Region	+1.06°C	3rd Warmest	196 8	+1.24° C	
		175th Coolest	187 9	-1.12° C	
East North Pacific	+1.76°C	1st Warmest	202 6	+1.76° C	

		177th Coolest	186	-1.31°
			1	C

Year-to-date Temperature: January–June 2026

The January–June global surface temperature departure was the third-highest in the 177-year record at +1.14°C (+2.05°F), surpassed only by the corresponding periods in 2024 and 2025. The 10 warmest January–June periods have all occurred since 2016, with each of the last five years (2022–2026) ranking among them. Consequently, NCEI's statistical analysis indicates that it is virtually certain that 2026 will rank among the 10 warmest years on record, and very likely that it will place within the top five.


Global Land and Ocean Average Temperature Departures



The global oceans continued to reach near-record levels, with a temperature departure of +0.91°C (+1.64°F). The global land surface temperature ranked as the fifth-highest on record.

The first half of 2026 was characterized by widespread, warmer-than-average conditions globally. Notable high temperature departures of 2.0°C (3.6°F) or higher were observed across the contiguous U.S., the Arctic, parts of Asia, and the North Pacific Ocean. Furthermore, record-high January–June temperatures occurred within parts of the contiguous U.S., Mexico, Europe, Asia, Africa, northern Chile, and across every major ocean basin. In contrast, below-average temperatures were limited, stretching from Alaska into northern Canada, as well as northern Asia, and northeastern Europe. Notably, no land or ocean areas experienced record-cold temperatures during this six-month period.


Jan–Jun 2026 Global Temperature Departures
NOAA's National Centers for Environmental Information



Source: NOAA GlobalTemp Dataset Version 6.1.0-20260727

[January–June 2026 Blended Land and Sea Surface Temperature Anomalies in degrees Celsius](#)

Jan–Jun 2026 Global Temperature Percentiles
NOAA's National Centers for Environmental Information



Source: NOAA GlobalTemp Dataset Version 6.1.0-20260727

[January–June 2026 Blended Land and Sea Surface Temperature Percentiles](#)

The percentile maps feature a brand-new category. To learn more about this addition and what it signifies, please read our 'Did You Know?' feature titled "[Characterizing Low-Variability Data Ties in the Global Percentiles Maps](#)".

Several continents and regions tracked among their top 10 warmest January–June periods on record. Specifically, Africa recorded its third-warmest first half of the year, followed by Asia (fifth warmest), North America (eighth warmest), and both South America and Oceania (each 10th-warmest). Although Europe, the Arctic, and Antarctic also experienced warmer-than-average conditions during this six-month period, none ranked within their respective top 10.

January–June Ranks and Records

- Globe
- Continents
- Regions

January–June	Departure from Average (1901-2000)	1850-2026 Rank (177 years)	Record	
Global Land	+1.64°C	5th Warmest	2025	+1.90°C
		173rd Coolest	1867	-0.87°C
Global Ocean	+0.91°C	2nd Warmest	2024	+0.99°C
		176th Coolest	1911	-0.44°C
Global Land and Ocean	+1.14°C	3rd Warmest	2024	+1.27°C

		175th Coolest	1917	-0.51° C	
Northern Hemisphere Land	+1.98°C	5th Warmest	2016, 2025	+2.31° C	
		173rd Coolest	1867	-0.99° C	
Northern Hemisphere Ocean	+0.99°C	2nd Warmest	2024	+1.15° C	
		176th Coolest	1904, 1917	-0.46° C	
Northern Hemisphere Land and Ocean	+1.42°C	5th Warmest	2024	+1.63° C	
		173rd Coolest	1917	-0.59° C	
Southern Hemisphere Land	+0.88°C	6th Warmest	2024	+1.03° C	
		172nd Coolest	1917	-0.76° C	
	Ties: 2007				

Southern Hemisphere Ocean	+0.85°C	2nd Warmest	2024	+0.87°C	
		176th Coolest	1911	-0.46°C	
Southern Hemisphere Land and Ocean	+0.86°C	2nd Warmest	2024	+0.90°C	
		176th Coolest	1911	-0.48°C	
North America	+1.65°C	8th Warmest	2016	+2.28°C	
		170th Coolest	1875	-1.98°C	
South America	+1.08°C	10th Warmest	2024	+1.76°C	
		168th Coolest	1879	-1.18°C	
Europe	+1.54°C	12th Warmest	2024	+2.46°C	
		166th Coolest	1929	-1.68°C	
Africa	+1.46°C	3rd Warmest	2024	+1.91°C	

		175th Coolest	1850	-1.23° C	
Asia	+2.19°C	5th Warmest	2020	+2.92° C	
		173rd Coolest	1862	-1.63° C	
Oceania	+0.98°C	10th Warmest	2016	+1.43° C	
		168th Coolest	1917	-0.98° C	
Arctic	+2.11°C	12th Warmest	2016	+3.37° C	
		166th Coolest	1966	-1.71° C	
Antarctic	+0.39°C	11th Warmest	1980	+0.62° C	
		167th Coolest	1960	-0.70° C	
	Ties: 1985				
Caribbean Islands	+0.89°C	6th Warmest	2024	+1.35° C	
		172nd Coolest	1910	-0.94° C	

Atlantic MDR	+0.73°C	12th Warmest	2024	+1.64° C	
		166th Coolest	1913	-0.75° C	
	Ties: 1969				
Gulf of America	+0.94°C	6th Warmest	2023	+1.28° C	
		172nd Coolest	1910	-0.80° C	
Hawaiian Region	+1.07°C	1st Warmest	2026	+1.07° C	
		177th Coolest	1887	-0.78° C	
East North Pacific	+1.41°C	1st Warmest	2026	+1.41° C	
		177th Coolest	1917	-1.23° C	


Precipitation

Precipitation data from the [Global Historical Climatology Network \(GHCN\)](#) are with respect to the 1961–1990 average.

June

Jun 2026 Precipitation Departures


NOAA's National Centers for Environmental Information



[June 2026 Land-Only Precipitation Anomalies](#)

Jun 2026 Percent of Average

NOAA's National Centers for Environmental Information



[June 2026 Land-Only Precipitation Percent of Normal](#)

During June 2026, global precipitation patterns exhibited stark regional contrasts between wet and dry areas. Above-average precipitation was prominent across the central and eastern U.S., northern Argentina, northern Europe, northwestern and eastern parts of Asia, and southern and southeastern Australia. In contrast, precipitation deficits were recorded across southern and western Alaska, the western and southwestern contiguous U.S., western, central, and eastern Europe, parts of western and eastern Australia, much of Argentina and Uruguay, and a vast portion of northern and eastern Siberia.

The following national June precipitation summaries were compiled from national meteorological services and media reports. These insights reflect preliminary data that was available prior to our publication date:

- A severe thunderstorm outbreak swept across southeastern Europe from June 10–12, 2026, bringing destructive winds, torrential rainfall, and golf-ball-sized hail to parts of Slovenia, Croatia, Bosnia and Herzegovina, and Greece, damaging more than 100 buildings and causing widespread destruction.
- [Spain](#) recorded its third-driest June since national records began in 1961, receiving just 39% of its normal precipitation.

- [Hong Kong](#), China, experienced multiple episodes of torrential rain during June 2026, prompting authorities to issue three Black Rainstorm Warnings—the territory's highest rainfall alert level—including a historic event on June 18 when two Black Rainstorm Warnings were issued within just 3.5 hours of each other, the first such occurrence since the warning system was introduced in 1992. Rainfall rates exceeded 70 mm per hour in some areas, causing widespread flooding. The New Territories were hit particularly hard, with roads, border facilities, and low-lying districts inundated. The severe weather also ground daily life to a halt, forcing school closures, disrupting flights, and triggering urgent warnings of landslides and flash floods.
- Tropical Storm Cristina formed off the Pacific coast of Nicaragua on June 8, 2026. Although it remained a weak system, Cristina tracked slowly along the Central American coastline, producing prolonged periods of heavy rainfall. Most regions received 100–200 mm (4–8 inches) of rain, with isolated areas in Central America reporting as much as 300 mm (12 inches). The copious rain triggered flash flooding and river overflows, inundating low-lying communities. Meanwhile, saturated soils sparked numerous landslides across the mountainous terrain of Nicaragua, El Salvador, and Guatemala. In El Salvador alone, reports indicated that nearly 200 homes were damaged or destroyed.
- Severe thunderstorms brought localized flash flooding, strong winds, and hail to parts of Italy in late June, particularly across northern regions. While the storms provided temporary relief from extremely high temperatures, the storms caused travel disruptions, localized damage, and flooding in urban areas.

- [Australia](#) recorded its wettest June since 2016, with a nationwide rainfall total 27% above-average. While every state was wetter than normal, South Australia experienced the largest departure at 130% above average. The widespread wet weather was driven by several major systems, including cold fronts early and late in the month, alongside a mid-month northwest cloudband. These systems generated heavy downpours, triggered minor flooding in parts of Victoria and Tasmania, and shattered numerous June daily rainfall records.
 - June was unusually dry across India, with the country recording one of its driest Junes since 1901. According to media reports, the national rainfall total of 99.5 mm (3.9 inches) was just 60% of normal precipitation. This significant deficit was primarily driven by a weak monsoon and its delayed advancement over parts of northwestern India.
-



Regional Background

The regional analysis—introduced in July 2015—focuses on monitoring temperature departures across individual continents and key regions.

Similar to the global values, the continental and regional temperature departures are derived from the [NOAAGlobalTemp](#) data set. To calculate them, continental and regional polygons are mapped using 5° x 5° grid points centered within each respective area. Mirroring the global methodology, these grid points are area-weighted and averaged to compute a localized temperature departure time series.

This localized perspective complements global monitoring by providing crucial historical context, showing how the last month, season, or year compares to the past for each continent and key regions.

Region Definitions



References

- Adler, R., G. Gu, M. Sapiano, J. Wang, G. Huffman 2017. Global Precipitation: Means, Variations and Trends During the Satellite Era (1979-2014). *Surveys in Geophysics* 38: 679-699, [doi:10.1007/s10712-017-9416-4](https://doi.org/10.1007/s10712-017-9416-4)
- Adler, R., M. Sapiano, G. Huffman, J. Wang, G. Gu, D. Bolvin, L. Chiu, U. Schneider, A. Becker, E. Nelkin, P. Xie, R. Ferraro, D. Shin, 2018. The Global Precipitation Climatology Project (GPCP) Monthly Analysis (New Version 2.3) and a Review of 2017 Global Precipitation. *Atmosphere*. 9(4), 138; [doi:10.3390/atmos9040138](https://doi.org/10.3390/atmos9040138)
- Gu, G., and R. Adler, 2022. Observed Variability and Trends in Global Precipitation During 1979-2020. *Climate Dynamics*, [doi:10.1007/s00382-022-06567-9](https://doi.org/10.1007/s00382-022-06567-9)
- Huang, B., Peter W. Thorne, et. al, 2017: Extended Reconstructed Sea Surface Temperature version 5 (ERSSTv5), Upgrades, validations, and intercomparisons. *J. Climate*, [doi: 10.1175/JCLI-D-16-0836.1](https://doi.org/10.1175/JCLI-D-16-0836.1)
- Huang, B., V.F. Banzon, E. Freeman, J. Lawrimore, W. Liu, T.C. Peterson, T.M. Smith, P.W. Thorne, S.D. Woodruff, and H-M. Zhang, 2016: Extended Reconstructed Sea Surface Temperature Version 4 (ERSST.v4). Part I: Upgrades and Intercomparisons. *J. Climate*, **28**, 911-930, [doi:10.1175/JCLI-D-14-00006.1](https://doi.org/10.1175/JCLI-D-14-00006.1).
- Menne, M. J., C. N. Williams, B.E. Gleason, J. J Rennie, and J. H. Lawrimore, 2018: The Global Historical Climatology Network Monthly Temperature Dataset, Version 4. *J. Climate*, in press. <https://doi.org/10.1175/JCLI-D-18-0094.1>.
- Peterson, T.C. and R.S. Vose, 1997: [An Overview of the Global Historical Climatology Network Database](https://doi.org/10.1175/BAMS-1997-0101). *Bull. Amer. Meteorol. Soc.*, **78**, 2837-2849.
- Vose, R., B. Huang, X. Yin, D. Arndt, D. R. Easterling, J. H. Lawrimore, M. J. Menne, A. Sanchez-Lugo, and H. M. Zhang, 2021. Implementing Full Spatial Coverage in NOAA's Global Temperature Analysis. *Geophysical Research Letters* 48(10), e2020GL090873; [doi:10.1029/2020gl090873](https://doi.org/10.1029/2020gl090873).