

Count
900
800
700
600
500
400
300
200
100
0
0
200
400
600
800
1000
1200
dE/dx(ADC counts/cm)
XP
$\frac{\sigma}{\mu} = 5.04 \pm 0.13$ %
$\mu = 428.5 \pm 0.5$
$\sigma = 21.6 \pm 0.5$
WF
$\frac{\sigma}{\mu} = 4.85 \pm 0.11$ %
$\mu = 414.0 \pm 0.4$
$\sigma = 20.1 \pm 0.4$



Energy loss in ERAM 24
Energy loss in ERAM 30
Energy loss in ERAM 28
Energy loss in ERAM 19
XP
σ/μ = 4.46± 0.32 %
μ = 432.1± 1.5
σ = 19.3± 1.3
WF
σ/μ = 4.15± 0.29 %
μ = 417.6± 1.3
σ = 17.3± 1.1
Energy loss in ERAM 21
Energy loss in ERAM 13
Energy loss in ERAM 9
Energy loss in ERAM 2
XP
σ/μ = 4.76± 0.27 %
μ = 428.0± 1.0
σ = 20.4± 1.1
WF
σ/μ = 4.91± 0.28 %
μ = 412.5± 1.0
σ = 20.2± 1.1
Energy loss in ERAM 26
Energy loss in ERAM 17
Energy loss in ERAM 23
Energy loss in ERAM 29
XP
σ/μ = 4.81± 0.23 %
μ = 429.3± 1.4
σ = 20.7± 0.9
WF
σ/μ = 4.95± 0.35 %
μ = 414.1± 1.4
σ = 20.5± 1.4
Energy loss in ERAM 1
Energy loss in ERAM 10
Energy loss in ERAM 11
Energy loss in ERAM 3
XP
σ/μ = 4.91± 0.28 %
μ = 428.5± 1.1
σ = 21.1± 1.1
WF
σ/μ = 5.07± 0.29 %
μ = 413.9± 1.1
σ = 21.0± 1.1
Count
dE/dx (ADC counts/cm)



Energy loss in ERAM 47
Energy loss in ERAM 16
Energy loss in ERAM 14
Energy loss in ERAM 15
XP
σ/μ = 5.17± 0.52 %
μ = 431.1± 1.8
σ = 22.3± 2.1
WF
σ/μ = 4.51± 0.33 %
μ = 417.6± 1.4
σ = 18.8± 1.3
Energy loss in ERAM 42
Energy loss in ERAM 45
Energy loss in ERAM 37
Energy loss in ERAM 36
XP
σ/μ = 4.73± 0.31 %
μ = 427.1± 1.1
σ = 20.2± 1.3
WF
σ/μ = 4.60± 0.24 %
μ = 412.7± 1.0
σ = 19.0± 0.9
Energy loss in ERAM 20
Energy loss in ERAM 38
Energy loss in ERAM 7
Energy loss in ERAM 44
XP
σ/μ = 5.19± 0.32 %
μ = 429.1± 1.5
σ = 22.3± 1.3
WF
σ/μ = 5.17± 0.51 %
μ = 413.8± 1.6
σ = 21.4± 2.0
Energy loss in ERAM 43
Energy loss in ERAM 39
Energy loss in ERAM 41
Energy loss in ERAM 46
XP
σ/μ = 5.22± 0.39 %
μ = 427.2± 1.3
σ = 22.3± 1.6
WF
σ/μ = 4.92± 0.29 %
μ = 412.7± 1.1
σ = 20.3± 1.2
Count
dE/dx (ADC counts/cm)


dE/dx with XP (ADC counts/cm)
dE/dx with WF (ADC counts/cm)
0
100
200
300
400
500
600
700
800
900
1000
0
50
100
150
200
250
300



WF
XP
dE/dx resolution (%)
30
25
20
15
10
5
−1000
−500
0
500
1000
Track X position (mm)



WF
XP
dE/dx (ADC counts/cm)
800
700
600
500
400
300
200
−1000
−500
0
500
1000
Track X position (mm)



y = -0.00x + 410.47
dE/dx with WF (ADC counts/cm)
Track X position (mm)
0
100
200
300
400
500
600
700
800
900
1000
−1000
−500
0
500
1000
0
1
2
3
4
5
6
7



y = -0.02x + 426.18
dE/dx with XP (ADC counts/cm)
Track X position (mm)
0
100
200
300
400
500
600
700
800
900
1000
−1000
−500
0
500
1000
0
1
2
3
4
5
6
7
8



dE/dx resolution (%)
30
25
20
15
10
5
0
100
200
300
400
500
Drift time (timebins)
WF
XP


WF
XP
Mean (ADC counts/cm)
800
700
600
500
400
300
200
0
100
200
300
400
500
Drift time (timebins)



y = -0.01x + 397.04
dE/dx with WF (ADC counts/cm)
drift time (timebins)
0
100
200
300
400
500
600
700
800
900
1000
0
100
200
300
400
500
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0



y = -0.00x + 407.07
dE/dx with XP (ADC counts/cm)
drift time (timebins)
0
100
200
300
400
500
600
700
800
900
1000
0
100
200
300
400
500
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0



Energy loss (XP) vs drift time in ERAM 24
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 30
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 28
y = 0.81x + 251.47
Energy loss (XP) vs drift time in ERAM 19
y = 0.07x + 415.77
Energy loss (XP) vs drift time in ERAM 21
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 13
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 9
y = 0.38x + 353.77
Energy loss (XP) vs drift time in ERAM 2
y = 0.04x + 420.42
Energy loss (XP) vs drift time in ERAM 26
y = 7.80x + -2124.20
Energy loss (XP) vs drift time in ERAM 17
y = 0.21x + 382.61
Energy loss (XP) vs drift time in ERAM 23
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 29
y = 0.04x + 418.69
Energy loss (XP) vs drift time in ERAM 1
y = -0.24x + 502.23
Energy loss (XP) vs drift time in ERAM 10
y = -0.49x + 519.32
Energy loss (XP) vs drift time in ERAM 11
y = 0.14x + 413.04
Energy loss (XP) vs drift time in ERAM 3
y = 0.05x + 416.56
dE/dx (ADC counts/cm)
drift time (timebins)


Energy loss (XP) vs drift time in ERAM 47
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 16
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 14
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 15
y = 0.05x + 419.38
Energy loss (XP) vs drift time in ERAM 42
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 45
y = 0.00x + 422.50
Energy loss (XP) vs drift time in ERAM 37
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 36
y = 0.07x + 411.50
Energy loss (XP) vs drift time in ERAM 20
y = -0.54x + 608.02
Energy loss (XP) vs drift time in ERAM 38
y = -0.03x + 450.63
Energy loss (XP) vs drift time in ERAM 7
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 44
y = 0.04x + 420.22
Energy loss (XP) vs drift time in ERAM 43
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 39
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 41
y = 0.00x + 0.00
Energy loss (XP) vs drift time in ERAM 46
y = 0.05x + 416.08
dE/dx (ADC counts/cm)
drift time (timebins)



time
X
500
400
300
200
100
0
−1000
−500
0
500
1000
8
7
6
5
4
3
2
1
0



dE/dx resolution (%)
30
25
20
15
10
5
0
10
20
30
40
50
60
70
80
90
φ (°)
WF
XP



WF
XP
Mean (ADC counts/cm)
800
700
600
500
400
300
200
0
10
20
30
40
50
60
70
80
90
φ (°)



dE/dx resolution (%)
30
25
20
15
10
5
WF
XP
−80
−60
−40
−20
0
20
40
60
80
φ (°)



Mean (ADC counts/cm)
800
700
600
500
400
300
200
WF
XP
−80
−60
−40
−20
0
20
40
60
80
φ (°)


dE/dx with XP (ADC counts/cm)
φ (°)
1000
900
800
700
600
500
400
300
200
100
0
−80
−60
−40
−20
0
20
40
60
80
10
9
8
7
6
5
4
3
2
1
0



track length (cm)
φ
0
20
40
60
80
100
120
140
160
−80
−60
−40
−20
0
20
40
60
80
0
2
4
6
8
10



χ^2/NDF
50
45
40
35
30
25
20
15
10
5
0
−80
−60
−40
−20
0
20
40
60
80
φ
60
50
40
30
20
10
0



momentum (MeV)
2000
1500
1000
500
0
−500
−1000
−1500
−2000
−80
−60
−40
−20
0
20
40
60
80
φ
12
10
8
6
4
2
0



Count
350
300
250
200
150
100
50
0
−80
−60
−40
−20
0
20
40
60
80
φ angle



dE/dx resolution (%)
30
25
20
15
10
5
0
10
20
30
40
50
60
70
80
90
θ (°)
WF
XP


WF
XP
Mean (ADC counts/cm)
θ (°)
200
300
400
500
600
700
800
0
10
20
30
40
50
60
70
80
90



WF
XP
dE/dx resolution (%)
θ (°)
30
25
20
15
10
5
−80
−60
−40
−20
0
20
40
60
80



WF
XP
Mean (ADC counts/cm)
800
700
600
500
400
300
200
−80
−60
−40
−20
0
20
40
60
80
θ (°)



dE/dx with XP (ADC counts/cm)
θ (°)
0
100
200
300
400
500
600
700
800
900
1000
−80
−60
−40
−20
0
20
40
60
80
0 1 2 3 4 5 6 7 8 9



track length (cm)
160
140
120
100
80
60
40
20
0
−80
−60
−40
−20
0
20
40
60
80
θ
12
10
8
6
4
2
0



momentum (MeV)
2000
1500
1000
500
0
−500
−1000
−1500
−2000
−80
−60
−40
−20
0
20
40
60
80
θ
10
9
8
7
6
5
4
3
2
1
0



Count
350
300
250
200
150
100
50
0
−80
−60
−40
−20
0
20
40
60
80
θ angle


φ
80
60
40
20
0
−20
−40
−60
−80
θ
70
50
30
10



dE/dx resolution (%)
30
25
20
15
10
5
WF
XP
0
200
400
600
800
1000
1200
1400
1600
1800
2000
Absolute momentum (MeV/c)



WF
XP
Mean (ADC counts/cm)
800
700
600
500
400
300
200
0
200
400
600
800
1000
1200
1400
1600
1800
2000
Absolute momentum (MeV/c)



dE/dx with WF (ADC counts/cm)
1000
900
800
700
600
500
400
300
200
100
0
0
200
400
600
800
1000
1200
1400
1600
1800
2000
Absolute momentum (MeV/c)
12
10
8
6
4
2
0



WF
XP
dE/dx resolution (%)
30
25
20
15
10
5
−2000
−1500
−1000
−500
0
500
1000
1500
2000
Momentum (MeV/c)



WF
XP
Mean (ADC counts/cm)
Momentum (MeV/c)
800
700
600
500
400
300
200
−2000
−1500
−1000
−500
0
500
1000
1500
2000



dE/dx with WF (ADC counts/cm)
1000
900
800
700
600
500
400
300
200
100
0
−2000
−1500
−1000
−500
0
500
1000
1500
2000
momentum (MeV)
12
10
8
6
4
2
0



dE/dx with XP (ADC counts/cm)
0
100
200
300
400
500
600
700
800
900
1000
−2000
−1500
−1000
−500
0
500
1000
1500
2000
momentum (MeV)
0
2
4
6
8
10



Count
250
200
150
100
50
0
−2000
−1500
−1000
−500
0
500
1000
1500
2000
momentum (MeV)
Both HATs
tHAT
bHAT



χ^2
50
45
40
35
30
25
20
15
10
5
0
−2000
−1500
−1000
−500
0
500
1000
1500
2000
momentum (MeV)
18
16
14
12
10
8
6
4
2
0



Pulls standard deviation
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
−80
−60
−40
−20
0
20
40
60
80
θ (°)
μ±
e±



Pulls mean
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
$\mu^{\pm}$
$e^{\pm}$
−80
−60
−40
−20
0
20
40
60
80
θ (°)

$\mu^{\pm}$
$e^{\pm}$


μ±
e±



Pull e
20
15
10
5
0
−5
−10
−15
−20
−20
−15
−10
−5
0
5
10
15
20
Pull μ
600
500
400
300
200
100
0



Count
900
800
700
600
500
400
300
200
100
0
−20
−15
−10
−5
0
5
10
15
20
Pull
μ hyp.
e hyp.
p hyp.
S(μ/e) = 8.82 ± 0.14
μ_μ = 0.524 ± 0.012
σ_μ = 0.563 ± 0.011
μ_e = -4.033 ± 0.011
σ_e = 0.466 ± 0.012


Z
1.0
0.8
0.6
0.4
0.2
0.0
−0.2
−0.4
−0.6
−0.8
−1.0
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
0.8
1.0
X



dE/dx with XP (ADC counts/cm)
track length (cm)
0
100
200
300
400
500
600
700
800
900
1000
0
20
40
60
80
100
120
140
160
0
2
4
6
8
10
12
14



Count
250
200
150
100
50
0
0
20
40
60
80
100
120
140
160
track length (cm)


Count
80
70
60
50
40
30
20
10
0
0
5
10
15
20
25
30
35
40
45
50
χ^2



momentum (MeV)
2000
1500
1000
500
0
−500
−1000
−1500
−2000
−50
−40
−30
−20
−10
0
10
20
30
40
50
R
220
200
180
160
140
120
100
80
60
40
20
0
×10^3



χ^2/NDF
R
$\times10^3$
0
5
10
15
20
25
30
35
40
45
50
−50
−40
−30
−20
−10
0
10
20
30
40
50



Energy loss | -2000 < p < -1960
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -1960 < p < -1920
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -1920 < p < -1880
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1880 < p < -1840
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1840 < p < -1800
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1800 < p < -1760
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1760 < p < -1720
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1720 < p < -1680
Count
dE/dx (ADC counts/cm)
0
200
400
600
800
1000
1200
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -1680 < p < -1640
Count
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1640 < p < -1600
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1600 < p < -1560
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1560 < p < -1520
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -1520 < p < -1480
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1480 < p < -1440
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1440 < p < -1400
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1400 < p < -1360
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1360 < p < -1320
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1320 < p < -1280
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1280 < p < -1240
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1240 < p < -1200
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1200 < p < -1160
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1160 < p < -1120
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
0
200
400
600
800
1000
1200
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Energy loss | -1120 < p < -1080
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1080 < p < -1040
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -1040 < p < -1000
Count
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -1000 < p < -960
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -960 < p < -920
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -920 < p < -880
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -880 < p < -840
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -840 < p < -800
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -800 < p < -760
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -760 < p < -720
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -720 < p < -680
Count
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -680 < p < -640
Count
dE/dx (ADC counts/cm)
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -640 < p < -600
Count
dE/dx (ADC counts/cm)
0
200
400
600
800
1000
1200
0
20
40
60
80
100
120
140
XP
$\frac{\sigma}{\mu}$ = 4.82± 0.21 %
μ = 430.5± 1.0
σ = 20.8± 0.9
WF
$\frac{\sigma}{\mu}$ = 4.75± 0.25 %
μ = 416.2± 1.0
σ = 19.8± 1.0


Energy loss | -600 < p < -560
Count
dE/dx (ADC counts/cm)
XP
σ/μ = 5.01± 0.22 %
μ = 428.7± 1.0
σ = 21.5± 0.9
WF
σ/μ = 5.04± 0.21 %
μ = 414.3± 1.0
σ = 20.9± 0.8


Energy loss | -560 < p < -520
Count
dE/dx (ADC counts/cm)
XP
σ/μ = 4.84± 0.29 %
μ = 426.9± 1.1
σ = 20.7± 1.2
WF
σ/μ = 4.64± 0.25 %
μ = 412.1± 1.0
σ = 19.1± 1.0



Energy loss | -520 < p < -480
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -480 < p < -440
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -440 < p < -400
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -400 < p < -360
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -360 < p < -320
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -320 < p < -280
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -280 < p < -240
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -240 < p < -200
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -200 < p < -160
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -160 < p < -120
Count
dE/dx (ADC counts/cm)
0
200
400
600
800
1000
1200
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -120 < p < -80
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -80 < p < -40
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -40 < p < 0
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 0 < p < 40
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 40 < p < 80
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 80 < p < 120
Count
dE/dx (ADC counts/cm)
0
200
400
600
800
1000
1200
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 120 < p < 160
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 160 < p < 200
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 200 < p < 240
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 240 < p < 280
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 280 < p < 320
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 320 < p < 360
Count
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 360 < p < 400
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 400 < p < 440
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 440 < p < 480
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 480 < p < 520
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 520 < p < 560
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 560 < p < 600
Count
dE/dx (ADC counts/cm)
0
20
40
60
80
100
120
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = 4.18± 0.29 %
μ = 423.5± 1.1
σ = 17.7± 1.2
WF
$\frac{\sigma}{\mu}$ = 4.32± 0.29 %
μ = 410.8± 1.1
σ = 17.7± 1.1



Energy loss | 600 < p < 640
Count
dE/dx (ADC counts/cm)
0
200
400
600
800
1000
1200
20
40
60
80
100
120
140
160
XP
σ/μ = 5.10± 0.32 %
μ = 428.3± 1.1
σ = 21.8± 1.3
WF
σ/μ = 4.46± 0.29 %
μ = 413.4± 1.0
σ = 18.4± 1.1


Energy loss | 640 < p < 680
Count
dE/dx (ADC counts/cm)
0
20
40
60
80
100
120
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = 4.96± 0.24 %
μ = 431.2± 1.1
σ = 21.4± 1.0
WF
$\frac{\sigma}{\mu}$ = 4.78± 0.22 %
μ = 417.0± 1.1
σ = 19.9± 0.8



Energy loss | 680 < p < 720
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 720 < p < 760
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 760 < p < 800
Count
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200



Energy loss | 800 < p < 840
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 840 < p < 880
Count
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200



Energy loss | 880 < p < 920
Count
dE/dx (ADC counts/cm)
0
200
400
600
800
1000
1200
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 920 < p < 960
Count
dE/dx (ADC counts/cm)
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 960 < p < 1000
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 1000 < p < 1040
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 1040 < p < 1080
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1080 < p < 1120
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1120 < p < 1160
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1160 < p < 1200
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1200 < p < 1240
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200



Energy loss | 1240 < p < 1280
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1280 < p < 1320
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 1320 < p < 1360
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1360 < p < 1400
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1400 < p < 1440
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1440 < p < 1480
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1480 < p < 1520
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1520 < p < 1560
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1560 < p < 1600
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1600 < p < 1640
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1640 < p < 1680
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 1680 < p < 1720
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1720 < p < 1760
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 1760 < p < 1800
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1800 < p < 1840
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1840 < p < 1880
Count
dE/dx (ADC counts/cm)
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1880 < p < 1920
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1920 < p < 1960
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 1960 < p < 2000
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 2000 < p < 2040
Count
dE/dx (ADC counts/cm)
0
200
400
600
800
1000
1200
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -90 < θ < -88
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -88 < θ < -86
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -86 < θ < -84
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -84 < θ < -82
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -82 < θ < -80
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -80 < θ < -78
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -78 < θ < -76
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -76 < θ < -74
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -74 < θ < -72
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -72 < θ < -70
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -70 < θ < -68
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -68 < θ < -66
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -66 < θ < -64
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -64 < θ < -62
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -62 < θ < -60
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -60 < θ < -58
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -58 < θ < -56
Count
dE/dx (ADC counts/cm)
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -56 < θ < -54
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200



Energy loss | -54 < θ < -52
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -52 < θ < -50
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -50 < θ < -48
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -48 < θ < -46
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -46 < θ < -44
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -44 < θ < -42
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -42 < θ < -40
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -40 < θ < -38
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -38 < θ < -36
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -36 < θ < -34
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -34 < θ < -32
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -32 < θ < -30
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -30 < θ < -28
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -28 < θ < -26
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -26 < θ < -24
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | -24 < θ < -22
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -22 < θ < -20
Count
2.2
2.0
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = 0.06± 0.52 %
μ = 422.2± 1.7
σ = 0.3± 2.2
WF
σ/μ = 0.07± 0.55 %
μ = 396.2± 2.3
σ = 0.3± 2.2



Energy loss | -20 < θ < -18
Count
1.0
0.8
0.6
0.4
0.2
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | -18 < θ < -16
Count
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = 3.15± 30.16 %
μ = 406.9± 57.3
σ = 12.8± 120.9
WF
σ/μ = 0.06± 0.57 %
μ = 409.2± 1.2
σ = 0.3± 2.3



Energy loss | -16 < θ < -14
Count
dE/dx (ADC counts/cm)
XP
σ/μ = 104.93± 372.28 %
μ = 97.9± 248.2
σ = 102.7± 104.0
WF
σ/μ = 38.22± 84.89 %
μ = 409.5± 608.0
σ = 156.5± 115.2
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1.8
2.0
2.2
0
200
400
600
800
1000
1200



Energy loss | -14 < θ < -12
Count
0
1
2
3
4
5
6
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = 4.43± 1.22 %
μ = 431.1± 5.0
σ = 19.1± 5.1
WF
σ/μ = 7.41± 2.87 %
μ = 401.7± 9.5
σ = 29.8± 10.8


Energy loss | -12 < θ < -10
Count
dE/dx (ADC counts/cm)
XP
σ/μ = 2.38± 0.57 %
μ = 437.2± 2.2
σ = 10.4± 2.4
WF
σ/μ = 3.45± 0.84 %
μ = 420.4± 3.0
σ = 14.5± 3.4



Energy loss | -10 < θ < -8
Count
dE/dx (ADC counts/cm)
0
200
400
600
800
1000
1200
5
10
15
20
25
30
XP
σ/μ = 5.33± 0.63 %
μ = 430.7± 2.6
σ = 23.0± 2.6
WF
σ/μ = 4.81± 0.63 %
μ = 416.7± 2.3
σ = 20.1± 2.5



Energy loss | -8 < θ < -6
Count
dE/dx (ADC counts/cm)
0
200
400
600
800
1000
1200
10
20
30
40
50
60
XP
σ/μ = 4.44± 0.38 %
μ = 428.3± 1.6
σ = 19.0± 1.6
WF
σ/μ = 4.05± 0.40 %
μ = 412.0± 1.5
σ = 16.7± 1.6



Energy loss | -6 < θ < -4
Count
dE/dx (ADC counts/cm)
0
10
20
30
40
50
60
70
80
0
200
400
600
800
1000
1200
XP
σ/μ = 4.66± 0.39 %
μ = 430.2± 1.5
σ = 20.1± 1.6
WF
σ/μ = 4.48± 0.31 %
μ = 414.6± 1.3
σ = 18.6± 1.2


Energy loss | -4 < θ < -2
Count
100
80
60
40
20
0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = 4.98± 0.38 %
μ = 429.6± 1.4
σ = 21.4± 1.6
WF
σ/μ = 4.65± 0.27 %
μ = 414.1± 1.2
σ = 19.3± 1.1



Energy loss | -2 < θ < 0
Count
dE/dx (ADC counts/cm)
XP
σ/μ = 4.74± 0.32 %
μ = 427.9± 1.2
σ = 20.3± 1.3
WF
σ/μ = 4.52± 0.26 %
μ = 414.5± 1.1
σ = 18.7± 1.0



Energy loss | 0 < θ < 2
Count
dE/dx (ADC counts/cm)
0
20
40
60
80
100
0
200
400
600
800
1000
1200
XP
σ/μ = 5.50± 0.30 %
μ = 427.4± 1.3
σ = 23.5± 1.2
WF
σ/μ = 5.35± 0.31 %
μ = 414.0± 1.3
σ = 22.1± 1.2



Energy loss | 2 < θ < 4
Count
dE/dx (ADC counts/cm)
0
20
40
60
80
100
0
200
400
600
800
1000
1200
XP
σ/μ = 4.89± 0.25 %
μ = 429.0± 1.2
σ = 21.0± 1.0
WF
σ/μ = 5.09± 0.35 %
μ = 413.4± 1.3
σ = 21.1± 1.4



Energy loss | 4 < θ < 6
Count
dE/dx (ADC counts/cm)
0
20
40
60
80
100
0
200
400
600
800
1000
1200
XP
σ/μ = 5.29± 0.26 %
μ = 428.4± 1.3
σ = 22.6± 1.1
WF
σ/μ = 5.09± 0.36 %
μ = 414.5± 1.3
σ = 21.1± 1.4



Energy loss | 6 < θ < 8
Count
dE/dx (ADC counts/cm)
0
10
20
30
40
50
60
70
0
200
400
600
800
1000
1200
XP
σ/μ = 4.27± 0.40 %
μ = 422.7± 1.5
σ = 18.0± 1.6
WF
σ/μ = 4.39± 0.41 %
μ = 409.6± 1.5
σ = 18.0± 1.6



Energy loss | 8 < θ < 10
Count
dE/dx (ADC counts/cm)
0
10
20
30
40
50
0
200
400
600
800
1000
1200
XP
σ/μ = 4.04± 0.42 %
μ = 431.4± 1.6
σ = 17.4± 1.7
WF
σ/μ = 4.01± 0.39 %
μ = 414.3± 1.5
σ = 16.6± 1.5



Energy loss | 10 < θ < 12
Count
dE/dx (ADC counts/cm)
0
5
10
15
20
25
30
35
0
200
400
600
800
1000
1200
XP
σ/μ = 3.54± 0.64 %
μ = 428.8± 2.3
σ = 15.2± 2.6
WF
σ/μ = 4.49± 0.52 %
μ = 411.7± 2.1
σ = 18.5± 2.0



Energy loss | 12 < θ < 14
Count
dE/dx (ADC counts/cm)
0
2
4
6
8
10
12
200
400
600
800
1000
1200
XP
σ/μ = 3.25± 0.75 %
μ = 414.2± 3.0
σ = 13.5± 3.0
WF
σ/μ = 5.88± 1.23 %
μ = 414.2± 5.9
σ = 24.4± 4.8



Energy loss | 14 < θ < 16
Count
dE/dx (ADC counts/cm)
XP
σ/μ = 4.95± 0.98 %
μ = 422.1± 5.3
σ = 20.9± 3.9
WF
σ/μ = 3.57± 1.10 %
μ = 414.3± 3.9
σ = 14.8± 4.4
0
200
400
600
800
1000
1200
0
1
2
3
4
5
6
7
8



Energy loss | 16 < θ < 18
Count
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = 2.98± 1.32 %
μ = 416.0± 5.6
σ = 12.4± 5.3
WF
σ/μ = 0.06± 0.51 %
μ = 409.2± 1.1
σ = 0.3± 2.1



Energy loss | 18 < θ < 20
Count
dE/dx (ADC counts/cm)
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1.8
2.0
2.2
0
200
400
600
800
1000
1200
XP
σ/μ = 1.52± 9.21 %
μ = 429.0± 19.7
σ = 6.5± 39.2
WF
σ/μ = 1.46± 8.04 %
μ = 401.2± 71.2
σ = 5.8± 31.2



Energy loss | 20 < θ < 22
Count
1.0
0.8
0.6
0.4
0.2
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = 3.28± 26.99 %
μ = 396.5± 47.2
σ = 13.0± 105.5
WF
σ/μ = 0.07± 0.52 %
μ = 370.2± 2.3
σ = 0.3± 1.9



Energy loss | 22 < θ < 24
Count
1.0
0.8
0.6
0.4
0.2
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = 0.07± 0.52 %
μ = 383.2± 2.3
σ = 0.3± 2.0
WF
σ/μ = 0.07± 0.52 %
μ = 370.2± 2.3
σ = 0.3± 1.9


Energy loss | 24 < θ < 26
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 26 < θ < 28
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200



Energy loss | 28 < θ < 30
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 30 < θ < 32
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 32 < θ < 34
Count
dE/dx (ADC counts/cm)
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 34 < θ < 36
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 36 < θ < 38
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 38 < θ < 40
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 40 < θ < 42
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 42 < θ < 44
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 44 < θ < 46
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 46 < θ < 48
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 48 < θ < 50
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 50 < θ < 52
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 52 < θ < 54
Count
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 54 < θ < 56
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 56 < θ < 58
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 58 < θ < 60
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 60 < θ < 62
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 62 < θ < 64
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 64 < θ < 66
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 66 < θ < 68
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 68 < θ < 70
Count
dE/dx (ADC counts/cm)
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 70 < θ < 72
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 72 < θ < 74
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 74 < θ < 76
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 76 < θ < 78
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 78 < θ < 80
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
$\frac{\sigma}{\mu}$ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 80 < θ < 82
Count
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 82 < θ < 84
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 84 < θ < 86
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Energy loss | 86 < θ < 88
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 88 < θ < 90
Count
dE/dx (ADC counts/cm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
200
400
600
800
1000
1200
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0



Energy loss | 90 < θ < 92
Count
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
0
200
400
600
800
1000
1200
dE/dx (ADC counts/cm)
XP
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0
WF
σ/μ = -nan± -nan %
μ = 0.0± 0.0
σ = 0.0± 0.0


Count
time bin
0
100
200
300
400
500
0
1
2
3
4
5
6
7
8
9
T_{min} (bottom cathode)
T_{min} EP0
T_{min} EP1
T_{min} (top cathode)
T_{min} EP2
T_{min} EP3


Count
time bin
0
100
200
300
400
500
0
2
4
6
8
10
12
T_{max} (bottom cathode)
T_{max} EP0
T_{max} EP1
T_{max} (top cathode)
T_{max} EP2
T_{max} EP3