








































































































































Energy loss | $-3000 < p < -2940$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $-2940 < p < -2880$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2880 < p < -2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $-2820 < p < -2760$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -2760 < p < -2700

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2700 < p < -2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $-2640 < p < -2580$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2580 < p < -2520

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2520 < p < -2460$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2460 < p < -2400

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2400 < p < -2340

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2340 < p < -2280$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2280 < p < -2220

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2220 < p < -2160$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2160 < p < -2100

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2100 < p < -2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2040 < p < -1980$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1980 < p < -1920

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1920 < p < -1860

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1860 < p < -1800$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1800 < p < -1740

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -1740 < p < -1680

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1680 < p < -1620

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1620 < p < -1560$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1560 < p < -1500$

Count



dE/dx (ADC counts/cm)

Energy loss | $-1500 < p < -1440$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1440 < p < -1380

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1380 < p < -1320$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1320 < p < -1260$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1260 < p < -1200$

Count



dE/dx (ADC counts/cm)

Energy loss | -1200 < p < -1140

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1140 < p < -1080

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1080 < p < -1020$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1020 < p < -960$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -960 < p < -900

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-900 < p < -840$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-840 < p < -780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -780 < p < -720

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -720 < p < -660

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-660 < p < -600$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-600 < p < -540$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -540 < p < -480

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-480 < p < -420$

Count



XP (4543 entries)

$$\frac{\sigma}{\mu} = 8.41 \pm 0.17 \%$$

$$\mu = 404.4 \pm 0.6$$

$$\sigma = 34.0 \pm 0.6$$

WF (4543 entries)

$$\frac{\sigma}{\mu} = 8.96 \pm 0.17 \%$$


$$\mu = 406.4 \pm 0.6$$

$$\sigma = 36.4 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-420 < p < -360$

Count



XP (5421 entries)

$$\frac{\sigma}{\mu} = 8.23 \pm 0.15 \%$$

$$\mu = 401.9 \pm 0.5$$

$$\sigma = 33.1 \pm 0.6$$

WF (5421 entries)

$$\frac{\sigma}{\mu} = 8.67 \pm 0.17 \%$$


$$\mu = 403.3 \pm 0.6$$

$$\sigma = 35.0 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-360 < p < -300$

Count



XP (4982 entries)

$$\frac{\sigma}{\mu} = 8.39 \pm 0.14 \%$$

$$\mu = 400.7 \pm 0.6$$

$$\sigma = 33.6 \pm 0.5$$

WF (4982 entries)

$$\frac{\sigma}{\mu} = 8.92 \pm 0.16 \%$$


$$\mu = 401.3 \pm 0.6$$

$$\sigma = 35.8 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-300 < p < -240$

Count



XP (4328 entries)

$$\frac{\sigma}{\mu} = 8.16 \pm 0.16 \%$$

$$\mu = 402.0 \pm 0.6$$

$$\sigma = 32.8 \pm 0.6$$

WF (4328 entries)

$$\frac{\sigma}{\mu} = 8.87 \pm 0.17 \%$$


$$\mu = 402.7 \pm 0.7$$

$$\sigma = 35.7 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-240 < p < -180$

Count



XP (1196 entries)

$$\frac{\sigma}{\mu} = 8.37 \pm 0.29 \%$$

$$\mu = 409.9 \pm 1.1$$

$$\sigma = 34.3 \pm 1.1$$

WF (1196 entries)

$$\frac{\sigma}{\mu} = 8.67 \pm 0.30 \%$$

$$\mu = 411.8 \pm 1.2$$

$$\sigma = 35.7 \pm 1.1$$

dE/dx (ADC counts/cm)

Energy loss | -180 < p < -120

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-120 < p < -60$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-60 < p < 0$


Count



dE/dx (ADC counts/cm)

Energy loss | $0 < p < 60$

Count



dE/dx (ADC counts/cm)

Energy loss | $60 < p < 120$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $120 < p < 180$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $180 < p < 240$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $240 < p < 300$

Count



XP (1028 entries)

$$\frac{\sigma}{\mu} = 8.62 \pm 0.28 \%$$

$$\mu = 407.5 \pm 1.3$$

$$\sigma = 35.1 \pm 1.0$$

WF (1028 entries)

$$\frac{\sigma}{\mu} = 9.39 \pm 0.36 \%$$


$$\mu = 408.0 \pm 1.5$$

$$\sigma = 38.3 \pm 1.3$$

dE/dx (ADC counts/cm)

Energy loss | $300 < p < 360$

Count



XP (4221 entries)

$$\frac{\sigma}{\mu} = 8.57 \pm 0.15 \%$$

$$\mu = 400.8 \pm 0.6$$

$$\sigma = 34.3 \pm 0.6$$

WF (4221 entries)

$$\frac{\sigma}{\mu} = 8.94 \pm 0.15 \%$$


$$\mu = 402.3 \pm 0.6$$

$$\sigma = 36.0 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $360 < p < 420$

Count



XP (4898 entries)

$$\frac{\sigma}{\mu} = 8.45 \pm 0.14 \%$$

$$\mu = 397.5 \pm 0.6$$

$$\sigma = 33.6 \pm 0.5$$

WF (4898 entries)

$$\frac{\sigma}{\mu} = 8.88 \pm 0.15 \%$$


$$\mu = 398.6 \pm 0.6$$

$$\sigma = 35.4 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $420 < p < 480$

Count



XP (4960 entries)

$$\frac{\sigma}{\mu} = 8.44 \pm 0.14 \%$$

$$\mu = 398.7 \pm 0.6$$

$$\sigma = 33.6 \pm 0.5$$

WF (4960 entries)

$$\frac{\sigma}{\mu} = 8.93 \pm 0.17 \%$$


$$\mu = 400.0 \pm 0.6$$

$$\sigma = 35.7 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $480 < p < 540$

Count



XP (4108 entries)

$$\frac{\sigma}{\mu} = 8.54 \pm 0.18 \%$$

$$\mu = 400.6 \pm 0.6$$

$$\sigma = 34.2 \pm 0.7$$

WF (4108 entries)

$$\frac{\sigma}{\mu} = 9.05 \pm 0.19 \%$$

$$\mu = 402.3 \pm 0.7$$

$$\sigma = 36.4 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $540 < p < 600$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $600 < p < 660$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $660 < p < 720$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $720 < p < 780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $780 < p < 840$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $840 < p < 900$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $900 < p < 960$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $960 < p < 1020$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1020 < p < 1080$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1080 < p < 1140$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1140 < p < 1200

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1200 < p < 1260$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1260 < p < 1320$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1320 < p < 1380$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1380 < p < 1440$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1440 < p < 1500$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1500 < p < 1560

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1560 < p < 1620

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1620 < p < 1680

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1680 < p < 1740

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1740 < p < 1800$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1800 < p < 1860

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1860 < p < 1920

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1920 < p < 1980

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1980 < p < 2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)
 $\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$
 $\mu = 0.0 \pm 0.0$
 $\sigma = 0.0 \pm 0.0$

WF (0 entries)
 $\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$
 $\mu = 0.0 \pm 0.0$
 $\sigma = 0.0 \pm 0.0$

Energy loss | $2040 < p < 2100$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2100 < p < 2160

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2160 < p < 2220

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2220 < p < 2280

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2280 < p < 2340

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $2340 < p < 2400$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2400 < p < 2460$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 2460 < p < 2520

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2520 < p < 2580

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2580 < p < 2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2640 < p < 2700$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2700 < p < 2760

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2760 < p < 2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 2820 < p < 2880

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2880 < p < 2940

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2940 < p < 3000

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $3000 < p < 3060$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-90 < \theta < -88$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-88 < \theta < -86$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-86 < \theta < -84$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-84 < \theta < -82$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-82 < \theta < -80$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-80 < \theta < -78$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-78 < \theta < -76$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-76 < \theta < -74$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-74 < \theta < -72$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-72 < \theta < -70$


Count



dE/dx (ADC counts/cm)

Energy loss | $-70 < \theta < -68$

Count



Energy loss | $-68 < \theta < -66$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)


$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$


Energy loss | $-66 < \theta < -64$

Count




Energy loss | $-64 < \theta < -62$

Count




Energy loss | $-62 < \theta < -60$

Count




Energy loss | $-60 < \theta < -58$

Count




Energy loss | $-58 < \theta < -56$

Count




Energy loss | $-56 < \theta < -54$

Count




Energy loss | $-54 < \theta < -52$

Count




Energy loss | $-52 < \theta < -50$

Count




Energy loss | $-50 < \theta < -48$

Count




Energy loss | $-48 < \theta < -46$

Count




Energy loss | $-46 < \theta < -44$

Count




Energy loss | $-44 < \theta < -42$

Count




Energy loss | $-42 < \theta < -40$

Count




Energy loss | $-40 < \theta < -38$

Count




Energy loss | $-38 < \theta < -36$

Count




Energy loss | $-36 < \theta < -34$

Count



Energy loss | $-34 < \theta < -32$

Count



XP (212 entries)

$\frac{\sigma}{\mu} = 7.92 \pm 0.70 \%$

$\mu = 402.3 \pm 2.7$

$\sigma = 31.9 \pm 2.6$

WF (212 entries)

$\frac{\sigma}{\mu} = 7.93 \pm 0.66 \%$


$\mu = 403.5 \pm 2.6$

$\sigma = 32.0 \pm 2.5$

dE/dx (ADC counts/cm)

Energy loss | $-32 < \theta < -30$

Count



XP (272 entries)

$\frac{\sigma}{\mu} = 7.40 \pm 0.50 \%$

$\mu = 402.2 \pm 2.1$

$\sigma = 29.8 \pm 1.9$

WF (272 entries)

$\frac{\sigma}{\mu} = 7.94 \pm 0.65 \%$


$\mu = 404.8 \pm 2.5$

$\sigma = 32.2 \pm 2.5$

dE/dx (ADC counts/cm)


Energy loss | $-30 < \theta < -28$

Count




Energy loss | $-28 < \theta < -26$

Count



Energy loss | $-26 < \theta < -24$

Count



XP (514 entries)

$\frac{\sigma}{\mu} = 7.75 \pm 0.48 \%$

$\mu = 397.6 \pm 1.7$

$\sigma = 30.8 \pm 1.8$

WF (514 entries)

$\frac{\sigma}{\mu} = 8.76 \pm 0.48 \%$


$\mu = 399.1 \pm 1.8$

$\sigma = 35.0 \pm 1.7$

dE/dx (ADC counts/cm)

Energy loss | $-24 < \theta < -22$

Count



XP (607 entries)

$\frac{\sigma}{\mu} = 8.85 \pm 0.44 \%$

$\mu = 399.4 \pm 1.7$

$\sigma = 35.3 \pm 1.6$

WF (607 entries)

$\frac{\sigma}{\mu} = 9.30 \pm 0.44 \%$


$\mu = 402.2 \pm 1.8$

$\sigma = 37.4 \pm 1.6$

dE/dx (ADC counts/cm)


Energy loss | $-22 < \theta < -20$

Count




Energy loss | $-20 < \theta < -18$

Count



Energy loss | $-18 < \theta < -16$

Count



XP (887 entries)

$$\frac{\sigma}{\mu} = 8.79 \pm 0.35 \%$$

$$\mu = 401.1 \pm 1.4$$

$$\sigma = 35.2 \pm 1.3$$

WF (887 entries)

$$\frac{\sigma}{\mu} = 9.12 \pm 0.35 \%$$


$$\mu = 401.7 \pm 1.4$$

$$\sigma = 36.6 \pm 1.3$$

dE/dx (ADC counts/cm)

Energy loss | $-16 < \theta < -14$

Count



XP (964 entries)

$\frac{\sigma}{\mu} = 8.64 \pm 0.38 \%$

$\mu = 401.4 \pm 1.4$

$\sigma = 34.7 \pm 1.4$

WF (964 entries)

$\frac{\sigma}{\mu} = 8.98 \pm 0.32 \%$


$\mu = 402.7 \pm 1.3$

$\sigma = 36.2 \pm 1.2$

dE/dx (ADC counts/cm)

Energy loss | $-14 < \theta < -12$

Count



XP (1089 entries)

$$\frac{\sigma}{\mu} = 8.36 \pm 0.34 \%$$

$$\mu = 400.9 \pm 1.2$$

$$\sigma = 33.5 \pm 1.2$$

WF (1089 entries)

$$\frac{\sigma}{\mu} = 9.03 \pm 0.37 \%$$


$$\mu = 401.6 \pm 1.3$$

$$\sigma = 36.2 \pm 1.4$$

dE/dx (ADC counts/cm)

Energy loss | $-12 < \theta < -10$

Count



XP (1252 entries)

$$\frac{\sigma}{\mu} = 7.21 \pm 0.24 \%$$

$$\mu = 402.1 \pm 1.0$$

$$\sigma = 29.0 \pm 0.9$$

WF (1252 entries)

$$\frac{\sigma}{\mu} = 7.88 \pm 0.28 \%$$


$$\mu = 403.0 \pm 1.0$$

$$\sigma = 31.8 \pm 1.0$$

dE/dx (ADC counts/cm)

Energy loss | $-10 < \theta < -8$

Count



XP (1357 entries)

$\frac{\sigma}{\mu} = 8.41 \pm 0.31 \%$

$\mu = 401.3 \pm 1.1$

$\sigma = 33.8 \pm 1.1$

WF (1357 entries)

$\frac{\sigma}{\mu} = 8.83 \pm 0.26 \%$


$\mu = 402.2 \pm 1.1$

$\sigma = 35.5 \pm 0.9$

dE/dx (ADC counts/cm)


Energy loss | $-8 < \theta < -6$

Count




Energy loss | $-6 < \theta < -4$

Count




Energy loss | $-4 < \theta < -2$

Count




Energy loss | $-2 < \theta < 0$

Count



Energy loss | $0 < \theta < 2$

Count



XP (6099 entries)

$$\frac{\sigma}{\mu} = 9.28 \pm 0.17 \%$$

$$\mu = 409.7 \pm 0.6$$

$$\sigma = 38.0 \pm 0.6$$

WF (6099 entries)

$$\frac{\sigma}{\mu} = 9.57 \pm 0.15 \%$$


$$\mu = 414.8 \pm 0.6$$

$$\sigma = 39.7 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $2 < \theta < 4$

Count



XP (1941 entries)

$\frac{\sigma}{\mu} = 8.45 \pm 0.26 \%$

$\mu = 398.5 \pm 0.9$

$\sigma = 33.7 \pm 1.0$

WF (1941 entries)

$\frac{\sigma}{\mu} = 8.84 \pm 0.26 \%$


$\mu = 399.2 \pm 1.0$

$\sigma = 35.3 \pm 1.0$

dE/dx (ADC counts/cm)


Energy loss | $4 < \theta < 6$

Count




Energy loss | $6 < \theta < 8$

Count



Energy loss | $8 < \theta < 10$

Count



XP (1458 entries)

$\frac{\sigma}{\mu} = 8.27 \pm 0.24 \%$

$\mu = 398.8 \pm 1.0$

$\sigma = 33.0 \pm 0.9$

WF (1458 entries)

$\frac{\sigma}{\mu} = 8.53 \pm 0.26 \%$


$\mu = 398.5 \pm 1.0$

$\sigma = 34.0 \pm 0.9$

dE/dx (ADC counts/cm)

Energy loss | $10 < \theta < 12$

Count



XP (1358 entries)

$\frac{\sigma}{\mu} = 8.59 \pm 0.27 \%$

$\mu = 399.2 \pm 1.1$

$\sigma = 34.3 \pm 1.0$

WF (1358 entries)


$\frac{\sigma}{\mu} = 9.04 \pm 0.31 \%$

$\mu = 399.4 \pm 1.2$

$\sigma = 36.1 \pm 1.1$


dE/dx (ADC counts/cm)

Energy loss | $12 < \theta < 14$



Energy loss | $14 < \theta < 16$

Count



XP (1053 entries)

$\frac{\sigma}{\mu} = 7.85 \pm 0.25 \%$

$\mu = 400.6 \pm 1.1$

$\sigma = 31.4 \pm 0.9$

WF (1053 entries)

$\frac{\sigma}{\mu} = 8.72 \pm 0.29 \%$


$\mu = 400.7 \pm 1.2$

$\sigma = 34.9 \pm 1.1$

dE/dx (ADC counts/cm)

Energy loss | $16 < \theta < 18$

Count



XP (954 entries)

$\frac{\sigma}{\mu} = 8.05 \pm 0.32 \%$

$\mu = 401.2 \pm 1.2$

$\sigma = 32.3 \pm 1.2$

WF (954 entries)

$\frac{\sigma}{\mu} = 8.71 \pm 0.31 \%$


$\mu = 402.1 \pm 1.3$

$\sigma = 35.0 \pm 1.1$

dE/dx (ADC counts/cm)


Energy loss | $18 < \theta < 20$

Count



Energy loss | $20 < \theta < 22$

Count



XP (681 entries)

$\frac{\sigma}{\mu} = 8.01 \pm 0.38 \%$

$\mu = 400.1 \pm 1.4$

$\sigma = 32.0 \pm 1.4$

WF (681 entries)

$\frac{\sigma}{\mu} = 8.77 \pm 0.52 \%$


$\mu = 400.2 \pm 1.7$

$\sigma = 35.1 \pm 1.9$

dE/dx (ADC counts/cm)

Energy loss | $22 < \theta < 24$

Count



XP (706 entries)

$\frac{\sigma}{\mu} = 7.85 \pm 0.36 \%$

$\mu = 401.1 \pm 1.4$

$\sigma = 31.5 \pm 1.4$

WF (706 entries)

$\frac{\sigma}{\mu} = 8.71 \pm 0.40 \%$


$\mu = 400.7 \pm 1.5$

$\sigma = 34.9 \pm 1.5$

dE/dx (ADC counts/cm)

Energy loss | $24 < \theta < 26$

Count



Energy loss | $26 < \theta < 28$

Count

XP (525 entries)

$$\frac{\sigma}{\mu} = 8.21 \pm 0.48 \%$$

$$\mu = 399.2 \pm 1.7$$

$$\sigma = 32.8 \pm 1.8$$


WF (525 entries)

$$\frac{\sigma}{\mu} = 8.52 \pm 0.52 \%$$

$$\mu = 399.6 \pm 1.8$$


$$\sigma = 34.0 \pm 1.9$$

dE/dx (ADC counts/cm)




Energy loss | $28 < \theta < 30$

Count



Energy loss | $30 < \theta < 32$

Count



Energy loss | $32 < \theta < 34$

Count

XP (245 entries)

$$\frac{\sigma}{\mu} = 7.12 \pm 0.45 \%$$

$$\mu = 399.0 \pm 2.1$$

$$\sigma = 28.4 \pm 1.6$$


WF (245 entries)

$$\frac{\sigma}{\mu} = 8.40 \pm 0.83 \%$$

$$\mu = 401.4 \pm 2.8$$


$$\sigma = 33.7 \pm 3.1$$

dE/dx (ADC counts/cm)




Energy loss | $34 < \theta < 36$

Count




Energy loss | $36 < \theta < 38$

Count




Energy loss | $38 < \theta < 40$

Count




Energy loss | $40 < \theta < 42$

Count




Energy loss | $42 < \theta < 44$

Count




Energy loss | $44 < \theta < 46$

Count




Energy loss | $46 < \theta < 48$

Count




Energy loss | $48 < \theta < 50$

Count




Energy loss | $50 < \theta < 52$

Count




Energy loss | $52 < \theta < 54$

Count




Energy loss | $54 < \theta < 56$

Count




Energy loss | $56 < \theta < 58$

Count



Energy loss | $58 < \theta < 60$

Count



XP (12 entries)

$\frac{\sigma}{\mu} = -364.14 \pm 5737.89 \%$

$\mu = -93.8 \pm 1526.6$

$\sigma = 341.5 \pm 177.2$

WF (12 entries)

$\frac{\sigma}{\mu} = 29.76 \pm 40.16 \%$


$\mu = 412.2 \pm 84.8$

$\sigma = 122.7 \pm 140.3$

dE/dx (ADC counts/cm)


Energy loss | $60 < \theta < 62$

Count




Energy loss | $62 < \theta < 64$

Count




Energy loss | $64 < \theta < 66$

Count




Energy loss | $66 < \theta < 68$

Count




Energy loss | $68 < \theta < 70$

Count




Energy loss | $70 < \theta < 72$

Count



Energy loss | $72 < \theta < 74$

Count



Energy loss | $74 < \theta < 76$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $76 < \theta < 78$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $78 < \theta < 80$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $80 < \theta < 82$

Count



dE/dx (ADC counts/cm)

Energy loss | $82 < \theta < 84$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $84 < \theta < 86$

Count



dE/dx (ADC counts/cm)

Energy loss | $86 < \theta < 88$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $88 < \theta < 90$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $90 < \theta < 92$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$


WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Count



Count

