

























Energy loss in ERAM 47




Energy loss in ERAM 16




Energy loss in ERAM 14




Energy loss in ERAM 15




Energy loss in ERAM 42




Energy loss in ERAM 45




Energy loss in ERAM 37




Energy loss in ERAM 36




Energy loss in ERAM 20




Energy loss in ERAM 38




Energy loss in ERAM 7




Energy loss in ERAM 44




Energy loss in ERAM 43




Energy loss in ERAM 39




Energy loss in ERAM 41





Energy loss in ERAM 46








Resolution (%)








































































































Energy loss | $-3000 < p < -2940$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2940 < p < -2880$

Count



dE/dx (ADC counts/cm)

Energy loss | -2880 < p < -2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2820 < p < -2760$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -2760 < p < -2700

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2700 < p < -2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $-2640 < p < -2580$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2580 < p < -2520

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -2520 < p < -2460

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2460 < p < -2400$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2400 < p < -2340

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2340 < p < -2280$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2280 < p < -2220

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -2220 < p < -2160

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2160 < p < -2100

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2100 < p < -2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2040 < p < -1980$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1980 < p < -1920

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1920 < p < -1860

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1860 < p < -1800

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1800 < p < -1740$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1740 < p < -1680

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1680 < p < -1620

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1620 < p < -1560

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1560 < p < -1500$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1500 < p < -1440

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -1440 < p < -1380

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1380 < p < -1320$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1320 < p < -1260$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1260 < p < -1200

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1200 < p < -1140

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1140 < p < -1080

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $-1080 < p < -1020$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1020 < p < -960$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -960 < p < -900

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-900 < p < -840$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-840 < p < -780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -780 < p < -720

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -720 < p < -660

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -660 < p < -600

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$

Energy loss | $-600 < p < -540$

Count



Energy loss | $-540 < p < -480$



Energy loss | $-480 < p < -420$

Count

1000


800

600

400

200

0



XP (8208 entries)

$\frac{\sigma}{\mu} = 9.09 \pm 0.13 \%$

$\mu = 400.9 \pm 0.5$

$\sigma = 36.5 \pm 0.5$

WF (8208 entries)

$\frac{\sigma}{\mu} = 9.84 \pm 0.13 \%$

$\mu = 400.1 \pm 0.5$

$\sigma = 39.4 \pm 0.5$

dE/dx (ADC counts/cm)

Energy loss | $-420 < p < -360$

Count

1000

800

600

400

200

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (8195 entries)

$$\frac{\sigma}{\mu} = 8.95 \pm 0.13 \%$$

$$\mu = 398.8 \pm 0.5$$


$$\sigma = 35.7 \pm 0.5$$

WF (8195 entries)

$$\frac{\sigma}{\mu} = 9.55 \pm 0.15 \%$$


$$\mu = 396.4 \pm 0.5$$

$$\sigma = 37.9 \pm 0.6$$



Energy loss | $-360 < p < -300$

Count



Energy loss | $-300 < p < -240$

Count

1000


800

600

400

200

0



XP (7676 entries)

$\frac{\sigma}{\mu} = 9.21 \pm 0.14 \%$

$\mu = 399.9 \pm 0.5$

$\sigma = 36.8 \pm 0.5$

WF (7676 entries)

$\frac{\sigma}{\mu} = 9.53 \pm 0.15 \%$

$\mu = 397.4 \pm 0.5$

$\sigma = 37.9 \pm 0.6$

dE/dx (ADC counts/cm)

Energy loss | $-240 < p < -180$

Count

1000


800

600

400

200

0



XP (7293 entries)

$\frac{\sigma}{\mu} = 9.10 \pm 0.15 \%$

$\mu = 410.3 \pm 0.6$

$\sigma = 37.3 \pm 0.6$

WF (7293 entries)

$\frac{\sigma}{\mu} = 9.59 \pm 0.15 \%$


$\mu = 407.8 \pm 0.6$

$\sigma = 39.1 \pm 0.6$

dE/dx (ADC counts/cm)

Energy loss | $-180 < p < -120$

Count



XP (6029 entries)

$$\frac{\sigma}{\mu} = 10.22 \pm 0.18 \%$$

$$\mu = 444.8 \pm 0.7$$

$$\sigma = 45.5 \pm 0.7$$

WF (6029 entries)

$$\frac{\sigma}{\mu} = 11.05 \pm 0.22 \%$$


$$\mu = 441.5 \pm 0.8$$

$$\sigma = 48.8 \pm 0.9$$

dE/dx (ADC counts/cm)


Energy loss | $-120 < p < -60$

Count



Energy loss | $-60 < p < 0$


Count



dE/dx (ADC counts/cm)

Energy loss | $0 < p < 60$

Count



dE/dx (ADC counts/cm)

Energy loss | $60 < p < 120$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$


Energy loss | $120 < p < 180$

Count



Energy loss | $180 < p < 240$

Count



XP (6865 entries)

$\frac{\sigma}{\mu} = 10.75 \pm 0.17 \%$

$\mu = 447.7 \pm 0.7$

$\sigma = 48.1 \pm 0.7$

WF (6865 entries)

$\frac{\sigma}{\mu} = 11.15 \pm 0.17 \%$

$\mu = 445.2 \pm 0.7$

$\sigma = 49.6 \pm 0.7$

dE/dx (ADC counts/cm)

Energy loss | $240 < p < 300$

Count

1000

800

600

400

200

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (8375 entries)

$$\frac{\sigma}{\mu} = 9.39 \pm 0.13 \%$$

$$\mu = 412.8 \pm 0.5$$


$$\sigma = 38.8 \pm 0.5$$

WF (8375 entries)

$$\frac{\sigma}{\mu} = 10.11 \pm 0.14 \%$$

$$\mu = 409.8 \pm 0.5$$

$$\sigma = 41.4 \pm 0.5$$



Energy loss | $300 < p < 360$

Count

1200

1000

800

600

400

200

0

0

200

400

600

800

1000

1200

XP (9170 entries)

$$\frac{\sigma}{\mu} = 9.07 \pm 0.13 \%$$

$$\mu = 400.6 \pm 0.5$$

$$\sigma = 36.3 \pm 0.5$$


WF (9170 entries)

$$\frac{\sigma}{\mu} = 9.48 \pm 0.14 \%$$

$$\mu = 397.9 \pm 0.5$$


$$\sigma = 37.7 \pm 0.5$$

dE/dx (ADC counts/cm)



Energy loss | $360 < p < 420$

Count



Energy loss | $420 < p < 480$

Count

1200

1000

800

600

400

200

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (9744 entries)

$\frac{\sigma}{\mu} = 9.13 \pm 0.13 \%$

$\mu = 399.9 \pm 0.5$


$\sigma = 36.5 \pm 0.5$

WF (9744 entries)


$\frac{\sigma}{\mu} = 9.69 \pm 0.15 \%$

$\mu = 397.8 \pm 0.5$

$\sigma = 38.5 \pm 0.5$



Energy loss | $480 < p < 540$



Energy loss | $540 < p < 600$

Count

1200

1000

800

600

400

200

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (9776 entries)

$\frac{\sigma}{\mu} = 9.07 \pm 0.12 \%$

$\mu = 406.8 \pm 0.5$


$\sigma = 36.9 \pm 0.4$

WF (9776 entries)

$\frac{\sigma}{\mu} = 9.66 \pm 0.13 \%$


$\mu = 405.6 \pm 0.5$

$\sigma = 39.2 \pm 0.5$



Energy loss | $600 < p < 660$

Count



XP (4778 entries)

$\frac{\sigma}{\mu} = 9.43 \pm 0.18 \%$

$\mu = 409.5 \pm 0.7$

$\sigma = 38.6 \pm 0.7$

WF (4778 entries)

$\frac{\sigma}{\mu} = 9.78 \pm 0.20 \%$

$\mu = 407.3 \pm 0.7$

$\sigma = 39.8 \pm 0.7$

dE/dx (ADC counts/cm)

Energy loss | $660 < p < 720$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $720 < p < 780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 780 < p < 840

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $840 < p < 900$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $900 < p < 960$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $960 < p < 1020$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$



Energy loss | 1080 < p < 1140

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1140 < p < 1200

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1200 < p < 1260$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1260 < p < 1320

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $1320 < p < 1380$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1380 < p < 1440$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1440 < p < 1500$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1500 < p < 1560

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1560 < p < 1620$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1620 < p < 1680$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1680 < p < 1740

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1740 < p < 1800$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1800 < p < 1860$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1860 < p < 1920

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1920 < p < 1980

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1980 < p < 2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2040 < p < 2100$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2100 < p < 2160

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 2160 < p < 2220

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 2220 < p < 2280

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2280 < p < 2340

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2340 < p < 2400

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2400 < p < 2460$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 2460 < p < 2520

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2520 < p < 2580

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2580 < p < 2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2640 < p < 2700

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2700 < p < 2760

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2760 < p < 2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2820 < p < 2880$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2880 < p < 2940

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2940 < p < 3000$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $3000 < p < 3060$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-90 < \theta < -88$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\mu} = 4.16 \pm 21.99 \%$

$\mu = 6.2 \pm 2.4$

$\sigma = 0.3 \pm 1.3$

WF (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-88 < \theta < -86$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-86 < \theta < -84$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-84 < \theta < -82$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-82 < \theta < -80$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-80 < \theta < -78$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-78 < \theta < -76$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-76 < \theta < -74$

Count



XP (2 entries)

$$\frac{\sigma}{\mu} = 0.27 \pm 1.40 \%$$

$$\mu = 97.2 \pm 2.5$$

$$\sigma = 0.3 \pm 1.4$$

WF (2 entries)

$$\frac{\sigma}{\mu} = 0.27 \pm 1.40 \%$$


$$\mu = 97.2 \pm 2.5$$

$$\sigma = 0.3 \pm 1.4$$

dE/dx (ADC counts/cm)


Energy loss | $-74 < \theta < -72$

Count



Energy loss | $-72 < \theta < -70$

Count



XP (3 entries)

$\frac{\sigma}{\mu} = 3.24 \pm 18.62 \%$

$\mu = 180.2 \pm 71.2$

$\sigma = 5.8 \pm 31.2$

WF (3 entries)

$\frac{\sigma}{\mu} = 0.15 \pm 1.33 \%$


$\mu = 175.2 \pm 1.5$

$\sigma = 0.3 \pm 2.3$

dE/dx (ADC counts/cm)


Energy loss | $-70 < \theta < -68$

Count




Energy loss | $-68 < \theta < -66$

Count




Energy loss | $-66 < \theta < -64$

Count




Energy loss | $-64 < \theta < -62$

Count




Energy loss | $-62 < \theta < -60$

Count




Energy loss | $-60 < \theta < -58$

Count




Energy loss | $-58 < \theta < -56$

Count




Energy loss | $-56 < \theta < -54$

Count




Energy loss | $-54 < \theta < -52$

Count




Energy loss | $-52 < \theta < -50$

Count




Energy loss | $-50 < \theta < -48$

Count




Energy loss | $-48 < \theta < -46$

Count




Energy loss | $-46 < \theta < -44$

Count



Energy loss | $-44 < \theta < -42$

Count



XP (432 entries)

$$\frac{\sigma}{\mu} = 14.20 \pm 1.14 \%$$

$$\mu = 416.3 \pm 3.9$$

$$\sigma = 59.1 \pm 4.2$$

WF (432 entries)

$$\frac{\sigma}{\mu} = 13.15 \pm 1.06 \%$$


$$\mu = 413.3 \pm 3.6$$

$$\sigma = 54.3 \pm 3.9$$

dE/dx (ADC counts/cm)


Energy loss | $-42 < \theta < -40$

Count




Energy loss | $-40 < \theta < -38$

Count



Energy loss | $-38 < \theta < -36$

Count



XP (682 entries)

$$\frac{\sigma}{\mu} = 11.84 \pm 0.91 \%$$

$$\mu = 406.4 \pm 2.6$$

$$\sigma = 48.1 \pm 3.4$$

WF (682 entries)

$$\frac{\sigma}{\mu} = 12.32 \pm 0.77 \%$$


$$\mu = 409.8 \pm 2.6$$

$$\sigma = 50.5 \pm 2.9$$

dE/dx (ADC counts/cm)


Energy loss | $-36 < \theta < -34$

Count




Energy loss | $-34 < \theta < -32$

Count




Energy loss | $-32 < \theta < -30$

Count



Energy loss | $-30 < \theta < -28$

Count



XP (1369 entries)

$$\frac{\sigma}{\mu} = 9.65 \pm 0.37 \%$$

$$\mu = 405.7 \pm 1.4$$

$$\sigma = 39.1 \pm 1.4$$

WF (1369 entries)

$$\frac{\sigma}{\mu} = 10.04 \pm 0.41 \%$$


$$\mu = 403.8 \pm 1.4$$

$$\sigma = 40.5 \pm 1.5$$

dE/dx (ADC counts/cm)


Energy loss | $-28 < \theta < -26$

Count




Energy loss | $-26 < \theta < -24$

Count




Energy loss | $-24 < \theta < -22$

Count




Energy loss | $-22 < \theta < -20$

Count




Energy loss | $-20 < \theta < -18$

Count




Energy loss | $-18 < \theta < -16$

Count



Energy loss | $-16 < \theta < -14$

Count



XP (3596 entries)

$\frac{\sigma}{\mu} = 9.40 \pm 0.20 \%$

$\mu = 403.4 \pm 0.8$

$\sigma = 37.9 \pm 0.8$

WF (3596 entries)

$\frac{\sigma}{\mu} = 9.81 \pm 0.23 \%$


$\mu = 401.8 \pm 0.8$

$\sigma = 39.4 \pm 0.8$

dE/dx (ADC counts/cm)


Energy loss | $-14 < \theta < -12$

Count




Energy loss | $-12 < \theta < -10$

Count




Energy loss | $-10 < \theta < -8$

Count




Energy loss | $-8 < \theta < -6$

Count



Energy loss | $-6 < \theta < -4$

Count



XP (4802 entries)

$$\frac{\sigma}{\mu} = 9.47 \pm 0.18 \%$$

$$\mu = 405.0 \pm 0.7$$

$$\sigma = 38.4 \pm 0.7$$

WF (4802 entries)

$$\frac{\sigma}{\mu} = 9.97 \pm 0.20 \%$$


$$\mu = 402.2 \pm 0.7$$

$$\sigma = 40.1 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-4 < \theta < -2$

Count



XP (4620 entries)

$\frac{\sigma}{\mu} = 9.36 \pm 0.18 \%$

$\mu = 404.2 \pm 0.7$

$\sigma = 37.9 \pm 0.7$

WF (4620 entries)

$\frac{\sigma}{\mu} = 10.01 \pm 0.21 \%$


$\mu = 401.7 \pm 0.7$

$\sigma = 40.2 \pm 0.8$


dE/dx (ADC counts/cm)

Energy loss | $-2 < \theta < 0$

Count




Energy loss | $0 < \theta < 2$




Energy loss | $2 < \theta < 4$

Count




Energy loss | $4 < \theta < 6$

Count




Energy loss | $6 < \theta < 8$

Count




Energy loss | $8 < \theta < 10$

Count




Energy loss | $10 < \theta < 12$

Count




Energy loss | $12 < \theta < 14$

Count




Energy loss | $14 < \theta < 16$

Count




Energy loss | $16 < \theta < 18$

Count




Energy loss | $18 < \theta < 20$

Count




Energy loss | $20 < \theta < 22$

Count




Energy loss | $22 < \theta < 24$

Count




Energy loss | $24 < \theta < 26$

Count



Energy loss | $26 < \theta < 28$

Count



XP (2038 entries)

$\frac{\sigma}{\mu} = 9.69 \pm 0.30 \%$

$\mu = 405.7 \pm 1.2$

$\sigma = 39.3 \pm 1.1$

WF (2038 entries)

$\frac{\sigma}{\mu} = 10.18 \pm 0.29 \%$


$\mu = 404.0 \pm 1.2$

$\sigma = 41.1 \pm 1.1$

dE/dx (ADC counts/cm)


Energy loss | $28 < \theta < 30$

Count




Energy loss | $30 < \theta < 32$

Count




Energy loss | $32 < \theta < 34$

Count




Energy loss | $34 < \theta < 36$

Count




Energy loss | $36 < \theta < 38$

Count




Energy loss | $38 < \theta < 40$

Count




Energy loss | $40 < \theta < 42$

Count




Energy loss | $42 < \theta < 44$

Count




Energy loss | $44 < \theta < 46$

Count




Energy loss | $46 < \theta < 48$

Count




Energy loss | $48 < \theta < 50$

Count




Energy loss | $50 < \theta < 52$

Count




Energy loss | $52 < \theta < 54$

Count




Energy loss | $54 < \theta < 56$

Count




Energy loss | $56 < \theta < 58$

Count




Energy loss | $58 < \theta < 60$

Count




Energy loss | $60 < \theta < 62$

Count




Energy loss | $62 < \theta < 64$

Count




Energy loss | $64 < \theta < 66$

Count




Energy loss | $66 < \theta < 68$

Count




Energy loss | $68 < \theta < 70$

Count




Energy loss | $70 < \theta < 72$

Count




Energy loss | $72 < \theta < 74$

Count



Energy loss | $74 < \theta < 76$

Count



XP (2 entries)

$$\frac{\sigma}{\mu} = 0.31 \pm 1.75 \%$$

$$\mu = 84.2 \pm 2.5$$

$$\sigma = 0.3 \pm 1.5$$

WF (2 entries)

$$\frac{\sigma}{\mu} = 0.31 \pm 1.75 \%$$


$$\mu = 84.2 \pm 2.5$$

$$\sigma = 0.3 \pm 1.5$$

dE/dx (ADC counts/cm)


Energy loss | $76 < \theta < 78$

Count



Energy loss | $78 < \theta < 80$

Count



Energy loss | $80 < \theta < 82$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $82 < \theta < 84$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)


$\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $84 < \theta < 86$

Count



dE/dx (ADC counts/cm)

Energy loss | $86 < \theta < 88$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $88 < \theta < 90$


Count




dE/dx (ADC counts/cm)

Energy loss | $90 < \theta < 92$

Count



dE/dx (ADC counts/cm)



Count

