

































Resolution (%)










































































Energy loss | $-3000 < p < -2940$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2940 < p < -2880$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2880 < p < -2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2820 < p < -2760$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -2760 < p < -2700

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2700 < p < -2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2640 < p < -2580$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2580 < p < -2520

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2520 < p < -2460

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $-2460 < p < -2400$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2400 < p < -2340

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2340 < p < -2280$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2280 < p < -2220

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2220 < p < -2160

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2160 < p < -2100$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2100 < p < -2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2040 < p < -1980$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1980 < p < -1920

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1920 < p < -1860

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1860 < p < -1800

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1800 < p < -1740$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1740 < p < -1680

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1680 < p < -1620$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1620 < p < -1560$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1560 < p < -1500$

Count



dE/dx (ADC counts/cm)

Energy loss | -1500 < p < -1440

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1440 < p < -1380

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1380 < p < -1320$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1320 < p < -1260$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1260 < p < -1200$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1200 < p < -1140

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1140 < p < -1080

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1080 < p < -1020

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1020 < p < -960$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -960 < p < -900

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-900 < p < -840$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-840 < p < -780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -780 < p < -720

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -720 < p < -660

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-660 < p < -600$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$


Energy loss | $-600 < p < -540$

Count



Energy loss | $-540 < p < -480$

Count



XP (1657 entries)

$$\frac{\sigma}{\mu} = 9.20 \pm 0.25 \%$$

$$\mu = 412.6 \pm 1.1$$

$$\sigma = 38.0 \pm 0.9$$

WF (1657 entries)


$$\frac{\sigma}{\mu} = 9.71 \pm 0.29 \%$$

$$\mu = 412.9 \pm 1.2$$

$$\sigma = 40.1 \pm 1.1$$


dE/dx (ADC counts/cm)

Energy loss | $-480 < p < -420$




Energy loss | $-420 < p < -360$

Count



Energy loss | $-360 < p < -300$

Count



XP (1448 entries)

$\frac{\sigma}{\mu} = 9.75 \pm 0.33 \%$

$\mu = 400.8 \pm 1.2$

$\sigma = 39.1 \pm 1.2$

WF (1448 entries)

$\frac{\sigma}{\mu} = 9.90 \pm 0.35 \%$


$\mu = 401.7 \pm 1.3$

$\sigma = 39.8 \pm 1.3$

dE/dx (ADC counts/cm)

Energy loss | $-300 < p < -240$

Count



XP (1335 entries)

$$\frac{\sigma}{\mu} = 9.60 \pm 0.35 \%$$

$$\mu = 402.2 \pm 1.3$$

$$\sigma = 38.6 \pm 1.3$$

WF (1335 entries)

$$\frac{\sigma}{\mu} = 9.97 \pm 0.39 \%$$


$$\mu = 403.7 \pm 1.4$$

$$\sigma = 40.2 \pm 1.4$$

dE/dx (ADC counts/cm)


Energy loss | $-240 < p < -180$

Count



Energy loss | $-180 < p < -120$

Count



XP (136 entries)

$\frac{\sigma}{\mu} = 8.12 \pm 1.05 \%$

$\mu = 428.3 \pm 4.2$

$\sigma = 34.8 \pm 4.1$

WF (136 entries)

$\frac{\sigma}{\mu} = 8.06 \pm 1.26 \%$

$\mu = 434.2 \pm 4.2$

$\sigma = 35.0 \pm 5.1$

dE/dx (ADC counts/cm)

Energy loss | $-120 < p < -60$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-60 < p < 0$


Count



dE/dx (ADC counts/cm)

Energy loss | $0 < p < 60$

Count



dE/dx (ADC counts/cm)

Energy loss | $60 < p < 120$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $120 < p < 180$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$


Energy loss | $180 < p < 240$

Count




Energy loss | $240 < p < 300$

Count




Energy loss | $300 < p < 360$

Count



Energy loss | $360 < p < 420$

Count



XP (1402 entries)

$\frac{\sigma}{\mu} = 8.60 \pm 0.27 \%$

$\mu = 397.2 \pm 1.1$

$\sigma = 34.2 \pm 1.0$

WF (1402 entries)

$\frac{\sigma}{\mu} = 9.03 \pm 0.31 \%$


$\mu = 399.3 \pm 1.2$

$\sigma = 36.1 \pm 1.1$

dE/dx (ADC counts/cm)

Energy loss | $420 < p < 480$

Count



XP (1349 entries)

$$\frac{\sigma}{\mu} = 9.25 \pm 0.33 \%$$

$$\mu = 396.4 \pm 1.2$$

$$\sigma = 36.7 \pm 1.2$$

WF (1349 entries)

$$\frac{\sigma}{\mu} = 9.62 \pm 0.39 \%$$


$$\mu = 397.5 \pm 1.3$$

$$\sigma = 38.2 \pm 1.4$$

dE/dx (ADC counts/cm)

Energy loss | $480 < p < 540$

Count



XP (1370 entries)

$\frac{\sigma}{\mu} = 9.01 \pm 0.32 \%$

$\mu = 402.3 \pm 1.2$

$\sigma = 36.2 \pm 1.2$

WF (1370 entries)

$\frac{\sigma}{\mu} = 9.45 \pm 0.33 \%$

$\mu = 404.6 \pm 1.2$


$\sigma = 38.2 \pm 1.2$

dE/dx (ADC counts/cm)

Energy loss | $540 < p < 600$

Count

180
160
140
120
100
80
60
40
20
0



XP (1276 entries)

$\frac{\sigma}{\mu} = 9.32 \pm 0.38 \%$

$\mu = 404.8 \pm 1.3$

$\sigma = 37.7 \pm 1.4$

WF (1276 entries)

$\frac{\sigma}{\mu} = 9.27 \pm 0.34 \%$


$\mu = 407.3 \pm 1.3$

$\sigma = 37.8 \pm 1.3$

dE/dx (ADC counts/cm)

Energy loss | $600 < p < 660$

Count



XP (630 entries)

$\frac{\sigma}{\mu} = 9.64 \pm 0.50 \%$

$\mu = 407.0 \pm 1.9$

$\sigma = 39.2 \pm 1.8$

WF (630 entries)

$\frac{\sigma}{\mu} = 9.07 \pm 0.36 \%$

$\mu = 411.1 \pm 1.7$

$\sigma = 37.3 \pm 1.3$

dE/dx (ADC counts/cm)

Energy loss | $660 < p < 720$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $720 < p < 780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $780 < p < 840$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $840 < p < 900$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $900 < p < 960$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $960 < p < 1020$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1020 < p < 1080$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1080 < p < 1140$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1140 < p < 1200$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1200 < p < 1260$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1260 < p < 1320$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1320 < p < 1380$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1380 < p < 1440$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1440 < p < 1500$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1500 < p < 1560

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1560 < p < 1620

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1620 < p < 1680$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1680 < p < 1740

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1740 < p < 1800$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1800 < p < 1860$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 1860 < p < 1920

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1920 < p < 1980

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1980 < p < 2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2040 < p < 2100$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2100 < p < 2160

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2160 < p < 2220

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 2220 < p < 2280

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2280 < p < 2340

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2340 < p < 2400

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2400 < p < 2460$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 2460 < p < 2520

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 2520 < p < 2580

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2580 < p < 2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2640 < p < 2700$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2700 < p < 2760

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2760 < p < 2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2820 < p < 2880$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2880 < p < 2940

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2940 < p < 3000$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $3000 < p < 3060$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Count

