






























◆ Waveforms sum


✖ Crossed pads


◆ Waveforms sum


✖ Crossed pads





















































































Count

















Energy loss | -3000 < p < -2940

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2940 < p < -2880$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2880 < p < -2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2820 < p < -2760$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2760 < p < -2700

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2700 < p < -2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2640 < p < -2580

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2580 < p < -2520$

Count



dE/dx (ADC counts/cm)

Energy loss | -2520 < p < -2460

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2460 < p < -2400$

Count



dE/dx (ADC counts/cm)

Energy loss | -2400 < p < -2340

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2340 < p < -2280$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

Energy loss | $-2280 < p < -2220$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2220 < p < -2160

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2160 < p < -2100

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2100 < p < -2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2040 < p < -1980

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1980 < p < -1920

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1920 < p < -1860

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1860 < p < -1800

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1800 < p < -1740

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1740 < p < -1680

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1680 < p < -1620

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1620 < p < -1560

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1560 < p < -1500

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1500 < p < -1440

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1440 < p < -1380

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1380 < p < -1320

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1320 < p < -1260

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1260 < p < -1200

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1200 < p < -1140

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1140 < p < -1080

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1080 < p < -1020

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$



Energy loss | -960 < p < -900

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-900 < p < -840$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-840 < p < -780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-780 < p < -720$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0



XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -720 < p < -660

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$



Energy loss | -600 < p < -540

Count



XP

$$\frac{\sigma}{\mu} = 10.57 \pm 2.20 \%$$

$$\mu = 381.5 \pm 7.8$$

$$\sigma = 40.3 \pm 7.6$$

WF

$$\frac{\sigma}{\mu} = 7.80 \pm 1.24 \%$$


$$\mu = 377.1 \pm 5.0$$

$$\sigma = 29.4 \pm 4.3$$

dE/dx (ADC counts/cm)

Energy loss | $-540 < p < -480$

Count



XP

$$\frac{\sigma}{\mu} = 5.40 \pm 0.69 \%$$

$$\mu = 368.1 \pm 2.4$$

$$\sigma = 19.9 \pm 2.4$$

WF

$$\frac{\sigma}{\mu} = 8.73 \pm 1.06 \%$$


$$\mu = 380.0 \pm 3.6$$

$$\sigma = 33.2 \pm 3.7$$

dE/dx (ADC counts/cm)


Energy loss | $-480 < p < -420$

Count



Energy loss | $-420 < p < -360$

Count



XP

$$\frac{\sigma}{\mu} = 10.53 \pm 1.33 \%$$

$$\mu = 380.6 \pm 4.8$$

$$\sigma = 40.1 \pm 4.6$$

WF

$$\frac{\sigma}{\mu} = 11.57 \pm 2.22 \%$$


$$\mu = 382.2 \pm 6.1$$

$$\sigma = 44.2 \pm 7.8$$

dE/dx (ADC counts/cm)

Energy loss | $-360 < p < -300$

Count



XP

$$\frac{\sigma}{\mu} = 10.18 \pm 1.10 \%$$

$$\mu = 372.6 \pm 4.2$$

$$\sigma = 37.9 \pm 3.7$$

WF

$$\frac{\sigma}{\mu} = 11.07 \pm 1.32 \%$$


$$\mu = 379.2 \pm 4.8$$

$$\sigma = 42.0 \pm 4.5$$

dE/dx (ADC counts/cm)


Energy loss | $-300 < p < -240$

Count



Energy loss | $-240 < p < -180$

Count



XP

$$\frac{\sigma}{\mu} = 11.95 \pm 3.10 \%$$

$$\mu = 393.0 \pm 10.4$$

$$\sigma = 47.0 \pm 10.9$$

WF

$$\frac{\sigma}{\mu} = 8.29 \pm 1.77 \%$$


$$\mu = 384.3 \pm 5.5$$

$$\sigma = 31.9 \pm 6.3$$

dE/dx (ADC counts/cm)


Energy loss | -180 < p < -120


Count



Energy loss | $-120 < p < -60$


Count





Energy loss | $0 < p < 60$

Count



dE/dx (ADC counts/cm)

Energy loss | $60 < p < 120$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$


Energy loss | $120 < p < 180$

Count




Energy loss | $180 < p < 240$

Count



Energy loss | $240 < p < 300$


Count



dE/dx (ADC counts/cm)


Energy loss | $300 < p < 360$

Count



Energy loss | $360 < p < 420$

Count



XP

$$\frac{\sigma}{\mu} = 8.58 \pm 0.81 \%$$

$$\mu = 370.3 \pm 3.0$$

$$\sigma = 31.8 \pm 2.7$$

WF

$$\frac{\sigma}{\mu} = 8.94 \pm 1.01 \%$$


$$\mu = 376.8 \pm 3.5$$

$$\sigma = 33.7 \pm 3.5$$

dE/dx (ADC counts/cm)

Energy loss | $420 < p < 480$

Count



XP

$$\frac{\sigma}{\mu} = 11.01 \pm 1.18 \%$$

$$\mu = 373.4 \pm 4.2$$

$$\sigma = 41.1 \pm 3.9$$

WF

$$\frac{\sigma}{\mu} = 9.11 \pm 0.94 \%$$


$$\mu = 382.5 \pm 3.7$$

$$\sigma = 34.9 \pm 3.3$$

dE/dx (ADC counts/cm)

Energy loss | $480 < p < 540$

Count



XP

$$\frac{\sigma}{\mu} = 9.75 \pm 1.17 \%$$

$$\mu = 386.4 \pm 4.3$$

$$\sigma = 37.7 \pm 4.1$$

WF

$$\frac{\sigma}{\mu} = 9.18 \pm 1.12 \%$$


$$\mu = 387.4 \pm 4.0$$

$$\sigma = 35.5 \pm 4.0$$

dE/dx (ADC counts/cm)


Energy loss | $540 < p < 600$

Count



Energy loss | $600 < p < 660$

Count



Energy loss | $660 < p < 720$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $720 < p < 780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

Energy loss | $780 < p < 840$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $840 < p < 900$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $900 < p < 960$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 960 < p < 1020

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$



Energy loss | $1080 < p < 1140$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$


WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$





Energy loss | $1260 < p < 1320$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1320 < p < 1380$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1380 < p < 1440$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$


WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$







Energy loss | $1620 < p < 1680$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1680 < p < 1740

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | 1740 < p < 1800

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1800 < p < 1860$

Count



dE/dx (ADC counts/cm)

Energy loss | 1860 < p < 1920

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1920 < p < 1980$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 1980 < p < 2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2040 < p < 2100$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2100 < p < 2160$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0



dE/dx (ADC counts/cm)

Energy loss | 2160 < p < 2220

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$


WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$





Energy loss | $2340 < p < 2400$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2400 < p < 2460$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2460 < p < 2520

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2520 < p < 2580$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2580 < p < 2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2640 < p < 2700

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2700 < p < 2760$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2760 < p < 2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2820 < p < 2880$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2880 < p < 2940

Count



dE/dx (ADC counts/cm)

Energy loss | $2940 < p < 3000$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $3000 < p < 3060$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-90 < \theta < -88$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-88 < \theta < -86$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-86 < \theta < -84$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-84 < \theta < -82$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-82 < \theta < -80$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-80 < \theta < -78$

Count



dE/dx (ADC counts/cm)

Energy loss | $-78 < \theta < -76$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-76 < \theta < -74$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-74 < \theta < -72$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-72 < \theta < -70$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-70 < \theta < -68$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-68 < \theta < -66$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0



dE/dx (ADC counts/cm)

Energy loss | $-66 < \theta < -64$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-64 < \theta < -62$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0



dE/dx (ADC counts/cm)

Energy loss | $-62 < \theta < -60$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-60 < \theta < -58$

Count


1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0



dE/dx (ADC counts/cm)

Energy loss | $-58 < \theta < -56$

Count



XP

$$\frac{\sigma}{\mu} = 0.07 \pm 0.62 \%$$

$$\mu = 383.2 \pm 1.6$$

$$\sigma = 0.3 \pm 2.4$$

WF

$$\frac{\sigma}{\mu} = 0.07 \pm 0.52 \%$$


$$\mu = 383.2 \pm 2.3$$

$$\sigma = 0.3 \pm 2.0$$

dE/dx (ADC counts/cm)


Energy loss | $-56 < \theta < -54$

Count




Energy loss | $-54 < \theta < -52$

Count



Energy loss | $-52 < \theta < -50$

Count



XP

$$\frac{\sigma}{\mu} = 0.07 \pm 0.53 \%$$

$$\mu = 357.2 \pm 2.4$$

$$\sigma = 0.3 \pm 1.9$$

WF

$$\frac{\sigma}{\mu} = 9.23 \pm 54.16 \%$$


$$\mu = 422.5 \pm 118.4$$

$$\sigma = 39.0 \pm 217.9$$

dE/dx (ADC counts/cm)

Energy loss | $-50 < \theta < -48$

Count



XP

$$\frac{\sigma}{\mu} = 10.94 \pm 65.28 \%$$

$$\mu = 416.0 \pm 139.7$$

$$\sigma = 45.5 \pm 256.3$$

WF

$$\frac{\sigma}{\mu} = 6.35 \pm 61.58 \%$$


$$\mu = 409.5 \pm 81.7$$

$$\sigma = 26.0 \pm 247.0$$

dE/dx (ADC counts/cm)

Energy loss | $-48 < \theta < -46$

Count



XP

$$\frac{\sigma}{\mu} = 5.97 \pm 56.69 \%$$

$$\mu = 435.5 \pm 81.7$$

$$\sigma = 26.0 \pm 242.0$$

WF

$$\frac{\sigma}{\mu} = 89.85 \pm 395.45 \%$$


$$\mu = 512.9 \pm 1654.1$$

$$\sigma = 460.9 \pm 542.3$$

dE/dx (ADC counts/cm)


Energy loss | $-46 < \theta < -44$

Count



Energy loss | $-44 < \theta < -42$

Count



XP

$$\frac{\sigma}{\mu} = 2.70 \pm 1.97 \%$$

$$\mu = 409.5 \pm 6.6$$

$$\sigma = 11.0 \pm 7.9$$

WF

$$\frac{\sigma}{\mu} = 9.26 \pm 56.09 \%$$


$$\mu = 351.0 \pm 99.2$$

$$\sigma = 32.5 \pm 187.7$$

dE/dx (ADC counts/cm)


Energy loss | $-42 < \theta < -40$

Count




Energy loss | $-40 < \theta < -38$

Count




Energy loss | $-38 < \theta < -36$

Count




Energy loss | $-36 < \theta < -34$

Count




Energy loss | $-34 < \theta < -32$

Count




Energy loss | $-32 < \theta < -30$

Count




Energy loss | $-30 < \theta < -28$

Count




Energy loss | $-28 < \theta < -26$

Count




Energy loss | $-26 < \theta < -24$

Count




Energy loss | $-24 < \theta < -22$

Count




Energy loss | $-22 < \theta < -20$

Count




Energy loss | $-20 < \theta < -18$

Count




Energy loss | $-18 < \theta < -16$

Count



Energy loss | $-16 < \theta < -14$

Count



XP

$$\frac{\sigma}{\mu} = 9.76 \pm 3.31 \%$$

$$\mu = 385.6 \pm 8.4$$

$$\sigma = 37.6 \pm 12.0$$

WF

$$\frac{\sigma}{\mu} = 8.34 \pm 2.92 \%$$


$$\mu = 383.7 \pm 6.7$$

$$\sigma = 32.0 \pm 10.7$$

dE/dx (ADC counts/cm)


Energy loss | $-14 < \theta < -12$

Count




Energy loss | $-12 < \theta < -10$

Count




Energy loss | $-10 < \theta < -8$

Count



Energy loss | $-8 < \theta < -6$

Count



XP

$$\frac{\sigma}{\mu} = 10.86 \pm 2.84 \%$$

$$\mu = 367.7 \pm 7.3$$

$$\sigma = 39.9 \pm 9.7$$

WF

$$\frac{\sigma}{\mu} = 10.67 \pm 2.26 \%$$


$$\mu = 376.7 \pm 6.8$$

$$\sigma = 40.2 \pm 7.8$$

dE/dx (ADC counts/cm)

Energy loss | $-6 < \theta < -4$

Count



XP

$$\frac{\sigma}{\mu} = 11.16 \pm 2.63 \%$$

$$\mu = 373.7 \pm 9.6$$

$$\sigma = 41.7 \pm 8.8$$

WF

$$\frac{\sigma}{\mu} = 9.44 \pm 2.93 \%$$


$$\mu = 392.3 \pm 8.4$$

$$\sigma = 37.0 \pm 10.7$$

dE/dx (ADC counts/cm)

Energy loss | $-4 < \theta < -2$

Count



XP

$$\frac{\sigma}{\mu} = 10.34 \pm 1.71 \%$$

$$\mu = 361.7 \pm 5.7$$

$$\sigma = 37.4 \pm 5.6$$

WF

$$\frac{\sigma}{\mu} = 8.72 \pm 1.14 \%$$


$$\mu = 368.7 \pm 4.5$$

$$\sigma = 32.1 \pm 3.8$$

dE/dx (ADC counts/cm)


Energy loss | $-2 < \theta < 0$

Count



Energy loss | $0 < \theta < 2$

Count



XP

$$\frac{\sigma}{\mu} = 10.59 \pm 0.85 \%$$

$$\mu = 387.3 \pm 3.3$$

$$\sigma = 41.0 \pm 3.0$$

WF

$$\frac{\sigma}{\mu} = 11.98 \pm 1.25 \%$$


$$\mu = 390.5 \pm 3.8$$

$$\sigma = 46.8 \pm 4.4$$

dE/dx (ADC counts/cm)


Energy loss | $2 < \theta < 4$

Count



Energy loss | $4 < \theta < 6$

Count



XP

$$\frac{\sigma}{\mu} = 6.68 \pm 1.19 \%$$

$$\mu = 374.4 \pm 4.3$$

$$\sigma = 25.0 \pm 4.2$$

WF

$$\frac{\sigma}{\mu} = 7.94 \pm 1.32 \%$$


$$\mu = 371.8 \pm 4.5$$

$$\sigma = 29.5 \pm 4.6$$

dE/dx (ADC counts/cm)

Energy loss | $6 < \theta < 8$

Count



XP

$$\frac{\sigma}{\mu} = 8.05 \pm 1.14 \%$$

$$\mu = 368.3 \pm 4.2$$

$$\sigma = 29.6 \pm 3.9$$

WF

$$\frac{\sigma}{\mu} = 7.64 \pm 1.06 \%$$


$$\mu = 371.1 \pm 4.0$$

$$\sigma = 28.3 \pm 3.6$$

dE/dx (ADC counts/cm)


Energy loss | $8 < \theta < 10$

Count




Energy loss | $10 < \theta < 12$

Count




Energy loss | $12 < \theta < 14$

Count




Energy loss | $14 < \theta < 16$

Count




Energy loss | $16 < \theta < 18$

Count




Energy loss | $18 < \theta < 20$

Count




Energy loss | $20 < \theta < 22$

Count




Energy loss | $22 < \theta < 24$

Count



Energy loss | $24 < \theta < 26$

Count



XP

$$\frac{\sigma}{\bar{\mu}} = 9.65 \pm 3.29 \%$$

$$\mu = 374.9 \pm 8.8$$

$$\sigma = 36.2 \pm 11.5$$

WF

$$\frac{\sigma}{\bar{\mu}} = 9.50 \pm 3.86 \%$$


$$\mu = 374.3 \pm 9.8$$

$$\sigma = 35.5 \pm 13.5$$

dE/dx (ADC counts/cm)


Energy loss | $26 < \theta < 28$

Count




Energy loss | $28 < \theta < 30$

Count




Energy loss | $30 < \theta < 32$

Count




Energy loss | $32 < \theta < 34$

Count




Energy loss | $34 < \theta < 36$

Count




Energy loss | $36 < \theta < 38$

Count




Energy loss | $38 < \theta < 40$


Count



Energy loss | $40 < \theta < 42$


Count






Energy loss | $44 < \theta < 46$

Count




Energy loss | $46 < \theta < 48$

Count




Energy loss | $48 < \theta < 50$

Count




Energy loss | $50 < \theta < 52$

Count



Energy loss | $52 < \theta < 54$

Count



XP

$$\frac{\sigma}{\mu} = 1.79 \pm 9.96 \%$$

$$\mu = 364.0 \pm 27.8$$

$$\sigma = 6.5 \pm 35.7$$

WF

$$\frac{\sigma}{\mu} = 7.27 \pm 66.51 \%$$

$$\mu = 357.5 \pm 81.5$$

$$\sigma = 26.0 \pm 231.8$$

dE/dx (ADC counts/cm)

Energy loss | $54 < \theta < 56$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $56 < \theta < 58$

Count



XP

$$\frac{\sigma}{\mu} = 1.67 \pm 9.28 \%$$

$$\mu = 390.0 \pm 27.8$$

$$\sigma = 6.5 \pm 35.7$$

WF

$$\frac{\sigma}{\mu} = 0.07 \pm 0.52 \%$$

$$\mu = 370.2 \pm 2.3$$

$$\sigma = 0.3 \pm 1.9$$

dE/dx (ADC counts/cm)

Energy loss | $58 < \theta < 60$

Count

1.0

0.8

0.6

0.4

0.2

0.0

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

0

200

400


600

800

1000


1200

dE/dx (ADC counts/cm)



Energy loss | $60 < \theta < 62$

Count



Energy loss | $62 < \theta < 64$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $64 < \theta < 66$

Count



dE/dx (ADC counts/cm)

Energy loss | $66 < \theta < 68$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $68 < \theta < 70$


Count



dE/dx (ADC counts/cm)

Energy loss | $70 < \theta < 72$

Count



dE/dx (ADC counts/cm)

Energy loss | $72 < \theta < 74$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $74 < \theta < 76$

Count



dE/dx (ADC counts/cm)

Energy loss | $76 < \theta < 78$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $78 < \theta < 80$


Count



dE/dx (ADC counts/cm)

Energy loss | $80 < \theta < 82$

Count



dE/dx (ADC counts/cm)

Energy loss | $82 < \theta < 84$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $84 < \theta < 86$


Count



dE/dx (ADC counts/cm)

Energy loss | $86 < \theta < 88$

Count



dE/dx (ADC counts/cm)

Energy loss | $88 < \theta < 90$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $90 < \theta < 92$

Count



dE/dx (ADC counts/cm)

Count

 $T_{\min}$ (bottom cathode) $T_{\min}$ EP0 $T_{\min}$ EP1 $T_{\min}$ (top cathode) $T_{\min}$ EP2 $T_{\min}$ EP3

60

50

40

30

20

10

0

0

100


200

300

400

500

time bin



Count

