




























































































































Energy loss | -3000 < p < -2940

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2940 < p < -2880$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2880 < p < -2820$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2820 < p < -2760$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2760 < p < -2700$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2700 < p < -2640$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2640 < p < -2580$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2580 < p < -2520$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2520 < p < -2460$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2460 < p < -2400$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2400 < p < -2340$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2340 < p < -2280$


Count



dE/dx (ADC counts/cm)

Energy loss | $-2280 < p < -2220$

Count



dE/dx (ADC counts/cm)

Energy loss | -2220 < p < -2160

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2160 < p < -2100

Count



dE/dx (ADC counts/cm)

Energy loss | -2100 < p < -2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2040 < p < -1980$


Count



dE/dx (ADC counts/cm)

Energy loss | -1980 < p < -1920

Count



dE/dx (ADC counts/cm)

Energy loss | -1920 < p < -1860

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1860 < p < -1800$

Count



dE/dx (ADC counts/cm)

Energy loss | -1800 < p < -1740

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1740 < p < -1680

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1680 < p < -1620


Count



dE/dx (ADC counts/cm)

Energy loss | $-1620 < p < -1560$


Count



dE/dx (ADC counts/cm)

Energy loss | -1560 < p < -1500

Count



dE/dx (ADC counts/cm)

Energy loss | -1500 < p < -1440

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1440 < p < -1380$


Count



dE/dx (ADC counts/cm)

Energy loss | $-1380 < p < -1320$


Count



dE/dx (ADC counts/cm)

Energy loss | $-1320 < p < -1260$

Count



dE/dx (ADC counts/cm)

Energy loss | -1260 < p < -1200

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1200 < p < -1140

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1140 < p < -1080


Count



dE/dx (ADC counts/cm)

Energy loss | -1080 < p < -1020


Count



dE/dx (ADC counts/cm)

Energy loss | $-1020 < p < -960$


Count



dE/dx (ADC counts/cm)

Energy loss | $-960 < p < -900$


Count



dE/dx (ADC counts/cm)

Energy loss | $-900 < p < -840$

Count



dE/dx (ADC counts/cm)

Energy loss | -840 < p < -780

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -780 < p < -720

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -720 < p < -660

Count



dE/dx (ADC counts/cm)

Energy loss | $-660 < p < -600$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-600 < p < -540$

Count



XP

$$\frac{\sigma}{\mu} = 9.11 \pm 0.23 \%$$

$$\mu = 408.5 \pm 0.8$$

$$\sigma = 37.2 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 9.57 \pm 0.26 \%$$


$$\mu = 409.3 \pm 0.9$$

$$\sigma = 39.2 \pm 1.0$$

dE/dx (ADC counts/cm)

Energy loss | $-540 < p < -480$

Count



XP

$$\frac{\sigma}{\mu} = 8.92 \pm 0.13 \%$$

$$\mu = 407.3 \pm 0.5$$

$$\sigma = 36.3 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 9.37 \pm 0.15 \%$$


$$\mu = 408.3 \pm 0.6$$

$$\sigma = 38.3 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-480 < p < -420$

Count



XP

$$\frac{\sigma}{\mu} = 8.90 \pm 0.17 \%$$

$$\mu = 402.5 \pm 0.6$$

$$\sigma = 35.8 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.51 \pm 0.16 \%$$


$$\mu = 403.6 \pm 0.6$$

$$\sigma = 38.4 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-420 < p < -360$

Count



XP

$$\frac{\sigma}{\mu} = 8.55 \pm 0.16 \%$$

$$\mu = 400.0 \pm 0.5$$

$$\sigma = 34.2 \pm 0.6$$

WF


$$\frac{\sigma}{\mu} = 9.03 \pm 0.16 \%$$

$$\mu = 400.1 \pm 0.6$$

$$\sigma = 36.1 \pm 0.6$$


dE/dx (ADC counts/cm)

Energy loss | $-360 < p < -300$



Energy loss | $-300 < p < -240$

Count



XP

$$\frac{\sigma}{\mu} = 8.88 \pm 0.15 \%$$

$$\mu = 399.7 \pm 0.6$$

$$\sigma = 35.5 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.42 \pm 0.18 \%$$

$$\mu = 400.0 \pm 0.6$$

$$\sigma = 37.7 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-240 < p < -180$

Count

500

400

300

200

100

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$$\frac{\sigma}{\mu} = 9.34 \pm 0.22 \%$$

$$\mu = 410.1 \pm 0.8$$

$$\sigma = 38.3 \pm 0.8$$

WF


$$\frac{\sigma}{\mu} = 10.06 \pm 0.21 \%$$

$$\mu = 410.6 \pm 0.8$$

$$\sigma = 41.3 \pm 0.8$$


Energy loss | -180 < p < -120

Count




Energy loss | $-120 < p < -60$

Count



Energy loss | $-60 < p < 0$


Count



dE/dx (ADC counts/cm)

Energy loss | $0 < p < 60$


Count



dE/dx (ADC counts/cm)

Energy loss | $60 < p < 120$


Count



dE/dx (ADC counts/cm)


Energy loss | $120 < p < 180$

Count



Energy loss | $180 < p < 240$

Count



XP

$$\frac{\sigma}{\mu} = 11.56 \pm 0.32 \%$$

$$\mu = 454.4 \pm 1.3$$

$$\sigma = 52.5 \pm 1.3$$

WF

$$\frac{\sigma}{\mu} = 12.23 \pm 0.35 \%$$

$$\mu = 459.3 \pm 1.4$$

$$\sigma = 56.2 \pm 1.5$$

dE/dx (ADC counts/cm)

Energy loss | $240 < p < 300$

Count

500

400

300

200

100

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$$\frac{\sigma}{\mu} = 9.99 \pm 0.23 \%$$

$$\mu = 413.9 \pm 0.8$$


$$\sigma = 41.3 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 10.65 \pm 0.22 \%$$


$$\mu = 416.4 \pm 0.8$$

$$\sigma = 44.4 \pm 0.8$$



Energy loss | $300 < p < 360$

Count



XP

$$\frac{\sigma}{\mu} = 9.34 \pm 0.17 \%$$

$$\mu = 401.3 \pm 0.6$$

$$\sigma = 37.5 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.85 \pm 0.17 \%$$


$$\mu = 403.2 \pm 0.6$$

$$\sigma = 39.7 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $360 < p < 420$

Count



dE/dx (ADC counts/cm)

Energy loss | $420 < p < 480$

Count

1000

800

600

400

200

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$$\frac{\sigma}{\mu} = 9.01 \pm 0.14 \%$$

$$\mu = 401.0 \pm 0.5$$


$$\sigma = 36.1 \pm 0.5$$

WF


$$\frac{\sigma}{\mu} = 9.78 \pm 0.15 \%$$

$$\mu = 403.2 \pm 0.6$$

$$\sigma = 39.4 \pm 0.6$$



Energy loss | $480 < p < 540$



Energy loss | $540 < p < 600$

Count

1000

800

600

400

200

0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$$\frac{\sigma}{\mu} = 9.16 \pm 0.15 \%$$

$$\mu = 408.0 \pm 0.6$$


$$\sigma = 37.4 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 9.53 \pm 0.17 \%$$


$$\mu = 409.6 \pm 0.6$$

$$\sigma = 39.0 \pm 0.6$$



Energy loss | $600 < p < 660$

Count



XP

$$\frac{\sigma}{\mu} = 8.97 \pm 0.21 \%$$

$$\mu = 411.4 \pm 0.8$$

$$\sigma = 36.9 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 9.70 \pm 0.23 \%$$


$$\mu = 413.9 \pm 0.8$$

$$\sigma = 40.2 \pm 0.9$$

dE/dx (ADC counts/cm)

Energy loss | $660 < p < 720$

Count



dE/dx (ADC counts/cm)

Energy loss | $720 < p < 780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $780 < p < 840$

Count



dE/dx (ADC counts/cm)

Energy loss | $840 < p < 900$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $900 < p < 960$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 960 < p < 1020

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$


WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$










Energy loss | $1260 < p < 1320$

Count



dE/dx (ADC counts/cm)

Energy loss | $1320 < p < 1380$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1380 < p < 1440$


Count



dE/dx (ADC counts/cm)

Energy loss | $1440 < p < 1500$


Count



dE/dx (ADC counts/cm)

Energy loss | $1500 < p < 1560$


Count



dE/dx (ADC counts/cm)

Energy loss | $1560 < p < 1620$

Count



dE/dx (ADC counts/cm)

Energy loss | $1620 < p < 1680$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1680 < p < 1740$


Count




dE/dx (ADC counts/cm)

Energy loss | $1740 < p < 1800$

Count




dE/dx (ADC counts/cm)



Energy loss | 1860 < p < 1920


Count



dE/dx (ADC counts/cm)

Energy loss | $1920 < p < 1980$

Count



dE/dx (ADC counts/cm)

Energy loss | 1980 < p < 2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2040 < p < 2100$

Count



dE/dx (ADC counts/cm)

Energy loss | $2100 < p < 2160$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$

Energy loss | $2160 < p < 2220$

Count




dE/dx (ADC counts/cm)




Energy loss | $2280 < p < 2340$

Count




dE/dx (ADC counts/cm)



Energy loss | $2400 < p < 2460$


Count



dE/dx (ADC counts/cm)

Energy loss | 2460 < p < 2520


Count



dE/dx (ADC counts/cm)

Energy loss | $2520 < p < 2580$


Count



dE/dx (ADC counts/cm)

Energy loss | 2580 < p < 2640


Count



dE/dx (ADC counts/cm)

Energy loss | $2640 < p < 2700$


Count



dE/dx (ADC counts/cm)

Energy loss | $2700 < p < 2760$


Count



dE/dx (ADC counts/cm)

Energy loss | 2760 < p < 2820

Count



dE/dx (ADC counts/cm)

Energy loss | $2820 < p < 2880$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2880 < p < 2940$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2940 < p < 3000$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $3000 < p < 3060$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-90 < \theta < -88$


Count



dE/dx (ADC counts/cm)

Energy loss | $-88 < \theta < -86$


Count



dE/dx (ADC counts/cm)

Energy loss | $-86 < \theta < -84$


Count



dE/dx (ADC counts/cm)

Energy loss | $-84 < \theta < -82$


Count



dE/dx (ADC counts/cm)

Energy loss | $-82 < \theta < -80$


Count



dE/dx (ADC counts/cm)

Energy loss | $-80 < \theta < -78$

Count



XP

$$\frac{\sigma}{\mu} = 4.16 \pm 33.76 \%$$

$$\mu = 6.2 \pm 1.8$$

$$\sigma = 0.3 \pm 2.0$$

WF

$$\frac{\sigma}{\mu} = 4.16 \pm 21.99 \%$$


$$\mu = 6.2 \pm 2.4$$

$$\sigma = 0.3 \pm 1.3$$

dE/dx (ADC counts/cm)

Energy loss | $-78 < \theta < -76$


Count



dE/dx (ADC counts/cm)

Energy loss | $-76 < \theta < -74$


Count



dE/dx (ADC counts/cm)

Energy loss | $-74 < \theta < -72$

Count



XP

$$\frac{\sigma}{\mu} = 36.67 \pm 249.41 \%$$

$$\mu = 195.0 \pm 254.0$$

$$\sigma = 71.5 \pm 393.2$$

WF

$$\frac{\sigma}{\mu} = 41.38 \pm 278.49 \%$$


$$\mu = 188.5 \pm 289.8$$

$$\sigma = 78.0 \pm 405.0$$

dE/dx (ADC counts/cm)


Energy loss | $-72 < \theta < -70$

Count




Energy loss | $-70 < \theta < -68$

Count




Energy loss | $-68 < \theta < -66$

Count




Energy loss | $-66 < \theta < -64$

Count




Energy loss | $-64 < \theta < -62$

Count




Energy loss | $-62 < \theta < -60$

Count




Energy loss | $-60 < \theta < -58$

Count




Energy loss | $-58 < \theta < -56$

Count




Energy loss | $-56 < \theta < -54$

Count




Energy loss | $-54 < \theta < -52$

Count




Energy loss | $-52 < \theta < -50$

Count




Energy loss | $-50 < \theta < -48$

Count



Energy loss | $-48 < \theta < -46$

Count



XP

$$\frac{\sigma}{\mu} = 15.46 \pm 1.92 \%$$

$$\mu = 427.2 \pm 7.3$$

$$\sigma = 66.1 \pm 7.1$$

WF

$$\frac{\sigma}{\mu} = 21.13 \pm 2.65 \%$$


$$\mu = 450.1 \pm 10.3$$

$$\sigma = 95.1 \pm 9.7$$

dE/dx (ADC counts/cm)


Energy loss | $-46 < \theta < -44$

Count




Energy loss | $-44 < \theta < -42$

Count




Energy loss | $-42 < \theta < -40$

Count




Energy loss | $-40 < \theta < -38$

Count




Energy loss | $-38 < \theta < -36$

Count




Energy loss | $-36 < \theta < -34$

Count




Energy loss | $-34 < \theta < -32$

Count




Energy loss | $-32 < \theta < -30$

Count




Energy loss | $-30 < \theta < -28$

Count




Energy loss | $-28 < \theta < -26$

Count




Energy loss | $-26 < \theta < -24$

Count




Energy loss | $-24 < \theta < -22$

Count




Energy loss | $-22 < \theta < -20$

Count




Energy loss | $-20 < \theta < -18$

Count




Energy loss | $-18 < \theta < -16$

Count




Energy loss | $-16 < \theta < -14$

Count




Energy loss | $-14 < \theta < -12$

Count




Energy loss | $-12 < \theta < -10$

Count




Energy loss | $-10 < \theta < -8$

Count




Energy loss | $-8 < \theta < -6$

Count



Energy loss | $-6 < \theta < -4$

Count



XP

$$\frac{\sigma}{\bar{\mu}} = 9.13 \pm 0.19 \%$$

$$\mu = 404.0 \pm 0.7$$

$$\sigma = 36.9 \pm 0.7$$

WF

$$\frac{\sigma}{\bar{\mu}} = 9.70 \pm 0.22 \%$$


$$\mu = 404.4 \pm 0.8$$

$$\sigma = 39.2 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | $-4 < \theta < -2$

Count



XP

$$\frac{\sigma}{\mu} = 9.34 \pm 0.20 \%$$

$$\mu = 403.4 \pm 0.8$$

$$\sigma = 37.7 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 9.99 \pm 0.24 \%$$


$$\mu = 404.8 \pm 0.9$$

$$\sigma = 40.4 \pm 0.9$$


dE/dx (ADC counts/cm)

Energy loss | $-2 < \theta < 0$

Count




Energy loss | $0 < \theta < 2$




Energy loss | $2 < \theta < 4$

Count




Energy loss | $4 < \theta < 6$

Count



Energy loss | $6 < \theta < 8$

Count



XP

$$\frac{\sigma}{\mu} = 9.22 \pm 0.20 \%$$

$$\mu = 405.7 \pm 0.8$$

$$\sigma = 37.4 \pm 0.7$$

WF

$$\frac{\sigma}{\mu} = 9.50 \pm 0.21 \%$$


$$\mu = 406.0 \pm 0.8$$

$$\sigma = 38.6 \pm 0.8$$

dE/dx (ADC counts/cm)


Energy loss | $8 < \theta < 10$

Count




Energy loss | $10 < \theta < 12$

Count




Energy loss | $12 < \theta < 14$

Count




Energy loss | $14 < \theta < 16$

Count




Energy loss | $16 < \theta < 18$

Count




Energy loss | $18 < \theta < 20$

Count




Energy loss | $20 < \theta < 22$

Count




Energy loss | $22 < \theta < 24$

Count




Energy loss | $24 < \theta < 26$

Count




Energy loss | $26 < \theta < 28$

Count




Energy loss | $28 < \theta < 30$

Count




Energy loss | $30 < \theta < 32$

Count




Energy loss | $32 < \theta < 34$

Count




Energy loss | $34 < \theta < 36$

Count




Energy loss | $36 < \theta < 38$

Count




Energy loss | $38 < \theta < 40$

Count




Energy loss | $40 < \theta < 42$

Count




Energy loss | $42 < \theta < 44$

Count




Energy loss | $44 < \theta < 46$

Count




Energy loss | $46 < \theta < 48$

Count




Energy loss | $48 < \theta < 50$

Count




Energy loss | $50 < \theta < 52$

Count




Energy loss | $52 < \theta < 54$

Count




Energy loss | $54 < \theta < 56$

Count




Energy loss | $56 < \theta < 58$

Count




Energy loss | $58 < \theta < 60$

Count




Energy loss | $60 < \theta < 62$

Count




Energy loss | $62 < \theta < 64$

Count




Energy loss | $64 < \theta < 66$

Count




Energy loss | $66 < \theta < 68$

Count




Energy loss | $68 < \theta < 70$

Count




Energy loss | $70 < \theta < 72$

Count



Energy loss | $72 < \theta < 74$

Count



XP

$$\frac{\sigma}{\mu} = 15.00 \pm 114.21 \%$$

$$\mu = 130.0 \pm 64.7$$

$$\sigma = 19.5 \pm 138.8$$

WF

$$\frac{\sigma}{\mu} = 25.00 \pm 161.65 \%$$


$$\mu = 130.0 \pm 99.2$$

$$\sigma = 32.5 \pm 185.3$$

dE/dx (ADC counts/cm)

Energy loss | $74 < \theta < 76$

Count



Energy loss | $76 < \theta < 78$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP

$$\frac{\sigma}{\bar{\mu}} = 1.34 \pm 6.73 \%$$

$$\mu = 19.2 \pm 2.4$$

$$\sigma = 0.3 \pm 1.3$$

WF


$$\frac{\sigma}{\bar{\mu}} = 1.34 \pm 6.73 \%$$

$$\mu = 19.2 \pm 2.4$$

$$\sigma = 0.3 \pm 1.3$$

Energy loss | $78 < \theta < 80$


Count



dE/dx (ADC counts/cm)

Energy loss | $80 < \theta < 82$

Count



XP

$$\frac{\sigma}{\mu} = 8.33 \pm 48.73 \%$$

$$\mu = 78.0 \pm 27.8$$

$$\sigma = 6.5 \pm 35.7$$

WF

$$\frac{\sigma}{\mu} = 0.36 \pm 1.79 \%$$


$$\mu = 71.2 \pm 2.4$$

$$\sigma = 0.3 \pm 1.3$$

dE/dx (ADC counts/cm)

Energy loss | $82 < \theta < 84$


Count



dE/dx (ADC counts/cm)

Energy loss | $84 < \theta < 86$


Count



dE/dx (ADC counts/cm)

Energy loss | $86 < \theta < 88$


Count



dE/dx (ADC counts/cm)

Energy loss | $88 < \theta < 90$


Count




dE/dx (ADC counts/cm)

Energy loss | $90 < \theta < 92$

Count



dE/dx (ADC counts/cm)



Count

