
















































































































































































Pulls standard deviation





Pulls mean





















Energy loss | $-2000 < p < -1960$

Count



XP

$$\frac{\sigma}{\mu} = 5.03 \pm 0.15 \%$$

$$\mu = 494.0 \pm 0.7$$

$$\sigma = 24.8 \pm 0.7$$

WF

$$\frac{\sigma}{\mu} = 4.84 \pm 0.16 \%$$


$$\mu = 485.5 \pm 0.7$$

$$\sigma = 23.5 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | -1960 < p < -1920

Count



XP

$$\frac{\sigma}{\mu} = 4.96 \pm 0.10 \%$$

$$\mu = 492.7 \pm 0.5$$

$$\sigma = 24.5 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 4.93 \pm 0.12 \%$$


$$\mu = 484.2 \pm 0.5$$

$$\sigma = 23.9 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1920 < p < -1880$

Count



XP

$$\frac{\sigma}{\mu} = 4.82 \pm 0.12 \%$$

$$\mu = 490.1 \pm 0.5$$

$$\sigma = 23.6 \pm 0.5$$

WF


$$\frac{\sigma}{\mu} = 4.85 \pm 0.11 \%$$

$$\mu = 482.2 \pm 0.5$$

$$\sigma = 23.4 \pm 0.5$$


dE/dx (ADC counts/cm)

Energy loss | $-1880 < p < -1840$



Energy loss | $-1840 < p < -1800$

Count



XP

$$\frac{\sigma}{\mu} = 4.98 \pm 0.12 \%$$

$$\mu = 487.0 \pm 0.5$$

$$\sigma = 24.3 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 4.99 \pm 0.12 \%$$


$$\mu = 479.0 \pm 0.5$$

$$\sigma = 23.9 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-1800 < p < -1760$

Count



XP

$$\frac{\sigma}{\mu} = 5.10 \pm 0.13 \%$$

$$\mu = 486.1 \pm 0.6$$

$$\sigma = 24.8 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 4.99 \pm 0.10 \%$$


$$\mu = 478.2 \pm 0.5$$

$$\sigma = 23.9 \pm 0.4$$

dE/dx (ADC counts/cm)

Energy loss | $-1760 < p < -1720$

Count



XP

$$\frac{\sigma}{\mu} = 5.07 \pm 0.12 \%$$

$$\mu = 485.3 \pm 0.6$$

$$\sigma = 24.6 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 4.81 \pm 0.11 \%$$


$$\mu = 477.8 \pm 0.5$$

$$\sigma = 23.0 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1720 < p < -1680$

Count



XP

$$\frac{\sigma}{\mu} = 4.98 \pm 0.12 \%$$

$$\mu = 483.6 \pm 0.5$$

$$\sigma = 24.1 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 4.99 \pm 0.12 \%$$


$$\mu = 475.7 \pm 0.5$$

$$\sigma = 23.7 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1680 < p < -1640$

Count



XP

$$\frac{\sigma}{\mu} = 4.91 \pm 0.12 \%$$

$$\mu = 482.8 \pm 0.5$$

$$\sigma = 23.7 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 4.88 \pm 0.11 \%$$


$$\mu = 474.2 \pm 0.5$$

$$\sigma = 23.1 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1640 < p < -1600$

Count



XP

$$\frac{\sigma}{\mu} = 5.16 \pm 0.11 \%$$

$$\mu = 481.5 \pm 0.5$$

$$\sigma = 24.8 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 5.20 \pm 0.13 \%$$


$$\mu = 473.7 \pm 0.6$$

$$\sigma = 24.6 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-1600 < p < -1560$

Count



XP

$$\frac{\sigma}{\mu} = 5.10 \pm 0.11 \%$$

$$\mu = 480.2 \pm 0.5$$

$$\sigma = 24.5 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 4.92 \pm 0.11 \%$$


$$\mu = 472.1 \pm 0.5$$

$$\sigma = 23.2 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1560 < p < -1520$

Count



XP

$$\frac{\sigma}{\mu} = 4.90 \pm 0.12 \%$$

$$\mu = 477.4 \pm 0.5$$

$$\sigma = 23.4 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 4.95 \pm 0.12 \%$$


$$\mu = 469.7 \pm 0.5$$

$$\sigma = 23.2 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1520 < p < -1480$

Count



XP

$$\frac{\sigma}{\mu} = 5.09 \pm 0.12 \%$$

$$\mu = 476.8 \pm 0.5$$

$$\sigma = 24.3 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 5.01 \pm 0.10 \%$$


$$\mu = 468.5 \pm 0.5$$

$$\sigma = 23.5 \pm 0.4$$

dE/dx (ADC counts/cm)

Energy loss | $-1480 < p < -1440$

Count



XP

$$\frac{\sigma}{\mu} = 5.14 \pm 0.13 \%$$

$$\mu = 474.2 \pm 0.6$$

$$\sigma = 24.4 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 5.11 \pm 0.12 \%$$

$$\mu = 466.3 \pm 0.5$$


$$\sigma = 23.8 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-1440 < p < -1400$

Count

600
500
400
300
200
100
0



XP

$$\frac{\sigma}{\mu} = 5.14 \pm 0.13 \%$$

$$\mu = 472.6 \pm 0.6$$

$$\sigma = 24.3 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 5.17 \pm 0.13 \%$$

$$\mu = 464.9 \pm 0.6$$


$$\sigma = 24.0 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-1400 < p < -1360$

Count

700
600
500
400
300
200
100
0



XP

$$\frac{\sigma}{\mu} = 4.84 \pm 0.11 \%$$

$$\mu = 470.5 \pm 0.5$$

$$\sigma = 22.7 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 4.71 \pm 0.10 \%$$


$$\mu = 462.7 \pm 0.5$$

$$\sigma = 21.8 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1360 < p < -1320$

Count



XP

$$\frac{\sigma}{\mu} = 5.07 \pm 0.14 \%$$

$$\mu = 469.7 \pm 0.5$$

$$\sigma = 23.8 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 5.03 \pm 0.12 \%$$


$$\mu = 461.2 \pm 0.5$$

$$\sigma = 23.2 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1320 < p < -1280$

Count



XP

$$\frac{\sigma}{\mu} = 5.15 \pm 0.11 \%$$

$$\mu = 467.0 \pm 0.5$$

$$\sigma = 24.0 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 4.92 \pm 0.11 \%$$


$$\mu = 459.4 \pm 0.5$$

$$\sigma = 22.6 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1280 < p < -1240$

Count



XP

$$\frac{\sigma}{\mu} = 5.15 \pm 0.11 \%$$

$$\mu = 466.7 \pm 0.5$$

$$\sigma = 24.0 \pm 0.5$$

WF


$$\frac{\sigma}{\mu} = 5.10 \pm 0.12 \%$$

$$\mu = 458.7 \pm 0.5$$

$$\sigma = 23.4 \pm 0.5$$


dE/dx (ADC counts/cm)

Energy loss | $-1240 < p < -1200$



Energy loss | $-1200 < p < -1160$

Count



XP

$$\frac{\sigma}{\mu} = 5.21 \pm 0.13 \%$$

$$\mu = 461.9 \pm 0.5$$

$$\sigma = 24.1 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 5.02 \pm 0.09 \%$$


$$\mu = 454.3 \pm 0.5$$

$$\sigma = 22.8 \pm 0.4$$

dE/dx (ADC counts/cm)

Energy loss | $-1160 < p < -1120$

Count



XP

$$\frac{\sigma}{\mu} = 5.29 \pm 0.14 \%$$

$$\mu = 460.0 \pm 0.6$$

$$\sigma = 24.3 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 5.22 \pm 0.13 \%$$


$$\mu = 452.7 \pm 0.5$$

$$\sigma = 23.6 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1120 < p < -1080$

Count



XP

$$\frac{\sigma}{\mu} = 5.17 \pm 0.13 \%$$

$$\mu = 457.5 \pm 0.5$$

$$\sigma = 23.7 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 5.03 \pm 0.11 \%$$


$$\mu = 450.3 \pm 0.5$$

$$\sigma = 22.7 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1080 < p < -1040$

Count



XP

$$\frac{\sigma}{\mu} = 5.25 \pm 0.11 \%$$

$$\mu = 455.5 \pm 0.5$$

$$\sigma = 23.9 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 5.20 \pm 0.12 \%$$


$$\mu = 448.1 \pm 0.5$$

$$\sigma = 23.3 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-1040 < p < -1000$

Count



XP

$$\frac{\sigma}{\mu} = 5.09 \pm 0.12 \%$$

$$\mu = 454.1 \pm 0.6$$

$$\sigma = 23.1 \pm 0.5$$

WF


$$\frac{\sigma}{\mu} = 5.08 \pm 0.12 \%$$

$$\mu = 447.0 \pm 0.5$$

$$\sigma = 22.7 \pm 0.5$$


dE/dx (ADC counts/cm)

Energy loss | $-1000 < p < -960$



Energy loss | $-960 < p < -920$

Count



XP

$$\frac{\sigma}{\mu} = 5.15 \pm 0.12 \%$$

$$\mu = 449.2 \pm 0.5$$

$$\sigma = 23.1 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 4.97 \pm 0.15 \%$$


$$\mu = 441.4 \pm 0.5$$

$$\sigma = 21.9 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-920 < p < -880$

Count



XP

$$\frac{\sigma}{\mu} = 5.11 \pm 0.12 \%$$

$$\mu = 446.8 \pm 0.5$$

$$\sigma = 22.8 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 5.03 \pm 0.12 \%$$


$$\mu = 439.4 \pm 0.5$$

$$\sigma = 22.1 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-880 < p < -840$

Count



XP

$$\frac{\sigma}{\mu} = 5.28 \pm 0.14 \%$$

$$\mu = 444.9 \pm 0.6$$

$$\sigma = 23.5 \pm 0.6$$

WF


$$\frac{\sigma}{\mu} = 5.06 \pm 0.12 \%$$

$$\mu = 437.3 \pm 0.5$$

$$\sigma = 22.1 \pm 0.5$$


dE/dx (ADC counts/cm)

Energy loss | $-840 < p < -800$



Energy loss | $-800 < p < -760$

Count



XP

$$\frac{\sigma}{\mu} = 5.47 \pm 0.12 \%$$

$$\mu = 440.5 \pm 0.5$$

$$\sigma = 24.1 \pm 0.5$$

WF

$$\frac{\sigma}{\mu} = 5.41 \pm 0.14 \%$$


$$\mu = 433.5 \pm 0.6$$

$$\sigma = 23.4 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-760 < p < -720$

Count



XP

$$\frac{\sigma}{\mu} = 5.19 \pm 0.13 \%$$

$$\mu = 437.7 \pm 0.6$$

$$\sigma = 22.7 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 5.03 \pm 0.15 \%$$


$$\mu = 430.2 \pm 0.6$$

$$\sigma = 21.6 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-720 < p < -680$

Count



XP

$$\frac{\sigma}{\mu} = 5.48 \pm 0.15 \%$$

$$\mu = 435.0 \pm 0.6$$

$$\sigma = 23.8 \pm 0.6$$

WF

$$\frac{\sigma}{\mu} = 5.27 \pm 0.13 \%$$


$$\mu = 426.7 \pm 0.6$$

$$\sigma = 22.5 \pm 0.5$$

dE/dx (ADC counts/cm)

Energy loss | $-680 < p < -640$

Count



XP

$$\frac{\sigma}{\mu} = 5.31 \pm 0.14 \%$$

$$\mu = 432.5 \pm 0.6$$

$$\sigma = 23.0 \pm 0.6$$

WF


$$\frac{\sigma}{\mu} = 5.14 \pm 0.13 \%$$

$$\mu = 425.1 \pm 0.5$$

$$\sigma = 21.8 \pm 0.5$$


dE/dx (ADC counts/cm)

Energy loss | $-640 < p < -600$




Energy loss | $-600 < p < -560$

Count



Energy loss | $-560 < p < -520$

Count



XP

$$\frac{\sigma}{\mu} = 5.37 \pm 0.16 \%$$

$$\mu = 424.3 \pm 0.6$$

$$\sigma = 22.8 \pm 0.6$$

WF


$$\frac{\sigma}{\mu} = 5.03 \pm 0.16 \%$$

$$\mu = 417.5 \pm 0.6$$

$$\sigma = 21.0 \pm 0.7$$


dE/dx (ADC counts/cm)

Energy loss | $-520 < p < -480$



Energy loss | $-480 < p < -440$

Count



XP

$$\frac{\sigma}{\bar{\mu}} = 5.47 \pm 0.17 \%$$

$$\mu = 419.6 \pm 0.7$$

$$\sigma = 22.9 \pm 0.7$$

WF

$$\frac{\sigma}{\bar{\mu}} = 5.30 \pm 0.16 \%$$


$$\mu = 412.6 \pm 0.7$$

$$\sigma = 21.9 \pm 0.6$$

dE/dx (ADC counts/cm)

Energy loss | $-440 < p < -400$

Count



XP

$$\frac{\sigma}{\mu} = 5.40 \pm 0.18 \%$$

$$\mu = 420.4 \pm 0.7$$

$$\sigma = 22.7 \pm 0.7$$

WF

$$\frac{\sigma}{\mu} = 5.53 \pm 0.19 \%$$


$$\mu = 413.0 \pm 0.7$$

$$\sigma = 22.8 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $-400 < p < -360$

Count



XP

$$\frac{\sigma}{\mu} = 5.68 \pm 0.17 \%$$

$$\mu = 416.9 \pm 0.8$$

$$\sigma = 23.7 \pm 0.7$$

WF

$$\frac{\sigma}{\mu} = 5.68 \pm 0.22 \%$$


$$\mu = 410.0 \pm 0.8$$

$$\sigma = 23.3 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | $-360 < p < -320$

Count



XP

$$\frac{\sigma}{\mu} = 5.92 \pm 0.21 \%$$

$$\mu = 418.4 \pm 0.9$$

$$\sigma = 24.8 \pm 0.8$$

WF

$$\frac{\sigma}{\mu} = 5.88 \pm 0.20 \%$$


$$\mu = 411.5 \pm 0.9$$

$$\sigma = 24.2 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | $-320 < p < -280$

Count



XP

$$\frac{\sigma}{\mu} = 5.77 \pm 0.23 \%$$

$$\mu = 420.0 \pm 1.1$$

$$\sigma = 24.2 \pm 0.9$$

WF

$$\frac{\sigma}{\mu} = 5.53 \pm 0.25 \%$$


$$\mu = 412.6 \pm 1.0$$

$$\sigma = 22.8 \pm 1.0$$

dE/dx (ADC counts/cm)

Energy loss | $-280 < p < -240$

Count



XP

$$\frac{\sigma}{\mu} = 5.77 \pm 0.32 \%$$

$$\mu = 422.4 \pm 1.2$$

$$\sigma = 24.4 \pm 1.3$$

WF

$$\frac{\sigma}{\mu} = 5.79 \pm 0.27 \%$$


$$\mu = 415.9 \pm 1.1$$

$$\sigma = 24.1 \pm 1.0$$

dE/dx (ADC counts/cm)

Energy loss | $-240 < p < -200$

Count



XP

$$\frac{\sigma}{\mu} = 6.01 \pm 0.27 \%$$

$$\mu = 436.1 \pm 1.4$$

$$\sigma = 26.2 \pm 1.1$$

WF

$$\frac{\sigma}{\mu} = 5.94 \pm 0.33 \%$$


$$\mu = 427.5 \pm 1.4$$

$$\sigma = 25.4 \pm 1.3$$

dE/dx (ADC counts/cm)

Energy loss | $-200 < p < -160$

Count



XP

$$\frac{\sigma}{\mu} = 5.28 \pm 0.36 \%$$

$$\mu = 459.5 \pm 1.6$$

$$\sigma = 24.3 \pm 1.6$$

WF

$$\frac{\sigma}{\mu} = 5.52 \pm 0.27 \%$$


$$\mu = 450.6 \pm 1.4$$

$$\sigma = 24.9 \pm 1.2$$

dE/dx (ADC counts/cm)

Energy loss | $-160 < p < -120$

Count



XP

$$\frac{\sigma}{\mu} = 8.14 \pm 0.61 \%$$

$$\mu = 509.0 \pm 2.7$$

$$\sigma = 41.4 \pm 2.9$$

WF

$$\frac{\sigma}{\mu} = 8.09 \pm 0.48 \%$$


$$\mu = 497.5 \pm 2.4$$

$$\sigma = 40.2 \pm 2.2$$

dE/dx (ADC counts/cm)


Energy loss | $-120 < p < -80$

Count




Energy loss | $-80 < p < -40$

Count




Energy loss | $-40 < p < 0$

Count



Energy loss | $0 < p < 40$


Count



dE/dx (ADC counts/cm)


Energy loss | $40 < p < 80$

Count




Energy loss | $80 < p < 120$

Count




Energy loss | $120 < p < 160$



Energy loss | $160 < p < 200$


Count



dE/dx (ADC counts/cm)

Energy loss | $200 < p < 240$


Count



dE/dx (ADC counts/cm)

Energy loss | $240 < p < 280$


Count



dE/dx (ADC counts/cm)

Energy loss | $280 < p < 320$


Count



dE/dx (ADC counts/cm)

Energy loss | $320 < p < 360$


Count



dE/dx (ADC counts/cm)

Energy loss | $360 < p < 400$


Count



dE/dx (ADC counts/cm)

Energy loss | $400 < p < 440$


Count



dE/dx (ADC counts/cm)

Energy loss | $440 < p < 480$


Count



dE/dx (ADC counts/cm)

Energy loss | $480 < p < 520$


Count



dE/dx (ADC counts/cm)


Energy loss | $520 < p < 560$

Count



Energy loss | $560 < p < 600$


Count



dE/dx (ADC counts/cm)

Energy loss | $600 < p < 640$


Count



dE/dx (ADC counts/cm)


Energy loss | $640 < p < 680$

Count



Energy loss | $680 < p < 720$


Count



dE/dx (ADC counts/cm)

Energy loss | $720 < p < 760$


Count



dE/dx (ADC counts/cm)


Energy loss | $760 < p < 800$

Count



Energy loss | $800 < p < 840$


Count



dE/dx (ADC counts/cm)


Energy loss | $840 < p < 880$

Count



Energy loss | $880 < p < 920$


Count



dE/dx (ADC counts/cm)

Energy loss | $920 < p < 960$


Count



dE/dx (ADC counts/cm)

Energy loss | $960 < p < 1000$


Count



dE/dx (ADC counts/cm)


Energy loss | $1000 < p < 1040$

Count




Energy loss | $1040 < p < 1080$

Count




Energy loss | $1080 < p < 1120$

Count




Energy loss | $1120 < p < 1160$

Count



Energy loss | $1160 < p < 1200$


Count



dE/dx (ADC counts/cm)

Energy loss | $1200 < p < 1240$


Count



dE/dx (ADC counts/cm)

Energy loss | $1240 < p < 1280$


Count



dE/dx (ADC counts/cm)


Energy loss | $1280 < p < 1320$

Count




Energy loss | $1320 < p < 1360$

Count



Energy loss | $1360 < p < 1400$


Count



dE/dx (ADC counts/cm)

Energy loss | $1400 < p < 1440$

Count



XP

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $1440 < p < 1480$


Count



dE/dx (ADC counts/cm)

Energy loss | $1480 < p < 1520$


Count



dE/dx (ADC counts/cm)


Energy loss | $1520 < p < 1560$

Count



Energy loss | $1560 < p < 1600$

Count



XP

$$\frac{\sigma}{\mu} = 4.17 \pm 23.62 \%$$

$$\mu = 156.0 \pm 27.8$$

$$\sigma = 6.5 \pm 35.7$$

WF

$$\frac{\sigma}{\mu} = 4.55 \pm 25.84 \%$$


$$\mu = 143.0 \pm 27.8$$

$$\sigma = 6.5 \pm 35.7$$

dE/dx (ADC counts/cm)


Energy loss | $1600 < p < 1640$

Count




Energy loss | $1640 < p < 1680$

Count




Energy loss | $1680 < p < 1720$

Count




Energy loss | $1720 < p < 1760$

Count




Energy loss | $1760 < p < 1800$

Count




Energy loss | $1800 < p < 1840$

Count




Energy loss | $1840 < p < 1880$

Count



Energy loss | $1880 < p < 1920$


Count



dE/dx (ADC counts/cm)


Energy loss | 1920 < p < 1960

Count




Energy loss | $1960 < p < 2000$

Count



Energy loss | $2000 < p < 2040$


Count



dE/dx (ADC counts/cm)

Energy loss | $-90 < \theta < -84$


Count



dE/dx (ADC counts/cm)

Energy loss | $-84 < \theta < -78$


Count



dE/dx (ADC counts/cm)

Energy loss | $-78 < \theta < -72$


Count



dE/dx (ADC counts/cm)

Energy loss | $-72 < \theta < -66$

Count



XP

$$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$$

$$\mu = 0.0 \pm 0.0$$

$$\sigma = 0.0 \pm 0.0$$

WF

$$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$$


$$\mu = 0.0 \pm 0.0$$

$$\sigma = 0.0 \pm 0.0$$

dE/dx (ADC counts/cm)

Energy loss | $-66 < \theta < -60$


Count



dE/dx (ADC counts/cm)

Energy loss | $-60 < \theta < -54$


Count



dE/dx (ADC counts/cm)

Energy loss | $-54 < \theta < -48$


Count



dE/dx (ADC counts/cm)

Energy loss | $-48 < \theta < -42$


Count



dE/dx (ADC counts/cm)

Energy loss | $-42 < \theta < -36$


Count



dE/dx (ADC counts/cm)


Energy loss | $-36 < \theta < -30$

Count




Energy loss | $-30 < \theta < -24$

Count




Energy loss | $-24 < \theta < -18$

Count



Energy loss $|-18 < \theta < -12$

Count



XP

$$\frac{\sigma}{\mu} = 6.02 \pm 0.89 \%$$

$$\mu = 420.5 \pm 3.4$$

$$\sigma = 25.3 \pm 3.5$$

WF

$$\frac{\sigma}{\mu} = 5.39 \pm 0.59 \%$$


$$\mu = 413.0 \pm 2.9$$

$$\sigma = 22.2 \pm 2.3$$


dE/dx (ADC counts/cm)

Energy loss | $-12 < \theta < -6$


Count




Energy loss | $-6 < \theta < 0$




Energy loss | $0 < \theta < 6$



Energy loss | $6 < \theta < 12$




Energy loss | $12 < \theta < 18$




Energy loss | $18 < \theta < 24$

Count




Energy loss | $24 < \theta < 30$

Count



Energy loss | $30 < \theta < 36$

Count



XP

$$\frac{\sigma}{\mu} = 0.07 \pm 0.52 \%$$

$$\mu = 370.2 \pm 2.3$$

$$\sigma = 0.3 \pm 1.9$$

WF

$$\frac{\sigma}{\mu} = 0.07 \pm 0.64 \%$$


$$\mu = 370.2 \pm 1.7$$

$$\sigma = 0.3 \pm 2.4$$

dE/dx (ADC counts/cm)


Energy loss | $36 < \theta < 42$

Count



Energy loss | $42 < \theta < 48$


Count



dE/dx (ADC counts/cm)

Energy loss | $48 < \theta < 54$


Count



dE/dx (ADC counts/cm)

Energy loss | $54 < \theta < 60$


Count



dE/dx (ADC counts/cm)

Energy loss | $60 < \theta < 66$


Count



dE/dx (ADC counts/cm)

Energy loss | $66 < \theta < 72$


Count



dE/dx (ADC counts/cm)

Energy loss | $72 < \theta < 78$


Count



dE/dx (ADC counts/cm)

Energy loss | $78 < \theta < 84$


Count



dE/dx (ADC counts/cm)

Energy loss | $84 < \theta < 90$


Count




dE/dx (ADC counts/cm)

Energy loss | $90 < \theta < 96$

Count



Count



Count

