






Count






















































Energy loss | -3000 < p < -2940

Count



XP (8 entries)

$$\frac{\sigma}{\mu} = 22.50 \pm 61.30 \%$$

$$\mu = 437.3 \pm 85.4$$

$$\sigma = 98.4 \pm 248.9$$

WF (8 entries)

$$\frac{\sigma}{\mu} = 2.08 \pm 0.88 \%$$


$$\mu = 422.5 \pm 4.2$$

$$\sigma = 8.8 \pm 3.6$$

dE/dx (ADC counts/cm)


Energy loss | $-2940 < p < -2880$

Count




Energy loss | -2880 < p < -2820

Count




Energy loss | -2820 < p < -2760

Count




Energy loss | -2760 < p < -2700

Count




Energy loss | -2700 < p < -2640

Count




Energy loss | $-2640 < p < -2580$

Count




Energy loss | $-2580 < p < -2520$

Count




Energy loss | $-2520 < p < -2460$

Count




Energy loss | $-2460 < p < -2400$

Count




Energy loss | $-2400 < p < -2340$

Count




Energy loss | $-2340 < p < -2280$

Count




Energy loss | $-2280 < p < -2220$

Count




Energy loss | -2220 < p < -2160

Count




Energy loss | -2160 < p < -2100

Count




Energy loss | -2100 < p < -2040

Count



Energy loss | -2040 < p < -1980

Count



XP (80 entries)

$$\frac{\sigma}{\mu} = 7.94 \pm 1.40 \%$$

$$\mu = 439.6 \pm 5.0$$

$$\sigma = 34.9 \pm 5.7$$

WF (80 entries)

$$\frac{\sigma}{\mu} = 7.21 \pm 0.98 \%$$


$$\mu = 424.9 \pm 4.2$$

$$\sigma = 30.6 \pm 3.9$$

dE/dx (ADC counts/cm)


Energy loss | $-1980 < p < -1920$

Count



Energy loss | $-1920 < p < -1860$

Count



XP (106 entries)

$\frac{\sigma}{\mu} = 7.48 \pm 1.86 \%$

$\mu = 452.6 \pm 4.8$

$\sigma = 33.9 \pm 8.0$

WF (106 entries)

$\frac{\sigma}{\mu} = 6.60 \pm 0.87 \%$


$\mu = 429.7 \pm 3.6$

$\sigma = 28.4 \pm 3.5$

dE/dx (ADC counts/cm)


Energy loss | $-1860 < p < -1800$

Count




Energy loss | -1800 < p < -1740

Count




Energy loss | $-1740 < p < -1680$

Count



Energy loss | $-1680 < p < -1620$

Count



XP (94 entries)

$\frac{\sigma}{\mu} = 7.17 \pm 0.80$ %

$\mu = 446.5 \pm 4.2$

$\sigma = 32.0 \pm 3.3$

WF (94 entries)

$\frac{\sigma}{\mu} = 7.19 \pm 1.20$ %


$\mu = 430.5 \pm 4.5$

$\sigma = 30.9 \pm 4.8$

dE/dx (ADC counts/cm)


Energy loss | $-1620 < p < -1560$

Count




Energy loss | -1560 < p < -1500

Count




Energy loss | -1500 < p < -1440

Count




Energy loss | $-1440 < p < -1380$

Count




Energy loss | -1380 < p < -1320

Count




Energy loss | -1320 < p < -1260

Count




Energy loss | $-1260 < p < -1200$

Count




Energy loss | -1200 < p < -1140

Count




Energy loss | -1140 < p < -1080

Count




Energy loss | -1080 < p < -1020

Count




Energy loss | $-1020 < p < -960$

Count




Energy loss | $-960 < p < -900$

Count




Energy loss | -900 < p < -840

Count




Energy loss | $-840 < p < -780$

Count




Energy loss | $-780 < p < -720$

Count




Energy loss | $-720 < p < -660$

Count




Energy loss | -660 < p < -600

Count




Energy loss | $-600 < p < -540$

Count




Energy loss | -540 < p < -480

Count




Energy loss | -480 < p < -420

Count




Energy loss | -420 < p < -360

Count




Energy loss | -360 < p < -300

Count




Energy loss | $-300 < p < -240$

Count




Energy loss | -240 < p < -180

Count




Energy loss | $-180 < p < -120$

Count




Energy loss | $-120 < p < -60$

Count




Energy loss | $-60 < p < 0$

Count




Energy loss | $0 < p < 60$

Count




Energy loss | $60 < p < 120$

Count




Energy loss | $120 < p < 180$

Count



Energy loss | $180 < p < 240$

Count



Energy loss | $240 < p < 300$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (11 entries)

$\frac{\sigma}{\mu} = 0.38 \pm 33.37 \%$

$\mu = 421.7 \pm 39.4$

$\sigma = 1.6 \pm 140.5$

WF (11 entries)

$\frac{\sigma}{\mu} = 342.45 \pm 3554.44 \%$

$\mu = 673.0 \pm 6393.8$

$\sigma = 2304.6 \pm 2024.4$

Energy loss | $300 < p < 360$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (9 entries)

$\frac{\sigma}{\mu} = 0.06 \pm 0.49 \%$

$\mu = 461.2 \pm 2.4$

$\sigma = 0.3 \pm 2.3$

WF (9 entries)


$\frac{\sigma}{\mu} = 179.42 \pm 1236.23 \%$

$\mu = 425.7 \pm 2693.0$

$\sigma = 763.8 \pm 431.5$

Energy loss | $360 < p < 420$

Count



Energy loss | $420 < p < 480$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (7 entries)

$\frac{\sigma}{\mu} = 0.06 \pm 0.31 \%$

$\mu = 422.2 \pm 2.0$

$\sigma = 0.3 \pm 1.3$

WF (7 entries)


$\frac{\sigma}{\mu} = 161.03 \pm 1068.83 \%$

$\mu = 523.9 \pm 3126.7$

$\sigma = 843.6 \pm 564.5$

Energy loss | $480 < p < 540$

Count



XP (9 entries)

$\frac{\sigma}{\mu} = 0.04 \pm 0.21 \%$

$\mu = 617.2 \pm 2.2$

$\sigma = 0.3 \pm 1.3$

WF (9 entries)

$\frac{\sigma}{\mu} = 141.57 \pm 816.53 \%$


$\mu = 498.7 \pm 2554.2$

$\sigma = 706.1 \pm 456.2$

dE/dx (ADC counts/cm)

Energy loss | $540 < p < 600$

Count



Energy loss | $600 < p < 660$

Count

1.0

0.8

0.6

0.4

0.2

0.0

XP (3 entries)

$$\frac{\sigma}{\mu} = 26.14 \pm 268.62 \%$$

$$\mu = 572.0 \pm 824.6$$

$$\sigma = 149.5 \pm 1321.0$$

WF (3 entries)

$$\frac{\sigma}{\mu} = 17.98 \pm 175.08 \%$$

$$\mu = 578.5 \pm 458.1$$

$$\sigma = 104.0 \pm 930.5$$

0

200

400


600

800

1000


1200

dE/dx (ADC counts/cm)




Energy loss | $660 < p < 720$

Count




Energy loss | $720 < p < 780$

Count



Energy loss | $780 < p < 840$

Count



XP (2 entries)

$$\frac{\sigma}{\mu} = 0.08 \pm 0.55 \%$$

$$\mu = 331.2 \pm 2.4$$

$$\sigma = 0.3 \pm 1.8$$

WF (2 entries)

$$\frac{\sigma}{\mu} = 0.08 \pm 0.53 \%$$

$$\mu = 305.2 \pm 1.8$$

$$\sigma = 0.3 \pm 1.6$$

dE/dx (ADC counts/cm)

Energy loss | $840 < p < 900$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)


$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $900 < p < 960$

Count



XP (1 entries)

$\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $960 < p < 1020$

Count



XP (2 entries)

$\frac{\sigma}{\mu} = 0.08 \pm 0.57 \%$

$\mu = 318.2 \pm 2.4$

$\sigma = 0.3 \pm 1.8$

WF (2 entries)

$\frac{\sigma}{\mu} = 0.08 \pm 0.55 \%$

$\mu = 331.2 \pm 2.4$

$\sigma = 0.3 \pm 1.8$

dE/dx (ADC counts/cm)

Energy loss | $1020 < p < 1080$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1080 < p < 1140$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1140 < p < 1200$

Count



dE/dx (ADC counts/cm)

Energy loss | $1200 < p < 1260$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\bar{\mu}} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1260 < p < 1320$

Count

1.0

0.8

0.6

0.4

0.2

0.0

XP (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

0

200

400


600

800

1000

1200

dE/dx (ADC counts/cm)



Energy loss | $1320 < p < 1380$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1380 < p < 1440$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (3 entries)

$$\frac{\sigma}{\mu} = 3.39 \pm 27.93 \%$$

$$\mu = 383.5 \pm 47.2$$

$$\sigma = 13.0 \pm 105.5$$

WF (3 entries)


$$\frac{\sigma}{\mu} = 6.78 \pm 64.79 \%$$

$$\mu = 383.5 \pm 81.6$$

$$\sigma = 26.0 \pm 242.9$$

Energy loss | $1440 < p < 1500$

Count



XP (1 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $1500 < p < 1560$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1560 < p < 1620$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1620 < p < 1680$

Count



Energy loss | $1680 < p < 1740$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

XP (3 entries)

$\frac{\sigma}{\mu} = 10.17 \pm 59.73 \%$

$\mu = 383.5 \pm 118.4$

$\sigma = 39.0 \pm 217.0$

WF (3 entries)

$\frac{\sigma}{\mu} = 8.93 \pm 54.08 \%$

$\mu = 364.0 \pm 99.2$

$\sigma = 32.5 \pm 188.0$

dE/dx (ADC counts/cm)

Energy loss | $1740 < p < 1800$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (2 entries)

$\frac{\sigma}{\bar{\mu}} = 0.06 \pm 0.58 \%$

$\bar{\mu} = 409.2 \pm 2.7$

$\sigma = 0.3 \pm 2.4$

WF (2 entries)

$\frac{\sigma}{\bar{\mu}} = 0.07 \pm 0.55 \%$

$\bar{\mu} = 396.2 \pm 2.3$

$\sigma = 0.3 \pm 2.2$

Energy loss | $1800 < p < 1860$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $1860 < p < 1920$

Count

1.0

0.8

0.6

0.4

0.2

0.0

XP (2 entries)

$$\frac{\sigma}{\mu} = 0.06 \pm 0.52 \%$$

$$\mu = 448.2 \pm 2.5$$

$$\sigma = 0.3 \pm 2.3$$

WF (2 entries)

$$\frac{\sigma}{\mu} = 0.06 \pm 0.52 \%$$

$$\mu = 448.2 \pm 2.5$$

$$\sigma = 0.3 \pm 2.3$$

0

200

400


600

800

1000

1200

dE/dx (ADC counts/cm)



Energy loss | $1920 < p < 1980$

Count

1.0

0.8

0.6

0.4

0.2

0.0

XP (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)



Energy loss | $1980 < p < 2040$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2040 < p < 2100$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2100 < p < 2160

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2160 < p < 2220

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2220 < p < 2280$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (2 entries)

$\frac{\sigma}{\mu} = 0.07 \pm 0.52 \%$

$\mu = 383.2 \pm 2.3$

$\sigma = 0.3 \pm 2.0$

WF (2 entries)

$\frac{\sigma}{\mu} = 0.07 \pm 0.53 \%$

$\mu = 357.2 \pm 2.4$

$\sigma = 0.3 \pm 1.9$

Energy loss | 2280 < p < 2340

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2340 < p < 2400

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2400 < p < 2460$

Count



XP (2 entries)

$\frac{\sigma}{\mu} = 0.07 \pm 0.55 \%$

$\mu = 396.2 \pm 2.3$

$\sigma = 0.3 \pm 2.2$

WF (2 entries)

$\frac{\sigma}{\mu} = 3.17 \pm 26.11 \%$

$\mu = 409.5 \pm 47.2$

$\sigma = 13.0 \pm 105.4$

dE/dx (ADC counts/cm)

Energy loss | $2460 < p < 2520$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2520 < p < 2580$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (2 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (2 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2580 < p < 2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2640 < p < 2700$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2700 < p < 2760$

Count

1.0

0.8

0.6

0.4

0.2

0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (1 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (1 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2760 < p < 2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $2820 < p < 2880$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | 2880 < p < 2940

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $2940 < p < 3000$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $3000 < p < 3060$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$


$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$


$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$





Count






Count





Count



Count

