












































Resolution (%)


Waveforms sum
Crossed pads
























Pull e



Energy loss | $-3000 < p < -2940$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2940 < p < -2880$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2880 < p < -2820

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2820 < p < -2760$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $-2760 < p < -2700$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2700 < p < -2640

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2640 < p < -2580$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2580 < p < -2520

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -2520 < p < -2460

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2460 < p < -2400$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -2400 < p < -2340

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2340 < p < -2280$

Count



dE/dx (ADC counts/cm)

Energy loss | -2280 < p < -2220

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -2220 < p < -2160

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -2160 < p < -2100

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | -2100 < p < -2040

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-2040 < p < -1980$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1980 < p < -1920

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1920 < p < -1860

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1860 < p < -1800

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1800 < p < -1740$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1740 < p < -1680

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1680 < p < -1620

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1620 < p < -1560$


Count



dE/dx (ADC counts/cm)

Energy loss | $-1560 < p < -1500$

Count



dE/dx (ADC counts/cm)

Energy loss | -1500 < p < -1440

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1440 < p < -1380

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1380 < p < -1320$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1320 < p < -1260

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1260 < p < -1200$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1200 < p < -1140

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -1140 < p < -1080

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

dE/dx (ADC counts/cm)

Energy loss | $-1080 < p < -1020$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\bar{\mu}} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-1020 < p < -960$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -960 < p < -900

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-900 < p < -840$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-840 < p < -780$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -780 < p < -720

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -720 < p < -660

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -660 < p < -600

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-600 < p < -540$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -540 < p < -480

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-480 < p < -420$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -420 < p < -360

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-360 < p < -300$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-300 < p < -240$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -240 < p < -180

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | -180 < p < -120

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = \text{-nan} \pm \text{-nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-120 < p < -60$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

Energy loss | $-60 < p < 0$

Count

1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0

0

200

400

600

800

1000

1200

dE/dx (ADC counts/cm)

XP (0 entries)

$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$

WF (0 entries)


$\frac{\sigma}{\mu} = -\text{nan} \pm -\text{nan} \%$

$\mu = 0.0 \pm 0.0$

$\sigma = 0.0 \pm 0.0$


Energy loss | $0 < p < 60$

Count




Energy loss | $60 < p < 120$

Count



Energy loss | $120 < p < 180$

Count



XP (985 entries)

$$\frac{\sigma}{\mu} = 11.85 \pm 0.47 \%$$

$$\mu = 566.2 \pm 2.5$$

$$\sigma = 67.1 \pm 2.4$$

WF (985 entries)

$$\frac{\sigma}{\mu} = 11.88 \pm 0.45 \%$$


$$\mu = 567.3 \pm 2.6$$

$$\sigma = 67.4 \pm 2.2$$

dE/dx (ADC counts/cm)

Energy loss | $180 < p < 240$

Count



XP (1466 entries)

$$\frac{\sigma}{\mu} = 9.58 \pm 0.36 \%$$

$$\mu = 458.0 \pm 1.4$$

$$\sigma = 43.9 \pm 1.5$$

WF (1466 entries)

$$\frac{\sigma}{\mu} = 9.24 \pm 0.37 \%$$


$$\mu = 456.8 \pm 1.5$$

$$\sigma = 42.2 \pm 1.5$$

dE/dx (ADC counts/cm)

Energy loss | $240 < p < 300$

Count



XP (2002 entries)

$\frac{\sigma}{\mu} = 8.62 \pm 0.29 \%$

$\mu = 415.2 \pm 1.0$

$\sigma = 35.8 \pm 1.1$

WF (2002 entries)

$\frac{\sigma}{\mu} = 8.97 \pm 0.24 \%$


$\mu = 416.8 \pm 1.0$

$\sigma = 37.4 \pm 0.9$

dE/dx (ADC counts/cm)

Energy loss | $300 < p < 360$

Count



XP (3095 entries)

$\frac{\sigma}{\mu} = 8.58 \pm 0.21 \%$

$\mu = 402.5 \pm 0.8$

$\sigma = 34.5 \pm 0.8$

WF (3095 entries)

$\frac{\sigma}{\mu} = 8.81 \pm 0.20 \%$


$\mu = 403.3 \pm 0.8$

$\sigma = 35.5 \pm 0.7$

dE/dx (ADC counts/cm)

Energy loss | $360 < p < 420$

Count



XP (3329 entries)

$$\frac{\sigma}{\mu} = 8.38 \pm 0.16 \%$$

$$\mu = 399.8 \pm 0.7$$

$$\sigma = 33.5 \pm 0.6$$

WF (3329 entries)

$$\frac{\sigma}{\mu} = 8.75 \pm 0.18 \%$$


$$\mu = 400.3 \pm 0.7$$

$$\sigma = 35.0 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $420 < p < 480$

Count



XP (3529 entries)

$\frac{\sigma}{\mu} = 8.64 \pm 0.18 \%$

$\mu = 400.9 \pm 0.7$

$\sigma = 34.6 \pm 0.6$

WF (3529 entries)

$\frac{\sigma}{\mu} = 9.17 \pm 0.21 \%$


$\mu = 401.6 \pm 0.8$

$\sigma = 36.8 \pm 0.8$

dE/dx (ADC counts/cm)

Energy loss | $480 < p < 540$

Count



XP (3557 entries)

$$\frac{\sigma}{\mu} = 8.33 \pm 0.19 \%$$

$$\mu = 405.4 \pm 0.7$$

$$\sigma = 33.8 \pm 0.7$$

WF (3557 entries)

$$\frac{\sigma}{\mu} = 8.99 \pm 0.20 \%$$


$$\mu = 406.4 \pm 0.7$$

$$\sigma = 36.5 \pm 0.7$$

dE/dx (ADC counts/cm)

Energy loss | $540 < p < 600$

Count



XP (3534 entries)

$\frac{\sigma}{\mu} = 8.70 \pm 0.18 \%$

$\mu = 409.1 \pm 0.7$

$\sigma = 35.6 \pm 0.7$

WF (3534 entries)

$\frac{\sigma}{\mu} = 9.18 \pm 0.21 \%$


$\mu = 410.5 \pm 0.8$

$\sigma = 37.7 \pm 0.8$

dE/dx (ADC counts/cm)

Energy loss | $600 < p < 660$

Count



XP (3441 entries)

$\frac{\sigma}{\mu} = 8.81 \pm 0.20 \%$

$\mu = 412.8 \pm 0.8$

$\sigma = 36.3 \pm 0.7$

WF (3441 entries)

$\frac{\sigma}{\mu} = 9.48 \pm 0.21 \%$


$\mu = 414.3 \pm 0.8$

$\sigma = 39.3 \pm 0.8$

dE/dx (ADC counts/cm)

Energy loss | $660 < p < 720$

Count



XP (3365 entries)

$$\frac{\sigma}{\mu} = 8.99 \pm 0.19 \%$$

$$\mu = 416.5 \pm 0.8$$

$$\sigma = 37.4 \pm 0.7$$

WF (3365 entries)

$$\frac{\sigma}{\mu} = 9.35 \pm 0.21 \%$$


$$\mu = 417.8 \pm 0.8$$

$$\sigma = 39.1 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | $720 < p < 780$

Count



XP (3464 entries)

$$\frac{\sigma}{\mu} = 8.77 \pm 0.18 \%$$

$$\mu = 420.3 \pm 0.8$$

$$\sigma = 36.9 \pm 0.7$$

WF (3464 entries)

$$\frac{\sigma}{\mu} = 9.15 \pm 0.20 \%$$


$$\mu = 421.5 \pm 0.9$$

$$\sigma = 38.6 \pm 0.8$$

dE/dx (ADC counts/cm)

Energy loss | $780 < p < 840$

Count



XP (3332 entries)

$$\frac{\sigma}{\mu} = 8.92 \pm 0.22 \%$$

$$\mu = 425.0 \pm 0.8$$

$$\sigma = 37.9 \pm 0.9$$

WF (3332 entries)

$$\frac{\sigma}{\mu} = 9.47 \pm 0.22 \%$$


$$\mu = 427.7 \pm 0.9$$

$$\sigma = 40.5 \pm 0.9$$

dE/dx (ADC counts/cm)

Energy loss | $840 < p < 900$

Count



XP (3345 entries)

$$\frac{\sigma}{\mu} = 9.45 \pm 0.23 \%$$

$$\mu = 430.3 \pm 0.9$$

$$\sigma = 40.6 \pm 0.9$$

WF (3345 entries)

$$\frac{\sigma}{\mu} = 9.73 \pm 0.25 \%$$


$$\mu = 431.6 \pm 0.9$$

$$\sigma = 42.0 \pm 1.0$$

dE/dx (ADC counts/cm)


Energy loss | $900 < p < 960$

Count



Energy loss | $960 < p < 1020$

Count



XP (3123 entries)

$$\frac{\sigma}{\mu} = 9.31 \pm 0.20 \%$$

$$\mu = 437.3 \pm 0.9$$

$$\sigma = 40.7 \pm 0.8$$

WF (3123 entries)

$$\frac{\sigma}{\mu} = 9.49 \pm 0.21 \%$$


$$\mu = 439.4 \pm 0.9$$

$$\sigma = 41.7 \pm 0.8$$

dE/dx (ADC counts/cm)


Energy loss | $1020 < p < 1080$

Count




Energy loss | $1080 < p < 1140$

Count




Energy loss | $1140 < p < 1200$

Count




Energy loss | $1200 < p < 1260$

Count




Energy loss | $1260 < p < 1320$

Count




Energy loss | $1320 < p < 1380$

Count




Energy loss | $1380 < p < 1440$

Count




Energy loss | $1440 < p < 1500$

Count




Energy loss | $1500 < p < 1560$

Count




Energy loss | $1560 < p < 1620$

Count




Energy loss | $1620 < p < 1680$

Count




Energy loss | $1680 < p < 1740$

Count




Energy loss | $1740 < p < 1800$

Count




Energy loss | $1800 < p < 1860$

Count



Energy loss | $1860 < p < 1920$

Count



XP (2089 entries)

$\frac{\sigma}{\mu} = 10.01 \pm 0.29 \%$

$\mu = 481.5 \pm 1.4$

$\sigma = 48.2 \pm 1.3$

WF (2089 entries)

$\frac{\sigma}{\mu} = 10.55 \pm 0.30 \%$


$\mu = 486.5 \pm 1.4$

$\sigma = 51.3 \pm 1.3$

dE/dx (ADC counts/cm)


Energy loss | $1920 < p < 1980$

Count




Energy loss | $1980 < p < 2040$

Count




Energy loss | $2040 < p < 2100$

Count



Energy loss | $2100 < p < 2160$

Count



XP (1894 entries)

$$\frac{\sigma}{\mu} = 10.82 \pm 0.32 \%$$

$$\mu = 493.8 \pm 1.6$$

$$\sigma = 53.4 \pm 1.4$$

WF (1894 entries)

$$\frac{\sigma}{\mu} = 11.22 \pm 0.39 \%$$


$$\mu = 495.7 \pm 1.7$$

$$\sigma = 55.6 \pm 1.7$$

dE/dx (ADC counts/cm)

Energy loss | $2160 < p < 2220$

Count



XP (1756 entries)

$\frac{\sigma}{\mu} = 10.21 \pm 0.34 \%$

$\mu = 489.1 \pm 1.6$

$\sigma = 49.9 \pm 1.5$

WF (1756 entries)

$\frac{\sigma}{\mu} = 10.41 \pm 0.32 \%$

$\mu = 492.5 \pm 1.5$


$\sigma = 51.3 \pm 1.4$

dE/dx (ADC counts/cm)

Energy loss | $2220 < p < 2280$

Count

180
160
140
120
100
80
60
40
20
0



XP (1730 entries)

$\frac{\sigma}{\mu} = 10.70 \pm 0.35 \%$

$\mu = 494.1 \pm 1.6$

$\sigma = 52.9 \pm 1.5$

WF (1730 entries)

$\frac{\sigma}{\mu} = 10.88 \pm 0.36 \%$

$\mu = 496.8 \pm 1.6$


$\sigma = 54.1 \pm 1.6$

dE/dx (ADC counts/cm)

Energy loss | $2280 < p < 2340$

Count

180
160
140
120
100
80
60
40
20
0



XP (1744 entries)

$\frac{\sigma}{\mu} = 10.13 \pm 0.30 \%$

$\mu = 496.5 \pm 1.5$

$\sigma = 50.3 \pm 1.3$

WF (1744 entries)

$\frac{\sigma}{\mu} = 10.79 \pm 0.40 \%$


$\mu = 497.6 \pm 1.6$

$\sigma = 53.7 \pm 1.8$

dE/dx (ADC counts/cm)

Energy loss | $2340 < p < 2400$

Count



XP (1683 entries)

$$\frac{\sigma}{\mu} = 10.46 \pm 0.28 \%$$

$$\mu = 500.5 \pm 1.6$$

$$\sigma = 52.3 \pm 1.2$$

WF (1683 entries)

$$\frac{\sigma}{\mu} = 11.31 \pm 0.37 \%$$


$$\mu = 501.5 \pm 1.7$$

$$\sigma = 56.7 \pm 1.7$$

dE/dx (ADC counts/cm)

Energy loss | $2400 < p < 2460$

Count



XP (1621 entries)

$\frac{\sigma}{\mu} = 10.42 \pm 0.35 \%$

$\mu = 500.2 \pm 1.7$

$\sigma = 52.1 \pm 1.6$

WF (1621 entries)

$\frac{\sigma}{\mu} = 10.53 \pm 0.32 \%$


$\mu = 503.7 \pm 1.6$

$\sigma = 53.0 \pm 1.5$

dE/dx (ADC counts/cm)

Energy loss | $2460 < p < 2520$

Count



XP (1522 entries)

$\frac{\sigma}{\mu} = 10.15 \pm 0.30 \%$

$\mu = 504.0 \pm 1.6$

$\sigma = 51.1 \pm 1.3$

WF (1522 entries)

$\frac{\sigma}{\mu} = 10.34 \pm 0.32 \%$


$\mu = 506.8 \pm 1.7$

$\sigma = 52.4 \pm 1.4$

dE/dx (ADC counts/cm)

Energy loss | $2520 < p < 2580$

Count



XP (1505 entries)

$$\frac{\sigma}{\mu} = 10.77 \pm 0.40 \%$$

$$\mu = 506.0 \pm 1.7$$

$$\sigma = 54.5 \pm 1.8$$

WF (1505 entries)

$$\frac{\sigma}{\mu} = 10.91 \pm 0.41 \%$$


$$\mu = 507.7 \pm 1.8$$

$$\sigma = 55.4 \pm 1.9$$

dE/dx (ADC counts/cm)


Energy loss | $2580 < p < 2640$

Count



Energy loss | $2640 < p < 2700$

Count



XP (1365 entries)

$\frac{\sigma}{\mu} = 10.75 \pm 0.37 \%$

$\mu = 506.7 \pm 1.8$

$\sigma = 54.4 \pm 1.7$

WF (1365 entries)

$\frac{\sigma}{\mu} = 10.85 \pm 0.41 \%$


$\mu = 509.7 \pm 1.8$

$\sigma = 55.3 \pm 1.9$

dE/dx (ADC counts/cm)


Energy loss | $2700 < p < 2760$

Count




Energy loss | $2760 < p < 2820$

Count




Energy loss | $2820 < p < 2880$

Count




Energy loss | $2880 < p < 2940$

Count



Energy loss | $2940 < p < 3000$

Count



Energy loss | $3000 < p < 3060$

Count

