




# $T_{\text{Leading}}$ Raw (Mod 0)




# $T_{\text{Leading}}$ Cut (Mod 0)




# Pad Multiplicity Raw (Mod 0)




# Pad Multiplicity Cut (Mod 0)




# Average Pad Multiplicity Raw (Mod 0)




# Average Pad Multiplicity Cut (Mod 0)



# Average of the pad integral Raw (Mod 0)



# Average of the pad integral Cut (Mod 0)






# Q<sub>lead</sub> Raw (Mod 0)


Count

3000  
2500  
2000  
1500  
1000  
500  
0




Amplitude (ADC counts)


# $Q_{\text{lead}}$ Cut (Mod 0)




# Q<sub>neighbours</sub> Raw (Mod 0)




# Q<sub>neighbours</sub> Cut (Mod 0)



# Q<sub>pad</sub> Raw (Mod 0)




# $Q_{\text{pad}}$ Cut (Mod 0)




# Number of clusters per module Raw (Mod 0)

Count




# Number of clusters per module Cut (Mod 0)







# Efficiency : final fraction of events Raw (Mod 0)




# Efficiency : final fraction of events Cut (Mod 0)



# Position of leading pads in ERAM (Mod 0)




# Position of leading pads in ERAM (Mod 0)



# Track inclination along $\theta$ angle (Mod 0)

Drift distance (mm)



# Track inclination along $\theta$ angle (Mod 0)

Drift distance (mm)

