




TEXT 2 TOUCH



DEVELOPED BY JAKT & GGG



TABLE OF CONTENTS

O1 ... INTRODUCTION

O2 PROBLEM

O3 SOLUTION

04

READING

You can describe the topic of the section here

05

CLOSING

You can describe the topic of the section here

01



TACKLING THE PROBLEM

MAJOR ISSUES

Cost Barrier

- Braille displays can be prohibitively expensive

- An avg. braille display can cost from \$3,500 - \$15,000 [2]

2 Size & Portability

- Traditional Braille displays are bulkier & less portable



FACTS

Globally, approximately 2.2 billion people face vision impairment [1]

02




SOLUTION







TEXT 2 TOUCH






DESIGN







VIDEO EXAMPLE

CONVERSION PROCESS



TEXT

Screen read text on computer screen and compile it to a txt file

CONVERT

Compile the txt file and transferring it into serial data into the Arduino

TOUCH

Output Arduino data to braille display

THE BRAILLE ALPHABET

A	В	C	D	E	F	G	H	
J	K	L	M	N	Ñ	0	P	Q
R	S	T	J	V	W	X	Y	Z

Braille characters are comprised of 6 tiny rectangular bumps/cells [3].

REFERENCES

- [1] "Vision Impairment and blindness," World Health Organization, https://www.who.int/news-room/fact-sheets/detail/blindness-and-visual-impairment (accessed Feb. 18, 2024).
- [2] "Refreshable Braille displays," The American Foundation for the Blind, https://www.afb.org/node/16207/refreshable-braille-displays#:~:text=The%20price%20of%20braille%20displays,the%20number%20of%20characters%20displayed. (accessed Feb. 18, 2024).
- [3] "Braille Literacy Canada: Learn about Braille," Braille Literacy Canada | Learn About Braille, https://www.brailleliteracycanada.ca/en/braille#:~:text=Braille%20characters%20are%20comprised%20of,letter%20or%20symbol%20they%20represent. (accessed Feb. 18, 2024).

THANKS FOR LISTENING!

DO YOU HAVE ANY QUESTIONS?





CREDITS: This presentation template was created by <u>Slidesgo</u>, and includes icons by <u>Flaticon</u>, and infographics & images by <u>Freepik</u>

YOUR MOM