Jobs

Generated by Talend Data Fabric

Project Name	project1	GENERATION DATE	01/09/2016 10:53:48 AM
AUTHOR	admin, admin	Talend Data Fabric VERSION	6.2.1.20160704_1411

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	project1
Language	java
Description	dfgdfgs

Description

Properties	Values
Name	J_001_testJob
Author	admin, admin
Version	0.1
Purpose	
Status	
Description	
Creation	30/08/2016 11:06:14 AM
Modification	01/09/2016 10:04:20 AM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false

Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
E_001_ExportConsole_1	E_001_ExportConsole
tFileOutputDelimited_1	tFileOutputDelimited

tMap_1	tMap
tRowGenerator_1	tRowGenerator

Components Description

Component   tFileOutputDelimited

	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tMap_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tFileOutputDelimited_1
Component Name	tFileOutputDelimited
Version	0.101 (ALPHA)
Family	File/Output
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\Tristan\Desktop\Talend-Studio-20160704_1411-\
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"/tmp/myFile.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true

CSV Row Separator	"\n"
Field Separator	";"
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
CSV options	false
Escape char	"""
Text enclosure	"""
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false

Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Min column number of optimize code	90
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLog :

Column	Key	Type	Length	Precision	Nullable	Comment
rowId	false	Integer			true	
Name	false	String			true	

Original Function Parameters:
Component   E_001_ExportConsole

	UNIQUE NAME	E_001_ExportConsole_1	INPUT(S)	tRowGenerator_1
	LABEL	E_001_ExportConsole	OUTPUT(S)	none

Component Parameters:

Properties	Values
Version	Latest
Joblet TRIGGER_INPUT_1	SUBJOB_OK
Show Information	false
Comment	

Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tRowGenerator_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileOutputDelimited_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO

Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(source):

Properties	Values
Name	source
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(source):

Name	Type	Expression	isNullable
firstName	String		true
lastName	String		true

Constraint Table Entries(source):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):

Mapper table Properties(tLog):

Properties	Values
Name	tLog
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(tLog):

Name	Type	Expression	isNullable
rowId	Integer	Numeric.sequence("s1",1,1)	true
Name	String	source.firstName +" "+ source.lastName	true

Constraint Table Entries(tLog):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tRowGenerator

	UNIQUE NAME	tRowGenerator_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_1 , E_001_ExportConsole_1

Component Parameters:

Properties	Values

tStatCatcher Statistics	`false`
Enable parallel execution	`false`
Show Information	`false`
Comment	
Use an existing validation rule	`false`

Row generator information for tRowGenerator_1 :

Column	Key	Type	Nullable	Length	Precision	Default	Comment	Functions	Parameters
firstName	false	String	true					getFirstName()	
lastName	false	String	true					getLastName()	