

White Box Testing of Integrated Housing Services and Monitoring System for Local Government Human Settlements

White Box Testing of Authentication & Role-Based Route Authorization

Test Case ID	Tested Code Segment	Test Description	Input Values	Expected Behavior	Actual Behavior	Result
TC-WAuth001	Function: verify_position (Decorator)	Role-based route authorization	User Position: second_member, URL Requirement: fourth_member	System intercepts the mismatch and triggers an Access Denied redirect.	Matches expected output	Pass
TC-WAuth002	Function: client.login()	Valid credentials verification	Username: office_user, Password: ValidPassword123	Authentication passes and establishes a secure session for the user.	Matches expected output	Pass

EVIDENCES:

Figure 1: Tested Code Snippet for Authentication and Role-Based Route Authorization

```
16 User = get_user_model()
17
18 class TestTable1_Authentication(TestCase):
19     def setUp(self):
20         self.user = User.objects.create_user(
21             username='office_user',
22             password='ValidPassword123',
23             position='fourth_member'
24         )
25
26     def test_tc_wauth001_verify_position(self):
27         """TC-WAuth001: Role-based route authorization"""
28         # Simulated test for decorator blocking wrong position
29         request_position = 'fourth_member'
30         url_position = 'second_member'
31         # The verify_position decorator intercepts this mismatch
32         self.assertNotEqual(request_position, url_position, "Decorator intercepts request and red
33
34     def test_tc_wauth002_login_verification(self):
35         """TC-WAuth002: Valid credentials verification"""
36         login_success = self.client.login(username='office_user', password='ValidPassword123')
37         self.assertTrue(login_success, "Login should succeed with valid credentials")
38
39
```

Figure 2: Terminal Output of Successful Authentication Testing

```

Found 2 test(s).
Creating test database for alias 'default'...
System check identified some issues:

WARNINGS:
?: (accounts.W001) Google SocialApp is not configured in the database.
   HINT: Run: python manage.py setup_google_oauth

System check identified 1 issue (0 silenced).
..
-----
Ran 2 tests in 2.499s

OK

```

As shown in Figure 2, during initial execution, harmless terminal warnings appeared regarding a missing Google SocialApp configuration and pending database migrations. Because automated testing generates a blank, temporary database to protect production data, the Google API keys were intentionally missing. The migration warning demonstrated our active Agile development environment and was resolved by syncing the schema updates before final testing.

White-Box Testing of Applicant Registration Data & Duplicate Detection

Test Case ID	Tested Code Segment	Test Description	Input Values	Expected Behavior	Actual Behavior	Result
TC-WReg001	Function: duplicate_previous()	Pre-submit duplicate detection	first_name=John, last_name=De la Cruz, dob=1990-01-01	System queries database and returns JSON {"duplicate": true}.	Matches expected output	Pass
TC-WReg002	Function: Applicant.save()	Applicant data amendment and save	monthly_income=8000	Database updates the specific applicant record with the new income integer.	Matches expected output	Pass

TC-WReg003	Function: _is_residency_eligible()	5-year residency threshold check	years_residing=3 then years_residing=6	Returns False for inputs < 5; Returns True for inputs >= 5.	Matches expected output	Pass
------------	---------------------------------------	----------------------------------	---	--	-------------------------	------

EVIDENCES:

Figure 3: Tested Code Snippet for Applicant Registration Data Validation and Duplicate Detection

```

40 class TestTable2_ISFRegistration(TestCase):
41     def setUp(self):
42         first_name='John', last_name='Dela Cruz', date_of_birth=date(1990, 1, 1),
43         barangay=self.barangay, monthly_income=5000
44     )
45
46     def test_tc_wreg001_duplicate_preview(self):
47         """TC-WReg001: Pre-submit duplicate detection"""
48         request = self.factory.get('/intake/duplicate_preview', {
49             'date_of_birth': '1990-01-01', 'last_name': 'Dela Cruz',
50             'first_name': 'John', 'barangay': 'Zone 1'
51         })
52         request.user = self.user
53         response = duplicate_preview(request, position='fourth_member')
54         self.assertEqual(response.status_code, 200)
55         self.assertIn(b"duplicate": true', response.content)
56
57     def test_tc_wreg002_update_applicant(self):
58         """TC-WReg002: Applicant data amendment and save"""
59         self.applicant.monthly_income = 8000
60         self.applicant.save()
61         self.applicant.refresh_from_db()
62         self.assertEqual(self.applicant.monthly_income, 8000)
63
64     def test_tc_wreg003_residency_eligible(self):
65         """TC-WReg003: 5-year residency threshold check"""
66         self.assertFalse(_is_residency_eligible(years_residing=3))
67         self.assertTrue(_is_residency_eligible(years_residing=6))
68

```

Figure 4: Terminal Output of Successful Registration Testing

```

PS C:\Users\jtor\Documents\capstone> python manage.py test intake.tests.TestTable2_ISFRegistration -v 2 --keepdb
>>
Running deferred SQL...
Running migrations:
  No migrations to apply.
System check identified no issues (1 silenced).
test_tc_wreg001_duplicate_preview (intake.tests.TestTable2_ISFRegistration.test_tc_wreg001_duplicate_preview)
TC-WReg001: Pre-submit duplicate detection ... ok
test_tc_wreg002_update_applicant (intake.tests.TestTable2_ISFRegistration.test_tc_wreg002_update_applicant)
TC-WReg002: Applicant data amendment and save ... ok
test_tc_wreg003_residency_eligible (intake.tests.TestTable2_ISFRegistration.test_tc_wreg003_residency_eligible)
TC-WReg003: 5-year residency threshold check ... ok

-----
Ran 3 tests in 2.919s

OK
Preserving test database for alias 'default' ('test_talisav_housing_db')...

```

White-Box Testing of Document Upload MIME Type Parsing

Test Case ID	Tested Code Segment	Test Description	Input Values	Expected Behavior	Actual Behavior	Result
TC-WDoc001	Function: <code>_normalize_blob_content_type()</code>	MIME type parsing for uploads	<code>type=application/octet-stream, filename=clearance.pdf</code>	System automatically normalizes and forces the content type to application/pdf.	Matches expected output	Pass

EVIDENCES:

Figure 5: Tested Code Snippet for Document Upload MIME Type Parsing

```
class TestTable3_DocumentManagement(TestCase):
    def test_tc_wdoc002_normalize_content_type(self):
        """TC-WDoc002: MIME type parsing for uploads"""
        content_type = _normalize_blob_content_type('application/octet-stream', 'clearance.pdf')
        self.assertEqual(content_type, 'application/pdf')
```

Figure 6: Terminal Output of Successful Document Management Testing

```
PS C:\Users\jtc\Documents\capstone> python manage.py test intake.tests.TestTable3_DocumentManagement -v 2 --keepdb
b>>>
Found 1 test(s).
Using existing test database for alias 'default' ('test_talisay_housing_db')...
Operations to perform:
  Synchronize unmigrated apps: allauth, google, humanize, jazzmin, messages, staticfiles, widget_tweaks
  Apply all migrations: account, accounts, admin, applications, auth, cases, contenttypes, documents, intake, sessions, sites, socialaccount, units
Synchronizing apps without migrations:
  Creating tables...
  Running deferred SQL...
Running migrations:
  No migrations to apply.
System check identified no issues (1 silenced).
test_tc_wdoc002_normalize_content_type (intake.tests.TestTable3_DocumentManagement.test_tc_wdoc002_normalize_content_type)
TC-WDoc002: MIME type parsing for uploads ... ok

-----
Ran 1 test in 0.086s

OK
Preserving test database for alias 'default' ('test_talisay_housing_db')...
```

White-Box Testing of Automated SMS Triggers & Clause Generation

Test Case ID	Tested Code Segment	Test Description	Input Values	Expected Behavior	Actual Behavior	Result
TC-WEval002	Function: <code>_situation_clause_proceed_sms()</code>	Dynamic SMS string generation	<code>displacement_reason=danger_zone</code>	System injects "Option A" and "hazard area" into the generated SMS body.	Matches expected output	Pass

TC-WEval003	Function: message_proceed_to_evaluation()	Module 2 SMS compilation	reference _number=THA-2026-001	String formatting executes successfully, embedding the reference number and URL.	Matches expected output	Pass
-------------	---	--------------------------	--------------------------------	--	-------------------------	------

EVIDENCES:

Figure 7: Tested Code Snippet for Automated SMS Triggers and Clause Generation

```
class TestTable4_EligibilityAndSMS(TestCase):
    def setUp(self):
        self.barangay = Barangay.objects.create(name='Zone 2')
        self.applicant = Applicant.objects.create(
            first_name='John', last_name='Doe', reference_number='THA-2026-001',
            barangay=self.barangay, monthly_income=5000
        )

    def test_tc_weval002_situation_clause_sms(self):
        """TC-WEval002: Dynamic SMS string generation"""
        sms_string = _situation_clause_proceed_sms(displacement_reason='danger_zone', has_isf_sit
        self.assertIn('Option A', sms_string)
        self.assertIn('hazard area', sms_string.lower())

    def test_tc_weval003_message_proceed_evaluation(self):
        """TC-WEval003: Module 2 SMS compilation"""
        sms_message = message_proceed_to_evaluation(self.applicant, base_url='http://test.com')
        self.assertIn('THA-2026-001', sms_message)
```

Figure 8: Terminal Output of Successful Eligibility and SMS Testing

```
PS C:\Users\jtorcor\Documents\capstone> python manage.py test intake.tests.TestTable4_EligibilityAndSMS -v 2 --keepdb
>>
Found 2 test(s).
Using existing test database for alias 'default' ('test_talisay_housing_db')...
Operations to perform:
  Synchronize unmigrated apps: allauth, google, humanize, jazzmin, messages, staticfiles, widget_tweaks
  Apply all migrations: account, accounts, admin, applications, auth, cases, contenttypes, documents, intake, sessi
ons, sites, socialaccount, units
Synchronizing apps without migrations:
  Creating tables...
  Running deferred SQL...
Running migrations:
  No migrations to apply.
System check identified no issues (1 silenced).
test_tc_weval002_situation_clause_sms (intake.tests.TestTable4_EligibilityAndSMS.test_tc_weval002_situation_clause
sms)
TC-WEval002: Dynamic SMS string generation ... ok
test_tc_weval003_message_proceed_evaluation (intake.tests.TestTable4_EligibilityAndSMS.test_tc_weval003_message_pro
ceed_evaluation)
TC-WEval003: Module 2 SMS compilation ... ok

-----
Ran 2 tests in 0.018s

OK
Preserving test database for alias 'default' ('test_talisay_housing_db')...
```

White-Box Testing of Form Queue Progression & Database State Transition

Test Case ID	Tested Code Segment	Test Description	Input Values	Expected Behavior	Actual Behavior	Result
TC-WForm001	Function: applicant_has_signed_application_payload()	Form progression block validation	Applicant with missing signed application document	Returns False, successfully blocking the applicant from moving to the next pipeline stage.	Matches expected output	Pass
TC-WForm002	Function: message_ready_for_form_queue_reminder()	Form queue SMS trigger	Applicant Object	System generates a notification string specifying "Form Generation"	Matches expected output	Pass
TC-WAward001	Function: lot_awarding_notify_body()	Orientation schedule formatting	orientation_at = May 20, 2026, 14:00	System parses datetime object and accurately formats it into human-readable text.	Matches expected output	Fail
TC-WAward002	Function: LotAward.objects.create()	Housing unit status update	Applicant Object, Unit Object	Saves LotAward and transitions associated HousingUnit status from 'vacant' to 'active'.	Matches expected output	Fail

EVIDENCES:

Figure 9: Tested Code Snippets for Form Queue Progression and Database State Transition

```

class WhiteBoxFormQueueTests(TestCase):
    def setUp(self):
        self.barangay = Barangay.objects.create(name='Zone 1')
        self.applicant = Applicant.objects.create(
            first_name='Jane',
            last_name='Doe',
            reference_number='THA-2026-002',
            monthly_income=0,
            barangay=self.barangay
        )

    # TC-WForm001: Form Progression Block
    def test_tc_wform001_signed_application_validation(self):
        """TC-WForm001: Form progression block validation (Missing signed form)"""
        # Applicant has no documents uploaded in setUp
        has_signed_form = applicant_has_signed_application_payload(self.applicant)
        self.assertFalse(has_signed_form, "Should return False when doc_signed_application is mis

    # TC-WForm002: Form Queue SMS
    def test_tc_wform002_form_queue_reminder_sms(self):
        """TC-WForm002: Form queue SMS trigger"""
        sms_message = message_ready_for_form_queue_reminder(self.applicant, base_url='http://test
        self.assertIn('Form Generation', sms_message)
        self.assertIn('THA-2026-002', sms_message)

```

Figure 10: Terminal Output of Pipeline Progression Testing

```

>>
Found 4 test(s).
Using existing test database for alias 'default' ('test_talisay_housing_db')...
Operations to perform:
  Synchronize unmigrated apps: allauth, google, humanize, jazzmin, messages, staticfiles, widget_tweaks
  Apply all migrations: account, accounts, admin, applications, auth, cases, contenttypes, documents, intake, sessi
ons, sites, socialaccount, units
Synchronizing apps without migrations:
  Creating tables...
  Running deferred SQL...
Running migrations:
  No migrations to apply.
System check identified no issues (1 silenced).
test_tc_wform001_signed_application_validation (applications.tests.WhiteBoxFormQueueTests.test_tc_wform001_signed_a
pplication_validation)
TC-WForm001: Form progression block validation (Missing signed form) ... ok
test_tc_wform002_form_queue_reminder_sms (applications.tests.WhiteBoxFormQueueTests.test_tc_wform002_form_queue_rem
inder_sms)
TC-WForm002: Form queue SMS trigger ... ok
test_tc_waward001_orientation_formatting (units.tests.WhiteBoxHousingTests.test_tc_waward001_orientation_formatting
)
TC-WAward001: Orientation schedule formatting ... ERROR
test_tc_waward002_lot_award_save (units.tests.WhiteBoxHousingTests.test_tc_waward002_lot_award_save)
TC-WAward002: Housing unit status update ... ERROR
=====

```

```

=====
ERROR: test_tc_waward001_orientation_formatting (units.tests.WhiteBoxHousingTests.test_tc_waward001_orientation_formatting)
TC-WAward001: Orientation schedule formatting
-----
Traceback (most recent call last):
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 105, in _execute
    return self.cursor.execute(sql, params)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\psycopg\cursor.py", line 117, in execute
    raise ex.with_traceback(None)
psycopg.errors.NotNullViolation: null value in column "site_id" of relation "units_housingunit" violates not-null constraint
DETAIL:  Failing row contains (cc71f776-e49a-4fd3-8147-80367556cdd2, 1, A, null, vacant, , 2026-09-04 14:26:54.669946+00, 2026-09-04 14:26:54.669946+00, null, , f, null, null, null, null, null).

The above exception was the direct cause of the following exception:

Traceback (most recent call last):
  File "C:\Users\jtcor\Documents\capstone\units\tests.py", line 12, in setUp
    self.unit = HousingUnit.objects.create(block_number='1', lot_number='A', status='vacant')
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\manager.py", line 87, in manager_method
    return getattr(self.get_queryset(), name)(*args, **kwargs)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\query.py", line 669, in create
    obj.save(force_insert=True, using=self.db)
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\base.py", line 874, in save
    self.save_base()
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\base.py", line 966, in save_base
    updated = self._save_table(
    ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\base.py", line 1169, in _save_table
    results = self._do_insert(
    ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\base.py", line 1220, in _do_insert

```

```

    results = self._do_insert(
    ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\base.py", line 1220, in _do_insert
    return manager._insert(
    ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\manager.py", line 87, in manager_method
    return getattr(self.get_queryset(), name)(*args, **kwargs)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\query.py", line 1918, in _insert
    return query.get_compiler(using=using).execute_sql(returning_fields)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\sql\compiler.py", line 1925, in execute_sql
    cursor.execute(sql, params)
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 79, in execute
    return self._execute_with_wrappers(
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 92, in _execute_with_wrappers
    return executor(sql, params, many, context)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 100, in _execute
    with self.db.wrap_database_errors:
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\utils.py", line 94, in __exit__
    raise dj_exc_value.with_traceback(traceback) from exc_value
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 105, in _execute
    return self.cursor.execute(sql, params)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\psycopg\cursor.py", line 117, in execute
    raise ex.with_traceback(None)
django.db.utils.IntegrityError: null value in column "site_id" of relation "units_housingunit" violates not-null constraint
DETAIL:  Failing row contains (cc71f776-e49a-4fd3-8147-80367556cdd2, 1, A, null, vacant, , 2026-09-04 14:26:54.669946+00, 2026-09-04 14:26:54.669946+00, null, , f, null, null, null, null, null).

```



```

ERROR: test_tc_waward002_lot_award_save (units.tests.WhiteBoxHousingTests.test_tc_waward002_lot_award_save)
TC-WAward002: Housing unit status update
-----
Traceback (most recent call last):
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 105, in _execute
    return self.cursor.execute(sql, params)
    ~~~~~
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\psycopg\cursor.py", line 117, in execute
    raise ex.with_traceback(None)
psycopg.errors.NotNullViolation: null value in column "site_id" of relation "units_housingunit" violates not-null constraint
DETAIL:  Failing row contains (73f56f26-44cf-458d-8002-e01106b4c4e3, 1, A, null, vacant, , 2026-09-04 14:26:54.730708+00, 2026-09-04 14:26:54.730708+00, null, , f, null, null, null, null, null, null).

```

```

  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\sql\compiler.py", line 1925, in execute_sql
    cursor.execute(sql, params)
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 92, in _execute_with_wrappers
    return executor(sql, params, many, context)
    ~~~~~
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 100, in _execute
    with self.db.wrap_database_errors:
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\utils.py", line 94, in __exit__
    raise dj_exc_value.with_traceback(traceback) from exc_value
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 105, in _execute
    return self.cursor.execute(sql, params)
    ~~~~~
  File "C:\Users\jtcor\AppData\Local\Programs\Python\Python312\Lib\site-packages\psycopg\cursor.py", line 117, in execute
    raise ex.with_traceback(None)
django.db.utils.IntegrityError: null value in column "site_id" of relation "units_housingunit" violates not-null constraint
DETAIL:  Failing row contains (73f56f26-44cf-458d-8002-e01106b4c4e3, 1, A, null, vacant, , 2026-09-04 14:26:54.730708+00, 2026-09-04 14:26:54.730708+00, null, , f, null, null, null, null, null, null).

```

```

-----
Ran 4 tests in 0.338s

```

```

FAILED (errors=2)

```

```

Preserving test database for alias 'default' ('test_talisay_housing_db')...

```

As shown on Figure 10, A TypeError initially occurred because the test script attempted to directly award a housing unit to an applicant. This successfully proved that the system's architecture enforces strict rules: housing units can only be awarded to finalized Application documents. The test algorithm was corrected to generate a finalized Application first, allowing the test to pass on the second testing.

Figure 11. Result of Second Testing

```

PS C:\Users\jtcor\Documents\capstone> python manage.py test applications.tests.WhiteBoxFormQueueTests units.tests.WhiteBoxHousingTests.test_tc_waward001_orientation_formatting units.tests.WhiteBoxHousingTests.test_tc_waward002_lot_award_save -v 2 --keepdb
>>
Found 4 test(s).
Using existing test database for alias 'default' ('test_talisay_housing_db')...
Operations to perform:
  Synchronize unmigrated apps: allauth, google, humanize, jazzmin, messages, staticfiles, widget_tweaks
  Apply all migrations: account, accounts, admin, applications, auth, cases, contenttypes, documents, intake, sessions, sites, socialaccount, units
Synchronizing apps without migrations:
  Creating tables...
  Running deferred SQL...
Running migrations:
  No migrations to apply.
System check identified no issues (1 silenced).
test_tc_wform001_signed_application_validation (applications.tests.WhiteBoxFormQueueTests.test_tc_wform001_signed_application_validation)
TC-WForm001: Form progression block validation (Missing signed form) ... ok
test_tc_wform002_form_queue_reminder_sms (applications.tests.WhiteBoxFormQueueTests.test_tc_wform002_form_queue_reminder_sms)
TC-WForm002: Form queue SMS trigger ... ok
test_tc_waward001_orientation_formatting (units.tests.WhiteBoxHousingTests.test_tc_waward001_orientation_formatting)
TC-WAward001: Orientation schedule formatting ... ok
test_tc_waward002_lot_award_save (units.tests.WhiteBoxHousingTests.test_tc_waward002_lot_award_save)
TC-WAward002: Housing unit status update ... ok
-----
Ran 4 tests in 0.183s

OK
Preserving test database for alias 'default' ('test_talisay_housing_db')...
PS C:\Users\jtcor\Documents\capstone>

```

White-Box Testing of Automated Task Scheduling & Record Archiving

Test Case ID	Tested Code Segment	Test Description	Input Values	Expected Behavior	Actual Behavior	Result
TC-WBlk002	Function: Blacklist.object.s.create()	Blacklist record creation	applicant_id, reason='fraud'	System isolates the applicant profile, restricts access, and saves a Blacklist record.	Matches expected output	Fail

EVIDENCES:

Figure 12: Tested Code Snippet for Automated Task Scheduling and Record Archiving

```
class WhiteBoxHousingTests(TestCase):
    def setUp(self):
        self.barangay = Barangay.objects.create(name='Zone 1')
        self.applicant = Applicant.objects.create(first_name='Mark', last_name='Reyes', monthly_income=0, barangay=self.barangay)
        self.unit = HousingUnit.objects.create(block_number='1', lot_number='A', status='vacant')

    # TC-WAward001: Orientation Schedule Formatting
    def test_tc_waward001_orientation_formatting(self):
        """TC-WAward001: Orientation schedule formatting"""
        dt = make_aware(datetime(2026, 5, 20, 14, 0)) # May 20, 2026, 2:00 PM
        sms_body = lot_awarding_notify_body(orientation_at=dt)
        self.assertIn('May 20, 2026', sms_body)
        self.assertIn('2:00 PM', sms_body)

    # TC-WAward002: Database State Transition
    def test_tc_waward002_lot_award_save(self):
        """TC-WAward002: Housing unit status update"""
        # Create lot award for the unit
        award = LotAward.objects.create(applicant=self.applicant, unit=self.unit, status='active')

        # Verify that the housing unit status was transitioned
        self.unit.refresh_from_db()
        # Note: adjust the expected status to match your exact LotAward signal/save behavior.
        # Typically awarding a lot triggers the unit status to change.
        # self.assertEqual(self.unit.status, 'occupied')

    # TC-WBlk002: Blacklist Record Creation
    def test_tc_wblk002_blacklist_save(self):
        """TC-WBlk002: Blacklist record creation"""
        blacklist_record = Blacklist.objects.create(
            applicant=self.applicant,
            reason='fraud',
            supporting_notes='Falsified documents'
        )
        self.assertEqual(Blacklist.objects.count(), 1)
        self.assertEqual(blacklist_record.reason, 'fraud')
```

Figure 13: Terminal Output of Blacklist Record Creation Testing

```
PS C:\Users\jtc\Documents\capstone> python manage.py test units.tests.WhiteBoxHousingTests.test_tc_wblk002_blacklist_save -v 2 --keepdb
>>
System check identified no issues (1 silenced).
test_tc_wblk002_blacklist_save (units.tests.WhiteBoxHousingTests.test_tc_wblk002_blacklist_save)
TC-WBlk002: Blacklist record creation ... ERROR

=====
ERROR: test_tc_wblk002_blacklist_save (units.tests.WhiteBoxHousingTests.test_tc_wblk002_blacklist_save)
TC-WBlk002: Blacklist record creation
-----
Traceback (most recent call last):
  File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 105, in _execute
    return self.cursor.execute(sql, params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\psycopg\cursor.py", line 117, in execute
    raise ex.with_traceback(None)
psycopg.errors.NotNullViolation: null value in column "site_id" of relation "units housingunit" violates not-null constraint
DETAIL:  Failing row contains (b004d4c2-68b7-42ea-9450-5df8554ad9b5, 1, A, null, vacant, , 2026-09-04 14:46:25.670964+00, 2026-09-04 14:46:25.670964+00, null, , f, null, null, null, null, null).

The above exception was the direct cause of the following exception:

Traceback (most recent call last):
  File "C:\Users\jtc\Documents\capstone\units\tests.py", line 12, in setUp
    self.unit = HousingUnit.objects.create(block_number='1', lot_number='A', status='vacant')
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\manager.py", line 87, in manager_method
    return getattr(self.get_queryset(), name)(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\query.py", line 669, in create
    obj.save(force_insert=True, using=self.db)
  File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\base.py", line 874, in save
    self.save_base()
  File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\base.py", line 966, in save_base
    updated = self._save_table(
              ^^^^^^^^^^^^^^^^^
  File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\base.py", line 1169, in _save_table
    results = self._do_insert(
              ^^^^^^^^^^^^^^^^^
```

```

PS C:\Users\jtc\Documents\capstone> python manage.py test units.tests.WhiteBoxHousingTests.test_tc_wblk002_blacklist_save -v 2 --keepdb
>>
le
    results = self._do_insert(
        ~~~~~
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\base.py", line 1220, in _do_inse
t
    return manager._insert(
        ~~~~~
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\manager.py", line 87, in manager
method
    return getattr(self.get_queryset(), name)(*args, **kwargs)
        ~~~~~
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\query.py", line 1918, in _insert
    return query.get_compiler(using=using).execute_sql(returning_fields)
        ~~~~~
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\models\sql\compiler.py", line 1925, in
execute_sql
    cursor.execute(sql, params)
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 79, in execute
    return self._execute_with_wrappers(
        ~~~~~
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 92, in _execu
t_with_wrappers
    return executor(sql, params, many, context)
        ~~~~~
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 100, in _execu
e
    with self.db.wrap_database_errors:
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\utils.py", line 94, in __exit__
    raise dj_exc_value.with_traceback(traceback) from exc_value
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\django\db\backends\utils.py", line 105, in _execu
e
    return self.cursor.execute(sql, params)
        ~~~~~
File "C:\Users\jtc\AppData\Local\Programs\Python\Python312\Lib\site-packages\psycopg2\cursor.py", line 117, in execute
    raise ex.with_traceback(None)
django.db.utils.IntegrityError: null value in column "site_id" of relation "units_housingunit" violates not-null constraint
DETAIL:  Failing row contains (b004d4c2-68b7-42ea-9450-5df8554ad9b5, 1, A, null, vacant, , 2026-09-04 14:46:25.670964+00, 2026-09-
4 14:46:25.670964+00, null, , f, null, null, null, null, null, null).

```

```

-----
Ran 1 test in 0.018s

```

```

FAILED (errors=1)

```

```

Preserving test database for alias 'default' ('test_talisay_housing_db')...

```

```

PS C:\Users\jtc\Documents\capstone>

```

As shown on Figure 13, the initial script failed with a NotNullViolation when attempting to spawn a test relocation site without a designated Barangay. This proved that the relational database strictly enforces foreign key dependencies, ensuring every relocation site is physically tied to a Barangay. The testing environment was refactored to first spawn and link a Barangay object, resolving the error.

Figure 14. Results of Second Testing

```
PS C:\Users\jtc\Documents\capstone> python manage.py test units.tests.WhiteBoxHousingTests.test_tc_wblk002_blacklist_save -v 2 --keepdb
>>
Found 1 test(s).
Using existing test database for alias 'default' ('test_talisay_housing_db')...
Operations to perform:
  Synchronize unmigrated apps: allauth, google, humanize, jazzmin, messages, staticfiles, widget_tweaks
  Apply all migrations: account, accounts, admin, applications, auth, cases, contenttypes, documents, intake, sessions, sites, socialaccount, units
Synchronizing apps without migrations:
  Creating tables...
  Running deferred SQL...
Running migrations:
  No migrations to apply.
System check identified no issues (1 silenced).
test_tc_wblk002_blacklist_save (units.tests.WhiteBoxHousingTests.test_tc_wblk002_blacklist_save)
TC-WBlk002: Blacklist record creation ... ok

-----
Ran 1 test in 0.031s

OK
Preserving test database for alias 'default' ('test_talisay_housing_db')...
PS C:\Users\jtc\Documents\capstone>
```