Introduction to Software Engineering

Software Requirements Specification

The student team is required to complete the **Software Requirements Specification** documentation for the assigned course project, following the attached template.



Software Engineering Department
Faculty of Information and Technology
University of Science

Table of Contents

Objectives 1
1 Member Contribution Assessment 2
2 Introduction 3
2.1 Purpose and Scope 3
2.2 Glossary 4
3 Problem Statement 5
4 Stakeholders 6
5 Requirements 7
5.1 Functional Requirements 7
F01 - Account & Role Management 7
F03 - Rubric Builder & AI Job-Intake Assistant 8
F05 - Candidate Status Portal 9
F06 - Automated CV Extraction & Transparent Matching 9
F07 - Applicant Inbox & Human Review Workflow 10
F08 - Recruitment Dashboard 10
5.2 Non-Functional Requirements 10
5.3 Domain Requirements and Business Rules 12
5.4 Acceptance Criteria 13
6 Use Case Model 18
6.1 Use Case Diagram 18
6.2 Actors 19
6.3 Use Case List 20
7 Use Case Specifications 22
7.1 Use Case UC-01 22
7.2 Use Case UC-02 23
7.3 Use Case UC-03 24
7.4 Use Case UC-04 25
7.5 Use Case UC-05 27
7.6 Use Case UC-06 28
7.7 Use Case UC-07 29
7.8 Use Case UC-08 31
8 Prototype / Mockups 33
9 Requirements Traceability Matrix 56
10 Requirements Review 57
11 AI Usage Log 58

Software Requirements Specification

Objectives

This document focus on the following topics:

- ✔ Completing the Software Requirements Specification (SRS) document with the following sections:
  - Problem Statement
  - Stakeholders
  - Functional, non-functional and domain requirements
  - Use case model and use case specifications
  - Prototype / mockups
  - Traceability and requirements review
- ✔ Including an AI usage log for this phase
- ✔ Understanding the Software Requirements Specification (SRS) document.

1 Member Contribution Assessment

ID	Name	Role(s)	Contribution (%)	Evidence
24127572	Nguyễn Cao Triết	Team Lead / PM; Developer	25%	SCRUM-10, SCRUM-14, SCRUM-15, SCRUM-16, SCRUM-17
24127447	Phùng Gia Mẫn	Business Analyst; Tester	25%	SCRUM-11, SCRUM-18, SCRUM-19, SCRUM-20, SCRUM-21, SCRUM-22
24127323	Tống Vân Anh	Designer/Architect; Developer	25%	SCRUM-12, SCRUM-23, SCRUM-24, SCRUM-25, SCRUM-26, SCRUM-27
24127207	Nguyễn Thục Nghi	Developer;Teste;	25%	SCRUM-13, SCRUM-28, SCRUM-29, SCRUM-30

2 Introduction

2.1 Purpose and Scope

a) Purpose

This Software Requirements Specification defines the functional and non-functional requirements of miniTA. It provides a shared baseline for business analysis, use-case modelling, interface prototyping, software design and acceptance testing. Its intended readers are the miniTA development team, course instructors and reviewers, and project stakeholders who need to verify that the proposed system addresses the agreed recruitment problems without expanding beyond the PA1 scope.

b) Product scope

miniTA is a lightweight, web-based Applicant Tracking System for small companies and their internal recruitment teams. It centralizes job posting, rubric configuration, candidate applications, transparent CV/resume matching, human review, candidate status tracking and basic recruitment reporting.

miniTA is a decision-support system. Matching scores, extracted resume content and AI-generated drafts assist human reviewers but never automatically hire, shortlist or reject a Candidate.

c) In scope

- Recruiter authentication and role-based access for Recruiters and Hiring Managers.
- Job posting creation, editing, publishing, closing and public-link sharing.
- Manual evaluation-rubric configuration and AI-assisted rubric drafting from a pasted job description.
- Candidate applications through public job links, including screening answers and one PDF CV/resume.
- Candidate status tracking through a time-limited email magic link.
- Selectable-text PDF extraction, rubric-based matching and transparent evidence display.
- Applicant search, filtering, sorting, notes, human scorecards and manual status updates.
- Recruitment dashboard metrics for jobs, statuses, matching scores and pipeline conversion.

d) Out of scope

- Automated hiring, shortlisting or rejection decisions.
- OCR for scanned or image-based CVs/resumes.
- Public marketplace functions, social networking, social feeds, job recommendations and job-board distribution.

- Calendar scheduling and video-interview integrations.
- F09 Inbound Application Email.
- F10 Interview Scheduling & Email Templates.

2.2 Glossary

Term	Definition
Applicant / Candidate	A person applying for an open position through miniTA.
Application	Candidate information, screening answers and one PDF CV/resume submitted for one job posting.
Application status	The current recruitment stage is assigned to an application by an authorized human reviewer.
CV / Resume	A selectable-text PDF uploaded by a Candidate. Scanned or image-only files are unsupported.
Evidence	Resume text displayed to explain why a skill or requirement was considered matched or missing.
Evaluation rubric	Recruiter-approved criteria containing required/preferred skills, experience requirements, weights and screening questions.
Hiring Manager	A department leader with limited access to designated candidate records for human review.
Human scorecard	A structured evaluation submitted by an authorized human reviewer.
Job description (JD)	Text describing a position and used to define or draft its evaluation rubric.
Magic link	A time-limited email link that gives a Candidate access to the submitted application and its current status.
Matching score	A percentage calculated against the job description or approved rubric. It is supporting evidence, not a recruitment decision.
Recruiter / HR	An internal user who manages jobs, rubrics, applications, reviews and candidate statuses.
Required skill	A skill marked as necessary in the approved evaluation rubric.
Preferred skill	A desirable but non-mandatory skill in the approved evaluation rubric.
Requirements baseline	A reviewed and approved set of requirements used as the controlled reference for later phases.
Screening question	A job-specific question answered by a Candidate during application.

3 Problem Statement

3.1 Business context

Small companies often operate recruitment through disconnected spreadsheets, email threads and file folders. Candidate information becomes scattered across tools, applications can be overlooked, and the recruitment team lacks a shared view of each job's pipeline. miniTA is intended to provide a focused internal workspace for a small recruitment team rather than reproduce a large enterprise ATS or public job marketplace.

3.2 Current problems

1. Application data and CV/resume files are fragmented across tools, making them difficult to search, compare and track.
2. Manual review of unstructured PDF resumes without predefined rubrics produces inconsistent skill assessments.
3. Recruiters spend time repeatedly answering Candidates who cannot see their current application status.
4. A raw matching score without its criteria and supporting text is difficult for a human reviewer to trust or challenge.
5. Uncontrolled AI or automated decisions would create unacceptable risks because final recruitment decisions require human judgement.

3.3 Product goals

miniTA shall:

- centralize each recruitment workflow around a job posting;
- standardize evaluation through Recruiter-approved rubrics;
- accept Candidate applications through simple public links;
- extract selectable PDF text and show explainable matching evidence;
- support notes, scorecards and manual status updates by human reviewers;
- allow Candidates to check status securely through a time-limited email magic link; and
- provide basic dashboard information without making automated recruitment decisions.

3.4 Constraints affecting the solution

The initial release is limited to a four-person student team, demo-scale infrastructure and the PA schedule. It processes selectable-text PDFs and excludes OCR. AI and email delivery are external services, so manual or recoverable behaviour is required when either service is unavailable. Candidate

records and CV/resume files contain personal information and must remain accessible only through authorized requests.

4 Stakeholders

#	Stakeholder	Description	Interests / concerns
1	Hiring Managers	Department leaders who request new hires and oversee final recruitment decisions.	Job-scoped access to CV/resume and transparent matching evidence; ability to submit a scorecard, recommendation and supporting comments without managing jobs, rubrics, users or official candidate statuses.
2	Recruiters / HR	Internal HR staff who manage the daily end-to-end recruitment pipeline.	Job and rubric setup; centralized applications; explainable matching evidence; notes, scorecards and candidate-status updates; protection of candidate data.
3	Candidates	External job seekers applying for open positions.	A simple application process; understandable validation; secure CV/resume handling; visibility of the submitted application and current status

5 Requirements

5.1 Functional Requirements

[Use "The system shall …" statements. Number the requirements and group them by feature. Give each a MoSCoW priority and a source (stakeholder, interview, document).]

F01 – Account & Role Management

ID	Requirement	Feature	Priority	Source
FR-01	The system shall allow a Recruiter to log in before accessing internal recruitment functions and records.	F01	Must	PA1 Section 2.4, F01
FR-02	The system shall authorize access to internal functions and records according to the authenticated user's role.	F01	Must	PA1 Section 2.4, F01
FR-03	The system shall limit a Hiring Manager to assigned jobs and their shortlisted candidates and shall enforce the approved role-permission matrix below.	F01	Must	PA1 Sections 2.3–2.4, F01; PM-approved clarification

F02 – Job Posting Management

ID	Requirement	Feature	Priority	Source
FR-04	The system shall allow a Recruiter to create and edit a job posting.	F02	Must	PA1 Section 2.4, F02
FR-05	The system shall allow a Recruiter to publish a job posting and generate a public application link for it.	F02	Must	PA1 Section 2.4, F02
FR-06	The system shall allow a Recruiter to close a job posting so that it no longer accepts new applications.	F02	Must	Derived from PA1 Section 2.4, F02; closure behaviour pending review
FR-07	The system shall allow a Recruiter to copy or share the public link of a published job posting.	F02	Must	PA1 Section 2.4, F02

F03 – Rubric Builder & AI Job-Intake Assistant

ID	Requirement	Feature	Priority	Source
FR-08	The system shall allow a Recruiter to define required skills, preferred skills, experience criteria, weights and screening questions for a job.	F03	Must	PA1 Section 2.4, F03
FR-09	The system shall allow a Recruiter to create and edit an evaluation rubric manually.	F03	Must	PA1 Section 2.4, F03
FR-10	The system shall allow a Recruiter to request a draft evaluation rubric from a pasted job description.	F03	Must	PA1 Section 2.4, F03
FR-11	The system shall require a Recruiter to review and explicitly approve an AI-generated rubric draft before it is used for matching.	F03	Must	PA1 Section 2.4, F03
FR-12	The system shall preserve manual rubric creation and editing when AI assistance is unavailable or not used.	F03	Must	PA1 Sections 2.1 and 2.4, F03

F04 – Candidate Application Portal

ID	Requirement	Feature	Priority	Source
FR-13	The system shall allow a Candidate to access an open job and its application form through the job's public link.	F04	Must	PA1 Section 2.4, F02/F04
FR-14	The system shall collect the Candidate's contact information and answers to the job's screening questions.	F04	Must	PA1 Section 2.4, F04
FR-15	The system shall allow a Candidate to attach one PDF CV/resume to an application.	F04	Must	PA1 Section 2.4, F04
FR-16	The system shall reject a CV/resume upload that is not a PDF or does not contain selectable text and shall explain the validation problem to the Candidate.	F04	Must	Derived from PA1 Section 2.4 and OCR exclusion; validation behaviour pending review
FR-17	The system shall record a valid application against the selected job when the Candidate submits the application form.	F04	Must	Derived from PA1 Section 2.4, F04; persistence behaviour pending review

F05 – Candidate Status Portal

ID	Requirement	Feature	Priority	Source
FR-18	The system shall send the Candidate a time-limited email magic link for the submitted application.	F05	Must	PA1 Sections 2.3–2.4, F05
FR-19	The system shall allow a Candidate with a valid magic link to view the submitted application and its current status.	F05	Must	PA1 Section 2.4, F05
FR-20	The system shall deny status access through an invalid or expired magic link and shall inform the Candidate that the link cannot be used.	F05	Must	Derived from PA1 Section 2.4, F05; invalid/expired-link behaviour pending review

F06 – Automated CV Extraction & Transparent Matching

ID	Requirement	Feature	Priority	Source
FR-21	The system shall extract selectable text from a submitted PDF CV/resume.	F06	Must	PA1 Section 2.4, F06
FR-22	The system shall calculate a match score as a percentage against the job description or its approved evaluation rubric.	F06	Must	PA1 Section 2.4, F06
FR-23	The system shall display matched skills, missing skills and supporting text evidence used in the matching result.	F06	Must	PA1 Section 2.4, F06
FR-24	The system shall report an extraction or matching failure without automatically changing the application's status.	F06	Must	Derived from PA1 automated-decision exclusion; failure behaviour pending review
FR-25	The system shall not automatically hire, shortlist or reject a Candidate based on the match score or extracted CV/resume content.	F06	Must	PA1 Sections 2.1 and 2.4, automated-decision exclusion

F07 – Applicant Inbox & Human Review Workflow

ID	Requirement	Feature	Priority	Source
FR-26	The system shall allow a Recruiter to view applications in a centralized applicant inbox.	F07	Must	PA1 Section 2.4, F07
FR-27	The system shall allow a Recruiter to search, filter and sort applications.	F07	Must	PA1 Section 2.4, F07
FR-28	The system shall allow an authorized reviewer to view candidate information, the submitted CV/resume and transparent matching evidence within the reviewer's permitted job scope.	F07	Must	PA1 Sections 2.3–2.4, F07
FR-29	The system shall allow a Recruiter to add internal notes to an application.	F07	Must	PA1 Section 2.4, F07
FR-30	The system shall allow an authorized reviewer to submit a human scorecard. A Hiring Manager's scorecard shall contain supporting comments and one hiring recommendation: Recommend Hire, Do Not Hire or Need Discussion.	F07	Must	PA1 Sections 2.3–2.4, F07; PM-approved clarification
FR-31	The system shall allow a Recruiter to manually update an application's status.	F07	Must	PA1 Section 2.4, F07

F08 – Recruitment Dashboard

ID	Requirement	Feature	Priority	Source
FR-32	The system shall display application counts grouped by job and application status.	F08	Must	PA1 Section 2.4, F08
FR-33	The system shall display the distribution of applicant matching scores.	F08	Must	PA1 Section 2.4, F08
FR-34	The system shall display basic recruitment-pipeline conversion statistics.	F08	Must	PA1 Section 2.4, F08

5.2 Non-Functional Requirements

ID	Category	Requirement (measurable)	How it will be verified	Source
NFR-04	Authorization	Protected records and operations shall deny access in 100% of unauthorized-role cases in the approved Recruiter/Hiring Manager/Candidate permission matrix.	Run authorization tests for every protected operation and role combination, including an unassigned Hiring Manager and prohibited status-update attempts.	PA1 Data Privacy Constraints and F01; approved permission matrix
NFR-05	Transport security	Every deployed miniTA page and API endpoint shall be accessible through HTTPS.	Inspect deployment configuration and request every public entry point through HTTP and HTTPS.	PA1 Deployment Environment
NFR-06	CV privacy	Original CV/resume files shall never be publicly addressable; every request without valid authorization shall be denied without returning file content.	Attempt file access as anonymous, Candidate, unrelated Hiring Manager and authorized Recruiter users.	PA1 Storage of CV Files and Metadata
NFR-08	Test-data privacy	Development, demonstration and testing shall use only fictional data or data for which explicit consent has been recorded.	Review the test-data inventory and consent evidence before each assessed demonstration.	PA1 Data Privacy Constraints and Development Environment
NFR-09	AI data minimization	The rubric-drafting request shall contain the pasted job description and rubric instructions, and shall contain no Candidate profile, application or CV/resume content.	Capture and inspect every outbound payload in the rubric-drafting integration test set.	PA1 F03 and AI Assistance Constraints
NFR-10	AI fallback	If the AI service is unavailable or returns invalid structured output, the Recruiter shall still be able to create and edit the rubric manually.	Stub unavailable and invalid-output responses and complete the manual rubric flow.	PA1 AI Assistance Constraints

NFR-13	Accessibility	Main screens shall meet a text contrast ratio of at least 4.5:1, expose labels for form fields, show visible keyboard focus, allow primary actions by keyboard and provide corrective error messages.	Complete the PA2 accessibility checklist and run contrast and keyboard checks on every main flow.	Official PA2 template
NFR-14	Responsive compatibility	Candidate and Recruiter main flows shall be usable in the PA1 testing environments: Chrome and Edge on desktop and a phone-sized browser viewport for Candidate pages.	Execute every main flow in each environment named in PA1.	PA1 Operating and Testing Environment
NFR-15	Matching transparency	Every displayed match result shall show the applicable criterion and supporting resume text, or explicitly show that supporting evidence was not found.	Review every result in the agreed representative matching test set.	PA1 F06 and Product Position Statement
NFR-16	Secret management	Deployment secrets and external-service credentials shall be supplied through environment variables and shall not be committed to the repository.	Inspect deployment configuration and run repository secret scanning before release.	PA1 Deployment Environment

5.3 Domain Requirements and Business Rules

ID	Rule	Source (policy, law, standard)
BR-01	AI output and matching results are decision-support information only. A Hiring Manager may submit a recommendation, but only a Recruiter / HR user may record the application's official status, including Hired or Rejected.	PA1 Section 2.1; FR-25, FR-30, FR-31; PM-approved Hiring Manager permission baseline
BR-02	Candidates must explicitly confirm privacy consent before their application can be submitted.	Law No. 91/2025/QH15; Decree 356/2025/ND-CP

BR-03	Each application must contain exactly one (1) selectable-text PDF CV (≤ 5 MB); unreadable CVs are flagged for manual HR review.	PA1 Section 2.1, Risk Register R4, Feature F04; Team Decision (28/10/2026: 5 MB cap)
BR-04	Application-tracking magic links must expire exactly 72 hours after issuance, requiring email re-verification for replacement.	PA1 Feature F05, Risk Register R7; Team Decision (28/10/2026: 72h validity)
BR-05	Internal evaluation records and match scores are strictly restricted from candidate access.	PA1 Section 3.1 & Feature F01; ISO/IEC 27001 Control A.5.15
BR-06	AI-generated rubrics must be explicitly approved by a Recruiter before activation; subsequent edits require re-approval.	PA1 Section 2.1 & Feature F03
BR-07	The system must allow Recruiters to manually create rubrics and evaluate candidates whenever the AI service fails.	PA1 Section 2.1 & Risk R3
BR-08	Job Postings follow the lifecycle Draft → Published → Closed, accepting applications strictly when Published.	PA1 Feature F02
BR-09	A Job Posting requires an approved rubric whose positive criteria weights sum to exactly 100% prior to publishing.	PA1 Feature F03; Team Decision (28/10/2026: weights sum to 100%)
BR-10	A candidate cannot submit more than one active application (Applied, Under Review, Shortlisted) for the same Job Posting.	PA1 Feature F04
BR-11	Hiring Managers may view shortlisted candidates only for assigned Job Postings and may submit a human scorecard containing supporting comments and exactly one recommendation: Recommend Hire, Do Not Hire or Need Discussion. They may not manage jobs, rubrics, users or official application statuses.	PA1 Section 2.3, Feature F01 and Feature F07; FR-03, FR-28, FR-30, FR-31; PM-approved clarification

5.4 Acceptance Criteria

- **F01: Account & Role management**
  - Scenario 1: Recruiter Login (Happy Path)

    → **Given** a user with a Recruiter role

    → **When** they enter valid credentials

    → **Then** they are successfully logged in and granted full access to the recruitment workspace

- Scenario 2: Session Timeout (Boundary Case)
  → **Given** a logged-in user
  → **When** they remain entirely inactive for exactly 30 minutes
  → **Then** their session expires automatically and they must re-authenticate
- Scenario 3: Hiring Manager Login (Happy Path)
  → **Given** a user with a Hiring Manager role
  → **When** they enter valid credentials
  → **Then** they are logged in and granted read-only access strictly to shortlisted candidates for their assigned jobs And denied access to any management functions
- Scenario 4: Unauthorized Access (Negative Case)
  → **Given** an unauthenticated user
  → **When** they attempt to access internal recruitment URLs directly
  → **Then** the system redirects them to the login page and denies access

- **F02: Job posting management**
  - Scenario 1: Publishing (Happy Path)
    → **Given** a draft job posting with an approved rubric
    → **When** the Recruiter selects to publish the job
    → **Then** the job status changes to "Published"
    → **And** a public application link is generated within 1 second
  - Scenario 2: Publishing without Rubric (Negative Case)
    → **Given** a draft job posting without an approved rubric
    → **When** the Recruiter selects to publish it
    → **Then** the system blocks the action and displays an error message requiring an approved rubric
  - Scenario 3: Maximum JD Length (Boundary Case)
    → **Given** a draft job posting
    → **When** the Recruiter inputs a Job Description of exactly 5000 characters
    → **Then** the system saves the draft successfully without truncation or database errors
  - Scenario 4: Closing (Happy Path)
    → **Given** a "Published" job posting

→ **When** the Recruiter selects to close it

→ **Then** the job status changes to "Closed"

→ **And** the public link no longer accepts new applications

- **F03: Rubric Builder & AI Job-Intake Assistant**
  - Scenario 1: AI Draft & Approval (Happy Path)

    → **Given** a pasted job description

    → **When** the Recruiter requests an AI-generated draft

    → **Then** the system populates the rubric fields

    → **And** the rubric remains inactive until the Recruiter explicitly clicks "Approve"
  - Scenario 2: AI Failure (Negative Case)

    → **Given** the AI assistant is unavailable or times out

    → **When** the Recruiter attempts to generate a draft

    → **Then** the system displays an error message

    → **And** allows the Recruiter to input the criteria manually
  - Scenario 3: Weights Validation (Boundary Case)

    → **Given** a rubric draft

    → **When** the Recruiter sets positive criteria weights that do not sum to exactly 100%

    → **Then** the system blocks the approval and highlights the weight distribution error
- **F04 - Candidate Application Portal**
  - Scenario 1: Application Submission (Happy Path)

    → **Given** a published job link

    → **When** a candidate submits contact info, screening answers, and one valid selectable-text PDF CV (<= 5MB)

    → **Then** the application is recorded

    → **And** the candidate receives a submission confirmation
  - Scenario 2: Invalid File (Negative Case)

    → **Given** the application form

    → **When** a candidate uploads a file that is not a PDF or exceeds 5MB

    → **Then** the system rejects the file and displays a specific validation error message
  - Scenario 3: File Size Limit (Boundary Case)

→ **Given** the application form

→ **When** a candidate uploads a selectable-text PDF CV that is exactly 5.00 MB in size

→ **Then** the system accepts the file and processes the submission successfully

- Scenario 4: Duplicate Application (Negative Case)

  → **Given** a candidate who already has an active application for a specific job

  → **When** they attempt to submit another application for the same job using the same email

  → **Then** the system blocks the submission and displays a duplicate notice

- **F05 - Candidate Status Portal**
  - Scenario 1: Valid Link Access (Happy Path)

    → **Given** a candidate with a valid magic link within the 72-hour window

    → **When** they click the link

    → **Then** they can view their submitted application details and current status
  - Scenario 2: Expired Link (Negative Case)

    → **Given** a candidate with a magic link older than 72 hours

    → **When** they click the link

    → **Then** access is denied

    → **And** the system displays an "Expired Link" notice

    → **And** prompts the user to request a replacement link
  - Scenario 3: Link Expiry Edge (Boundary Case)

    → **Given** a candidate with a magic link

    → **When** they click the link exactly at the 71st hour, 59th minute, and 59th second

    → **Then** the system validates the token and fully grants read-only access
- **F06 - Automated CV Extraction & Transparent Matching**
  - Scenario 1: Successful Extraction (Happy Path)

    → **Given** a submitted selectable-text PDF CV and an approved rubric

    → **When** the system processes the CV

    → **Then** it extracts the text

    → **And** calculates a percentage matching score

    → **And** displays matched/missing skills with supporting text evidence

- Scenario 2: Unreadable PDF (Negative Case)

  → **Given** a submitted scanned PDF CV without selectable text

  → **When** the system attempts text extraction

  → **Then** it flags the application as "Unreadable CV - Manual Review Required"

  → **And** does not automatically change or reject the candidate's pipeline status

- Scenario 3: Zero Match (Boundary Case)

  → **Given** a valid selectable-text PDF CV

  → **When** the CV text has absolutely zero overlapping skills with the approved rubric

  → **Then** the system successfully completes extraction, calculates exactly a 0% matching score, and displays all required skills as missing

- **F07 - Applicant Inbox & Human Review Workflow**
  - Scenario 1: Status Update (Happy Path)

    → **Given** an authorized Recruiter viewing a candidate's application

    → **When** they submit a completed human scorecard and select a new pipeline status

    → **Then** the candidate's status is updated, timestamped, and saved in the database

  - Scenario 2: Incomplete Scorecard (Negative Case)

    → **Given** a Recruiter evaluating a candidate

    → **When** they attempt to submit a scorecard with missing required evaluation ratings

    → **Then** the system highlights the missing fields and prevents the status transition

  - Scenario 3: Minimum Ratings Validated (Boundary Case)

    → **Given** a Recruiter evaluating a candidate

    → **When** they submit a fully populated scorecard with all criteria rated at the lowest possible value (e.g., 1)

    → **Then** the system accepts the scorecard without errors and successfully updates the status

- **F08 - Recruitment Dashboard**
  - Scenario 1: Dashboard Loading (Happy Path)

    → **Given** a Recruiter accessing the dashboard

    → **When** the page loads

→ **Then** the system displays application counts grouped by job and status, matching score distribution, and basic pipeline conversion statistics based on the current database state

- Scenario 2: Empty State (Boundary Case)

  → **Given** a new system with zero applications submitted

  → **When** the Recruiter views the dashboard

  → **Then** all charts and metrics display an empty state (e.g., "0" or "No data available") without returning system errors

- Scenario 3: Dashboard Timeout (Negative Case)


  → **Given** a Recruiter accessing the dashboard

  → **When** the backend metrics query exceeds a 3-second timeout

  → **Then** the UI renders a "Data temporarily unavailable" state instead of freezing or displaying a raw server error

6 Use Case Model

6.1 Use Case Diagram



6.2 Actors

Actor	Description
Recruiter / HR Staff (Primary)	Internal HR team member responsible for the end-to-end recruitment lifecycle. Has full administrative access to create job postings, configure evaluation rubrics (including approving AI suggestions), screen incoming CVs, submit evaluation scorecards, update candidate statuses, and monitor recruitment analytics.
Hiring Manager (Secondary / Reviewer)	Internal department lead who requests new hires. Possesses restricted, read-only review permissions to examine shortlisted candidate profiles and matching evidence strictly for Job Postings assigned to them by a Recruiter (per BR-11).

	Cannot alter candidate pipeline statuses or submit official recruitment scorecards.
Candidate (Primary)	External job seeker accessing the public portal. Interacts with the system to review job details, submit applications (contact info, screening answers, and a PDF CV), and securely track their application status via time-limited magic links.
AI Assistance Service (Supporting System)	External language model API (OpenAI/Anthropic) integrated via backend services. Analyzes pasted Job Descriptions to draft structured rubric criteria, suggested skills, and preliminary summaries upon request. Operates strictly as an advisory service with no decision-making power.
Email Delivery Service (Supporting System)	External automated mailing provider (e.g., SendGrid/Resend). Responsible for delivering time-limited magic links to candidates for status tracking and dispatching automated application receipt notifications.

6.3 Use Case List

ID	Use case	Primary actor	Priority	Related FR
UC-01	Log In and Manage Role Access	Recruiter / HR Staff, Hiring Manager	Must	FR-01, FR-02, FR-03
UC-02	Create, Publish, and Close Job Posting	Recruiter / HR Staff	Must	FR-04, FR-05, FR-06, FR-07
UC-03	Configure Rubric & Approve AI Draft	Recruiter / HR Staff	Must	FR-08, FR-09, FR-10, FR-11, FR-12
UC-04	Submit Job Application	Candidate	Must	FR-13, FR-14, FR-15, FR-16, FR-17
UC-05	Track Application Status via Magic Link	Candidate	Must	FR-18, FR-19, FR-20
UC-06	Screen Applications & View Match Breakdown	Recruiter / HR Staff, Hiring Manager	Must	FR-21, FR-22, FR-23, FR-24, FR-25
UC-07	Review Candidate, Submit Scorecard & Update Status	Recruiter / HR Staff	Must	FR-26, FR-27, FR-28, FR-29, FR-30, FR-31
UC-08	View Recruitment Pipeline Dashboard	Recruiter / HR Staff	Must	FR-32, FR-33, FR-34

7 Use Case Specifications

7.1 Use Case UC-01

Use case ID	UC-01
Use case name	Log In and Manage Role Access
Brief description	Authenticates internal staff (Recruiter and Hiring Manager) into miniTA and enforces role-based access control (RBAC) to recruitment records and candidate details.
Primary actor	Recruiter / HR Staff, Hiring Manager
Secondary actors	None
Priority	Must
Related requirements	FR-01, FR-02, FR-03
Trigger	An internal staff member navigates to the miniTA login page.
Pre-conditions	The user has an active internal account stored in the database with an assigned role (Recruiter or Hiring Manager).
Post-conditions	The user is granted an active authenticated session with workspace views and actions strictly constrained to their role.
Main flow	1. The user navigates to the miniTA internal login screen. 2. The user enters their registered email and password, then clicks "Log In". 3. The system validates the credentials against stored user account records. 4. The system inspects the user's role and associated job posting assignments. 5. The system establishes an authenticated session token. 6. The system redirects the user to the appropriate workspace: full Recruitment Workspace (Jobs, Inbox, and Dashboard) for Recruiters, or a restricted review workspace for Hiring Managers.
Alternative flows	A1 (at step 6 - Hiring Manager Workspace): If the authenticated user has the Hiring Manager role, the system redirects them to a restricted review workspace displaying only shortlisted candidates for the Job Postings explicitly assigned to them.
Exception flows	E1 (at step 3 - Authentication Failure): If the email or password is incorrect, the system displays "Invalid email or password" and halts login.

	E2 (post-login / at step 6 – Permission Violation): If an authenticated user attempts to access unauthorized endpoints or job records outside their assigned scope, the system denies access with an authorization error message and logs the attempt.
Business rules	BR-05, BR-11
Non-functional constraints	Passwords must be securely hashed; session communication strictly over HTTPS.

7.2 Use Case UC-02

Use case ID	UC-02
Use case name	Create, Publish, and Close Job Posting
Brief description	Enables Recruiters to create a new job posting, edit position details, publish the posting once an approved rubric is attached, share its public application link, and close it when hiring concludes.
Primary actor	Recruiter / HR Staff
Secondary actors	None
Priority	Must
Related requirements	FR-04, FR-05, FR-06, FR-07
Trigger	The Recruiter selects "Create Job Posting" or chooses an existing posting to edit/publish/close.
Pre-conditions	The Recruiter is authenticated into the internal workspace (UC-01).
Post-conditions	The job posting record is saved in the database; if published, an active Public Application Link is generated and ready to receive applications.
Main flow	1. The Recruiter navigates to the Job Management interface and clicks "Create Job Posting". 2. The system displays the job creation form. 3. The Recruiter inputs the job title, department, employment type, location, and Job Description (JD) text, then clicks "Save as Draft". 4. The system validates mandatory fields and saves the posting with status Draft. 5. After configuring and approving the rubric (UC-03), the Recruiter clicks "Publish Job Posting". 6. The system verifies that exactly one approved evaluation rubric is linked to the job posting.

	7. The system updates the job status to Published and activates a unique Public Application Link. 8. The Recruiter copies the public link to share with prospective candidates.
Alternative flows	A1 (at step 3 – Edit Existing Job Posting): The Recruiter updates position details or JD text and saves modifications. A2 (at step 3 – Assign Hiring Manager): The Recruiter selects one or more designated Hiring Managers and assigns them to the job posting to grant them review access for upcoming shortlisted candidates. A3 (at step 7 – Close Job Posting): When the hiring campaign concludes, the Recruiter clicks "Close Job". The system transitions the job status to Closed and disables new application submissions via the public link.
Exception flows	E1 (at step 3 – Missing Mandatory Data): If the job title or JD is missing, the system highlights the missing fields and prevents saving. E2 (at step 6 – Missing Approved Rubric): If the Recruiter attempts to publish without an attached approved rubric, the system blocks publication, displays an error message, and prompts the Recruiter to approve a rubric in UC-03.
Business rules	BR-08, BR-09, BR-11
Non-functional constraints	State transitions must be atomic; public application link generation must complete in ≤ 1 s.

7.3 Use Case UC-03

Use case ID	UC-03
Use case name	Configure Rubric & Approve AI Draft
Brief description	Allows a Recruiter to establish standardized evaluation criteria (skills, experience, weights, screening questions) manually or via an AI-generated draft, requiring explicit Recruiter approval before activation.
Primary actor	Recruiter / HR Staff
Secondary actors	AI Assistance Service
Priority	Must
Related requirements	FR-08, FR-09, FR-10, FR-11, FR-12
Trigger	The Recruiter opens the Rubric Builder tab for a specific job posting.
Pre-conditions	The job posting exists in Draft state and contains a non-empty Job Description.

Post-conditions	An evaluation rubric with positive criteria weights totaling exactly 100% is saved with status Approved.
Main flow	1. The Recruiter opens the Rubric Builder interface for the target job. 2. The Recruiter clicks "Draft Rubric with AI Assistant". 3. The system transmits the JD text to the AI Assistance Service requesting criteria generation. 4. The AI Assistance Service returns a structured proposal containing suggested required/preferred skills, weights, and screening questions. 5. The system validates the structured response format and renders the criteria form as an unapproved proposal. 6. The Recruiter reviews the draft, adjusts skill thresholds, modifies criterion weights, and edits screening questions. 7. The Recruiter clicks "Approve & Save Rubric". 8. The system validates that all weights are positive percentages summing to 100%, marks the rubric as Approved, and associates it with the job.
Alternative flows	A1 (at step 2 - Manual Rubric Entry): The Recruiter opts not to use AI assistance, manually inputs criteria and weights, and proceeds directly to step 7. A2 (at step 6 - Modify Approved Rubric): If an approved rubric is modified, the system resets its state to unapproved until the Recruiter explicitly clicks "Approve & Save Rubric" again.
Exception flows	E1 (at step 4 - AI Service Failure / Invalid Response, PA1 Risk R3): If AI Assistance Service times out or returns unusable output, the system displays "AI assistant unavailable — please configure criteria manually" and activates manual entry (A1). E2 (at step 8 - Criteria Weight Sum Error): If criteria weights do not sum to exactly 100% or contain non-positive values, the system displays a validation error and halts approval.
Business rules	BR-01, BR-06, BR-07, BR-09
Non-functional constraints	AI API timeout set to 10 seconds; response format validation must be enforced before rendering.

7.4 Use Case UC-04

Use case ID	UC-04
Use case name	Submit Job Application
Brief description	Enables a Candidate to apply for an open position via a public link by submitting contact info, answering screening

	questions, uploading one selectable-text PDF CV, and confirming privacy consent.
Primary actor	Candidate
Secondary actors	Email Delivery Service
Priority	Must
Related requirements	FR-13, FR-14, FR-15, FR-16, FR-17, FR-18
Trigger	The Candidate opens a shared Public Application Link in their web browser.
Pre-conditions	The target Job Posting is in the Published state.
Post-conditions	Application data and CV file are stored securely; status is set to Applied; CV text extraction is queued; a 72-hour magic link is emailed to the Candidate.
Main flow	1. The Candidate accesses the public application link to view job details. 2. The Candidate fills in contact information (full name, email address, phone number). 3. The Candidate answers all required screening questions. 4. The Candidate uploads one (1) PDF CV file (≤ 5 MB). 5. The Candidate checks the mandatory privacy consent checkbox. 6. The Candidate clicks "Submit Application". 7. The system validates form fields, verifies the PDF contains selectable text, and confirms no active application exists for this email on this job. 8. The system stores the PDF in secure private storage, saves application records in the database with status Applied, and invokes the included use case Process CV & Text Extraction. 9. The system generates a cryptographic magic link valid for 72 hours and requests Email Delivery Service to dispatch the confirmation email. 10. The system displays an application submission confirmation screen.
Alternative flows	A1 (at step 7 - Extraction Failure / Scanned PDF, PA1 Risk R4): If the PDF contains no selectable text (scanned image), the system accepts the file, flags the record as Unreadable CV - Manual Review Required without rejecting the candidate, and routes the original file for manual HR review.
Exception flows	E1 (at step 7 - Invalid PDF File / Size Exceeded): If the file is not a valid .pdf or exceeds 5 MB, the system rejects the file and displays an error message.

	E2 (at step 7 - Duplicate Active Submission): If an application from the same email is already in Applied, Under Review, or Shortlisted status, the system blocks submission and displays a duplicate notice. E3 (at step 6 - Missing Mandatory Data or Consent): If required fields or the privacy consent checkbox are omitted, the system highlights them and halts submission. E4 (at step 9 - Email Delivery Failure, PA1 Risk R7): If Email Delivery Service fails to deliver the email, the system completes the application, logs the failure, and exposes the magic link on the Recruiter dashboard for manual delivery.
Business rules	BR-01, BR-02, BR-03, BR-04, BR-08, BR-10
Non-functional constraints	Responsive layout (desktop/mobile); uploaded CVs are never publicly accessible via direct URL.

7.5 Use Case UC-05

Use case ID	UC-05
Use case name	Track Application Status via Magic Link
Brief description	Allows a Candidate to securely view their submitted profile and current recruitment stage using an email magic link without requiring account creation.
Primary actor	Candidate
Secondary actors	Email Delivery Service
Priority	Must
Related requirements	FR-18, FR-19, FR-20
Trigger	The Candidate clicks the magic link URL received in their confirmation email.
Pre-conditions	The Candidate has submitted an application and holds a magic link token (UC-04).
Post-conditions	The Candidate views read-only application details and current status; all internal HR evaluations remain hidden.
Main flow	1. The Candidate clicks the magic link in their email. 2. The system verifies the token's cryptographic signature and validates that it is within its 72-hour expiration window. 3. The system queries the database for submitted details and current status (Applied, Under Review, Shortlisted, Hired, or Rejected). 4. The system renders the Candidate Status Portal. 5. The system strictly excludes internal notes, scorecards, and matching scores from the rendered output.

Alternative flows	A1 (at step 2 - Request Replacement Magic Link): 1. On the expired link notice page, the Candidate enters their registered email address. 2. The system verifies the application, invalidates previous tokens, generates a new 72-hour token, and requests Email Delivery Service to deliver the replacement link.
Exception flows	E1 (at step 2 - Expired Magic Link): If the token is older than 72 hours, the system denies access, displays an "Expired Link" notice, and presents flow A1. E2 (at step 2 - Invalid or Tampered Token): If the token signature is invalid, the system denies access and displays an "Invalid Tracking Link" error page.
Business rules	BR-04, BR-05
Non-functional constraints	Token validation performed over HTTPS; zero exposure of internal evaluation data.

7.6 Use Case UC-06

Use case ID	UC-06
Use case name	Screen Applications & View Match Breakdown
Brief description	Extracts selectable text from an uploaded PDF resume, calculates an explainable matching score (%) against the Recruiter-approved rubric, and displays a transparent breakdown of matched skills, missing requirements, and supporting text evidence to authorized reviewers.
Primary actor	Recruiter / HR Staff, Hiring Manager
Secondary actors	None
Priority	Must
Related requirements	FR-21, FR-22, FR-23, FR-24, FR-25, FR-28
Trigger	Automatically invoked upon application submission for extraction/scoring; viewed when a reviewer inspects candidate details.
Pre-conditions	The target Job Posting has an approved rubric (UC-03), and a candidate application has been submitted (UC-04).
Post-conditions	Extracted text and transparent matching evidence are persisted in the database and displayed to authorized reviewers alongside the original PDF CV.
Main flow	1. The system retrieves the candidate's PDF CV from storage and extracts its selectable text using the document parsing engine.

	2. The rule-based matching engine compares the extracted text against the approved evaluation rubric criteria. 3. The system computes a match score percentage and compiles a transparent breakdown: matched criteria with verbatim text quotes, missing criteria, and screening responses. 4. The system stores the extracted text and match breakdown in the database. 5. The Recruiter opens the candidate evaluation view. 6. The system displays the candidate profile, calculated matching score (%), matched/missing criteria breakdown with supporting quotes, and a secure preview of the original PDF CV.
Alternative flows	A1 (at step 5 - Hiring Manager Read-Only Review): If the reviewer is an assigned Hiring Manager, the system renders the matching breakdown and CV preview in read-only mode strictly for shortlisted candidates, hiding all status-transition controls.
Exception flows	E1 (at step 1 - Text Extraction Failure / Scanned PDF, PA1 Risk R4): If text extraction fails, the system sets the match score to N/A (Extraction Failed), records a flag on the application, and displays the original PDF CV so the Recruiter can review it manually. E2 (at step 5 - Unauthorized Job Access): If a Hiring Manager attempts to access evaluation data for an unassigned job posting, the system blocks the request with a 403 Forbidden response.
Business rules	BR-01, BR-03, BR-05, BR-11
Non-functional constraints	Matching is strictly a decision-support aid; the system never makes autonomous shortlisting or rejection decisions based on score.

7.7 Use Case UC-07

Use case ID	UC-07
Use case name	Review Candidate, Submit Scorecard & Update Status
Brief description	Enables Recruiters to search, filter, and sort applications in the Applicant Inbox, inspect transparent matching evidence (UC-06), add internal notes, submit human scorecards, and manually update candidate pipeline statuses.
Primary actor	Recruiter / HR Staff
Secondary actors	None

Priority	Must
Related requirements	FR-26, FR-27, FR-28, FR-29, FR-30, FR-31
Trigger	The Recruiter accesses the Applicant Inbox for an open job posting.
Pre-conditions	The Recruiter is authenticated, and candidate applications exist for the job.
Post-conditions	The human scorecard, internal notes, and updated status are saved in the database and reflected across the inbox and Candidate Status Portal.
Main flow	1. The Recruiter navigates to the Applicant Inbox. 2. The system displays candidate applications showing name, submission date, current status, and match score (or manual-review flag). 3. The Recruiter searches by keyword, filters by status/skills, or sorts candidates. 4. The Recruiter opens a candidate application to review transparent matching evidence (via included UC-06). 5. The Recruiter adds internal review notes. 6. The Recruiter completes the structured human scorecard (qualitative feedback and criteria ratings). 7. The Recruiter selects a new candidate status (Under Review, Shortlisted, Hired, or Rejected) and clicks "Save Evaluation & Update Status". 8. The system validates inputs, persists the scorecard and notes, updates the application status, and timestamps the modification. 9. The updated status is reflected in the inbox and becomes visible to the candidate via their magic link.
Alternative flows	A1 (at step 4 - Manual Magic Link Retrieval, PA1 Risk R7): If candidate email delivery failed, the Recruiter clicks "Copy Magic Link" from the detail view and sends it manually. A2 (at step 5 - Save Notes Without Status Change): The Recruiter saves internal notes without changing the candidate's current stage.
Exception flows	E1 (at step 3 - No Matching Candidates): If no applications match the filter criteria, the system displays an empty state with a "Reset Filters" button. E2 (at step 7 - Incomplete Scorecard Validation): If required evaluation ratings are omitted when submitting a scorecard, the system highlights the missing fields and prevents status transition.
Business rules	BR-01, BR-05, BR-07, BR-11

Non-functional constraints	Candidate status transitions require explicit manual authorization by an authenticated Recruiter; concurrency control mechanisms prevent data overwriting.

7.8 Use Case UC-08

Use case ID	UC-08
Use case name	View Recruitment Pipeline Dashboard
Brief description	Provides Recruiters with an analytical overview of recruitment activity, including application counts by job posting, status distributions, matching-score distributions, and basic pipeline conversion statistics.
Primary actor	Recruiter / HR Staff
Secondary actors	None
Priority	Must
Related requirements	FR-32, FR-33, FR-34
Trigger	The Recruiter clicks on the "Dashboard" navigation tab in the internal workspace.
Pre-conditions	The Recruiter is authenticated into the internal workspace (UC-01).
Post-conditions	Aggregated recruitment metrics and visual charts are computed from the database and displayed accurately.
Main flow	1. The Recruiter navigates to the "Recruitment Dashboard" view. 2. The system aggregates total application counts per job posting, candidate counts per status (Applied, Under Review, Shortlisted, Hired, Rejected), matching-score distribution ranges, and stage conversion rates. 3. The system renders summary cards and visual distribution charts displaying the aggregated statistics. 4. The Recruiter filters metrics by a specific job posting to inspect campaign-specific conversion performance.
Alternative flows	A1 (at step 2 - No Applications Recorded Yet): If the selected job posting has zero candidate submissions, the system renders zeroed summary counters and an empty-state message rather than blank or broken charts.
Exception flows	E1 (at step 2 - Metrics Aggregation Failure): If a database query error or calculation timeout occurs while fetching dashboard metrics, the system displays an error banner with a "Retry" button.
Business rules	BR-05

Non-functional constraints	Dashboard statistics are strictly read-only aggregations and must render in ≤ 2 s.


8 Prototype / Mockups

This section presents the low-fidelity mockups and the interactive prototype for the miniTA system. The screens cover the features F01–F08. No screen for F09 (Inbound Application Email) or F10 (Interview Scheduling & Email Templates) is included, as both are out of scope for PA2. The mockups use the approved terminology: *Evaluation rubric*, *Matching score*, *Application status*, *Magic link* and *Human scorecard*.


Interactive prototype : UI/UI figma

Access: anyone with the link can view. Start from the *Login* screen (internal users) or the *Public Job Page* (candidates).


- Login Screen : Related use case(s) : UC-01




- Login error state Screen : Related use case(s) : UC-01




- Access Denied Screen : Related use case(s) : UC-01




- Applicant Inbox Screen : Related use case(s) : UC-06, UC-07




- Create / Edit Job Posting Screen : Related use case(s) : UC-02




- Job Postings List Screen : Related use case(s) : UC-02




- Job Posting Detail publish, public link, close Screen : Related use case(s) : UC-02, UC-03




- Evaluation Rubric Builder manual Screen : Related use case(s) : UC-03







- Evaluation Rubric Builder error state Screen : Related use case(s) : UC-03




- AI Rubric Draft job description input Screen : Related use case(s) : UC-03




- Application Form Screen : Related use case(s) : UC-04




- Review and Approve Rubric Draft Screen : Related use case(s) : UC-03




- Application Form error state Screen : Related use case(s) : UC-04




- Application Submitted Screen : Related use case(s) : UC-04




- Application Status View magic link Screen : Related use case(s) : UC-05




- Applicant Detail CV, Matching score, evidence Screen : Related use case(s) : UC-06, UC-07







- Internal Notes Screen : Related use case(s) : UC-07




- Human Scorecard Screen : Related use case(s) : UC-07




- Update Application Status Screen : Related use case(s) : UC-07




- Recruitment Dashboard Screen : Related use case(s) : UC-08



- Public Job Page Screen : Related use case(s) : UC-04



- Magic link error Screen : Related use case(s) : UC-05



* Main flows

The prototype contains two flows, selectable in the Flows panel.

Flow 1: Candidate – Apply for Job & Track Status (UC-04, UC-05)

1. Public Job Page
2. Application Form → Application Submitted. If a required field is missing or the CV is invalid, the Application Form (error state) is shown instead of moving on.

3. Application Status View. In the prototype, the "Track Application" button on Application Submitted stands in for opening the magic link received by email. If the link is invalid or expired, the Magic link error screen is shown instead.

Flow 2: HR – Manage Jobs & Review Applicants (UC-01, UC-02, UC-03, UC-06, UC-07, UC-08)

1. Access control: Login, with Login (error state) when credentials are incorrect. Access Denied is shown when a user opens a page not allowed for their role.
2. Job setup: Job Postings List → Create / Edit Job Posting → define the Evaluation rubric by one of two paths: AI path (AI Rubric Draft → Review and Approve Rubric Draft) or Manual path (Evaluation Rubric Builder) → Job Posting Detail: publish the job and copy the public link.
3. Review: Applicant Inbox → Applicant Detail → Internal Notes and Human Scorecard → Update Application Status → Recruitment Dashboard.

*** Accessibility check.** The main screens were checked for contrast, labels and keyboard use (NFR-13).

- **Contrast:** text and background colours were sampled from the Figma screens and tested against the 4.5:1 ratio. Headings, labels, buttons, tags and sidebar items passed (6.29:1 to 17.43:1). The placeholder and helper text (black at 50% opacity, 4.00:1) and the red required-field asterisk (about 4.3:1) did not pass at first; they were changed to black at 60% opacity (about 5.7:1) and `#C00000` (about 6.5:1), so all checked text now meets the ratio.
- **Labels:** every input field has a visible label, and required fields are marked "Required" or with an asterisk.
- **Keyboard use:** a Figma prototype cannot test keyboard focus. This is recorded as an implementation requirement and will be tested in PA3/PA4.

9 Requirements Traceability Matrix

Req. ID	Use case	Screen	Design element (PA3)	Test cases (PA4)
FR-01, FR-02, FR-03	UC-01	Login, Login (error state), Access Denied	TBD in PA3	TBD in PA4
FR-04, FR-05, FR-06, FR-07	UC-02	Job Postings List, Create / Edit Job Posting, Job Posting Detail	TBD in PA3	TBD in PA4
FR-08, FR-09, FR-10, FR-11, FR-12	UC-03	Evaluation Rubric Builder, Evaluation Rubric Builder (error state), AI Rubric Draft, Review and Approve Rubric Draft	TBD in PA3	TBD in PA4
FR-13, FR-14, FR-15, FR-16, FR-17, FR-18	UC-04	Public Job Page, Application Form, Application Form (error state), Application Submitted	TBD in PA3	TBD in PA4
FR-18, FR-19, FR-20	UC-05	Application Status View, Magic link error	TBD in PA3	TBD in PA4
FR-21, FR-22, FR-23, FR-24, FR-25	UC-06	Applicant Inbox, Applicant Detail (CV, Matching score, evidence)	TBD in PA3	TBD in PA4
FR-26, FR-27, FR-28, FR-29, FR-30, FR-31	UC-07	Applicant Inbox, Applicant Detail, Internal Notes, Human Scorecard, Update Application Status	TBD in PA3	TBD in PA4
FR-32, FR-33, FR-34	UC-08	Recruitment Dashboard	TBD in PA3	TBD in PA4

10 Requirements Review

[Record the requirements review held before submission (who took part, date, issues found and how they were resolved). This version becomes the requirements baseline.]

#	Issue found	Requirement(s)	Resolution	Participant(s)	Review Date
1	Missing detailed descriptions for all Functional Requirements.	FR-01 to FR-34	Triết has written specific "The system shall..." statements for all 34 FRs based on their Use Cases.	Vân Anh, Thục Nghi	31/10/2026
2	Non-Functional Requirements lack measurable metrics and verification methods.	NFR-01, NFR-02, NFR-03	Triết has defined specific metrics (e.g., load time < 2s, max file size = 5MB).	Thục Nghi	31/10/2026
3	Missing UI mockup for AI Service failure or timeout.	UC-03 (Exception Flow E1)	Vân Anh has designed the "AI assistant unavailable" error screen in Figma.	Triết, Thục Nghi	31/10/2026
4	Unclear system logging mechanism for unauthorized access attempts.	UC-01 (Exception Flow E2)	Triết has specified which database table stores unauthorized access logs.	Gia Mẫn, Vân Anh	31/10/2026

11 AI Usage Log

#	Member	Tool	Task / purpose	How the output was verified and changed
1	*Phùng Gia Mẫn*	*Gemini*	*Drafted Use Case specifications (UC-02 to UC-07) and aligned Business Rules with PA1 and Baseline.*	*Cross-checked flows against PA1 Features F01–F08 and Baseline1 FR-01–FR-34. Removed automated rejection steps, incorporated Risk R3, R4, and R7 contingencies into Exception Flows, and verified that Recruiter approval remains mandatory.*
	Phùng Gia Mẫn	*Gemini*	*Generate PlantUML code to draw the Use Case Diagram based on the PA1 baseline actors and required use cases.*	
2	*Nguyễn Thục Nghi*	*Gemini*	*Collaborated to conduct the Testability Review, identify missing testable elements (FRs, NFR metrics, error UIs), and draft the Requirements Review log.*	*Cross-checked the AI's findings against the current PA2 draft. Actively verified the missing elements (e.g., empty FR table, missing AI error UI) rather than accepting them blindly, and manually integrated Jira task owners into the final resolution log.*
3	Nguyễn Cao Triết	Codex	Drafted and reviewed the PA2 working requirements baseline, Introduction, Problem Statement, Stakeholders, FR list, measurable NFR list, integration checklist and Requirements Review issue register.	Compared the draft against realPA/PA1-miniTA.docx.md and the official PA2 template; removed unsupported stakeholders, limited Hiring Manager access to assigned jobs and shortlisted candidates, retained Recruiter-only management and status updates, distinguished PA1-supported requirements from review proposals, retained F01-F08 as Must, and excluded F09-F10 from implementation requirements. Nguyễn Cao Triết must perform the final human review before submission.
4	*Tống Vân Anh*	*Gemini*	*Suggested the screen inventory for features F01–F08 (screen names and the main elements of*	*Compared the suggested screens with use cases UC-01 to UC-08 and the Screen-to-UC mapping. Removed screens outside the PA2 scope (F09, F10).*

			each screen) and the layout style for the low-fidelity prototype, using recruitcrm.io as a reference with a blue primary colour.	*Renamed screens to the approved terminology (Evaluation rubric, Matching score, Application status, Magic link, Human scorecard).*
	Tống Vân Anh	*Figma AI*	*Generated the first low-fidelity mockups of the screens in the Figma file UL-SE.*	*Checked each generated screen against the use cases and the SRS screen list. Renamed frames to match the screen list. Removed elements that did not fit the role: the "Go to Dashboard" button on the candidate's Application Submitted screen, and the HR-only "Candidate Status" page, which was renamed Applicant Detail. Reorganized the prototype into two flows (Candidate and HR). Replaced the Vietnamese text in the Login screen with English. Contrast, field labels and keyboard use were checked manually*