

```

C p1.c > main()
1  #include<stdio.h>
2  int main()
3  {
4      printf("Hello, World! from c\n");
5      return 0;
6  }

```

OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"

Traceback (most recent call last):

File "c:\PYTHON_AI_ML_DS\p1.py", line 10, in <module>

j=j+1

^

NameError: name 'j' is not defined

● PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"

Enter how many numbers:- 6

Enter number 1:- 151

Enter number 2:- 656

Enter number 3:- 5584

Enter number 4:- 1261

Enter number 5:- 6265

Enter number 6:- 2626

the max number is 6265

● PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if (\$?) { gcc p1.c -o p1 } ; if (\$?) { .\p1 }
Hello, World!

● PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if (\$?) { gcc p1.c -o p1 } ; if (\$?) { .\p1 }
Hello, World! from c

○ PS C:\PYTHON_AI_ML_DS>

```

p1.cpp > main()
1  #include<iostream>
2  using namespace std;
3  int main(){
4      cout<<"Hellow world from c++"<<endl;
5  }

```

OUTPUT DEBUG CONSOLE TERMINAL PORTS

```

PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter number 1:- 151
Enter number 2:- 656
Enter number 3:- 5584
Enter number 4:- 1261
Enter number 5:- 6265
Enter number 6:- 2626
the max number is 6265
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
Hello, World!
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
Hello, World! from c
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
p1.cpp:2:20: error: expected ';' before ':' token
    using namespace std:
                       ^
p1.cpp:2:20: error: expected unqualified-id before ':' token
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
Hellow world from c++
PS C:\PYTHON_AI_ML_DS> 

```

```
p1.py U HelloWorld.java U p1.c U p1.cpp U c1.py U X q1.py ...\for_loop
c1.py
1 print("Hello world from python")

OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter number 3:- 5584
Enter number 4:- 1261
Enter number 5:- 6265
Enter number 6:- 2626
the max number is 6265
● PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
Hello, World!
● PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
Hello, World! from c
● PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
p1.cpp:2:20: error: expected ';' before ':' token
    using namespace std;
                   ^
p1.cpp:2:20: error: expected unqualified-id before ':' token
● PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
Hello world from c++
● PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\c1.py"
Hello world from python
PS C:\PYTHON_AI_ML_DS>
```

```
J HelloWorld.java > ...
1 public class HelloWorld {
    Run | Debug
2     public static void main(String[] args) {
3         System.out.println(x: "Hello, World in java");
4     }
5 }
6
7

OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS


PS C:\PYTHON_AI_ML_DS> & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\java.exe' '-XX:+ShowCodeDetails' '-cp' 'C:\Users\trivi\AppData\Roaming\Code\User\workspaceStorage\2fc1fad8a4f86a59d9199ca126a759af\redhat.java\jdt_ws\PYTHON_AI_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World!
● PS C:\PYTHON_AI_ML_DS> c::; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\java.exe' '-XX:+ShowCodeDetails' '-cp' 'C:\Users\trivi\AppData\Roaming\Code\User\workspaceStorage\2fc1fad8a4f86a59d9199ca126a759af\redhat.java\jdt_ws\PYTHON_AI_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World!
● PS C:\PYTHON_AI_ML_DS> c::; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\java.exe' '-XX:+ShowCodeDetails' '-cp' 'C:\Users\trivi\AppData\Roaming\Code\User\workspaceStorage\2fc1fad8a4f86a59d9199ca126a759af\redhat.java\jdt_ws\PYTHON_AI_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World in java
● PS C:\PYTHON_AI_ML_DS> c::; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\java.exe' '-XX:+ShowCodeDetails' '-cp' 'C:\Users\trivi\AppData\Roaming\Code\User\workspaceStorage\2fc1fad8a4f86a59d9199ca126a759af\redhat.java\jdt_ws\PYTHON_AI_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World in java
○ PS C:\PYTHON_AI_ML_DS>
```

Without code formatter

```
p1.py U HelloWorld.java U p1.c U p1.cpp U sample.html U X c1.py U
<> sample.html > ...
1 <div><h1>Title</h1><p>This is a paragraph.</p><ul><li>Item 1</li><li>Item 2</li></ul></div>
2

OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
Hello, World! from c
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
p1.cpp:2:20: error: expected ';' before ':' token
    using namespace std;
    ^
p1.cpp:2:20: error: expected unqualified-id before ':' token
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
Hello world from c++
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\c1.py"
Hello world from python
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter how many numbers:- python -u "c:\PYTHON_AI_ML_DS\p1.py"
Traceback (most recent call last):
  File "c:\PYTHON_AI_ML_DS\p1.py", line 1, in <module>
    n=int(input("Enter how many numbers:- "))
ValueError: invalid literal for int() with base 10: 'python -u "c:\\PYTHON_AI_ML_DS\\p1.py"'
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter how many numbers:-
```

With code formatter:



```
sample.html > ...
1 <div>
2   <h1>Title</h1>
3   <p>This is a paragraph.</p>
4   <ul>
5     <li>Item 1</li>
6     <li>Item 2</li>
7   </ul>
8 </div>
9 |

OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
Hello, World! from c
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
p1.cpp:2:20: error: expected ';' before ':' token
    using namespace std;
                   ^
p1.cpp:2:20: error: expected unqualified-id before ':' token
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
Hello world from c++
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\c1.py"
Hello world from python
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter how many numbers:- python -u "c:\PYTHON_AI_ML_DS\p1.py"
Traceback (most recent call last):
  File "c:\PYTHON_AI_ML_DS\p1.py", line 1, in <module>
    n=int(input("Enter how many numbers:- "))
ValueError: invalid literal for int() with base 10: 'python -u "c:\PYTHON_AI_ML_DS\p1.py"'
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter how many numbers:-
```