

MeyVeda

Relational Database Schema

India's First AYUSH Digital Health Platform

18

Modules

55

Tables

24

Enums

200+

Columns

This document contains the complete PostgreSQL relational database schema for the MeyVeda platform - covering user identity, ABHA/ABDM integration, practitioner onboarding and scheduling, appointments, teleconsultations, EMR (SOAP + AYUSH assessment), digital prescriptions, care plans, health records, ABDM consent management, medicine orders (Apothecary), Dinacharya wellness tracking, AI chat, payments, notifications, and audit logging.

Schema Modules

1. Users & Identity	2 tables
2. Patients	2 tables
3. Practitioners	2 tables
4. Clinics	3 tables
5. Scheduling & Slots	3 tables
6. Appointments	3 tables
7. Payments & Refunds	2 tables
8. Consultations & EMR	3 tables
9. Prescriptions	3 tables
10. Care Plans & Follow-ups	3 tables
11. Health Records & Consent (ABDM)	3 tables
12. Apothecary (Orders)	6 tables
13. Dinacharya & Wellness	4 tables
14. AI Chat (AyurSanvaad)	2 tables
15. Bounded Messaging	1 table
16. Notifications & Reminders	2 tables
17. Ratings	1 table
18. Audit Log	1 table

Enumerations (PostgreSQL ENUMs)

user_role
receptionist . pharmacy . super_admin

verification_status
pending . under_review . verified . rejected

appointment_status
completed . cancelled . no_show . rescheduled

consent_action
granted . denied . revoked . expired

health_record_type
. ai_summary . external_abdm

payment_status
refunded

refund_reason
. admin_override

agni_type
Sama . Vishama . Teekshna . Manda

reminder_type
re_engagement

gender
male . female . other . prefer_not_to_say

prescription_status
cancelled

wellness_response
better . same . worse

ayush_discipline
Siddha . Homeopathy

consult_mode
video . clinic

session_fallback
none . audio_only . phone_call

consent_duration
until_revoked

order_status
cancelled . refund_initiated . refunded

payment_method
upi . card . net_banking . cod . wallet

prakriti_type
Kapha . Vata-Kapha . Tridosha

dinacharya_category
sleep . hygiene

notification_channel
push . sms . email . in_app

relationship
. other

message_direction
patient_to_doctor . doctor_to_patient

slot_status
completed

users		
Auth identity record for every platform user across all roles.		
Column	Type	Description
id	UUID PK	Primary key
mobile	VARCHAR(15) UNIQUE	Registered mobile (+91)
email	VARCHAR(255)	Optional email address
role	user_role	patient practitioner clinic_admin receptionist phar...
language_pref	VARCHAR(20)	Preferred language code (default 'en')
is_active	BOOLEAN	Soft-disable flag
tos_accepted_at	TIMESTAMPTZ	Terms of service acceptance timestamp
created_at	TIMESTAMPTZ	Row creation time
updated_at	TIMESTAMPTZ	Last modification time

abha_links		
Ayushman Bharat Health Account (ABHA) linkage per user. One record per user.		
Column	Type	Description
id	UUID PK	Primary key
user_id	UUID FK ? users	Owning user (UNIQUE - one ABHA per user)
abha_id	VARCHAR(17) UNIQUE	XX-XXXX-XXXX-XXXX government ID
abha_address	VARCHAR(255)	name@abdm health address
aadhaar_masked	VARCHAR(12)	Last 4 digits only - never store full Aadhaar
full_name	VARCHAR(255)	Name as on government record
date_of_birth	DATE	From ABHA registry
gender	gender	male female other prefer_not_to_say
mobile_linked	VARCHAR(15)	Mobile on ABHA record
is_verified	BOOLEAN	NHA verification confirmed
linked_at	TIMESTAMPTZ	When link was established

patients		
<i>Patient profile. One-to-one with users (user_id UNIQUE).</i>		
Column	Type	Description
id	UUID PK	Primary key
user_id	UUID FK ? users	Linked auth user (UNIQUE)
full_name	VARCHAR(255)	Display name
date_of_birth	DATE	
gender	gender	
city	VARCHAR(100)	
pin_code	VARCHAR(10)	
profile_photo	TEXT	S3 URL
prakriti	prakriti_type	Vata / Pitta / Kapha and combinations
wellness_goals	TEXT[]	Multi-select tags e.g. {Sleep, Digestion}
discipline_prefs	ayush_discipline[]	Preferred AYUSH disciplines
drop_off_nudge_paused	BOOLEAN	Suppress re-engagement notifications
created_at	TIMESTAMPTZ	
updated_at	TIMESTAMPTZ	

family_members		
<i>Linked family profiles managed under one patient account. Max 6 per account.</i>		
Column	Type	Description
id	UUID PK	
owner_patient_id	UUID FK ? patients	Account holder who manages this profile
full_name	VARCHAR(255)	
relationship	relationship	spouse parent child sibling other
date_of_birth	DATE	
gender	gender	
abha_id	VARCHAR(17)	Optional ABHA ID for this member
prakriti	prakriti_type	
is_minor	BOOLEAN (computed)	TRUE if age < 18 - auto-computed from DOB
created_at	TIMESTAMPTZ	

practitioners		
AYUSH doctor / practitioner profile. Linked to users. Bookings only allowed when verification_status = 'verified'.		
Column	Type	Description
id	UUID PK	
user_id	UUID FK ? users	UNIQUE
full_name	VARCHAR(255)	
gender	gender	
profile_photo	TEXT	S3 URL
bio	TEXT	Free-text practitioner bio
languages	TEXT[]	Spoken languages
disciplines	ayush_discipline[]	One or more AYUSH disciplines
specializations	TEXT[]	e.g. {Panchakarma, Spine Rehab}
qualifications	TEXT[]	e.g. {BAMS, MD Ayurveda}
experience_years	SMALLINT	Years of practice
hpr_id	VARCHAR(20)	Health Professional Registry ID (UNIQUE)
hpr_verified	BOOLEAN	HPR verification confirmed
hip_registered	BOOLEAN	ABDM Health Information Provider registered
reg_council	VARCHAR(150)	e.g. Central Council of Indian Medicine
reg_number	VARCHAR(50)	State / central council number
verification_status	verification_status	pending under_review verified rejected
rejection_reason	TEXT	Set on rejection by admin
is_online	BOOLEAN	Real-time availability toggle
rating_avg	NUMERIC(3,2)	Auto-maintained by trigger on ratings table
rating_count	INTEGER	Auto-maintained by trigger
consultation_count	INTEGER	Total completed consultations
base_video_fee	INTEGER	Fee in paise for video consult
base_clinic_fee	INTEGER	Fee in paise for in-clinic consult
followup_fee_pct	SMALLINT	% of base fee for follow-ups ?7 days (default 50)
slot_duration_min	SMALLINT	Default slot length in minutes
buffer_min	SMALLINT	Buffer between consecutive slots
created_at	TIMESTAMPTZ	
updated_at	TIMESTAMPTZ	

verification_documents

Credential documents uploaded by practitioners during onboarding review.

Column	Type	Description
id	UUID PK	
practitioner_id	UUID FK ? practitioners	
doc_type	VARCHAR(50)	degree registration identity photo
file_url	TEXT	S3 URL
file_name	VARCHAR(255)	
uploaded_at	TIMESTAMPTZ	
reviewed_at	TIMESTAMPTZ	When admin reviewed
reviewed_by	UUID FK ? users	Admin who reviewed

clinics		
<i>Physical healthcare facilities. Can be associated with multiple practitioners.</i>		
Column	Type	Description
id	UUID PK	
name	VARCHAR(255)	Clinic display name
address_line1	VARCHAR(255)	
address_line2	VARCHAR(255)	
city	VARCHAR(100)	
state	VARCHAR(100)	
pin_code	VARCHAR(10)	
geo_lat	NUMERIC(9,6)	GPS latitude
geo_lng	NUMERIC(9,6)	GPS longitude
phone	VARCHAR(15)	
hfr_id	VARCHAR(30)	Health Facility Registry ID
hfr_verified	BOOLEAN	
profile_photo	TEXT	S3 URL
parking_notes	TEXT	Day-of directions shown to patient
entry_instructions	TEXT	
is_active	BOOLEAN	
created_at	TIMESTAMPTZ	

clinic_practitioners		
<i>Junction: practitioner ? clinic. A doctor may work at multiple clinics.</i>		
Column	Type	Description
id	UUID PK	
clinic_id	UUID FK ? clinics	
practitioner_id	UUID FK ? practitioners	
room_number	VARCHAR(20)	Room or consultation bay
in_clinic_fee	INTEGER	Override paise fee; NULL ? use practitioner base
is_active	BOOLEAN	
joined_at	DATE	

clinic_staff		
<i>Receptionists and admins attached to a clinic.</i>		
Column	Type	Description
id	UUID PK	
clinic_id	UUID FK ? clinics	
user_id	UUID FK ? users	
role	user_role	receptionist clinic_admin
is_active	BOOLEAN	

availability_schedules		
Recurring weekly working hours per practitioner, per clinic (NULL clinic = video slots).		
Column	Type	Description
id	UUID PK	
practitioner_id	UUID FK ? practitioners	
clinic_id	UUID FK ? clinics	NULL for video
day_of_week	SMALLINT	0=Mon ... 6=Sun
start_time	TIME	
end_time	TIME	
break_start	TIME	Optional mid-day break start
break_end	TIME	
is_active	BOOLEAN	

blocked_dates		
Specific dates or date ranges marked unavailable by the practitioner (vacations, emergencies).		
Column	Type	Description
id	UUID PK	
practitioner_id	UUID FK ? practitioners	
clinic_id	UUID FK ? clinics	NULL = all modes
block_date	DATE	
reason	VARCHAR(50)	personal travel medical other
blocked_at	TIMESTAMPTZ	

slots		
Individual booking slots generated from schedules. 8-min checkout lock via locked_until.		
Column	Type	Description
id	UUID PK	
practitioner_id	UUID FK ? practitioners	
clinic_id	UUID FK ? clinics	NULL = video
mode	consult_mode	video clinic
slot_date	DATE	
start_time	TIME	
end_time	TIME	
status	slot_status	open locked booked blocked completed
locked_until	TIMESTAMPTZ	8-minute checkout lock expiry
locked_by	UUID FK ? users	User holding the lock
fee	INTEGER	Fee in paise at time of slot creation

appointments

Confirmed bookings. Central entity linking patient, practitioner, slot, payment, and EMR.

Column	Type	Description
id	UUID PK	
slot_id	UUID FK ? slots	
practitioner_id	UUID FK ? practitioners	
patient_id	UUID FK ? patients	
family_member_id	UUID FK ? family_members	Set when booking for a family member
clinic_id	UUID FK ? clinics	NULL for video
mode	consult_mode	
status	appointment_status	scheduled checked_in in_session completed cancelled...
reason_for_visit	TEXT	Patient-entered reason (max 300 chars)
is_followup	BOOLEAN	
parent_appointment_id	UUID FK ? appointments	Self-ref: prior appointment this follows up
booked_at	TIMESTAMPTZ	
scheduled_date	DATE	
scheduled_time	TIME	
checked_in_at	TIMESTAMPTZ	Digital / QR check-in time
session_started_at	TIMESTAMPTZ	
session_ended_at	TIMESTAMPTZ	
duration_min	SMALLINT	Actual duration
noshow_marked_at	TIMESTAMPTZ	
cancelled_at	TIMESTAMPTZ	
cancellation_reason	TEXT	
cancelled_by	UUID FK ? users	
rescheduled_from_id	UUID FK ? appointments	Original appointment before reschedule

appointment_reports

Files (PDF / images) uploaded by patient before a consultation.

Column	Type	Description
id	UUID PK	
appointment_id	UUID FK ? appointments	
file_url	TEXT	S3 URL
file_name	VARCHAR(255)	
file_type	VARCHAR(20)	pdf image
uploaded_by	UUID FK ? users	
uploaded_at	TIMESTAMPTZ	

waitlist_entries

Waitlist for fully-booked slots. 30-min priority window triggered on cancellation.

Column	Type	Description
id	UUID PK	
practitioner_id	UUID FK ? practitioners	
patient_id	UUID FK ? patients	
family_member_id	UUID FK ? family_members	
clinic_id	UUID FK ? clinics	
mode	consult_mode	
waitlist_date	DATE	
position	SMALLINT	Queue position
notified_at	TIMESTAMPTZ	When patient was alerted of opening
priority_expires_at	TIMESTAMPTZ	30-min window end
is_active	BOOLEAN	
created_at	TIMESTAMPTZ	

payments

All financial transactions. All monetary values stored in paise (INR × 100).

Column	Type	Description
id	UUID PK	
appointment_id	UUID FK ? appointments	Set for booking payments
order_id	UUID FK ? orders	Set for medicine order payments
user_id	UUID FK ? users	Payer
amount_paise	INTEGER	Total charged
consult_fee_paise	INTEGER	
convenience_fee_paise	INTEGER	
gst_paise	INTEGER	
discount_paise	INTEGER	
method	payment_method	upi card net_banking cod wallet
status	payment_status	pending processing success failed refunded
gateway	VARCHAR(50)	razorpay phonepe stripe
gateway_order_id	VARCHAR(255)	Gateway reference
gateway_payment_id	VARCHAR(255)	
gateway_signature	VARCHAR(512)	Webhook HMAC signature
promo_code	VARCHAR(50)	
initiated_at	TIMESTAMPTZ	
confirmed_at	TIMESTAMPTZ	
failed_at	TIMESTAMPTZ	
failure_reason	TEXT	

refunds

Refunds issued against a payment. Full or partial depending on cancellation policy.

Column	Type	Description
id	UUID PK	
payment_id	UUID FK ? payments	
amount_paise	INTEGER	Refund amount
reason	refund_reason	patient_cancelled doctor_cancelled no_show_doctor pay...
initiated_at	TIMESTAMPTZ	
processed_at	TIMESTAMPTZ	
gateway_refund_id	VARCHAR(255)	
status	payment_status	pending processing success failed refunded

consultations		
Consultation session record. One-to-one with appointment. Tracks session lifecycle and fallback state.		
Column	Type	Description
id	UUID PK	
appointment_id	UUID FK ? appointments	UNIQUE - one consultation per appointment
practitioner_id	UUID FK ? practitioners	
patient_id	UUID FK ? patients	
family_member_id	UUID FK ? family_members	
mode	consult_mode	
fallback_used	session_fallback	none audio_only phone_call
identity_confirmed	BOOLEAN	ABHA identity confirmed at session start
session_start	TIMESTAMP TZ	
session_end	TIMESTAMP TZ	
duration_min	SMALLINT	Actual call duration
recording_enabled	BOOLEAN	Only enabled with explicit consent from both parties
recording_url	TEXT	S3 URL if recorded
is_complete	BOOLEAN	
created_at	TIMESTAMP TZ	

emr_notes		
SOAP clinical notes + AYUSH assessment. Draft until finalized; finalized notes are locked (amendment-only).		
Column	Type	Description
id	UUID PK	
consultation_id	UUID FK ? consultations	UNIQUE
practitioner_id	UUID FK ? practitioners	
patient_id	UUID FK ? patients	
chief_complaint	TEXT	S - pre-filled from booking intake
history_present	TEXT	S - history of present illness
past_medical_hx	TEXT	S
family_history	TEXT	S
allergies	TEXT	S
current_medications	TEXT	S - from prior prescriptions
objective_findings	TEXT	O - clinical examination
assessment	TEXT	A - AYUSH diagnostic impression
plan	TEXT	P - treatment plan
prakriti	prakriti_type	AYUSH: body constitution
nadi_pariksha	TEXT	Pulse analysis notes
jihva_pariksha	TEXT	Tongue examination findings
agni	agni_type	Sama Vishama Teekshna Manda
mala_notes	TEXT	Optional - stool quality
mutra_notes	TEXT	Optional - urine
drik_notes	TEXT	Optional - eyes/vision
akruti_notes	TEXT	Constitution observation
template_used	VARCHAR(100)	Named template if applied
is_draft	BOOLEAN	TRUE until doctor finalizes
finalized_at	TIMESTAMPTZ	Locked after this point
patient_summary	TEXT	AI-generated plain-language summary for patient
summary_approved	BOOLEAN	Doctor approved patient summary
created_at	TIMESTAMPTZ	
updated_at	TIMESTAMPTZ	Auto-maintained by trigger

emr_attachments		
Files attached to an EMR note (lab images, Prakriti charts, patient-uploaded reports).		
Column	Type	Description
id	UUID PK	
emr_note_id	UUID FK ? emr_notes	
file_url	TEXT	S3 URL
file_name	VARCHAR(255)	
file_type	VARCHAR(20)	
uploaded_by	UUID FK ? users	
uploaded_at	TIMESTAMPTZ	

medicines		
Master AYUSH drug/formulation catalogue. Shared across all practitioners.		
Column	Type	Description
id	UUID PK	
name	VARCHAR(255)	Full formulation name
generic_name	VARCHAR(255)	
discipline	ayush_discipline	
category	VARCHAR(100)	Churna Kwath Arka Dilution Majoon ...
pharmacopoeia	VARCHAR(100)	API UP HP (pharmacopoeial reference)
standard_dose	VARCHAR(100)	Human-readable standard dose
standard_dose_min	NUMERIC(8,3)	Numeric lower bound
standard_dose_max	NUMERIC(8,3)	Numeric upper bound
dose_unit	VARCHAR(20)	mg tsp drops tabs
is_controlled	BOOLEAN	Requires per-order re-authorization (no auto-refill)
is_active	BOOLEAN	
created_at	TIMESTAMPTZ	

prescriptions		
Digital prescription issued per consultation. Signed with biometric/PIN. Versions created on amendment.		
Column	Type	Description
id	UUID PK	
consultation_id	UUID FK ? consultations	
practitioner_id	UUID FK ? practitioners	
patient_id	UUID FK ? patients	
family_member_id	UUID FK ? family_members	
abha_locker_pushed	BOOLEAN	Synced to ABHA health locker
status	prescription_status	draft finalized signed dispensed cancelled
dietary_advice	TEXT	
lifestyle_advice	TEXT	
physical_activity	TEXT	
followup_date	DATE	Doctor-set follow-up date
signed_at	TIMESTAMPTZ	E-sign timestamp (immutable)
esign_method	VARCHAR(20)	biometric pin
pdf_url	TEXT	S3 URL - downloadable prescription PDF
qr_code_url	TEXT	QR linking to ABHA-registered prescription
version	SMALLINT	1 = original; incremented on each amendment
parent_prescription_id	UUID FK ? prescriptions	Self-ref: links amendment to original
created_at	TIMESTAMPTZ	

prescription_items

Individual medicines on a prescription. *medicine_name* stored inline for immutability.

Column	Type	Description
id	UUID PK	
prescription_id	UUID FK ? prescriptions	
medicine_id	UUID FK ? medicines	Nullable - allows free-text medicines
medicine_name	VARCHAR(255)	Stored directly; not a JOIN to prevent drift after signing
dose	VARCHAR(100)	e.g. '1 tsp' or '500 mg'
frequency	VARCHAR(100)	Once Twice Thrice At bedtime As needed
duration_days	SMALLINT	Prescription duration
anupana	VARCHAR(150)	Vehicle: Warm milk Honey Ghee Empty stomach
special_instructions	TEXT	
sort_order	SMALLINT	Display order on prescription

care_plans

Post-consultation care plan linking prescription, tasks, and follow-up date.

Column	Type	Description
id	UUID PK	
consultation_id	UUID FK ? consultations	UNIQUE
prescription_id	UUID FK ? prescriptions	
patient_id	UUID FK ? patients	
practitioner_id	UUID FK ? practitioners	
followup_date	DATE	Doctor-recommended follow-up date
followup_reason	TEXT	
monitoring_notes	TEXT	What to track between sessions
created_at	TIMESTAMPTZ	

care_plan_tasks

Patient homework tasks within a care plan (diet, exercise, medicine, etc.).

Column	Type	Description
id	UUID PK	
care_plan_id	UUID FK ? care_plans	
title	VARCHAR(255)	
description	TEXT	
category	dinacharya_category	diet exercise mindfulness medicine sleep hygiene
sort_order	SMALLINT	

follow_ups

Tracks recommended follow-up per patient-practitioner pair. Drives nudge and AI check-in scheduling.

Column	Type	Description
id	UUID PK	
patient_id	UUID FK ? patients	
practitioner_id	UUID FK ? practitioners	
care_plan_id	UUID FK ? care_plans	
recommended_date	DATE	
nudge_sent_at	TIMESTAMPTZ	First booking nudge sent
second_nudge_sent_at	TIMESTAMPTZ	48h second nudge
ai_checkin_sent_at	TIMESTAMPTZ	AI check-in sent at 7-day mark
booked_appointment_id	UUID FK ? appointments	Set once patient books
is_booked	BOOLEAN (computed)	Auto-computed from booked_appointment_id
created_at	TIMESTAMPTZ	

health_records		
Patient health timeline. Includes internal records and ABDM-pulled external records.		
Column	Type	Description
id	UUID PK	
patient_id	UUID FK ? patients	
family_member_id	UUID FK ? family_members	
record_type	health_record_type	consultation prescription lab tracker ai_summary ...
title	VARCHAR(255)	
summary	TEXT	
consultation_id	UUID FK ? consultations	Source link (only one FK will be set)
prescription_id	UUID FK ? prescriptions	
source_facility	VARCHAR(255)	External: facility name
source_hfr_id	VARCHAR(30)	External: Health Facility Registry ID
abdm_record_id	VARCHAR(255)	ABDM-issued record identifier
practitioner_id	UUID FK ? practitioners	
discipline	ayush_discipline	
record_date	DATE	Date of the clinical event
is_external	BOOLEAN	TRUE for ABDM-pulled records
created_at	TIMESTAMPTZ	

health_record_attachments		
Files attached to a health record entry.		
Column	Type	Description
id	UUID PK	
health_record_id	UUID FK ? health_records	
file_url	TEXT	S3 URL
file_name	VARCHAR(255)	
file_type	VARCHAR(20)	
uploaded_at	TIMESTAMPTZ	

consent_grants

ABDM consent audit trail. Append-only. Every grant, denial, and revocation is a new row. Non-deletable.

Column	Type	Description
id	UUID PK	
patient_id	UUID FK ? patients	
family_member_id	UUID FK ? family_members	
practitioner_id	UUID FK ? practitioners	
appointment_id	UUID FK ? appointments	Consent triggered by this booking
action	consent_action	granted denied revoked expired
duration	consent_duration	session_only 30_days 90_days until_revoked
record_types	health_record_type[]	Types of records consented
date_range_from	DATE	Records from this date
date_range_to	DATE	Records to this date
expires_at	TIMESTAMPTZ	Consent expiry timestamp
abdm_consent_id	VARCHAR(255)	ABDM-issued consent artefact ID
revoked_at	TIMESTAMPTZ	
revoked_reason	TEXT	
created_at	TIMESTAMPTZ	Consent event timestamp (immutable)

pharmacy_partners		
Verified pharmacy/fulfillment partner accounts.		
Column	Type	Description
id	UUID PK	
user_id	UUID FK ? users	Partner's platform account
name	VARCHAR(255)	
license_number	VARCHAR(100)	Drug license number
is_verified	BOOLEAN	
api_endpoint	TEXT	Partner API URL for order dispatch
contact_email	VARCHAR(255)	
contact_phone	VARCHAR(15)	
is_active	BOOLEAN	
created_at	TIMESTAMPTZ	

patient_addresses		
Saved delivery addresses per patient.		
Column	Type	Description
id	UUID PK	
patient_id	UUID FK ? patients	
label	VARCHAR(50)	Home Work Other
full_name	VARCHAR(255)	Delivery recipient name
phone	VARCHAR(15)	
address_line1	VARCHAR(255)	
address_line2	VARCHAR(255)	
city	VARCHAR(100)	
state	VARCHAR(100)	
pin_code	VARCHAR(10)	
is_default	BOOLEAN	
created_at	TIMESTAMPTZ	

orders		
Medicine orders. Linked to a prescription when prescription items are purchased.		
Column	Type	Description
id	UUID PK	
patient_id	UUID FK ? patients	
prescription_id	UUID FK ? prescriptions	NULL for OTC / wellness items
pharmacy_id	UUID FK ? pharmacy_partners	
address_id	UUID FK ? patient_addresses	
status	order_status	placed ? verified ? packed ? dispatched ? delivered
subtotal_paise	INTEGER	
delivery_fee_paise	INTEGER	
discount_paise	INTEGER	
total_paise	INTEGER	
promo_code	VARCHAR(50)	
is_express	BOOLEAN	Express delivery option
refill_order	BOOLEAN	Reorder from prior prescription
parent_order_id	UUID FK ? orders	Self-ref for refill orders
tracking_number	VARCHAR(100)	Logistics partner tracking number
logistics_partner	VARCHAR(100)	Shiprocket Delhivery etc.
estimated_delivery	DATE	
delivered_at	TIMESTAMPTZ	
cancelled_at	TIMESTAMPTZ	
cancellation_reason	TEXT	
created_at	TIMESTAMPTZ	
updated_at	TIMESTAMPTZ	

order_items		
Individual line items in an order. Tracks substitutions and controlled-substance flags.		
Column	Type	Description
id	UUID PK	
order_id	UUID FK ? orders	
medicine_id	UUID FK ? medicines	
medicine_name	VARCHAR(255)	Stored for immutability
quantity	SMALLINT	
unit_price_paise	INTEGER	
total_price_paise	INTEGER	
is_prescription_item	BOOLEAN	Requires prescription verification
is_substitute	BOOLEAN	Approved pharmacist substitute
substituted_for_id	UUID FK ? order_items	Original item this substitutes
substitute_approved_by	UUID FK ? users	Pharmacist who approved substitution
is_controlled	BOOLEAN	High-dose / controlled formulation

order_status_history

Append-only delivery status trail for tracking.

Column	Type	Description
id	UUID PK	
order_id	UUID FK ? orders	
status	order_status	
notes	TEXT	
updated_by	UUID FK ? users	
created_at	TIMESTAMPTZ	

refill_schedules

Auto-refill schedule set by patient for a prescription item.

Column	Type	Description
id	UUID PK	
patient_id	UUID FK ? patients	
prescription_item_id	UUID FK ? prescription_items	
frequency_days	SMALLINT	Refill every N days
next_refill_date	DATE	
is_active	BOOLEAN	
created_at	TIMESTAMPTZ	

dinacharya_plans		
Daily wellness routine plan per patient. Can be linked to a care plan.		
Column	Type	Description
id	UUID PK	
patient_id	UUID FK ? patients	
care_plan_id	UUID FK ? care_plans	Optional link to clinical care plan
title	VARCHAR(255)	
is_active	BOOLEAN	
created_at	TIMESTAMPTZ	

dinacharya_tasks		
Individual tasks within a daily routine plan.		
Column	Type	Description
id	UUID PK	
plan_id	UUID FK ? dinacharya_plans	
time_of_day	TIME	Scheduled time for this task
title	VARCHAR(255)	
description	TEXT	
category	dinacharya_category	diet exercise mindfulness medicine sleep hygiene
sort_order	SMALLINT	

habit_logs		
Daily completion log. One row per task per patient per date.		
Column	Type	Description
id	UUID PK	
task_id	UUID FK ? dinacharya_tasks	
patient_id	UUID FK ? patients	
log_date	DATE	UNIQUE with (task_id, patient_id)
completed_at	TIMESTAMPTZ	NULL if not done
is_done	BOOLEAN	

wellness_checkins		
Weekly AI-prompted wellness check-in responses.		
Column	Type	Description
id	UUID PK	
patient_id	UUID FK ? patients	
ai_session_id	UUID FK ? ai_chat_sessions	Conversation that prompted the check-in
response	wellness_response	better same worse
notes	TEXT	
checked_in_at	TIMESTAMPTZ	

ai_chat_sessions		
AyurSanvaad AI chat sessions per patient. Logged for optional practitioner review.		
Column	Type	Description
id	UUID PK	
patient_id	UUID FK ? patients	
title	VARCHAR(255)	Auto-generated or user-set
is_emergency	BOOLEAN	TRUE if emergency keywords detected
practitioner_cta_shown	BOOLEAN	Whether 'Book a doctor' CTA was shown
created_at	TIMESTAMPTZ	
last_message_at	TIMESTAMPTZ	

ai_chat_messages		
Individual messages within an AI session.		
Column	Type	Description
id	UUID PK	
session_id	UUID FK ? ai_chat_sessions	
role	VARCHAR(10)	user ai
content	TEXT	
is_emergency	BOOLEAN	Flagged if this message triggered emergency path
sent_at	TIMESTAMPTZ	

bounded_messages		
Doctor-patient messages. Only available within 48h post-consultation. For clarification and adverse reaction reporting only.		
Column	Type	Description
id	UUID PK	
consultation_id	UUID FK ? consultations	
sender_user_id	UUID FK ? users	
direction	message_direction	patient_to_doctor doctor_to_patient
content	TEXT	
has_attachment	BOOLEAN	
attachment_url	TEXT	S3 URL
is_adverse_reaction	BOOLEAN	Flags pharmacovigilance events; notifies admin
sent_at	TIMESTAMPTZ	
read_at	TIMESTAMPTZ	
responded_at	TIMESTAMPTZ	

notifications		
<i>All platform notifications sent to users via push, SMS, email, or in-app.</i>		
Column	Type	Description
id	UUID PK	
user_id	UUID FK ? users	Recipient
channel	notification_channel	push sms email in_app
type	reminder_type	Category of notification
title	VARCHAR(255)	
body	TEXT	
deep_link	TEXT	App deep link URL
reference_id	UUID	Generic FK to source entity
reference_type	VARCHAR(50)	appointments orders prescriptions ...
is_read	BOOLEAN	
sent_at	TIMESTAMPTZ	NULL if not yet dispatched
created_at	TIMESTAMPTZ	

reminders		
<i>Scheduled future notifications to be fired by cron (24h, 1h, follow-up, refill, etc.).</i>		
Column	Type	Description
id	UUID PK	
user_id	UUID FK ? users	
type	reminder_type	
reference_id	UUID	
reference_type	VARCHAR(50)	
fire_at	TIMESTAMPTZ	When this reminder should be dispatched
fired_at	TIMESTAMPTZ	NULL until dispatched
is_cancelled	BOOLEAN	
created_at	TIMESTAMPTZ	

ratings		
Patient ratings per consultation. Triggers auto-update of practitioner rating_avg.		
Column	Type	Description
id	UUID PK	
consultation_id	UUID FK ? consultations	UNIQUE - one rating per consultation
patient_id	UUID FK ? patients	
practitioner_id	UUID FK ? practitioners	
stars	SMALLINT	1-5 stars
review_text	TEXT	Optional written review
is_visible	BOOLEAN	Can be hidden by admin for policy violations
created_at	TIMESTAMP TZ	Shown 24h after consultation

audit_logs		
Append-only compliance and security trail. Consent events are automatically inserted via trigger.		
Column	Type	Description
id	UUID PK	
actor_user_id	UUID FK ? users	Who performed the action (NULL for system events)
action	VARCHAR(100)	e.g. consent.granted record.viewed prescription.signed
entity_type	VARCHAR(50)	Table name of the affected entity
entity_id	UUID	ID of the affected row
patient_id	UUID FK ? patients	For patient-data events
ip_address	INET	Requestor IP
user_agent	TEXT	
metadata	JSONB	Additional structured context
created_at	TIMESTAMPTZ	Immutable event timestamp