

# Introduction to Software Engineering

## Software Design

*The student team is required to complete the **Design Document** for the assigned course project, following the attached template.*



Software Engineering Department  
Faculty of Information and Technology  
University of Science

# Table of Contents

|                                                    |           |
|----------------------------------------------------|-----------|
| <b>1 Member Contribution Assessment</b>            | <b>2</b>  |
| <b>2 Conceptual Model</b>                          | <b>3</b>  |
| <b>3 Architectural Design</b>                      | <b>4</b>  |
| 3.1 Architecture Diagram                           | 4         |
| 3.1.1 System decomposition tree diagram:           | 4         |
| 3.1.2 Architecture diagram:                        | 5         |
| 3.2 Class Diagram                                  | 6         |
| 3.3 Class Specifications                           | 7         |
| 3.3.1 Class Admin                                  | 7         |
| 3.3.2 Class OTP                                    | 8         |
| 3.3.3 Class Category                               | 8         |
| 3.3.4 Class Pet                                    | 9         |
| 3.3.5 Class Customer                               | 10        |
| 3.3.6 Class Order                                  | 10        |
| 3.3.7 Class OrderDetail                            | 11        |
| <b>4 Data Design</b>                               | <b>12</b> |
| 4.1 Data Diagram                                   | 12        |
| 4.2 Data Specification                             | 13        |
| 4.2.1 Collection: admin_accounts                   | 13        |
| 4.2.2 Collection: order                            | 13        |
| 4.2.3 Collection: category                         | 14        |
| 4.2.4 Collection: pet                              | 14        |
| 4.2.5 Collection: customer                         | 15        |
| 4.2.6 Collection: order_detail                     | 16        |
| 4.2.7 Collection: forgot_password                  | 16        |
| <b>5 User Interface and User Experience Design</b> | <b>17</b> |
| 5.1 Screen Diagram                                 | 17        |
| 5.2 Screen Specifications                          | 20        |
| 5.2.1 Screen Register                              | 20        |
| 5.2.2 Screen Log In                                | 21        |
| 5.2.3 Screen Reset Password                        | 22        |
| 5.2.4 Screen Verify OTP                            | 22        |
| 5.2.5 Screen Forgot Password                       | 23        |
| 5.2.6 Screen Home                                  | 24        |
| 5.2.7 Screen Pet List                              | 25        |
| 5.2.8 Screen Pet Detail Information                | 26        |
| 5.2.9 Screen Cart Detail                           | 27        |
| 5.2.10 Screen Cart Detail                          | 28        |

|                                   |    |
|-----------------------------------|----|
| 5.2.11 Screen Order Management    | 29 |
| 5.2.12 Screen Pet Management      | 30 |
| 5.2.13 Screen Category Management | 31 |
| 5.2.14 Screen Create Category     | 32 |
| 5.2.15 Screen Create Pet          | 32 |


# Software Design

## Objectives


This document focus on the following topics:

- ✓ Complete the Software Design Document with the following contents:
  - Conceptual Model
  - Architectural Design
  - Data Design
  - User Interface Design
- ✓ Understanding the Software Design Document.

# 1 Member Contribution Assessment

| ID       | Name                 | Contribution (%) | Signature                                                                             |
|----------|----------------------|------------------|---------------------------------------------------------------------------------------|
| 23127004 | Lê Nhật Khôi         | 100%             |    |
| 23127158 | Nguyễn Thanh Gia Bảo | 100%             |    |
| 23127165 | Nguyễn Hải Đăng      | 100%             |    |
| 23127181 | Nguyễn Trần Quốc Duy | 100%             |    |
| 23127438 | Đặng Trường Nguyên   | 100%             |  |

## 2 Conceptual Model




<https://drive.google.com/file/d/1WBi0COYaFVpLvPcAPSYIJ1Dqa30ZYNRA/view?usp=sharing>

# 3 Architectural Design


## 3.1 Architecture Diagram

### 3.1.1 System decomposition tree diagram:




<https://drive.google.com/file/d/1Cb-JAOT07OhbxQwjv-Oxl1NwZjtucid8/view?usp=sharing>

### 3.1.2 Architecture diagram:



[https://drive.google.com/file/d/1uqtN7ulf3MdOnnZReULivXrBJ\\_HuwsWu/view?usp=sharing](https://drive.google.com/file/d/1uqtN7ulf3MdOnnZReULivXrBJ_HuwsWu/view?usp=sharing)

## 3.2 Class Diagram



[https://drive.google.com/file/d/1lfEyLNq226jfHop691fMI\\_t\\_qO1P-MIO/view?usp=sharing](https://drive.google.com/file/d/1lfEyLNq226jfHop691fMI_t_qO1P-MIO/view?usp=sharing)

## 3.3 Class Specifications

### 3.3.1 Class Admin

| Seq | Property    | Modifier | Constraint | Description                      |
|-----|-------------|----------|------------|----------------------------------|
| 1   | id          | private  | unique     | Unique identifier of the admin   |
| 2   | fullname    | private  | not empty  | Full name                        |
| 3   | email       | private  | unique     | Login email                      |
| 4   | password    | private  | not empty  | Encrypted password               |
| 5   | status      | private  |            | Account status                   |
| 6   | create_at   | private  |            | Creation timestamp               |
| 7   | updated_at  | private  |            | Last updated timestamp           |
| 8   | approved_by | private  |            | Admin who approved (association) |

| Seq | Operation        | Modifier | Constraint | Description                  |
|-----|------------------|----------|------------|------------------------------|
| 1   | create_new_acc() | public   |            | Creates a new admin          |
| 2   | login()          | public   |            | Handles login authentication |
| 3   | send_email_otp() | public   |            | Send OTP via email           |
| 4   | verify_otp()     | public   |            | Verifies the OTP code        |
| 5   | reset_password() | public   |            | Resets admin password        |

### 3.3.2 Class OTP

| Seq | Property   | Modifier | Constraint | Description             |
|-----|------------|----------|------------|-------------------------|
| 1   | email      | private  | not empty  | Email receiving the OTP |
| 2   | otp        | private  | length = 6 | OTP code                |
| 3   | expired_at | private  |            | Expiration timestamp    |

| Seq | Operation     | Modifier | Constraint | Description                 |
|-----|---------------|----------|------------|-----------------------------|
| 1   | auto_delete() | private  |            | Removes expired OTP entries |

### 3.3.3 Class Category

| Seq | Property   | Modifier | Constraint | Description                   |
|-----|------------|----------|------------|-------------------------------|
| 1   | id         | private  | unique     | Category identifier           |
| 2   | parent     | private  |            | Parent category (association) |
| 3   | name       | private  | not empty  | Category name                 |
| 4   | avatar     | private  |            | Category thumbnail            |
| 5   | created_at | private  |            | Creation timestamp            |
| 6   | updated_at | private  |            | Update timestamp              |
| 7   | created_by | private  |            | Admin who created it          |
| 8   | updated_by | private  |            | Admin who last updated        |
| 9   | slug       | private  | unique     | SEO-friendly slug             |

| Seq | Operation           | Modifier | Constraint     | Description            |
|-----|---------------------|----------|----------------|------------------------|
| 1   | create_new_cat()    | public   | name not empty | Creates a new category |
| 2   | update_category(id) | public   |                | Updates a category     |
| 3   | delete_category(id) | public   |                | Deletes a category     |
| 4   | search_cat(keyword) | public   |                | Searches categories    |
| 5   | filter()            | public   |                | Filters categories     |

|   |                  |        |          |                         |
|---|------------------|--------|----------|-------------------------|
| 6 | pagination(page) | public | page > 0 | Paginates category list |
|---|------------------|--------|----------|-------------------------|

### 3.3.4 Class Pet

| Seq | Property    | Modifier | Constraint     | Description                       |
|-----|-------------|----------|----------------|-----------------------------------|
| 1   | id          | private  | unique         | Pet identifier                    |
| 3   | name        | private  | not empty      | Pet name                          |
| 4   | image_list  | private  |                | List of images                    |
| 5   | gender      | private  | male or female | Gender                            |
| 6   | age         | private  | age > 0        | Age of the pet                    |
| 7   | color       | private  |                | Pet color                         |
| 8   | color_slug  | private  | unique         | Color slug                        |
| 9   | description | private  | unique         | Description                       |
| 10  | created_at  | private  |                | Creation timestamp                |
| 11  | updated_at  | private  |                | Update timestamp                  |
| 12  | created_by  | private  |                | Admin who created                 |
| 13  | updated_by  | private  |                | Admin who updated                 |
| 14  | slug        | private  | unique         | SEO slug                          |
| 15  | category_id | private  |                | Category of the pet (association) |

| Seq | Operation           | Modifier | Constraint     | Description        |
|-----|---------------------|----------|----------------|--------------------|
| 1   | create_new_pet()    | public   | name not empty | Creates a new pet  |
| 2   | update_pet(id)      | public   |                | Updates a pet      |
| 3   | delete_pet(id)      | public   |                | Deletes a pet      |
| 4   | search_pet(keyword) | public   |                | Searches pets      |
| 5   | filter()            | public   |                | Filters pets       |
| 6   | pagination(page)    | public   | page > 0       | Paginates pet list |

### 3.3.5 Class Customer

| Seq | Property  | Modifier | Constraint | Description         |
|-----|-----------|----------|------------|---------------------|
| 1   | id        | private  | unique     | Customer identifier |
| 2   | full_name | private  | not empty  | Full name           |
| 3   | email     | private  | unique     | Email address       |
| 4   | phone     | private  |            | Phone number        |
| 5   | address   | private  |            | Home address        |

| Seq | Operation          | Modifier | Constraint   | Description                       |
|-----|--------------------|----------|--------------|-----------------------------------|
| 1   | add_new_customer() | public   | email unique | Stores a new customer information |

### 3.3.6 Class Order

| Seq | Property       | Modifier | Constraint | Description                                 |
|-----|----------------|----------|------------|---------------------------------------------|
| 1   | id             | private  | unique     | Order identifier                            |
| 2   | payment_method | private  | not empty  | Payment method                              |
| 3   | total          | private  | total >= 0 | Total price                                 |
| 4   | status         | private  |            | Order status                                |
| 5   | updated_by     | private  |            | Admin who updated                           |
| 6   | customer_id    | private  | not empty  | Customer who placed the order (association) |

| Seq | Operation                    | Modifier | Constraint | Description               |
|-----|------------------------------|----------|------------|---------------------------|
| 1   | create_new_order()           | public   |            | Creates a new order       |
| 2   | update_order()               | public   |            | Updates order details     |
| 3   | add_item(pet_id)             | public   |            | Adds an item to the order |
| 4   | remove_item(order_detail_id) | public   |            | Removes an item           |


### 3.3.7 Class *OrderDetail*

| Seq | Property           | Modifier | Constraint   | Description              |
|-----|--------------------|----------|--------------|--------------------------|
| 1   | id                 | private  | unique       | Order detail identifier  |
| 2   | order_id           | private  |              | Order (association)      |
| 3   | pet_id             | private  |              | Pet (association)        |
| 4   | quantity           | private  | quantity > 0 | Quantity ordered         |
| 5   | order_detail_total | private  |              | Total price for the item |

| Seq | Operation         | Modifier | Constraint   | Description           |
|-----|-------------------|----------|--------------|-----------------------|
| 1   | update_quantity() | public   | quantity > 0 | Updates item quantity |

# 4 Data Design

## 4.1 Data Diagram



*Note: This diagram is generated using MongoDB Compass.*

## 4.2 Data Specification

Our team using MongoDB for storing data, so here our collections specification:

### 4.2.1 Collection: *admin\_accounts*

| Attribute Name | Data Type | Key Constraints          | Description                                                 |
|----------------|-----------|--------------------------|-------------------------------------------------------------|
| _id            | objectId  | PK                       | Unique identifier for the admin account.                    |
| email          | string    |                          | Email address of the administrator (used for login).        |
| fullname       | string    |                          | Full name of the administrator.                             |
| password       | string    |                          | Hashed password for the admin account.                      |
| status         | string    |                          | Current status of the account                               |
| createdAt      | date      |                          | Timestamp indicating when the account was created.          |
| updatedAt      | date      |                          | Timestamp indicating the last time the account was updated. |
| approvedBy     | string    | FK to admin_accounts._id | The _id of the administrator who approved this account.     |

### 4.2.2 Collection: *order*

| Attribute Name | Data Type | Key Constraints    | Description                                   |
|----------------|-----------|--------------------|-----------------------------------------------|
| _id            | objectId  | PK                 | Unique identifier for the order.              |
| customer_id    | string    | FK to customer._id | The _id of the customer who placed the order. |
| total          | int       |                    | The grand total amount of the order.          |
| payment_method | string    |                    | The payment method used                       |
| status         | string    |                    | The current fulfillment status of the order   |

|            |        |                          |                                                         |
|------------|--------|--------------------------|---------------------------------------------------------|
| updated_by | string | FK to admin_accounts._id | The _id of the admin who last updated the order status. |
|------------|--------|--------------------------|---------------------------------------------------------|

#### 4.2.3 Collection: category

| Attribute Name | Data Type | Key Constraints          | Description                                                  |
|----------------|-----------|--------------------------|--------------------------------------------------------------|
| _id            | objectId  | PK                       | Unique identifier for the pet category.                      |
| name           | string    |                          | Name of the category                                         |
| slug           | string    |                          | URL-friendly string of the category name.                    |
| avatar         | string    |                          | URL or file path for the category's icon or image.           |
| parent         | string    | FK to category._id       | The _id of the parent category                               |
| createdAt      | date      |                          | Timestamp indicating when the category was created.          |
| updatedAt      | date      |                          | Timestamp indicating the last time the category was updated. |
| createdBy      | string    |                          | The _id of the admin who created this category.              |
| updatedBy      | string    | FK to admin_accounts._id | The _id of the admin who last updated this category.         |

#### 4.2.4 Collection: pet

| Attribute Name | Data Type | Key Constraints | Description                              |
|----------------|-----------|-----------------|------------------------------------------|
| _id            | objectId  | PK              | Unique identifier for the pet listing.   |
| name           | string    |                 | Display name of the pet                  |
| slug           | string    |                 | URL-friendly string for the pet listing. |

|             |                  |                          |                                                    |
|-------------|------------------|--------------------------|----------------------------------------------------|
| price       | int              |                          | The selling price of the pet.                      |
| age         | string or double |                          | The age of the pet.                                |
| gender      | string           |                          | The gender of the pet (e.g., 'Male', 'Female').    |
| color       | string           |                          | The color or primary characteristic of the pet.    |
| color_slug  | string           |                          | URL-friendly string for the pet's color/variation. |
| description | string           |                          | Detailed description of the pet listing.           |
| imageList   | array of string  |                          | A list of URLs or paths to the pet's images.       |
| category    | string           |                          | The _id of the category the pet belongs to.        |
| createdAt   | date             |                          | Timestamp indicating when the listing was created. |
| updatedAt   | date             |                          | Timestamp indicating the last update time.         |
| createdBy   | string           |                          | The _id of the admin who created the listing.      |
| updatedBy   | string           | FK to admin_accounts._id | The _id of the admin who last updated the listing. |

#### 4.2.5 Collection: customer

| Attribute Name | Data Type | Key Constraints | Description                         |
|----------------|-----------|-----------------|-------------------------------------|
| _id            | objectId  | PK              | Unique identifier for the customer. |
| full_name      | string    |                 | Full name of the customer.          |
| email          | string    |                 | Email address of the customer.      |

|         |        |  |                                  |
|---------|--------|--|----------------------------------|
| phone   | string |  | Phone number of the customer.    |
| address | string |  | Primary address of the customer. |

#### 4.2.6 Collection: *order\_detail*


| Attribute Name     | Data Type | Key Constraints | Description                                                  |
|--------------------|-----------|-----------------|--------------------------------------------------------------|
| _id                | objectId  | PK              | Unique identifier for the order detail record (line item).   |
| order_id           | string    | FK to order._id | The _id of the parent order this detail belongs to.          |
| pet_id             | string    | FK to pet._id   | The _id of the pet that was purchased in this line item.     |
| quantity           | int       |                 | The number of units of the pet ordered.                      |
| order_detail_total | int       |                 | The subtotal for this specific line item (price * quantity). |

#### 4.2.7 Collection: *forgot\_password*

| Attribute Name | Data Type | Key Constraints            | Description                                                 |
|----------------|-----------|----------------------------|-------------------------------------------------------------|
| _id            | objectId  | PK                         | Unique identifier for the password recovery request record. |
| email          | string    | FK to admin_accounts.email | The email address requesting the password reset.            |
| otp            | string    |                            | The One-Time Password or reset token sent to the user.      |
| expired_at     | date      |                            | Timestamp indicating when the OTP/token will expire.        |

## 5 User Interface and User Experience Design

## 5.1 Screen Diagram



<https://drive.google.com/file/d/1fpXFmkz1Y3SXcu2jF6GQvtpwJHpFRjS6/view?usp=sharing>

| Seq | Screen | Description |
|-----|--------|-------------|
|-----|--------|-------------|

|    |                               |                                                                                                                                                                                                      |
|----|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 01 | Screen Register               | Allows new users to create an account by entering required information such as name, email, phone number, and password. The system validates the inputs and may send an OTP for verification         |
| 02 | Screen Log In                 | Lets users log into the system using their email/phone number and password. It also includes a “Forgot Password” option for users who need to recover their account.                                 |
| 03 | Screen Reset Password         | Allows users to set a new password after their identity has been verified (typically via OTP or recovery link). Users must enter and confirm the new password.                                       |
| 04 | Screen Verify OTP             | This screen is used for entering the OTP sent by email or SMS. It verifies user identity during registration, password recovery, or other security steps.                                            |
| 05 | Screen Forgot Password        | This screen allows users to request password recovery by providing their registered email or phone number. The system then sends an OTP or reset link.                                               |
| 06 | Screen Home                   | The main home screen after logging in. It displays featured pets, categories, recommended items, and navigation options such as Pet List, Cart, and Account. Admins may also see management options. |
| 07 | Screen Pet List               | This screen shows a list of all available pets. It includes search, filtering by category, breed, or price, and allows users to select a pet to view its details.                                    |
| 08 | Screen Pet Detail Information | This screen displays detailed information about a specific pet, including images, name, breed, age, gender, price, description, health status, and an “Add to Cart” button.                          |
| 09 | Screen Cart Detail            | This screen shows all pets added to the user’s shopping cart. It displays item details, pricing, total cost, and includes a checkout button.                                                         |
| 10 | Screen Order Tracking         | This screen lets the user enter their email and phone number to check the current state of their order as well as their past order.                                                                  |

|    |                            |                                                                                                                                                                              |
|----|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11 | Screen Order Management    | (Admin only) This screen displays a list of all orders with their states that customers have bought via the websites                                                         |
| 12 | Screen Pet Management      | (Admin only) This screen displays a list of all pets in the system with options to create new pets, edit existing ones, delete pets, and filter by category or type.         |
| 13 | Screen Category Management | (Admin only) This screen allows administrators to view, edit, delete, or create new pet categories.                                                                          |
| 14 | Screen Create Category     | This screen contains a form for administrators to create a new category by entering the category name and optional description.                                              |
| 15 | Screen Create Pet          | This screen provides a form for administrators to add a new pet to the system by entering name, type, breed, price, quantity, description, images, and selecting a category. |

## 5.2 Screen Specifications

### 5.2.1 Screen Register

[← Quay lại trang chủ](#)

### Đăng ký

Nhập họ tên, email và mật khẩu để đăng ký

Họ tên\*

Email\*


Mật khẩu\*

☐ Đồng ý với chính sách điều khoản

**Đăng ký**

[Đã có tài khoản? Đăng nhập](#)

© 2025 SPets. All Rights reserved



#### Details of the Registration Page Format and Event Handling:

- The Registration Page contains a structured registration form requiring users to provide three mandatory fields: full name, email address, and password.
- After the user confirms acceptance of the system's terms and conditions and selects the “**Đăng ký**” button, the system submits the provided account information and marks the new account as pending approval by the administrator.
- A text button labeled “**Đăng nhập**” is available on the page; selecting this button redirects the user to the Login Page.
- The page includes a navigation bar containing buttons such as “**Trang chủ**” and “**Danh mục**”, each of which directs the user to the corresponding screens within the system.
- A “Back” button is also provided, allowing the user to return to the “**Trang chủ**” page.

### 5.2.2 Screen Log In

[← Quay lại trang chủ](#)

#### Đăng nhập

Nhập email và mật khẩu để đăng nhập

Email\*


Mật khẩu\*

☐ Ghi nhớ đăng nhập [Quên mật khẩu?](#)

**Đăng nhập**

[Chưa có tài khoản? Đăng ký](#)

© 2025 5Pets. All Rights reserved



#### Details of the Login Page Format and Event Handling:

- The Login Page contains a structured login form requiring users to provide two mandatory fields: email address and password. When the user selects the **“Đăng nhập”** button, the system validates the credentials. If the information is correct, the user is redirected to the Admin Dashboard; otherwise, an appropriate error message is displayed.
- A text button labeled **“Đăng ký”** is provided; selecting this button redirects the user to the Registration Page.
- A text button labeled **“Quên mật khẩu”** is also available. When selected, the system navigates the user to the password recovery page, which uses an OTP verification method sent via email.
- The page includes a navigation bar containing buttons such as **“Trang chủ”** and **“Danh mục”**, which allow users to navigate directly to the corresponding sections of the system.
- A **Back** button is included to allow users to return to the **“Trang chủ”** page.

### 5.2.3 Screen Reset Password

[← Quay lại trang chủ](#)

#### Đổi mật khẩu

Nhập mật khẩu và xác nhận mật khẩu để tiếp tục

Mật khẩu\*


Xác nhận mật khẩu\*

Đổi mật khẩu

Chưa có tài khoản? [Đăng ký](#)

© 2025 SPets. All Rights reserved



### 5.2.4 Screen Verify OTP

[← Quay lại trang chủ](#)

#### Xác thực OTP


Nhập OTP được gửi đến email để tiếp tục

—

Xác thực OTP

Đã có tài khoản? [Đăng nhập](#)

© 2025 SPets. All Rights reserved



### 5.2.5 Screen Forgot Password

[← Quay lại trang chủ](#)

### Quên mật khẩu


Nhập email để tiếp tục

Email\*


[Đổi mật khẩu](#)

[Đã có tài khoản? Đăng nhập](#)

© 2025 SPets. All Rights reserved



### 5.2.6 Screen Home



#### Details of the Home Page Format and Event Handling:

- The Home Page contains a header with a navigation bar including buttons such as **“Trang chủ”**, **“Mèo”**, and **“Chó”**. When a button is clicked, the system navigates to the corresponding page; for example, clicking **“Chó”** displays a page showing all pets of the dog species.
- A search box is provided, allowing users to find pets that meet their specific needs.
- A shopping cart icon is available. Selecting this icon navigates the user to the Cart Details screen, where they can review the products that have been added and proceed to place an order.
- A **“Admin Dashboard”** button is provided, which navigates to the Admin Logic Page. Only users with admin accounts who have successfully logged in can access this page.
- A **“Tìm kiếm đơn hàng”** button allows customers to view a list of their orders based on their registered email address and phone number.

### 5.2.7 Screen Pet List

[Trang Chủ](#)[Tìm kiếm đơn hàng](#)[Mèo](#)[Chó](#)[Giới thiệu](#)[Admin Dashboard](#)

[Trang chủ](#) > [Chó](#) > [Chó nhỏ](#)



## Thêm Một Bạn

### Thêm Ngàn Niềm Vui!

Có một con thú cưng đồng nghĩa với việc bạn có thêm niềm vui mới. Chúng tôi có hơn 200 con thú cưng khác nhau có thể đáp ứng nhu cầu của bạn!

[Giới Thiệu](#)[Khám Phá Ngay](#)

**Bộ lọc**

**Giống**

☐ Đức

☐ Còi


**Màu sắc**

☐ Xám


☐ Đen

☐ Trắng

#### Chó Nhỏ



**MO231 - Pomeranian Trắng**  
Giống: Đức - Tuổi: 02 tháng  
6.900.000 VND




**MO502 - Poodle Tiny Vàng**  
Giống: Còi - Tuổi: 02 tháng  
3.900.000 VND



**MO102 - Poodle Tiny Sepia**  
Giống: Đức - Tuổi: 02 tháng  
4.000.000 VND



**MO512 - Alaskan Malamute**  
Giống: Đức - Tuổi: 03 tháng  
8.900.000 VND




**MO231 - Pembroke Corgi**  
Giống: Đức - Tuổi: 02 tháng  
7.900.000 VND




**MO502 - Pembroke Corgi**  
Giống: Còi - Tuổi: 02 tháng  
9.000.000 VND



**MO231 - Pomeranian Trắng**  
Giống: Còi - Tuổi: 02 tháng  
6.500.000 VND




**MO512 - Poodle Tiny**  
Giống: Đức - Tuổi: 02 tháng  
5.000.000 VND



**MO502 - Poodle Tiny Vàng**  
Giống: Còi - Tuổi: 02 tháng  
3.900.000 VND



**MO512 - Alaskan Malamute**  
Giống: Đức - Tuổi: 03 tháng  
8.900.000 VND



**MO231 - Pembroke Corgi**  
Giống: Đức - Tuổi: 02 tháng  
7.900.000 VND



**MO502 - Pembroke Corgi**  
Giống: Còi - Tuổi: 02 tháng  
9.000.000 VND

←

1

2

3

4

...

28

→

**Dăng Ký Ngay Để Không Bỏ Lỡ Các Chương Trình Của Chúng Tôi**

**Dăng Ký Ngay**

[Trang Chủ](#)[Danh Mục](#)[Giới Thiệu](#)[Liên Hệ](#)



© 2025 SPets. All rights reserved.



[Điều khoản dịch vụ](#)[Chính sách bảo mật](#)

HCMUS | SE Dept.

25

### 5.2.8 Screen Pet Detail Information


[Trang Chủ](#)
[Tìm kiếm đơn hàng](#)
[Mèo](#)
[Chó](#)
[Giới thiệu](#)

[Admin Dashboard](#)




[Trang chủ](#) > [Chó](#) > [Chó con](#) > [Shiba Inu Màu Nâu Đỏ](#)

### Shiba Inu Màu Nâu Đỏ

12.000.000 VND

[Liên hệ](#)
[Chat với Monito](#)

|            |                                                                                                           |
|------------|-----------------------------------------------------------------------------------------------------------|
| SKU        | #1000078                                                                                                  |
| Giống      | Cái                                                                                                       |
| Tuổi       | 2 tháng                                                                                                   |
| Kích thước | Nhỏ                                                                                                       |
| Màu sắc    | Nâu đỏ                                                                                                    |
| Mô tả ngắn | Giống thuần chủng Shih Tzu. Cấu trúc cơ thể tốt. Với chứng chỉ MKA và Microchip. Cha từ dòng đôi vô địch. |

[Chia sẻ:](#)
[f](#)
[t](#)
[i](#)
[o](#)







Có gì mới?


**Xem Thêm Chó Con**



**MO231 - Pomeranian Trắng**

Giống: Đực • Tuổi: 02 tháng


**6.900.000 VND**



**MO502 - Poodle Tiny Vàng**

Giống: Cái • Tuổi: 02 tháng


**3.900.000 VND**



**MO102 - Poodle Tiny Sepia**

Giống: Đực • Tuổi: 02 tháng

**4.000.000 VND**



**MO512 - Alaskan Malamute**

Giống: Đực • Tuổi: 03 tháng

**8.900.000 VND**

**Đăng Ký Ngay Để Không Bỏ Lỡ Các Chương Trình Của Chúng Tôi**

[Đăng Ký Ngay](#)

[Trang Chủ](#)
[Danh Mục](#)
[Giới Thiệu](#)
[Liên Hệ](#)

[f](#)
[t](#)
[i](#)
[o](#)

© 2025 5Pets. All rights reserved.



Điều khoản dịch vụ Chính sách bảo mật

HCMUS | SE Dept.

26

### 5.2.9 Screen Cart Detail

**Giỏ Hàng**

Quay lại mua hàng

| Ảnh | Tên hàng             | Đơn vị | Số lượng | Giá            |
|-----|----------------------|--------|----------|----------------|
|     | Shiba Inu Màu Nâu Đỏ | Cm     | 1        | 1 x 10.000.000 |
|     | Poodle trắng         | Cm     | 1        | 1 x 10.000.000 |

Tổng tiền: 15.070.000 đ  
Giảm: -5.070.000 đ  
Thanh toán: 17.070.000 đ

**Thông Tin Khách Hàng**

Họ và tên:  Số điện thoại:

Địa chỉ:

**Chọn phương thức thanh toán**

☐ Thanh toán tiền mặt khi nhận hàng  
☐ Vị Hoàn  
☒ Chuyển khoản ngân hàng

**Thông tin chuyển khoản**

Ngân hàng: Vietcombank  
Tên tài khoản: Lê Văn A  
STK: 0123456789

**ĐẶT HÀNG**

**Đăng Ký Ngay Để Không Bỏ Lỡ Các Chương Trình Của Chúng Tôi**

Nhập email của bạn:  Đăng Ký Ngay

Trang Chủ | Danh Mục | Giới Thiệu | Liên Hệ

© 2025 SPets. All rights reserved. | Điều khoản dịch vụ | Chính sách bảo mật

#### Details of the Cart Page Format and Event Handling:

- The Cart Page displays a concise summary of the pets that have been added by the customer. Users can adjust the quantity of each item using the provided increment/decrement buttons.
- A field is available for customers to apply a discount code, which updates the total payment amount according to the discount applied.
- A “**Đặt hàng**” button is provided. When clicked, the system confirms the order and processes it, including sending an order confirmation email to the user and updating the order status in the system for tracking and future reference.

### 5.2.10 Screen Cart Detail

[Trang Chủ](#)[Tìm kiếm đơn hàng](#)[Mèo](#)[Chó](#)[Giới thiệu](#)[Admin Dashboard](#)

#### Tìm kiếm sản phẩm

Nhập email và số điện thoại để tìm kiếm

Email\*

Số điện thoại\*

[Tìm kiếm](#)

| <input type="checkbox"/> | Mã đơn hàng | Người mua | Ngày Mua   | Số điện thoại | Email            | Trạng Thái Đơn Hàng | Trạng Thái Thanh Toán |
|--------------------------|-------------|-----------|------------|---------------|------------------|---------------------|-----------------------|
| <input type="checkbox"/> | #0001       | Lê Văn A  | 17/11/2025 | 1234567890    | levana@gmail.com | Đang giao           | Đã thanh toán         |

< Trang 1 của 13 >

**Đăng Ký Ngay Để Không Bỏ Lỡ Các Chương Trình Của Chúng Tôi**

[Đăng Ký Ngay](#)


[Trang Chủ](#)[Danh Mục](#)[Giới Thiệu](#)[Liên Hệ](#)

© 2025 5Pets. All rights reserved.



[Điều khoản dịch vụ](#) [Chính sách bảo mật](#)


### 5.2.11 Screen Order Management



The screenshot displays the '5Pets' web application's 'Quản lý đơn hàng' (Order Management) page. The interface includes a top navigation bar with the 5Pets logo and a user profile 'Đăng báo Admin'. A left sidebar contains navigation links: 'Quản lý danh mục', 'Quản lý thú cưng', 'Quản lý admin', and a red 'Đăng xuất' (Logout) button. The main content area features a table with columns for order management. The table has a header row with checkboxes and labels for 'Mã đơn hàng', 'Người mua', 'Ngày Mua', 'Số điện thoại', 'Email', 'Trạng Thái Đơn Hàng', and 'Trạng Thái Thanh Toán'. Below the header, a single data row is visible for order #0001, purchased by Lê Văn A, dated 17/11/2025, with phone number 1234567890, email levana@gmail.com, status 'Đang giao', and payment status 'Đã thanh toán'. The table is followed by a large empty container. At the bottom, a pagination bar shows 'Trang 1 của 13' with navigation arrows.

| <input type="checkbox"/> | Mã đơn hàng | Người mua | Ngày Mua   | Số điện thoại | Email            | Trạng Thái Đơn Hàng | Trạng Thái Thanh Toán |
|--------------------------|-------------|-----------|------------|---------------|------------------|---------------------|-----------------------|
| <input type="checkbox"/> | #0001       | Lê Văn A  | 17/11/2025 | 1234567890    | levana@gmail.com | Đang giao           | Đã thanh toán         |

### 5.2.12 Screen Pet Management



#### Details of the Pet Management Page Format and Event Handling:

- The Pet Management Page includes a sidebar allowing navigation between the “Quản lý danh mục”, “Quản lý Admin”, and “Quản lý đơn hàng” pages.
- Selecting the logout option returns the user to the “Trang chủ”, similar to a regular customer view.
- A filter system is available to sort pets by creator and creation date, helping users identify recently added pets.
- A search box allows users to find specific pets currently in the system.
- Clicking the “Tạo mới” button navigates to the Create New Pet page, where a new pet can be added.
- Other management pages follow a similar format to this page, with a few additional functionalities specific to their purpose.

### 5.2.13 Screen Category Management



Đăng báo  
Admin

Quản lý danh mục

Quản lý thú cưng

Quản lý đơn hàng

Quản lý admin

Đăng xuất

Quản lý danh mục

Bộ lọc

--Người tạo--

-- Chọn theo khoảng ngày --

Xóa bộ lọc

-- Hành động --

Áp dụng

Tìm kiếm

+ Tạo mới

| <input type="checkbox"/> | Tên danh mục | Ảnh đại diện                                                                      | Tạo bởi                        | Cập nhật bởi                   | Hành động                         |
|--------------------------|--------------|-----------------------------------------------------------------------------------|--------------------------------|--------------------------------|-----------------------------------|
| <input type="checkbox"/> | Chó Golden   |  | Lê Văn A<br>16:30 - 20/10/2024 | Lê Văn A<br>16:30 - 20/10/2024 | <div><div></div><div></div></div> |

Trang 1 của 13

### 5.2.14 Screen Create Category

The screenshot shows the 'Tạo danh mục' (Create Category) screen. The header includes the '5Pets' logo and a user profile 'Đăng báo Admin'. The left sidebar contains navigation links: 'Quản lý danh mục', 'Quản lý thú cưng', 'Quản lý đơn hàng', 'Quản lý admin', and a red 'Đăng xuất' (Logout) button. The main form area has the title 'Tạo danh mục'. It contains two input fields: 'Tên danh mục' (Category Name) with the placeholder 'Danh mục 2...' and 'Danh mục cha' (Parent Category) with a dropdown menu showing '-- Chọn danh mục --'. Below these is a large text area with the instruction 'Kéo hình ảnh vào khu vực này để tải lên' (Drag image into this area to upload) and 'SVG, PNG, JPG or GIF (max 5MB)'. A 'Chọn ảnh' (Choose image) button with an upload icon is positioned below the text area. At the bottom, there is a blue 'Tạo mới' (Create) button and a blue link 'Quay lại danh sách' (Back to list).

### 5.2.15 Screen Create Pet

The screenshot shows the 'Tạo thú cưng' (Create Pet) screen. The header and sidebar are identical to the previous screen. The main form area has the title 'Tạo thú cưng'. It contains two input fields: 'Tên thú cưng' (Pet Name) with the placeholder 'Thú cưng 1...' and 'Danh mục' (Category) with a dropdown menu showing '-- Chọn danh mục --'. Below these is a large text area with the instruction 'Kéo hình ảnh vào khu vực này để tải lên' (Drag image into this area to upload) and 'SVG, PNG, JPG or GIF (max 5MB)'. A 'Chọn ảnh' (Choose image) button with an upload icon is positioned below the text area. Below the image upload section, there are four input fields: 'Tuổi' (Age) with the value '0', 'Giống' (Breed) with a dropdown menu showing 'Chọn giống', 'Giá' (Price) with the value '0', and 'Màu sắc' (Color) with the value 'Trắng'. Below these is a text area for 'Mô tả ngắn' (Short description) with the placeholder 'Thú cưng 1...'. At the bottom, there is a blue 'Tạo mới thú cưng' (Create new pet) button and a blue link 'Quay lại danh sách' (Back to list).