

Introduction to Software Engineering

Requirements Analysis

The student team is required to complete the Software Requirements Specification (SRS) document for the assigned course project, following the attached template.



Software Engineering Department
Faculty of Information and Technology
University of Science

Table of Contents

Objectives	1
1 Member Contribution Assessment	2
2 Problem Statement	3
2.1. Introduction	3
2.2. Operating Environment	3
2.2.1. Client Side (Frontend) Environment	3
2.2.2. Server Side (Backend) Environment	4
2.2.3. Database Environment	4
2.2.4. Cloud and Media Storage Environment	5
2.3. Design and Implementation Constraints	5
2.3.1 Programming Languages	5
2.3.2 Framework & Library Constraints	5
2.3.3 Database Constraints	6
2.3.4 Deployment & Cloud Constraints	6
2.3.5 Documentation Standards	6
2.3.6 Security Constraints	6
3 Requirements Overview	8
4 Requirements Analysis	11
5 Prototype/Mockup	22

Software Requirements Specification



Objectives

This document focus on the following topics:

- ✓ Complete the Software Requirements Specification (SRS) document with the following contents:
 - Elaborate on the Problem Statement
 - Overview of Requirements (Functional and Non-Functional), Stakeholders
 - Use Case Model
 - Use Case Specifications
 - Create Prototype and Mockup Diagrams of the System Interface
- ✓ Đọc hiểu tài liệu phân tích yêu cầu.

•

1 Member Contribution Assessment

ID	Name	Contribution (%)	Signature
23127004	Lê Nhật Khôi	100%	
23127158	Nguyễn Thanh Gia Bảo	100%	
2312765	Nguyễn Hải Đăng	100%	
23127181	Nguyễn Trần Quốc Duy	100%	
23127438	Đặng Trường Nguyên	100%	

2

Problem Statement

2.1. Introduction

The proposed software system is a modern web-based application designed to provide users with an efficient, intuitive, and seamless digital experience. The system aims to solve the need for a responsive and interactive platform that enables users to access services and data in real time, while ensuring reliability, scalability, and ease of use. The platform is developed with a strong focus on user experience (UX), performance, and maintainability.

This project integrates both frontend and backend technologies to deliver a full-stack solution suitable for deployment on cloud environments. The application is expected to support a diverse range of users, handle dynamic content, and ensure secure data storage and retrieval.

2.2. Operating Environment

2.2.1. Client Side (Frontend) Environment

The system's user interface runs entirely on modern web browsers that support HTML5, CSS3, and ES6 JavaScript. It is optimized for use:

- Google Chrome
- Mozilla Firefox
- Microsoft Edge
- Safari (latest versions)

The Frontend layer is built using:

- Next.js: A React-based framework offering server-side rendering (SSR), static site generation (SSG), and routing features, ensuring fast page loading and excellent SEO performance.
- Tailwind CSS: A utility-first CSS framework that simplifies styling and provides high responsiveness across devices.
- shadcn/ui: A component library to accelerate UI development, ensuring consistent design and reusable components.

Together, these tools provide a responsive, mobile-friendly, and visually cohesive user interface.

2.2.2. Server Side (Backend) Environment

The backend service is implemented using Flask (Python) and is executed within a controlled virtual environment using a `.env.bin` runtime setup, which encapsulates all Python dependencies and ensures consistent execution across development and deployment machines.

The backend environment includes:

- Python 3.10 or later, packaged inside a `.env.bin` virtual environment
- Flask microframework, handling routing, business logic, and RESTful APIs
- Environment encapsulation via `.env.bin`, ensuring reproducibility and dependency isolation
- Deployment supported on any hosting platform that can execute the `.env.bin` Python environment (e.g., local machine, containerized environment, or cloud platforms). In development, we use local machines for deployment.

This setup allows the backend to run independently of the system's global Python installation and guarantees stability across deployment targets.

2.2.3. Database Environment

To store and manage data, the system uses:

- MongoDB: A NoSQL document-oriented database that supports flexible schemas for unstructured and semi-structured data.
- Mongoose: An ODM (Object Data Modeling) library used on the backend to define schemas, handle data validation, and simplify interactions with MongoDB. Mongoose provides a structured and consistent way to manage collections, models, and queries.
- MongoDB Compass (DBMS tool): A graphical database management tool used to visualize collections, inspect documents, monitor database performance, and perform CRUD operations during development. It allows developers to interact with the database quickly without needing command-line queries.

The database is hosted on a cloud provider MongoDB Atlas, offering:

- Automatic backups
- High scalability
- High availability through distributed clusters
- Secure access control with role-based permissions and IP whitelisting

By integrating MongoDB with Mongoose, the system benefits from a dynamic data model while still maintaining predictable structures, enabling efficient development and easier long-term maintenance.

2.2.4. Cloud and Media Storage Environment

Media files such as images and videos are uploaded and stored using:

- Cloudinary: A cloud-based media management service that provides secure upload APIs for handling multimedia files.
 - Offers CDN delivery for fast global distribution
 - Provides automatic image optimization and transformation
 - Ensures high-performance content delivery
 - Protects media uploads through API keys and secure tokens

After a file is uploaded, Cloudinary returns a secure URL, and the system stores this URL inside the MongoDB database via Mongoose. This approach avoids storing large media files directly on the server and keeps database records lightweight by only referencing the file locations.

This setup reduces server load, prevents storage bottlenecks, and guarantees efficient, scalable handling of multimedia assets.

2.3. Design and Implementation Constraints

During development, several technical constraints and standards must be followed:

2.3.1 Programming Languages

- Frontend: JavaScript/TypeScript (Next.js), HTML5, CSS3
- Backend: Python (Flask)

2.3.2 Framework & Library Constraints

- The frontend must be developed using Next.js, leveraging its built-in routing system, server-side rendering (SSR), static site generation (SSG), and component-based architecture to ensure high performance and optimal user experience.
- Tailwind CSS must be applied as the primary styling framework, providing utility-first classes for consistent, maintainable, and responsive UI design.
- The project must utilize shadcn/ui as the main component library to ensure a cohesive design system, accelerate UI development, and maintain reusability across the application.
- The backend must be implemented using Flask exclusively. Heavier full-stack frameworks such as Django are not permitted to ensure the system remains lightweight, modular, and aligned with the project's intended scope and performance requirements.

2.3.3 Database Constraints

- The database must be MongoDB, stored in MongoDB Atlas, a cloud platform for sharing the database with other developers.
- Data schema stored as documents (JSON-like objects).
- Must ensure validation and indexing to guarantee performance.

2.3.4 Deployment & Cloud Constraints

- Media upload must use Cloudinary.
- API must follow REST standards.
- Application must be deployable on common cloud platforms such as Vercel (frontend) and Render (backend).

2.3.5 Documentation Standards

- Source code must adhere to clean code principles, including meaningful naming conventions, consistent formatting, modularization, and clear separation of concerns. This ensures readability, maintainability, and ease of future development.
 - Frontend architecture should follow a well-organized component structure. UI components must be clearly separated, reusable, and self-contained, enabling scalability and reducing duplication. Shared components, layouts, hooks, and utilities should be placed in dedicated directories following best practices for Next.js projects.
 - Backend architecture should follow an adapted MVC (Model-View-Controller) pattern. Although Flask does not strictly enforce MVC, the project organizes backend logic by separating:
 - Routes (handling HTTP endpoints)
 - Controllers (processing business logic)
 - Models (structured access to the MongoDB database via Mongoose)
- API endpoints documented using a structured README technical documentation
- The project should include system architecture diagrams and data flow diagrams.

2.3.6 Security Constraints

- Authentication tokens are stored securely using JWT (JSON Web Tokens) embedded in HttpOnly cookies, preventing client-side scripts from accessing authentication data and reducing exposure to XSS attacks.

- API keys and sensitive configuration values (e.g., MongoDB connection string, Cloudinary credentials) must be stored exclusively in environment variable files (.env). This ensures that secrets are never hardcoded in the source code and are not exposed through version control systems.
- CORS (Cross-Origin Resource Sharing) policies must be properly configured to allow controlled communication between the frontend (Next.js) and backend (Flask) applications. Only trusted domains are permitted, reducing the risk of unauthorized cross-origin requests. In development, the rule allows only `http://localhost:3000`, which is the domain of the local machine running Frontend. In the future, after the development process, we will add another rule for the Frontend domain after deploying it.

3

Requirements Overview

3.1 Stakeholders

STT	Stakeholder	Description
1	Seller/Admin	Manage the entire system: add/edit/delete pets and categories; manage orders; manage new admin accounts.
2	Buyer/Client	Clients access the website to view pets, search, add items to the cart, place orders, and track their orders.
3	Email Service	Send OTP and order notifications to customers.
4	Payment Gateway	Handle online payments, ensuring secure transactions.

3.2 Requirements

3.2.1. Functional Requirements Specification

Functional Requirements for Admin (Seller):

- **Authentication & Account Management**
 - Admin can register a new account.
 - Admin can log in using email and password.
 - Admin can request a password reset.
 - The system sends an OTP via email to verify the password reset.
 - Admin enters a valid OTP to create a new password.
 - Admin can log out of the system.
- **Category Management**
 - Admin can create a new category.
 - The system displays a list of all categories.
 - Admin can filter categories.
 - Admin can delete a category.

- Admin can delete multiple categories at once.
- Admin can edit a category.
- **Pet Management**
 - Admin can create a new pet with details: name, breed, age, gender, price, category, description, image.
 - The system displays the list of pets.
 - Admin filter pets.
 - Admin can delete a pet.
 - Admin can delete multiple pets at once.
 - Admin can edit a pet.
- **Admin Approval**
 - Current admins can approve newly registered admin accounts.
 - The system displays a list of all admins (approved or pending approval).
- **Order Management**
 - The system displays a list of orders.
 - Admin can update order status.
 - Admin can view order details.

Functional Requirements for Client (Buyer):

- **Product Browsing**
 - Users can view the list of pets by category.
 - Users can view detailed information of a pet (images, price, description, features, condition, etc.).
- **Searching & Filtering**
 - Users can search for pets by name or category.
 - Users can filter pets.
- **Shopping Cart**
 - Users can add pets to the shopping cart.
 - Users can view the entire shopping cart.
 - Users can update the quantity of pets in the shopping cart.
 - Users can remove pets from the shopping cart.
- **Checkout & Payment**
 - Users can pay for all items in the shopping cart.
 - The system supports payment via VNPay, MoMo, and ZaloPay.

- The system records the order and sends a notification to the customer.
- **Order Tracking**
 - Users can view the list of their placed orders.
 - Users can view detailed information of each order.

3.2.2. *Non-Functional Requirements Specification*

- **Performance Requirements**
 - The main pages (home page, product page, shopping cart) must load within ≤ 5 seconds on an average computer configuration.
 - The system must run stably when at least 10 users are using it concurrently in the demo environment.
- **Security Requirements**
 - User passwords must be encrypted before storing in the database.
 - The system must validate and block abnormal input fields to reduce the risk of SQL Injection.
- **Reliability Requirements**
 - The system must not crash when performing basic operations (adding to cart, logging in, viewing products).
 - Data must be safely stored in the database.
- **Usability Requirements**
 - The interface must be easy to understand and operate for general users.
 - Colors and layout must be clear and suitable for an e-commerce website.
- **Maintainability Requirements**
 - Code must be organized in a clear directory structure (Models, Views, Controllers, or equivalent).
 - Basic comments must be provided to improve readability and maintainability.

4

Requirements Analysis

4.1 Use Case model

Here is the link to our team Use case diagram:

https://drive.google.com/file/d/1vxY-AAzrdzOwqxDldj1le0xMNiDRTL_K/view

4.2 Use Case Specification

4.2.1. Use Case 1

Use case ID	U001
Use Case	Register
Brief Description	Admin creates a new account.
Actor	Admin
Pre-Condition	None
Result	Admin account is created.
Main Scenario	Admin fills registration form -> submits -> system confirms success
Alternative Scenarios	Invalid input information -> system shows error.
Non-Functional Constraints	None

4.2.2. Use Case 2

Use case ID	U002
Use Case	Login
Brief Description	Admin logs into the system.
Actor	Admin
Pre-Condition	Admin has an approved account.
Result	Admin gains access to the system.
Main Scenario	Admin enters credentials -> system validates -> access granted.
Alternative Scenarios	Invalid input information -> system shows error.
Non-Functional Constraints	Encrypted credentials

4.2.3. Use Case 3

Use case ID	U003
Use Case	Log out
Brief Description	Admin logs out of the system.
Actor	Admin
Pre-Condition	Admin is logged in.
Result	Session ends.
Main Scenario	Admin clicks "Log out" -> system ends session.
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.4. Use Case 4

Use case ID	U004
Use Case	Reset Password
Brief Description	Admin resets account password.
Actor	Admin
Pre-Condition	Admin account exists.
Result	Password is updated.
Main Scenario	Admin requests reset -> system sends email -> Admin sets new password -> system confirms.
Alternative Scenarios	Email not registered -> error message.
Non-Functional Constraints	None

4.2.5. Use Case 5

Use case ID	U005
Use Case	Verify OTP sent from email
Brief Description	Admin verifies OTP sent from email to confirm reset password.
Actor	Admin
Pre-Condition	OTP sent to admin's email.
Result	OTP verification succeeds.
Main Scenario	Admin enters OTP -> system validates -> verification success.
Alternative Scenarios	Wrong OTP -> error message.
Non-Functional Constraints	OTP valid $\leq$ 5 min

4.2.6. Use Case 6

Use case ID	U006
Use Case	Create Category
Brief Description	Admin adds a new category to the system
Actor	Admin
Pre-Condition	Admin is logged in
Result	Category is added
Main Scenario	Admin fills category info -> submits -> system confirms success
Alternative Scenarios	Duplicate category -> error message
Non-Functional Constraints	Data accuracy

4.2.7. Use Case 7

Use case ID	U007
Use Case	Display Category List
Brief Description	Admin views all categories
Actor	Admin
Pre-Condition	Admin is logged in
Result	List of categories is displayed
Main Scenario	Admin opens category management -> system shows all categories
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.8. Use Case 8

Use case ID	U008
Use Case	Filter Categories
Brief Description	Admin filters categories by an attribute.
Actor	Admin
Pre-Condition	Admin is logged in and the attribute is available in the system
Result	Filtered category list is displayed
Main Scenario	Admin selects filter -> system displays matching categories.
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.9. Use Case 9

Use case ID	U009
Use Case	Delete Category
Brief Description	Admin deletes a single category from the system
Actor	Admin
Pre-Condition	Admin is logged in; selected category exists.
Result	Category is removed
Main Scenario	Admin selects category -> clicks "Delete" -> confirms -> system removes category.
Alternative Scenarios	Admin cancels -> category remains
Non-Functional Constraints	None

4.2.10. Use Case 10

Use case ID	U010
Use Case	Delete Multiple Categories
Brief Description	Admin deletes multiple categories at once
Actor	Admin
Pre-Condition	Admin is logged in; selected categories exist
Result	Selected categories are removed
Main Scenario	Admin selects multiple categories -> clicks "Delete" -> confirms -> system removes categories.
Alternative Scenarios	Admin cancels -> no categories deleted
Non-Functional Constraints	None

4.2.11. Use Case 11

Use case ID	U011
Use Case	Edit Category
Brief Description	Admin edits category information.
Actor	Admin
Pre-Condition	Admin is logged in; category exists
Result	Category updated
Main Scenario	Admin selects category -> edits info -> submits -> system confirm
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.12. Use Case 12

Use case ID	U012
Use Case	Create Pet
Brief Description	Admin adds a new pet to the system.
Actor	Admin
Pre-Condition	Admin is logged in
Result	Pet added
Main Scenario	Admin fills pet info -> submits -> system confirms success
Alternative Scenarios	None
Non-Functional Constraints	Data accuracy

4.2.13. Use Case 13

Use case ID	U013
Use Case	Filter Pets
Brief Description	Filter pets by category, name, or attributes.
Actor	Admin, Client
Pre-Condition	Pets exist in the system
Result	Filtered pet list displayed.
Main Scenario	Admin/Client selects filter -> system displays matching pets
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.14. Use Case 14

Use case ID	U014
Use Case	Delete Pet
Brief Description	Admin deletes a single pet.
Actor	Admin
Pre-Condition	Admin is logged in; selected pet exists
Result	Pet is removed
Main Scenario	Admin selects pet -> deletes -> confirms -> system removes pet.
Alternative Scenarios	Admin cancel -> pet remains
Non-Functional Constraints	None

4.2.15. Use Case 15

Use case ID	U015
Use Case	Delete Multiple Pets
Brief Description	Admin deletes multiple pets at once
Actor	Admin
Pre-Condition	Admin is logged in; selected pets exist
Result	Selected pets are removed
Main Scenario	Admin selects multiple pets -> deletes -> confirms -> system removes pets
Alternative Scenarios	Admin cancel -> no deletion
Non-Functional Constraints	None

4.2.16. Use Case 16

Use case ID	U016
Use Case	Edit Pet
Brief Description	Admin updates pet information
Actor	Admin
Pre-Condition	Admin is logged in; selected pets exist
Result	Pet's information is updated.
Main Scenario	Admin selects pet -> edits info -> submits -> system confirms
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.17. Use Case 17

Use case ID	U017
Use Case	Approve Newly Registered Admin Accounts
Brief Description	Admin approves new admin accounts
Actor	Admin
Pre-Condition	Admin is logged in; a new admin account exists.
Result	New admin account activated
Main Scenario	Admin selects pending account -> approves -> system activates account
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.18. Use Case 18

Use case ID	U018
Use Case	Display Admin List
Brief Description	Admin views all admin accounts (include unactivated and activated admin accounts)
Actor	Admin
Pre-Condition	Admin is logged in; a new admin account exists.
Result	New admin account activated
Main Scenario	Admin selects admin management -> system shows all admins (include unactivated and activated admin accounts)
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.19. Use Case 19

Use case ID	U019
Use Case	Display Order List
Brief Description	Admin views all customer orders
Actor	Admin
Pre-Condition	Admin is logged in; orders exist.
Result	Order list displayed
Main Scenario	Admin opens orders management -> system shows order list.
Alternative Scenarios	None

Non-Functional Constraints	None
----------------------------	------

4.2.20. Use Case 20

Use case ID	U020
Use Case	Update Order Status
Brief Description	Admin updates the status of an order
Actor	Admin
Pre-Condition	Admin is logged in; orders exist.
Result	Order status updated
Main Scenario	Admin selects order -> updates status -> system confirms
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.21. Use Case 21

Use case ID	U021
Use Case	Search Pets
Brief Description	Client searches pets by name
Actor	Client
Pre-Condition	Client has an active session; pets exist in the system
Result	Search results displayed
Main Scenario	Client enters keyword -> system shows matching pets
Alternative Scenarios	No matching results -> show no pets

Non-Functional Constraints	None
----------------------------	------

4.2.22. Use Case 22

Use case ID	U022
Use Case	Add Pet to Cart
Brief Description	Client adds a selected pet to the shopping cart
Actor	Client
Pre-Condition	Client has an active session; pet exists
Result	Pet is added to cart
Main Scenario	Client clicks "Add to Cart" -> system confirms success
Alternative Scenarios	Out of stock -> show error
Non-Functional Constraints	None

4.2.23. Use Case 23

Use case ID	U023
Use Case	View Cart
Brief Description	Client views items currently in their cart
Actor	Client
Pre-Condition	Client has an active session
Result	Cart contents displayed
Main Scenario	Client opens cart -> system displays all items
Alternative Scenarios	Cart empty -> show empty cart

Non-Functional Constraints	None
----------------------------	------

4.2.24. Use Case 24

Use case ID	U024
Use Case	Update Pet Quantity in Cart
Brief Description	Client increases or decreases pet quantity in the cart
Actor	Client
Pre-Condition	Client has an active session; cart contains the selected pet
Result	Updated cart displayed
Main Scenario	Client updates quantity -> system recalculates total
Alternative Scenarios	Exceed available stock -> show error
Non-Functional Constraints	None

4.2.25. Use Case 25

Use case ID	U025
Use Case	Remove Pet from Cart
Brief Description	Client removes a pet from the shopping cart
Actor	Client
Pre-Condition	Client has an active session; pet exists in the cart
Result	Pet is removed from cart
Main Scenario	Client selects pet in cart -> clicks "Remove" -> system updates cart.
Alternative Scenarios	None

Non-Functional Constraints	None
----------------------------	------

4.2.26. Use Case 26

Use case ID	U026
Use Case	Checkout
Brief Description	Client proceeds to purchase pets in the cart
Actor	Client
Pre-Condition	Client has an active session; cart is not empty
Result	Order created successfully
Main Scenario	Client confirms checkout -> system processes payment -> creates order -> shows success
Alternative Scenarios	Payment fails -> show failed transaction message
Non-Functional Constraints	Secure transaction

4.2.27. Use Case 27

Use case ID	U027
Use Case	View Pet Details
Brief Description	View detailed information of a selected pet
Actor	Admin, Client
Pre-Condition	The pet exists in the system
Result	Pet details displayed
Main Scenario	Selects a pet -> system loads detailed information
Alternative Scenarios	None

Non-Functional Constraints	Secure transaction
----------------------------	--------------------

4.2.28. Use Case 28

Use case ID	U028
Use Case	Display Pet List
Brief Description	View the list of pets
Actor	Admin, Client
Pre-Condition	Pets exists in the system
Result	Pet list displayed
Main Scenario	Open home page -> system displays all pets.
Alternative Scenarios	None
Non-Functional Constraints	None

4.2.29. Use Case 29

Use case ID	U029
Use Case	View Order Details
Brief Description	View the detailed information of an order
Actor	Admin, Client
Pre-Condition	Order exists
Result	Pet list displayed
Main Scenario	Admin: selects an order -> system loads detailed information Client: system loads the detailed information of the client's order

Alternative Scenarios	None
Non-Functional Constraints	None

5

Prototype/Mockup

Register Page:

[← Quay lại trang chủ](#)

Đăng ký

Nhập họ tên, email và mật khẩu để đăng ký

Họ tên*

Email*


Mật khẩu*

☐ Đồng ý với chính sách điều khoản

[Đăng ký](#)

[Đã có tài khoản? Đăng nhập](#)

© 2025 SPets. All Rights reserved



Login Page:

[← Quay lại trang chủ](#)

Đăng nhập

Nhập email và mật khẩu để đăng nhập

Email*


Mật khẩu*

☐ Ghi nhớ đăng nhập [Quên mật khẩu?](#)

Đăng nhập

Chưa có tài khoản? [Đăng ký](#)

© 2025 SPets. All Rights reserved



Reset Password Page:

[← Quay lại trang chủ](#)

Đổi mật khẩu

Nhập mật khẩu và xác nhận mật khẩu để tiếp tục


Mật khẩu*

Xác nhận mật khẩu*

Đổi mật khẩu

[Chưa có tài khoản? Đăng ký](#)

© 2025 SPets. All Rights reserved



Verify OTP page:

[← Quay lại trang chủ](#)

Xác thực OTP


Nhập OTP được gửi đến email để tiếp tục

—

Đổi mật khẩu

Đã có tài khoản? [Đăng nhập](#)

© 2025 SPets. All Rights reserved



Forgot password page:

[← Quay lại trang chủ](#)

Quên mật khẩu


Nhập email để tiếp tục

Email*

[Đổi mật khẩu](#)

[Chưa có tài khoản? Đăng ký](#)

© 2025 SPets. All Rights reserved



Home page:

SPeets

Trang Chủ Mèo Chó Giới thiệu [Admin Dashboard](#)

Thêm Một Bạn Thêm Ngàn Niềm Vui!

Có một con thú cưng đồng nghĩa với việc bạn có thêm niềm vui mới. Chúng tôi có hơn 200 con thú cưng khác nhau có thể đáp ứng nhu cầu của bạn!

[Giới Thiệu](#) [Khám Phá Ngay](#)

Có gì mới? Một Số Vật Nuôi Của Chúng Tôi

[Xem thêm](#)

Ảnh	Tên	Giống	Đặc điểm	Giá
	MO231 - Pomeranian Trắng	Giống Búp	Tuổi: 02 tháng	4.900.000 VND
	MO502 - Poodle Tiny Vàng	Giống Búp	Tuổi: 02 tháng	3.900.000 VND
	MO102 - Poodle Tiny Sepia	Giống Búp	Tuổi: 02 tháng	4.000.000 VND
	MO512 - Alaskan Malamute	Giống Búp	Tuổi: 02 tháng	8.900.000 VND
	MO231 - Pembroke Corgi	Giống Búp	Tuổi: 02 tháng	7.900.000 VND
	MO502 - Pembroke Corgi	Giống Búp	Tuổi: 02 tháng	9.000.000 VND
	MO231 - Pomeranian Trắng	Giống Búp	Tuổi: 02 tháng	6.500.000 VND
	MO512 - Poodle Tiny	Giống Búp	Tuổi: 02 tháng	5.000.000 VND

Thêm Một Bạn Thêm Ngàn Niềm Vui!

Có một con thú cưng đồng nghĩa với việc bạn có thêm niềm vui mới. Chúng tôi có hơn 200 con thú cưng khác nhau có thể đáp ứng nhu cầu của bạn!

[Giới Thiệu](#) [Khám Phá Ngay](#)

Có thể bạn đã biết? Kiến Thức Thú Cưng Hữu Ích

[Xem thêm](#)

- Pomeranian là gì? Cách nhận biết chó Pomeranian**
Pomeranian hay còn gọi là chó Pomeranian (chó Pomi) luôn nằm trong top những thú cưng dễ thương nhất, không chỉ vậy, giống chó này còn rất nh...
- Chế độ ăn cho chó bạn cần biết**
Việc cho chó ăn là một điều cần thiết để đảm bảo sức khỏe cho thú cưng của bạn. Tuy nhiên, không ít người lại mắc sai lầm khi cho chó ăn những thức ăn không phù hợp, dẫn đến những vấn đề về sức khỏe cho thú cưng.
- Tại sao chó cần phải được vận động và cách phòng ngừa hiệu quả**
Chó cần là hiện tượng phổ biến trong quá trình phát triển. Tuy nhiên, không ít người lại mắc sai lầm khi cho chó vận động quá mức, dẫn đến những vấn đề về sức khỏe cho thú cưng.


Đăng Ký Ngay Để Không Bỏ Lỡ Các Chương Trình Của Chúng Tôi

[Đăng Ký Ngay](#)

Trang Chủ Danh Mục Giới Thiệu Liên Hệ

© 2025 SPeets. All rights reserved. **SPeets** Điều khoản dịch vụ Chính sách bảo mật

List of Products page:



Pet detail information page:


[Trang Chủ](#)
[Mèo](#)
[Chó](#)
[Giới thiệu](#)

[Admin Dashboard](#)



[Trang chủ](#) > [Chó](#) > [Chó con](#) > [Shiba Inu Màu Nâu Đỏ](#)

Shiba Inu Màu Nâu Đỏ

12.000.000 VND

[Liên hệ](#)
[Chat với Monito](#)

SKU	#1000078
Giống	Cái
Tuổi	2 tháng
Kích thước	Nhỏ
Màu sắc	Nâu đỏ
Mô tả ngắn	Giống thuần chủng Shih Tzu. Cấu trúc cơ thể tốt. Với chứng chỉ MKA và Microchip. Cha từ dòng dõi vô địch.


Chia sẻ: [Facebook](#) [Twitter](#) [Instagram](#) [YouTube](#)

Có gì mới?


Xem Thêm Chó Con




MO231 - Pomeranian Trắng
Giống: Đực · Tuổi: 02 tháng
6.900.000 VND



MO502 - Poodle Tiny Vàng
Giống: Cái · Tuổi: 02 tháng
3.900.000 VND



MO102 - Poodle Tiny Sepia
Giống: Đực · Tuổi: 02 tháng
4.000.000 VND



MO512 - Alaskan Malamute
Giống: Đực · Tuổi: 03 tháng
8.900.000 VND

Đăng Ký Ngay Để Không Bỏ Lỡ Các Chương Trình Của Chúng Tôi

[Đăng Ký Ngay](#)

[Trang Chủ](#)
[Danh Mục](#)
[Giới Thiệu](#)
[Liên Hệ](#)

[Facebook](#)
[Twitter](#)
[Instagram](#)
[YouTube](#)

© 2025 5Pets. All rights reserved.



Điều khoản dịch vụ Chính sách bảo mật

Cart detail information page:

SPets

Trang Chủ

Mèo

Chó

Giới thiệu

Nhập từ khóa...

Admin Dashboard

Giỏ Hàng

Quay lại mua hàng >

X

✓

Shiba Inu Màu Nâu Đỏ

Giống: Cái

Tuổi: 2 tháng

Màu sắc: Nâu đỏ

Còn: 11 x 10.000.000

X

✓

Poodle trắng

Giống: Cái

Tuổi: 2 tháng

Màu sắc: Trắng

Còn: 11 x 10.000.000

SPets

Dùng Mã

Tổng tiền:

15.070.000 đ

Giảm:

-5.070.000 đ

Thanh toán:

17.070.000 đ

Thông Tin Khách Hàng

Họ và tên

Số điện thoại

Ghi chú

Chọn phương thức thanh toán

☐ Thanh toán tiền mặt khi nhận hàng

☐ Ví MoMo

☒ Chuyển khoản ngân hàng

Thông tin chuyển khoản

Ngân hàng : Vietcombank

Tên tài khoản: Le Van A

STK: 0123456789

ĐẶT TOUR

Đăng Ký Ngay Để Không Bỏ Lỡ Các Chương Trình Của Chúng Tôi

Nhập email của bạn...

Đăng Ký Ngay

Trang Chủ

Danh Mục

Giới Thiệu

Liên Hệ

f

t

i

y

© 2025 SPets. All rights reserved.


SPets

Điều khoản dịch vụ

Chính sách bảo mật

Admin dashboard:

Category management page:



The screenshot displays the '5Pets' Admin Dashboard, specifically the 'Quản lý danh mục' (Category Management) page. The interface is in Vietnamese. On the left is a sidebar with navigation links: 'Quản lý danh mục' (selected), 'Quản lý thú cưng' (Manage Pets), 'Quản lý đơn hàng' (Manage Orders), and 'Quản lý admin' (Manage Admins), along with a 'Đăng xuất' (Logout) button. The main content area is titled 'Quản lý danh mục' and includes a filter section with 'Bộ lọc' (Filter), '--Người tạo--' (Created by), '-- Chọn theo khoảng ngày --' (Select by date range), and 'Xóa bộ lọc' (Clear filter). Below this is a table with columns: 'Tên danh mục' (Category Name), 'Ảnh đại diện' (Avatar), 'Tạo bởi' (Created by), 'Cập nhật bởi' (Updated by), and 'Hành động' (Actions). The table contains one entry: 'Chó Golden' with an image of two golden retrievers, created and updated by 'Lê Văn A' on '16:30 - 20/10/2024'. The 'Hành động' column for this entry has icons for edit and delete. At the bottom of the main area is a search bar with 'Tìm kiếm' (Search) and a '+ Tạo mới' (Create new) button. The footer shows 'Trang 1 của 13' (Page 1 of 13).

5Pets Đăng báo Admin

Quản lý danh mục

Bộ lọc --Người tạo-- -- Chọn theo khoảng ngày -- Xóa bộ lọc

-- Hành động -- Áp dụng Tìm kiếm + Tạo mới

☐	Tên danh mục	Ảnh đại diện	Tạo bởi	Cập nhật bởi	Hành động
☐	Chó Golden		Lê Văn A 16:30 - 20/10/2024	Lê Văn A 16:30 - 20/10/2024	 

Trang 1 của 13

Create category page:



Đăng báo
Admin

Quản lý danh mục

Quản lý thú cưng

Quản lý đơn hàng

Quản lý admin

Đăng xuất

Tạo danh mục

Tên danh mục

Danh mục cha

Danh mục 2...

-- Chọn danh mục --

Kéo hình ảnh vào khu vực này để tải lên

SVG, PNG, JPG or GIF (max 5MB)

Chọn ảnh

Tạo mới

[Quay lại danh sách](#)

Edit category page:



 Đăng báo
Admin

 Quản lý danh mục

 Quản lý thú cưng

 Quản lý đơn hàng

 Quản lý admin

 Đăng xuất

Chỉnh sửa danh mục

Tên danh mục

Danh mục 2...

Danh mục cha

-- Chọn danh mục --

File đã upload (1):



Chỉnh sửa danh mục

[Quay lại danh sách](#)

Pet management page:

5Pets Đăng báo Admin

Quản lý thú cưng

Bộ lọc --Người tạo-- -- Chọn theo khoảng ngày -- -- Danh mục -- Xóa bộ lọc

-- Hành động -- Áp dụng Tìm kiếm + Tạo mới Import file JSON/CSV

☐	Tên danh mục	Ảnh đại diện	Tuổi	Giống	Giá	Tạo bởi	Cập nhật bởi	Hành động
☐	Chó Golden		2 tháng tuổi	Cái	9.000.000	Lê Văn A 16:30 - 20/10/2024	Lê Văn A 16:30 - 20/10/2024	
☐	Chó Golden		5 tháng tuổi	Đực	7.200.000	Lê Văn A 16:30 - 20/10/2024	Lê Văn A 16:30 - 20/10/2024	
☐	Chó Golden		3 tháng tuổi	Đực	9.900.000	Lê Văn A 16:30 - 20/10/2024	Lê Văn A 16:30 - 20/10/2024	

Trang 1 của 13

Create and edit pet page:



Đăng báo
Admin

Quản lý danh mục

Quản lý thú cưng

Quản lý đơn hàng

Quản lý admin

Đăng xuất

Tạo thú cưng

Tên thú cưng

Danh mục

Thú cưng 1.....

-- Chọn danh mục --

Kéo hình ảnh vào khu vực này để tải lên

SVG, PNG, JPG or GIF (max 5MB)

Chọn ảnh

Tuổi

Giống

Giá

Màu sắc

0

Chọn giống

0

Trắng


Mô tả ngắn

Thú cưng 1.....

Tạo mới thú cưng

[Quay lại danh sách](#)

Admin management page:



The screenshot shows the 'Quản lý admin' (Admin Management) page of the 5Pets application. The page has a light blue header with the 5Pets logo on the left and a user profile 'Đăng báo Admin' on the right. A sidebar on the left contains navigation links: 'Quản lý danh mục', 'Quản lý thú cưng', 'Quản lý đơn hàng', and a red 'Đăng xuất' (Logout) button. The main content area is titled 'Quản lý admin' and contains two sections: 'Danh sách tài khoản chờ duyệt' (Pending Account List) and 'Danh sách tài khoản' (Account List). The 'Danh sách tài khoản chờ duyệt' section has a table with columns 'Tên người dùng' (Username), 'Email', and 'Duyệt tài khoản' (Approve Account). It lists one user, 'Nguyễn Thanh Gia Bảo' with email 'giabao.150905@gmail.com', who has a green checkmark in the 'Duyệt tài khoản' column. The 'Danh sách tài khoản' section has a table with columns 'Tên người dùng' (Username), 'Email', 'Tạo lúc' (Created at), 'Cập nhật lúc' (Updated at), and 'Người duyệt' (Approver). It lists one user, 'Nguyễn Hải Đăng' with email 'nguyenhaidang@gmail.com'.

Quản lý admin

Danh sách tài khoản chờ duyệt

Tên người dùng	Email	Duyệt tài khoản
Nguyễn Thanh Gia Bảo	giabao.150905@gmail.com	✓

Danh sách tài khoản

Tên người dùng	Email	Tạo lúc	Cập nhật lúc	Người duyệt
Nguyễn Hải Đăng	nguyenhaidang@gmail.com			

Order management page:

5Pets

Đăng báo
Admin

Quản lý danh mục
Quản lý thú cưng
Quản lý admin
Đăng xuất

Quản lý đơn hàng

☐	Mã đơn hàng	Người mua	Ngày Mua	Số điện thoại	Email	Trạng Thái Đơn Hàng	Trạng Thái Thanh Toán
☐	#0001	Lê Văn A	17/11/2025	1234567890	levana@gmail.com	Đang giao	Đã thanh toán

< Trang 1 của 13 >

Our team Figma link:

<https://www.figma.com/design/vu1rQiw6u5jchjtvALZ7xC/IntroSE-UI-Design?node-id=0-1&t=AyDeT8U5z43EGly2-1>

References:

Pets Shop template:

<https://www.figma.com/design/7lGoJ4KVA7ARroT2tXdkDE/Project-1--2---Website-B%C3%A1n-Th%C3%BA-C%C6%B0ng?node-id=43-595&t=BohWnv9j3leAtH7T-1>

Admin Login/Register/Reset Password/Forgot Password/Verify OTP:

<https://www.figma.com/design/KhaplfCU929uJUEUbS5OKn/Horizon-UI---Trendiest-Open-Source-Admin-Template-Dashboard--Community-?node-id=1-18052&t=iTtVIC5WHeYfSQOM-1>

AdminDashboard:

<https://www.figma.com/design/lghkP01pWZz4gqQWac7uzS/Project-2?node-id=9-2&t=gnbF4H0m4D6cPa7k-1>