



HTML

CSS

MORE ▼



HTML Quotation and Citation Elements

[< Previous](#)[Next >](#)

Quotation

Here is a quote from WWF's website:

For nearly 60 years, WWF has been protecting the future of nature. The world's leading conservation organization, WWF works in 100 countries and is supported by more than one million members in the United States and close to five million globally.

[Try it Yourself >>](#)

HTML `<q>` for Short Quotations

The HTML `<q>` element defines a short quotation.

Browsers usually insert quotation marks around the `<q>` element.

Example

```
<p>WWF's goal is to: <q>Build a future where people live in harmony with nature.</q></p>
```

Try it Yourself »

HTML <blockquote> for Quotations

The HTML `<blockquote>` element defines a section that is quoted from another source.

Browsers usually indent `<blockquote>` elements.

Example

```
<p>Here is a quote from WWF's website:</p>
<blockquote cite="http://www.worldwildlife.org/who/index.html">
  For 50 years, WWF has been protecting the future of nature.
  The world's leading conservation organization,
  WWF works in 100 countries and is supported by
  1.2 million members in the United States and
  close to 5 million globally.
</blockquote>
```

Try it Yourself »



HTML <abbr> for Abbreviations

The HTML `<abbr>` element defines an abbreviation or an acronym.

Marking abbreviations can give useful information to browsers, translation systems and search-engines.

Example

```
<p>The <abbr title="World Health Organization">WHO</abbr> was founded in 1948.  
</p>
```

Try it Yourself »

HTML <address> for Contact Information

The HTML `<address>` element defines contact information (author/owner) of a document or an article.

The `<address>` element is usually displayed in italic. Most browsers will add a line break before and after the element.

Example

```
<address>  
Written by John Doe.<br>  
Visit us at:<br>  
Example.com<br>  
Box 564, Disneyland<br>  
USA  
</address>
```

Try it Yourself »

HTML <cite> for Work Title

The HTML `<cite>` element defines the title of a work.

Browsers usually display `<cite>` elements in italic.

Example

```
<p><cite>The Scream</cite> by Edvard Munch. Painted in 1893.</p>
```

Try it Yourself »

HTML <bdo> for Bi-Directional Override

The HTML `<bdo>` element defines bi-directional override.

The `<bdo>` element is used to override the current text direction:

Example

```
<bdo dir="rtl">This text will be written from right to left</bdo>
```

Try it Yourself »

HTML Exercises

Test Yourself With Exercises

Exercise:

Use an HTML element to add quotation marks around the letters "cool".

```
<p>  
I am so    cool    .  
</p>
```

[Submit Answer »](#)

[Start the Exercise](#)

HTML Quotation and Citation Elements

Tag	Description
<u><abbr></u>	Defines an abbreviation or acronym
<u><address></u>	Defines contact information for the author/owner of a document
<u><bdo></u>	Defines the text direction
<u><blockquote></u>	Defines a section that is quoted from another source
<u><cite></u>	Defines the title of a work
<u><q></u>	Defines a short inline quotation

For a complete list of all available HTML tags, visit our [HTML Tag Reference](#).

[◀ Previous](#)

[Next ▶](#)

COLOR PICKER



HOW TO

- Tabs
- Dropdowns

Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List



SHARE




CERTIFICATES

HTML
CSS
JavaScript
SQL
Python
PHP
jQuery
Bootstrap
XML

[Read More »](#)





[REPORT ERROR](#)

[PRINT PAGE](#)

[FORUM](#)

[ABOUT](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)

[HTML Colors](#)
[jQuery Reference](#)
[Java Reference](#)
[Angular Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Java Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

