


NGUYỄN THANH THẢO - 068 306 000 130


Bài tập : Kiểm tra tính xung đột

4, S : $r_2(B) \ w_2(A) \ r_1(A) \ r_3(A) \ w_1(B) \ w_2(B) \ w_3(B)$




$\Rightarrow S$ không có conflict - serializable

5, S : $w_1(X) \ w_2(Y) \ w_2(X) \ w_1(X) \ w_3(X)$



$\Rightarrow S$ không có conflict - serializable

6, S : $r_2(A) \ r_1(B) \ w_2(A) \ r_3(A) \ w_1(B) \ r_2(B) \ w_2(B)$




$\Rightarrow S$ có conflict - serializable theo thứ tự :

$T_1 \rightarrow T_2 \rightarrow T_3$


Bài tập : Kiểm tra từ View

1, S: $r_2(B)$ $w_2(A)$ $r_1(A)$ $r_3(A)$ $w_1(B)$ $w_2(B)$ $w_3(B)$
 $G(S_1)$.



$\Rightarrow$ S có view-serializable theo thứ tự
 $T_2 \rightarrow T_1 \rightarrow T_3$

2, S: $w_1(A)$ $r_3(A)$ $r_2(A)$ $w_2(A)$ $r_1(A)$ $w_3(A)$
 $G(S_2)$.



$\Rightarrow$ S không có view-serializable