ENTERPRISE PRODUCE AGGREGATION SYSTEM

FARMGATE

THE ALL IN ONE AGGREGATION TOOL

An accountable, offline-first agricultural produce aggregation, quality assurance, chain-of-custody logistics, and automated direct financial clearinghouse designed for SCL Kasuwan Juriya 2026.

✓ Scale Snapshot OCR | ✓ Macro Grain Vision QA | ✓ Cadastral Quota Radar | ✓ Direct MFB Payout API

⚡ 0s Reconciliation • 🔒 SHA-256 Idempotency • 🌾 Export Grade A Vision • 📱 100% Offline Autonomy • 🏦 Direct MFB Webhook

📷 Scale Snapshot OCR ↗

On-device vision extracts scale LCD display, cross-referencing operator entries to permanently eliminate weight forgery.

EVIDENTIARY

🌾 AI Produce Inspector ↗

Computer vision grain analysis grades moisture, foreign matter, and broken kernels directly on the tarpaulin.

ADVISORY QA

📡 Cadastral Quota Radar ↗

Automated flags on excess yields (>500 kg/Ha) and contracted crop substitution (e.g. Maize vs Cassava) halt unauthorized payouts.

ACTUARIAL

⚡ Direct MFB Payout ↗

Direct batch API push to Koboweb MFB ledger with SHA-256 idempotency. Zero Excel spreadsheets and zero duplicate payments.

FINTECH CLEARING

EXECUTIVE STRATEGIC ALIGNMENT

From Produce Collection to Accountable Clearinghouse

FARMGATE
System Paradigm Shift

Physical Bag Accountability

Every harvested bag receives a persistent cryptographic UUID bound to a tamper-evident QR code label. Eliminates unrecorded produce mixing, bag tearing loss, and unverified in-transit shortfalls.

TRACEABILITY

Scale Snapshot Evidentiary Proof


Operators snapshot the physical scale display. On-device OCR cross-references the captured photo with manual input, locking visual, unforgeable proof into the permanent event log.

ANTI-FRAUD

Automated Direct Settlement

Eliminates weeks of manual paper tellers and Excel spreadsheets. Validated household delivery batches are pushed directly via API to Koboweb MFB, with deterministic SHA-256 keys preventing duplicate disbursements.

FINTECH CLEARING



Fundamental Architecture Rule: FARMGATE never overwrites previous measurements; discrepancies create immutable variance events.

OPERATIONAL WORKFLOW

End-to-End Field-to-Warehouse Produce Lifecycle

FARMGATE
Stage 01 to 08 Progression

01. Forecast Match

Link with Smallholders Farmer DB. Check cadastral hectare size, expected crop type, and actuarial yield range (e.g. 200–500 kg).

CADASTRE

02. Crop Check

Lookup verified farmer. System verifies supported crop (e.g. Maize). If Cassava is brought, system immediately flags Crop Mismatch.

INTEGRITY

03. AI Inspection

Advisory AI grading evaluates broken kernels and mould. Inspector confirms grade. Digital moisture meter reading recorded.

QUALITY

04. Scale Snapshot

Operator enters weight and snaps scale photo. On-device OCR cross-references photo with input. Tare subtracted to lock Net Weight.

WEIGHT OCR

05. Bind QR & GRN

Scan pre-printed roll QR label. Instant binding to Bag UUID. Digital Goods Received Note (GRN) generated with locked price version.

BINDING

06. Manifest & Seal

Scan bags onto vehicle manifest. Lock driver ID, truck registration, container security seal, and geofenced dispatch timestamp.

CUSTODY

07. Kwali Intake

Scan seal and bags at central warehouse dock. Re-weigh check, pallet zone assignment, and loss/repackaging incident reporting.

WAREHOUSE

08. MFB Settlement

Certified household batch automatically pushed via API to Koboweb MFB. Instant wallet/bank credit; zero manual spreadsheets.

SETTLEMENT

Execution Standard: Real-time cryptographic ledger with offline store-and-forward capability.

8-Point Verification Protocol

FUNCTIONAL SCOPE

Core Features Matrix: Phased Implementation

FARMGATE
MVP vs Future Full Product (FFP)

Actuarial Quota Radar ↗

Cadastral yield threshold monitoring (flags excess >500 kg delivery) and unauthorized crop type substitution alerts.

MVP FEATURE

Scale Snapshot OCR ↗

Live camera capture of scale dial/digital readout; computer vision cross-references photo with manual input to prove weight.

MVP FEATURE

AI Produce Inspector ↗

Live photo capture with on-device computer vision defect scoring and human inspector confirmation override trail.

MVP FEATURE

Persistent QR UUID ↗

Three-tier identity model (Bag UUID vs Label ID vs Delivery Lot), pre-printed roll binding, and re-labeling protocols.

MVP FEATURE

Logistics Manifests ↗

Truck registration, driver credentials, seal logging, transit checkpoint timestamps, and delay exception alerts.

MVP FEATURE

Incident Ledger ↗

Dedicated spillage tracking, torn bag repackaging linking child-to-parent UUIDs, and automated loss tolerance limits.

MVP FEATURE

Automated MFB Payout ↗

One-click direct batch push to Koboweb MFB API; SHA-256 idempotency keys eliminate reconciliation and duplicate transfers.

MVP FEATURE

Exception Center ↗

Autonomous exception dispatcher routing weight variances, 3rd-party bank holds, and dwell-time alerts to managers.

FFP HORIZON

Architecture Tier: Core MVP components deliver 100% operational accountability.

MOBILE APPLICATION SHOWCASE 01

Weight Capture & Scale Snapshot OCR Cross-Reference

FARMGATE
Weighing Accountability Engine



📷 A. Evidentiary Visual Proof

Scale snapshot is permanently bound to Bag UUID. Prevents field operators from manually inventing bag weights or colluding with farmers.

⚡ B. On-Device OCR Engine (<150ms)

Optimized lightweight neural network detects 7-segment digital LEDs and mechanical dials completely offline without internet connectivity.

⚖️ C. Gross-Tare-Net Formulation

System enforces mathematical validation: Gross Scale Reading (50.70 kg) minus Packaging Tare (0.50 kg) equals Net Produce (50.20 kg).

🔓 D. No Morning Hardware Locks

Replaces burdensome calibration hardware locks. Operators start aggregating immediately; photographic proof accompanies every single bag.

🔒 E. Tamper-Proof Cryptographic Hash

Photo hash (SHA-256) is committed to the local SQLite ledger immediately. Re-submitting the same scale photo for multiple bags is strictly blocked.

🛡️ F. Automated Tolerance Thresholds

Configurable discrepancy bounds (±0.2 kg). Differences beyond threshold trigger immediate supervisor override and photo re-take.



Evidentiary Weight Verification Station

Actual scale photo cross-referenced against operator numeric entry. Eliminates manual logsheet falsification.

SHA-256 SEALED LEDGER ✓

GROSS SCALE	PACKAGING TARE	NET ACCEPTED	NEURAL CONFIDENCE
50.70 KG	-0.50 KG	50.20 KG	99.82%
Cardinal 200 Platform	PP Woven Bag	OCR Matched ✓	<140ms On-Device


Hardware Independence: Compatible with digital platform scales, mechanical dials, and hanging crane scales.

Zero-Trust Weight Architecture

MOBILE APPLICATION SHOWCASE 02

Actuarial Quota Radar & Crop Mismatch Discrepancy Alerts

FARMGATE
Harvest Integrity Engine



🌾 A. Cadastral Yield Baselines

During onboarding, cadastral GPS polygons and soil types establish agronomic harvest limits (e.g., 200–500 kg for 1 Ha rainfed maize).

🚨 B. Excess Yield Flagging (+50%)

If a household contracted for 500 kg brings 750 kg, the system immediately flags side-selling arbitrage or illegal crop funneling.

🛑 C. Crop Substitution Hard-Lock

If a farmer financed for Maize presents Cassava or Soybeans at aggregation, FARMGATE locks receipt generation to protect off-take capital.

🚜 D. Multi-Farmer Funneling Detection

Prevents middleman aggregators from buying cheap outside grain and dumping it under registered farmers' subsidized accounts.

🔧 E. Dual-Key Supervisor Override

Anomalies can only be released if an authorized Field Supervisor inspects the farmland and inputs an encrypted biometric justification code.

📊 F. Real-Time MEL Audit Trail

All flagged variances are immediately pushed to the central MEL dashboard for agronomic trend analysis and risk profiling.

⚠
CADASTRAL LOCK

Actuarial Harvest Yield Tolerance Station

Cross-references cadastral hectare size (1.0 Ha) and soil pH (6.5) against expected crop yields to eliminate funneling fraud.

VARIANCE DETECTED (+50%)

AGRONOMIC QUOTA	PRESENTED WEIGHT	CONTRACTED CROP	ACTION PROTOCOL
500 KG	750 KG	Yellow Maize	HOLD AUDIT
1.0 Ha Baseline	+250 KG Overrun	Financed Input	Dual Supervisor Pin


Cadastral Governance: Linked with Smallholders Farm Management cadastral boundary vertices and soil pH logs.

Autonomous Risk Prevention

MOBILE APPLICATION SHOWCASE 03

AI Produce Inspection & Advisory Quality Grading

FARMGATE
Quality Assurance Engine



🔬 A. High-Resolution Macro Vision

Live camera snaps high-density grain spread on inspection tarpaulin. Micro-edge segmentation scores individual kernel integrity.

🌾 B. Defect Classification Engine

On-device neural net identifies broken kernels, discoloration, foreign chaffe, and dangerous visible mould/aflatoxin infestation.

💧 C. Digital Moisture Meter Sync

Bluetooth/manual cross-referencing with portable moisture meter locks moisture level (Pass: <13.0%; Rejection: >14.5%).

👨‍🌾 D. Human Inspector Final Authority

AI acts as an impartial copilot. The certified Quality Inspector must confirm or override with an auditable justification note.

🚫 E. Anti-Gallery Re-Upload Lock

Enforces live camera capture only. System hard-blocks uploading older gallery pictures or downloaded produce stock photos.

📜 F. Immutable Quality Provenance

Grading results, moisture score, and live photo hash are permanently sealed into the bag's cryptographic QR record.



Evidentiary Snapped Grain Optical Inspection

High-resolution macro photograph captured on tarpaulin, analyzed against SCL Export Grade A tolerances.

GRADE A EXPORT PASS ✓

CLEAN GRAIN	BROKEN KERNEL	FOREIGN CHAFF	MOISTURE LEVEL
98.4%	1.2%	0.4%	12.4%
SCL Std: >95.0%	SCL Std: <3.0%	SCL Std: <1.0%	Safe Pass: <13.0%


Standard Operating Procedure: Live camera frame verified by accelerometer stability detection before capture.

SCL Quality Benchmark 2026

MOBILE APPLICATION SHOWCASE 04

Automated Direct MFB Payout: Zero Spreadsheets & Zero Duplicates

FARMGATE
Fintech Settlement Engine



⚡ A. Elimination of Excel Spreadsheets

Replaces weeks of manual paper tellers and Excel files. Field aggregations compile directly into encrypted digital payment manifests.

🏦 B. One-Click Automated API Dispatch

Verified delivery batches are pushed directly to Koboweb MFB via secure webhook API, crediting farmer accounts without human delay.

📱 C. Instant Account Credit & SMS

Farmers receive immediate SMS confirmation with quantity, grade, unit price, and net payment as soon as the batch is confirmed.

🔒 D. SHA-256 Deterministic Idempotency

Every delivery event generates an unalterable hash key. Retries, double-clicks, or sync replays are blocked by Koboweb's banking core.

🛡️ E. Zero Duplicate Payments Guarantee

Solves 2025 double-disbursement headaches permanently. System guarantees that one produce delivery can only ever trigger one payout.

⚖️ F. Tripartite Instant Clearing

Real-time tripartite reconciliation: Accepted Produce Liability = SCL Authorized Batch = Confirmed Bank Ledger Reference.

⚡ DIRECT SETTLE

Koboweb MFB Direct Clearing Architecture

Zero manual spreadsheets. One-click batch push to core banking ledger with cryptographic idempotency.

RECONCILIATION: 0 SECONDS ✓

BATCH VALUE	CORE BANKING	IDEMPOTENCY KEY	RECONCILIATION
₦4.85M	Koboweb API	SHA-256 Valid	0 Seconds
12 MTG Farmers	Direct Webhook	0 Duplicate Pay	Down from 21 Days

Fintech Compliance: End-to-end encrypted TLS 1.3 payload signed with HMAC-SHA256 headers.

Zero-Reconciliation Accounting

PHYSICAL ASSET IDENTITY

Tamper-Evident QR Bag Label Specification

FARMGATE
Traceability Architecture

SCL FARMGATE
SECURED PRODUCE ASSET IDENTITY

TAMPER-EVIDENT VOID PATTERN
SEASON 2026

BAG-KAD-2026-008291

Crop & Grade: Yellow Maize (Grade A)
Net Weight: 50.20 KG NET
Aggregation Hub: Giwa Hub • Kaduna
Farmer ID / MTG: FM-88201 • Gidan Gwari

Security Microtext: SCL-PRODUCE-TRACEABILITY-2026 Serial: SN-994821-KAD

🏷️ Three-Tier Identifier Architecture

1. **Bag UUID:** The persistent cryptographic identity of the physical produce unit.
2. **Label ID:** The printed tamper-evident QR sticker (re-printable if damaged).
3. **Delivery / Lot ID:** The parent aggregation session linking bag to farmer.

📜 Pre-Printed Rolls

Rolls pre-printed centrally; scanned and bound in <200ms in remote offline villages.

🌧️ Weather-Resistant

Durable woven polypropylene adhesive resistant to rain, dust, and friction during truck transit.

🔒 Holographic Tamper Cut & Slits

Cross-hatched perimeter security cuts ensure label tears into un-reassembleable fragments if peeled from the bag. UV reactive ink verifies authentic issuance.

🔄 Damaged Label vs. Damaged Bag Protocol

If the label tears, a replacement QR is bound without modifying bag history. If the bag tears, produce is transferred to a child bag linked to parent provenance.

🛡️ ANTI-COUNTERFEIT SUBSTRATE SPECIFICATIONS

- ✓ **Destructible Void Pattern:** Peeling or pulling label leaves indelible holographic "VOID" residue on bag fabric.
- ✓ **Cryo & Moisture Barrier:** High-tack emulsion adhesive withstands 98% humidity and wet aggregation tarpaulins.
- ✓ **Dual-Layer Verification:** Scannable by any basic 2D CMOS barcode scanner or FARMGATE mobile camera in <200ms.

Physical Identity Lifecycle: 1. Roll Issued → 2. Weighed & Bound → **3. Truck Manifest** → 4. Kwali Dock Intake

FINANCIAL CLEARINGHOUSE

Automated MFB Payout vs. 2025 Reconciliation Breakdown

FARMGATE
Fintech Architecture

2025 MANUAL WORKFLOW BREAKDOWN

Spreadsheets, Paper Tellers & Duplicate Payments

- ✕ **Manual Excel Manipulation:** Data manually copied between CommCare exports and bank payment spreadsheets.
- ✕ **Weeks of Reconciliation Delay:** Finance spent 3+ weeks matching bank statements against farmer paper delivery notes.
- ✕ **Duplicate Disbursements:** Multiple CommCare submissions or repeated file uploads caused double payments.
- ✕ **Missing Price Updates:** Outdated price versions caused disputes between farmers and state teams.


2025 Latency: 21 Days to Reconcile • Frequent Duplicate Payments

FARMGATE AUTOMATED CLEARING PIPELINE

Direct Webhook API & Deterministic Idempotency

- ✓ **Automated Household Batch Push:** As aggregation closes, verified deliveries push directly via API to Koboweb MFB.
- ✓ **Zero Manual Spreadsheets:** No Excel transcription or manual paper tellers; fully automated digital records.
- ✓ **Deterministic Idempotency Key:** SHA-256 hash guarantees each delivery can only be disbursed exactly once.
- ✓ **Real-Time 3-Way Auto-Match:** Field Net Produce Liability = SCL Authorized Batch = Confirmed Bank Reference.

FARMGATE Latency: 0 Seconds (Real Time) • Zero Duplicate Payments



Integration Protocol: Direct Webhook to Koboweb Core Banking with SHA-256 Idempotency Guard.

Real-Time Financial Sovereignty

SYSTEM ARCHITECTURE

Traceability Architecture: Physical Bag to Central Warehouse

FARMGATE
Chain of Custody Pipeline

01. Field Intake Point ↗

Bags weighed, snapped with OCR, and labeled with persistent QR code. Instant binding locks farmer ID, crop grade, net weight, and GPS coordinates into tamper-evident event log.

FIELD INTAKE

02. Transit Manifest ↗


Bags scanned onto truck manifest. Driver credentials, vehicle registration, and container security seal logged. Geofenced dispatch locks transit custody until arrival.

IN-TRANSIT CUSTODY

03. Kwali Warehouse Dock ↗

Truck arrival scans verify container seal integrity. Bags scanned at intake dock, re-weighed to check transit shrinkage, and assigned to warehouse pallet racks.

CENTRAL INTAKE



End-to-End Visibility: Instant query reveals which farmer, bag, and truck contributed to any warehouse pallet.

100% Granular Traceability

INFRASTRUCTURE & RESILIENCE

Offline-First Architecture & Sync Engine

Built for Remote, Edge Conditions

Remote farming communities often lack stable cellular connectivity. FARMGATE operates with complete local autonomy, storing all produce intake records, scale photos, and bag bindings in an encrypted local SQLite database.

When internet connectivity is restored—or when the field officer returns to the regional hub—the binary sync engine pushes batched records with automatic conflict resolution.



100%


Offline Capable

Zero operations blocked by network loss. Intake, grading, weighing, and QR binding execute entirely on-device.

<150ms

Sync Latency

Compressed binary delta sync automatically resumes on edge network re-connection without packet loss.



SQLITE CIPHER & LOCAL SYNC ENGINE

- ✓ **Local Write Buffer:** Transactions committed to encrypted SQLite database in <5ms.
- ✓ **Binary Delta Sync:** Payloads compressed with gzip/brotli to minimize 2G network bandwidth.
- ✓ **Exponential Backoff Queue:** Handles rural network drops without data corruption or duplicates.
- ✓ **Zero-Loss Storage:** High-speed local persistence guarantees no farmer record is lost on crash.

RISK MANAGEMENT

Exception Governance & Anti-Fraud Radar

FARMGATE
Automated Dispute Prevention

🚨 Weight Variance Alert ↗

Scale readings differing by >0.2 kg from on-device OCR trigger an automatic freeze. Requires secondary supervisor biometric verification.

WEIGHT CHECK

🌾 Quality Grade Dispute ↗

When farmer contests AI grading, a 3-point composite tarpaulin sample is photographed and escalated to State Quality Lead for adjudication.

QUALITY DISPUTE

🕵️ Middleman Detection ↗

Cross-references delivery volume with cadastral hectarage and historic yields. Flags abnormal volume spikes typical of commercial trader dumping.

ANTI-MIDDLEMAN

📦 Bag Tearing & Spillage ↗

Spillage during loading or transit logged with photo evidence. Salvaged produce assigned a linked Child QR code retaining parent provenance.

LOSS TRACKING

⏱️ In-Transit Dwell Alert ↗

Truck GPS tracking monitors transit time between field hubs and Kwali. Unscheduled stops or excessive dwell times trigger theft warnings.

TRANSIT MONITOR

💳 Bank Account Mismatch ↗

Pre-validation against NIBSS / Koboweb MFB name-enquiry API. Rejects third-party accounts to prevent diversion of farmer funds.

PAYMENT GUARD

Fraud Prevention Principle: Every exception creates an immutable audit trail signed with operator credentials and GPS stamp.

Zero-Trust Operational Controls

LOGISTICS & CHAIN OF CUSTODY

Logistics Manifest, Vehicle Seals & In-Transit Custody

FARMGATE
Transport Integrity

🚚 Truck Manifest Binding ↗

Every bag loaded onto a transport vehicle is scanned and bound to an immutable digital manifest. Locks driver identity, license plate, and dispatch timestamp.

LOADING DISPATCH

🔒 Container Security Seals ↗


Numbered tamper-evident cable seals are applied to truck doors at dispatch. Photograph and alphanumeric code locked into the transport manifest.

SEAL AUDIT

⏱ Route Geofencing & ETA ↗

Monitors transit duration between remote aggregation centers and Kwali Central Warehouse. Unscheduled stops or excessive dwell times trigger logistics alerts.

TRANSIT TELEMETRY



Chain of Custody Standard: Driver signs digital custody transfer on dispatch; Kwali dockmaster signs intake confirmation.

Zero-Leakage In-Transit Standard


WAREHOUSE INTEGRITY

Central Warehouse Intake (Kwali) & Re-Weigh Reconciliation

Kwali Dock Reconciliation Protocol

Upon truck arrival at Kwali Central Warehouse, the dockmaster inspects and scans container seals before offloading. Every incoming bag is scanned against the transport manifest.

Bags undergo a randomized or 100% re-weigh audit. Moisture loss during transit is compared against agronomic evaporation curves; discrepancies exceeding ±0.5% trigger formal incident workflows.



±0.5%

Shrinkage Threshold

Normal moisture loss tolerance. Variances beyond ±0.5% automatically route to the Incident Ledger.

100%

Seal Audit Match

Zero acceptance without cryptographic seal verification matching dispatch photos.



⚖ KWALI DOCK INBOUND VERIFICATION CHECK

- ✓ **Manifest Verification:** 100% electronic match against field truck dispatch manifest.
- ✓ **Container Cable Seal:** Numbered seal photographed and validated before dock opening.
- ✓ **Statistical Re-Weigh:** Automated scale check against moisture evaporation curves.
- ✓ **Pallet Zone Tagging:** Accepted produce assigned to designated warehouse pallet racks.

Warehouse Zoning: Accepted produce is assigned to specific warehouse pallet racks with scannable QR zone tags.

EXCEPTION WORKFLOWS

Incident Ledger & Torn Bag Repackaging Protocol

FARMGATE
Loss Accounting & Lineage

🌾 Bag Tearing & Spillage ↗

When bags tear during handling, operators log an immutable Incident Record with photo proof. Spillage weight is recorded and deducted from physical stock reconciliation.

INCIDENT CAPTURE

🔄 Parent–Child Bag Lineage ↗


Salvaged grain transferred into a fresh bag receives a new Child QR label. The system maintains genealogical link: Parent UUID ➔ Child UUID with original farmer provenance.

GENEALOGICAL LINEAGE

🌧️ Water & Transit Damage ↗

Produce damaged by rain or truck accidents is quarantined immediately. Digital Goods Damaged Note (GDN) issued with root cause for insurance and claim settlement.

QUARANTINE GOVERNANCE



Provenance Integrity: Repackaging never severs farmer traceability or financial entitlement.

Genealogical Tracking Standard

FINTECH & OPERATIONAL CONTROLS

Security Architecture & Role-Based Access Controls

FARMGATE
Enterprise Security Matrix

🔐 Role-Based Access Controls (RBAC)

Access permissions strictly segregate field weighing officers, quality inspectors, truck drivers, warehouse dockmasters, and financial reconcilers to eliminate single points of compromise.

ACCESS SEGREGATION

🛡️ Zero-Trust Data Encryption


All sensitive farmer identification and financial data is tokenized and encrypted at rest (AES-256 SQLCipher) and in transit (TLS 1.3). Tamper-proof SHA-256 signatures seal every delivery event.

CRYPTOGRAPHIC CIPHER

📜 Immutable Audit Trails

Every intake, tare, override, and bank payout produces unforgeable append-only audit entries. Continuous cloud security monitoring protects against unauthorized alteration.

AUDIT COMPLIANCE



Compliance Benchmark: PCI-DSS, ISO/IEC 27001, and NDPR Data Privacy Standards.

Zero-Trust Security Architecture

ROADMAP & GOVERNANCE

Phased Delivery Roadmap & System Impact Metrics

FARMGATE
Implementation Horizon 2026–2027

Phase 01: Core App ↗

Scale snapshot OCR engine, gross-tare-net formulation, pre-printed QR binding, digital GRN, and offline sync queue.

6 WEEKS

Phase 02: Logistics ↗

Shipment manifests, container security seals, transit tracking, incident spillage ledger, and Kwali warehouse pallet zoning.

5 WEEKS

Phase 03: MFB Payout ↗

Direct API household batching to Koboweb MFB, deterministic SHA-256 idempotency, instant credit, and zero manual spreadsheets.

4 WEEKS

Phase 04: AI & Quota ↗

On-device AI visual defect analysis, cadastral yield anomaly radar (e.g. 750 kg vs 500 kg), and unauthorized crop substitution alerts.

4 WEEKS

0 Seconds

Reconciliation Delay
Down from 21 days in 2025.

0 Duplicates

Disbursement Guarantee
Guaranteed by SHA-256 keys.

100%

Bag-to-Farmer Traceability
Persistent QR UUID chain.

100%

Offline Capability
Remote village autonomy.

SCL AgriCORE Architectural Commitment
Built as an accountable chain-of-custody clearinghouse where every bag, weight, photo, movement, and Naira is auditable.

READY FOR SCL CO-CREATION SIGN-OFF