

```

// app/invite/join/page.tsx
'use client'

import { useState } from 'react'
import { useRouter, useSearchParams } from 'next/navigation'
import { createClient } from '@supabase/supabase-js'
import AtmosphereLayer from '@components/AtmosphereLayer'

const supabase = createClient(
  process.env.NEXT_PUBLIC_SUPABASE_URL!,
  process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY!
)

const STEP_NAMES = ['Your Credentials', 'Your Portrait', 'Your Answers', 'Review']

type FormData = {
  displayName: string
  email: string
  password: string
  password2: string
  phone: string
  city: string
  bio: string
  skills: string
  sponsorName: string
  q1: string
  q2: string
}

export default function JoinPage() {
  const router = useRouter()
  const params = useSearchParams()
  const tokenSlug = params.get('token') ?? ''

  const [step, setStep] = useState(1)
  const [loading, setLoading] = useState(false)
  const [error, setError] = useState('')
  const [success, setSuccess] = useState(false)

  const [form, setForm] = useState<FormData>({
    displayName: '', email: '', password: '', password2: '',
    phone: '', city: '', bio: '', skills: '',
    sponsorName: '', q1: '', q2: '',
  })
}

```

```

function set(k: keyof FormData, v: string) {
  setForm(f => ({ ...f, [k]: v }))
}

async function submit() {
  setLoading(true); setError('')
  try {
    const { data: auth, error: authErr } = await supabase.auth.signUp({
      email: form.email, password: form.password,
    })
    if (authErr) throw authErr

    // Count existing members to determine ring
    const { count } = await supabase.from('members').select('*', { count: 'exact' })
    const memberCount = count ?? 0
    const ring = memberCount < 25 ? 'middle' : 'outer'

    const { error: memberErr } = await supabase.from('members').insert({
      auth_user_id: auth.user!.id,
      display_name: form.displayName,
      email: form.email,
      phone: form.phone || null,
      city: form.city || null,
      bio: form.bio || null,
      skills: form.skills || null,
      sponsor_name: form.sponsorName || null,
      application_q1: form.q1 || null,
      application_q2: form.q2 || null,
      ring,
      status: 'pending',
      invite_token: tokenSlug,
    })
    if (memberErr) throw memberErr

    await supabase.rpc('increment_token_use', { token_slug: tokenSlug })
    setSuccess(true)
    setTimeout(() => router.push('/invite/welcome'), 2200)
  } catch (e: unknown) {
    setError(e instanceof Error ? e.message : 'Something went wrong. Please try')
  } finally {
    setLoading(false)
  }
}

const pct = `${step * 25}%`

```

```

return (
  <>
    <AtmosphereLayer variant="conservatory" />

    <div className="fixed inset-0 z-20 flex items-center justify-center p-4 ove
      <div className="form-card">
        <div className="card-frame" />

        {/* Corners */}
        <ConservatoryCorners />

        <div className="card-surface">

          {/* Header */}
          <div className="card-header">
            <div className="header-seal"><div className="hs-ring"/><div classNa
              <p className="header-eyebrow">Pearls & Petals · Your Petition t
              <h1 className="header-title">The <em>Application</em></h1>
              <p className="header-sub">Four steps. Four truths. Tell us who you
            </div>

            {/* Progress */}
            {!success && (
              <div className="progress-wrap">
                <div className="progress-label">
                  <span className="prog-txt">Step {step} of 4</span>
                  <span className="prog-txt">{STEP_NAMES[step - 1]}</span>
                </div>
                <div className="progress-track">
                  <div className="progress-fill" style={{ width: pct }} />
                </div>
                <div className="step-dots">
                  {[1,2,3,4].map(n => (
                    <div key={n} className={`dot ${n === step ? 'active' : n < st
                    )))
                </div>
              </div>
            )}

            {/* Steps */}
            <div className="form-body">
              {!success ? <>
                {step === 1 && (
                  <div className="step-panel">
                    <div className="step-title"><span className="step-num">I</spa
                    <Field label="Your Name in the Garden"><input className="fiel
                    <Field label="Your Private Correspondence"><input className="

```

```

        <div className="field-row">
            <Field label="A Secret Word"><input className="field-input"
            <Field label="Confirm It"><input className="field-input" ty
        </div>
    </div>
)}
{step === 2 && (
    <div className="step-panel">
        <div className="step-title"><span className="step-num">II</sp
        <div className="field-row">
            <Field label="Your City"><input className="field-input" pla
            <Field label="Your Phone"><input className="field-input" ty
        </div>
        <Field label="Who You Are"><textarea className="field-input"
        <Field label="What You Bring to the Garden"><input className=
    </div>
)}
{step === 3 && (
    <div className="step-panel">
        <div className="step-title"><span className="step-num">III</s
        <Field label="Who Carried Your Name Here?" hint="The sister w
        <div className="gold-rule"><div className="gr-line"/><div cla
        <Field label="What draws you to this garden?"><textarea class
        <Field label="Why is this your season to bloom?"><textarea cl
    </div>
)}
{step === 4 && (
    <div className="step-panel">
        <div className="step-title"><span className="step-num">IV</sp
        [[
            { k: 'Garden Name', v: form.displayName },
            { k: 'Email', v: form.email },
            { k: 'City', v: form.city },
            { k: 'Skills', v: form.skills },
            { k: 'Sponsor', v: form.sponsorName },
            { k: 'Why the Garden', v: form.q1 },
            { k: 'Your Season', v: form.q2 },
        ].map(({ k, v }) => (
            <div key={k} className="review-item">
                <span className="review-key">{k}</span>
                <span className="review-val">{v || '-'}</span>
            </div>
        )))
        {error && <p className="error-msg">{error}</p>}
        <p className="review-note">By submitting, you acknowledge tha
    </div>
)}

```

```

        </> : (
          <div className="success-panel">
            <div className="success-icon">

```

```

function Field({ label, hint, children }: { label: string; hint?: string; childre
  return (
    <div className="field">
      <label className="field-label">{label}</label>
      {children}
      {hint && <p className="field-hint">{hint}</p>}
    </div>
  )
}

```

```

function ConservatoryCorners() {
  return <>
    {[
      { style: { top:-1, left:-1 } },
      { style: { top:-1, right:-1, transform:'scaleX(-1)' } },
    ]}
  </>
}

```

```

    { style: { bottom:-1, left:-1, transform:'scaleY(-1)' } },
    { style: { bottom:-1, right:-1, transform:'scale(-1,-1)' } },
  ].map((c, i) => (
    <div key={i} style={{ position:'absolute', zIndex:5, pointerEvents:'none',
      <svg viewBox="0 0 38 38">
        <path d="M1,1 L24,1 Q35,1 35,12 L35,17 L32,17 Q32,9 24,7 L1,7Z" fill="r
        <path d="M1,1 L3,1 L3,37 L1,37Z" fill="rgba(184,134,11,.5)" />
        <circle cx="15" cy="13" r="3" fill="none" stroke="rgba(184,134,11,.38)"
        <path d="M8,22 L10.5,18.5 L13,22 L10.5,25.5Z" fill="rgba(184,134,11,.32
      </svg>
    </div>
  )))
</>
}

```

```

const JOIN_STYLES = `
  @import url('https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght
  @keyframes frameSpin { to { rotate: 360deg } }
  @keyframes cardIn { from{opacity:0;transform:translateY(28px) scale(.94);fil
  @keyframes stepIn { from{opacity:0;transform:translateX(12px)} to{opacity:1;

.form-card { width:min(400px,92vw); position:relative; animation:cardIn 2s cubi
.card-frame { position:absolute; inset:-2px; border-radius:5px; animation:frame
.card-surface { position:relative; z-index:2; border-radius:4px; overflow:hidde
.card-header { padding:20px 26px 16px; text-align:center; border-bottom:1px sol
.header-seal { width:46px; height:46px; margin:0 auto 10px; position:relative;
.hs-ring { position:absolute; inset:-4px; border-radius:50%; border:1px solid r
.hs-disc { position:absolute; inset:0; border-radius:50%; background:radial-gra
.hs-mono { font-family:'Cinzel',serif; font-size:16px; color:rgba(245,225,155,.
.header-eyebrow { font-family:'Cinzel',serif; font-size:7px; letter-spacing:.28
.header-title { font-family:'Playfair Display',serif; font-weight:700; font-siz
.header-title em { font-style:italic; color:#8a5a0e; }
.header-sub { font-family:'IM Fell English',serif; font-style:italic; font-size
.progress-wrap { padding:14px 26px 0; }
.progress-label { display:flex; justify-content:space-between; margin-bottom:6p
.prog-txt { font-family:'Cinzel',serif; font-size:6.5px; letter-spacing:.2em; t
.progress-track { height:2px; background:rgba(184,134,11,.12); border-radius:1p
.progress-fill { height:100%; border-radius:1px; background:linear-gradient(90d
.step-dots { display:flex; justify-content:center; gap:10px; margin-top:10px; }
.dot { width:7px; height:7px; border-radius:50%; border:1px solid rgba(184,134,
.dot.active { background:linear-gradient(135deg,#d4a520,#b8860b); border-color:
.dot.done { background:rgba(184,134,11,.25); border-color:rgba(184,134,11,.4);
.form-body { padding:20px 26px 6px; }
.step-panel { animation:stepIn .5s cubic-bezier(.16,1,.3,1) both; }
.step-title { font-family:'Playfair Display',serif; font-style:italic; font-siz
.step-title::after { content:''; flex:1; height:1px; background:linear-gradient

```

```
.step-num { font-family:'Cinzel',serif; font-size:8px; letter-spacing:.1em; col
.field { margin-bottom:14px; }
.field-label { font-family:'Cinzel',serif; font-size:7.5px; letter-spacing:.2em
.field-input { width:100%; padding:10px 13px; background:rgba(255,255,255,.42);
input.field-input { height:auto; }
.field-input::placeholder { color:rgba(100,72,14,.32); font-style:italic; }
.field-input:focus { border-color:rgba(184,134,11,.45); background:rgba(255,255
.field-row { display:grid; grid-template-columns:1fr 1fr; gap:10px; }
.field-hint { font-family:'IM Fell English',serif; font-style:italic; font-size
.gold-rule { display:flex; align-items:center; gap:8px; margin:10px 0; }
.gr-line { flex:1; height:1px; background:linear-gradient(90deg,transparent,rgb
.gr-dia { width:5px; height:5px; background:linear-gradient(135deg,#f0d878,#b88
.review-item { display:flex; gap:12px; padding:8px 0; border-bottom:1px solid r
.review-item:last-child { border-bottom:none; }
.review-key { font-family:'Cinzel',serif; font-size:7px; letter-spacing:.16em;
.review-val { font-family:'Cormorant Garamond',serif; font-size:13px; color:rgb
.review-note { font-family:'IM Fell English',serif; font-style:italic; font-siz
.error-msg { font-family:'Cinzel',serif; font-size:10px; color:#c04040; text-al
.success-panel { text-align:center; padding:20px 0; animation:stepIn .6s ease b
.success-icon { font-size:40px; margin-bottom:12px; display:block; }
.success-title { font-family:'Playfair Display',serif; font-size:20px; font-sty
.success-sub { font-family:'IM Fell English',serif; font-style:italic; font-siz
.form-footer { padding:16px 26px 20px; border-top:1px solid rgba(184,134,11,.1)
.btn-row { display:flex; gap:10px; }
.btn-primary { flex:1; padding:13px; border:none; cursor:pointer; background:li
.btn-primary:disabled { opacity:.6; cursor:not-allowed; }
.btn-secondary { padding:13px 16px; border:1px solid rgba(184,134,11,.2); backg
.footer-note { font-family:'Cinzel',serif; font-size:6px; letter-spacing:.16em;
```