

```

// app/i/[token]/InviteGateClient.tsx
'use client'

import { useState } from 'react'
import { useRouter } from 'next/navigation'
import AtmosphereLayer from '@components/AtmosphereLayer'

export default function InviteGateClient({ tokenSlug }: { tokenSlug: string }) {
  const router = useRouter()
  const [scrollOpen, setScrollOpen] = useState(false)
  const [bursting, setBursting] = useState(false)

  function acceptCovenant() {
    setBursting(true)
    setTimeout(() => {
      router.push(`/invite/join?token=${tokenSlug}`)
    }, 1800)
  }

  return (
    <>
      <AtmosphereLayer variant="ballroom" />

      {/* — Invitation Card — */}
      <div className="fixed inset-0 z-20 flex items-center justify-center p-4">
        <div className="invite-card">
          <CardFrame />
          <CornerOrnaments color="rgba(201,149,42" />

          <div className="card-surface">
            <PearlString />

            <div className="card-body">
              <p className="eyebrow">Pearls & Petals · Est. MMXXIV</p>
              <Seal onClick={() => setScrollOpen(true)} />
              <GoldRule />
              <h1 className="main-title">You Have Been<br /><em>Called</em> to th
              <p className="subtitle">
                A sister spoke your name in candlelight.<br />
                The garden heard. And so it opens — for you.
              </p>
              <DiamondRow />
              <p className="inv-text">
                This invitation belongs to <strong>you alone</strong>.<br />

```

```

        It blooms once, then seals — like all things<br />
        worth having in this world.
    </p>
    <button className="btn-primary" onClick={() => setScrollOpen(true)}
        ✦ &nbsp; View Your Invitation &nbsp; ✦
    </button>
    <button className="btn-secondary">I require more time to consider</
</div>

    <div className="card-footer">
        <span className="footer-txt">bloomsoftly.org</span>
        <DiamondRow small />
        <span className="footer-txt">Chapter I</span>
    </div>
</div>
</div>
</div>

{ /* — Covenant Scroll — */
{scrollOpen && (
    <CovenantScroll
        onAccept={acceptCovenant}
        onClose={() => setScrollOpen(false)}
        bursting={bursting}
    />
)}

    <style>{STYLES}</style>
</>
)
}

/* — Sub-components — */

function CardFrame() {
    return (
        <div style={{
            position: 'absolute', inset: '-2px', borderRadius: '5px',
            background: `conic-gradient(rgba(245,228,168,.9) 0deg,rgba(160,110,20,.6) 4
                rgba(245,228,168,.95) 90deg,rgba(180,130,30,.5) 135deg,
                rgba(245,228,168,.9) 180deg,rgba(160,110,20,.6) 225deg,
                rgba(245,228,168,.95) 270deg,rgba(180,130,30,.5) 315deg,
                rgba(245,228,168,.9) 360deg)` ,
            animation: 'frameSpin 12s linear infinite',
            WebkitMask: 'linear-gradient(#fff 0 0) content-box,linear-gradient(#fff 0 0
            WebkitMaskComposite: 'xor',
            maskComposite: 'exclude',

```

```

        padding: '2px',
        zIndex: 2,
    }} />
)
}

function CornerOrnaments({ color }: { color: string }) {
    const path = `M1,1 L26,1 Q37,1 37,12 L37,18 L34,18 Q34,9 26,7 L1,7Z`
    const bar = `M1,1 L3,1 L3,39 L1,39Z`
    function Corner({ style }: { style: React.CSSProperties }) {
        return (
            <div style={{ position: 'absolute', zIndex: 5, pointerEvents: 'none', width:
                <svg viewBox="0 0 40 40">
                    <path d={path} fill={`${color},.48}` />
                    <path d={bar} fill={`${color},.52}` />
                    <circle cx="16" cy="14" r="3.5" fill="none" stroke={`${color},.4}` str
                    <circle cx="16" cy="14" r="1.2" fill={`${color},.45}` />
                    <path d="M7,24 L10,20 L13,24 L10,28Z" fill={`${color},.35}` />
                </svg>
            </div>
        )
    }
    return <>
        <Corner style={{ top: -1, left: -1 }} />
        <Corner style={{ top: -1, right: -1, transform: 'scaleX(-1)' }} />
        <Corner style={{ bottom: -1, left: -1, transform: 'scaleY(-1)' }} />
        <Corner style={{ bottom: -1, right: -1, transform: 'scale(-1,-1)' }} />
    </>
}

function Seal({ onClick }: { onClick: () => void }) {
    return (
        <div className="seal-wrap" onClick={onClick}>
            <div className="seal-halo" />
            <div className="seal-ring1" />
            <div className="seal-ring2" />
            <div className="seal-disc">
                <div className="seal-mono">P</div>
                <div className="seal-sub">& P</div>
            </div>
        </div>
    )
}

function PearlString() {
    const pearls = [
        { size: 7, period: 5.2, delay: .5 },
    ]
}

```

```

    { size: 8.5, period: 4.6, delay: .9 },
    { size: 10, period: 4, delay: 0 },
    { clasp: true },
    { size: 10, period: 3.8, delay: .3 },
    { size: 8.5, period: 4.9, delay: .7 },
    { size: 7, period: 5.4, delay: 1.1 },
  ] as const
  return (
    <div className="pearl-string">
      {pearls.map((p, i) =>
        'clasp' in p
          ? <div key={i} className="pearl-clasp" />
          : <div key={i} className="pearl"
              style={{ '--ps': `${p.size}px`, '--pp': `${p.period}s`, '--pd': `${
            )}
      </div>
    )
  }

function GoldRule() {
  return (
    <div className="gold-rule">
      <div className="gr-line" />
      <div className="gr-diamond" />
      <div className="gr-line" />
    </div>
  )
}

function DiamondRow({ small }: { small?: boolean }) {
  return (
    <div className="diamond-row" style={{ margin: small ? 0 : undefined, gap: sma
      {[0, .4, .8, .2, .6].slice(0, small ? 3 : 5).map((dd, i) => (
        <span key={i} className="dia"
          style={{ '--ds': `${[3.2, 2.8, 3.5, 2.6, 3.1][i]}s`, '--dd': `${dd}s`, font
            {i % 2 === 0 ? '◆' : '◇'}
        </span>
      )}}
    </div>
  )
}

function CovenantScroll({ onAccept, onClose, bursting }: {
  onAccept: () => void
  onClose: () => void
  bursting: boolean
}) {

```

```

const covenants = [
  { n: 'I', title: 'Sacred Silence', text: 'What blooms here stays here. Full s
  { n: 'II', title: 'The Honour of the Invitation', text: 'A sister vouched for
  { n: 'III', title: 'A Garden Beyond the Veil', text: "Every sister's identity a
  { n: 'IV', title: 'Love Is the Only Currency', text: 'We uplift. We celebrate
  { n: 'V', title: 'This Bloom Is Yours Alone', text: 'This invitation may not
]
return (
  <div className="scroll-overlay" onClick={e => e.target === e.currentTarget &&
    <div className={`scroll-card ${bursting ? 'fading' : ''}`>
      <div className="rod top" />
      <div className="scroll-body">
        <div className="wax"><div className="wax-mono">P</div></div>
        <span className="s-eyebrow">Royal Decree · Anno Domini MMXXIV</span>
        <div className="s-title">The Garden <em>Covenant</em></div>
        <p className="s-chapter">Pearls & Petals · Chapter the First</p>
        <div className="s-rule"><div className="s-rule-gem">◆ &nbsp; ◇ &nbsp; ◆
        <div className="s-intro">
          <div className="drop-cap">B</div>
          e it known: you were not stumbled upon. A sister carried your name wi
        </div>
        {covenants.map(c => (
          <div key={c.n} className="covenant">
            <span className="cov-n">{c.n}</span>
            <span className="cov-t"><strong>{c.title}</strong>{c.text}</span>
          </div>
        ))}
        <div className="oath">
          <p className="oath-t">By crossing this threshold, you carry these wor
        </div>
        <div className="s-sig">
          <div className="s-sig-txt">Sealed by<span>The Founder</span></div>
          <div className="s-sig-bar" />
          <div className="s-sig-rose">🌸</div>
          <div className="s-sig-bar" />
          <div className="s-sig-txt" style={{ textAlign: 'right' }}>Witnessed b
        </div>
        <div className="s-cta">
          <button className="s-btn" onClick={onAccept}>✦ &nbsp; I Accept — Ente
          <span className="s-note">Upon accepting, this scroll dissolves as all
        </div>
        <div className="s-bot">◆ &nbsp; ◇ &nbsp; ◆</div>
      </div>
      <div className="rod bot" />
    </div>
  </div>
)

```

```

}

/* — Styles — */
const STYLES = `
  @import url('https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght<
    :root {
      --champagne:#f7e8c8; --gold:#c9952a; --gold-pale:#f5e4a8;
      --pearl:#faf6f0; --cream:#f9f0e0; --ink:#140c06;
      --blush-deep:#d4847a;
    }

    @keyframes frameSpin    { to { rotate: 360deg } }
    @keyframes sealFloat    { 0%,100%{transform:translateY(0)} 50%{transform:transla
    @keyframes haloBreath   { 0%,100%{opacity:.6;transform:scale(1)} 50%{opacity:1;t
    @keyframes pearlGlow    { 0%,100%{box-shadow:inset -1px -1px 3px rgba(0,0,0,.12)
    @keyframes diaFlash     { 0%,100%{opacity:.45;transform:scale(.88)} 50%{opacity:
    @keyframes cardReveal  { from{opacity:0;transform:translateY(32px) scale(.93);f

    .invite-card {
      width: min(375px, 88vw);
      position: relative;
      animation: cardReveal 2.4s cubic-bezier(.16,1,.3,1) .8s both;
      filter: drop-shadow(0 24px 80px rgba(0,0,0,.7)) drop-shadow(0 4px 20px rgba(0
    }

    .card-surface {
      position: relative; z-index: 2; border-radius: 4px; overflow: hidden;
      background:
        repeating-linear-gradient(0deg,transparent,transparent 22px,rgba(160,120,50
        radial-gradient(ellipse 65% 45% at 28% 18%,rgba(255,245,210,.22) 0%,transpa
        linear-gradient(158deg,#fdf7eb 0%,#faf1de 30%,#f7e8c8 68%,#faeedd 100%);
      box-shadow: inset 14px 0 28px rgba(180,140,60,.06), inset -14px 0 28px rgba(1
    }

    .pearl-string { display:flex; justify-content:center; align-items:center; paddi
    .pearl {
      width: var(--ps,9px); height: var(--ps,9px); border-radius: 50%;
      background: radial-gradient(circle at 32% 26%,rgba(255,255,255,.95) 0%,rgba(2
      box-shadow: inset -1px -1px 3px rgba(0,0,0,.12),inset 1px 1px 2px rgba(255,25
      margin: 0 2px;
      animation: pearlGlow var(--pp,4s) ease-in-out infinite var(--pd,0s);
    }

    .pearl-clasp {
      width:13px; height:13px; border-radius:50%; margin:0 5px;
      background: radial-gradient(circle at 35% 28%,#f8e898,#d4a010 50%,#7a4c00 100
      box-shadow: 0 0 8px rgba(201,149,42,.5),0 1px 3px rgba(0,0,0,.3);
    }

    .card-body { padding: 8px 28px 24px; text-align: center; }
  `

```

```

.eyebrow { font-family:'Cinzel',serif; font-size:7.5px; letter-spacing:.3em; te
.seal-wrap { width:62px; height:62px; margin:0 auto 12px; position:relative; cu
.seal-halo { position:absolute; inset:-12px; border-radius:50%; background:radi
.seal-ring1 { position:absolute; inset:-5px; border-radius:50%; border:1px soli
.seal-ring2 { position:absolute; inset:0; border-radius:50%; border:1.5px solid
.seal-disc { position:absolute; inset:0; border-radius:50%; background:radial-g
.seal-mono { font-family:'Cinzel',serif; font-size:20px; font-weight:500; color
.seal-sub { font-family:'Cinzel',serif; font-size:5.5px; letter-spacing:.18em;
.gold-rule { display:flex; align-items:center; gap:8px; margin:11px 0; }
.gr-line { flex:1; height:1px; background:linear-gradient(90deg,transparent,r
.gr-diamond { width:6px; height:6px; background:linear-gradient(135deg,#f5e4a8,
.main-title { font-family:'Playfair Display',serif; font-weight:700; font-size:
.main-title em { font-style:italic; color:var(--blush-deep); }
.subtitle { font-family:'IM Fell English',serif; font-style:italic; font-size:1
.diamond-row { display:flex; justify-content:center; align-items:center; gap:10
.dia { font-size:10px; color:rgba(201,149,42,.5); filter:drop-shadow(0 0 3px rg
.inv-text { font-family:'Cormorant Garamond',serif; font-size:13.5px; line-heig
.inv-text strong { font-family:'Playfair Display',serif; font-weight:500; font-
.btn-primary { display:block; width:100%; padding:14px; border:none; cursor:poi
.btn-secondary { background:none; border:none; cursor:pointer; display:block; w
.card-footer { padding:11px 24px 17px; border-top:1px solid rgba(201,149,42,.1)
.footer-txt { font-family:'Cinzel',serif; font-size:6px; letter-spacing:.18em;

/* Scroll */
.scroll-overlay { position:fixed; inset:0; z-index:80; display:flex; align-item
@keyframes fadeIn { from{opacity:0} to{opacity:1} }
.scroll-card { width:min(365px,90vw); filter:drop-shadow(0 32px 80px rgba(0,0,0
.scroll-card.fading { animation:fadeAway 1.8s ease forwards; }
@keyframes fadeAway { to{opacity:0;transform:scale(.96)} }
.rod { height:19px; position:relative; z-index:3; background:linear-gradient(18
.rod.top { border-radius:4px 4px 0 0; }
.rod.bot { border-radius:0 0 4px 4px; }
.rod::before,.rod::after { content:''; position:absolute; top:50%; transform:tr
.rod::before { left:-9px; } .rod::after { right:-9px; }
.scroll-body { padding:34px 26px 28px; background:linear-gradient(160deg,#fdf7e
.wax { position:absolute; top:-21px; left:50%; transform:translateX(-50%); widt
.wax-mono { font-family:'Cinzel',serif; font-size:15px; color:rgba(255,225,185,
.s-eyebrow { font-family:'Cinzel',serif; font-size:7px; letter-spacing:.26em; c
.s-title { font-family:'Playfair Display',serif; font-size:18px; font-weight:70
.s-title em { font-style:italic; color:#d4847a; }
.s-chapter { font-family:'IM Fell English',serif; font-style:italic; font-size:
.s-rule { display:flex; align-items:center; gap:8px; margin:11px 0; }
.s-rule::before,.s-rule::after { content:''; flex:1; height:1px; background:lin
.s-rule-gem { font-size:8px; color:rgba(201,149,42,.65); letter-spacing:6px; }
.drop-cap { float:left; margin:3px 8px 0 0; width:40px; height:40px; border:1px
.s-intro { font-family:'IM Fell English',serif; font-style:italic; font-size:12
.covenant { display:flex; align-items:flex-start; gap:10px; margin:6px 0; paddi

```

```
.cov-n { font-family:'Cinzel',serif; font-size:7.5px; color:rgba(160,108,18,.75
.cov-t { font-size:11.5px; line-height:1.76; color:#3c2408; font-family:'IM Fel
.cov-t strong { font-family:'Cinzel',serif; font-size:7.5px; letter-spacing:.08
.oath { margin-top:12px; padding:10px 14px; border:1px solid rgba(201,149,42,.1
.oath-t { font-family:'IM Fell English',serif; font-style:italic; font-size:12p
.s-sig { display:flex; align-items:flex-end; justify-content:space-between; gap
.s-sig-txt { font-family:'IM Fell English',serif; font-style:italic; font-size:
.s-sig-txt span { display:block; color:rgba(48,26,6,.82); font-size:11px; }
.s-sig-bar { flex:1; height:1px; background:rgba(160,108,38,.25); align-self:ce
.s-sig-rose { font-size:17px; }
.s-cta { margin-top:15px; text-align:center; }
.s-btn { display:inline-block; padding:12px 28px; border:none; cursor:pointer;
.s-note { display:block; margin-top:7px; font-family:'IM Fell English',serif; f
.s-bot { text-align:center; margin-top:10px; font-family:'Cinzel',serif; font-s
```