trovu.net

Web shortcuts: social + with privacy

Georg Jähnig

trovu.net Web shortcuts, social, private.



search Google for "berlin"
open Wikipedia article for Berlin (in language from settings)
override language from settings
find a route on Google Maps from London to Liverpool
Google Flights search from Berlin to Las Palmas
Cat videos Youtube, sorted by date


About


- **privacy**: all queries are processed in the client, not server
- **social**: benefit from curated shortcuts in the general repo, organized by namespaces.
- **freedom**: setup your own personal shortcuts in your private repo

Github | Docs | Mailinglist

Add to browser


yt kitten







gfl sin, kul

trovu.net Web shortcuts, social, private. gfl sin, kul trovu! gfl Google Flights o Google Flights o gfl from IATA code, to IATA code **gfl** from IATA code, to IATA code, departure date Google Flights o gfl from IATA code, to IATA code, departure date, arrival date Google Flights o Google Flights, one-way gfl1 from IATA code, to IATA code ssed in gfl1 from IATA code, to IATA code, departure date Google Flights, one-way w ber • social: penerit from curated shortcuts override language from settings fr.w berlin in the general repo, organized by gd london, liverpool find a route on Google Maps from London to Liverpool namespaces. freedom: setup your own personal gfl txl, lpa Google Flights search from Berlin to Las Palmas shortcuts in your private repo Cat videos Youtube, sorted by date vtd cats Github | Docs | Mailinglist Add to browser



fr tree





Similar to:

- DuckDuckGo Bangs
- YubNub
- Serchilo / FindFind.it

Differentiators

Multiple arguments & argument types:

- gfl sin, kul
- gfl sin, kul, 3/24
- gfl sin, kul, mo
 - will map **mo** to date of next monday

Differentiators

Namespaces & variables

- fr tree
 - French-English dictionary
 - French-German dictionary
- w berlin
 - English Wikipedia
 - German Wikipedia

A namespace for every language and country.

Differentiators

Privacy

- All processing is done in the client.
- No search query is sent to the Trovu server.

gfl sin, kul


keyword: gfl
arguments: ['sin', 'kul']
arguments.length: 2

/gfl/2.yml:

```
url: https://www.google.com/flights/#flt={%from IATA code|transform=uppercase}.{%to
    IATA code|transform=uppercase}
title: Google Flights
description: ""
tags:
    google
    travel
    flights
examples:
    txl, lpa: Search for flights from Berlin Tegel to Las Palmas
tests: []
```

```
https://www.google.com/flights/#flt={%from
    IATA code|transform=uppercase}.{%to IATA
        code|transform=uppercase}
```

https://www.google.com/flights/#flt=SIN.KUL



More complex

- Namespaces: different directories
- personal shortcuts:
 - Your Github repo can be a namespace.
 - You can "subscribe" to other user's namespaces.

Code structure

- Github organisation: https://github.com/trovu
 - ∘ trovu-data
 - ∘ trovu-web
 - ∘ trovu-data-user
 - georgjaehnig/trovu-data-user
 - john-doe/trovu-data-user
- All decoupled:
 - *Ecosystem* for shortcuts.

How you can contribute

- Add shortcuts
 - for your language and country
 - dictionaries
 - train timetables
 - **...**
 - for docs / APIs of your programming language
 - php
 - **■** rb
 - py
 - **=** ...
 - for common services that are missing

How you can contribute

- help to improve the web frontend
 - Bootstrap 4
 - o pure Javascript (better ideas?)

How you can contribute

- Create new frontends
 - browser plugins
 - Android
 - o iOS
 - o qt, gtk
 - o OSX: Alfred
 - o bash?

All need to interact only with trovu-data.

qr https://trovu.net

