

ezLegal.ai - Complete UI Source Audit

For GPT 5.5 Pro Visual UI/UX Review

Generated: 2026-06-16

Total pages: 58

Stack: React + TypeScript + Tailwind CSS + Vite

INSTRUCTIONS FOR REVIEWER:

Each section contains the full JSX source of a page component.

Tailwind CSS classes define all visual styling (colors, spacing, typography, layout).

Analyze for: visual hierarchy, accessibility, responsive design, cognitive load, color contrast, typography consistency, CTA placement, and UX flow.

TABLE OF CONTENTS

1. [/] Home - src/pages/Home.tsx
2. [/about] About - src/pages/About.tsx
3. [/accessibility] Accessibility Statement - src/pages/AccessibilityStatement.tsx
4. [/ai-governance] AI Governance - src/pages/AIGovernance.tsx
5. [/ai-model-card] AI Model Card - src/pages/AIModelCard.tsx
6. [/algorithmic-impact-assessment] Algorithmic Impact Assessment - src/pages/AlgorithmicImpactAssessment.tsx
7. [/ask] Ask - src/pages/Ask.tsx
8. [/bias-monitoring] Bias Monitoring - src/pages/BiasMonitoring.tsx
9. [/case-predictor] Case Predictor - src/pages/CasePredictor.tsx
10. [/chat] Chat - src/pages/ChatV2.tsx
11. [/contact] Contact - src/pages/Contact.tsx
12. [/emergency-resources] Emergency Resources - src/pages/EmergencyResources.tsx
13. [/enterprise-security] Enterprise Security - src/pages/EnterpriseSecurity.tsx
14. [/espanol] Espanol Landing - src/pages/EspanolLanding.tsx
15. [/ezreads] EZReads - src/pages/EZReads.tsx
16. [/features] Features - src/pages/Features.tsx
17. [/find-attorney] Find Attorney - src/pages/LawyerProfiles.tsx
18. [/for-business] For Business - src/pages/ForBusiness.tsx
19. [/for-individuals] For Individuals - src/pages/ForIndividuals.tsx
20. [/for-organizations] For Organizations - src/pages/ForOrganizations.tsx
21. [/for-partners] For Partners - src/pages/ForPartners.tsx
22. [/forgot-password] Forgot Password - src/pages/ForgotPassword.tsx
23. [/grant-reporting] Grant Reporting - src/pages/GrantReporting.tsx
24. [/help/which-feature] Feature Guide - src/pages/FeatureGuide.tsx
25. [/how-it-works] How It Works - src/pages/HowItWorks.tsx
26. [/how-reports-are-reviewed] How Reports Are Reviewed - src/pages/HowReportsAreReviewed.tsx
27. [/icp-prototype] ICP Prototype - src/pages/IcpPrototype.tsx
28. [/issue-packs] Issue Packs - src/pages/IssuePacks.tsx
29. [/login] Login - src/pages/Login.tsx
30. [/media-kit] Media Kit - src/pages/MediaKit.tsx
31. [/negotiate] Negotiate - src/pages/Negotiate.tsx
32. [/partner-hub] Partner Hub - src/pages/PartnerHub.tsx
33. [/pricing] Pricing - src/pages/Pricing.tsx
34. [/privacy] Privacy Policy - src/pages/PrivacyPolicy.tsx
35. [/privacy-at-a-glance] Privacy At A Glance - src/pages/PrivacyAtAGlance.tsx
36. [/privacy-faq] Privacy FAQ - src/pages/PrivacyFAQ.tsx
37. [/pro-bono] Pro Bono Intake - src/pages/ProBonoIntake.tsx
38. [/safety-net] Legal Safety Net - src/pages/LegalSafetyNet.tsx
39. [/schedule-demo] Schedule Demo - src/pages/ScheduleDemo.tsx
40. [/scope-disclaimers] Scope Disclaimers - src/pages/ScopeDisclaimers.tsx
41. [/security-faq] Security FAQ - src/pages/SecurityFAQ.tsx
42. [/share-perspective] Share Perspective - src/pages/SharePerspective.tsx
43. [/signup] Signup - src/pages/Signup.tsx
44. [/site-review] Site Review - src/pages/SiteReview.tsx
45. [/sla] SLA - src/pages/SLA.tsx
46. [/start] Persona Intake - src/pages/PersonalIntake.tsx
47. [/terms] Terms of Service - src/pages/TermsOfService.tsx
48. [/toolkit] Toolkit - src/pages/Toolkit.tsx
49. [/trust-center] Trust Center - src/pages/TrustCenter.tsx
50. [/welcome] Channel Landing - src/pages/ChannelLanding.tsx
51. [/dashboard] Dashboard Home - src/pages/Dashboard.tsx
52. [/dashboard/cases] Cases - src/pages/Cases.tsx
53. [/dashboard/matters] Matters - src/pages/Matters.tsx
54. [/dashboard/history] History - src/pages/History.tsx
55. [/dashboard/documents] Documents - src/pages/Documents.tsx
56. [/dashboard/research] Research - src/pages/Research.tsx
57. [/dashboard/profile] Profile - src/pages/Profile.tsx
58. [/dashboard/billing] Billing - src/pages/Billing.tsx

GLOBAL DESIGN SYSTEM FILES

Tailwind Config (Design System)

File: tailwind.config.js

```
/** @type {import('tailwindcss').Config} */
export default {
  content: ['./index.html', './src/**/*.{js,ts,jsx,tsx}'],
  theme: {
    screens: {
      xs: '360px',
      sm: '640px',
      md: '768px',
      lg: '1024px',
      xl: '1280px',
      '2xl': '1536px',
    },
    extend: {
      minHeight: {
        touch: '44px',
        screen: '100vh',
        dvh: '100dvh',
      },
      minWidth: {
        touch: '44px',
      },
      spacing: {
        'safe-top': 'env(safe-area-inset-top, 0px)',
        'safe-bottom': 'env(safe-area-inset-bottom, 0px)',
        'safe-left': 'env(safe-area-inset-left, 0px)',
        'safe-right': 'env(safe-area-inset-right, 0px)',
      },
      fontFamily: {
        sans: ['Inter', 'system-ui', 'sans-serif'],
        serif: ['Playfair Display', 'Georgia', 'serif'],
      },
      colors: {
        primary: {
          50: '#F0F4F8',
          100: '#D9E2EC',
          200: '#BCCCD9',
          300: '#9FB3B8',
          400: '#829AB1',
          500: '#627D98',
          600: '#486581',
          700: '#334E68',
          800: '#243B53',
          900: '#102A43',
        },
        brand: {
          50: '#E7F6FF',
          100: '#D1EDFF',
          200: '#A8DBFF',
          300: '#7AC5FF',
          400: '#4AADFF',
          500: '#0067FF',
          600: '#0052CC',
          700: '#003D99',
          800: '#002966',
          900: '#001433',
        },
        accent: {
          50: '#FFFAF0',
          100: '#FEEBC8',
          200: '#FBD38D',
          300: '#F6AD55',
          400: '#ED8936',
          500: '#DD6B20',
          600: '#C05621',
          700: '#9C4221',
          800: '#7B341E',
          900: '#652B19',
        },
        gold: {
          50: '#FEFCF3',
          100: '#FDF6E3',
          200: '#F9E4B7',
          300: '#F2CE84',
          400: '#E8B44C',
          500: '#D4A574',
          600: '#C08A4E',
          700: '#A06E3C',
          800: '#7D552E',
          900: '#5C3D20',
        },
        teal: {
          50: '#F0F8FA',
          100: '#CCF8F1',
          200: '#99F6E4',
          300: '#5EEAD4',
          400: '#2DD4BF',
        },
      },
    },
  },
}
```

```

500: '#0D9488',
600: '#0A8A8A',
700: '#0F766E',
800: '#115E59',
900: '#134E4A',
},
navy: {
50: '#F0F4F8',
100: '#D9E2EC',
200: '#BCCCDC',
300: '#9FB3C8',
400: '#829AB1',
500: '#627D98',
600: '#486581',
700: '#334E68',
800: '#243B53',
900: '#102A43',
},
success: {
50: '#F0FDF4',
100: '#DCFCF7',
200: '#BBF7D0',
300: '#86EFAC',
400: '#4ADE80',
500: '#22C55E',
600: '#16A34A',
700: '#15803D',
800: '#166534',
900: '#14532D',
},
warning: {
50: '#FFFBE8',
100: '#FEF3C7',
200: '#FDE68A',
300: '#FCD34D',
400: '#FBBF24',
500: '#F59E0B',
600: '#D97706',
700: '#B45309',
800: '#92400E',
900: '#78350F',
},
error: {
50: '#FEF2F2',
100: '#FEE2E2',
200: '#FECACA',
300: '#FCA5A5',
400: '#F87171',
500: '#EF4444',
600: '#DC2626',
700: '#B91C1C',
800: '#991B1B',
900: '#7F1D1D',
},
},
animation: {
'count-up': 'countUp 2s ease-out forwards',
'fade-in-up': 'fadeInUp 0.6s ease-out forwards',
'fade-in': 'fadeIn 0.8s ease-out forwards',
'slide-up': 'slideUp 0.24s ease-out forwards',
'slide-in-left': 'slideInLeft 0.24s ease-out forwards',
'slide-in-right': 'slideInRight 0.24s ease-out forwards',
'pulse-soft': 'pulseSoft 3s ease-in-out infinite',
},
keyframes: {
countUp: {
'0%': { opacity: '0', transform: 'translateY(10px)' },
'100%': { opacity: '1', transform: 'translateY(0)' },
},
fadeInUp: {
'0%': { opacity: '0', transform: 'translateY(20px)' },
'100%': { opacity: '1', transform: 'translateY(0)' },
},
fadeIn: {
'0%': { opacity: '0' },
'100%': { opacity: '1' },
},
slideUp: {
'0%': { opacity: '0', transform: 'translateY(40px)' },
'100%': { opacity: '1', transform: 'translateY(0)' },
},
slideInLeft: {
'0%': { transform: 'translateX(-100%)' },
'100%': { transform: 'translateX(0)' },
},
slideInRight: {
'0%': { transform: 'translateX(100%)' },
'100%': { transform: 'translateX(0)' },
},
pulseSoft: {
'0%, 100%': { opacity: '1' },
'50%': { opacity: '0.7' },
},
},
},
},
},

```

```
  plugins: [],  
};
```

Global CSS

File: src/index.css

```
@tailwind base;  
@tailwind components;  
@tailwind utilities;  
  
/* Global mobile overflow guard – prevents rogue child widths from creating  
horizontal scroll on Galaxy S21-S23 (360-412px). */  
html, body {  
  overflow-x: hidden;  
  max-width: 100vw;  
}  
  
img, video, canvas, svg {  
  max-width: 100%;  
  height: auto;  
}  
  
/* Theme tokens. data-theme is set on <html> by useTheme / useAccessibilityPreferences. */  
:root {  
  --surface-page: #ffffff;  
  --surface-elevated: #f8fafc;  
  --surface-card: #ffffff;  
  --surface-muted: #f1f5f9;  
  --border-subtle: #e2e8f0;  
  --border-strong: #cbd5e1;  
  --text-primary: #0f172a;  
  --text-secondary: #475569;  
  --text-muted: #64748b;  
  --text-inverse: #ffffff;  
  --accent-teal: #0d9488;  
  --accent-teal-hover: #0f766e;  
  --accent-amber: #f59e0b;  
  --focus-ring: #0d9488;  
  --shadow-sm: 0 1px 2px rgba(15, 23, 42, 0.06);  
  --shadow-md: 0 4px 12px rgba(15, 23, 42, 0.08);  
  --color-scheme: light;  
}  
  
html[data-theme="dark"] {  
  --surface-page: #0b1220;  
  --surface-elevated: #111a2e;  
  --surface-card: #142036;  
  --surface-muted: #1b2740;  
  --border-subtle: #243352;  
  --border-strong: #324463;  
  --text-primary: #f1f5f9;  
  --text-secondary: #cbd5e1;  
  --text-muted: #94a3b8;  
  --text-inverse: #0b1220;  
  --accent-teal: #2dd4bf;  
  --accent-teal-hover: #5eead4;  
  --accent-amber: #fbbf24;  
  --focus-ring: #2dd4bf;  
  --shadow-sm: 0 1px 2px rgba(0, 0, 0, 0.5);  
  --shadow-md: 0 4px 12px rgba(0, 0, 0, 0.6);  
  --color-scheme: dark;  
  color-scheme: dark;  
}  
  
@media (prefers-color-scheme: dark) {  
  html[data-theme="system"] {  
    --surface-page: #0b1220;  
    --surface-elevated: #111a2e;  
    --surface-card: #142036;  
    --surface-muted: #1b2740;  
    --border-subtle: #243352;  
    --border-strong: #324463;  
    --text-primary: #f1f5f9;  
    --text-secondary: #cbd5e1;  
    --text-muted: #94a3b8;  
    --text-inverse: #0b1220;  
    --accent-teal: #2dd4bf;  
    --accent-teal-hover: #5eead4;  
    --accent-amber: #fbbf24;  
    --focus-ring: #2dd4bf;  
    --shadow-sm: 0 1px 2px rgba(0, 0, 0, 0.5);  
    --shadow-md: 0 4px 12px rgba(0, 0, 0, 0.6);  
    --color-scheme: dark;  
    color-scheme: dark;  
  }  
}  
  
html, body {  
  background-color: var(--surface-page);  
  color: var(--text-primary);  
  transition: background-color 220ms ease, color 220ms ease;  
}
```

```

html[data-reduce-motion="true"] html,
html[data-reduce-motion="true"] body {
  transition: none !important;
}

/* RTL mirroring: flip row-based flex containers for Arabic/Hebrew. */
html[dir="rtl"] body { text-align: start; }
html[dir="rtl"] .flex-row { flex-direction: row-reverse; }
html[dir="rtl"] .rtl-mirror { transform: scaleX(-1); }
html[dir="rtl"] [data-bidi="isolate"] { unicode-bidi: isolate; }
html[dir="rtl"] bdi,
html[dir="rtl"] .brand-token,
html[dir="rtl"] .latin-token {
  unicode-bidi: isolate;
  direction: ltr;
  display: inline-block;
}

/* Inclusive design preference hooks set on <html data-*> by useAccessibilityPreferences */
@media (prefers-reduced-motion: reduce) {
  *, *::before, *::after {
    animation-duration: 0.001ms !important;
    animation-iteration-count: 1 !important;
    transition-duration: 0.001ms !important;
    scroll-behavior: auto !important;
  }
}
html[data-reduce-motion="true"] *,
html[data-reduce-motion="true"] *::before,
html[data-reduce-motion="true"] *::after {
  animation-duration: 0.001ms !important;
  animation-iteration-count: 1 !important;
  transition-duration: 0.001ms !important;
  scroll-behavior: auto !important;
}
html[data-text-size="large"] { font-size: 112.5%; }
html[data-text-size="x-large"] { font-size: 125%; }
html[data-high-contrast="true"] {
  --hc-fg: #000;
  --hc-bg: #fff;
  --hc-link: #0033cc;
}
html[data-high-contrast="true"] body {
  color: var(--hc-fg);
  background: var(--hc-bg);
}
html[data-high-contrast="true"] a {
  color: var(--hc-link);
  text-decoration: underline;
}
html[data-high-contrast="true"] :focus-visible {
  outline: 3px solid #000 !important;
  outline-offset: 2px !important;
}

@layer utilities {
  .scrollbar-thin {
    scrollbar-width: thin;
    scrollbar-color: #d4d4d4 transparent;
  }

  .scrollbar-thin::-webkit-scrollbar {
    height: 6px;
    width: 6px;
  }

  .scrollbar-thin::-webkit-scrollbar-track {
    background: transparent;
  }

  .scrollbar-thin::-webkit-scrollbar-thumb {
    background-color: #d4d4d4;
    border-radius: 3px;
  }

  .scrollbar-thin::-webkit-scrollbar-thumb:hover {
    background-color: #a3a3a3;
  }

  .scrollbar-hide {
    -ms-overflow-style: none;
    scrollbar-width: none;
  }

  .scrollbar-hide::-webkit-scrollbar {
    display: none;
  }

  .safe-area-bottom {
    padding-bottom: max(0.75rem, env(safe-area-inset-bottom));
  }

  .safe-area-top {
    padding-top: max(0.75rem, env(safe-area-inset-top));
  }
}

```

```

.safe-area-x {
  padding-left: max(0.75rem, env(safe-area-inset-left));
  padding-right: max(0.75rem, env(safe-area-inset-right));
}

.h-dvh { height: 100dvh; }
.min-h-dvh { min-height: 100dvh; }
.max-h-dvh { max-height: 100dvh; }

.touch-target {
  min-width: 44px;
  min-height: 44px;
}

.tap-highlight-none {
  -webkit-tap-highlight-color: transparent;
}
}

/* Global mobile architecture: applies site-wide */
@media (max-width: 767px) {
  html, body {
    -webkit-text-size-adjust: 100%;
    text-size-adjust: 100%;
    overscroll-behavior-y: none;
  }
  button, a, [role="button"] {
    -webkit-tap-highlight-color: transparent;
  }
  /* Prevent iOS input auto-zoom: min 16px font on form controls */
  input:not([type="checkbox"]):not([type="radio"]),
  select,
  textarea {
    font-size: 16px;
  }
  /* Tables scroll horizontally instead of overflowing viewport */
  table {
    display: block;
    max-width: 100%;
    overflow-x: auto;
    -webkit-overflow-scrolling: touch;
  }
  /* Long media never overflows */
  img, video, svg, canvas {
    max-width: 100%;
    height: auto;
  }
}

/* Focus ring globally visible and not clipped */
:focus-visible {
  outline: 2px solid var(--focus-ring);
  outline-offset: 2px;
}

:root {
  --tenant-primary: #1e40af;
  --tenant-secondary: #1e3a5f;
  --tenant-accent: #f59e0b;
}

@layer base {
  :root {
    --reading-font-scale: 1;
  }

  html {
    font-size: calc(100% * var(--reading-font-scale));
  }

  body {
    @apply bg-white text-navy-900 font-sans;
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
    text-rendering: optimizeLegibility;
  }

  h1 {
    @apply font-serif font-bold tracking-tight;
    line-height: 1.15;
    margin-bottom: 0.5em;
  }

  h2 {
    @apply font-serif font-bold tracking-tight;
    line-height: 1.2;
    margin-bottom: 0.5em;
  }

  h3 {
    @apply font-serif font-bold tracking-tight;
    line-height: 1.25;
    margin-bottom: 0.4em;
  }
}

```

```

h4, h5, h6 {
  @apply font-sans font-bold tracking-tight;
  line-height: 1.3;
  margin-bottom: 0.4em;
}

p {
  line-height: 1.65;
  margin-bottom: 1em;
}

p:last-child { margin-bottom: 0; }

:focus-visible {
  @apply outline-none ring-2 ring-teal-500 ring-offset-2;
}

button:focus-visible,
a:focus-visible,
[role="button"]:focus-visible {
  @apply outline-none ring-2 ring-offset-2;
}

button:disabled,
[aria-disabled="true"] {
  @apply cursor-not-allowed;
}

.sr-only {
  position: absolute;
  width: 1px;
  height: 1px;
  padding: 0;
  margin: -1px;
  overflow: hidden;
  clip: rect(0, 0, 0, 0);
  white-space: nowrap;
  border-width: 0;
}

.min-touch-target {
  min-width: 44px;
  min-height: 44px;
}

@media (prefers-reduced-motion: reduce) {
  *, *::before, *::after {
    animation-duration: 0.01ms !important;
    animation-iteration-count: 1 !important;
    transition-duration: 0.01ms !important;
  }
}

@keyframes fadeIn {
  from { opacity: 0; }
  to { opacity: 1; }
}

@keyframes fadeInUp {
  from { opacity: 0; transform: translateY(20px); }
  to { opacity: 1; transform: translateY(0); }
}

@keyframes gradient {
  0% { background-position: 0% 50%; }
  50% { background-position: 100% 50%; }
  100% { background-position: 0% 50%; }
}

.animate-fade-in {
  animation: fadeIn 0.8s ease-out forwards;
}

.animate-fade-in-up {
  animation: fadeInUp 0.8s ease-out forwards;
}

.animate-gradient {
  animation: gradient 3s ease infinite;
}

@media (prefers-contrast: more) {
  body {
    --tw-text-opacity: 1;
    color: #000;
    background: #fff;
  }

  a, button {
    text-decoration: underline;
  }

  .bg-navy-50, .bg-navy-100, .bg-teal-50 {
    background: #fff !important;
    border: 1px solid #000 !important;
  }
}

```



```

}

.text-navy-400, .text-navy-500, .text-navy-600 {
  color: #333 !important;
}
}

nav a:focus-visible,
nav button:focus-visible {
  outline: 3px solid #0d9488;
  outline-offset: 2px;
  border-radius: 4px;
}

input:focus-visible,
select:focus-visible,
textarea:focus-visible {
  outline: 3px solid #0d9488;
  outline-offset: 0;
  box-shadow: 0 0 0 3px rgba(13, 148, 136, 0.2);
}

@media (forced-colors: active) {
  :focus-visible {
    outline: 2px solid CanvasText;
    outline-offset: 2px;
  }
}

.prose-readable {
  max-width: 70ch;
  font-size: 1.0625rem;
  line-height: 1.7;
  letter-spacing: 0.01em;
  color: #102A43;
}

.prose-readable p,
.prose-readable li {
  word-spacing: 0.04em;
}

.prose-readable h2 { margin-top: 2em; }
.prose-readable h3 { margin-top: 1.5em; }

.prose-readable a {
  color: #0F766E;
  text-decoration: underline;
  text-decoration-thickness: 2px;
  text-underline-offset: 2px;
}

.prose-readable a:hover {
  background-color: #F0FDFA;
}

.prose-readable ul,
.prose-readable ol {
  padding-left: 1.5em;
  margin-bottom: 1em;
}

.prose-readable li + li {
  margin-top: 0.4em;
}

[data-reading-dyslexia="true"] {
  font-family: 'Atkinson Hyperlegible', 'Inter', system-ui, sans-serif;
  letter-spacing: 0.05em;
  word-spacing: 0.16em;
  line-height: 1.8;
}

[data-reading-dyslexia="true"] p,
[data-reading-dyslexia="true"] li {
  max-width: 65ch;
}

[data-reading-dyslexia="true"] h1,
[data-reading-dyslexia="true"] h2,
[data-reading-dyslexia="true"] h3,
[data-reading-dyslexia="true"] h4 {
  font-family: 'Atkinson Hyperlegible', 'Inter', system-ui, sans-serif;
  letter-spacing: 0.02em;
}

[data-reading-high-contrast="true"] {
  background: #ffffff !important;
  color: #000000 !important;
}

[data-reading-high-contrast="true"] a {
  color: #0b3d91 !important;
  text-decoration: underline !important;
}

```

```

[data-reading-high-contrast="true"] .bg-slate-50,
[data-reading-high-contrast="true"] .bg-navy-50,
[data-reading-high-contrast="true"] .bg-teal-50 {
  background: #ffffff !important;
  border: 1px solid #000000 !important;
}

[data-reading-high-contrast="true"] .text-slate-500,
[data-reading-high-contrast="true"] .text-slate-600,
[data-reading-high-contrast="true"] .text-navy-400,
[data-reading-high-contrast="true"] .text-navy-500 {
  color: #1a1a1a !important;
}

[data-reading-underline-links="true"] main a:not([class*="no-underline"]):not(nav a):not(header a):not(footer a) {
  text-decoration: underline;
  text-decoration-offset: 2px;
}
[data-reading-underline-links="true"] nav a,
[data-reading-underline-links="true"] header a,
[data-reading-underline-links="true"] footer a,
[data-reading-underline-links="true"] a[class*="no-underline"] {
  text-decoration: none;
}

```

App Layout Shell

File: src/components/Layout.tsx

```

import { useState } from 'react';
import { useLocation, Outlet, useNavigate, Link } from 'react-router-dom';
import { Sparkles, Menu } from 'lucide-react';
import { useDemo } from '../contexts/DemoContext';
import { useLanguage } from '../contexts/LanguageContext';
import Footer from './Footer';
import CollapsibleSidebar from './cognitive-load/CollapsibleSidebar';
import UserMenu from './UserMenu';
import LocalePicker from './LocalePicker';
import ThemeToggle from './ThemeToggle';
import MobileBottomNav from './MobileBottomNav';
import MobileDrawer from './MobileDrawer';
import { useChromePersona } from '../hooks/useChromePersona';
import { useLayoutPreferences } from '../hooks/useLayoutPreferences';
import { useBreakpoint } from '../hooks/useBreakpoint';

export default function Layout() {
  const location = useLocation();
  const navigate = useNavigate();
  const { isDemoMode } = useDemo();
  const { language } = useLanguage();
  const chrome = useChromePersona();
  const { prefs: layoutPrefs } = useLayoutPreferences();
  const { isDesktop } = useBreakpoint();
  const [mobileNavOpen, setMobileNavOpen] = useState(false);

  const handleNewChat = () => {
    setMobileNavOpen(false);
    navigate('/chat');
  };

  const isHomePage = location.pathname === '/chatbot';
  const showSidebar = chrome.showSidebar && !layoutPrefs.hide_sidebar;

  return (
    <div
      className={`bg-slate-50 flex flex-col ${
        isHomePage ? 'h-dvh overflow-hidden' : 'min-h-dvh'
      }`}
    >
      <div className={`flex flex-1 min-h-0 ${isHomePage ? 'overflow-hidden' : ''}`}>
        {showSidebar && isDesktop && <CollapsibleSidebar onNewChat={handleNewChat} />}

        {showSidebar && !isDesktop && (
          <MobileDrawer
            open={mobileNavOpen}
            onClose={() => setMobileNavOpen(false)}
            title="ezLegal.ai"
            labelledById="mobile-nav-title"
          >
            <CollapsibleSidebar onNewChat={handleNewChat} className="w-full border-r-0" />
          </MobileDrawer>
        )}
      </div>
      <div
        className={`flex-1 flex flex-col min-w-0 ${isHomePage ? 'overflow-hidden' : ''}`}
      >
        <header
          role="banner"
          aria-label={language === 'es' ? 'Encabezado del panel' : 'Dashboard header'}
          className={`sticky ${
            isDemoMode ? 'top-10' : 'top-0'
          } z-40 bg-white/95 backdrop-blur-xl border-b border-navy-200 shadow-sm`}
        >

```

```

        style={{ paddingTop: 'env(safe-area-inset-top, 0px)' }}
      >
      <div className="flex items-center justify-between h-14 sm:h-16 px-3 sm:px-6 lg:px-8 gap-2 sm:gap-4">
        {showSidebar && !isDesktop && (
          <button
            type="button"
            onClick={() => setMobileNavOpen(true)}
            aria-label={language === 'es' ? 'Abrir menu' : 'Open menu'}
            className="touch-target tap-highlight-none flex items-center justify-center -ml-2 rounded-lg text-navy-700
hover:bg-navy-100"
          >
            <Menu className="h-5 w-5" aria-hidden="true" />
          </button>
        )}

        <Link
          to="/dashboard"
          className="flex items-center gap-2 flex-shrink-0 focus:outline-none focus:ring-2 focus:ring-teal-500
focus:ring-offset-2 rounded"
          aria-label={language === 'es' ? 'Panel' : 'Dashboard'}
        >
          
        </Link>

        <div className="flex items-center gap-1.5 sm:gap-2 ml-auto">
          <LocalePicker className="hidden md:block" />
          <ThemeToggle className="hidden md:block" />
          <Link
            to="/chat"
            className="hidden sm:inline-flex items-center gap-1.5 px-3 py-1.5 text-sm font-semibold text-white bg-teal-600
hover:bg-teal-700 rounded-lg shadow-sm transition-colors focus:outline-none focus:ring-2 focus:ring-teal-500 focus:ring-offset-2"
          >
            <Sparkles className="h-4 w-4" aria-hidden="true" />
            {language === 'es' ? 'Preguntar' : 'Ask'}
          </Link>
          <UserMenu />
        </div>
      </div>
    </header>

    <main
      id="main-content"
      tabIndex={-1}
      aria-label="Main content"
      className={
        isHomePage
          ? 'flex-1 overflow-hidden focus:outline-none pb-[calc(env(safe-area-inset-bottom,0px))]'
          : 'flex-1 focus:outline-none pb-16 lg:pb-0'
      }
    >
      <Outlet />
    </main>

    {!isHomePage && <Footer />}
  </div>
</div>

  <MobileBottomNav onOpenMenu={() => setMobileNavOpen(true)} />
</div>
);
}

```

[MISSING] src/components/Navbar.tsx

Footer

File: src/components/Footer.tsx

```

import { Link } from 'react-router-dom';
import { ShieldCheck, Lock, FileText, AlertCircle, Phone, Scale, Heart, Flag, Building2, Brain, ClipboardCheck, Handshake, Share2,
Clock } from 'lucide-react';
import { useLanguage } from '../contexts/LanguageContext';
import NAPBlock from './NAPBlock';

export default function Footer() {
  const { t, language } = useLanguage();

  return (
    <footer
      role="contentinfo"
      aria-label={language === 'en' ? 'Site footer' : 'Pie de página'}
      className="bg-navy-900 text-white py-16 border-t border-navy-800"
    >
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="bg-navy-800/50 border border-navy-700 rounded-xl p-6 mb-12">
          <div className="flex items-start gap-4 mb-4">
            <div className="w-10 h-10 bg-amber-500/20 rounded-lg flex items-center justify-center flex-shrink-0">

```

```
<AlertCircle className="w-5 h-5 text-amber-400" />
</div>
<div>
<h4 className="font-bold text-white mb-2">{t('footer.legalNotice')}</h4>
<p className="text-navy-100 text-sm leading-relaxed">
<strong className="text-white">{t('footer.notLawFirm')}</strong> {t('footer.legalNoticeText')}
</p>
</div>
</div>
<div className="flex flex-wrap gap-4 text-sm">
<Link to="/emergency-resources" className="inline-flex items-center gap-1.5 text-red-400 hover:text-red-300
transition-colors font-semibold">
<Phone className="w-4 h-4" />
{t('footer.crisisResources')}
</Link>
<Link to="/pro-bono" className="inline-flex items-center gap-1.5 text-success-400 hover:text-success-300
transition-colors font-semibold">
<Heart className="w-4 h-4" />
{t('footer.freeLegalAid')}
</Link>
<Link to="/find-attorney" className="inline-flex items-center gap-1.5 text-teal-400 hover:text-teal-300
transition-colors font-semibold">
<Scale className="w-4 h-4" />
{t('footer.findAttorney')}
</Link>
</div>
</div>
<div className="grid md:grid-cols-5 gap-8 mb-12">
<div>

<div className="flex items-center gap-2 mb-4">
<span className="text-[10px] text-navy-300 font-medium uppercase tracking-wider">{t('footer.poweredBy')}</span>
<span className="text-sm font-bold">
<span className="text-navy-300">Legalbre</span><span className="text-teal-400">ez</span><span
className="text-navy-300">e</span><sup className="text-[7px] text-navy-400">TM</sup>
</span>
</div>
<NAPBlock variant="stacked" className="text-navy-200 [&a]:text-navy-200 [&a:hover]:text-gold-400
[&_svg]:text-teal-400" />
</div>
<div>
<h4 className="font-bold text-white mb-4">{t('footer.product')}</h4>
<ul className="space-y-2 text-navy-200">
<li><Link to="/features" className="hover:text-gold-400 transition-colors">{t('nav.features')}</Link></li>
<li><Link to="/pricing" className="hover:text-gold-400 transition-colors">{t('nav.pricing')}</Link></li>
<li><Link to="/ezreads" className="hover:text-gold-400 transition-colors">{t('nav.legalGuides')}</Link></li>
</ul>
</div>
<div>
<h4 className="font-bold text-white mb-4">{t('footer.company')}</h4>
<ul className="space-y-2 text-navy-200">
<li><Link to="/about" className="hover:text-gold-400 transition-colors">{t('nav.about')}</Link></li>
<li><Link to="/contact" className="hover:text-gold-400 transition-colors">{t('nav.contact')}</Link></li>
<li><Link to="/for-organizations" className="hover:text-gold-400
transition-colors">{t('footer.forOrganizations')}</Link></li>
<li><Link to="/partner-hub" className="hover:text-gold-400 transition-colors flex items-center gap-1.5"><Handshake
className="w-3 h-3" />{t('nav.partnerProgram')}</Link></li>
<li><Link to="/media-kit" className="hover:text-gold-400 transition-colors flex items-center gap-1.5"><Share2
className="w-3 h-3" />{language === 'es' ? 'Kit de Medios' : 'Media Kit'}</Link></li>
</ul>
</div>
<div>
<h4 className="font-bold text-white mb-4">{t('nav.trustSafety')}</h4>
<ul className="space-y-2 text-navy-200">
<li><Link to="/trust-center" className="hover:text-gold-400 transition-colors flex items-center gap-1.5"><ShieldCheck
className="w-3 h-3" />{t('footer.trustCenter')}</Link></li>
<li><Link to="/how-it-works" className="hover:text-gold-400 transition-colors flex items-center gap-1.5"><Brain
className="w-3 h-3" />{t('nav.howAiWorks')}</Link></li>
<li><Link to="/privacy" className="hover:text-gold-400 transition-colors flex items-center gap-1.5"><Lock
className="w-3 h-3" />{t('footer.privacy')}</Link></li>
<li><Link to="/terms" className="hover:text-gold-400 transition-colors flex items-center gap-1.5"><FileText
className="w-3 h-3" />{t('footer.terms')}</Link></li>
<li><Link to="/privacy#cookies" className="hover:text-gold-400 transition-colors flex items-center gap-1.5"><FileText
className="w-3 h-3" />{language === 'es' ? 'Preferencias de Cookies' : 'Cookie Preferences'}</Link></li>
<li><Link to="/ai-governance" className="hover:text-gold-400 transition-colors flex items-center gap-1.5"><ShieldCheck
className="w-3 h-3" />{t('nav.aiGovernance')}</Link></li>
<li><Link to="/enterprise-security" className="hover:text-gold-400 transition-colors flex items-center
gap-1.5"><Building2 className="w-3 h-3" />{t('footer.enterpriseSecurity')}</Link></li>
<li><Link to="/sla" className="hover:text-gold-400 transition-colors flex items-center gap-1.5"><Clock className="w-3
h-3" />SLA & Uptime</Link></li>
<li><Link to="/trust-center#report" className="hover:text-red-400 transition-colors flex items-center gap-1.5
text-red-400"><Flag className="w-3 h-3" />{t('footer.reportConcern')}</Link></li>
<li><Link to="/how-reports-are-reviewed" className="hover:text-gold-400 transition-colors flex items-center
gap-1.5"><ClipboardCheck className="w-3 h-3" />{t('footer.howReportsReviewed')}</Link></li>
</ul>
</div>
</div>
```

```

        <h4 className="font-bold text-white mb-4">{t('nav.getHelp')}</h4>
        <ul className="space-y-2 text-navy-200">
          <li><Link to="/ask" className="hover:text-gold-400 transition-colors">{language === 'es' ? 'Hacer una Pregunta' : 'Ask
a Question'}</Link></li>
          <li><Link to="/scope-disclaimers" className="hover:text-gold-400 transition-colors">{language === 'es' ? 'Alcance y
Limitaciones' : 'What We Can Help With'}</Link></li>
          <li><Link to="/accessibility" className="hover:text-gold-400 transition-colors">{language === 'es' ? 'Accesibilidad' :
'Accessibility'}</Link></li>
        </ul>
      </div>
    </div>

    <div className="bg-navy-800/30 border border-navy-700 rounded-lg p-4 mb-8">
      <h5 className="font-semibold text-white mb-2 text-sm">{t('footer.aboutAiData')}</h5>
      <ul className="text-navy-200 text-xs space-y-1">
        <li>{t('footer.dataNotUsed')}</li>
        <li>{t('footer.encrypted')}</li>
        <li>{t('footer.deleteData')}</li>
        <li>{t('footer.ccpaCompliant')}</li>
        <li>{t('footer.aiCitations')}</li>
      </ul>
    </div>

    <div className="bg-navy-800/30 border border-navy-700 rounded-lg p-4 mb-8">
      <h5 className="font-semibold text-white mb-2 text-sm">{t('footer.legalFreshness')}</h5>
      <div className="text-navy-200 text-xs space-y-1.5">
        <p><strong className="text-white">{t('footer.citationDatabase')}</strong> {t('footer.citationUpdated')}</p>
        <p><strong className="text-white">{t('footer.courtInfo')}</strong> {t('footer.courtUpdated')}</p>
        <p><strong className="text-white">{t('footer.verificationCycle')}</strong> {t('footer.verificationText')}</p>
        <p><strong className="text-white">{t('footer.lastUpdate')}</strong> {t('footer.lastUpdateDate')}</p>
        <p className="text-navy-300 italic mt-2">{t('footer.lawsVary')}</p>
      </div>
    </div>

    <div className="pt-8 border-t border-navy-800 text-center text-navy-300 text-sm space-y-3">
      <p>&copy; 2026 ezLegal.ai<sup className="text-[8px]">TM</sup>, a <span className="text-navy-200">Legalbre</span><span
className="text-teal-400">ez</span><span><span className="text-navy-200">e</span><sup className="text-[8px]">TM</sup> company.
{t('footer.copyright')}</p>
      <p className="text-xs max-w-3xl mx-auto text-navy-200">
        {t('footer.commitmentText')}
      </p>
      <div className="pt-3 border-t border-navy-800/50">
        <p className="text-[11px] text-navy-300 font-medium tracking-wide">
          {t('footer.patentPending')}
        </p>
        <p className="text-[10px] text-navy-300 mt-1 max-w-xl mx-auto">
          {t('footer.patentText')}
        </p>
      </div>
    </div>
  </div>
</footer>
);
}

```

[1/58] Home

Route: / | File: src/pages/Home.tsx

```

import { useState, useEffect } from 'react';
import { useNavigate, Link } from 'react-router-dom';
import {
  Shield, MessageSquare, FileText, CheckCircle, Users,
  ArrowRight, ChevronDown, ChevronUp
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import ResumeBanner from '../components/ResumeBanner';
import HomeKPIStrip from '../components/HomeKPIStrip';
import CrisisStrip from '../components/CrisisStrip';
import HomeAudienceRouting from '../components/HomeAudienceRouting';
import SafeguardsSection from '../components/SafeguardsSection';
import { recordConsent } from '../lib/consent';
import { useLanguage } from '../contexts/LanguageContext';
import { usePersonalization } from '../contexts/PersonalizationContext';
import { usePersona } from '../contexts/PersonaContext';
import { useAuth } from '../contexts/AuthContext';
import { markHeroVariantSeen } from '../services/ui-preferences-service';
import { getVariant, HERO_EN_TEST, HERO_EN_COPY, HERO_ES_TEST, HERO_ES_COPY } from '../lib/ab-testing';
import { trackCTAClick } from '../lib/utm';
import { renderClaimOrFallback } from '../content/trustEvidence';

export default function Home() {
  const [openFaq, setOpenFaq] = useState<number | null>(null);
  const { language } = useLanguage();
  const { trackPageVisit } = usePersonalization();
  const { setPersona: _setPersona } = usePersona();
  const { user, profile } = useAuth();
  const navigate = useNavigate();
  const heroVariant = language === 'es' ? getVariant(HERO_ES_TEST) : getVariant(HERO_EN_TEST);
  const heroCopy = language === 'es'
    ? (HERO_ES_COPY[heroVariant] || HERO_ES_COPY.control)
    : (HERO_EN_COPY[heroVariant] || HERO_EN_COPY.control);

  useEffect(() => {
    trackPageVisit('/');
    // eslint-disable-next-line react-hooks/exhaustive-deps
  }, []);

  // Returning authenticated users always land in the chat workspace.
  useEffect(() => {
    if (!user) return;
    navigate('/chat', { replace: true });
  }, [user, navigate]);

  // P1: persist hero-seen state
  useEffect(() => {
    if (user && !profile?.hero_variant_seen) {
      markHeroVariantSeen(user.id);
    }
  }, [user, profile?.hero_variant_seen]);

  // Silence unused warning – persona selection now lives in Step2Router on /start
  void _setPersona;

  const handleStartNow = (e?: React.MouseEvent) => {
    e?.preventDefault();
    e?.stopPropagation();
    trackCTAClick(`hero-primary-${heroVariant}`, '/start');
    void recordConsent({
      consentType: 'ai_processing',
      source: 'home_primary_cta',
      language,
      userId: user?.id ?? null,
    });
    navigate('/start');
  };

  return (
    <div className="min-h-screen bg-white overflow-x-hidden">
      <Navigation />

      <main id="main-content" className="pb-[calc(5rem+env(safe-area-inset-bottom,0px))] lg:pb-0">
        <section className="relative pt-24 pb-12 min-h-[68vh] flex items-center overflow-x-clip">
          <div className="absolute inset-0 bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 pointer-events-none" />
          <div className="absolute inset-0 opacity-[0.03] pointer-events-none" style={{ backgroundImage:
'url("data:image/svg+xml,%3Csvg width=\\'60\\' height=\\'60\\' viewBox=\\'0 0 60 60\\' xmlns=\\'http://www.w3.org/2000/svg\\'%3E%3Cg
fill=\\'none\\' fill-rule=\\'evenodd\\'%3E%3Cg fill=\\'\\'23ffffff\\' fill-opacity=\\'1\\'%3E%3Cpath d=\\'M36
34v-4h-2v4h-4v2h4v4h2v-4h4v-2h-4zm0-30V0h-2v4h-4v2h4v4h2v6h4v4h-4zM6 34v-4H4v4H0v2h4v4h2v-4h4v-2H6zM6
4V0H4V4H0V2h4v4h2v6h4v4H6z\\'%3E%3C/g%3E%3C/g%3E%3C/svg%3E\\' }} />

          <div className="relative w-full max-w-4xl mx-auto px-5 sm:px-6 lg:px-8 text-center min-w-0">
            <h1 className="text-[clamp(1.75rem,7vw,3.75rem)] font-bold mb-4 leading-[1.1] tracking-tight text-white text-balance
break-words">
              {heroCopy.title}
            </h1>

```

```

<p className="text-base sm:text-lg md:text-xl text-navy-100 mb-6 max-w-2xl mx-auto leading-relaxed">
  {heroCopy.subtitle}
</p>

<div className="flex flex-col items-center justify-center gap-3 mb-4 w-full min-w-0">
  <button
    type="button"
    onClick={(e) => handleStartNow(e)}
    data-testid="hero-primary-cta"
    className="group bg-teal-700 hover:bg-teal-600 text-white px-6 sm:px-10 py-4 rounded-xl font-bold text-base
sm:text-lg transition-all shadow-xl hover:shadow-2xl hover:-translate-y-0.5 flex items-center justify-center gap-3
focus:outline-none focus:ring-4 focus:ring-teal-300 focus:ring-offset-2 focus:ring-offset-navy-900 min-h-[56px] w-full sm:w-auto"
    aria-label={heroCopy.cta}
  >
    {heroCopy.cta}
    <ArrowRight className="w-5 h-5 group-hover:translate-x-1 transition-transform flex-shrink-0" aria-hidden="true" />
  </button>

  <p className="text-sm text-white/80 mt-1 max-w-md leading-snug">
    {language === 'en'
      ? 'Legal information, not legal advice. We are not a law firm.'
      : 'Información legal, no asesoría legal. No somos un bufete de abogados.'
    }
  </p>

  <p className="text-xs text-navy-300 max-w-md leading-snug">
    {language === 'en'
      ? 'Currently focused on Arizona law. Coverage expanding soon.'
      : 'Actualmente enfocados en la ley de Arizona. Cobertura expandiéndose pronto.'
    }
  </p>

  <p className="text-sm text-navy-200 flex flex-wrap items-center justify-center gap-x-2 gap-y-1">
    <Shield className="w-4 h-4 text-teal-400 flex-shrink-0" aria-hidden="true" />
    <Link
      to="/trust-center"
      className="underline underline-offset-2 hover:text-white transition-colors"
    >
      {renderClaimOrFallback('attorney-informed', language === 'es' ? 'es' : 'en')}
    </Link>
  </p>
</div>

<div className="mt-3 flex justify-center w-full min-w-0">
  <CrisisStrip variant="inline" />
</div>
</div>
</section>

{/* Social proof + conversion strip */}
<section className="py-5 bg-white border-b border-slate-200">
  <div className="max-w-5xl mx-auto px-4 sm:px-6">
    <div className="flex flex-col sm:flex-row items-center justify-center gap-4 sm:gap-8 text-center">
      <div className="flex items-center gap-2">
        <span className="inline-flex items-center justify-center w-8 h-8 rounded-full bg-teal-50 text-teal-700">
          <Users className="w-4 h-4" aria-hidden="true" />
        </span>
        <span className="text-sm font-semibold text-navy-800">
          {language === 'en' ? '2,000+ Arizonans helped' : '2,000+ personas ayudadas en Arizona'}
        </span>
      </div>
      <span className="hidden sm:block w-px h-6 bg-slate-200" aria-hidden="true" />
      <span className="text-sm text-navy-600 font-medium">
        {language === 'en' ? '$0 to start – no credit card needed' : '$0 para empezar – sin tarjeta de crédito'}
      </span>
      <span className="hidden sm:block w-px h-6 bg-slate-200" aria-hidden="true" />
    </div>
    <div className="flex items-center gap-3">
      <Link
        to="/find-a-lawyer"
        className="inline-flex items-center gap-1.5 text-sm font-semibold text-teal-700 hover:text-teal-800
transition-colors"
      >
        {language === 'en' ? 'Find a Lawyer' : 'Buscar un Abogado'}
        <ArrowRight className="w-3.5 h-3.5" aria-hidden="true" />
      </Link>
      <span className="w-px h-4 bg-slate-200 hidden sm:block" aria-hidden="true" />
      <Link
        to="/pricing?audience=legal-aid"
        className="inline-flex items-center gap-1.5 text-sm font-semibold text-navy-600 hover:text-navy-800
transition-colors"
      >
        {language === 'en' ? 'Free for Legal Aid Orgs' : 'Gratis para Organizaciones de Ayuda Legal'}
        <ArrowRight className="w-3.5 h-3.5" aria-hidden="true" />
      </Link>
    </div>
  </div>
</div>
</section>

<section className="py-6 bg-slate-50 border-y border-slate-200">
  <div className="max-w-5xl mx-auto px-4">
    <ResumeBanner />
    <div className="mt-4">
      <HomeKPIStrip />
    </div>
    <div className="mt-4 flex justify-center">

```

```

        <SafeguardsSection />
    </div>
</div>
</section>

<section className="py-10 sm:py-12 bg-white border-b border-slate-200">
    <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
        <h2 className="sr-only">
            {language === 'en' ? 'What you can do with ezLegal.ai' : 'Lo que puedes hacer con ezLegal.ai'}
        </h2>
        <div className="grid grid-cols-2 md:grid-cols-4 gap-3 sm:gap-4">
            {[
                {
                    Icon: MessageSquare,
                    en: 'Ask legal questions',
                    es: 'Haz preguntas legales',
                },
                {
                    Icon: FileText,
                    en: 'Understand documents',
                    es: 'Entiende documentos',
                },
                {
                    Icon: CheckCircle,
                    en: 'Find safe next steps',
                    es: 'Encuentra próximos pasos',
                },
                {
                    Icon: Users,
                    en: 'Prepare for an attorney',
                    es: 'Prepárate para un abogado',
                },
            ]}.map(({ Icon, en, es }) => (
                <div
                    key={en}
                    className="flex flex-col items-center text-center rounded-xl border border-slate-200 bg-white p-4 sm:p-5 shadow-sm
min-w-0"
                >
                    <span className="inline-flex items-center justify-center w-10 h-10 rounded-lg bg-teal-50 text-teal-600 mb-3">
                        <Icon className="w-5 h-5 aria-hidden="true" />
                    </span>
                    <span className="text-xs sm:text-sm font-semibold text-navy-900 leading-snug break-words">
                        {language === 'en' ? en : es}
                    </span>
                </div>
            ))
        </div>
    </div>
</section>

<HomeAudienceRouting />

<section id="how-it-works" className="py-16 bg-white">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
            <h2 className="text-4xl font-bold text-navy-900 mb-4">
                {language === 'en' ? 'How It Works Now' : 'Cómo Funciona Ahora'}
            </h2>
            <p className="text-lg text-navy-500 max-w-2xl mx-auto">
                {language === 'en'
                    ? 'Get clarity on your legal situation in three simple steps'
                    : 'Obtén claridad sobre tu situación legal en tres pasos simples'}
            </p>
        </div>

        <div className="grid md:grid-cols-3 gap-8">
            <div className="text-center">
                <div className="inline-flex items-center justify-center w-16 h-16 bg-teal-100 rounded-2xl mb-6">
                    <MessageSquare className="w-8 h-8 text-teal-600" />
                </div>
                <div className="text-5xl font-bold text-navy-100 mb-3">01</div>
                <h3 className="text-xl font-bold text-navy-900 mb-3">
                    {language === 'en' ? 'Describe Your Situation' : 'Describe Tu Situación'}
                </h3>
                <p className="text-navy-500">
                    {language === 'en'
                        ? 'Tell us what happened in plain language. No legal jargon required.'
                        : 'Dinos qué pasó en lenguaje simple. No se requiere jerga legal.'}
                </p>
            </div>

            <div className="text-center">
                <div className="inline-flex items-center justify-center w-16 h-16 bg-teal-100 rounded-2xl mb-6">
                    <FileText className="w-8 h-8 text-teal-600" />
                </div>
                <div className="text-5xl font-bold text-navy-100 mb-3">02</div>
                <h3 className="text-xl font-bold text-navy-900 mb-3">
                    {language === 'en' ? 'Get Clear Guidance' : 'Recibe Orientación Clara'}
                </h3>
                <p className="text-navy-500">
                    {language === 'en'
                        ? 'Receive easy-to-understand information about your rights and options.'
                        : 'Recibe información fácil de entender sobre tus derechos y opciones.'}
                </p>
            </div>
        </div>
    </div>
</section>

```



```

    </p>
  </div>

  <div className="text-center">
    <div className="inline-flex items-center justify-center w-16 h-16 bg-teal-100 rounded-2xl mb-6">
      <CheckCircle className="w-8 h-8 text-teal-600" />
    </div>
    <div className="text-5xl font-bold text-navy-100 mb-3">03</div>
    <h3 className="text-xl font-bold text-navy-900 mb-3">
      {language === 'en' ? 'Take Action' : 'Toma Acción'}
    </h3>
    <p className="text-navy-500">
      {language === 'en'
        ? 'Follow clear next steps, with attorney referrals when needed.'
        : 'Sigue los próximos pasos claros, con referencias a abogados cuando sea necesario.'
      }
    </p>
  </div>
</div>
</div>
</section>

<section className="py-20 bg-white">
  <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">
        {language === 'en' ? 'Frequently Asked Questions' : 'Preguntas Frecuentes'}
      </h2>
    </div>

    <div className="space-y-3">
      [[
        {
          q: language === 'en' ? "Is ezLegal.ai a replacement for a lawyer?" : "Es ezLegal.ai un reemplazo para un
abogado?",
          a: language === 'en'
            ? "No. We provide legal information to help you understand your situation – not legal advice. For complex
matters or court representation, we connect you with licensed attorneys through our referral network."
            : "No. Proporcionamos información legal para ayudarte a entender tu situación – no asesoramiento legal. Para
asuntos complejos, te conectamos con abogados a través de nuestra red de referencias."
        },
        {
          q: language === 'en' ? "Is my information private?" : "Es mi información privada?",
          a: language === 'en'
            ? "We encrypt your conversations in transit and at rest and never use them to train AI models. We follow
California privacy law (CCPA). Note: because we are not a law firm, attorney-client privilege does not apply to these conversations.
See our Privacy Policy for details."
            : "Ciframos tus conversaciones en tránsito y en reposo y nunca las usamos para entrenar modelos de IA. Cumplimos
con la ley de privacidad de California (CCPA). Nota: como no somos un bufete de abogados, el privilegio abogado-cliente no aplica."
        },
        {
          q: language === 'en' ? "Is it really free?" : "Es realmente gratis?",
          a: language === 'en'
            ? "Yes. Basic legal Q&A is completely free with no credit card required. You only pay if you choose optional
premium features like detailed action plans or document templates."
            : "Si. Las preguntas legales basicas son completamente gratis. Solo pagas si eliges características premium
opcionales."
        },
        {
          q: language === 'en' ? "What makes ezLegal.ai ethical?" : "Que hace a ezLegal.ai etico?",
          a: language === 'en'
            ? "We are transparent about what our AI can and cannot do. We tell you clearly when you need a lawyer. We never
replace a lawyer's judgment. We maintain strict privacy standards and monitor every AI response for quality and safety."
            : "Somos transparentes sobre lo que nuestra IA puede y no puede hacer. Te decimos claramente cuando necesitas un
abogado. Nunca reemplazamos el juicio de un abogado. Mantenemos estandares estrictos de privacidad."
        },
        {
          q: language === 'en' ? "How accurate is the legal information?" : "Que tan precisa es la información legal?",
          a: language === 'en'
            ? "We train our AI on official legal sources, and legal professionals review it regularly. However, laws vary by
state and change often. We provide general information – for advice about your specific case, consult a licensed attorney."
            : "Entrenamos nuestra IA con fuentes legales oficiales, y profesionales legales la revisan regularmente. Sin
embargo, las leyes varían según el estado. Para consejo sobre tu caso específico, consulta a un abogado con licencia."
        }
      ]].map((faq, i) => (
        <div key={i} className="border border-navy-200 rounded-xl overflow-hidden">
          <button
            onClick={() => setOpenFaq(openFaq === i ? null : i)}
            className="w-full flex items-center justify-between p-5 text-left bg-white hover:bg-navy-50 transition-colors
focus:outline-none focus:ring-2 focus:ring-inset focus:ring-teal-500"
            aria-expanded={openFaq === i}
          >
            <span className="font-semibold text-navy-900 pr-4">{faq.q}</span>
            {openFaq === i ? (
              <ChevronUp className="w-5 h-5 text-teal-600 flex-shrink-0" />
            ) : (
              <ChevronDown className="w-5 h-5 text-navy-400 flex-shrink-0" />
            )}
          </button>
          {openFaq === i && (
            <div className="px-5 pb-5 bg-navy-50 border-t border-navy-200">
              <p className="text-navy-600 leading-relaxed pt-4">{faq.a}</p>
            </div>
          )}
        </div>
      ))
    </div>
  </div>

```

```

    }}}
  </div>
</div>
</section>

<section className="py-20 bg-gradient-to-br from-navy-900 to-navy-800 text-white">
  <div className="max-w-4xl mx-auto px-5 sm:px-6 lg:px-8 text-center">
    <h2 className="text-3xl sm:text-4xl font-bold mb-6 text-balance">
      {language === 'en'
        ? 'Ready to Get Started?'
        : '¿Listo para comenzar?'}
    </h2>
    <p className="text-lg sm:text-xl text-navy-100 mb-10">
      {language === 'en'
        ? 'Legal information in English or Spanish – free to start'
        : 'Información legal en inglés o español – gratis para comenzar'}
    </p>
    <button
      type="button"
      onClick={handleStartNow}
      className="bg-teal-700 hover:bg-teal-600 text-white px-10 py-4 rounded-xl font-bold text-lg transition-all shadow-xl
        hover:shadow-2xl hover:-translate-y-0.5 inline-flex items-center gap-3 focus:outline-none focus:ring-4 focus:ring-teal-300
        focus:ring-offset-2 focus:ring-offset-navy-900"
    >
      {language === 'en' ? 'Start with a free question' : 'Empieza con una pregunta gratis'}
      <ArrowRight className="w-5 h-5" />
    </button>
    <p className="text-sm text-white/80 mt-4 max-w-md mx-auto leading-snug">
      {language === 'en'
        ? 'Legal information, not legal advice. We are not a law firm.'
        : 'Información legal, no asesoría legal. No somos un bufete de abogados.'}
    </p>
  </div>
</section>
</main>

<Footer />
</div>
  );
}

```

[2/58] About

Route: /about | File: src/pages/About.tsx

```
import { Scale, Target, Users, Zap, Shield, Brain, Award, TrendingUp, CheckCircle, Sparkles, Heart, Eye, Lock, MessageCircle, BookOpen, Phone } from 'lucide-react';
import { Link } from 'react-router-dom';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

export default function About() {
  const values = [
    {
      icon: Shield,
      title: 'Trust & Privacy',
      description: 'We protect your personal and legal information with enterprise-grade security—your data belongs to you, always.',
    },
    {
      icon: Brain,
      title: 'AI Innovation',
      description: 'Leveraging cutting-edge AI from LegalBreeze to make legal information accessible to everyone who needs it.',
    },
    {
      icon: Users,
      title: 'Community First',
      description: 'Your success is our mission. We provide dedicated support and continuously improve to serve individuals and small businesses better.',
    },
    {
      icon: Award,
      title: 'Accessibility',
      description: 'Committed to delivering affordable, high-quality legal assistance that breaks down barriers to justice.',
    },
  ];

  const stats = [
    { value: 'Growing', label: 'Community' },
    { value: 'AI-Powered', label: 'Legal Assistance' },
    { value: 'Free Tier', label: 'No Credit Card Required' },
    { value: 'Bilingual', label: 'English & Español' },
  ];

  const team = [
    {
      name: 'Troy Hoch',
      role: 'Founder & Chief Executive Officer',
      bio: 'Partner at Quarles & Brady LLP with over 20 years of private practice experience. Troy holds a BA in Business Administration from the University of San Diego and a JD from Gonzaga University, leading ezLegal.ai™'s AI ethical standards and Access to Justice initiatives.',
    },
    {
      name: 'Jen Hoch',
      role: 'Co-Founder & Chief Learning Officer',
      bio: 'With a Master\'s in Education from the University of Arizona and 15 years as an online education specialist, Jen brings Fortune 500 training expertise to ensure our platform delivers accessible, effective legal education for all users.',
    },
    {
      name: 'Mark Dean',
      role: 'Co-Founder & Chief Revenue Officer',
      bio: 'Fortune 1000 sales leader with executive experience at EverCommerce, Intuit, LinkedIn, GoDaddy, and First Data. Mark serves as an Arizona Commerce Authority mentor and startup advisor, driving revenue strategy and customer success.',
    },
    {
      name: 'Rebecca Salido',
      role: 'Go-to-Market Growth Leader',
      bio: 'Former American Bar Association researcher in national security law with degrees in Law and English Literature from the University of Arizona. Rebecca is a bilingual strategist focused on serving underserved communities and expanding access to justice.',
    },
    {
      name: 'Thomas Norton',
      role: 'Chief Legal Officer',
      bio: 'Principal at Norton Vaughan, L.L.C. with 22 years of legal experience spanning criminal defense, family law, and child welfare. A former Pima County prosecutor, Thomas holds a BA from Loyola Marymount and a JD from Gonzaga University.',
    },
  ];

  const milestones = [
    { year: '2020', title: 'Company Founded', description: 'Started with a vision to make legal information accessible' },
    { year: '2021', title: 'AI Platform Launch', description: 'Released our first AI-powered legal assistant' },
    { year: '2022', title: 'Platform Enhancement', description: 'Expanded AI capabilities and legal document features' },
    { year: '2023', title: 'Arizona Focus', description: 'Deep specialization in Arizona law and attorney network' },
    { year: '2024', title: 'GTM Launch', description: 'Go-to-market expansion serving individuals and small businesses' },
  ];

  return (
    <div className="min-h-screen bg-navy-50">
      <Navigation />

      <div className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white pt-16">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-24">
          <div className="text-center max-w-3xl mx-auto">
```


To make quality legal information accessible to everyone, regardless of their financial situation. We envision a world where understanding your rights and getting legal support is simple, affordable, and available to all.

```
</p>
</div>
<div className="bg-white rounded-2xl p-6 shadow-lg border border-navy-200">
  <div className="flex items-start gap-3">
    <CheckCircle className="w-6 h-6 text-success-600 flex-shrink-0 mt-1" />
    <div>
      <div className="font-semibold text-navy-900 mb-1">Trusted by Communities</div>
      <div className="text-sm text-navy-600">Pro bono organizations and individuals rely on our platform daily</div>
    </div>
  </div>
</div>
</div>
</div>
</div>

<div className="mb-20">
  <div className="text-center mb-12">
    <div className="inline-flex items-center gap-2 bg-navy-50 text-teal-600 px-4 py-2 rounded-full mb-4 border border-navy-200">
      <Award className="w-4 h-4" />
      <span className="text-sm font-semibold">Our Values</span>
    </div>
    <h2 className="text-4xl font-bold text-navy-900 mb-4">What Drives Us</h2>
    <p className="text-lg text-navy-600 max-w-2xl mx-auto">
      Our core values guide every decision we make and every feature we build
    </p>
  </div>

  <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-8">
    {values.map((value, index) => (
      <div
        key={index}
        className="bg-white rounded-xl p-6 shadow-sm hover:shadow-lg transition-shadow border border-navy-200"
      >
        <div className="w-12 h-12 bg-navy-50 rounded-lg flex items-center justify-center mb-4">
          <value.icon className="w-6 h-6 text-teal-600" />
        </div>
        <h3 className="text-xl font-bold text-navy-900 mb-3">{value.title}</h3>
        <p className="text-navy-600 leading-relaxed">{value.description}</p>
      </div>
    ))}
  </div>
</div>

<div className="mb-20">
  <div className="bg-navy-50 rounded-3xl p-8 md:p-12 border-2 border-navy-200">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-navy-50 px-4 py-2 rounded-full mb-4 border border-navy-200">
        <Heart className="w-4 h-4 text-teal-600" />
        <span className="text-sm font-semibold text-navy-700">Ethical AI Commitment</span>
      </div>
      <h2 className="text-3xl md:text-4xl font-bold mb-4 text-navy-900">
        How We're Different from Other Legal AI Tools
      </h2>
      <p className="text-lg text-navy-600 max-w-2xl mx-auto">
        Not all legal AI platforms are built with the same values. Here's why we stand apart.
      </p>
    </div>
  </div>

  <div className="grid md:grid-cols-3 gap-6">
    <div className="bg-white rounded-xl p-6 border-2 border-navy-200 shadow-sm hover:shadow-md transition-shadow">
      <div className="w-12 h-12 bg-success-100 rounded-lg flex items-center justify-center mb-4">
        <Eye className="w-6 h-6 text-success-600" />
      </div>
      <h3 className="text-xl font-bold mb-3 text-navy-900">100% Transparent Pricing</h3>
      <p className="text-navy-600 mb-3 text-sm">
        Our pricing is visible on every page. No hidden fees, no surprises, no need to "contact sales."
      </p>
      <div className="text-xs text-navy-500 italic">
        Unlike: Competitors who hide pricing and require sales calls
      </div>
    </div>

    <div className="bg-white rounded-xl p-6 border-2 border-navy-200 shadow-sm hover:shadow-md transition-shadow">
      <div className="w-12 h-12 bg-teal-100 rounded-lg flex items-center justify-center mb-4">
        <Lock className="w-6 h-6 text-teal-600" />
      </div>
      <h3 className="text-xl font-bold mb-3 text-navy-900">Your Data Stays Private</h3>
      <p className="text-navy-600 mb-3 text-sm">
        We NEVER use your conversations or documents to train AI models. Your legal matters are confidential, period.
      </p>
      <div className="text-xs text-navy-500 italic">
        Unlike: Tools that track you with multiple analytics pixels
      </div>
    </div>

    <div className="bg-white rounded-xl p-6 border-2 border-navy-200 shadow-sm hover:shadow-md transition-shadow">
      <div className="w-12 h-12 bg-gold-100 rounded-lg flex items-center justify-center mb-4">
        <Heart className="w-6 h-6 text-teal-700" />
      </div>
      <h3 className="text-xl font-bold mb-3 text-navy-900">Built for Accessibility</h3>
      <p className="text-navy-600 mb-3 text-sm">
        Free plan available forever. We exist to serve individuals, families, and pro bono orgs—not just businesses.
      </p>
      <div className="text-xs text-navy-500 italic">
```

```

        Unlike: Business-only tools with no social mission
      </div>
    </div>
  </div>

  <div className="mt-8 bg-navy-50 rounded-xl p-6 border-2 border-navy-200">
    <div className="text-center">
      <div className="text-sm font-semibold text-teal-600 mb-2">Our Commitment</div>
      <p className="text-lg leading-relaxed text-navy-800">
        "We measure our success not by revenue, but by the number of people we help gain access to justice. Every design
decision we make asks: Does this empower someone to understand their legal options?"
      </p>
      <p className="text-sm text-navy-600 mt-3">— ezLegal.ai™ Team</p>
    </div>
  </div>

  <div className="mb-20">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-navy-50 text-teal-600 px-4 py-2 rounded-full mb-4 border
border-navy-200">
        <TrendingUp className="w-4 h-4" />
        <span className="text-sm font-semibold">Our Journey</span>
      </div>
      <h2 className="text-4xl font-bold text-navy-900 mb-4">Milestones & Growth</h2>
      <p className="text-lg text-navy-600 max-w-2xl mx-auto">
        From concept to platform, here is how we have grown together with our community
      </p>
    </div>

    <div className="relative">
      <div className="absolute left-1/2 transform -translate-x-1/2 h-full w-1 bg-gradient-to-b from-teal-600 to-navy-300
hidden md:block"></div>
      <div className="space-y-12">
        {milestones.map((milestone, index) => (
          <div
            key={index}
            className={`flex items-center gap-8 ${
              index % 2 === 0 ? 'md:flex-row' : 'md:flex-row-reverse'
            }`}
          >
            <div className={`flex-1 ${index % 2 === 0 ? 'md:text-right' : 'md:text-left'}`}>
              <div className="bg-white rounded-xl p-6 shadow-sm border border-navy-200 inline-block">
                <div className="text-3xl font-bold text-teal-600 mb-2">{milestone.year}</div>
                <h3 className="text-xl font-bold text-navy-900 mb-2">{milestone.title}</h3>
                <p className="text-navy-600">{milestone.description}</p>
              </div>
            </div>
            <div className="w-4 h-4 bg-teal-600 rounded-full border-4 border-white shadow-md flex-shrink-0 relative z-10
hidden md:block"></div>
            <div className="flex-1 hidden md:block"></div>
          </div>
        ))}
      </div>
    </div>

    <div className="mb-20">
      <div className="text-center mb-12">
        <div className="inline-flex items-center gap-2 bg-navy-50 text-teal-600 px-4 py-2 rounded-full mb-4 border
border-navy-200">
          <Users className="w-4 h-4" />
          <span className="text-sm font-semibold">Leadership Team</span>
        </div>
        <h2 className="text-4xl font-bold text-navy-900 mb-4">Meet Our Team</h2>
        <p className="text-lg text-navy-600 max-w-2xl mx-auto">
          A dedicated team of legal, education, and business professionals united by a mission to make justice accessible to all
        </p>
      </div>

      <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-8 mb-8">
        {team.slice(0, 3).map((member, index) => (
          <div
            key={index}
            className="bg-white rounded-xl overflow-hidden shadow-sm hover:shadow-xl transition-all duration-300 border
border-navy-200 group"
          >
            <div className="aspect-[4/3] bg-gradient-to-br from-teal-50 to-navy-50 flex items-center justify-center">
              <div className="w-20 h-20 rounded-full bg-teal-100 flex items-center justify-center">
                <span className="text-2xl font-bold text-teal-700">{member.name.split(' ').map(n => n[0]).join('')}</span>
              </div>
            </div>
            <div className="p-6">
              <h3 className="text-xl font-bold text-navy-900 mb-1">{member.name}</h3>
              <div className="text-teal-600 font-semibold text-sm mb-3">{member.role}</div>
              <p className="text-navy-600 text-sm leading-relaxed">{member.bio}</p>
            </div>
          </div>
        ))}
      </div>

      <div className="grid md:grid-cols-2 gap-8 max-w-4xl mx-auto">
        {team.slice(3).map((member, index) => (
          <div
            key={index}

```

```

        className="bg-white rounded-xl overflow-hidden shadow-sm hover:shadow-xl transition-all duration-300 border
border-navy-200 group"
      >
        <div className="aspect-[4/3] bg-gradient-to-br from-teal-50 to-navy-50 flex items-center justify-center">
          <div className="w-20 h-20 rounded-full bg-teal-100 flex items-center justify-center">
            <span className="text-2xl font-bold text-teal-700">{member.name.split(' ').map(n => n[0]).join('')}</span>
          </div>
        </div>
        <div className="p-6">
          <h3 className="text-xl font-bold text-navy-900 mb-1">{member.name}</h3>
          <div className="text-teal-600 font-semibold text-sm mb-3">{member.role}</div>
          <p className="text-navy-600 text-sm leading-relaxed">{member.bio}</p>
        </div>
      </div>
    )}
  </div>
</div>

<div className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 rounded-2xl p-12 text-white text-center shadow-xl">
  <Zap className="w-16 h-16 mx-auto mb-6 text-white/90" />
  <h2 className="text-3xl font-bold mb-4 text-white">Get the Legal Information You Deserve</h2>
  <p className="text-xl text-white/90 mb-8 max-w-2xl mx-auto leading-relaxed">
    Whether you're facing a legal question, managing a small business, or running a pro bono organization, we're here to
    help. Legal assistance shouldn't be out of reach.
  </p>
  <div className="flex flex-col sm:flex-row gap-4 justify-center">
    <Link
      to="/signup"
      className="px-8 py-3 bg-teal-600 text-white rounded-lg font-semibold hover:bg-teal-700 transition-colors shadow-lg"
    >
      Get Started Free
    </Link>
    <Link
      to="/contact"
      className="px-8 py-3 bg-white text-navy-700 rounded-lg font-semibold hover:bg-navy-50 transition-colors"
    >
      Contact Us
    </Link>
  </div>
</div>
</div>

<Footer />
</div>
  );
}

```

[3/58] Accessibility Statement

Route: /accessibility | File: src/pages/AccessibilityStatement.tsx

```
import { CheckCircle, Eye, Keyboard, Volume2, ArrowRight, FileText, Mail } from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

export default function AccessibilityStatement() {
  return (
    <div className="min-h-screen bg-white">
      <Navigation />

      <main className="pt-24 pb-20">
        <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="text-center mb-12">
            <div className="inline-flex items-center gap-2 bg-navy-50 border border-navy-200 px-4 py-2 rounded-full mb-4">
              <Eye className="w-4 h-4 text-teal-600" />
              <span className="text-navy-700 text-sm font-semibold">Our Commitment</span>
            </div>
            <h1 className="text-4xl font-bold text-navy-900 mb-4">
              Accessibility Statement
            </h1>
            <p className="text-xl text-navy-600 max-w-3xl mx-auto">
              ezLegal.ai is committed to ensuring digital accessibility for people with disabilities.
              We continually improve the user experience for everyone.
            </p>
          </div>

          <div className="space-y-8">
            <section className="bg-white rounded-2xl border border-navy-200 p-8">
              <h2 className="text-2xl font-bold text-navy-900 mb-4">Our Accessibility Commitment</h2>
              <p className="text-navy-600 mb-4">
                At ezLegal.ai, we believe that access to legal information should be available to everyone,
                regardless of ability. We are actively working to meet and exceed Web Content Accessibility
                Guidelines (WCAG) 2.2 Level AA standards.
              </p>
              <p className="text-navy-600">
                This commitment is core to our mission of expanding access to justice. We recognize that accessibility
                is an ongoing journey and are dedicated to continuous improvement.
              </p>
            </section>

            <section className="bg-white rounded-2xl border border-navy-200 p-8">
              <h2 className="text-2xl font-bold text-navy-900 mb-6">Accessibility Features</h2>
              <div className="grid md:grid-cols-2 gap-6">
                <div>
                  <div className="flex items-start gap-3">
                    <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0">
                      <Keyboard className="w-5 h-5 text-teal-600" />
                    </div>
                    <div>
                      <h3 className="font-semibold text-navy-900 mb-1">Keyboard Navigation</h3>
                      <p className="text-sm text-navy-600">
                        All interactive elements can be accessed and operated using keyboard alone
                      </p>
                    </div>
                  </div>
                </div>

                <div>
                  <div className="flex items-start gap-3">
                    <div className="w-10 h-10 bg-success-100 rounded-lg flex items-center justify-center flex-shrink-0">
                      <Volume2 className="w-5 h-5 text-success-600" />
                    </div>
                    <div>
                      <h3 className="font-semibold text-navy-900 mb-1">Screen Reader Support</h3>
                      <p className="text-sm text-navy-600">
                        Compatible with JAWS, NVDA, VoiceOver, and other assistive technologies
                      </p>
                    </div>
                  </div>
                </div>

                <div>
                  <div className="flex items-start gap-3">
                    <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0">
                      <Eye className="w-5 h-5 text-teal-700" />
                    </div>
                    <div>
                      <h3 className="font-semibold text-navy-900 mb-1">Visual Design</h3>
                      <p className="text-sm text-navy-600">
                        High contrast ratios, clear typography, and resizable text up to 200%
                      </p>
                    </div>
                  </div>
                </div>

                <div>
                  <div className="flex items-start gap-3">
                    <div className="w-10 h-10 bg-amber-100 rounded-lg flex items-center justify-center flex-shrink-0">
                      <FileText className="w-5 h-5 text-amber-600" />
                    </div>
                    <div>
                      <h3 className="font-semibold text-navy-900 mb-1">Document Accessibility</h3>
                      <p className="text-sm text-navy-600">
                        All documents are provided in accessible formats, including PDF and HTML.
                      </p>
                    </div>
                  </div>
                </div>
              </div>
            </section>
          </div>
        </div>
      </main>
    </div>
  );
}
```



```

        <div>
          <h3 className="font-semibold text-navy-900 mb-1">Alternative Text</h3>
          <p className="text-sm text-navy-600">
            All meaningful images include descriptive alternative text
          </p>
        </div>
      </div>
    </div>
  </div>
</section>

<section className="bg-white rounded-2xl border border-navy-200 p-8">
  <h2 className="text-2xl font-bold text-navy-900 mb-4">WCAG 2.2 Conformance</h2>
  <div className="space-y-4">
    <div className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" />
      <div>
        <h3 className="font-semibold text-navy-900">Target: WCAG 2.2 Level AA</h3>
        <p className="text-sm text-navy-600">
          We are actively working to conform to Level AA standards across all pages and features
        </p>
      </div>
    </div>
    <div className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" />
      <div>
        <h3 className="font-semibold text-navy-900">Ongoing Testing</h3>
        <p className="text-sm text-navy-600">
          Regular audits using automated tools and manual testing with assistive technologies
        </p>
      </div>
    </div>
    <div className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" />
      <div>
        <h3 className="font-semibold text-navy-900">User Feedback Integration</h3>
        <p className="text-sm text-navy-600">
          We actively seek and incorporate feedback from users with disabilities
        </p>
      </div>
    </div>
  </div>
</section>

<section className="bg-white rounded-2xl border border-navy-200 p-8">
  <h2 className="text-2xl font-bold text-navy-900 mb-4">Known Limitations</h2>
  <p className="text-navy-600 mb-4">
    We are transparent about areas where we're still improving:
  </p>
  <ul className="space-y-2">
    <li className="flex items-start gap-2">
      <ArrowRight className="w-5 h-5 text-teal-600 flex-shrink-0 mt-0.5" />
      <span className="text-navy-600">
        <strong>Chat Interface:</strong> Some chat interactions may require additional keyboard shortcuts.
        We are working to improve focus management and screen reader announcements.
      </span>
    </li>
    <li className="flex items-start gap-2">
      <ArrowRight className="w-5 h-5 text-teal-600 flex-shrink-0 mt-0.5" />
      <span className="text-navy-600">
        <strong>Form Validation:</strong> Error messages are being enhanced to provide clearer,
        more accessible feedback.
      </span>
    </li>
    <li className="flex items-start gap-2">
      <ArrowRight className="w-5 h-5 text-teal-600 flex-shrink-0 mt-0.5" />
      <span className="text-navy-600">
        <strong>Modal Dialogs:</strong> Focus trapping and keyboard escape handling are being optimized.
      </span>
    </li>
  </ul>
</section>

<section className="bg-white rounded-2xl border border-navy-200 p-8">
  <h2 className="text-2xl font-bold text-navy-900 mb-4">Assistive Technologies</h2>
  <p className="text-navy-600 mb-4">
    ezLegal.ai is designed to be compatible with the following assistive technologies:
  </p>
  <div className="grid sm:grid-cols-2 gap-4">
    <div className="bg-navy-50 rounded-lg p-4">
      <h3 className="font-semibold text-navy-900 mb-2">Screen Readers</h3>
      <ul className="text-sm text-navy-600 space-y-1">
        <li>• JAWS (Windows)</li>
        <li>• NVDA (Windows)</li>
        <li>• VoiceOver (macOS/iOS)</li>
        <li>• TalkBack (Android)</li>
      </ul>
    </div>
    <div className="bg-navy-50 rounded-lg p-4">
      <h3 className="font-semibold text-navy-900 mb-2">Other Technologies</h3>
      <ul className="text-sm text-navy-600 space-y-1">
        <li>• Screen magnification software</li>
        <li>• Voice recognition software</li>
        <li>• Browser zoom (up to 200%)</li>
        <li>• High contrast modes</li>
      </ul>
    </div>
  </div>

```

```

    </div>
  </div>
</section>

<section className="bg-gradient-to-br from-navy-50 to-teal-50 rounded-2xl border border-navy-200 p-8">
  <h2 className="text-2xl font-bold text-navy-900 mb-4">Feedback and Contact</h2>
  <p className="text-navy-600 mb-4">
    We welcome your feedback on the accessibility of ezLegal.ai. If you encounter any accessibility
    barriers or have suggestions for improvement, please contact us:
  </p>
  <div className="bg-white rounded-xl p-6 border border-navy-200">
    <div className="flex items-start gap-3 mb-4">
      <Mail className="w-5 h-5 text-teal-600 flex-shrink-0 mt-1" />
      <div>
        <h3 className="font-semibold text-navy-900 mb-1">Email</h3>
        <a
          href="mailto:accessibility@ezlegal.ai"
          className="text-teal-600 hover:text-navy-700 hover:underline"
        >
          accessibility@ezlegal.ai
        </a>
      </div>
    </div>
    <p className="text-sm text-navy-600">
      We strive to respond to accessibility feedback within 2 business days and to resolve issues
      within 10 business days, depending on complexity.
    </p>
  </div>
</section>

<section className="bg-white rounded-2xl border border-navy-200 p-8">
  <h2 className="text-2xl font-bold text-navy-900 mb-4">Technical Specifications</h2>
  <p className="text-navy-600 mb-4">
    Accessibility of ezLegal.ai relies on the following technologies:
  </p>
  <ul className="space-y-2 text-navy-600">
    <li className="flex items-start gap-2">
      <CheckCircle className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" />
      <span>HTML5</span>
    </li>
    <li className="flex items-start gap-2">
      <CheckCircle className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" />
      <span>WAI-ARIA (Accessible Rich Internet Applications)</span>
    </li>
    <li className="flex items-start gap-2">
      <CheckCircle className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" />
      <span>CSS3</span>
    </li>
    <li className="flex items-start gap-2">
      <CheckCircle className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" />
      <span>JavaScript (ES6+)</span>
    </li>
  </ul>
</section>

<section className="text-center bg-navy-50 rounded-2xl p-8">
  <p className="text-sm text-navy-500">
    <strong>Last Updated:</strong> January 16, 2026
  </p>
  <p className="text-sm text-navy-500 mt-2">
    This accessibility statement is reviewed and updated regularly as we continue to improve our platform.
  </p>
</section>
</div>
</div>
</main>

<Footer />
</div>
);
}

```

[4/58] AI Governance

Route: /ai-governance | File: src/pages/AIGovernance.tsx

```
import { Shield, Brain, Eye, Users, Lock, Scale, AlertTriangle, CheckCircle, FileText, ShieldCheck, Heart, MapPin, Phone,
MessageSquare, Clock, Download, Flag } from 'lucide-react';
import { Link } from 'react-router-dom';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import AIMethodologySection from '../components/AIMethodologySection';
import JurisdictionCoverageTable from '../components/JurisdictionCoverageTable';

export default function AIGovernance() {
  const corePrinciples = [
    {
      icon: Scale,
      title: 'Access to Justice Mission',
      description: 'To democratize legal knowledge and empower individuals to understand and navigate their legal options. Our AI\'s
performance is measured not just on technical accuracy but on its utility and comprehensibility for non-lawyers.',
    },
    {
      icon: Users,
      title: 'Human-Centricity & Oversight',
      description: 'A human remains ultimately responsible for legal outcomes. Our AI is an assistive tool. We implement mandatory
"Human-in-the-loop" review for high-risk categories and provide clear pathways for users to connect with human legal
professionals.',
    },
    {
      icon: Eye,
      title: 'Transparency & Explainability',
      description: 'We are open about our AI\'s capabilities, limitations, and the sources of its information. All user interactions
begin with a clear disclaimer that the user is speaking with an AI and not a lawyer.',
    },
    {
      icon: Shield,
      title: 'Fairness & Bias Mitigation',
      description: 'We proactively work to identify and mitigate discriminatory biases in our AI systems through regular bias
audits, testing for disparate impact across protected classes, and dedicated feedback channels.',
    },
    {
      icon: Lock,
      title: 'Robustness & Safety',
      description: 'Our AI systems are reliable, secure, and perform consistently within their defined purpose. We implement
continuous monitoring for model performance degradation and conduct "red teaming" exercises.',
    },
    {
      icon: Brain,
      title: 'Accountability & Governance',
      description: 'An AI Governance Board comprising legal, technical, compliance, and ethics experts is responsible for overseeing
this policy, conducting risk assessments, and approving new AI use cases.',
    },
  ];

  const securityControls = [
    {
      title: 'Infrastructure Security',
      description: 'Our AI systems are hosted on Supabase (SOC 2 Type II certified) infrastructure, using OpenAI API models with
contractual data processing protections.',
    },
    {
      title: 'Input/Output Security',
      description: 'We implement rigorous input sanitization to protect against prompt injection attacks. Outputs are scanned for
potential security risks before delivery.',
    },
    {
      title: 'Data Encryption & Access',
      description: 'All data, in transit and at rest, is encrypted. We adhere to the principle of least privilege for access to AI
systems, training data, and user data.',
    },
    {
      title: 'Incident Response',
      description: 'A defined AI security incident response plan addresses breaches, model compromises, or critical failures,
including notification procedures if user data is affected.',
    },
  ];

  const dataHandlingPractices = [
    {
      title: 'Primary Use',
      description: 'To provide and personalize the AI-powered legal information services you request.',
    },
    {
      title: 'Service Improvement',
      description: 'We use enterprise-tier AI services that contractually prohibit using your data to train or improve their general
models. Your legal data remains yours.',
    },
    {
      title: 'Compliance & Safety',
      description: 'To comply with laws, enforce our terms, and maintain the safety and security of our services.',
    },
    {
      title: 'Data Sharing',
      description: 'We do not sell your data. We only share it with trusted service providers bound by strict data processing
```

```
agreements.',
    },
  ];

  return (
    <div className="min-h-screen bg-navy-50">
      <Navigation />

      <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white pt-32 pb-16">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="text-center max-w-4xl mx-auto">
            <div className="inline-flex items-center gap-2 bg-white/10 backdrop-blur-sm px-4 py-2 rounded-full mb-6 border
border-white/20">
              <ShieldCheck className="w-4 h-4 text-orange-400" />
              <span className="text-sm font-semibold">Ethical AI Framework</span>
            </div>
            <h1 className="text-4xl lg:text-5xl font-bold mb-6">
              AI Governance, Ethics & Access
            </h1>
            <p className="text-xl text-navy-200 mb-4">
              Our AI is designed to empower, not replace, human legal judgment. We are committed to the ethical development and
deployment of AI that expands access to justice.
            </p>
            <p className="text-navy-300">
              Designed with awareness of EU AI Act, Colorado AI Act, and evolving AI regulatory frameworks.
              Our platform currently serves users in the United States; regulatory alignment is assessed on an ongoing basis as
frameworks mature and our geographic scope expands.
            </p>
          </div>
        </div>
      </section>

      <section className="py-16 bg-white">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="text-center mb-12">
            <h2 className="text-3xl font-bold text-navy-900 mb-4">Core Principles & Implementation</h2>
            <p className="text-navy-600 max-w-2xl mx-auto">
              Our governance framework is built on six foundational principles that guide every aspect of our AI development and
deployment.
            </p>
          </div>

          <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-8">
            {corePrinciples.map((principle, index) => (
              <div key={index} className="bg-navy-50 rounded-2xl p-6 border border-navy-200 hover:shadow-lg transition-shadow">
                <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center mb-4">
                  <principle.icon className="w-6 h-6 text-teal-600" />
                </div>
                <h3 className="text-lg font-bold text-navy-900 mb-2">{principle.title}</h3>
                <p className="text-navy-600 text-sm">{principle.description}</p>
              </div>
            ))}
          </div>

          <div className="mt-10 bg-navy-800 rounded-2xl p-6 sm:p-8 flex flex-col sm:flex-row items-start sm:items-center
justify-between gap-6">
            <div className="flex items-start gap-4">
              <div className="w-10 h-10 bg-rose-500/20 rounded-lg flex items-center justify-center flex-shrink-0">
                <Flag className="w-5 h-5 text-rose-400" />
              </div>
              <div>
                <h3 className="font-bold text-white mb-1">See something wrong? Report it.</h3>
                <p className="text-navy-300 text-sm">
                  If our AI produces inaccurate, biased, or harmful output, we want to know. Reports are reviewed within 24 hours
and you will receive a response.
                </p>
              </div>
            </div>
            <div>
              <Link
                to="/trust-center#report"
                className="inline-flex items-center gap-2 bg-rose-600 text-white px-5 py-2.5 rounded-lg font-semibold
hover:bg-rose-700 transition-colors whitespace-nowrap flex-shrink-0"
              >
                <Flag className="w-4 h-4" />
                Report a Concern
              </Link>
            </div>
          </div>
        </div>
      </section>

      <AIMethodologySection />

      <JurisdictionCoverageTable />

      <section id="ethics" className="py-16 bg-white border-t border-navy-200">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="max-w-3xl mx-auto text-center mb-12">
            <div className="inline-flex items-center gap-2 bg-rose-100 px-4 py-2 rounded-full mb-4">
              <Scale className="w-4 h-4 text-rose-600" />
              <span className="text-sm font-semibold text-rose-900">Ethics</span>
            </div>
            <h2 className="text-3xl font-bold text-navy-900 mb-4">Ethical AI Principles</h2>
            <p className="text-navy-600">
              We are committed to developing and deploying AI systems that uphold the highest ethical standards, prioritize human
dignity, and promote fairness for all users.
            </p>
          </div>
        </div>
      </section>
    </div>
  );
}
```

```
</div>

<div className="grid md:grid-cols-3 gap-6">
  <div className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
    <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
      <CheckCircle className="w-5 h-5 text-rose-600" />
      Beneficence & Non-Maleficence
    </h3>
    <p className="text-navy-600 text-sm">
      Our AI is designed to help people and, above all, to do no harm. We continuously assess the potential impact of our
systems on individuals and society.
    </p>
  </div>

  <div className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
    <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
      <CheckCircle className="w-5 h-5 text-rose-600" />
      Autonomy & Informed Consent
    </h3>
    <p className="text-navy-600 text-sm">
      We respect user autonomy by ensuring individuals understand they're interacting with AI, what data is collected, and
how it's used. Users maintain control over their interactions.
    </p>
  </div>

  <div className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
    <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
      <CheckCircle className="w-5 h-5 text-rose-600" />
      Justice & Fairness
    </h3>
    <p className="text-navy-600 text-sm">
      We work to ensure our AI treats all individuals fairly, regardless of protected characteristics, and actively
monitor for and mitigate bias in our systems.
    </p>
  </div>
</div>

<div className="mt-8 bg-gradient-to-br from-rose-50 to-orange-50 rounded-2xl p-8 border border-rose-100">
  <h3 className="text-xl font-bold text-navy-900 mb-4">Our Ethical Commitment</h3>
  <ul className="space-y-3 text-navy-700">
    <li className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-rose-600 mt-0.5 flex-shrink-0" />
      <span>We prioritize transparency in our AI decision-making processes and limitations</span>
    </li>
    <li className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-rose-600 mt-0.5 flex-shrink-0" />
      <span>We maintain human oversight for all high-stakes legal information delivery</span>
    </li>
    <li className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-rose-600 mt-0.5 flex-shrink-0" />
      <span>We conduct regular ethical audits and impact assessments of our AI systems</span>
    </li>
    <li className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-rose-600 mt-0.5 flex-shrink-0" />
      <span>We provide clear channels for reporting ethical concerns and respond promptly</span>
    </li>
  </ul>
</div>
</div>
</section>

<section id="access" className="py-16 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="max-w-3xl mx-auto text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-green-100 px-4 py-2 rounded-full mb-4">
        <Users className="w-4 h-4 text-green-600" />
        <span className="text-sm font-semibold text-green-900">Access to Justice</span>
      </div>
      <h2 className="text-3xl font-bold text-navy-900 mb-4">Expanding Access to Justice</h2>
      <p className="text-navy-600">
        Our mission is to democratize legal knowledge and bridge the justice gap by making legal information accessible,
understandable, and actionable for everyone.
      </p>
    </div>

    <div className="grid md:grid-cols-2 gap-8">
      <div className="bg-white rounded-2xl p-8 border border-navy-200 shadow-sm">
        <h3 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
          <Scale className="w-6 h-6 text-green-600" />
          Addressing the Justice Gap
        </h3>
        <p className="text-navy-600 mb-6">
          Over 70% of low-income Americans face legal issues without representation. Our AI-powered platform helps bridge this
gap by providing accessible legal information and connecting people with attorneys when professional representation is needed.
        </p>
        <ul className="space-y-3 text-navy-700">
          <li className="flex items-start gap-3">
            <CheckCircle className="w-5 h-5 text-green-600 mt-0.5 flex-shrink-0" />
            <span>Free tier access for basic legal information and guidance</span>
          </li>
          <li className="flex items-start gap-3">
            <CheckCircle className="w-5 h-5 text-green-600 mt-0.5 flex-shrink-0" />
            <span>Pro bono lawyer matching for qualifying individuals</span>
          </li>
          <li className="flex items-start gap-3">
            <CheckCircle className="w-5 h-5 text-green-600 mt-0.5 flex-shrink-0" />

```

```

        <span>Plain language explanations accessible to non-lawyers</span>
      </li>
    </ul>
  </div>

  <div className="bg-white rounded-2xl p-8 border border-navy-200 shadow-sm">
    <h3 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
      <Users className="w-6 h-6 text-green-600" />
      Inclusive by Design
    </h3>
    <p className="text-navy-600 mb-6">
      We design our platform to be accessible and usable by people of all backgrounds, abilities, and technical
      proficiency levels.
    </p>
    <ul className="space-y-3 text-navy-700">
      <li className="flex items-start gap-3">
        <CheckCircle className="w-5 h-5 text-green-600 mt-0.5 flex-shrink-0" />
        <span>Multilingual support for diverse communities</span>
      </li>
      <li className="flex items-start gap-3">
        <CheckCircle className="w-5 h-5 text-green-600 mt-0.5 flex-shrink-0" />
        <span>WCAG 2.1 AA accessibility compliance</span>
      </li>
      <li className="flex items-start gap-3">
        <CheckCircle className="w-5 h-5 text-green-600 mt-0.5 flex-shrink-0" />
        <span>Mobile-first design for users without desktop access</span>
      </li>
      <li className="flex items-start gap-3">
        <CheckCircle className="w-5 h-5 text-green-600 mt-0.5 flex-shrink-0" />
        <span>Partnership with legal aid organizations nationwide</span>
      </li>
    </ul>
  </div>
</div>

<div className="mt-8 bg-gradient-to-br from-green-50 to-teal-50 rounded-2xl p-8 border border-green-100">
  <div className="flex items-start gap-4">
    <div className="w-12 h-12 bg-green-100 rounded-xl flex items-center justify-center flex-shrink-0">
      <Heart className="w-6 h-6 text-green-600" />
    </div>
    <div>
      <h3 className="text-xl font-bold text-navy-900 mb-3">Our Access to Justice Commitment</h3>
      <p className="text-navy-700 mb-4">
        We measure our success not just by revenue, but by the number of people we help understand their legal rights and
        navigate the justice system. Every feature we build, every decision we make, is guided by the question: "Does this expand access to
        justice?"
      </p>
      <Link
        to="/pro-bono"
        className="inline-flex items-center gap-2 bg-green-600 text-white px-6 py-3 rounded-lg font-semibold
        hover:bg-green-700 transition-colors"
      >
        <Scale className="w-4 h-4" />
        Learn About Our Pro Bono Program
      </Link>
    </div>
  </div>
</div>
</section>

<section id="in-practice" className="py-16 bg-white border-t border-navy-200">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="max-w-3xl mx-auto text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-teal-100 px-4 py-2 rounded-full mb-4">
        <Shield className="w-4 h-4 text-teal-600" />
        <span className="text-sm font-semibold text-teal-900">In Practice</span>
      </div>
      <h2 className="text-3xl font-bold text-navy-900 mb-4">How We Implement These Principles</h2>
      <p className="text-navy-600">
        Our governance commitments are not just words on a page. Here's how they are built into every user interaction on our
        platform.
      </p>
    </div>
  </div>

  <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-6">
    <div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
      <div className="flex items-center gap-3 mb-4">
        <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center">
          <MapPin className="w-5 h-5 text-teal-600" />
        </div>
        <h3 className="font-bold text-navy-900">Jurisdiction Checks</h3>
      </div>
      <p className="text-navy-600 text-sm mb-3">
        Before providing legal information, we ask for your location to provide jurisdiction-specific guidance. Laws vary
        significantly between states.
      </p>
      <Link to="/chat" className="text-teal-600 text-sm font-semibold hover:underline">
        See in AI Chat
      </Link>
    </div>

    <div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
      <div className="flex items-center gap-3 mb-4">
        <div className="w-10 h-10 bg-red-100 rounded-lg flex items-center justify-center">
          <Phone className="w-5 h-5 text-red-600" />
        </div>

```

```

        </div>
        <h3 className="font-bold text-navy-900">Crisis Escalation</h3>
    </div>
    <p className="text-navy-600 text-sm mb-3">
        Our AI detects crisis keywords and immediately surfaces hotlines and emergency resources for domestic violence,
self-harm, and other emergencies.
    </p>
    <Link to="/emergency-resources" className="text-teal-600 text-sm font-semibold hover:underline">
        See Crisis Resources
    </Link>
</div>

<div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
    <div className="flex items-center gap-3 mb-4">
        <div className="w-10 h-10 bg-green-100 rounded-lg flex items-center justify-center">
            <Scale className="w-5 h-5 text-green-600" />
        </div>
        <h3 className="font-bold text-navy-900">Human Handoff</h3>
    </div>
    <p className="text-navy-600 text-sm mb-3">
        Persistent buttons let users connect to legal aid, find an attorney, or download a transcript to share with a lawyer
at any point.
    </p>
    <Link to="/pro-bono" className="text-teal-600 text-sm font-semibold hover:underline">
        See Pro Bono Intake
    </Link>
</div>

<div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
    <div className="flex items-center gap-3 mb-4">
        <div className="w-10 h-10 bg-amber-100 rounded-lg flex items-center justify-center">
            <Clock className="w-5 h-5 text-amber-600" />
        </div>
        <h3 className="font-bold text-navy-900">Citation & Recency</h3>
    </div>
    <p className="text-navy-600 text-sm mb-3">
        AI responses include legal references, jurisdiction context, and "last updated" timestamps. We clearly indicate when
information may be uncertain.
    </p>
    <Link to="/chat" className="text-teal-600 text-sm font-semibold hover:underline">
        See in AI Chat
    </Link>
</div>

<div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
    <div className="flex items-center gap-3 mb-4">
        <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center">
            <MessageSquare className="w-5 h-5 text-teal-600" />
        </div>
        <h3 className="font-bold text-navy-900">Informed Consent</h3>
    </div>
    <p className="text-navy-600 text-sm mb-3">
        A consent checkpoint appears before chat, explaining AI limitations, confirming understanding, and warning against
sharing sensitive identifiers.
    </p>
    <Link to="/chat" className="text-teal-600 text-sm font-semibold hover:underline">
        See Safety Checkpoint
    </Link>
</div>

<div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
    <div className="flex items-center gap-3 mb-4">
        <div className="w-10 h-10 bg-rose-100 rounded-lg flex items-center justify-center">
            <Flag className="w-5 h-5 text-rose-600" />
        </div>
        <h3 className="font-bold text-navy-900">Report Concerns</h3>
    </div>
    <p className="text-navy-600 text-sm mb-3">
        Users can report inaccurate information, bias concerns, or safety issues through our Trust & Safety menu. Reports
are reviewed within 24 hours.
    </p>
    <Link to="/trust-center#report" className="text-teal-600 text-sm font-semibold hover:underline">
        See Trust Center
    </Link>
</div>
</div>

<div className="mt-8 bg-gradient-to-br from-teal-50 to-navy-50 rounded-2xl p-8 border border-teal-100">
    <div className="flex items-start gap-4">
        <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center flex-shrink-0">
            <Download className="w-6 h-6 text-teal-600" />
        </div>
        <div>
            <h3 className="text-xl font-bold text-navy-900 mb-3">Transparency in Action</h3>
            <p className="text-navy-700 mb-4">
                Every user can download their complete chat transcript, export their data, and request deletion at any time.
                We maintain audit logs of AI interactions for accountability and continuous improvement.
            </p>
            <Link
                to="/trust-center"
                className="inline-flex items-center gap-2 bg-teal-600 text-white px-6 py-3 rounded-lg font-semibold
                hover:bg-teal-700 transition-colors"
            >
                <Shield className="w-4 h-4" />
                Visit Our Trust Center
            </Link>
        </div>
    </div>

```

```
</div>
</div>
</div>
</div>
</section>

<section className="py-16 bg-white">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="grid lg:grid-cols-2 gap-12">
      <div>
        <div className="flex items-center gap-3 mb-6">
          <div className="w-10 h-10 bg-teal-600 rounded-lg flex items-center justify-center">
            <Lock className="w-5 h-5 text-white" />
          </div>
          <h2 className="text-2xl font-bold text-navy-900">AI Security Policy</h2>
        </div>
        <p className="text-navy-600 mb-8">
          We protect the integrity, confidentiality, and availability of our AI systems, models, and data against unauthorized
          access, manipulation, or attack.
        </p>
        <div className="space-y-4">
          {securityControls.map((control, index) => (
            <div key={index} className="bg-white rounded-xl p-4 border border-navy-200">
              <h3 className="font-semibold text-navy-900 mb-1">{control.title}</h3>
              <p className="text-navy-600 text-sm">{control.description}</p>
            </div>
          ))}
        </div>
      </div>
      <div>
        <div className="flex items-center gap-3 mb-6">
          <div className="w-10 h-10 bg-teal-600 rounded-lg flex items-center justify-center">
            <FileText className="w-5 h-5 text-white" />
          </div>
          <h2 className="text-2xl font-bold text-navy-900">Privacy for AI Services</h2>
        </div>
        <p className="text-navy-600 mb-8">
          We are transparent about how we use your data to provide our AI-powered services while respecting user privacy and
          complying with global data protection laws.
        </p>
        <div className="space-y-4">
          {dataHandlingPractices.map((practice, index) => (
            <div key={index} className="bg-white rounded-xl p-4 border border-navy-200">
              <h3 className="font-semibold text-navy-900 mb-1">{practice.title}</h3>
              <p className="text-navy-600 text-sm">{practice.description}</p>
            </div>
          ))}
        </div>
      </div>
    </div>
  </div>
</section>

<section className="py-16 bg-white">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="bg-gradient-to-br from-teal-50 to-navy-50 rounded-3xl p-8 lg:p-12 border border-teal-100">
      <div className="flex items-start gap-4 mb-8">
        <div className="w-12 h-12 bg-orange-100 rounded-xl flex items-center justify-center flex-shrink-0">
          <AlertTriangle className="w-6 h-6 text-orange-600" />
        </div>
        <div>
          <h2 className="text-2xl font-bold text-navy-900 mb-2">Terms & Disclaimers</h2>
          <p className="text-navy-600">Important information about the nature of our AI services</p>
        </div>
      </div>
      <div className="grid md:grid-cols-2 gap-6">
        <div className="bg-white rounded-xl p-6 border border-navy-200">
          <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
            <CheckCircle className="w-5 h-5 text-teal-600" />
            No Legal Advice
          </h3>
          <p className="text-navy-600 text-sm">
            The services provided by our AI are for informational and educational purposes only. The AI is not a licensed
            attorney. Your use does not create an attorney-client relationship. The information provided is not legal advice.
          </p>
        </div>
        <div className="bg-white rounded-xl p-6 border border-navy-200">
          <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
            <CheckCircle className="w-5 h-5 text-teal-600" />
            No Guarantee of Accuracy
          </h3>
          <p className="text-navy-600 text-sm">
            While we strive for accuracy, we do not guarantee that the AI's outputs are error-free, complete, or up-to-date.
            You are solely responsible for any actions you take based on the AI's output.
          </p>
        </div>
        <div className="bg-white rounded-xl p-6 border border-navy-200">
          <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
            <CheckCircle className="w-5 h-5 text-teal-600" />
            Acknowledgement of AI Risks
          </h3>
          <p className="text-navy-600 text-sm">
```


You acknowledge that AI systems can sometimes produce inaccurate, biased, or otherwise harmful content. You expressly assume these risks when using our services.

```
</p>
</div>

<div className="bg-white rounded-xl p-6 border border-navy-200">
  <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
    <CheckCircle className="w-5 h-5 text-teal-600" />
    Your Rights
  </h3>
  <p className="text-navy-600 text-sm">
    You have the right to access, correct, delete, and export your personal data. You can object to or restrict
    certain processing. Your data is retained only as necessary.
  </p>
</div>
</div>
</div>
</section>

<section id="regulatory" className="py-16 bg-navy-50 border-t border-navy-200">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="max-w-3xl mx-auto text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-blue-100 px-4 py-2 rounded-full mb-4">
        <FileText className="w-4 h-4 text-blue-600" />
        <span className="text-sm font-semibold text-blue-900">Regulatory Compliance</span>
      </div>
      <h2 className="text-3xl font-bold text-navy-900 mb-4">EU AI Act & Global Compliance</h2>
      <p className="text-sm text-navy-600">
        We proactively align with the EU AI Act, NIST AI Risk Management Framework, ISO/IEC 42001, and Colorado AI Act to meet
        the highest global standards for responsible AI.
      </p>
    </div>

    <div className="grid md:grid-cols-2 gap-6 mb-8">
      <div className="bg-white rounded-2xl p-6 border border-navy-200">
        <h3 className="font-bold text-navy-900 mb-3">EU AI Act Classification</h3>
        <p className="text-sm text-navy-600 mb-3">
          ezLegal.ai is classified as a <strong>Limited-Risk AI System</strong> under Article 52 of the EU AI Act. We provide
          legal information, not automated decision-making affecting legal rights.
        </p>
        <ul className="space-y-2 text-sm text-navy-600">
          <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" /> Users
            informed they are interacting with AI (Art. 52(1))</li>
          <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" /> No
            automated decisions about legal rights or benefits</li>
          <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" />
            Technical documentation maintained (Art. 11)</li>
          <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" />
            Transparency obligations met (Art. 13)</li>
        </ul>
      </div>

      <div className="bg-white rounded-2xl p-6 border border-navy-200">
        <h3 className="font-bold text-navy-900 mb-3">Right to Human Decision</h3>
        <p className="text-sm text-navy-600 mb-3">
          Every user has the <strong>unconditional right</strong> to reject AI-generated information and request connection to
          a human attorney at any point. This right:
        </p>
        <ul className="space-y-2 text-sm text-navy-600">
          <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" /> Cannot
            be waived through terms of service</li>
          <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" />
            Available regardless of payment tier (free includes pro bono)</li>
          <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" />
            Accessible via persistent "Talk to Human" controls in every session</li>
          <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" /> No AI
            gating, friction, or discouragement when exercised</li>
        </ul>
      </div>
    </div>

    <div className="bg-white rounded-2xl p-6 border border-navy-200">
      <h3 className="font-bold text-navy-900 mb-4">Transparency Documentation</h3>
      <p className="text-sm text-navy-600 mb-4">We publish comprehensive documentation exceeding regulatory requirements. No
        other consumer legal AI product makes this information publicly available.</p>
      <div className="grid sm:grid-cols-2 lg:grid-cols-4 gap-4">
        <Link to="/ai-model-card" className="group bg-navy-50 rounded-xl p-4 border border-navy-200 hover:border-teal-300
          hover:bg-teal-50 transition-colors">
          <Brain className="w-6 h-6 text-teal-600 mb-2" />
          <h4 className="font-semibold text-navy-900 text-sm group-hover:text-teal-700">AI Model Card</h4>
          <p className="text-xs text-navy-500 mt-1">Complete model documentation per ISO/IEC 42001</p>
        </Link>
        <Link to="/algorithmic-impact-assessment" className="group bg-navy-50 rounded-xl p-4 border border-navy-200
          hover:border-teal-300 hover:bg-teal-50 transition-colors">
          <Users className="w-6 h-6 text-teal-600 mb-2" />
          <h4 className="font-semibold text-navy-900 text-sm group-hover:text-teal-700">Impact Assessment</h4>
          <p className="text-xs text-navy-500 mt-1">Impact on vulnerable populations documented</p>
        </Link>
        <Link to="/bias-monitoring" className="group bg-navy-50 rounded-xl p-4 border border-navy-200 hover:border-teal-300
          hover:bg-teal-50 transition-colors">
          <Scale className="w-6 h-6 text-teal-600 mb-2" />
          <h4 className="font-semibold text-navy-900 text-sm group-hover:text-teal-700">Bias Monitoring</h4>
          <p className="text-xs text-navy-500 mt-1">Public fairness testing results updated quarterly</p>
        </Link>
        <Link to="/scope-disclaimers" className="group bg-navy-50 rounded-xl p-4 border border-navy-200 hover:border-teal-300
          hover:bg-teal-50 transition-colors">
```

```

        <AlertTriangle className="w-6 h-6 text-teal-600 mb-2" />
        <h4 className="font-semibold text-navy-900 text-sm group-hover:text-teal-700">Scope & Limitations</h4>
        <p className="text-xs text-navy-500 mt-1">Clear boundaries of what AI can and cannot do</p>
      </Link>
    </div>
  </div>
</div>
</section>

<section className="py-16 bg-gradient-to-br from-teal-700 via-teal-600 to-navy-900 text-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <h2 className="text-3xl font-bold mb-4">Risk Mitigation & Compliance</h2>
    <p className="text-navy-200 mb-8 max-w-2xl mx-auto">
      Our policies cover the big risks. We guard against fake AI claims. We keep our tools clear of giving legal advice. We
track bias in our models. We watch new AI rules as they roll out.
    </p>
    <div className="flex flex-wrap justify-center gap-4">
      <Link
        to="/privacy"
        className="bg-white text-teal-600 px-6 py-3 rounded-lg font-semibold hover:bg-teal-50 transition-colors"
      >
        View Privacy Policy
      </Link>
      <Link
        to="/ai-model-card"
        className="bg-white/10 border border-white/30 text-white px-6 py-3 rounded-lg font-semibold hover:bg-white/20
transition-colors"
      >
        View AI Model Card
      </Link>
    </div>
  </div>
</section>

<Footer />
</div>
  );
}

```

[5/58] AI Model Card

Route: /ai-model-card | File: src/pages/AIModelCard.tsx

```

import { useState } from 'react';
import { Link } from 'react-router-dom';
import { useLanguage } from '../contexts/LanguageContext';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { Brain, Database, Shield, AlertTriangle, Users, Scale, CheckCircle, XCircle, Clock, FileText, Globe, Zap, Eye, RefreshCw }
from 'lucide-react';

interface ModelCardSection {
  id: string;
  title: string;
  icon: React.ElementType;
}

const sections: ModelCardSection[] = [
  { id: 'identity', title: 'Model Identity', icon: Brain },
  { id: 'purpose', title: 'Intended Purpose & Users', icon: Users },
  { id: 'data', title: 'Training Data & Sources', icon: Database },
  { id: 'performance', title: 'Performance & Limitations', icon: Zap },
  { id: 'fairness', title: 'Fairness & Bias Testing', icon: Scale },
  { id: 'safety', title: 'Safety & Escalation', icon: Shield },
  { id: 'oversight', title: 'Human Oversight', icon: Eye },
  { id: 'maintenance', title: 'Monitoring & Updates', icon: RefreshCw },
];

export default function AIModelCard() {
  const { language } = useLanguage();
  const [activeSection, setActiveSection] = useState('identity');

  return (
    <>
      <Navigation />
      <main id="main-content" className="pt-24 pb-16 bg-white min-h-screen">
        <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
          <header className="mb-12">
            <div className="flex items-center gap-2 text-sm text-navy-500 mb-4">
              <Link to="/ai-governance" className="hover:text-teal-600 transition-colors">AI Governance</Link>
              <span>/</span>
              <span className="text-navy-700 font-medium">Model Card</span>
            </div>
            <h1 className="text-3xl sm:text-4xl font-bold text-navy-900 mb-4">
              {language === 'es' ? 'Tarjeta del Modelo de IA' : 'AI Model Card'}
            </h1>
            <p className="text-lg text-navy-600 max-w-3xl">
              {language === 'es'
                ? 'Documentación completa y transparente de nuestro sistema de IA legal, siguiendo el estándar ISO/IEC 42001, el Marco NIST AI RMF y los requisitos del EU AI Act.'
                : 'Complete, transparent documentation of our legal AI system, following ISO/IEC 42001, the NIST AI Risk Management Framework, and EU AI Act requirements.'}
            </p>
            <div className="mt-4 flex flex-wrap gap-3">
              <span className="inline-flex items-center gap-1.5 px-3 py-1 text-xs font-semibold bg-teal-50 text-teal-700 rounded-full border border-teal-200">
                <Clock className="h-3 w-3" />
                Last Updated: May 2026
              </span>
              <span className="inline-flex items-center gap-1.5 px-3 py-1 text-xs font-semibold bg-navy-50 text-navy-700 rounded-full border border-navy-200">
                <FileText className="h-3 w-3" />
                Version 3.2
              </span>
              <span className="inline-flex items-center gap-1.5 px-3 py-1 text-xs font-semibold bg-blue-50 text-blue-700 rounded-full border border-blue-200">
                <Globe className="h-3 w-3" />
                EU AI Act Aligned
              </span>
            </div>
          </header>

          <div className="flex flex-col lg:flex-row gap-8">
            <nav className="lg:w-64 flex-shrink-0">
              <div className="sticky top-24 space-y-1">
                {sections.map((s) => {
                  const Icon = s.icon;
                  return (
                    <button
                      key={s.id}
                      onClick={() => setActiveSection(s.id)}
                      className={`w-full flex items-center gap-2.5 px-3 py-2.5 text-sm font-medium rounded-lg transition-colors text-left ${{
                        activeSection === s.id
                          ? 'bg-teal-50 text-teal-700 border border-teal-200'
                          : 'text-navy-600 hover:bg-navy-50 hover:text-navy-800'
                      }}`>
                      <Icon className="h-4 w-4 flex-shrink-0" />
                      {s.title}
                    </button>
                  );
                })}
              </div>
            </nav>
            <div>
              {language === 'es' ? 'Modelo de IA' : 'AI Model'}
            </div>
          </div>
        </div>
      </main>
      <Footer />
    </>
  );
}

```

```
    }}}
  </div>
</nav>

<div className="flex-1 min-w-0">
  {activeSection === 'identity' && (
    <Section title="Model Identity">
      <DataRow label="System Name" value="ezLegal AI Legal Assistant" />
      <DataRow label="Version" value="3.2 (May 2026)" />
      <DataRow label="Classification" value="Limited-Risk AI System (EU AI Act Art. 52)" />
      <DataRow label="Foundation Model" value="OpenAI GPT-4o / GPT-4o-mini (inference-only)" />
      <DataRow label="Architecture" value="Retrieval-Augmented Generation (RAG) with jurisdiction-specific vector
stores" />
      <DataRow label="Deployment" value="Cloud-hosted (Supabase Edge Functions, US-East region)" />
      <DataRow label="Languages" value="English (primary), Spanish (native parity)" />
      <DataRow label="Owner" value="ezLegal.ai AI Governance Board" />
      <DataRow label="Contact" value="governance@ezlegal.ai" />
    </Section>
  )}

  {activeSection === 'purpose' && (
    <Section title="Intended Purpose & Users">
      <div className="space-y-6">
        <div>
          <h2 className="font-semibold text-navy-800 mb-2">Primary Purpose</h2>
          <p className="text-navy-600">Provide accessible legal information, document generation guidance, and attorney
referrals to individuals and small businesses who cannot afford traditional legal services.</p>
        </div>
        <div>
          <h3 className="font-semibold text-navy-800 mb-2">Intended Users</h3>
          <ul className="space-y-2">
            <li className="flex items-start gap-2 text-navy-600">
              <CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
              <span>Low-income individuals navigating legal issues (housing, employment, family, immigration)</span>
            </li>
            <li className="flex items-start gap-2 text-navy-600">
              <CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
              <span>Spanish-speaking communities needing legal information in their native language</span>
            </li>
            <li className="flex items-start gap-2 text-navy-600">
              <CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
              <span>Small and medium businesses requiring routine legal document assistance</span>
            </li>
            <li className="flex items-start gap-2 text-navy-600">
              <CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
              <span>Pro bono attorneys and legal aid organizations augmenting case workflows</span>
            </li>
          </ul>
        </div>
        <div>
          <h4 className="font-semibold text-navy-800 mb-2">Prohibited Uses</h4>
          <ul className="space-y-2">
            <li className="flex items-start gap-2 text-navy-600">
              <XCircle className="h-4 w-4 text-red-500 mt-0.5 flex-shrink-0" />
              <span>Replacing licensed attorney advice for high-stakes decisions (criminal defense, child custody,
immigration detention)</span>
            </li>
            <li className="flex items-start gap-2 text-navy-600">
              <XCircle className="h-4 w-4 text-red-500 mt-0.5 flex-shrink-0" />
              <span>Filing court documents without attorney review</span>
            </li>
            <li className="flex items-start gap-2 text-navy-600">
              <XCircle className="h-4 w-4 text-red-500 mt-0.5 flex-shrink-0" />
              <span>Automated decision-making affecting legal rights without human oversight</span>
            </li>
            <li className="flex items-start gap-2 text-navy-600">
              <XCircle className="h-4 w-4 text-red-500 mt-0.5 flex-shrink-0" />
              <span>Profiling users based on protected characteristics</span>
            </li>
          </ul>
        </div>
      </div>
    </Section>
  )}

  {activeSection === 'data' && (
    <Section title="Training Data & Sources">
      <div className="space-y-6">
        <div className="bg-teal-50 border border-teal-200 rounded-lg p-4">
          <p className="text-sm font-semibold text-teal-800 mb-1">Zero Training Guarantee</p>
          <p className="text-sm text-teal-700">ezLegal.ai uses pre-trained foundation models in inference-only mode. We
do NOT fine-tune or train models on user conversations. User data never enters any model training pipeline.</p>
        </div>
        <div>
          <h4 className="font-semibold text-navy-800 mb-3">RAG Knowledge Sources</h4>
          <div className="overflow-x-auto">
            <table className="w-full text-sm">
              <thead>
                <tr className="border-b border-navy-200">
                  <th className="text-left py-2 px-3 font-semibold text-navy-700">Source Category</th>
                  <th className="text-left py-2 px-3 font-semibold text-navy-700">Description</th>
                  <th className="text-left py-2 px-3 font-semibold text-navy-700">Verification</th>
                </tr>
              </thead>
              <tbody className="divide-y divide-navy-100">
                <tr>

```

```

                <td className="py-2.5 px-3 text-navy-800 font-medium">State Statutes</td>
                <td className="py-2.5 px-3 text-navy-600">Official state legislature databases (AZ, CA, TX, NY, FL
primary; 45 states referral)</td>
                <td className="py-2.5 px-3 text-navy-600">Official government sources; scraped and validated against
legislative APIs</td>
            </tr>
            <tr>
                <td className="py-2.5 px-3 text-navy-800 font-medium">Case Law</td>
                <td className="py-2.5 px-3 text-navy-600">Published appellate decisions from public court
databases</td>
                &td className="py-2.5 px-3 text-navy-600">Cross-referenced with court record systems; citation
provenance tracked</td>
            </tr>
            <tr>
                &td className="py-2.5 px-3 text-navy-800 font-medium">Court Forms</td>
                &td className="py-2.5 px-3 text-navy-600">Official court self-help forms from state judicial
websites</td>
                &td className="py-2.5 px-3 text-navy-600">Downloaded from .gov domains; version-tracked for
currency</td>
            </tr>
            <tr>
                &td className="py-2.5 px-3 text-navy-800 font-medium">Legal Aid Content</td>
                &td className="py-2.5 px-3 text-navy-600">Attorney-reviewed educational materials from legal aid
organizations</td>
                &td className="py-2.5 px-3 text-navy-600">Partnership agreements; attorney sign-off on inclusion</td>
            </tr>
            <tr>
                &td className="py-2.5 px-3 text-navy-800 font-medium">Regulatory Guidance</td>
                &td className="py-2.5 px-3 text-navy-600">Federal and state agency guidance documents, FAQs, and rule
interpretations</td>
                &td className="py-2.5 px-3 text-navy-600">Official agency publications; freshness checked
quarterly</td>
            </tr>
        </tbody>
    </table>
</div>
</div>
<div>
    <h4 className="font-semibold text-navy-800 mb-2">Data Exclusions</h4>
    <ul className="space-y-1.5 text-sm text-navy-600">
        <li className="flex items-start gap-2"><XCircle className="h-4 w-4 text-red-400 mt-0.5 flex-shrink-0" /> No
user conversation data used for retrieval or trainings</li>
        <li className="flex items-start gap-2"><XCircle className="h-4 w-4 text-red-400 mt-0.5 flex-shrink-0" /> No
scraped attorney-client communications</li>
        <li className="flex items-start gap-2"><XCircle className="h-4 w-4 text-red-400 mt-0.5 flex-shrink-0" /> No
social media or user-generated content</li>
        <li className="flex items-start gap-2"><XCircle className="h-4 w-4 text-red-400 mt-0.5 flex-shrink-0" /> No
sealed, expunged, or juvenile records</li>
    </ul>
</div>
</div>
</Section>
})

{activeSection === 'performance' && (
    <Section title="Performance & Limitations">
        <div className="space-y-6">
            <div>
                <h4 className="font-semibold text-navy-800 mb-3">Performance Metrics</h4>
                <div className="grid gap-4 sm:grid-cols-2">
                    <MetricCard label="Citation Accuracy" value="94.2%" description="Verified correct statute/case citations in
sampled responses" />
                    <MetricCard label="Jurisdiction Precision" value="97.8%" description="Correct identification of applicable
state law" />
                    <MetricCard label="Crisis Detection Recall" value="99.1%" description="Successfully identified crisis
signals requiring escalation" />
                    <MetricCard label="Spanish Parity Score" value="91.6%" description="Equivalence of Spanish responses vs.
English (quality-assessed)" />
                </div>
            </div>
            <div>
                <h4 className="font-semibold text-navy-800 mb-2">Known Limitations</h4>
                <ul className="space-y-2 text-sm text-navy-600">
                    <li className="flex items-start gap-2">
                        <AlertTriangle className="h-4 w-4 text-amber-500 mt-0.5 flex-shrink-0" />
                        <span><strong>Temporal lag:</strong> Statutes are refreshed quarterly; very recent legislative changes
(0-90 days) may not be reflected.</span>
                    </li>
                    <li className="flex items-start gap-2">
                        <AlertTriangle className="h-4 w-4 text-amber-500 mt-0.5 flex-shrink-0" />
                        <span><strong>Jurisdiction depth:</strong> Only 5 states have full coverage (AZ, CA, TX, NY, FL). Others
receive referral-only responses directing to local legal aid.</span>
                    </li>
                    <li className="flex items-start gap-2">
                        <AlertTriangle className="h-4 w-4 text-amber-500 mt-0.5 flex-shrink-0" />
                        <span><strong>Practice area boundaries:</strong> Criminal defense, immigration removal proceedings, and
active litigation strategy are explicitly excluded and escalated to attorneys.</span>
                    </li>
                    <li className="flex items-start gap-2">
                        <AlertTriangle className="h-4 w-4 text-amber-500 mt-0.5 flex-shrink-0" />
                        <span><strong>Factual grounding:</strong> While RAG reduces hallucination, no AI system achieves zero
hallucination. All responses carry disclaimer and citation requirements.</span>
                    </li>
                    <li className="flex items-start gap-2">
                        <AlertTriangle className="h-4 w-4 text-amber-500 mt-0.5 flex-shrink-0" />
                        <span><strong>Cultural nuance:</strong> Legal concepts that vary by cultural context (e.g., common-law
```

```
marriage recognition) may require additional user clarification.</span>
    </li>
  </ul>
</div>
</div>
</Section>
}}

{activeSection === 'fairness' && (
  <Section title="Fairness & Bias Testing">
    <div className="space-y-6">
      <div className="bg-blue-50 border border-blue-200 rounded-lg p-4">
        <p className="text-sm font-semibold text-blue-800 mb-1">Bias Testing Schedule</p>
        <p className="text-sm text-blue-700">Quarterly automated bias sweeps across all protected categories. Monthly manual spot-checks by bilingual legal reviewers. Annual third-party algorithmic audit.</p>
      </div>
      <div>
        <h4 className="font-semibold text-navy-800 mb-3">Protected Categories Tested</h4>
        <div className="grid gap-2 sm:grid-cols-2 text-sm">
          {[ 'Race / Ethnicity', 'National Origin / Immigration Status', 'Language (English vs. Spanish)', 'Gender / Gender Identity', 'Age', 'Disability Status', 'Income Level / Socioeconomic Status', 'Geographic Location (urban vs. rural)' ].map((cat) => (
            <div key={cat} className="flex items-center gap-2 text-navy-600 bg-navy-50 rounded px-3 py-2">
              <CheckCircle className="h-3.5 w-3.5 text-teal-600 flex-shrink-0" />
              {cat}
            </div>
          ))}
        </div>
      </div>
      <div>
        <h4 className="font-semibold text-navy-800 mb-2">Bias Mitigation Measures</h4>
        <ul className="space-y-2 text-sm text-navy-600">
          <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Equivalent response quality verified between English and Spanish outputs</li>
          <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Income-neutral access: free tier provides full legal information without degradation</li>
          <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Attorney matching algorithm audited for geographic and demographic fairness</li>
          <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Pro bono pathway ensures access for users who cannot pay any amount</li>
          <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Disparate impact testing on escalation rates by demographic cohort</li>
        </ul>
      </div>
      <div>
        <h4 className="font-semibold text-navy-800 mb-2">Report Bias</h4>
        <p className="text-sm text-navy-600">If you observe biased, unfair, or discriminatory outputs, report them via our <Link to="/trust-center" className="text-teal-600 hover:text-teal-700 underline">Trust & Safety portal</Link>. All bias reports are reviewed within 24 hours and escalated to the AI Governance Board.</p>
      </div>
    </Section>
  )}

  {activeSection === 'safety' && (
    <Section title="Safety & Escalation">
      <div className="space-y-6">
        <div>
          <h4 className="font-semibold text-navy-800 mb-3">Escalation Triggers</h4>
          <div className="overflow-x-auto">
            <table className="w-full text-sm">
              <thead>
                <tr className="border-b border-navy-200">
                  <th className="text-left py-2 px-3 font-semibold text-navy-700">Trigger</th>
                  <th className="text-left py-2 px-3 font-semibold text-navy-700">Action</th>
                  <th className="text-left py-2 px-3 font-semibold text-navy-700">Response Time</th>
                </tr>
              </thead>
              <tbody className="divide-y divide-navy-100">
                <tr>
                  <td className="py-2.5 px-3 text-red-700 font-medium">Suicidal ideation / self-harm</td>
                  <td className="py-2.5 px-3 text-navy-600">Immediate 988 Lifeline + crisis resources; chat input disabled</td>
                  <td className="py-2.5 px-3 text-navy-600">Instant (0 latency)</td>
                </tr>
                <tr>
                  <td className="py-2.5 px-3 text-red-700 font-medium">Domestic violence / immediate danger</td>
                  <td className="py-2.5 px-3 text-navy-600">National DV Hotline + quick-exit button; legal chat paused</td>
                  <td className="py-2.5 px-3 text-navy-600">Instant (0 latency)</td>
                </tr>
                <tr>
                  <td className="py-2.5 px-3 text-amber-700 font-medium">High-stakes legal decision</td>
                  <td className="py-2.5 px-3 text-navy-600">Attorney referral mandatory; AI provides information only with explicit disclaimer</td>
                  <td className="py-2.5 px-3 text-navy-600">Within response</td>
                </tr>
                <tr>
                  <td className="py-2.5 px-3 text-amber-700 font-medium">Imminent deadline (<72 hours)</td>
                  <td className="py-2.5 px-3 text-navy-600">Urgent escalation banner; legal aid referral with expedited matching</td>
                  <td className="py-2.5 px-3 text-navy-600">Within response</td>
                </tr>
                <tr>
                  <td className="py-2.5 px-3 text-navy-700 font-medium">Low confidence response</td>
                  <td className="py-2.5 px-3 text-navy-600">Confidence indicator shown; suggestion to verify with
```

```
attorney; no definitive statement</td>
        <td className="py-2.5 px-3 text-navy-600">Within response</td>
    </tr>
</tbody>
</table>
</div>
</div>
<div>
    <h4 className="font-semibold text-navy-800 mb-2">UPL (Unauthorized Practice of Law) Safeguards</h4>
    <ul className="space-y-2 text-sm text-navy-600">
        <li className="flex items-start gap-2"><Shield className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
Every response includes "This is legal information, not legal advice" disclaimer</li>
        <li className="flex items-start gap-2"><Shield className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> No
attorney-client relationship created through platform use</li>
        <li className="flex items-start gap-2"><Shield className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
System cannot file documents, represent users, or appear in court</li>
        <li className="flex items-start gap-2"><Shield className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
High-stakes scenarios trigger mandatory attorney referral before proceeding</li>
        <li className="flex items-start gap-2"><Shield className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
Scope limitations page accessible from every chat interaction</li>
    </ul>
</div>
</div>
</Section>
})

{activeSection === 'oversight' && (
    <Section title="Human Oversight">
        <div className="space-y-6">
            <div className="bg-green-50 border border-green-200 rounded-lg p-4">
                <p className="text-sm font-semibold text-green-800 mb-1">Right to Human Decision</p>
                <p className="text-sm text-green-700">Every user has the unconditional right to reject AI-generated
information and request connection to a human attorney at any point in their interaction. This right cannot be waived and is
available regardless of payment tier.</p>
            </div>
            <div>
                <h4 className="font-semibold text-navy-800 mb-3">Oversight Architecture</h4>
                <ul className="space-y-2 text-sm text-navy-600">
                    <li className="flex items-start gap-2"><Eye className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
<strong>Pre-deployment:</strong> All prompts, RAG configurations, and escalation rules reviewed by licensed attorneys before
deployment</li>
                    <li className="flex items-start gap-2"><Eye className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
<strong>Runtime:</strong> Crisis detection operates independently of AI model; hard-coded safety rules cannot be overridden by
prompt injection</li>
                    <li className="flex items-start gap-2"><Eye className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
<strong>Post-deployment:</strong> Weekly sample audits of AI responses by legal team; bias sweep reports reviewed monthly</li>
                    <li className="flex items-start gap-2"><Eye className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
<strong>User-triggered:</strong> "Talk to a human" button available in every chat session; no AI gating on human access</li>
                </ul>
            </div>
        </div>
        <div>
            <h4 className="font-semibold text-navy-800 mb-2">AI Governance Board</h4>
            <p className="text-sm text-navy-600 mb-3">Decisions about AI system changes, escalation thresholds, and bias
remediation are made by a cross-functional board including:</p>
            <div className="grid gap-2 sm:grid-cols-2 text-sm">
                {[
                    'Licensed attorney (access-to-justice background)',
                    'AI/ML engineer (technical safety)',
                    'Compliance officer (regulatory)',
                    'Community representative (user advocate)',
                    'Privacy officer (data protection)',
                    'External ethics advisor (rotational)']
                .map((member) => (
                    <div key={member} className="flex items-center gap-2 text-navy-600 bg-navy-50 rounded px-3 py-2">
                        <Users className="h-3.5 w-3.5 text-teal-600 flex-shrink-0" />
                        {member}
                    </div>
                ))}
            </div>
        </div>
    </div>
</Section>
})

{activeSection === 'maintenance' && (
    <Section title="Monitoring & Updates">
        <div className="space-y-6">
            <div>
                <h4 className="font-semibold text-navy-800 mb-3">Continuous Monitoring</h4>
                <div className="overflow-x-auto">
                    <table className="w-full text-sm">
                        <thead>
                            <tr className="border-b border-navy-200">
                                <th className="text-left py-2 px-3 font-semibold text-navy-700">Metric</th>
                                <th className="text-left py-2 px-3 font-semibold text-navy-700">Frequency</th>
                                <th className="text-left py-2 px-3 font-semibold text-navy-700">Threshold</th>
                            </tr>
                        </thead>
                        <tbody className="divide-y divide-navy-100">
                            <tr>
                                <td className="py-2.5 px-3 text-navy-800">Citation accuracy</td>
                                <td className="py-2.5 px-3 text-navy-600">Daily automated check (sample)</td>
                                <td className="py-2.5 px-3 text-navy-600">&gt;90% or alert triggered</td>
                            </tr>
                            <tr>
                                <td className="py-2.5 px-3 text-navy-800">Crisis detection recall</td>
                                <td className="py-2.5 px-3 text-navy-600">Continuous (every message)</td>
                                <td className="py-2.5 px-3 text-navy-600">&gt;98% or system pause</td>
                            </tr>
                            <tr>
                                <td className="py-2.5 px-3 text-navy-800">Bias disparity (language)</td>
                                <td></td>
                                <td></td>
                            </tr>
                        </tbody>
                    </table>
                </div>
            </div>
        </div>
    </Section>
})
```

```

        <td className="py-2.5 px-3 text-navy-600">Monthly</td>
      </tr>
    </tbody>
  </table>
</div>
</div>
<div>
  <h4 className="font-semibold text-navy-800 mb-2">Update Policy</h4>
  <ul className="space-y-2 text-sm text-navy-600">
    <li><RefreshCw className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Knowledge base (statutes, forms): Quarterly refresh with emergency patches for breaking legislative changes</li>
    <li><RefreshCw className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Foundation model version: Evaluated bi-annually; any model change requires full regression testing + bias audit</li>
    <li><RefreshCw className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Safety rules: Updated within 24 hours when new crisis patterns identified</li>
    <li><RefreshCw className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Model Card: Updated with every material change; version history maintained</li>
  </ul>
</div>
<div>
  <h4 className="font-semibold text-navy-800 mb-2">Incident Response</h4>
  <p>If a critical safety failure is detected (missed crisis signal, harmful output, privacy breach), the system can be paused within 5 minutes via kill switch. Post-incident review occurs within 24 hours with findings published to this Model Card.</p>
</div>
</div>
</div>
</Section>
)}
</div>
</div>
<div className="mt-16 border-t border-navy-200 pt-8">
  <div className="bg-navy-50 rounded-xl p-6">
    <h3 className="font-bold text-navy-900 mb-2">Regulatory Alignment</h3>
    <p>This Model Card satisfies documentation requirements under:</p>
    <div className="grid gap-3 sm:grid-cols-2 lg:grid-cols-4">
      {
        [
          { name: 'EU AI Act', detail: 'Art. 11, 13 (transparency)' },
          { name: 'NIST AI RMF', detail: 'Map, Measure, Manage functions' },
          { name: 'ISO/IEC 42001', detail: 'AI management system documentation' },
          { name: 'Colorado AI Act', detail: 'Consumer transparency obligations' }
        ].map((reg) => (
          <div key={reg.name} className="bg-white rounded-lg border border-navy-200 p-3">
            <p><font-semibold text-navy-800 text-sm>{reg.name}</p>
            <p>text-xs text-navy-500 mt-0.5>{reg.detail}</p>
          </div>
        ))
      }
    </div>
  </div>
</div>
</div>
</main>
<Footer />
</>
);
}

function Section({ title, children }: { title: string; children: React.ReactNode }) {
  return (
    <div>
      <h2 className="text-xl font-bold text-navy-900 mb-6 pb-3 border-b border-navy-200">{title}</h2>
      {children}
    </div>
  );
}

function DataRow({ label, value }: { label: string; value: string }) {
  return (
    <div className="flex flex-col sm:flex-row sm:items-baseline py-2.5 border-b border-navy-100 last:border-0">
      <dt className="sm:w-48 flex-shrink-0 text-sm font-medium text-navy-500">{label}</dt>
      <dd className="text-sm text-navy-800 font-medium mt-0.5 sm:mt-0">{value}</dd>
    </div>
  );
}

function MetricCard({ label, value, description }: { label: string; value: string; description: string }) {
  return (
    <div className="bg-navy-50 rounded-lg border border-navy-200 p-4">
      <p>text-2xl font-bold text-teal-700>{value}</p>
      <p>font-semibold text-navy-800 text-sm mt-1>{label}</p>
      <p>text-xs text-navy-500 mt-1>{description}</p>
    </div>
  );
}

```


[6/58] Algorithmic Impact Assessment

Route: /algorithmic-impact-assessment | File: src/pages/AlgorithmicImpactAssessment.tsx

```
import { Link } from 'react-router-dom';
import { useLanguage } from '../contexts/LanguageContext';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { Users, AlertTriangle, CheckCircle, Heart, Globe, FileText, TrendingUp, Scale } from 'lucide-react';

export default function AlgorithmicImpactAssessment() {
  const { language } = useLanguage();

  return (
    <>
      <Navigation />
      <main id="main-content" className="pt-24 pb-16 bg-white min-h-screen">
        <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
          <header className="mb-12">
            <div className="flex items-center gap-2 text-sm text-navy-500 mb-4">
              <Link to="/ai-governance" className="hover:text-teal-600 transition-colors">AI Governance</Link>
              <span>/</span>
              <span className="text-navy-700 font-medium">Algorithmic Impact Assessment</span>
            </div>
            <h1 className="text-3xl sm:text-4xl font-bold text-navy-900 mb-4">
              {language === 'es' ? 'Evaluacion de Impacto Algoritmico' : 'Algorithmic Impact Assessment'}
            </h1>
            <p className="text-lg text-navy-600 max-w-3xl">
              {language === 'es'
                ? 'Evaluacion publica del impacto de nuestro sistema de IA en poblaciones vulnerables, siguiendo las pautas de la LSC, NIST AI RMF y el EU AI Act.'
                : 'Public assessment of our AI system\'s impact on vulnerable populations, following LSC guidelines, NIST AI RMF, and EU AI Act requirements.'}
            </p>
            <p className="text-sm text-navy-500 mt-3">Assessment Date: Q2 2026 | Next Review: Q3 2026</p>
          </header>

          <section className="mb-12">
            <h2 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
              <FileText className="h-5 w-5 text-teal-600" />
              System Overview
            </h2>
            <div className="bg-navy-50 rounded-xl p-6 space-y-3 text-sm text-navy-700">
              <p><strong>System:</strong> ezLegal.ai Legal Information Assistant</p>
              <p><strong>Function:</strong> Provides legal information, document generation guidance, attorney referrals, and crisis escalation to underserved populations.</p>
              <p><strong>Decision Type:</strong> Informational only. The system does NOT make consequential decisions about users' legal rights, benefits, or access to services. Users retain full agency over all decisions.</p>
              <p><strong>Risk Classification:</strong> Limited-risk (EU AI Act). Not classified as high-risk because the system provides information rather than making binding decisions affecting legal rights.</p>
            </div>
          </section>

          <section className="mb-12">
            <h2 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
              <Users className="h-5 w-5 text-teal-600" />
              Affected Populations
            </h2>
            <div className="space-y-4">
              {[
                {
                  group: 'Low-income individuals',
                  size: 'Approximately 92% of civil legal needs in the US go unmet (LSC 2022)',
                  risks: ['May over-rely on AI for decisions requiring attorney guidance', 'Limited digital literacy may create comprehension gaps', 'Financial pressure may inhibit willingness to escalate to paid services'],
                  mitigations: ['Free tier provides full legal information without degradation', 'Plain-language output calibrated to 6th-grade reading level', 'Pro bono pathway available at zero cost for eligible users', 'Crisis escalation to free legal aid resources'],
                },
                {
                  group: 'Spanish-speaking users',
                  size: '41.8M native Spanish speakers in US (Census 2024)',
                  risks: ['Translation quality gaps could provide inferior information', 'Cultural context differences in legal concepts', 'Notario fraud vulnerability (conflation of notary public with licensed attorney)'],
                  mitigations: ['Native Spanish content, not machine-translated afterthought', 'Notario Fraud Checker component explicitly warns about this scam', 'Bilingual legal reviewers validate all Spanish outputs quarterly', 'Cultural context notes added for jurisdiction-specific concepts'],
                },
                {
                  group: 'Immigrants and undocumented individuals',
                  size: 'Estimated 11.4M undocumented individuals (Pew Research 2024)',
                  risks: ['Heightened privacy concerns due to enforcement risk', 'Immigration law complexity exceeds system scope', 'Fear of data sharing may prevent accessing needed help'],
                  mitigations: ['Zero data collection for unauthenticated users', 'Immigration removal proceedings explicitly excluded and escalated', 'Know Your Rights information provided without data capture', 'No user data shared with government agencies under any circumstance'],
                },
                {
                  group: 'Domestic violence survivors',
                  size: '1 in 4 women and 1 in 9 men experience severe intimate partner violence (CDC)',
                  risks: ['Device monitoring by abuser could compromise safety', 'Standard escalation flow may not account for coercive control', 'Crisis detection failure could have life-threatening consequences'],
                  mitigations: ['Quick-exit button clears all session data instantly', 'Crisis detection has 99.1% recall
```

```

(independently validated)', 'National DV Hotline integration with immediate connection', 'No email communications sent unless
explicitly opted in (prevents abuser discovery)'],
    },
    ].map((pop) => (
      <div key={pop.group} className="border border-navy-200 rounded-xl p-5">
        <h3 className="font-bold text-navy-800 mb-1">{pop.group}</h3>
        <p className="text-xs text-navy-500 mb-3">{pop.size}</p>
        <div className="grid gap-4 md:grid-cols-2">
          <div>
            <h4 className="text-xs font-bold text-red-600 uppercase tracking-wider mb-2">Identified Risks</h4>
            <ul className="space-y-1.5">
              {pop.risks.map((r, i) => (
                <li key={i} className="flex items-start gap-2 text-sm text-navy-600">
                  <AlertTriangle className="h-3.5 w-3.5 text-amber-500 mt-0.5 flex-shrink-0" />
                  {r}
                </li>
              ))}
            </ul>
          </div>
          <div>
            <h4 className="text-xs font-bold text-teal-700 uppercase tracking-wider mb-2">Active Mitigations</h4>
            <ul className="space-y-1.5">
              {pop.mitigations.map((m, i) => (
                <li key={i} className="flex items-start gap-2 text-sm text-navy-600">
                  <CheckCircle className="h-3.5 w-3.5 text-teal-600 mt-0.5 flex-shrink-0" />
                  {m}
                </li>
              ))}
            </ul>
          </div>
        </div>
      </div>
    ))
  </section>

  <section className="mb-12">
    <h2 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
      <Scale className="h-5 w-5 text-teal-600" />
      Impact Assessment Matrix
    </h2>
    <div className="overflow-x-auto">
      <table className="w-full text-sm">
        <thead>
          <tr className="border-b-2 border-navy-200">
            <th className="text-left py-3 px-3 font-semibold text-navy-700">Impact Dimension</th>
            <th className="text-center py-3 px-3 font-semibold text-navy-700">Severity</th>
            <th className="text-center py-3 px-3 font-semibold text-navy-700">Likelihood</th>
            <th className="text-center py-3 px-3 font-semibold text-navy-700">Residual Risk</th>
            <th className="text-left py-3 px-3 font-semibold text-navy-700">Control</th>
          </tr>
        </thead>
        <tbody>
          <tr>
            <td>residual="Medium" control="Citation requirement + confidence indicators + attorney escalation" />
            <td>Incorrect legal information leading to adverse outcome severity="High" likelihood="Low" />
            <td>Missed crisis signal (DV, suicidal ideation) severity="Critical" likelihood="Very Low" />
            <td>99.1% recall detection + human review of flagged sessions />
            <td>ImpactRow dimension="Language bias degrading Spanish user experience" severity="Medium" likelihood="Low" />
            <td>Monthly parity testing + bilingual reviewer team />
            <td>Over-reliance on AI replacing needed attorney severity="High" likelihood="Medium" />
            <td>Persistent disclaimers + escalation triggers + scope limitations" />
            <td>Privacy breach exposing vulnerable user data" severity="Critical" likelihood="Very Low" />
            <td>AES-256 + RLS + 90-day auto-delete + no government sharing" />
            <td>Algorithmic discrimination in attorney matching" severity="Medium" likelihood="Low" />
            <td>No pay-for-rank + geographic fairness audit + user choice preserved" />
          </tr>
        </tbody>
      </table>
    </div>
  </section>

  <section className="mb-12">
    <h2 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
      <Heart className="h-5 w-5 text-teal-600" />
      Access-to-Justice Alignment
    </h2>
    <div className="space-y-4">
      <p className="text-sm text-navy-600">Assessed against Legal Services Corporation (LSC) access-to-justice standards and
      ABA Resolution 115 (technology to close the justice gap).</p>
      <div className="grid gap-4 sm:grid-cols-2">
        <AlignmentCard
          principle="Reaches underserved populations"
          score="High"
          evidence="Free tier with no login required; native Spanish; mobile-first; pro bono pathway; crisis resources for
          DV, housing, immigration"
        />
        <AlignmentCard
          principle="Does not replace attorney where needed"
          score="High"
          evidence="Explicit scope limitations; mandatory escalation for high-stakes; persistent disclaimers; Right to Human
          Decision"
        />
        <AlignmentCard
          principle="Maintains user dignity and agency"
          score="High"
          evidence="No dark patterns; no urgency manipulation; user controls all decisions; data export/deletion available;
          no profiling"
        />
      </div>
    </div>
  </section>

```

```

        />
        <AlignmentCard
          principle="Complements (not competes with) legal aid"
          score="High"
          evidence="B2B2C model for LSOs; free tools for legal aid orgs; referral pipeline to pro bono attorneys; grant
reporting integration"
        />
        <AlignmentCard
          principle="Transparent about capabilities and limitations"
          score="High"
          evidence="Public Model Card; this Impact Assessment; methodology documentation; confidence indicators in every
response"
        />
        <AlignmentCard
          principle="Accountable through governance structures"
          score="High"
          evidence="AI Governance Board; 24-hour report review SLA; public bias testing results; external ethics advisor"
        />
      </div>
    </div>
  </section>

  <section className="mb-12">
    <h2 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
      <TrendingUp className="h-5 w-5 text-teal-600" />
      Positive Impact Measurement
    </h2>
    <div className="bg-teal-50 border border-teal-200 rounded-xl p-6">
      <p className="text-sm text-teal-800 mb-4">This system exists to create positive impact for underserved populations. We
measure:</p>
      <div className="grid gap-3 sm:grid-cols-2">
        [[
          'Users who received legal information they could not otherwise afford',
          'Successful attorney connections for users who needed human help',
          'Crisis escalations that connected users to immediate safety resources',
          'Documents generated that helped users navigate legal processes',
          'Spanish-language sessions providing parity access to legal information',
          'Pro bono cases facilitated through platform referrals',
        ].map((metric) => (
          <div key={metric} className="flex items-start gap-2 text-sm text-teal-700">
            <CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
            {metric}
          </div>
        )))
      </div>
    </div>
  </section>

  <section>
    <h2 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
      <Globe className="h-5 w-5 text-teal-600" />
      Stakeholder Consultation
    </h2>
    <div className="space-y-3 text-sm text-navy-600">
      <p>This assessment was informed by input from:</p>
      <ul className="space-y-2">
        <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> Legal
aid attorneys serving low-income communities</li>
        <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
Community organizers in Spanish-speaking neighborhoods</li>
        <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
Domestic violence advocates and shelter operators</li>
        <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
Self-represented litigant program administrators</li>
        <li className="flex items-start gap-2"><CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" /> AI
ethics researchers (Stanford Legal Design Lab framework)</li>
      </ul>
      <p className="mt-4">To provide feedback on this assessment or raise concerns about our AI system's impact on
vulnerable populations, contact <strong>impact@ezlegal.ai</strong> or use our <Link to="/trust-center" className="text-teal-600
hover:text-teal-700 underline">Trust & Safety reporting system</Link>.</p>
    </div>
  </section>
</div>
</main>
<Footer />
</>
);
}

```

```

function ImpactRow({ dimension, severity, likelihood, residual, control }: { dimension: string; severity: string; likelihood:
string; residual: string; control: string }) {
  const severityColor = severity === 'Critical' ? 'text-red-700 bg-red-50' : severity === 'High' ? 'text-amber-700 bg-amber-50' :
'text-navy-700 bg-navy-50';
  const likelihoodColor = likelihood === 'Very Low' ? 'text-teal-700 bg-teal-50' : likelihood === 'Low' ? 'text-blue-700 bg-blue-50'
: 'text-amber-700 bg-amber-50';
  const residualColor = residual === 'Low' ? 'text-teal-700 bg-teal-50' : residual === 'Medium' ? 'text-amber-700 bg-amber-50' :
'text-red-700 bg-red-50';

  return (
    <tr>
      <td className="py-3 px-3 text-navy-800">{dimension}</td>
      <td className="py-3 px-3 text-center"><span className={`inline-block px-2 py-0.5 rounded text-xs font-semibold
${severityColor}`}>{severity}</span></td>
      <td className="py-3 px-3 text-center"><span className={`inline-block px-2 py-0.5 rounded text-xs font-semibold
${likelihoodColor}`}>{likelihood}</span></td>
      <td className="py-3 px-3 text-center"><span className={`inline-block px-2 py-0.5 rounded text-xs font-semibold

```

```

    ${residualColor}`}>{residual}</span></td>
      <td className="py-3 px-3 text-navy-600">{control}</td>
    </tr>
  );
}

function AlignmentCard({ principle, score, evidence }: { principle: string; score: string; evidence: string }) {
  return (
    <div className="border border-navy-200 rounded-lg p-4">
      <div className="flex items-center justify-between mb-2">
        <h3 className="font-semibold text-navy-800 text-sm">{principle}</h3>
        <span className="inline-block px-2 py-0.5 rounded text-xs font-bold bg-teal-50 text-teal-700 border
border-teal-200">{score}</span>
      </div>
      <p className="text-xs text-navy-500">{evidence}</p>
    </div>
  );
}

```

[7/58] Ask

Route: /ask | File: src/pages/Ask.tsx

```
import { useState, useRef, useEffect } from 'react';
import { useNavigate, useParams } from 'react-router-dom';
import {
  Send, Shield, Clock, MessageSquare, Scale, Sparkles, Check,
  Globe, Home as HomeIcon, Users, Briefcase, FileWarning, ArrowRight
} from 'lucide-react';
import { useLanguage } from '../contexts/LanguageContext';

const TOPIC_CONFIG: Record<string, { icon: typeof Scale; color: string; en: { title: string; subtitle: string; placeholder: string; questions: string[] }; es: { title: string; subtitle: string; placeholder: string; questions: string[] } }> = {
  immigration: {
    icon: Globe,
    color: 'amber',
    en: {
      title: 'Immigration Legal Help',
      subtitle: 'Get clear answers about visas, deportation defense, work permits, and your rights.',
      placeholder: 'Describe your immigration situation... (e.g., 'I received a notice to appear, what should I do?')',
      questions: [
        "I'm worried about my immigration status. What are my rights?",
        "What should I do if I receive a notice to appear?",
        "How do I apply for a work permit or visa renewal?",
        "Can ICE enter my home without a warrant?",
      ],
    },
    es: {
      title: 'Ayuda Legal de Inmigración',
      subtitle: 'Obtén respuestas claras sobre visas, defensa contra deportación, permisos de trabajo y tus derechos.',
      placeholder: 'Describe tu situación migratoria...',
      questions: [
        "Estoy preocupado por mi estatus migratorio. Cuáles son mis derechos?",
        "Qué debo hacer si recibo una notificación para comparecer?",
        "Cómo solicito un permiso de trabajo o renovación de visa?",
        "Puede ICE entrar a mi casa sin una orden judicial?",
      ],
    },
  },
  housing: {
    icon: HomeIcon,
    color: 'sky',
    en: {
      title: 'Housing & Eviction Help',
      subtitle: 'Understand tenant rights, eviction defense, security deposits, and landlord disputes.',
      placeholder: 'Describe your housing situation... (e.g., 'I received an eviction notice, what are my options?')',
      questions: [
        "I received an eviction notice. What are my options?",
        "My landlord won't return my security deposit. How do I get it back?",
        "Can my landlord raise rent without notice?",
        "My apartment has mold/pest issues. What can I do?",
      ],
    },
    es: {
      title: 'Ayuda de Vivienda y Desalojo',
      subtitle: 'Entiende derechos de inquilino, defensa contra desalojo y depósitos de seguridad.',
      placeholder: 'Describe tu situación de vivienda...',
      questions: [
        "Recibí un aviso de desalojo. Cuáles son mis opciones?",
        "Mi casero no devuelve mi depósito. Como lo recupero?",
        "Puede mi casero subir la renta sin aviso?",
        "Mi apartamento tiene moho/plagas. Qué puedo hacer?",
      ],
    },
  },
  family: {
    icon: Users,
    color: 'rose',
    en: {
      title: 'Family Law Help',
      subtitle: 'Get answers about divorce, child custody, support, and domestic matters.',
      placeholder: 'Describe your family law situation... (e.g., 'I'm going through a divorce, how does custody work?')',
      questions: [
        "I'm going through a divorce. How does child custody work?",
        "How is child support calculated in my state?",
        "I need a restraining order. What are the steps?",
        "Can I modify an existing custody agreement?",
      ],
    },
    es: {
      title: 'Ayuda de Derecho Familiar',
      subtitle: 'Obtén respuestas sobre divorcio, custodia, manutención y asuntos domésticos.',
      placeholder: 'Describe tu situación de derecho familiar...',
      questions: [
        "Me estoy divorciando. Como funciona la custodia?",
        "Como se calcula la manutención en mi estado?",
        "Necesito una orden de restricción. Cuáles son los pasos?",
        "Puedo modificar un acuerdo de custodia existente?",
      ],
    },
  },
  employment: {
```

```

icon: Briefcase,
color: 'emerald',
en: {
  title: 'Employment Law Help',
  subtitle: 'Understand wage disputes, wrongful termination, discrimination, and workplace rights.',
  placeholder: "Describe your employment situation... (e.g., 'My employer hasn't paid me for 3 weeks')",
  questions: [
    "My employer hasn't paid me for 3 weeks. What can I do?",
    "I think I was wrongfully terminated. Do I have a case?",
    "I'm being harassed at work. What are my options?",
    "Am I entitled to overtime pay?",
  ],
},
es: {
  title: 'Ayuda de Derecho Laboral',
  subtitle: 'Entiende disputas salariales, despido injustificado y derechos laborales.',
  placeholder: "Describe tu situación laboral...",
  questions: [
    "Mi empleador no me ha pagado en 3 semanas. Qué puedo hacer?",
    "Creo que fui despedido injustamente. Tengo un caso?",
    "Me estan acosando en el trabajo. Cuáles son mis opciones?",
    "Tengo derecho a pago por horas extras?",
  ],
},
},
debt: {
  icon: FileWarning,
  color: 'teal',
  en: {
    title: 'Debt & Collections Help',
    subtitle: 'Learn about debt collection rights, wage garnishment, and bankruptcy basics.',
    placeholder: "Describe your debt situation... (e.g., 'A debt collector keeps calling me')",
    questions: [
      "A debt collector is harassing me. Is this legal?",
      "Can my wages be garnished without warning?",
      "What is the statute of limitations on my debt?",
      "Should I consider bankruptcy? What are my options?",
    ],
  },
},
es: {
  title: 'Ayuda de Deudas y Cobros',
  subtitle: 'Conoce tus derechos sobre cobranza, embargo salarial y opciones de bancarrota.',
  placeholder: "Describe tu situación de deuda...",
  questions: [
    "Un cobrador me esta acosando. Es esto legal?",
    "Pueden embargar mi salario sin aviso?",
    "Cuál es el plazo de prescripción de mi deuda?",
    "Debería considerar bancarrota? Cuáles son mis opciones?",
  ],
},
},
criminal: {
  icon: Shield,
  color: 'slate',
  en: {
    title: 'Criminal Law Help',
    subtitle: 'Understand your rights when facing charges, traffic violations, or police encounters.',
    placeholder: "Describe your situation... (e.g., 'I was charged with a misdemeanor')",
    questions: [
      "I was arrested. What are my rights?",
      "What's the difference between a misdemeanor and felony?",
      "Can I get a charge expunged from my record?",
      "I got a traffic ticket. Should I contest it?",
    ],
  },
},
es: {
  title: 'Ayuda de Derecho Penal',
  subtitle: 'Entiende tus derechos ante cargos, infracciones de transito o encuentros con la policia.',
  placeholder: "Describe tu situación...",
  questions: [
    "Fui arrestado. Cuáles son mis derechos?",
    "Cuál es la diferencia entre un delito menor y un delito grave?",
    "Puedo borrar un cargo de mi record?",
    "Recibí una multa de transito. Debería impugnarla?",
  ],
},
},
},
};

export default function Ask() {
  const { topic } = useParams<{ topic?: string }>();
  const [question, setQuestion] = useState('');
  const [isSubmitting, setIsSubmitting] = useState(false);
  const inputRef = useRef<HTMLTextAreaElement>(null);
  const navigate = useNavigate();
  const { language } = useLanguage();

  const topicConfig = topic ? TOPIC_CONFIG[topic] : null;
  const lang = language === 'en' ? 'en' : 'es';

  useEffect(() => {
    window.scrollTo(0, 0);
    inputRef.current?.focus();
  }, [topic]);

  const handleSubmit = (e: React.FormEvent) => {

```

```

    e.preventDefault();
    if (!question.trim()) return;
    setIsSubmitting(true);
    const topicPrefix = topicConfig ? `${topic}` : '';
    try {
      sessionStorage.setItem('ez_chatbot_prefill', topicPrefix + question.trim());
    } catch {
      // storage disabled -- navigate without prefill
    }
    navigate('/chat');
  };

  const handleKeyDown = (e: React.KeyboardEvent) => {
    if (e.key === 'Enter' && !e.shiftKey) {
      e.preventDefault();
      handleSubmit(e);
    }
  };

  const title = topicConfig
    ? topicConfig[lang].title
    : (language === 'en' ? "What's your legal question?" : "Cuál es tu pregunta legal?");

  const subtitle = topicConfig
    ? topicConfig[lang].subtitle
    : (language === 'en' ? "Ask anything. Get a clear answer in plain language. Free to start." : "Pregunta lo que sea. Obtén una respuesta clara. Gratis para comenzar.");

  const placeholder = topicConfig
    ? topicConfig[lang].placeholder
    : (language === 'en' ? "Type your legal question here..." : "Escribe tu pregunta legal aquí...");

  const questions = topicConfig
    ? topicConfig[lang].questions
    : (language === 'en' ? [
      "I received an eviction notice. What are my options?",
      "My employer hasn't paid me for 3 weeks. What can I do?",
      "I'm worried about my immigration status. What are my rights?",
      "My landlord won't return my security deposit. How do I get it back?",
      "I'm going through a divorce. How does child custody work?",
      "A debt collector is harassing me. Is this legal?",
    ] : [
      "Recibí un aviso de desalojo. Cuáles son mis opciones?",
      "Mi empleador no me ha pagado en 3 semanas. Qué puedo hacer?",
      "Estoy preocupado por mi estatus migratorio. Cuáles son mis derechos?",
      "Mi casero no devuelve mi depósito. Cómo lo recupero?",
      "Me estoy divorciando. Cómo funciona la custodia de los hijos?",
      "Un cobrador me está acosando. Es esto legal?",
    ]);

  const TopicIcon = topicConfig?.icon || Scale;

  return (
    <div className="min-h-screen bg-gradient-to-b from-navy-900 via-navy-800 to-navy-900">
      <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8 pt-12 pb-24">
        {topic && (
          <nav aria-label={language === 'en' ? 'Legal topic categories' : 'Categorías de temas legales'}>
            <div className="flex flex-wrap gap-2 mb-6" role="tablist" aria-label={language === 'en' ? 'Filter by topic' : 'Filtrar por tema'}>
              {Object.entries(TOPIC_CONFIG).map(([key, cfg]) => (
                <button
                  key={key}
                  role="tab"
                  aria-selected={key === topic}
                  tabIndex={key === topic ? 0 : -1}
                  onClick={() => navigate(`/ask/${key}`)}
                  className={`flex items-center gap-1.5 px-3 py-1.5 rounded-full text-xs font-semibold transition-all ${
                    key === topic
                      ? 'bg-white/20 text-white border border-white/30'
                      : 'bg-white/5 text-navy-200 border border-white/10 hover:bg-white/10 hover:text-white'
                  }`}
                >
                  <cfg.icon className="w-3.5 h-3.5" />
                  {language === 'en' ? cfg.en.title.replace(' Help', '').replace(' Legal', '') : cfg.es.title.replace(' Ayuda', '').replace(' Legal', '')}
                </button>
              ))}
              <button
                role="tab"
                aria-selected={false}
                tabIndex={-1}
                onClick={() => navigate('/ask')}
                className="flex items-center gap-1.5 px-3 py-1.5 rounded-full text-xs font-semibold bg-white/5 text-navy-200 border border-white/10 hover:bg-white/10 hover:text-white transition-all"
                >
                  {language === 'en' ? 'All Topics' : 'Todos'}
                </button>
            </div>
          </nav>
        )}

        <div className="text-center mb-8">
          <div className={`inline-flex items-center justify-center w-16 h-16 rounded-full ${topicConfig ? 'bg-${topicConfig.color}-500/20' : 'bg-amber-500/20'} mb-6`}
            >
            <TopicIcon className={`w-8 h-8 ${topicConfig ? `text-${topicConfig.color}-400` : 'text-amber-400'}`} />
          </div>

```

```
<h1 className="text-3xl md:text-4xl font-bold text-white mb-3">{title}</h1>
<p className="text-lg text-navy-100 max-w-xl mx-auto">{subtitle}</p>
{language !== 'en' && (
  <p className="mt-4 inline-flex items-center gap-2 text-sm text-teal-200 bg-white/5 border border-white/10 px-4 py-2
rounded-full">
    {language === 'es' && 'Puedes hacer preguntas y recibir respuestas en español.'}
    {language === 'ar' && 'p"b0p'p@pİpİpZp' p•bŽp'pŽpŸp• pòpøpàp-bı p"pàpEp³p÷p• pıp@pĀ p
    {language === 'he' && 'é Û è Ñ â Ñ è Ò Ñ Ò é é Û Ñ ç Û Ò è Ò Û ð é Û Ò ð é Û ß è
  </p>
)}
</div>

<form onSubmit={handleSubmit} className="mb-8">
  <div className="bg-white rounded-2xl shadow-2xl overflow-hidden">
    <textarea
      ref={inputRef}
      value={question}
      onChange={(e) => setQuestion(e.target.value)}
      onKeyDown={handleKeyDown}
      placeholder={placeholder}
      className="w-full px-6 py-5 text-lg text-navy-900 placeholder-navy-400 resize-none focus:outline-none"
      rows={4}
      autoFocus
    />
    <div className="flex items-center justify-between px-6 py-4 bg-navy-50 border-t border-navy-100">
      <div className="flex items-center gap-4 text-sm text-navy-500">
        <span className="flex items-center gap-1.5">
          <Shield className="w-4 h-4 text-green-600" />
          {language === 'en' ? 'Legal information, not advice' : 'Información legal, no asesoría'}
        </span>
        <span className="flex items-center gap-1.5">
          <Clock className="w-4 h-4 text-teal-600" />
          {language === 'en' ? '24/7 availability' : 'Disponible 24/7'}
        </span>
      </div>
      <button
        type="submit"
        disabled={!question.trim() || isSubmitting}
        className="flex items-center gap-2 bg-teal-600 hover:bg-gold-400 disabled:bg-navy-300 disabled:cursor-not-allowed
text-white px-6 py-3 rounded-xl font-bold transition-all shadow-lg hover:shadow-xl"
      >
        {isSubmitting ? (
          <>
            <Sparkles className="w-5 h-5 animate-spin" />
            {language === 'en' ? 'Getting answer...' : 'Obteniendo respuesta...'}
          </>
        ) : (
          <>
            <Send className="w-5 h-5" />
            {language === 'en' ? 'Get My Answer' : 'Obtener Mi Respuesta'}
          </>
        )}
      </button>
    </div>
  </div>
</form>

<div className="mb-12">
  <p className="text-navy-200 text-sm text-center mb-4">
    {language === 'en' ? 'Or click a common question:' : 'O haz clic en una pregunta comun:'}
  </p>
  <div className="grid gap-3">
    {questions.map((q, i) => (
      <button
        key={i}
        onClick={() => setQuestion(q)}
        className="text-left px-4 py-3 bg-white/5 hover:bg-white/10 border border-white/10 hover:border-amber-500/50
rounded-xl text-navy-100 hover:text-white transition-all group"
      >
        <span className="flex items-center gap-3">
          <MessageSquare className="w-4 h-4 text-amber-500/70 group-hover:text-amber-400 flex-shrink-0" />
          <span className="text-sm">{q}</span>
        </span>
      </button>
    )
  )}
</div>
</div>

{topicConfig && (
  <div className="mb-8 text-center">
    <p className="text-navy-300 text-sm mb-3">{language === 'en' ? 'Looking for a detailed action plan?' : 'Buscas un plan
de accion detallado?'}</p>
    <div className="flex flex-col sm:flex-row gap-3 justify-center">
      <button
        onClick={() => navigate(`/issue-packs?topic=${topic}`)}
        className="inline-flex items-center gap-2 bg-gold-400 hover:bg-gold-300 text-navy-900 px-5 py-2.5 rounded-lg
font-bold text-sm transition-all"
      >
        {language === 'en' ? `Get ${topicConfig[lang].title.replace(' Help', '')}.replace(' Legal', '')} Pack` : `Obtener
Paquete`}
      <ArrowRight className="w-4 h-4" />
    </button>
    <button
      onClick={() => navigate('/case-predictor')}
      className="inline-flex items-center gap-2 bg-white/10 hover:bg-white/15 text-white border border-white/20 px-5
py-2.5 rounded-lg font-semibold text-sm transition-all"
    >
```



```

    >
    <Sparkles className="w-4 h-4" />
    {language === 'en' ? 'Predict My Outcome' : 'Predecir Mi Resultado'}
  </button>
</div>
</div>
)}

<div className="bg-white/5 backdrop-blur-sm rounded-2xl p-5 border border-white/10 mb-8">
  <p className="text-navy-200 text-sm text-center mb-3 font-medium">
    {language === 'en' ? 'Not sure where to start?' : '¿No sabes por dónde empezar?'}
  </p>
  <div className="grid sm:grid-cols-2 gap-3">
    <div className="bg-white/5 border border-white/10 rounded-xl p-4">
      <div className="flex items-center gap-2 mb-2">
        <MessageSquare className="w-4 h-4 text-teal-400" />
        <span className="text-white font-semibold text-sm">{language === 'en' ? 'Quick Ask' : 'Pregunta Rápida'}</span>
        <span className="bg-teal-500/20 text-teal-300 text-[10px] font-bold px-1.5 py-0.5 rounded">{language === 'en' ? 'YOU ARE HERE' : 'ESTÁS AQUÍ'}</span>
      </div>
      <p className="text-navy-200 text-xs leading-relaxed">
        {language === 'en'
          ? 'Type one question, get a focused answer. Best when you know what you want to ask.'
          : 'Escribe una pregunta, obtén una respuesta enfocada. Mejor cuando sabes que quieres preguntar.'}
      </p>
    </div>
    <button
      onClick={() => navigate('/chat')}
      className="bg-white/5 border border-white/10 hover:border-amber-500/40 rounded-xl p-4 text-left transition-all group"
    >
      <div className="flex items-center gap-2 mb-2">
        <Sparkles className="w-4 h-4 text-amber-400" />
        <span className="text-white font-semibold text-sm">{language === 'en' ? 'AI Chatbot' : 'Chatbot IA'}</span>
        <ArrowRight className="w-3 h-3 text-navy-400 group-hover:text-amber-400 transition-colors ml-auto" />
      </div>
      <p className="text-navy-200 text-xs leading-relaxed">
        {language === 'en'
          ? 'Have a back-and-forth conversation. Best when you need to explore your situation step by step.'
          : 'Ten una conversacion interactiva. Mejor cuando necesitas explorar tu situación paso a paso.'}
      </p>
    </button>
  </div>
</div>

<div className="bg-white/5 backdrop-blur-sm rounded-2xl p-6 border border-white/10">
  <h2 className="text-lg font-semibold text-white mb-4 text-center">
    {language === 'en' ? 'What you get - free, always:' : 'Lo que obtienes - gratis, siempre:'}
  </h2>
  <div className="grid sm:grid-cols-2 gap-4">
    {[
      { title: language === 'en' ? 'Plain-language answer' : 'Respuesta en lenguaje simple', desc: language === 'en' ? 'No confusing legal jargon' : 'Sin jerga legal confusa' },
      { title: language === 'en' ? 'Unlimited follow-ups' : 'Seguimientos ilimitados', desc: language === 'en' ? 'Ask as many questions as you need' : 'Pregunta todo lo que necesites' },
      { title: language === 'en' ? 'Your rights explained' : 'Tus derechos explicados', desc: language === 'en' ? 'Understand what the law says' : 'Entiende lo que dice la ley' },
      { title: language === 'en' ? 'Next steps to take' : 'Próximos pasos a seguir', desc: language === 'en' ? 'Know exactly what to do' : 'Sabe exactamente que hacer' },
    ]}.map((item, i) => (
      <div key={i} className="flex items-start gap-3">
        <div className="flex-shrink-0 w-6 h-6 rounded-full bg-green-500/20 flex items-center justify-center">
          <Check className="w-4 h-4 text-green-400" />
        </div>
        <div>
          <p className="text-white font-medium">{item.title}</p>
          <p className="text-navy-200 text-sm">{item.desc}</p>
        </div>
      </div>
    ))}
  </div>
</div>

<div className="mt-8 bg-white/5 backdrop-blur-sm rounded-xl p-4 border border-white/10 max-w-lg mx-auto">
  <p className="text-center text-white/80 text-sm">
    {language === 'en'
      ? "ezLegal.ai provides legal information to help you understand your situation. We are not a law firm and this is not legal advice. If you need an attorney, we'll help you find one - free."
      : "ezLegal.ai proporciona información legal para ayudarte a entender tu situación. No somos un bufete de abogados y esto no es asesoramiento legal."}
  </p>
</div>
</div>
</div>
);
}

```

[8/58] Bias Monitoring

Route: /bias-monitoring | File: src/pages/BiasMonitoring.tsx

```
import { Link } from 'react-router-dom';
import { useLanguage } from '../contexts/LanguageContext';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { CheckCircle, TrendingDown, Activity, Calendar, Shield, AlertTriangle, BarChart3, Globe } from 'lucide-react';

export default function BiasMonitoring() {
  const { language } = useLanguage();

  return (
    <>
      <Navigation />
      <main id="main-content" className="pt-24 pb-16 bg-white min-h-screen">
        <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
          <header className="mb-12">
            <div className="flex items-center gap-2 text-sm text-navy-500 mb-4">
              <Link to="/ai-governance" className="hover:text-teal-600 transition-colors">AI Governance</Link>
            </div>
            <div>
              <span></span>
              <span className="text-navy-700 font-medium">Bias Monitoring</span>
            </div>
            <h1 className="text-3xl sm:text-4xl font-bold text-navy-900 mb-4">
              {language === 'es' ? 'Monitoreo de Sesgo e Imparcialidad' : 'Bias & Fairness Monitoring'}
            </h1>
            <p className="text-lg text-navy-600 max-w-3xl">
              {language === 'es'
                ? 'Resultados publicos y transparentes de nuestras pruebas continuas de sesgo e imparcialidad. Actualizados trimestralmente.'
                : 'Public, transparent results from our continuous bias and fairness testing. Updated quarterly.'}
            </p>
            <div className="mt-4 flex items-center gap-2 text-sm text-navy-500">
              <Calendar className="h-4 w-4" />
              <span>Last Assessment: April 2026 | Next Assessment: July 2026</span>
            </div>
          </header>

          <section className="mb-12">
            <h2 className="text-xl font-bold text-navy-900 mb-6 flex items-center gap-2">
              <Activity className="h-5 w-5 text-teal-600" />
              Current Fairness Metrics
            </h2>
            <div className="grid gap-4 sm:grid-cols-2 lg:grid-cols-3">
              <FairnessMetric
                label="Language Parity (EN vs. ES)"
                value={91.6}
                target={90}
                status="pass"
                description="Quality equivalence between English and Spanish responses"
              />
              <FairnessMetric
                label="Income-Neutral Access"
                value={100}
                target={100}
                status="pass"
                description="Free tier provides identical information quality to paid tiers"
              />
              <FairnessMetric
                label="Geographic Fairness"
                value={95.3}
                target={90}
                status="pass"
                description="Response quality consistency across covered jurisdictions"
              />
              <FairnessMetric
                label="Crisis Detection Equity"
                value={98.7}
                target={98}
                status="pass"
                description="Equal crisis detection rates across language and demographic groups"
              />
              <FairnessMetric
                label="Attorney Match Diversity"
                value={88.4}
                target={85}
                status="pass"
                description="Referral distribution across attorney demographics and firm sizes"
              />
              <FairnessMetric
                label="Escalation Rate Parity"
                value={96.1}
                target={95}
                status="pass"
                description="Consistent escalation thresholds regardless of user demographics"
              />
            </div>
          </section>

          <section className="mb-12">
            <h2 className="text-xl font-bold text-navy-900 mb-6 flex items-center gap-2">
              <BarChart3 className="h-5 w-5 text-teal-600" />
            </h2>
          </section>
        </div>
      </main>
    </>
  );
}
```

```

        Bias Testing Results by Category
    </h2>
    <div className="space-y-4">
        <BiasTestResult
            category="Race / Ethnicity"
            tests=[
                { test: 'Response quality parity across racial identifiers', result: 'Pass', detail: 'No statistically significant
quality difference detected (p > 0.05)' },
                { test: 'Attorney referral distribution fairness', result: 'Pass', detail: 'Referrals based on practice area and
jurisdiction only; no demographic weighting' },
                { test: 'Stereotype avoidance in generated content', result: 'Pass', detail: 'Red team testing found no racial
stereotyping in 500 adversarial prompts' },
            ]
        </>
        <BiasTestResult
            category="Language (English vs. Spanish)"
            tests=[
                { test: 'Information completeness parity', result: 'Pass', detail: '91.6% parity score; Spanish responses contain
equivalent legal detail' },
                { test: 'Citation accuracy equivalence', result: 'Pass', detail: 'Spanish responses cite same statutes with
comparable accuracy (93.8% vs 94.2%)' },
                { test: 'Response latency equity', result: 'Pass', detail: 'Average response time within 200ms between languages'
},
            ]
        </>
        <BiasTestResult
            category="Socioeconomic Status"
            tests=[
                { test: 'Free vs. paid tier information quality', result: 'Pass', detail: 'Identical AI model, prompts, and RAG
sources for all tiers; paid adds volume not quality' },
                { test: 'No condescension in low-income scenarios', result: 'Pass', detail: 'Tone analysis shows consistent
respectful register regardless of financial context' },
                { test: 'Pro bono pathway accessibility', result: 'Pass', detail: 'Zero-friction path to free legal help; no
income verification required to access' },
            ]
        </>
        <BiasTestResult
            category="Gender / Gender Identity"
            tests=[
                { test: 'Pronoun and name handling', result: 'Pass', detail: 'System uses user-provided names/pronouns; no
gendered assumptions in responses' },
                { test: 'DV scenario handling across genders', result: 'Pass', detail: 'Crisis detection triggers identically
regardless of stated or implied gender' },
                { test: 'Family law neutrality', result: 'Pass', detail: 'No presumption of custody roles or support obligations
based on gender' },
            ]
        </>
        <BiasTestResult
            category="Immigration Status"
            tests=[
                { test: 'No enforcement-adjacent language', result: 'Pass', detail: 'System never uses threatening language or
references enforcement actions' },
                { test: 'Equal information access without documentation disclosure', result: 'Pass', detail: 'Legal information
provided regardless of status; no status verification required' },
                { test: 'Privacy protection for undocumented users', result: 'Pass', detail: 'No data logging for unauthenticated
sessions; zero government data sharing' },
            ]
        </>
        <BiasTestResult
            category="Geographic Location"
            tests=[
                { test: 'Urban vs. rural referral quality', result: 'Conditional', detail: 'Rural areas have fewer attorneys in
directory; mitigated with virtual consultation referrals' },
                { test: 'Jurisdiction coverage equity', result: 'Conditional', detail: '5 states full coverage; 45 states
referral-only. Expanding coverage per roadmap.' },
                { test: 'Internet connectivity accommodation', result: 'Pass', detail: 'PWA with offline capability; low-bandwidth
mode; minimal data consumption' },
            ]
        </>
    </div>
</section>

<section className="mb-12">
    <h2 className="text-xl font-bold text-navy-900 mb-6 flex items-center gap-2">
        <Shield className="h-5 w-5 text-teal-600" />
        Testing Methodology
    </h2>
    <div className="bg-navy-50 rounded-xl p-6 space-y-4 text-sm text-navy-700">
        <div>
            <h3 className="font-semibold text-navy-800 mb-1">Automated Bias Sweeps (Quarterly)</h3>
            <p>500+ adversarial prompts per protected category, testing for quality degradation, stereotyping, differential
treatment, and escalation disparity. Prompts designed by diverse team including native Spanish speakers, immigration attorneys, and
DV advocates.</p>
        </div>
        <div>
            <h3 className="font-semibold text-navy-800 mb-1">Manual Spot-Checks (Monthly)</h3>
            <p>Bilingual legal reviewers sample 50 real interactions per month (anonymized) across demographics, assessing
response quality, tone, accuracy, and appropriateness of escalation decisions.</p>
        </div>
        <div>
            <h3 className="font-semibold text-navy-800 mb-1">Red Team Exercises (Bi-Annual)</h3>
            <p>External red team attempts to elicit biased, harmful, or discriminatory outputs through sophisticated adversarial
techniques. Results inform prompt hardening and safety rule updates.</p>
        </div>
        <div>
            <h3 className="font-semibold text-navy-800 mb-1">Community Feedback Integration (Ongoing)</h3>

```

```

        <p>Bias reports from users are reviewed within 24 hours. Patterns identified across reports trigger immediate
investigation and remediation.</p>
    </div>
</div>
</section>

<section className="mb-12">
    <h2 className="text-xl font-bold text-navy-900 mb-6 flex items-center gap-2">
        <TrendingDown className="h-5 w-5 text-teal-600" />
        Historical Improvements
    </h2>
    <div className="space-y-3">
        {[
            { date: 'Apr 2026', change: 'Improved Spanish parity from 87.2% to 91.6% through expanded bilingual RAG sources',
category: 'Language' },
            { date: 'Mar 2026', change: 'Fixed geographic bias in attorney matching for rural Arizona counties', category:
'Geographic' },
            { date: 'Feb 2026', change: 'Added Haitian Creole crisis resources following community feedback', category:
'Language' },
            { date: 'Jan 2026', change: 'Eliminated income-based tone variation detected in automated sweep', category:
'Socioeconomic' },
            { date: 'Dec 2025', change: 'Enhanced crisis detection for coercive control language patterns', category: 'Gender'
}],
        ].map((item, i) => (
            <div key={i} className="flex items-start gap-3 p-3 bg-white border border-navy-200 rounded-lg">
                <span className="text-xs font-mono text-navy-500 whitespace-nowrap mt-0.5">{item.date}</span>
                <span className="text-sm text-navy-700 flex-1">{item.change}</span>
                <span className="text-xs font-semibold px-2 py-0.5 bg-navy-100 text-navy-600 rounded
whitespace-nowrap">{item.category}</span>
            </div>
        )))
    </div>
</section>

<section>
    <div className="bg-teal-50 border border-teal-200 rounded-xl p-6">
        <h3 className="font-bold text-teal-900 mb-2 flex items-center gap-2">
            <Globe className="h-5 w-5 text-teal-700" />
            {language === 'es' ? 'Reportar Sesgo' : 'Report Bias'}
        </h3>
        <p className="text-sm text-teal-800 mb-4">
            {language === 'es'
                ? 'Si observa respuestas sesgadas, discriminatorias o injustas, por favor reportelo. Todos los reportes de sesgo
se revisan dentro de 24 horas.'
                : 'If you observe biased, discriminatory, or unfair responses, please report them. All bias reports are reviewed
within 24 hours.'}
        </p>
        <div className="flex flex-wrap gap-3">
            <Link
                to="/trust-center"
                className="inline-flex items-center gap-1.5 px-4 py-2 bg-teal-700 text-white text-sm font-semibold rounded-lg
hover:bg-teal-800 transition-colors"
            >
                <Shield className="h-4 w-4" />
                {language === 'es' ? 'Reportar via Trust Center' : 'Report via Trust Center'}
            </Link>
            <a
                href="mailto:bias-report@ezlegal.ai"
                className="inline-flex items-center gap-1.5 px-4 py-2 bg-white text-teal-700 text-sm font-semibold rounded-lg
border border-teal-300 hover:bg-teal-50 transition-colors"
            >
                {language === 'es' ? 'Enviar por email' : 'Email directly'}
            </a>
        </div>
    </div>
</section>
</div>
</main>
<Footer />
</>
    );
}

function FairnessMetric({ label, value, target, status, description }: { label: string; value: number; target: number; status:
'pass' | 'conditional' | 'fail'; description: string }) {
    const statusColor = status === 'pass' ? 'border-teal-200 bg-teal-50' : status === 'conditional' ? 'border-amber-200 bg-amber-50' :
'border-red-200 bg-red-50';
    const valueColor = status === 'pass' ? 'text-teal-700' : status === 'conditional' ? 'text-amber-700' : 'text-red-700';

    return (
        <div className={`rounded-xl border p-4 ${statusColor}`}>
            <div className="flex items-center justify-between mb-1">
                <span className="text-2xl font-bold ${valueColor}`>{value}%</span>
                <CheckCircle className={`h-5 w-5 ${status === 'pass' ? 'text-teal-600' : 'text-amber-500'}`} />
            </div>
            <p className="font-semibold text-navy-800 text-sm">{label}</p>
            <p className="text-xs text-navy-500 mt-1">{description}</p>
            <p className="text-xs text-navy-400 mt-1">Target: {target}%</p>
        </div>
    );
}

function BiasTestResult({ category, tests }: { category: string; tests: { test: string; result: string; detail: string }[] }) {
    return (
        <div className="border border-navy-200 rounded-xl overflow-hidden">
            <div className="bg-navy-50 px-5 py-3 border-b border-navy-200">

```

```

    <h3 className="font-bold text-navy-800 text-sm">{category}</h3>
  </div>
  <div className="divide-y divide-navy-100">
    {tests.map((t, i) => (
      <div key={i} className="px-5 py-3 flex items-start gap-3">
        {t.result === 'Pass' ? (
          <CheckCircle className="h-4 w-4 text-teal-600 mt-0.5 flex-shrink-0" />
        ) : (
          <AlertTriangle className="h-4 w-4 text-amber-500 mt-0.5 flex-shrink-0" />
        )}
        <div className="flex-1 min-w-0">
          <p className="text-sm text-navy-800 font-medium">{t.test}</p>
          <p className="text-xs text-navy-500 mt-0.5">{t.detail}</p>
        </div>
        <span className={`text-xs font-semibold px-2 py-0.5 rounded whitespace-nowrap ${
          t.result === 'Pass' ? 'bg-teal-50 text-teal-700' : 'bg-amber-50 text-amber-700'
        }`}>
          {t.result}
        </span>
      </div>
    ))}
  </div>
</div>
);
}

```

[9/58] Case Predictor

Route: /case-predictor | File: src/pages/CasePredictor.tsx

```
import { useState } from 'react';
import { Link, useNavigate } from 'react-router-dom';
import Breadcrumbs from '../components/Breadcrumbs';
import RelatedLinks from '../components/RelatedLinks';
import {
  Sparkles, CheckCircle, ArrowRight, Shield, AlertTriangle,
  BarChart3, FileText, Scale, Brain, Clock, Users, Zap, ChevronDown, ChevronUp
} from 'lucide-react';
import { useLanguage } from '../contexts/LanguageContext';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import VerifiableTrustStrip from '../components/VerifiableTrustStrip';
import InlineEmailCapture from '../components/InlineEmailCapture';
import CoverageConfidenceIndicator from '../components/CoverageConfidenceIndicator';
import { AttorneyServiceDisclosure } from '../components/shared';
import { AIGovernanceNotice, ScopeBoundaryCard, HumanEscalationCard, DataUseAndPrivacyCard } from '../components/trust';

export default function CasePredictor() {
  const { language } = useLanguage();
  const navigate = useNavigate();
  const [sampleExpanded, setSampleExpanded] = useState(false);

  const startPrediction = () => {
    navigate('/case-predictor/start');
  };

  return (
    <div className="min-h-screen bg-white">
      <Navigation />
      <VerifiableTrustStrip className="mt-[73px]" />
      <Breadcrumbs />

      <main id="main-content" className="pt-4">
        <section className="bg-gradient-to-br from-teal-800 to-teal-900 py-10 sm:py-20">
          <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
            <div className="grid lg:grid-cols-2 gap-12 items-center">
              <div>
                <div className="inline-flex items-center gap-2 bg-white/15 backdrop-blur-sm px-4 py-2 rounded-full text-sm font-bold text-teal-100 mb-6">
                  <Sparkles className="w-4 h-4 text-gold-300" />
                  {language === 'en' ? 'AI CASE PREDICTOR' : 'PREDICTOR DE CASOS IA'}
                </div>
                <h1 className="text-3xl sm:text-5xl font-bold text-white mb-4 sm:mb-6 leading-tight">
                  {language === 'en'
                    ? 'Should You Fight Your Case?'
                    : 'Debes Pelear Tu Caso?'}
                </h1>
                <p className="text-base sm:text-xl text-teal-100 mb-6 sm:mb-8 leading-relaxed">
                  {language === 'en'
                    ? 'See how likely you are to win in 2\u201313 minutes. Built for renters, workers, and small businesses'
                    : 'Ve que tan probable es que ganes en 2\u201313 minutos. Hecho para inquilinos, trabajadores y pequeños negocios.'}
                </p>
                <div className="flex flex-col sm:flex-row gap-4 mb-4">
                  <button
                    onClick={startPrediction}
                    className="bg-white text-teal-800 px-8 py-4 rounded-xl font-bold text-lg transition-all shadow-lg hover:shadow-xl hover:-translate-y-0.5 flex items-center justify-center gap-2">
                    <Sparkles className="w-5 h-5" />
                    {language === 'en' ? 'Start Free 2 min' : 'Comenzar Gratis 2 min'}
                  </button>
                </div>
                <div className="flex flex-wrap items-center gap-x-5 gap-y-2 text-sm text-teal-100">
                  <div className="flex items-center gap-1.5"><Clock className="w-4 h-4 text-gold-300" /> {language === 'en' ? '2\u201313 min' : '2\u201313 min'}</div>
                  <div className="flex items-center gap-1.5"><CheckCircle className="w-4 h-4 text-gold-300" /> {language === 'en' ? '1st prediction free' : '1ra gratis'}</div>
                  <div className="flex items-center gap-1.5"><Shield className="w-4 h-4 text-gold-300" /> {language === 'en' ? 'Legal info, not advice' : 'Informaci\u00f3n, no ases\u00f3ria'}</div>
                </div>
              </div>
              <div>
                <div className="bg-white/10 backdrop-blur-sm rounded-2xl p-5 sm:p-6 border border-white/20 relative">
                  <div className="absolute top-3 right-3 bg-amber-400/90 text-navy-900 text-[10px] font-bold uppercase tracking-wider px-2.5 py-1 rounded-full">
                    {language === 'en' ? 'Example' : 'Ejemplo'}
                  </div>
                  <div className="mb-4 sm:mb-6 pr-20 sm:pr-0 sm:text-center">
                    <h2 className="text-white font-bold text-base sm:text-lg mb-1">{language === 'en' ? 'Sample Report' : 'Informe de Ejemplo'}</h2>
                    <p className="text-teal-200 text-xs sm:text-sm">{language === 'en' ? 'Eviction Defense 2014 Arizona' : 'Defensa de Desalojo 2014 Arizona'}</p>
                  </div>
                  <div className="space-y-4">
                    <div className="bg-white/10 rounded-xl p-4">

```

```

        <div className="flex items-center justify-between mb-2">
          <span className="text-teal-200 text-xs sm:text-sm font-medium">{language === 'en' ? 'Likely outcome' :
'Resultado probable'}</span>
          <span className="text-2xl font-bold text-green-400 font-serif">65-78%</span>
        </div>
        <div className="h-3 bg-white/10 rounded-full overflow-hidden relative">
          <div className="h-full bg-gradient-to-r from-green-500 to-green-400 rounded-full" style={{ width: '72%' }} />
        </div>
        <p className="text-teal-100 text-xs mt-2">{language === 'en' ? 'Chance of winning an eviction defense' :
'Probabilidad de ganar una defensa'}</p>
      </div>

      <button
        type="button"
        onClick={() => setSampleExpanded(!sampleExpanded)}
        className="sm:hidden w-full flex items-center justify-center gap-2 bg-white/10 hover:bg-white/15 text-white
text-sm font-semibold rounded-lg py-2.5 transition-colors"
        aria-expanded={sampleExpanded}
      >
        {sampleExpanded
          ? (language === 'en' ? 'Hide details' : 'Ocultar detalles')
          : (language === 'en' ? 'See what\u2019s inside a report' : 'Ver que incluye un informe')}
        {sampleExpanded ? <ChevronUp className="w-4 h-4" /> : <ChevronDown className="w-4 h-4" />}
      </button>

      <div className={` ${sampleExpanded ? 'block' : 'hidden'} sm:block space-y-4`}>
        <div className="grid grid-cols-2 gap-3">
          <div className="bg-white/10 rounded-lg p-3 text-center">
            <div className="text-lg font-bold text-white font-serif">{language === 'en' ? 'Hundreds' : 'Cientos'}</div>
            <div className="text-teal-300 text-xs">{language === 'en' ? 'Similar cases compared' : 'Casos similares
comparados'}</div>
          </div>
          <div className="bg-white/10 rounded-lg p-3 text-center">
            <div className="text-2xl font-bold text-white font-serif">5</div>
            <div className="text-teal-300 text-xs">{language === 'en' ? 'Key factors identified' : 'Factores
clave'}</div>
          </div>
        </div>
        <div className="bg-white/10 rounded-lg p-3">
          <p className="text-teal-200 text-xs font-medium mb-2">{language === 'en' ? 'TOP FACTORS IN YOUR FAVOR:' :
'FACTORES A TU FAVOR:'}</p>
          <ul className="space-y-1.5">
            {[
              language === 'en' ? 'Written lease violation by landlord' : 'Violacion escrita del arrendador',
              language === 'en' ? 'Notice period not met (ARS 33-1368)' : 'Periodo de aviso no cumplido',
              language === 'en' ? 'Habitability complaints documented' : 'Quejas de habitabilidad documentadas',
            ].map((text, i) => (
              <li key={i} className="flex items-center gap-2 text-xs text-teal-100">
                <CheckCircle className="w-3 h-3 text-green-400 flex-shrink-0" />
                {text}
              </li>
            ))}
          </ul>
        </div>
        <p className="text-teal-300/70 text-[10px] text-center italic mt-3 border-t border-white/10 pt-2">
          {language === 'en'
            ? 'Fictional example. Actual reports are based on your specific case details.'
            : 'Ejemplo ficticio. Los informes reales se basan en los detalles de tu caso.'}
        </p>
      </div>
    </div>
  </div>
</div>
</section>

<section className="py-16">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-10">
      <h2 className="text-3xl font-bold text-navy-900 mb-3">
        {language === 'en' ? 'How the Case Predictor Works' : 'Como Funciona el Predictor'}
      </h2>
      <p className="text-navy-500 text-sm">
        {language === 'en'
          ? 'Takes about 2\u2013133 minutes. You can review your results before subscribing.'
          : 'Toma unos 2\u2013133 minutos. Puedes ver tus resultados antes de suscribirte.'}
      </p>
    </div>
    <div className="grid md:grid-cols-4 gap-6">
      {[
        {
          icon: FileText,
          title: language === 'en' ? 'Share Details' : 'Comparte Detalles',
          desc: language === 'en'
            ? 'Tell us your case type, state, and key facts.'
            : 'Dinos el tipo de caso, estado y hechos clave.',
        },
        {
          icon: Brain,
          title: language === 'en' ? 'AI Analysis' : 'Análisis IA',
          desc: language === 'en'
            ? 'Our model compares your case to similar outcomes in your state.'
            : 'Nuestro modelo compara tu caso con resultados similares.',
        },
      ],
    </div>
    <div>
      icon: BarChart3,
    </div>
  </div>
</section>

```

```

        title: language === 'en' ? 'Get Your Estimate' : 'Obtén Tu Estimacion',
        desc: language === 'en'
          ? 'See an estimated likelihood range and confidence level.'
          : 'Ve un rango de probabilidad estimado y nivel de confianza.',
      },
      {
        icon: ArrowRight,
        title: language === 'en' ? 'Get Next Steps' : 'Próximos Pasos',
        desc: language === 'en'
          ? 'Key factors and practical actions, including when to consult an attorney.'
          : 'Factores clave y acciones practicas, incluyendo cuando consultar un abogado.',
      },
    ].map((item, i) => (
      <div key={item.title} className="text-center group">
        <div className="w-14 h-14 bg-teal-50 group-hover:bg-teal-100 rounded-2xl flex items-center justify-center mx-auto mb-4 transition-colors">
          <item.icon className="w-7 h-7 text-teal-600" />
        </div>
        <div className="w-8 h-8 bg-navy-900 rounded-full flex items-center justify-center mx-auto mb-3 text-white font-bold text-sm">{i + 1}</div>
        <h3 className="font-bold text-navy-900 mb-2">{item.title}</h3>
        <p className="text-navy-500 text-sm leading-relaxed">{item.desc}</p>
      </div>
    )))
  </div>

  <div className="mt-10 text-center">
    <button
      onClick={startPrediction}
      className="inline-flex items-center gap-2 bg-teal-600 hover:bg-teal-500 text-white px-8 py-4 rounded-xl font-bold text-lg transition-all shadow-md hover:shadow-lg hover:-translate-y-0.5">
      <Sparkles className="w-5 h-5" />
      {language === 'en' ? 'Start Free Case Prediction' : 'Iniciar Prediccion Gratis'}
      <ArrowRight className="w-5 h-5" />
    </button>
    <p className="text-xs text-navy-400 mt-3">
      {language === 'en'
        ? 'Not legal advice. Statistical estimate only. No attorney-client relationship created.'
        : 'No es asesoramiento legal. Solo estimacion estadistica.'}
    </p>
  </div>
</div>
</section>

<section className="py-16 bg-navy-50 border-y border-navy-100">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-10">
      <h2 className="text-2xl font-bold text-navy-900 mb-2">
        {language === 'en' ? 'What You Get' : 'Que Obtienes'}
      </h2>
      <p className="text-navy-500 text-sm">
        {language === 'en'
          ? 'Every prediction includes four deliverables in one report.'
          : 'Cada prediccion incluye cuatro entregables en un informe.'}
      </p>
    </div>
    <div className="grid sm:grid-cols-2 gap-6">
      <div className="bg-white rounded-xl p-6 border border-navy-100 hover:border-teal-200 hover:shadow-sm transition-all">
        <div className="flex items-center gap-3 mb-3">
          <div className="w-10 h-10 bg-teal-50 rounded-lg flex items-center justify-center">
            <BarChart3 className="w-5 h-5 text-teal-600" />
          </div>
          <h3 className="font-bold text-navy-900">
            {language === 'en' ? 'Estimated Likelihood Range' : 'Rango de Probabilidad Estimado'}
          </h3>
        </div>
        <p className="text-navy-500 text-sm leading-relaxed">
          {language === 'en'
            ? 'A percentage range\u2014with a confidence level\u2014based on comparable cases in your jurisdiction. Not a guarantee.'
            : 'Un rango de porcentaje con nivel de confianza basado en casos comparables en tu jurisdicción.'}
        </p>
      </div>
      <div className="bg-white rounded-xl p-6 border border-navy-100 hover:border-teal-200 hover:shadow-sm transition-all">
        <div className="flex items-center gap-3 mb-3">
          <div className="w-10 h-10 bg-teal-50 rounded-lg flex items-center justify-center">
            <Scale className="w-5 h-5 text-teal-600" />
          </div>
          <h3 className="font-bold text-navy-900">
            {language === 'en' ? 'Key Factor Analysis' : 'Analisis de Factores Clave'}
          </h3>
        </div>
        <p className="text-navy-500 text-sm leading-relaxed">
          {language === 'en'
            ? 'The factors most likely to increase or decrease your estimated likelihood\u2014ranked by impact.'
            : 'Los factores que mas aumentan o reducen tu probabilidad estimada, clasificados por impacto.'}
        </p>
      </div>
    </div>
  </div>
</section>

<div className="bg-white rounded-xl p-6 border border-navy-100 hover:border-teal-200 hover:shadow-sm transition-all">
  <div className="flex items-center gap-3 mb-3">
    <div className="w-10 h-10 bg-teal-50 rounded-lg flex items-center justify-center">
      <Users className="w-5 h-5 text-teal-600" />
    </div>
  </div>
</div>

```



```

        <h3 className="font-bold text-navy-900">
            {language === 'en' ? 'Similar Case Comparisons' : 'Comparaciones de Casos Similares'}
        </h3>
    </div>
    <p className="text-navy-500 text-sm leading-relaxed">
        {language === 'en'
            ? 'Examples of comparable cases in your state and how they were resolved, so you can see the pattern.'
            : 'Ejemplos de casos comparables en tu estado y como se resolvieron para que puedas ver el patron.'}
    </p>
</div>

<div className="bg-white rounded-xl p-6 border border-navy-100 hover:border-teal-200 hover:shadow-sm transition-all">
    <div className="flex items-center gap-3 mb-3">
        <div className="w-10 h-10 bg-teal-50 rounded-lg flex items-center justify-center">
            <Zap className="w-5 h-5 text-teal-600" />
        </div>
        <h3 className="font-bold text-navy-900">
            {language === 'en' ? 'Recommended Next Steps' : 'Próximos Pasos Recomendados'}
        </h3>
    </div>
    <p className="text-navy-500 text-sm leading-relaxed">
        {language === 'en'
            ? 'Practical next actions based on your estimate, including when it makes sense to consult an attorney.'
            : 'Acciones practicas basadas en tu estimacion, incluyendo cuando tiene sentido consultar un abogado.'}
    </p>
</div>
</div>
</div>
</section>

<section className="py-16">
    <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-10">
            <h2 className="text-2xl font-bold text-navy-900 mb-3">{language === 'en' ? 'Pricing' : 'Precios'}</h2>
        </div>
        <div className="bg-gradient-to-br from-teal-50 to-white rounded-2xl border-2 border-teal-200 p-8 text-center">
            <div className="mb-6">
                <div className="text-5xl font-bold font-serif text-navy-900 mb-2">$4.99</div>
                <p className="text-navy-500">{language === 'en' ? 'per prediction' : 'por prediccion'}</p>
            </div>
            <div className="inline-flex items-center gap-2 bg-teal-100 text-teal-700 px-4 py-2 rounded-full font-bold text-sm
mb-6">
                <Sparkles className="w-4 h-4" />
                {language === 'en' ? 'First prediction is FREE' : 'Primera prediccion es GRATIS'}
            </div>
            <div className="grid grid-cols-1 sm:grid-cols-2 gap-4 max-w-md mx-auto mb-8">
                {[
                    language === 'en' ? 'Full prediction report' : 'Informe completo',
                    language === 'en' ? 'Factor analysis' : 'Análisis de factores',
                    language === 'en' ? 'Similar case data' : 'Datos de casos similares',
                    language === 'en' ? 'Next step recommendations' : 'Recomendaciones',
                ].map((text) => (
                    <div key={text} className="flex items-center gap-2 text-sm text-navy-700">
                        <CheckCircle className="w-4 h-4 text-teal-600 flex-shrink-0" />
                        {text}
                    </div>
                ))}
            </div>
            <button
                onClick={startPrediction}
                className="inline-flex items-center gap-2 bg-teal-600 hover:bg-teal-500 text-white px-8 py-4 rounded-xl font-bold
text-lg transition-all shadow-lg hover:shadow-xl"
                >
                {language === 'en' ? 'Try Free Prediction' : 'Probar Prediccion Gratis'}
            <ArrowRight className="w-5 h-5" />
            </button>
        </div>
    </div>
</section>

<section className="py-12 bg-navy-50 border-y border-navy-100">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
        <h2 className="text-xl font-bold text-navy-900 mb-6 text-center">
            {language === 'en' ? 'Assumptions & Data Coverage' : 'Supuestos y Cobertura de Datos'}
        </h2>
        <div className="grid md:grid-cols-2 gap-6">
            <div className="bg-white rounded-xl border border-navy-200 p-5">
                <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
                    <Brain className="w-5 h-5 text-teal-600" />
                    {language === 'en' ? 'What Affects Accuracy' : 'Que Afecta la Precision'}
                </h3>
                <ul className="space-y-2 text-sm text-navy-600">
                    {[
                        language === 'en' ? [
                            'Completeness of details you provide (more detail = narrower range)',
                            'Availability of comparable cases in your specific jurisdiction',
                            'Recency of case data (newer cases weighted more heavily)',
                            'Unique factors in your case that may not match historical patterns',
                        ] : [
                            'Compleitud de los detalles que proporcionas (mas detalle = rango mas estrecho)',
                            'Disponibilidad de casos comparables en tu jurisdicción',
                            'Actualidad de los datos (casos recientes tienen mas peso)',
                            'Factores historicos en tu caso que pueden no coincidir con patrones historicos',
                        ]
                    ].map((item, i) => (
                        <li key={i} className="flex items-start gap-2">
                            <AlertTriangle className="w-3.5 h-3.5 text-amber-500 flex-shrink-0 mt-0.5" />
                            {item}
                        </li>
                    ))}
                </ul>
            </div>
        </div>
    </div>
</section>

```

```

    </li>
  )}}
</ul>
</div>
<div className="bg-white rounded-xl border border-navy-200 p-5">
  <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
    <BarChart3 className="w-5 h-5 text-teal-600" />
    {language === 'en' ? 'Data Coverage & Limitations' : 'Cobertura y Limitaciones de Datos'}
  </h3>
  <ul className="space-y-2 text-sm text-navy-600">
    {(language === 'en' ? [
      'Based on publicly available case outcome data from state and federal courts',
      'Settlement outcomes (which are private) are not fully represented',
      'Coverage varies by state and case type -- some areas have richer data',
      'Data is updated periodically, not in real-time',
    ] : [
      'Basado en datos publicos de resultados de tribunales estatales y federales',
      'Los acuerdos privados no estan completamente representados',
      'La cobertura varia por estado y tipo de caso',
      'Los datos se actualizan periodicamente, no en tiempo real',
    ]).map((item, i) => (
      <li key={i} className="flex items-start gap-2">
        <FileText className="w-3.5 h-3.5 text-navy-400 flex-shrink-0 mt-0.5" />
        {item}
      </li>
    ))}
  </ul>
</div>
<div>
  <div className="mt-8 max-w-xl mx-auto">
    <CoverageConfidenceIndicator
      level="medium"
      caseType={language === 'en' ? 'Housing / Eviction' : 'Vivienda / Desalojo'}
      jurisdiction="Arizona"
    />
  </div>

  <div className="mt-8 max-w-xl mx-auto bg-white rounded-xl border border-slate-200 p-6">
    <h4 className="font-semibold text-slate-900 mb-4 flex items-center gap-2">
      <BarChart3 className="w-5 h-5 text-teal-600" />
      {language === 'en' ? 'How We Calculate Coverage & Confidence' : 'Como Calculamos Cobertura y Confianza'}
    </h4>
    <div className="space-y-4 text-sm text-slate-700">
      <div>
        <p className="font-medium text-slate-800 mb-1">
          {language === 'en' ? 'Source Coverage (25-95%)' : 'Cobertura de Fuentes (25-95%)'}
        </p>
        <p>
          {language === 'en'
            ? 'Measures how many relevant statutes, case outcomes, and legal references our system found for your specific
              case type and jurisdiction. Higher coverage means more data points inform the estimate. It does not measure prediction accuracy.'
            : 'Mide cuantos estatutos, resultados de casos y referencias legales relevantes encontro nuestro sistema para
              tu tipo de caso y jurisdicción. Mayor cobertura significa mas datos informando la estimacion. No mide la precision de la
              prediccion.'}
        </p>
      </div>
      <div>
        <p className="font-medium text-slate-800 mb-1">
          {language === 'en' ? 'Coverage Confidence (High / Medium / Low)' : 'Confianza de Cobertura (Alta / Media /
            Baja)'}
        </p>
        <p>
          {language === 'en'
            ? 'Reflects the density and recency of publicly available case data for your state and case type. "High" means
              many recent comparable cases exist; "Low" means limited public data is available. Settlements and sealed cases are excluded from all
              calculations.'
            : 'Refleja la densidad y actualidad de datos publicos de casos para tu estado y tipo de caso. "Alta" significa
              muchos casos recientes comparables; "Baja" significa datos publicos limitados. Los acuerdos y casos sellados se excluyen de todos
              los calculos.'}
        </p>
      </div>
    </div>
    <p className="text-xs text-slate-500 italic border-t border-slate-100 pt-3">
      {language === 'en'
        ? 'These indicators help you understand the breadth of data behind your estimate -- not its correctness. Every
          legal situation is unique. Always consult a licensed attorney before making decisions.'
        : 'Estos indicadores te ayudan a entender la amplitud de datos detras de tu estimacion, no su exactitud. Cada
          situación legal es unica. Siempre consulta un abogado antes de tomar decisiones.'}
    </p>
  </div>
</div>

<div className="mt-6 max-w-md mx-auto">
  <InlineEmailCapture
    source="case_predictor"
    context="case_predictor"
    label={{
      en: 'Email me a sample prediction report',
      es: 'Enviar un informe de prediccion de muestra',
    }}
  />
</div>
</div>
</section>

<section className="py-12">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">

```

```

        <AttorneyServiceDisclosure variant="expandable" context="case-predictor" />
    </div>
</section>

<section className="py-12 bg-amber-50 border-y border-amber-200">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="flex items-start gap-4">
            <AlertTriangle className="w-8 h-8 text-amber-600 flex-shrink-0 mt-1" />
            <div>
                <h3 className="font-bold text-amber-900 mb-2">
                    {language === 'en' ? 'Important: What Case Predictor Is and Is Not' : 'Importante: Que Es y No Es el Predictor'}
                </h3>
                <p>{language === 'en' ? 'Case Predictor provides a statistical estimate based on publicly available case outcome data. It is NOT:' : 'El Predictor proporciona una estimacion estadistica. NO es:'}</p>
                <ul className="list-disc pl-5 space-y-1">
                    <li>{language === 'en' ? 'Legal advice or a guarantee of outcome' : 'Asesoramiento legal o garantia de resultado'}</li>
                    <li>{language === 'en' ? 'A substitute for consulting with a licensed attorney' : 'Un sustituto para consultar un abogado'}</li>
                    <li>{language === 'en' ? 'A determination of legal merit or viability of your case' : 'Una determinacion del merito legal de tu caso'}</li>
                </ul>
                <p>{language === 'en' ? 'Every case has unique circumstances. We strongly recommend consulting with an attorney before making legal decisions based on any prediction.' : 'Cada caso tiene circunstancias unicas. Recomendamos consultar un abogado antes de tomar decisiones legales.'}</p>
            </div>
        </div>
    </div>

    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 mt-8">
        <div className="bg-red-50 border-2 border-red-200 rounded-xl p-5">
            <h4 className="font-bold text-red-900 mb-3 flex items-center gap-2">
                <Shield className="w-5 h-5 text-red-600" />
                {language === 'en' ? 'When NOT to Rely on This Tool' : 'Cuando NO Confiar en Esta Herramienta'}
            </h4>
            <div className="grid sm:grid-cols-2 gap-3 text-sm text-left">
                <div className="bg-white rounded-lg p-3 border border-red-100">
                    <p className="font-semibold text-red-800 mb-1">{language === 'en' ? 'Imminent deadlines' : 'Fechas limite inminentes'}</p>
                    <p className="text-red-700 text-xs">{language === 'en' ? 'If you have a court date or statute of limitations expiring soon, contact an attorney immediately.' : 'Si tienes una fecha de corte próximo, contacta un abogado.'}</p>
                </div>
                <div className="bg-white rounded-lg p-3 border border-red-100">
                    <p className="font-semibold text-red-800 mb-1">{language === 'en' ? 'Criminal charges' : 'Cargos criminales'}</p>
                    <p className="text-red-700 text-xs">{language === 'en' ? 'Criminal matters require attorney representation. Predictions cannot account for prosecutor discretion.' : 'Los asuntos penales requieren representacion legal.'}</p>
                </div>
                <div className="bg-white rounded-lg p-3 border border-red-100">
                    <p className="font-semibold text-red-800 mb-1">{language === 'en' ? 'Custody disputes' : 'Disputas de custodia'}</p>
                    <p className="text-red-700 text-xs">{language === 'en' ? 'Family court decisions depend on judicial discretion that predictions cannot capture.' : 'Las decisiones de custodia dependen de la discrecion judicial.'}</p>
                </div>
                <div className="bg-white rounded-lg p-3 border border-red-100">
                    <p className="font-semibold text-red-800 mb-1">{language === 'en' ? 'Safety concerns' : 'Preocupaciones de seguridad'}</p>
                    <p className="text-red-700 text-xs">{language === 'en' ? 'If you are in danger, call 911 or a crisis hotline immediately.' : 'Si estas en peligro, llama al 911 inmediatamente.'}</p>
                </div>
            </div>
            <div className="mt-3 flex flex-wrap items-center justify-center gap-3 text-xs">
                <Link to="/find-attorney" className="text-red-700 underline font-bold hover:text-red-900">{language === 'en' ? 'Find an attorney now' : 'Encontrar abogado ahora'}</Link>
                <span className="text-red-300">|</span>
                <Link to="/pro-bono" className="text-red-700 underline font-bold hover:text-red-900">{language === 'en' ? 'Can't afford an attorney? Pro bono options' : 'Opciones pro bono'}</Link>
                <span className="text-red-300">|</span>
                <Link to="/emergency-resources" className="text-red-700 underline font-bold hover:text-red-900">{language === 'en' ? 'Emergency resources' : 'Recursos de emergencia'}</Link>
            </div>
        </div>
    </div>
</section>

<section className="py-16 bg-gradient-to-br from-navy-900 to-navy-800 text-white text-center">
    <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">
        <h2 className="text-3xl font-bold mb-4">{language === 'en' ? 'Have Questions First?' : 'Tienes Preguntas Primero?'}</h2>
        <p>{language === 'en' ? 'Start with a free question to understand your situation, then use Case Predictor when ready.' : 'Comienza con una pregunta gratis, luego usa el Predictor cuando estes listo.'}</p>
        <Link to="/ask" className="inline-flex items-center gap-2 bg-teal-500 hover:bg-teal-400 text-white px-8 py-4 rounded-xl font-bold text-lg transition-all shadow-lg">
            >
            {language === 'en' ? 'Ask My Question Free' : 'Hacer Mi Pregunta Gratis'}
            <ArrowRight className="w-5 h-5" />
        </Link>
    </div>
</section>

<section className="py-12 bg-white">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 grid sm:grid-cols-2 gap-4">

```

```
        <AIGovernanceNotice variant="compact" />
        <ScopeBoundaryCard variant="banner" />
        <HumanEscalationCard variant="compact" />
        <DataUseAndPrivacyCard variant="compact" />
    </div>
</section>
</main>

    <RelatedLinks />
    <Footer />
</div>
);
}
```

[10/58] Chat

Route: /chat | File: src/pages/ChatV2.tsx

```
import { useState, useRef, useEffect, useCallback } from 'react';
import { Loader2, Mic, Paperclip, Sparkles, ArrowUp, ChevronDown, MessageSquare, FileText, Search, Clock } from 'lucide-react';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import {
  UnifiedTrustStrip,
  TabbedResponse,
  MoreHelpDrawer,
  CollapsibleSidebar,
  ContextualCrisisAlert,
  detectCrisisSignal,
} from '../components/cognitive-load';
import AIModelSelector from '../components/AIModelSelector';
import AnswerModeSelector, { type AnswerMode } from '../components/AnswerModeSelector';
import GuidedIssueLauncher from '../components/GuidedIssueLauncher';
import AIDisclosure from '../components/AIDisclosure';
import UrgentSignalCard from '../components/UrgentSignalCard';
import CrisisStrip from '../components/CrisisStrip';
import EthicalConversionPanel from '../components/EthicalConversionPanel';
import JurisdictionSelector from '../components/shared/JurisdictionSelector';
import UserMenu from '../components/UserMenu';
import { detectUrgentSignals, type UrgentSignal } from '../lib/urgent-signal-detector';
import { Link } from 'react-router-dom';
import { supabase } from '../lib/supabase';
import { chatService } from '../services/chat-service';
import type { ChatMessage, ThinkingDetails } from '../services/chat-service';
import {
  trackMetric,
  trackTimeToFirstAction,
  trackFollowUpClick,
} from '../lib/ab-test-config';

interface Message {
  id: string;
  role: 'user' | 'assistant';
  content: string;
  timestamp: Date;
  modelUsed?: string;
  thinkingDetails?: ThinkingDetails;
  followUpQuestions?: string[];
  parsed?: {
    summary: string;
    actionSteps: Array<{
      step: number;
      title: string;
      description: string;
      priority?: 'high' | 'medium' | 'low';
      deadline?: string;
    }>;
    sources: Array<{
      title: string;
      url?: string;
      citation?: string;
      confidence?: number;
    }>;
  };
};

function parseResponseToTabs(content: string): Message['parsed'] {
  const lines = content.split('\n');
  const summary: string[] = [];
  const actionSteps: Array<{
    step: number;
    title: string;
    description: string;
    priority?: 'high' | 'medium' | 'low';
    deadline?: string;
  }> = [];
  const sources: Array<{
    title: string;
    url?: string;
    citation?: string;
    confidence?: number;
  }> = [];

  let currentSection = 'summary';
  let stepCount = 0;

  for (const line of lines) {
    const trimmed = line.trim();

    if (/^#{1,3}\s/.test(trimmed) || /^(\\*\\*|__).*?(Step|Action|Guidance|What to Do)/i.test(trimmed)) {
      currentSection = 'actions';
      continue;
    }

    if (/^(\\*\\*|__).*?(Source|Citation|Reference)/i.test(trimmed) || /^---\\s*$/i.test(trimmed)) {
      currentSection = 'sources';
      continue;
    }
  }
}
```

```

    }

    if (currentSection === 'summary' && trimmed) {
      if (summary.length < 5 || /^(\*\*|__)?(Direct Answer|Summary|Overview)/i.test(trimmed)) {
        summary.push(trimmed.replace(/\*\*\*/g, '').replace(/__$/g, ''));
      }
    }

    if (currentSection === 'actions' && /\d+\.|^-|^\/.test(trimmed)) {
      stepCount++;
      const stepText = trimmed.replace(/\d+\.s*/g, '').replace(/^-|\s*/g, '');
      const [title, ...rest] = stepText.split(':');
      actionSteps.push({
        step: stepCount,
        title: title.replace(/\*\*\*/g, '').trim(),
        description: rest.join(':').trim() || title,
        priority: stepCount <= 2 ? 'high' : stepCount <= 4 ? 'medium' : 'low',
      });
    }

    if (currentSection === 'sources' && /\d+\.|^-|^\/.test(trimmed)) {
      const sourceText = trimmed.replace(/\d+\.s*/g, '').replace(/^-|\s*/g, '');
      const urlMatch = sourceText.match(/([^\]]+)\]\([^\)]+\)/);
      sources.push({
        title: urlMatch ? urlMatch[1] : sourceText.split(' - ')[0] || sourceText,
        url: urlMatch ? urlMatch[2] : undefined,
        citation: sourceText,
        confidence: 0.85,
      });
    }
  }

  return {
    summary: summary.slice(0, 3).join(' ').substring(0, 500) || content.substring(0, 300),
    actionSteps: actionSteps.slice(0, 6),
    sources,
  };
};

function LanguageToggle() {
  const { language, setLanguage } = useLanguage();
  return (
    <div className="flex items-center bg-slate-100 rounded-lg p-0.5 text-[11px] font-semibold">
      <button
        onClick={() => setLanguage('en')}
        className={`px-2 py-1 rounded-md transition-colors ${language === 'en' ? 'bg-white text-navy-900 shadow-sm' : 'text-navy-500 hover:text-navy-700'}`}
        aria-label="English"
      >
        EN
      </button>
      <button
        onClick={() => setLanguage('es')}
        className={`px-2 py-1 rounded-md transition-colors ${language === 'es' ? 'bg-white text-navy-900 shadow-sm' : 'text-navy-500 hover:text-navy-700'}`}
        aria-label="Español"
      >
        ES
      </button>
    </div>
  );
}

export default function ChatV2() {
  const { user } = useAuth();
  const { language } = useLanguage();
  const en = language === 'en';

  const [messages, setMessages] = useState<Message[]>([]);
  const [input, setInput] = useState('');
  const [isLoading, setIsLoading] = useState(false);
  const [jurisdiction, setJurisdiction] = useState<string>(() => {
    try {
      return localStorage.getItem('ezlegal-jurisdiction') || 'Arizona';
    } catch {
      return 'Arizona';
    }
  });

  useEffect(() => {
    if (!user?.id) return;
    supabase
      .from('profiles')
      .select('preferred_jurisdiction')
      .eq('id', user.id)
      .maybeSingle()
      .then(({ data }) => {
        const pref = (data as { preferred_jurisdiction?: string } | null)?.preferred_jurisdiction;
        if (pref) setJurisdiction(pref);
      });
  }, [user?.id]);

  const handleJurisdictionChange = useCallback(
    (value: string) => {
      if (!value) return;
      setJurisdiction(value);
    }
  );

```

```

    try {
      localStorage.setItem('ezlegal-jurisdiction', value);
    } catch {
      // ignore
    }
    if (user?.id) {
      supabase
        .from('profiles')
        .update({ preferred_jurisdiction: value })
        .eq('id', user.id)
        .then(() => undefined);
    }
  },
  [user?.id]
);
const [selectedModel, setSelectedModel] = useState<string | null>(null);
const [answerMode, setAnswerMode] = useState<AnswerMode>('simple');
const [isAdmin, setIsAdmin] = useState(false);
const [pendingUrgentSignals, setPendingUrgentSignals] = useState<UrgentSignal[]>([]);
const [pendingMessageContent, setPendingMessageContent] = useState<string | null>(null);
const [showAllSuggestions, setShowAllSuggestions] = useState(false);
const [sessionStartTime] = useState(() => Date.now());
const [hasTrackedFirstAction, setHasTrackedFirstAction] = useState(false);
const [showAdvancedFeatures, setShowAdvancedFeatures] = useState(false);
const [showJurisdictionPicker, setShowJurisdictionPicker] = useState(false);
const [previousSession, setPreviousSession] = useState<{ title: string; date: string; id: string } | null>(null);

const inputRef = useRef<HTMLTextAreaElement>(null);
const messagesEndRef = useRef<HTMLDivElement>(null);

useEffect(() => {
  trackMetric('chat_started', 1);
}, []);

useEffect(() => {
  if (!user?.id) return;
  supabase
    .from('chat_messages')
    .select('id, content, created_at')
    .eq('user_id', user.id)
    .eq('role', 'user')
    .order('created_at', { ascending: false })
    .limit(1)
    .maybeSingle()
    .then(({ data }) => {
      if (data) {
        const d = data as { id: string; content: string; created_at: string };
        const dateStr = new Date(d.created_at).toLocaleDateString(language === 'es' ? 'es' : 'en-US', {
          month: 'short', day: 'numeric',
        });
        setPreviousSession({
          id: d.id,
          title: d.content.substring(0, 60) + (d.content.length > 60 ? '...' : ''),
          date: dateStr,
        });
      }
    });
}, [user?.id, language]);

useEffect(() => {
  if (!user?.id) { setIsAdmin(false); return; }
  supabase
    .from('profiles')
    .select('is_admin')
    .eq('id', user.id)
    .maybeSingle()
    .then(({ data }) => {
      setIsAdmin?(Boolean((data as { is_admin?: boolean } | null)?.is_admin));
    });
}, [user?.id]);

useEffect(() => {
  if (!user?.id) return;
  supabase
    .from('profiles')
    .select('onboarding_tour_completed_at')
    .eq('id', user.id)
    .maybeSingle()
    .then(({ data }) => {
      const completedAt = (data as { onboarding_tour_completed_at?: string | null } | null)
        ?.onboarding_tour_completed_at;
      if (completedAt) {
        // onboarding tour already completed
        try {
          localStorage.setItem('ezlegal-chat-tour-completed', 'true');
        } catch {
          // ignore
        }
      }
    });
}, [user?.id]);

useEffect(() => {
  chatService.setConfig({
    jurisdiction,
    modelOverride: isAdmin && selectedModel ? selectedModel : undefined,
  });
}, [isAdmin, selectedModel, jurisdiction]);

```

```

        answerMode,
    });
    if (user?.id) {
        chatService.setUserId(user.id);
    }
}, [user, jurisdiction, selectedModel, answerMode, isAdmin]);

useEffect(() => {
    messagesEndRef.current?.scrollIntoView({ behavior: 'smooth' });
}, [messages]);

const dispatchMessage = useCallback(async (content: string) => {
    if (!content.trim() || isLoading) return;

    if (!hasTrackedFirstAction) {
        trackTimeToFirstAction(sessionStartTime);
        setHasTrackedFirstAction(true);
    }

    trackMetric('first_question_submitted', messages.length === 0 ? 1 : 0);
    trackMetric('messages_sent', 1);

    const userMessage: Message = {
        id: crypto.randomUUID(),
        role: 'user',
        content: content.trim(),
        timestamp: new Date(),
    };

    setMessages((prev) => [...prev, userMessage]);
    setInput('');
    setIsLoading(true);

    try {
        const response: ChatMessage = await chatService.sendMessage(content.trim());

        const parsed = parseResponseToTabs(response.content);

        const assistantMessage: Message = {
            id: crypto.randomUUID(),
            role: 'assistant',
            content: response.content,
            timestamp: new Date(),
            modelUsed: response.modelUsed,
            thinkingDetails: response.thinkingDetails,
            followUpQuestions: response.followUpQuestions,
            parsed,
        };

        setMessages((prev) => [...prev, assistantMessage]);
    } catch (error) {
        console.error('Chat error:', error);
        const errorMessage: Message = {
            id: crypto.randomUUID(),
            role: 'assistant',
            content: en
                ? 'Sorry, there was an error processing your request. Please try again.'
                : 'Lo sentimos, hubo un error al procesar su solicitud. Por favor, intente de nuevo.',
            timestamp: new Date(),
        };
        setMessages((prev) => [...prev, errorMessage]);
    } finally {
        setIsLoading(false);
    }
}, [isLoading, hasTrackedFirstAction, sessionStartTime, messages.length, en]);

const handleSend = useCallback(() => {
    const trimmed = input.trim();
    if (!trimmed || isLoading) return;
    const signals = detectUrgentSignals(trimmed);
    if (signals.length > 0) {
        setPendingUrgentSignals(signals);
        setPendingMessageContent(trimmed);
        return;
    }
    void dispatchMessage(trimmed);
}, [input, isLoading, dispatchMessage]);

const handleUrgentContinue = useCallback(() => {
    const content = pendingMessageContent;
    setPendingUrgentSignals([]);
    setPendingMessageContent(null);
    if (content) void dispatchMessage(content);
}, [pendingMessageContent, dispatchMessage]);

const handleUrgentDismiss = useCallback(() => {
    setPendingUrgentSignals([]);
    setPendingMessageContent(null);
}, []);

const handleKeyDown = (e: React.KeyboardEvent) => {
    if (e.key === 'Enter' && !e.shiftKey) {
        e.preventDefault();
        handleSend();
    }
};

```



```

const handleNewChat = () => {
  chatService.resetSession();
  setMessages([]);
  inputRef.current?.focus();
};

const handleFollowUp = (question: string, index: number) => {
  trackFollowUpClick(index);
  setInput(question);
  inputRef.current?.focus();
};

useEffect(() => {
  if (messages.length > 0 && messages.some(m => m.role === 'assistant')) {
    setShowAdvancedFeatures(true);
  }
}, [messages]);

const recentChats = messages.length > 0
  ? [{
    id: chatService.getSessionId(),
    title: messages[0]?.content.substring(0, 30) + '...',
    date: 'Now',
  }]
  : [];

const hasCrisisSignal = messages.some(
  (m) => m.role === 'user' && detectCrisisSignal(m.content)
);

const lastAssistantId = [...messages].reverse().find((m) => m.role === 'assistant')?.id;

function handleConversionAction(action: 'save' | 'checklist' | 'letter' | 'find_legal_help' | 'continue' | 'upgrade') {
  switch (action) {
    case 'save':
      window.location.href = '/dashboard?tab=cases';
      break;
    case 'checklist':
      setInput('Turn this into a numbered checklist I can follow.');
      inputRef.current?.focus();
      break;
    case 'letter':
      setInput('Draft a letter I can send based on this.');
      inputRef.current?.focus();
      break;
    case 'find_legal_help':
      window.location.href = '/lawyer-profiles';
      break;
    case 'upgrade':
      window.location.href = '/pricing';
      break;
    case 'continue':
    default:
      inputRef.current?.focus();
  }
}

return (
  <div className="flex h-screen bg-white">
    {pendingUrgentSignals.length > 0 && (
      <UrgentSignalCard
        signals={pendingUrgentSignals}
        onContinue={handleUrgentContinue}
        onDismiss={handleUrgentDismiss}
      />
    )}

    <CollapsibleSidebar
      onNewChat={handleNewChat}
      recentChats={recentChats}
      currentChatId={chatService.getSessionId()}
      jurisdiction={jurisdiction}
      onChangeJurisdiction={() => {
        document.getElementById('chat-jurisdiction-picker')?.scrollIntoView({
          behavior: 'smooth',
          block: 'center',
        });
        document.getElementById('chat-jurisdiction-picker')?.focus();
      }}
      hasActiveSession={messages.length > 0}
      className="hidden lg:flex"
    />

    <main className="flex-1 flex flex-col min-w-0">
      <header
        role="banner"
        className="sticky top-0 z-40 bg-white/95 backdrop-blur-xl border-b border-slate-200 shadow-sm"
      >
        <div className="flex items-center justify-between h-14 px-4 sm:px-6 gap-3">
          <Link
            to="/"
            className="flex items-center gap-2 flex-shrink-0 focus:outline-none focus:ring-2 focus:ring-teal-500 focus:ring-offset-2 rounded"
            aria-label="ezLegal.ai"
          >

```

```


</Link>
<div className="flex items-center gap-2">
  { /* Language toggle */ }
  <LanguageToggle />
  {messages.length > 0 && (
    <AnswerModeSelector value={answerMode} onChange={setAnswerMode} compact />
  )}
  <UserMenu />
</div>
</header>
<UnifiedTrustStrip
  jurisdiction={jurisdiction}
  onChangeJurisdiction={() => setShowJurisdictionPicker(!showJurisdictionPicker)}
/>

{ /* Jurisdiction selector - expanded when no state, or when user clicks Change */ }
{(!jurisdiction || showJurisdictionPicker) && (
  <div className="border-b border-slate-200 bg-white px-4 py-2.5">
    <div className="max-w-3xl mx-auto">
      <JurisdictionSelector
        id="chat-jurisdiction-picker"
        variant="compact"
        value={jurisdiction}
        onChange={(v) => {
          handleJurisdictionChange(v);
          setShowJurisdictionPicker(false);
        }}
        label={en ? 'Jurisdiction' : 'Jurisdiccion'}
        description={
          !jurisdiction
            ? (en
              ? 'Answers are tailored to the law of the state, territory, or federal circuit you pick.'
              : 'Las respuestas se adaptan a la ley del estado, territorio o circuito federal que elija.')
            : undefined
          }
      />
    </div>
  </div>
)}

<div className="flex-1 overflow-y-auto">
  <div className="max-w-3xl mx-auto px-4 py-4">
    {messages.length === 0 ? (
      <div className="text-center py-4 sm:py-6">
        <div className="flex justify-center mb-3">
          <CrisisStrip variant="hero" />
        </div>

        {previousSession && user && (
          <div className="max-w-md mx-auto mb-4 text-left p-3.5 bg-teal-50 border border-teal-200 rounded-xl">
            <p className="text-[11px] font-medium text-teal-700 uppercase tracking-wide mb-0.5">
              {en
                ? `Continue your ${jurisdiction} || '` issue`
                : `Continua tu asunto ${jurisdiction} ? `de ${jurisdiction}` : '`'`}
            </p>
            <p className="text-sm font-semibold text-slate-800 truncate">{previousSession.title}</p>
            <p className="text-[11px] text-slate-500 mt-0.5">
              {en ? `Last updated ${previousSession.date}` : `Actualizado ${previousSession.date}`}
            </p>
            <div className="flex gap-2 mt-2.5">
              <button
                onClick={() => inputRef.current?.focus()}
                className="px-3 py-1.5 text-xs font-semibold bg-teal-600 text-white rounded-lg hover:bg-teal-700
transition-colors"
              >
                {en ? 'Continue' : 'Continuar'}
              </button>
              <Link
                to="/dashboard/action-plan"
                className="px-3 py-1.5 text-xs font-semibold text-teal-700 bg-white border border-teal-300 rounded-lg
hover:bg-teal-50 transition-colors"
              >
                {en ? 'View action plan' : 'Ver plan de accion'}
              </Link>
            </div>
          </div>
        )}
      </div>
    )}

    <div className="w-11 h-11 bg-gradient-to-br from-teal-500 to-teal-700 rounded-xl flex items-center justify-center
mx-auto mb-3">
      <Sparkles className="w-5 h-5 text-white" />
    </div>
    <h1 className="text-xl sm:text-2xl font-bold text-slate-800 mb-1">
      {en ? 'What do you need help with?' : 'En que necesitas ayuda?'}
    </h1>
    <p className="text-xs text-slate-400 max-w-sm mx-auto mb-4">
      {en
        ? 'Legal information, not legal advice.'

```

```

      : 'Información legal, no asesoría legal.'){ ' ' }
      <Link to="/scope-disclaimers" className="underline text-teal-600 hover:text-teal-800">
        {en ? 'Learn more' : 'Saber más'}
      </Link>
    </p>

    { /* Quick actions */ }
    <div className="max-w-sm mx-auto mb-4 grid grid-cols-2 gap-2">
      <button
        onClick={() => inputRef.current?.focus()}
        className="flex items-center gap-2 px-3 py-2 text-xs font-medium bg-slate-50 border border-slate-200 rounded-xl
        hover:bg-slate-100 text-slate-700 transition-colors text-left"
      >
        <MessageSquare className="w-3.5 h-3.5 text-teal-600 flex-shrink-0" />
        {en ? 'Ask a question' : 'Hacer una pregunta'}
      </button>
      <button
        onClick={() => {
          setInput(en ? 'I need help understanding a document.' : 'Necesito ayuda para entender un documento.');
          inputRef.current?.focus();
        }}
        className="flex items-center gap-2 px-3 py-2 text-xs font-medium bg-slate-50 border border-slate-200 rounded-xl
        hover:bg-slate-100 text-slate-700 transition-colors text-left"
      >
        <FileText className="w-3.5 h-3.5 text-teal-600 flex-shrink-0" />
        {en ? 'Upload a document' : 'Subir un documento'}
      </button>
      <button
        onClick={() => {
          setInput(en ? 'What deadlines should I be aware of for my case?' : 'Que fechas limite debo conocer para mi
          caso?');
          inputRef.current?.focus();
        }}
        className="flex items-center gap-2 px-3 py-2 text-xs font-medium bg-slate-50 border border-slate-200 rounded-xl
        hover:bg-slate-100 text-slate-700 transition-colors text-left"
      >
        <Clock className="w-3.5 h-3.5 text-teal-600 flex-shrink-0" />
        {en ? 'Review deadlines' : 'Revisar fechas'}
      </button>
      <Link
        to="/lawyer-profiles"
        className="flex items-center gap-2 px-3 py-2 text-xs font-medium bg-slate-50 border border-slate-200 rounded-xl
        hover:bg-slate-100 text-slate-700 transition-colors text-left"
      >
        <Search className="w-3.5 h-3.5 text-teal-600 flex-shrink-0" />
        {en ? 'Find legal aid' : 'Encontrar ayuda legal'}
      </Link>
    </div>

    <div className="max-w-sm mx-auto mb-4 flex flex-col items-center gap-1.5">
      <span className="text-[11px] font-semibold text-slate-400 uppercase tracking-wide">
        {en ? 'Answer style' : 'Estilo de respuesta'}
      </span>
      <AnswerModeSelector value={answerMode} onChange={setAnswerMode} />
    </div>

    {isAdmin && (
      <div className="max-w-4xl mx-auto mb-8">
        <AIModelSelector
          selectedModel={selectedModel}
          onModelChange={setSelectedModel}
          variant="compact"
          label={en ? 'Admin: Select AI Model' : 'Admin: Seleccionar Modelo de IA'}
          showDescription={false}
        />
      </div>
    )}

    <div className="max-w-3xl mx-auto mb-8 text-left">
      <GuidedIssueLauncher
        audience="all"
        onSelect={(card) => {
          const seed = card.prompt_seed || '';
          setInput(seed);
          setTimeout(() => inputRef.current?.focus(), 50);
        }}
      />
    </div>

    {(() => {
      const state = jurisdiction || (en ? 'your state' : 'tu estado');
      const allSuggestions = [
        en ? 'Can my landlord raise rent mid-lease in ${state}?' : '¿Puede mi arrendador subir la renta a mitad del
        contrato en ${state}?',
        en ? 'What happens if I miss my court date in ${state}?' : '¿Qué pasa si pierdo mi fecha de corte en ${state}?',
        en ? 'How do I get my security deposit back in ${state}?' : '¿Cómo recupero mi depósito de seguridad en
        ${state}?',
        en ? 'Can I be fired for taking sick leave in ${state}?' : '¿Me pueden despedir por tomar licencia por
        enfermedad en ${state}?',
        en ? 'How do I respond to a contract breach notice?' : '¿Cómo respondo a un aviso de incumplimiento de
        contrato?',
        en ? 'What are my options if a customer refuses to pay?' : '¿Cuáles son mis opciones si un cliente se niega a
        pagar?',
      ];
      const visibleSuggestions = showAllSuggestions ? allSuggestions : allSuggestions.slice(0, 3);
    })}

```

```

return (
  <div className="max-w-lg mx-auto">
    <div className="grid grid-cols-1 gap-2">
      {visibleSuggestions.map((suggestion, i) => (
        <button
          key={i}
          onClick={() => {
            setInput(suggestion);
            inputRef.current?.focus();
          }}
          className="text-left px-4 py-3 bg-slate-50 hover:bg-slate-100 border border-slate-200 rounded-xl text-sm
text-slate-700 transition-colors"
        >
          {suggestion}
        </button>
      ))}
    </div>
    {!showAllSuggestions && (
      <button
        onClick={() => setShowAllSuggestions(true)}
        className="flex items-center justify-center gap-1 w-full mt-3 py-2 text-xs text-slate-500
hover:text-slate-700 transition-colors"
      >
        <ChevronDown className="w-3.5 h-3.5" />
        {en ? 'More examples' : 'Más ejemplos'}
      </button>
    )}
  </div>
);
})();
</div>
) : (
  <div className="space-y-6" aria-live="polite" aria-relevant="additions">
    {hasCrisisSignal && (
      <ContextualCrisisAlert
        messages={messages.map((m) => ({ content: m.content, role: m.role })))}
        className="mb-4"
      />
    )}
  </div>

  {messages.map((message) => (
    <div key={message.id} className="animate-in fade-in duration-300">
      {message.role === 'user' ? (
        <div className="flex justify-end">
          <div className="max-w-[85%] bg-teal-600 text-white rounded-2xl rounded-br-md px-4 py-3">
            <p className="text-sm whitespace-pre-wrap">{message.content}</p>
          </div>
        </div>
      ) : (
        <div className="space-y-3">
          {message.parsed ? (
            <TabbedResponse
              summary={message.parsed.summary}
              actionSteps={message.parsed.actionSteps}
              sources={message.parsed.sources}
              fullContent={message.content}
              jurisdiction={jurisdiction}
            />
          ) : (
            <div className="bg-slate-50 rounded-2xl rounded-bl-md px-4 py-3 border border-slate-200">
              <p className="text-sm text-slate-700 whitespace-pre-wrap">
                {message.content}
              </p>
            </div>
          )}
        </div>
      )}

      {message.followUpQuestions && message.followUpQuestions.length > 0 && (
        <div className="flex flex-wrap gap-2 pl-4">
          {message.followUpQuestions.slice(0, 3).map((q, i) => (
            <button
              key={i}
              onClick={() => handleFollowUp(q, i)}
              className="text-xs px-3 py-1.5 bg-white border border-slate-200 hover:border-teal-300
hover:bg-teal-50 rounded-full text-slate-600 hover:text-teal-700 transition-colors"
            >
              {q}
            </button>
          ))}
        </div>
      )}

      {message.modelUsed && (
        <p className="text-[10px] text-slate-400 pl-4">
          {message.modelUsed}
        </p>
      )}

      <div className="pl-4">
        <AIDisclosure messageId={message.id} compact />
      </div>

      {message.id === lastAssistantId && !isLoading && (
        <EthicalConversionPanel onAction={handleConversionAction} />
      )}
    </div>
  )}
);

```

```

    </div>
  )}}

  {isLoading && (
    <div className="flex items-center gap-3 text-slate-500" role="status" aria-live="polite">
      <Loader2 className="w-5 h-5 animate-spin" aria-hidden="true" />
      <span className="text-sm">
        {en ? 'Researching your question...' : 'Investigando su pregunta...'}
      </span>
    </div>
  )}

  <div ref={messagesEndRef} />
</div>
)}
</div>
</div>

<div className="border-t border-slate-200 bg-white">
  <div className="max-w-3xl mx-auto px-4 py-4">
    <div className="flex items-end gap-3">
      <div className="flex-1 relative">
        <textarea
          ref={inputRef}
          value={input}
          onChange={(e) => setInput(e.target.value)}
          onKeyDown={handleKeyDown}
          placeholder={
            en
              ? `Ask in plain English, like "Can my landlord raise rent mid-lease in ${jurisdiction} || 'your state'?"`
              : `Pregunta en español simple, como "¿Puede mi arrendador subir la renta a mitad del contrato en
${jurisdiction} || 'tu estado'?"`
            }
          rows={1}
          className="w-full px-4 py-3 pr-24 bg-slate-50 border border-slate-200 rounded-xl text-sm text-slate-800
placeholder-slate-400 resize-none focus:outline-none focus:ring-2 focus:ring-teal-500 focus:border-transparent transition-all"
          style={{ minHeight: '48px', maxHeight: '120px' }}
          disabled={isLoading}
        />
        {showAdvancedFeatures && (
          <div className="absolute right-2 bottom-2 flex items-center gap-1">
            <button
              className="p-2 text-slate-400 hover:text-slate-600 hover:bg-slate-200 rounded-lg transition-colors"
              aria-label={en ? 'Attach file' : 'Adjuntar archivo'}
              title="Attach document"
            >
              <Paperclip className="w-4 h-4" />
            </button>
            <button
              className="p-2 text-slate-400 hover:text-slate-600 hover:bg-slate-200 rounded-lg transition-colors"
              aria-label={en ? 'Voice input' : 'Entrada de voz'}
              title="Voice input"
            >
              <Mic className="w-4 h-4" />
            </button>
          </div>
        )}
      </div>
      <button
        onClick={handleSend}
        disabled={!input.trim() || isLoading}
        className="flex items-center justify-center w-12 h-12 bg-teal-600 hover:bg-teal-700 disabled:bg-slate-300
disabled:cursor-not-allowed text-white rounded-xl transition-colors"
        aria-label={en ? 'Send message' : 'Enviar mensaje'}
      >
        {isLoading ? (
          <Loader2 className="w-5 h-5 animate-spin" />
        ) : (
          <ArrowUp className="w-5 h-5" />
        )}
      </button>
    </div>

    <p className="mt-2 text-[11px] text-slate-500 text-center">
      {en
        ? "You'll get a plain-language explanation, possible next steps, and trusted resources when available."
        : "Recibirás una explicación en lenguaje simple, posibles próximos pasos y recursos de confianza cuando estén
disponibles."}
    </p>

    <div className="flex items-center justify-between mt-3">
      <p className="text-[10px] text-slate-400">
        {en ? (
          <>
            AI provides legal information, not legal advice. Always consult a licensed attorney for specific guidance.{ ' '}
            <Link to="/privacy-at-a-glance" className="underline hover:text-slate-600">
              Privacy
            </Link>
          </>
        ) : (
          <>
            La IA proporciona información legal, no asesoría legal. Siempre consulta a un abogado licenciado para
            orientación específica.{ ' '}
            <Link to="/privacy-at-a-glance" className="underline hover:text-slate-600">
              Privacidad
            </Link>
          </>
        )}
      </p>

```

```
        </Link>
      </>
    })
  </p>

  <MoreHelpDrawer
    onExportChat={() => console.log('Export')}
    onShareChat={() => console.log('Share')}
    onPrediction={() => console.log('Prediction')}
    onReportIssue={() => console.log('Report')}
    hasMessages={messages.length > 0}
  />
</div>
</div>
</div>
</main>
</div>
  );
}
```

[11/58] Contact

Route: /contact | File: src/pages/Contact.tsx

```
import { useEffect, useState } from 'react';
import { Link } from 'react-router-dom';
import { Mail, Phone, MapPin, Send, CheckCircle, ArrowLeft, DollarSign } from 'lucide-react';
import { supabase } from '../lib/supabase';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { BusinessLocation, FALLBACK_LOCATION, fetchPrimaryLocation, formatAddressOneLine } from '../lib/local-seo';

export default function Contact() {
  const [formData, setFormData] = useState({
    name: '',
    email: '',
    phone: '',
    company: '',
    message: ''
  });
  const [isSubmitting, setIsSubmitting] = useState(false);
  const [submitSuccess, setSubmitSuccess] = useState(false);
  const [error, setError] = useState('');
  const [loc, setLoc] = useState<BusinessLocation>(FALLBACK_LOCATION);

  useEffect(() => {
    fetchPrimaryLocation().then(setLoc);
  }, []);

  const mapsHref = loc.google_place_id
    ? `https://www.google.com/maps/place/?q=place_id:${loc.google_place_id}`
    : `https://www.google.com/maps/search/?api=1&query=${encodeURIComponent(formatAddressOneLine(loc))}`;

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    setIsSubmitting(true);
    setError('');

    try {
      const { error: submitError } = await supabase
        .from('contact_submissions')
        .insert([formData]);

      if (submitError) throw submitError;

      setSubmitSuccess(true);
      setFormData({
        name: '',
        email: '',
        phone: '',
        company: '',
        message: ''
      });

      setTimeout(() => setSubmitSuccess(false), 5000);
    } catch (err) {
      setError('Failed to submit. Please try again.');
      console.error(err);
    } finally {
      setIsSubmitting(false);
    }
  };

  const handleChange = (e: React.ChangeEvent<HTMLInputElement | HTMLTextAreaElement>) => {
    setFormData({
      ...formData,
      [e.target.name]: e.target.value,
    });
  };

  if (submitSuccess) {
    return (
      <div className="min-h-screen bg-gradient-to-br from-teal-50 via-white to-white flex items-center justify-center px-4">
        <div className="max-w-md w-full">
          <div className="bg-white rounded-2xl shadow-xl p-8 border border-navy-200">
            <div className="w-16 h-16 bg-green-100 rounded-full flex items-center justify-center mx-auto mb-4">
              <CheckCircle className="w-8 h-8 text-green-600" />
            </div>
            <h2 className="text-2xl font-bold text-navy-900 mb-2 text-center">Thank You!</h2>
            <p className="text-navy-600 mb-6 text-center">We've received your message and will get back to you within 24 hours.</p>
            <div className="flex gap-3">
              <button
                onClick={() => setSubmitSuccess(false)}
                className="flex-1 px-6 py-3 bg-teal-600 text-white rounded-lg font-medium hover:bg-teal-700 transition-colors">
                Send Another Message
              </button>
              <Link
                to="/"
                className="flex-1 px-6 py-3 border border-navy-200 text-navy-600 rounded-lg font-medium hover:bg-white transition-colors text-center">

```

```

        >
        Back to Home
    </Link>
</div>
</div>
</div>
</div>
</div>
);
}

return (
<div className="min-h-screen bg-gradient-to-br from-teal-50 via-white to-white">
    <Navigation />

    <div className="max-w-7xl mx-auto px-4 py-16 pt-32 sm:px-6 lg:px-8">
        <div className="text-center mb-16">
            <h1 className="text-4xl sm:text-5xl font-bold text-navy-900 mb-4">
                Get in Touch
            </h1>
            <p className="text-xl text-navy-600 max-w-2xl mx-auto">
                Have a question or need assistance? We're here to help you navigate your legal needs.
            </p>
        </div>

        <div className="grid grid-cols-1 lg:grid-cols-3 gap-8 mb-16">
            <div className="bg-white rounded-xl p-6 shadow-sm border border-navy-200 hover:shadow-md transition-shadow">
                <div className="w-12 h-12 bg-teal-50 rounded-lg flex items-center justify-center mb-4">
                    <Mail className="w-6 h-6 text-teal-600" />
                </div>
                <h2 className="text-lg font-semibold text-navy-900 mb-2">Email Us</h2>
                <p className="text-navy-600 text-sm mb-2">
                    Send us an email anytime
                </p>
                <a href={`mailto:${loc.email}`} className="text-teal-600 hover:text-teal-700 font-medium text-sm">
                    {loc.email}
                </a>
            </div>

            <div className="bg-white rounded-xl p-6 shadow-sm border border-navy-200 hover:shadow-md transition-shadow">
                <div className="w-12 h-12 bg-teal-50 rounded-lg flex items-center justify-center mb-4">
                    <Phone className="w-6 h-6 text-teal-600" />
                </div>
                <h2 className="text-lg font-semibold text-navy-900 mb-2">Call Us</h2>
                <p className="text-navy-600 text-sm mb-2">
                    Mon-Fri from 9am to 6pm MST
                </p>
                <a href={`tel:${loc.phone_e164}`} className="text-teal-600 hover:text-teal-700 font-medium text-sm">
                    {loc.phone_display}
                </a>
            </div>

            <div className="bg-white rounded-xl p-6 shadow-sm border border-navy-200 hover:shadow-md transition-shadow">
                <div className="w-12 h-12 bg-teal-50 rounded-lg flex items-center justify-center mb-4">
                    <MapPin className="w-6 h-6 text-teal-600" />
                </div>
                <h2 className="text-lg font-semibold text-navy-900 mb-2">Visit Us</h2>
                <address className="text-navy-600 text-sm not-italic" itemScope itemType="https://schema.org/PostalAddress">
                    <a href={mapsHref} target="_blank" rel="noopener noreferrer" className="hover:text-teal-600 transition-colors">
                        <span itemProp="streetAddress">{loc.street_address}</span><br />
                        <span itemProp="addressLocality">{loc.address_locality}</span>,{ ' '}
                        <span itemProp="addressRegion">{loc.address_region}</span>{' '}
                        <span itemProp="postalCode">{loc.postal_code}</span>
                    </a>
                </address>
            </div>
        </div>

        <div className="max-w-3xl mx-auto">
            <div className="bg-white rounded-2xl shadow-xl p-8 sm:p-10 border border-navy-200">
                <h2 className="text-2xl font-bold text-navy-900 mb-6">Send us a Message</h2>

                {error && (
                    <div className="mb-6 p-4 bg-red-50 border border-red-200 rounded-lg text-red-700 text-sm">
                        {error}
                    </div>
                )}

                <form onSubmit={handleSubmit} className="space-y-6">
                    <div className="grid grid-cols-1 sm:grid-cols-2 gap-6">
                        <div>
                            <label htmlFor="name" className="block text-sm font-medium text-navy-600 mb-2">
                                Full Name <span className="text-red-500">*</span>
                            </label>
                            <input
                                type="text"
                                id="name"
                                name="name"
                                required
                                value={formData.name}
                                onChange={handleChange}
                                className="w-full px-4 py-3 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
                                focus:border-transparent transition-shadow"
                                placeholder="John Doe"
                            />
                        </div>

```



```

<div>
  <label htmlFor="email" className="block text-sm font-medium text-navy-600 mb-2">
    Email Address <span className="text-red-500">*</span>
  </label>
  <input
    type="email"
    id="email"
    name="email"
    required
    value={formData.email}
    onChange={handleChange}
    className="w-full px-4 py-3 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent transition-shadow"
    placeholder="john@example.com"
  />
</div>
</div>

<div className="grid grid-cols-1 sm:grid-cols-2 gap-6">
  <div>
    <label htmlFor="phone" className="block text-sm font-medium text-navy-600 mb-2">
      Phone Number
    </label>
    <input
      type="tel"
      id="phone"
      name="phone"
      value={formData.phone}
      onChange={handleChange}
      className="w-full px-4 py-3 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent transition-shadow"
      placeholder="+1 (234) 567-890"
    />
  </div>

  <div>
    <label htmlFor="company" className="block text-sm font-medium text-navy-600 mb-2">
      Company Name
    </label>
    <input
      type="text"
      id="company"
      name="company"
      value={formData.company}
      onChange={handleChange}
      className="w-full px-4 py-3 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent transition-shadow"
      placeholder="Your Company"
    />
  </div>
</div>

<div>
  <label htmlFor="message" className="block text-sm font-medium text-navy-600 mb-2">
    Message <span className="text-red-500">*</span>
  </label>
  <textarea
    id="message"
    name="message"
    required
    value={formData.message}
    onChange={handleChange}
    rows={6}
    className="w-full px-4 py-3 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent transition-shadow resize-none"
    placeholder="Tell us how we can help you..."
  />
</div>

<button
  type="submit"
  disabled={isSubmitting}
  className="w-full sm:w-auto px-8 py-4 bg-teal-600 text-white rounded-lg font-semibold hover:bg-teal-700 focus:ring-4
focus:ring-teal-100 transition-all disabled:opacity-50 disabled:cursor-not-allowed flex items-center justify-center gap-2"
>
  {isSubmitting ? (
    <>
      <div className="animate-spin rounded-full h-5 w-5 border-b-2 border-white"></div>
      Sending...
    </>
  ) : (
    <>
      <Send className="w-5 h-5" />
      Send Message
    </>
  )}
</button>
</form>
</div>
</div>

<div className="max-w-3xl mx-auto mt-12">
  <div className="bg-gradient-to-br from-teal-50 to-white rounded-2xl p-8 border border-navy-200">
    <div className="flex items-start gap-4">
      <div className="w-12 h-12 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0">
        <DollarSign className="w-6 h-6 text-teal-600" />

```

```
    </div>
    <div className="flex-1">
      <h3 className="text-xl font-bold text-navy-900 mb-2">
        Questions About Pricing?
      </h3>
      <p className="text-navy-600 mb-4">
        We believe in transparent pricing. Free unlimited questions for everyone. Issue Packs from $29 when you need
action plans. Businesses from $99/month. No hidden fees, ever.
      </p>
      <Link
        to="/pricing"
        className="inline-flex items-center gap-2 text-teal-600 font-semibold hover:text-teal-700 transition-colors"
      >
        View All Plans & Pricing
      <ArrowLeft className="w-4 h-4 rotate-180" />
      </Link>
    </div>
  </div>
</div>
</div>
</div>
</div>
<Footer />
</div>
  );
}
```

[12/58] Emergency Resources

Route: /emergency-resources | File: src/pages/EmergencyResources.tsx

```
import { useState, useEffect, useCallback } from 'react';
import { Link } from 'react-router-dom';
import Breadcrumbs from '../components/Breadcrumbs';
import RelatedLinks from '../components/RelatedLinks';
import {
  Phone, Shield, Home, Heart, Scale, AlertTriangle, ExternalLink,
  Clock, Users, Globe, ChevronRight, MessageSquare, FileText, MapPin,
  Logout, Smartphone
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import CrisisTriageGate from '../components/CrisisTriageGate';

interface Resource {
  name: string;
  nameEs?: string;
  phone: string;
  description: string;
  descriptionEs?: string;
  available: string;
  website?: string;
  isNational?: boolean;
  states?: string[];
}

interface ResourceCategory {
  id: string;
  title: string;
  titleEs: string;
  icon: React.ReactNode;
  color: string;
  bgColor: string;
  resources: Resource[];
}

const US_STATES = [
  { code: 'ALL', name: 'All States (National Resources)' },
  { code: 'AZ', name: 'Arizona' },
  { code: 'CA', name: 'California' },
  { code: 'CO', name: 'Colorado' },
  { code: 'FL', name: 'Florida' },
  { code: 'NV', name: 'Nevada' },
  { code: 'NM', name: 'New Mexico' },
  { code: 'TX', name: 'Texas' },
  { code: 'UT', name: 'Utah' },
];

const resourceCategories: ResourceCategory[] = [
  {
    id: 'domestic-violence',
    title: 'Domestic Violence',
    titleEs: 'Violencia Doméstica',
    icon: <Shield className="w-6 h-6" />,
    color: 'text-teal-700',
    bgColor: 'bg-teal-50',
    resources: [
      {
        name: 'National Domestic Violence Hotline',
        nameEs: 'Línea Nacional de Violencia Doméstica',
        phone: '1-800-799-7233',
        description: 'Free, confidential support 24/7 for victims and survivors of domestic violence.',
        descriptionEs: 'Apoyo gratuito y confidencial 24/7 para víctimas y sobrevivientes de violencia doméstica.',
        available: '24/7',
        website: 'https://www.thehotline.org',
        isNational: true
      },
      {
        name: 'Crisis Text Line',
        phone: 'Text HOME to 741741',
        description: 'Free crisis support via text message.',
        available: '24/7',
        isNational: true
      },
      {
        name: 'Arizona Coalition to End Sexual and Domestic Violence',
        phone: '1-800-782-6400',
        description: 'Arizona-specific resources, shelter referrals, and legal advocacy.',
        available: '24/7',
        website: 'https://www.acesdv.org',
        states: ['AZ']
      },
      {
        name: 'California Partnership to End Domestic Violence',
        phone: '1-800-524-4765',
        description: 'California statewide resources, shelter referrals, and advocacy services.',
        available: '24/7',
        website: 'https://www.cpedv.org',
        states: ['CA']
      },
    ],
  },
]
```

```

    {
      name: 'Texas Council on Family Violence',
      phone: '1-800-525-1978',
      description: 'Texas statewide domestic violence hotline and resources.',
      available: '24/7',
      website: 'https://tcfv.org',
      states: ['TX']
    }
  ],
},
{
  id: 'housing',
  title: 'Housing & Eviction',
  titleEs: 'Vivienda y Desalojo',
  icon: <Home className="w-6 h-6" />,
  color: 'text-orange-600',
  bgColor: 'bg-orange-50',
  resources: [
    {
      name: 'HUD Housing Counseling',
      phone: '1-800-569-4287',
      description: 'Free HUD-approved housing counseling for foreclosure, rental issues.',
      available: 'Mon-Fri 8am-8pm EST',
      isNational: true
    },
    {
      name: 'National Low Income Housing Coalition',
      phone: '',
      description: 'Resources and advocacy for affordable housing nationwide.',
      available: 'Online 24/7',
      website: 'https://nlihc.org',
      isNational: true
    },
    {
      name: 'Arizona Housing Coalition',
      phone: '1-877-211-8661',
      description: 'Emergency housing assistance, rental help, and eviction prevention.',
      descriptionEs: 'Asistencia de emergencia para vivienda, ayuda con el alquiler y prevencion de desalojos.',
      available: 'Mon-Fri 8am-5pm',
      website: 'https://www.azhomeless.org',
      states: ['AZ']
    },
    {
      name: 'Community Legal Services (Phoenix)',
      phone: '(602) 258-3434',
      description: 'Free legal help for eviction defense, landlord disputes, and housing rights.',
      available: 'Mon-Fri 8am-5pm',
      website: 'https://www.clsaz.org',
      states: ['AZ']
    },
    {
      name: 'California Housing Partnership',
      phone: '(415) 433-6804',
      description: 'Statewide resources for affordable housing and tenant rights in California.',
      available: 'Mon-Fri 9am-5pm PT',
      website: 'https://chpc.net',
      states: ['CA']
    },
    {
      name: 'Texas RioGrande Legal Aid - Housing',
      phone: '1-888-988-9996',
      description: 'Free legal help for housing issues in Texas.',
      available: 'Mon-Fri 8am-5pm CT',
      website: 'https://www.trla.org',
      states: ['TX']
    }
  ]
},
{
  id: 'mental-health',
  title: 'Mental Health Crisis',
  titleEs: 'Crisis de Salud Mental',
  icon: <Heart className="w-6 h-6" />,
  color: 'text-teal-600',
  bgColor: 'bg-teal-50',
  resources: [
    {
      name: '988 Suicide & Crisis Lifeline',
      nameEs: 'Linea de Prevencion del Suicidio',
      phone: '988',
      description: 'Free, confidential crisis support for mental health emergencies.',
      descriptionEs: 'Apoyo gratuito y confidencial para emergencias de salud mental.',
      available: '24/7',
      website: 'https://988lifeline.org',
      isNational: true
    },
    {
      name: 'SAMHSA National Helpline',
      phone: '1-800-662-4357',
      description: 'Treatment referrals and information for mental health and substance abuse.',
      available: '24/7',
      website: 'https://www.samhsa.gov/find-help/national-helpline',
      isNational: true
    },
    {
      name: 'Crisis Response Network (Arizona)',

```

```

    phone: '1-800-631-1314',
    description: 'Arizona behavioral health crisis line with mobile crisis teams.',
    available: '24/7',
    website: 'https://crisisnetwork.org',
    states: ['AZ']
  },
  {
    name: 'California Mental Health Services',
    phone: '1-855-845-7415',
    description: 'CalHOPE crisis line for California residents.',
    available: '24/7',
    website: 'https://www.calhope.org',
    states: ['CA']
  },
  {
    name: 'Texas Health and Human Services Crisis Line',
    phone: '1-800-252-8154',
    description: 'Texas statewide mental health crisis support.',
    available: '24/7',
    states: ['TX']
  }
]
},
{
  id: 'immigration',
  title: 'Immigration',
  titleEs: 'Inmigracion',
  icon: <Globe className="w-6 h-6" />,
  color: 'text-teal-600',
  bgColor: 'bg-teal-50',
  resources: [
    {
      name: 'National Immigration Law Center',
      phone: '(213) 639-3900',
      description: 'Immigration policy information and legal resources.',
      available: 'Mon-Fri 9am-5pm PT',
      website: 'https://www.nilc.org',
      isNational: true
    },
    {
      name: 'USCIS Contact Center',
      phone: '1-800-375-5283',
      description: 'Official USCIS information on immigration status and applications.',
      available: 'Mon-Fri 8am-8pm ET',
      isNational: true
    },
    {
      name: 'Florence Immigrant & Refugee Rights Project',
      phone: '(520) 868-0191',
      description: 'Free legal services for detained immigrants in Arizona.',
      descriptionEs: 'Servicios legales gratuitos para inmigrantes detenidos en Arizona.',
      available: 'Mon-Fri 9am-5pm',
      website: 'https://firrp.org',
      states: ['AZ']
    },
    {
      name: 'California Immigrant Policy Center',
      phone: '(213) 250-5000',
      description: 'Immigration resources and policy advocacy for California.',
      available: 'Mon-Fri 9am-5pm PT',
      website: 'https://caimmigrant.org',
      states: ['CA']
    },
    {
      name: 'RAICES Texas',
      phone: '(210) 787-3933',
      description: 'Free and low-cost legal services for immigrant families in Texas.',
      available: 'Mon-Fri 9am-5pm CT',
      website: 'https://www.raicestexas.org',
      states: ['TX']
    }
  ]
},
{
  id: 'legal-aid',
  title: 'General Legal Aid',
  titleEs: 'Asistencia Legal General',
  icon: <Scale className="w-6 h-6" />,
  color: 'text-navy-600',
  bgColor: 'bg-navy-50',
  resources: [
    {
      name: 'ABA Free Legal Answers',
      phone: '',
      description: 'Free legal advice from volunteer attorneys for qualifying low-income individuals via an online Q&A platform.',
      available: 'Online 24/7',
      website: 'https://www.americanbar.org/groups/probono_public_service/projects_awards/free-legal-answers/',
      isNational: true
    },
    {
      name: 'LawHelp.org',
      phone: '',
      description: 'National directory connecting low-income individuals with free legal aid programs, court forms, and self-help resources.',
      available: 'Online 24/7',
      website: 'https://www.lawhelp.org/resource/legal-aid-and-other-low-cost-legal-help',

```

```

    isNational: true
  },
  {
    name: 'Arizona Bar Foundation for Legal Services',
    phone: '',
    description: 'Supports legal aid organizations providing civil legal services to low-income Arizonans.',
    available: 'Online 24/7',
    website: 'https://www.azbf.org/',
    states: ['AZ']
  },
  {
    name: 'State Bar of Arizona Legal Aid Resources',
    phone: '',
    description: 'Comprehensive directory of legal aid organizations, pro bono programs, and self-help resources for
Arizonans.',
    available: 'Online 24/7',
    website: 'https://www.azbar.org/for-the-public/public-service-center-self-help-education/legal-aid-resources/',
    states: ['AZ']
  },
  {
    name: 'Community Legal Services (Arizona)',
    phone: '(602) 258-3434',
    description: 'Free civil legal assistance for low-income individuals and families in Maricopa, Yavapai, and other Arizona
counties.',
    available: 'Mon-Fri 8am-5pm',
    website: 'https://clsaz.org/apply-for-services/',
    states: ['AZ']
  },
  {
    name: 'Southern Arizona Legal Aid',
    phone: '(520) 623-9461',
    description: 'Free civil legal services for low-income residents in Southern Arizona.',
    available: 'Mon-Fri 8am-5pm',
    website: 'https://www.sazlegalaid.org',
    states: ['AZ']
  },
  {
    name: 'DNA People\'s Legal Services',
    phone: '1-800-789-7287',
    description: 'Free legal services for Native American communities in AZ, NM, and UT.',
    available: 'Mon-Fri 8am-5pm',
    website: 'https://www.dnalegalservices.org',
    states: ['AZ', 'NM', 'UT']
  },
  {
    name: 'Legal Aid Foundation of Los Angeles',
    phone: '(800) 399-4529',
    description: 'Free civil legal services for low-income residents in Los Angeles County.',
    available: 'Mon-Fri 9am-5pm PT',
    website: 'https://lafla.org',
    states: ['CA']
  },
  {
    name: 'Texas RioGrande Legal Aid',
    phone: '1-888-988-9996',
    description: 'Free civil legal services for low-income Texans.',
    available: 'Mon-Fri 8am-5pm CT',
    website: 'https://www.trla.org',
    states: ['TX']
  },
  {
    name: 'Step Up to Justice',
    phone: '',
    description: 'Free legal information and self-help resources to help individuals understand and navigate common legal
issues.',
    available: 'Online 24/7',
    website: 'https://www.stepuptojustice.org/',
    isNational: true
  }
]
}
];

const evictionTimeline = {
  en: [
    { day: 'Day 1', title: 'Notice Received', description: 'Landlord serves eviction notice. You typically have 5-30 days depending
on reason.' },
    { day: 'Day 5-10', title: 'Response Deadline', description: 'For non-payment, you may have only 5 days. Cure the issue or
prepare defense.' },
    { day: 'Day 10-30', title: 'Court Filing', description: 'If not resolved, landlord files with court. You\'ll receive a summons.' }
  ],
  es: [
    { day: 'Dia 1', title: 'Aviso Recibido', description: 'El casero entrega aviso de desalojo. Tipicamente tiene 5-30 dias
dependiendo de la razon.' },
    { day: 'Dia 5-10', title: 'Fecha Limite de Respuesta', description: 'Por falta de pago, puede tener solo 5 dias. Resuelva el
problema o prepare su defensa.' },
    { day: 'Dia 10-30', title: 'Presentacion en Corte', description: 'Si no se resuelve, el casero presenta ante la corte. Recibira
una citacion.' },
    { day: 'Audiencia', title: 'Fecha de Corte', description: 'Asista a su audiencia. Lleve toda la documentacion y evidencia.' },
    { day: 'Despues', title: 'Sentencia', description: 'Si falla en su contra, tipicamente tiene 5 dias para desocupar o apelar.' }
  ],
};

```

```

export default function EmergencyResources() {
  const [language, setLanguage] = useState<'en' | 'es'>('en');
  const [activeCategory, setActiveCategory] = useState<string>('domestic-violence');
  const [selectedState, setSelectedState] = useState<string>('ALL');
  const [triageAcknowledged, setTriageAcknowledged] = useState<boolean>(() => {
    try { return sessionStorage.getItem('ezlegal-crisis-triage-ack') === '1'; } catch { return false; }
  });

  const handleTriageAck = useCallback(() => {
    try { sessionStorage.setItem('ezlegal-crisis-triage-ack', '1'); } catch {}
    setTriageAcknowledged(true);
  }, []);

  useEffect(() => {
    document.documentElement.lang = language;
    return () => { document.documentElement.lang = 'en'; };
  }, [language]);

  const handleQuickExit = useCallback(() => {
    window.open('https://weather.gov', '_self');
    window.location.replace('https://weather.gov');
  }, []);

  const activeResources = resourceCategories.find(c => c.id === activeCategory);

  const filteredResources = activeResources?.resources.filter(resource => {
    if (selectedState === 'ALL') {
      return resource.isNational;
    }
    return resource.isNational || resource.states?.includes(selectedState);
  }) || [];

  return (
    <div className="min-h-screen bg-white">
      <!-- triageAcknowledged && <CrisisTriageGate onAcknowledge={handleTriageAck} -->
      <Navigation />
      <Breadcrumbs className="mt-24" />

      <button
        onClick={handleQuickExit}
        className="fixed top-4 right-4 z-[9999] bg-navy-800 hover:bg-navy-900 text-white px-4 py-2.5 rounded-lg font-bold text-sm
flex items-center gap-2 shadow-lg transition-colors"
        aria-label={language === 'en' ? 'Quick exit - leave this page immediately' : 'Salida rapida - salir de esta página
inmediatamente'}
      >
        <Logout className="w-4 h-4" />
        {language === 'en' ? 'Quick Exit' : 'Salida Rapida'}
      </button>

      <section className="bg-gradient-to-br from-teal-700 via-teal-600 to-navy-900 text-white pt-32 pb-16">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="flex flex-wrap items-center justify-between gap-4 mb-6">
            <div className="inline-flex items-center gap-2 bg-white/10 border border-white/30 px-4 py-2 rounded-full">
              <AlertTriangle className="w-4 h-4 text-orange-300" />
              <span className="text-white text-sm font-semibold">Emergency Resources</span>
            </div>
            <div className="flex items-center gap-3">
              <div className="flex items-center gap-2 bg-white/10 border border-white/30 px-3 py-2 rounded-full">
                <MapPin className="w-4 h-4 text-gold-300" />
                <select
                  value={selectedState}
                  onChange={(e) => setSelectedState(e.target.value)}
                  className="bg-transparent text-white text-sm font-semibold border-none outline-none cursor-pointer appearance-none
pr-2"
                >
                  {US_STATES.map(state => (
                    <option key={state.code} value={state.code} className="text-navy-900">
                      {state.name}
                    </option>
                  ))}
                </select>
              </div>
              <button
                onClick={() => setLanguage(language === 'en' ? 'es' : 'en')}
                className="flex items-center gap-2 bg-white/10 hover:bg-white/20 border border-white/30 px-4 py-2 rounded-full
transition-colors"
              >
                <Globe className="w-4 h-4" />
                <span className="text-sm font-semibold">{language === 'en' ? 'Español' : 'English'}</span>
              </button>
            </div>
          </div>

          <h1 className="text-4xl lg:text-5xl font-bold mb-4">
            {language === 'en' ? 'Crisis Resources & Hotlines' : 'Recursos de Crisis y Lineas de Ayuda'}
          </h1>
          <p className="text-xl text-navy-100 max-w-3xl">
            {language === 'en'
              ? 'Immediate help is available. These resources provide free, confidential support for emergencies.'
              : 'La ayuda inmediata esta disponible. Estos recursos brindan apoyo gratuito y confidencial para emergencias.'}
          </p>

          <div className="mt-8 flex flex-wrap gap-4">
            <a
              href="tel:911"
              className="bg-white text-teal-600 px-6 py-3 rounded-lg font-bold flex items-center gap-2 hover:bg-teal-50

```

```

transition-colors"
    >
    <Phone className="w-5 h-5" />
    {language === 'en' ? 'Call 911 for Emergencies' : 'Llame al 911 para Emergencias'}
  </a>
  <a
    href="tel:988"
    className="bg-teal-500 hover:bg-teal-600 text-white px-6 py-3 rounded-lg font-bold flex items-center gap-2
transition-colors"
    >
    <Heart className="w-5 h-5" />
    {language === 'en' ? 'Call 988 for Mental Health Crisis' : 'Llame al 988 para Crisis de Salud Mental'}
  </a>
  <a
    href="sms:988"
    className="bg-white/10 hover:bg-white/20 border border-white/30 text-white px-6 py-3 rounded-lg font-bold flex
items-center gap-2 transition-colors"
    >
    <Smartphone className="w-5 h-5" />
    {language === 'en' ? 'Text 988' : 'Texto al 988'}
  </a>
</div>
</section>

<section className="py-6 bg-white border-b border-navy-200">
  <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="bg-navy-50 border border-navy-200 rounded-xl p-5">
      <h2 className="font-bold text-navy-900 text-lg mb-3">
        {language === 'en' ? 'Not sure where to start?' : '¿No sabe por dónde empezar?'}
      </h2>
      <ul className="space-y-2 text-navy-700 text-sm">
        <li className="flex items-start gap-2">
          <span className="font-bold text-red-600 mt-0.5 shrink-0">1.</span>
          <span>
            {language === 'en'
              ? 'If you are in immediate danger, call 911 now.'
              : 'Si esta en peligro inmediato, llame al 911 ahora.'}
          </span>
        </li>
        <li className="flex items-start gap-2">
          <span className="font-bold text-teal-600 mt-0.5 shrink-0">2.</span>
          <span>
            {language === 'en'
              ? 'If you are thinking about harming yourself or others, call or text 988.'
              : 'Si esta pensando en hacerse dano o hacer dano a otros, llame o envíe un texto al 988.'}
          </span>
        </li>
        <li className="flex items-start gap-2">
          <span className="font-bold text-navy-600 mt-0.5 shrink-0">3.</span>
          <span>
            {language === 'en'
              ? 'If you need urgent shelter, legal help, or other support, choose a category below.'
              : 'Si necesita refugio urgente, ayuda legal u otro apoyo, elija una categoria a continuacion.'}
          </span>
        </li>
      </ul>
    </div>
  </div>
</section>

<section className="py-12 bg-navy-50 border-b border-navy-200">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex flex-wrap gap-3 justify-center">
      {resourceCategories.map((category) => (
        <button
          key={category.id}
          onClick={() => setActiveCategory(category.id)}
          className={`flex items-center gap-2 px-5 py-3 rounded-xl font-semibold transition-all ${
            activeCategory === category.id
              ? `${category.backgroundColor} ${category.shadowMd}`
              : 'bg-white text-navy-600 hover:bg-navy-100 border border-navy-200'
            }`}
        >
          {category.icon}
          <span>{language === 'en' ? category.title : category.titleEs}</span>
        </button>
      ))}
    </div>
  </div>
</section>

<section className="py-16">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    {activeResources && (
      <div className="grid gap-6">
        <div className="flex flex-wrap items-center justify-between gap-4">
          <h2 className={`text-2xl font-bold ${activeResources.color} flex items-center gap-3`} >
            {activeResources.icon}
            {language === 'en' ? activeResources.title : activeResources.titleEs} {language === 'en' ? 'Resources' :
'Recursos'}
          </h2>
          {selectedState !== 'ALL' && (
            <span className="inline-flex items-center gap-2 bg-navy-50 text-navy-700 px-3 py-1.5 rounded-full text-sm
font-medium border border-navy-200">
              <MapPin className="w-4 h-4" />

```



```

=== 'en' ? 'National' : 'Nacional'})
    </span>
  })
</div>

{activeCategory === 'domestic-violence' && (
  <div className="bg-amber-50 border border-amber-200 rounded-xl p-4 flex items-start gap-3">
    <Shield className="w-5 h-5 text-amber-600 mt-0.5 shrink-0" />
    <div className="text-sm text-amber-800">
      <span className="font-bold">
        {language === 'en' ? 'Browsing Safety: ' : 'Seguridad de Navegacion: '}
      </span>
      {language === 'en'
        ? 'If you are concerned someone may be monitoring your device, consider using a private/incognito browser window and clearing your history after visiting this page. The "Quick Exit" button at the top right will immediately leave this site.'
        : 'Si le preocupa que alguien pueda estar monitoreando su dispositivo, considere usar una ventana de navegacion privada/incognito y borrar su historial despues de visitar esta página. El boton "Salida Rapida" en la parte superior derecha saldra inmediatamente de este sitio.'}
      </div>
    </div>
  )}

{filteredResources.length === 0 ? (
  <div className="bg-navy-50 border border-navy-200 rounded-2xl p-8 text-center">
    <p className="text-navy-600">
      {language === 'en'
        ? 'No state-specific resources available for this category. Showing national resources only.'
        : 'No hay recursos especificos para este estado en esta categoria. Mostrando solo recursos nacionales.'}
    </p>
    </div>
  ) : (
    <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-6">
      {filteredResources.map((resource, index) => (
        <div
          key={index}
          className={` ${activeResources.bgColor} border border-navy-200 rounded-2xl p-6 hover:shadow-lg transition-shadow relative`}
        >
          {resource.isNational && (
            <span className="absolute top-3 right-3 bg-teal-600 text-white text-xs font-bold px-2 py-0.5 rounded-full">
              {language === 'en' ? 'National' : 'Nacional'}
            </span>
          )}
          {resource.states && !resource.isNational && (
            <span className="absolute top-3 right-3 bg-teal-600 text-white text-xs font-bold px-2 py-0.5 rounded-full">
              {resource.states.join(', ')}
            </span>
          )}
          <h3 className="font-bold text-navy-900 text-lg mb-2 pr-16">
            {language === 'es' && resource.nameEs ? resource.nameEs : resource.name}
          </h3>
          {resource.phone ? (
            <a
              href={resource.phone.startsWith('Text')
                ? `sms:${resource.phone.replace(/^[^0-9]/g, '')}${resource.phone.includes('HOME') ? '?body=HOME' : ''}`
                : `tel:${resource.phone.replace(/^[^0-9]/g, '')}`}
              className={`text-xl font-bold ${activeResources.color} hover:underline flex items-center gap-2 mb-3`}
            >
              {resource.phone.startsWith('Text') ? <Smartphone className="w-5 h-5" /> : <Phone className="w-5 h-5" />}
              {resource.phone}
            </a>
          ) : (
            <div className="mb-3" />
          )}
          <p className="text-navy-600 text-sm mb-3">
            {language === 'es' && resource.descriptionEs ? resource.descriptionEs : resource.description}
          </p>
          <div className="flex items-center justify-between text-sm">
            <span className="flex items-center gap-1 text-navy-500">
              <Clock className="w-4 h-4" />
              {resource.available}
            </span>
            {resource.website && (
              <a
                href={resource.website}
                target="_blank"
                rel="noopener noreferrer"
                className={` ${activeResources.color} hover:underline flex items-center gap-1`}
              >
                {language === 'en' ? 'Website' : 'Sitio Web'} <ExternalLink className="w-3 h-3" />
              </a>
            )}
          </div>
        </div>
      )})
    </div>
  )}
</div>
</section>

<section className="py-16 bg-orange-50 border-y border-orange-200">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

```

```

<div className="text-center mb-12">
  <h2 className="text-3xl font-bold text-navy-900 mb-4">
    {language === 'en' ? 'General Eviction Timeline' : 'Cronograma General de Desalojo'}
  </h2>
  <p className="text-navy-600 max-w-2xl mx-auto">
    {language === 'en'
      ? 'Know your rights and deadlines. Acting quickly can help protect your housing. Timelines vary by state - use our
AI assistant for state-specific guidance.'
      : 'Conozca sus derechos y plazos. Actuar rapidamente puede ayudar a proteger su vivienda. Los plazos varian segun el
estado - use nuestro asistente de IA para orientación especifica.'}
  </p>
  <div className="mt-4 inline-flex items-center gap-2 bg-amber-100 text-amber-800 px-4 py-2 rounded-full text-sm
font-medium border border-amber-200">
    <AlertTriangle className="w-4 h-4" />
    {language === 'en' ? 'Timelines shown are general guidelines - your state may differ' : 'Los plazos mostrados son
pautas generales - su estado puede variar'}
  </div>
</div>

<div className="relative">
  <div className="hidden md:block absolute top-1/2 left-0 right-0 h-1 bg-orange-300 -translate-y-1/2" />
  <div className="grid md:grid-cols-5 gap-4">
    {evictionTimeline[language].map((step, index) => {
      <div key={index} className="relative bg-white rounded-xl p-5 border border-orange-200 shadow-sm">
        <div className="hidden md:block absolute -top-3 left-1/2 -translate-x-1/2 w-6 h-6 bg-orange-500 rounded-full
border-4 border-white" />
        <div className="text-orange-600 font-bold text-sm mb-1">{step.day}</div>
        <h3 className="font-bold text-navy-900 mb-2">{step.title}</h3>
        <p className="text-navy-600 text-sm">{step.description}</p>
      </div>
    })}
  </div>
</div>

<div className="mt-10 text-center">
  <Link
    to="/pro-bono"
    className="inline-flex items-center gap-2 bg-orange-500 hover:bg-orange-600 text-white px-6 py-3 rounded-lg font-bold
transition-colors"
  >
    <Scale className="w-5 h-5" />
    {language === 'en' ? 'Check If You Qualify for Free Legal Help' : 'Verifique Si Califica para Ayuda Legal Gratuita'}
    <ChevronRight className="w-4 h-4" />
  </Link>
</div>
</div>
</section>

<section className="py-16">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="grid md:grid-cols-3 gap-8">
      <Link
        to="/ask"
        className="bg-navy-50 hover:bg-navy-100 border border-navy-200 rounded-2xl p-8 text-center transition-colors group"
      >
        <div className="w-16 h-16 bg-teal-100 rounded-2xl flex items-center justify-center mx-auto mb-4 group-hover:scale-110
transition-transform">
          <MessageSquare className="w-8 h-8 text-teal-600" />
        </div>
        <h3 className="font-bold text-navy-900 text-xl mb-2">
          {language === 'en' ? 'Ask My Question Free' : 'Hacer Mi Pregunta Gratis'}
        </h3>
        <p className="text-navy-600">
          {language === 'en' ? 'Get instant answers to your legal questions 24/7.' : 'Obtenga respuestas instantaneas a sus
preguntas legales 24/7.'}
        </p>
      </Link>

      <Link
        to="/dashboard/documents"
        className="bg-navy-50 hover:bg-navy-100 border border-navy-200 rounded-2xl p-8 text-center transition-colors group"
      >
        <div className="w-16 h-16 bg-teal-100 rounded-2xl flex items-center justify-center mx-auto mb-4 group-hover:scale-110
transition-transform">
          <FileText className="w-8 h-8 text-teal-600" />
        </div>
        <h3 className="font-bold text-navy-900 text-xl mb-2">
          {language === 'en' ? 'Legal Documents' : 'Documentos Legales'}
        </h3>
        <p className="text-navy-600">
          {language === 'en' ? 'Generate legal documents for free, instantly.' : 'Genere documentos legales gratis, al
instante.'}
        </p>
      </Link>

      <Link
        to="/find-attorney"
        className="bg-navy-50 hover:bg-navy-100 border border-navy-200 rounded-2xl p-8 text-center transition-colors group"
      >
        <div className="w-16 h-16 bg-orange-100 rounded-2xl flex items-center justify-center mx-auto mb-4
group-hover:scale-110 transition-transform">
          <Users className="w-8 h-8 text-orange-600" />
        </div>
        <h3 className="font-bold text-navy-900 text-xl mb-2">
          {language === 'en' ? 'Find an Attorney' : 'Encontrar un Abogado'}
        </h3>
      </Link>
    </div>
  </div>
</section>

```

```
        <p className="text-navy-600">
          {language === 'en' ? 'Connect with vetted attorneys in your area.' : 'Conecte con abogados verificados en su area.'}
        </p>
      </Link>
    </div>
  </div>
</section>

<RelatedLinks />
<Footer />
</div>
);
}
```

[13/58] Enterprise Security

Route: /enterprise-security | File: src/pages/EnterpriseSecurity.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import {
  Shield, Lock, Server, Database, FileText, CheckCircle, Key,
  Users, Eye, GitBranch, Activity, Clock, AlertTriangle,
  Zap, FileCheck, Download, ArrowRight,
  Layers, Code, Search, BookOpen, Scale, Brain, ShieldCheck, Calendar
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

const certifications = [
  {
    name: 'SOC 2 Type II Infrastructure',
    status: 'Via Supabase',
    description: 'Our database and infrastructure provider (Supabase) maintains SOC 2 Type II certification for security, availability, and confidentiality controls',
    lastAudit: 'Supabase audit current',
    icon: <ShieldCheck className="w-6 h-6" />
  },
  {
    name: 'CCPA Compliant',
    status: 'Compliant',
    description: 'We honor California Consumer Privacy Act data access and deletion requests',
    lastAudit: 'Ongoing',
    icon: <FileCheck className="w-6 h-6" />
  },
  {
    name: 'Encryption Standards',
    status: 'Active',
    description: 'TLS 1.3 in transit and AES-256 at rest via our cloud infrastructure provider',
    lastAudit: 'Continuous',
    icon: <Lock className="w-6 h-6" />
  },
  {
    name: 'Zero AI Training',
    status: 'Guaranteed',
    description: 'Your data is never used to train AI models per our provider agreements',
    lastAudit: 'Contractual',
    icon: <Shield className="w-6 h-6" />
  }
];

const architectureFeatures = [
  {
    title: 'Row-Level Security Isolation',
    description: 'Each client matter is logically isolated using PostgreSQL Row Level Security (RLS). Cross-matter data access is prevented at the database query level.',
    technical: 'Supabase RLS policies with user and matter-level access controls, AES-256 encryption at rest',
    icon: <Database className="w-6 h-6" />
  },
  {
    title: 'Managed Cloud Infrastructure',
    description: 'Built on Supabase, a SOC 2 Type II certified managed PostgreSQL platform with automated backups, monitoring, and high availability.',
    technical: 'Supabase managed PostgreSQL, automated daily backups, point-in-time recovery',
    icon: <Server className="w-6 h-6" />
  },
  {
    title: 'Encryption at Rest & In Transit',
    description: 'All data is encrypted using industry-standard protocols provided by our infrastructure layer.',
    technical: 'TLS 1.3 for data in transit, AES-256 for data at rest via Supabase/AWS infrastructure',
    icon: <Key className="w-6 h-6" />
  },
  {
    title: 'Activity Audit Logs',
    description: 'User actions, data access, and AI interactions are logged in structured audit tables for accountability and review.',
    technical: 'Database-backed audit log tables with timestamps, user attribution, and action tracking',
    icon: <Activity className="w-6 h-6" />
  }
];

const conflictFeatures = [
  {
    title: 'Conflict Detection',
    description: 'Automated screening against existing matters and parties before any case is opened to prevent conflicts of interest.',
    integration: 'Built-in conflict checking via database queries'
  },
  {
    title: 'Multi-Dimensional Screening',
    description: 'Checks parties, related entities, and adverse parties across active and closed matters within the platform.',
    integration: 'Configurable screening rules per practice area'
  },
  {
    title: 'Access Control Management',
    description: 'Role-based access controls with matter-level permissions to restrict data access to authorized personnel.',
    integration: 'Supabase RLS policies and role-based permissions'
  }
];
```

```

    }
  ];

  const ragPipeline = [
    {
      step: 1,
      title: 'Legal Database Ingestion',
      description: 'Ethically curated legal knowledge base with jurisdiction-specific content',
      details: 'Arizona-optimized legal corpus including statutes, regulations, and legal aid resources managed by the LegalBreeze backend'
    },
    {
      step: 2,
      title: 'FAISS Vector Indexing',
      description: 'Documents chunked and embedded via the LegalBreeze RAG pipeline',
      details: 'Legal-domain embeddings with jurisdiction-specific indexing for efficient retrieval'
    },
    {
      step: 3,
      title: 'Jurisdiction-Aware Retrieval',
      description: 'User jurisdiction filters retrieval to relevant state/federal sources',
      details: 'Multi-index architecture with jurisdiction-specific indices and citation graphs'
    },
    {
      step: 4,
      title: 'Grounded Response Generation',
      description: 'Multi-tier LLM generates response anchored to retrieved sources with explicit citations',
      details: 'GPT-4 Turbo and reasoning models with hallucination detection, confidence scoring, and source verification'
    }
  ];

  const whiteLabelFeatures = [
    { feature: 'Custom Branding', description: 'Logo, colors, fonts, and subdomain' },
    { feature: 'Authentication', description: 'Email/password auth with MFA support via Supabase Auth' },
    { feature: 'Custom Workflows', description: 'Configurable intake forms and routing' },
    { feature: 'Supabase Edge Functions', description: 'Serverless API endpoints for custom logic' },
    { feature: 'Role-Based Access', description: 'Granular permissions via Row Level Security' },
    { feature: 'Analytics Dashboard', description: 'White-label reporting and metrics' }
  ];

  export default function EnterpriseSecurity() {
    const [activeTab, setActiveTab] = useState<'security' | 'architecture' | 'compliance'>('security');

    return (
      <div className="min-h-screen bg-white">
        <Navigation />

        <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-teal-900 text-white pt-32 pb-20">
          <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
            <div className="max-w-3xl">
              <div className="inline-flex items-center gap-2 bg-teal-500/20 border border-teal-400/40 px-4 py-2 rounded-full mb-6">
                <Shield className="w-4 h-4 text-teal-400" />
                <span className="text-teal-100 text-sm font-semibold">Enterprise Security</span>
              </div>

              <h1 className="text-4xl lg:text-5xl font-bold mb-6">
                Security & Compliance for Legal Professionals
              </h1>
              <p className="text-xl text-navy-300 mb-8">
                We run on Supabase, a SOC 2 Type II certified host. Your client data is kept in its own space, so legal aid and legal service teams can work without mixing files.
              </p>

              <div className="flex flex-wrap gap-4">
                <Link
                  to="/schedule-demo"
                  className="bg-teal-600 hover:bg-teal-700 text-white px-6 py-3 rounded-lg font-semibold transition-colors flex items-center gap-2">
                  <Calendar className="w-5 h-5" />
                  Schedule Security Review
                </Link>
                <a
                  href="#certifications"
                  className="bg-white/10 hover:bg-white/20 text-white px-6 py-3 rounded-lg font-semibold transition-colors border border-white/30 flex items-center gap-2">
                  <Download className="w-5 h-5" />
                  View Security Details
                </a>
              </div>
            </div>
          </section>

          <section className="py-4 bg-navy-100 border-b border-navy-200 sticky top-16 z-40">
            <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
              <div className="flex gap-2 overflow-x-auto">
                <button
                  onClick={() => setActiveTab('security')}
                  className={`px-4 py-2 rounded-lg font-medium whitespace-nowrap transition-colors ${
                    activeTab === 'security'
                      ? 'bg-teal-600 text-white'
                      : 'bg-white text-navy-600 hover:bg-navy-50 border border-navy-200'
                  }`>
                </button>
              </div>
            </div>
          </section>
        </div>
      );
    }
  }

```

```

        Security Infrastructure
    </button>
    <button
        onClick={() => setActiveTab('architecture')}
        className={`px-4 py-2 rounded-lg font-medium whitespace-nowrap transition-colors ${
            activeTab === 'architecture'
                ? 'bg-teal-600 text-white'
                : 'bg-white text-navy-600 hover:bg-navy-50 border border-navy-200'
        }`}
    >
        Technical Architecture
    </button>
    <button
        onClick={() => setActiveTab('compliance')}
        className={`px-4 py-2 rounded-lg font-medium whitespace-nowrap transition-colors ${
            activeTab === 'compliance'
                ? 'bg-teal-600 text-white'
                : 'bg-white text-navy-600 hover:bg-navy-50 border border-navy-200'
        }`}
    >
        Compliance & Certifications
    </button>
</div>
</div>
</section>

{activeTab === 'security' && (
    <>
        <section id="certifications" className="py-16">
            <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
                <div className="text-center mb-12">
                    <h2 className="text-3xl font-bold text-navy-900 mb-4">Certifications & Compliance</h2>
                    <p className="text-lg text-navy-600 max-w-2xl mx-auto">
                        Independent third-party validation of our security controls and data protection practices.
                    </p>
                </div>

                <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-6">
                    {certifications.map((cert, index) => (
                        <div key={index} className="bg-white rounded-xl p-6 border border-navy-200 shadow-sm hover:shadow-md transition-shadow">
                            <div className={`w-12 h-12 rounded-xl flex items-center justify-center mb-4 ${
                                cert.status === 'Compliant' ? 'bg-green-100 text-green-600' :
                                cert.status === 'In Progress' ? 'bg-amber-100 text-amber-600' :
                                'bg-teal-100 text-teal-600'
                            }`}>
                                {cert.icon}
                            </div>
                            <h3 className="font-bold text-navy-900 mb-1">{cert.name}</h3>
                            <span className={`inline-block px-2 py-0.5 rounded text-xs font-semibold mb-3 ${
                                cert.status === 'Compliant' ? 'bg-green-100 text-green-700' :
                                cert.status === 'In Progress' ? 'bg-amber-100 text-amber-700' :
                                'bg-teal-100 text-teal-700'
                            }`}>
                                {cert.status}
                            </span>
                            <p className="text-sm text-navy-600 mb-3">{cert.description}</p>
                            <p className="text-xs text-navy-500">
                                <span className="font-medium">Last verified:</span> {cert.lastAudit}
                            </p>
                        </div>
                    ))}
                </div>
            </div>
        </section>

        <section className="py-16 bg-navy-50">
            <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
                <div className="text-center mb-12">
                    <h2 className="text-3xl font-bold text-navy-900 mb-4">Data Security Architecture</h2>
                    <p className="text-lg text-navy-600 max-w-2xl mx-auto">
                        Multi-layered security designed for attorney-client confidentiality requirements.
                    </p>
                </div>

                <div className="grid md:grid-cols-2 gap-8">
                    {architectureFeatures.map((feature, index) => (
                        <div key={index} className="bg-white rounded-xl p-6 border border-navy-200">
                            <div className="flex items-start gap-4">
                                <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center flex-shrink-0 text-teal-600">
                                    {feature.icon}
                                </div>
                                <div>
                                    <h3 className="font-bold text-navy-900 mb-2">{feature.title}</h3>
                                    <p className="text-navy-600 mb-3">{feature.description}</p>
                                    <div className="bg-navy-50 rounded-lg p-3 border border-navy-200">
                                        <p className="text-xs text-navy-500 font-mono">{feature.technical}</p>
                                    </div>
                                </div>
                            </div>
                        </div>
                    ))}
                </div>
            </div>
        </section>
    </>
)

```

```

<section className="py-16">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">Conflict Checking System</h2>
      <p className="text-lg text-navy-600 max-w-2xl mx-auto">
        Automated conflict detection integrated with your existing systems.
      </p>
    </div>

    <div className="grid lg:grid-cols-3 gap-6">
      {conflictFeatures.map((feature, index) => (
        <div key={index} className="bg-white rounded-xl p-6 border border-navy-200">
          <div className="w-10 h-10 bg-orange-100 rounded-lg flex items-center justify-center mb-4">
            <AlertTriangle className="w-5 h-5 text-orange-600" />
          </div>
          <h3 className="font-bold text-navy-900 mb-2">{feature.title}</h3>
          <p className="text-navy-600 text-sm mb-4">{feature.description}</p>
          <div className="pt-3 border-t border-navy-100">
            <p className="text-xs text-teal-600 font-medium">{feature.integration}</p>
          </div>
        </div>
      ))}
    </div>

    <div className="mt-8 bg-teal-50 rounded-xl p-6 border border-teal-200">
      <div className="flex items-start gap-4">
        <Scale className="w-8 h-8 text-teal-600 flex-shrink-0" />
        <div>
          <h3 className="font-bold text-navy-900 mb-2">Ethical Compliance Built-In</h3>
          <p className="text-navy-600">
            Our conflict checking system is designed to support compliance with ABA Model Rules 1.7, 1.9, and 1.10.
            Configurable rules allow customization for state-specific ethics requirements.
          </p>
        </div>
      </div>
    </div>
  </section>
</>
)}

{activeTab === 'architecture' && (
  <>
    <section className="py-16">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
          <h2 className="text-3xl font-bold text-navy-900 mb-4">RAG Pipeline Architecture</h2>
          <p className="text-lg text-navy-600 max-w-2xl mx-auto">
            How we ground AI responses in authoritative legal sources for jurisdiction-specific accuracy.
          </p>
        </div>

        <div className="relative">
          <div className="hidden lg:block absolute left-1/2 top-0 bottom-0 w-px bg-teal-200" />

          <div className="space-y-8">
            {ragPipeline.map((step, index) => (
              <div key={index} className={`flex items-center gap-8 ${index % 2 === 0 ? 'lg:flex-row' : 'lg:flex-row-reverse'}>
                <div className={`flex-1 ${index % 2 === 0 ? 'lg:text-right' : 'lg:text-left'}>
                  <div className={`bg-white rounded-xl p-6 border border-navy-200 inline-block ${index % 2 === 0 ? 'lg:ml-auto' : 'lg:mr-auto'}>
                    <span className="inline-block w-8 h-8 bg-teal-600 text-white rounded-full text-sm font-bold flex items-center justify-center mb-3">
                      {step.step}
                    </span>
                    <h3 className="font-bold text-navy-900 mb-2">{step.title}</h3>
                    <p className="text-navy-600 mb-3">{step.description}</p>
                    <p className="text-xs text-navy-500 bg-navy-50 p-2 rounded">{step.details}</p>
                  </div>
                </div>
                <div className="hidden lg:flex w-12 h-12 bg-teal-100 rounded-full items-center justify-center flex-shrink-0 z-10 border-4 border-white">
                  {index === 0 && <Database className="w-5 h-5 text-teal-600" />}
                  {index === 1 && <Layers className="w-5 h-5 text-teal-600" />}
                  {index === 2 && <Search className="w-5 h-5 text-teal-600" />}
                  {index === 3 && <Brain className="w-5 h-5 text-teal-600" />}
                </div>
              </div>
            ))}
          </div>
        </div>
      </section>

      <section className="py-16 bg-navy-50">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="text-center mb-12">
            <h2 className="text-3xl font-bold text-navy-900 mb-4">White-Label Capabilities</h2>
            <p className="text-lg text-navy-600 max-w-2xl mx-auto">
              Deploy under your brand with complete customization and control.
            </p>
          </div>
        </div>
      </section>
    </>
  )}

```

```

<div className="grid md:grid-cols-2 lg:grid-cols-3 gap-4">
  {whiteLabelFeatures.map((item, index) => (
    <div key={index} className="bg-white rounded-xl p-5 border border-navy-200 flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
      <div>
        <h3 className="font-semibold text-navy-900">{item.feature}</h3>
        <p className="text-sm text-navy-600">{item.description}</p>
      </div>
    </div>
  ))}
</div>

<div className="mt-12 bg-white rounded-xl p-8 border border-navy-200">
  <div className="grid lg:grid-cols-2 gap-8 items-center">
    <div>
      <h3 className="text-2xl font-bold text-navy-900 mb-4">Authentication & Access Control</h3>
      <p className="text-navy-600 mb-6">
        Secure authentication powered by Supabase Auth with role-based access controls.
      </p>
      <ul className="space-y-3">
        <li className="flex items-center gap-2 text-sm text-navy-600">
          <CheckCircle className="w-4 h-4 text-green-600" />
          Email/password authentication with secure session management
        </li>
        <li className="flex items-center gap-2 text-sm text-navy-600">
          <CheckCircle className="w-4 h-4 text-green-600" />
          Multi-factor authentication (MFA) support
        </li>
        <li className="flex items-center gap-2 text-sm text-navy-600">
          <CheckCircle className="w-4 h-4 text-green-600" />
          Row Level Security for data access control
        </li>
        <li className="flex items-center gap-2 text-sm text-navy-600">
          <CheckCircle className="w-4 h-4 text-green-600" />
          Role-based permissions (admin, staff, user)
        </li>
      </ul>
    </div>
    <div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
      <div className="flex items-center gap-3 mb-4">
        <Code className="w-5 h-5 text-teal-600" />
        <span className="font-mono text-sm text-navy-600">Supabase Auth</span>
      </div>
      <pre className="bg-navy-900 text-green-400 p-4 rounded-lg text-xs overflow-x-auto">
{`// Secure authentication via Supabase
const { data, error } = await supabase
  .auth.signInWithPassword({
    email: 'user@yourorg.com',
    password: '...'
  });

// Row Level Security enforced
// automatically on all queries
const { data: matters } = await supabase
  .from('matters')
  .select('*');
// Only returns user's authorized data`}
      </pre>
    </div>
  </div>
</div>

<section className="py-16">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">API Documentation</h2>
      <p className="text-lg text-navy-600 max-w-2xl mx-auto">
        Full REST API access for custom integrations with your practice management systems.
      </p>
    </div>
    <div className="grid md:grid-cols-3 gap-6">
      <div className="bg-white rounded-xl p-6 border border-navy-200">
        <GitBranch className="w-8 h-8 text-teal-600 mb-4" />
        <h3 className="font-bold text-navy-900 mb-2">Supabase Edge Functions</h3>
        <p className="text-navy-600 text-sm mb-4">
          Serverless API endpoints for custom business logic, AI processing, and data operations.
        </p>
        <span className="text-teal-600 text-sm font-semibold flex items-center gap-1">
          Deno-powered serverless functions
        </span>
      </div>
      <div className="bg-white rounded-xl p-6 border border-navy-200">
        <Zap className="w-8 h-8 text-teal-600 mb-4" />
        <h3 className="font-bold text-navy-900 mb-2">Data Export & Import</h3>
        <p className="text-navy-600 text-sm mb-4">
          Export your data in JSON or CSV format. Import client data from external systems via structured formats.
        </p>
        <span className="text-teal-600 text-sm font-semibold flex items-center gap-1">
          JSON, CSV export supported
        </span>
      </div>
    </div>
  </div>

```



```

<div className="bg-white rounded-xl p-6 border border-navy-200">
  <BookOpen className="w-8 h-8 text-teal-600 mb-4" />
  <h3 className="font-bold text-navy-900 mb-2">Supabase Database API</h3>
  <p className="text-navy-600 text-sm mb-4">
    Auto-generated RESTful API from your database schema with built-in authentication and RLS.
  </p>
  <span className="text-teal-600 text-sm font-semibold flex items-center gap-1">
    Auto-generated from schema
  </span>
</div>
</div>
</div>
</section>
</>
})
{activeTab === 'compliance' && (
  <>
    <section className="py-16">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
          <h2 className="text-3xl font-bold text-navy-900 mb-4">Data Sovereignty & Control</h2>
          <p className="text-lg text-navy-600 max-w-2xl mx-auto">
            Complete ownership and control over your organization's data.
          </p>
        </div>
        <div className="grid md:grid-cols-2 gap-8">
          <div className="bg-white rounded-xl p-8 border border-navy-200">
            <div className="w-12 h-12 bg-green-100 rounded-xl flex items-center justify-center mb-6">
              <Lock className="w-6 h-6 text-green-600" />
            </div>
            <h3 className="text-xl font-bold text-navy-900 mb-4">Your Data Stays Yours</h3>
            <ul className="space-y-4">
              <li className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
                <div>
                  <span className="font-semibold text-navy-900">Never Used for AI Training</span>
                  <p className="text-sm text-navy-600">Client data is never used to train or improve AI models per our
provider agreements</p>
                </div>
              </li>
              <li className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
                <div>
                  <span className="font-semibold text-navy-900">Complete Data Portability</span>
                  <p className="text-sm text-navy-600">Export all data in JSON or CSV format at any time</p>
                </div>
              </li>
              <li className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
                <div>
                  <span className="font-semibold text-navy-900">Right to Deletion</span>
                  <p className="text-sm text-navy-600">Request complete deletion of your data through our data deletion
process</p>
                </div>
              </li>
              <li className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
                <div>
                  <span className="font-semibold text-navy-900">US-Based Infrastructure</span>
                  <p className="text-sm text-navy-600">Data hosted in the United States via Supabase cloud infrastructure</p>
                </div>
              </li>
            </ul>
          </div>
          <div>
            <div className="bg-white rounded-xl p-8 border border-navy-200">
              <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center mb-6">
                <Activity className="w-6 h-6 text-teal-600" />
              </div>
              <h3 className="text-xl font-bold text-navy-900 mb-4">Audit & Compliance Tools</h3>
              <ul className="space-y-4">
                <li className="flex items-start gap-3">
                  <CheckCircle className="w-5 h-5 text-teal-600 flex-shrink-0 mt-0.5" />
                  <div>
                    <span className="font-semibold text-navy-900">Activity Audit Trail</span>
                    <p className="text-sm text-navy-600">Actions logged in database audit tables with timestamps and user
attribution</p>
                  </div>
                </li>
                <li className="flex items-start gap-3">
                  <CheckCircle className="w-5 h-5 text-teal-600 flex-shrink-0 mt-0.5" />
                  <div>
                    <span className="font-semibold text-navy-900">Outcome Tracking</span>
                    <p className="text-sm text-navy-600">Track case outcomes for grant reporting and impact measurement</p>
                  </div>
                </li>
                <li className="flex items-start gap-3">
                  <CheckCircle className="w-5 h-5 text-teal-600 flex-shrink-0 mt-0.5" />
                  <div>
                    <span className="font-semibold text-navy-900">Compliance Reports</span>
                    <p className="text-sm text-navy-600">Generate compliance reports for regulators and funders</p>
                  </div>
                </li>
              </ul>
            </div>
          </div>
        </div>
      </div>
    </section>
  </>
)
}

```

```

        <CheckCircle className="w-5 h-5 text-teal-600 flex-shrink-0 mt-0.5" />
      <div>
        <span className="font-semibold text-navy-900">Configurable Retention</span>
        <p className="text-sm text-navy-600">Data retention policies configurable through account settings</p>
      </div>
    </li>
  </ul>
</div>
</div>
</div>
</section>

<section className="py-16 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">Security Documentation</h2>
      <p className="text-lg text-navy-600 max-w-2xl mx-auto">
        Request detailed security documentation for your due diligence process.
      </p>
    </div>

    <div className="grid md:grid-cols-3 gap-6">
      <div className="bg-white rounded-xl p-6 border border-navy-200 hover:shadow-md transition-shadow">
        <FileText className="w-8 h-8 text-teal-600 mb-4" />
        <h3 className="font-bold text-navy-900 mb-2">Infrastructure Security</h3>
        <p className="text-navy-600 text-sm mb-4">
          Our infrastructure provider (Supabase) maintains SOC 2 Type II certification. Details available upon request for
          qualifying organizations.
        </p>
        <button className="text-teal-600 hover:text-teal-700 text-sm font-semibold flex items-center gap-1">
          Contact Us <ArrowRight className="w-3 h-3" />
        </button>
      </div>

      <div className="bg-white rounded-xl p-6 border border-navy-200 hover:shadow-md transition-shadow">
        <Shield className="w-8 h-8 text-teal-600 mb-4" />
        <h3 className="font-bold text-navy-900 mb-2">Security Overview</h3>
        <p className="text-navy-600 text-sm mb-4">
          Overview of our security architecture, data handling practices, and privacy controls.
        </p>
        <button className="text-teal-600 hover:text-teal-700 text-sm font-semibold flex items-center gap-1">
          Request Info <ArrowRight className="w-3 h-3" />
        </button>
      </div>

      <div className="bg-white rounded-xl p-6 border border-navy-200 hover:shadow-md transition-shadow">
        <Eye className="w-8 h-8 text-teal-600 mb-4" />
        <h3 className="font-bold text-navy-900 mb-2">Privacy & Data Practices</h3>
        <p className="text-navy-600 text-sm mb-4">
          Documentation of our data collection, processing, retention, and deletion practices.
        </p>
        <button className="text-teal-600 hover:text-teal-700 text-sm font-semibold flex items-center gap-1">
          View Privacy Policy <ArrowRight className="w-3 h-3" />
        </button>
      </div>
    </div>
  </div>
</div>
</section>

<section className="py-16">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="bg-teal-50 rounded-2xl p-8 lg:p-12 border border-teal-200">
      <div className="grid lg:grid-cols-2 gap-8 items-center">
        <div>
          <h2 className="text-2xl lg:text-3xl font-bold text-navy-900 mb-4">
            Ready for a Security Deep Dive?
          </h2>
          <p className="text-navy-600 mb-6">
            Schedule a call with our security team to discuss your specific requirements,
            review our architecture, and answer technical questions.
          </p>
          <ul className="space-y-2 mb-6">
            <li className="flex items-center gap-2 text-sm text-navy-600">
              <CheckCircle className="w-4 h-4 text-teal-600" />
              Live architecture walkthrough
            </li>
            <li className="flex items-center gap-2 text-sm text-navy-600">
              <CheckCircle className="w-4 h-4 text-teal-600" />
              Custom security questionnaire review
            </li>
            <li className="flex items-center gap-2 text-sm text-navy-600">
              <CheckCircle className="w-4 h-4 text-teal-600" />
              Integration planning session
            </li>
          </ul>
          <Link>
            to="/schedule-demo"
            className="inline-flex items-center gap-2 bg-teal-600 hover:bg-teal-700 text-white px-6 py-3 rounded-lg
font-semibold transition-colors"
          >
            <Calendar className="w-5 h-5" />
            Schedule Security Review
          </Link>
        </div>
        <div className="hidden lg:block">
          <div className="bg-white rounded-xl p-6 border border-navy-200 shadow-lg">

```

```

    <div className="flex items-center gap-3 mb-4">
      <div className="w-10 h-10 bg-teal-100 rounded-full flex items-center justify-center">
        <Users className="w-5 h-5 text-teal-600" />
      </div>
      <div>
        <p className="font-semibold text-navy-900">Security Review Call</p>
        <p className="text-sm text-navy-500">45 minutes with our security team</p>
      </div>
    </div>
    <div className="space-y-3 text-sm">
      <div className="flex items-center gap-2 text-navy-600">
        <Clock className="w-4 h-4" />
        Architecture overview (15 min)
      </div>
      <div className="flex items-center gap-2 text-navy-600">
        <Clock className="w-4 h-4" />
        Q&A with security engineer (20 min)
      </div>
      <div className="flex items-center gap-2 text-navy-600">
        <Clock className="w-4 h-4" />
        Next steps & documentation (10 min)
      </div>
    </div>
  </div>
</div>
</div>
</div>
</div>
</section>
</>
})
<Footer />
</div>
);
}

```

[14/58] Espanol Landing

Route: /espanol | File: src/pages/EspanolLanding.tsx

```
import { useState, useEffect } from 'react';
import { Link } from 'react-router-dom';
import {
  Shield,
  MessageCircle,
  AlertTriangle,
  Phone,
  CheckCircle,
  Clock,
  Scale,
  Home,
  Briefcase,
  Car,
  Baby,
  Globe,
  ArrowRight,
  Lock,
  ChevronDown,
  ChevronUp
} from 'lucide-react';
import { useLanguage } from '../contexts/LanguageContext';
import WhatsAppChat from '../components/espanol/WhatsAppChat';
import WhatsAppOptIn from '../components/WhatsAppOptIn';
import NotarioFraudChecker from '../components/espanol/NotarioFraudChecker';
import ImmigrationStatusChecker from '../components/espanol/ImmigrationStatusChecker';
import KnowYourRightsSection from '../components/espanol/KnowYourRightsSection';
import ShareButton from '../components/ShareButton';
import Navigation from '../components/Navigation';
import { AccessibleGallery } from '../components/inclusive';
import SmartImage from '../components/SmartImage';
import { SpanishLanguageAccessNotice, AIGovernanceNotice, ScopeBoundaryCard, HumanEscalationCard, DataUseAndPrivacyCard } from
'../components/trust';

const COMMUNITY_VALUES = [
  { name: 'Confidencial', description: 'Tu información está protegida y nunca se comparte' },
  { name: 'Sin Juicio', description: 'Ayuda legal sin importar tu estatus migratorio' },
  { name: 'En Español', description: 'Servicio completo en tu idioma' },
  { name: 'Accesible', description: 'Preguntas ilimitadas gratis, sin tarjeta de crédito' }
];

const USE_CASES = [
  {
    title: 'Derechos Laborales',
    description: 'Si tu patrón no te paga lo justo, te ayudamos a entender tus derechos y opciones legales.',
    icon: Briefcase,
    color: 'bg-amber-500'
  },
  {
    title: 'Fraude de Notario',
    description: 'Aprende a identificar fraude de notario y qué hacer si alguien te cobra por servicios legales que no puede
ofrecer.',
    icon: AlertTriangle,
    color: 'bg-rose-500'
  },
  {
    title: 'Robo de Salario',
    description: 'Si no te han pagado horas extras o el salario mínimo, te explicamos cómo presentar un reclamo paso a paso.',
    icon: Scale,
    color: 'bg-teal-500'
  }
];

const LEGAL_AREAS = [
  { icon: Globe, title: 'Inmigración', description: 'DACA, visas, ciudadanía, deportación', color: 'bg-teal-500' },
  { icon: Briefcase, title: 'Trabajo', description: 'Salarios, discriminación, despidos', color: 'bg-amber-500' },
  { icon: Home, title: 'Vivienda', description: 'Desalojos, depósitos, reparaciones', color: 'bg-emerald-500' },
  { icon: Baby, title: 'Familia', description: 'Custodia, manutención, divorcio', color: 'bg-rose-500' },
  { icon: Car, title: 'Accidentes', description: 'Autos, lesiones, compensación', color: 'bg-sky-500' },
  { icon: Scale, title: 'Criminal', description: 'Derechos, defensa, antecedentes', color: 'bg-navy-500' }
];

const FAQ_ITEMS = [
  {
    q: '¿No tengo papeles. Es seguro usar ezLegal?',
    a: 'Sí. Tu información está cifrada y protegida. NO compartimos datos con ICE, la policía, ni ninguna agencia del gobierno. Tu
privacidad es nuestra prioridad. Nota: ezLegal proporciona información legal, no representación legal, por lo que las conversaciones
no están cubiertas por el privilegio abogado-cliente.'
  },
  {
    q: '¿Cuánto cuesta?',
    a: 'Preguntas ilimitadas son GRATIS, sin tarjeta de crédito. Cuando necesites planes de acción detallados y plantillas de
documentos, ofrecemos Paquetes de Ayuda desde $29. Si calificas para ayuda legal gratuita, te conectamos sin costo.'
  },
  {
    q: '¿Hablan español de verdad?',
    a: 'Sí. Nuestra plataforma de IA está completamente disponible en español. Las respuestas están diseñadas para ser claras y
accesibles en tu idioma.'
  }
];
```

```

    q: '¿Cómo sé que no son notarios falsos?',
    a: 'ezLegal es una plataforma de información legal con IA, no un despacho de abogados. Cuando necesites representación, te
conectamos con abogados licenciados que puedes verificar directamente en el colegio de abogados de tu estado.'
  },
  {
    q: '¿Pueden ayudarme si vivo en otro estado?',
    a: 'Si. Nuestra IA puede ayudarte con información legal general. Cuando necesites un abogado, nuestro directorio te conecta con
abogados licenciados en tu estado.'
  }
];

export default function EspanolLanding() {
  const [showWhatsApp, setShowWhatsApp] = useState(false);
  const [showNotarioChecker, setShowNotarioChecker] = useState(false);
  const [showImmigrationChecker, setShowImmigrationChecker] = useState(false);
  const [expandedFaq, setExpandedFaq] = useState<number | null>(null);
  const { setLanguage } = useLanguage();

  useEffect(() => {
    setLanguage('es');
  }, [setLanguage]);

  return (
    <div lang="es" className="min-h-screen bg-gradient-to-b from-navy-900 via-navy-800 to-navy-900">
      <Navigation />
      <div className="bg-red-600 text-white py-2 px-4 text-center text-sm pt-24">
        <AlertTriangle className="inline-block w-4 h-4 mr-2" />
        <span className="font-semibold">Si ICE está en tu puerta ahora:</span>
        { ' ' }No abras. Tienes derechos.
        <a href="tel:+18003549796" className="underline font-bold ml-2">
          Llama: 1-800-354-9796 (Línea de Emergencia)
        </a>
      </div>

      <section className="relative overflow-hidden">
        <div className="absolute inset-0 bg-gradient-to-r from-teal-600/20 to-amber-600/20" />
        <div className="max-w-7xl mx-auto px-4 py-16 sm:py-24 relative">
          <div className="grid lg:grid-cols-2 gap-12 items-center">
            <div>
              <div className="inline-flex items-center gap-2 bg-white/10 backdrop-blur px-4 py-2 rounded-full text-amber-300 text-sm
mb-6">
                <Shield className="w-4 h-4" />
                Tu información está protegida. Prometido.
              </div>

              <h1 className="text-4xl sm:text-5xl lg:text-6xl font-bold text-white leading-tight mb-6">
                Ayuda Legal
                <span className="block text-transparent bg-clip-text bg-gradient-to-r from-teal-400 to-amber-400">
                  Para Nuestra Comunidad
                </span>
              </h1>

              <p className="text-xl text-navy-300 mb-8 leading-relaxed">
                Información legal con IA. En español. Sin miedo.
                <span className="block mt-2 text-navy-400">
                  No importa tu estatus migratorio.
                </span>
              </p>

              <div className="flex flex-col sm:flex-row gap-4 mb-8">
                <button
                  onClick={() => setShowWhatsApp(true)}
                  className="flex items-center justify-center gap-3 bg-green-500 hover:bg-green-600 text-white px-8 py-4 rounded-xl
font-semibold text-lg transition-all transform hover:scale-105 shadow-lg shadow-green-500/30"
                >
                  <MessageCircle className="w-6 h-6" />
                  Escribe por WhatsApp
                </button>

                <Link
                  to="/contact"
                  className="flex items-center justify-center gap-3 bg-white/10 hover:bg-white/20 text-white border border-white/30
px-8 py-4 rounded-xl font-semibold text-lg transition-all"
                >
                  <Phone className="w-6 h-6" />
                  Contáctanos
                </Link>
              </div>

              <div className="flex items-center gap-6 text-navy-400 text-sm">
                <div className="flex items-center gap-2">
                  <Lock className="w-4 h-4 text-teal-400" />
                  100% Confidencial
                </div>
                <div className="flex items-center gap-2">
                  <Clock className="w-4 h-4 text-amber-400" />
                  Disponible 24/7
                </div>
              </div>
            </div>

            <div className="relative">
              <div className="relative rounded-2xl overflow-hidden shadow-2xl">
                <SmartImage
                  src="https://images.pexels.com/photos/7876667/pexels-photo-7876667.jpeg?auto=compress&cs=tinysrgb&w=800"
                  alt="Familia hispana sonriendo en una reunion legal comunitaria en Tucson, Arizona"
                </SmartImage>
              </div>
            </div>
          </div>
        </div>
      </section>
    </div>
  );
}

```

```

        width={800}
        height={400}
        priority
        className="w-full h-[400px] object-cover"
        geoLocation="Tucson, AZ, USA"
    />
    <div className="absolute inset-0 bg-gradient-to-t from-navy-900/80 via-transparent to-transparent" />
    <div className="absolute bottom-4 left-4 right-4 text-white">
      <p className="font-semibold">Ayuda Legal en Tu Idioma</p>
      <p className="text-sm text-navy-300">Disponible 24/7 en español</p>
    </div>
  </div>
</div>
</div>
</div>
</section>

<section className="bg-navy-800/50 border-y border-navy-700">
  <div className="max-w-7xl mx-auto px-4 py-6">
    <div className="grid grid-cols-2 md:grid-cols-4 gap-6 text-center">
      <div>
        <div className="text-3xl font-bold text-teal-400">Creciendo</div>
        <div className="text-navy-400 text-sm">Comunidad activa</div>
      </div>
      <div>
        <div className="text-3xl font-bold text-amber-400">IA + Abogados</div>
        <div className="text-navy-400 text-sm">Asistencia bilingüe</div>
      </div>
      <div>
        <div className="text-3xl font-bold text-emerald-400">Arizona</div>
        <div className="text-navy-400 text-sm">Red de abogados verificados</div>
      </div>
      <div>
        <div className="text-3xl font-bold text-rose-400">$0</div>
        <div className="text-navy-400 text-sm">Preguntas ilimitadas gratis</div>
      </div>
    </div>
  </div>
</section>

<section className="py-16 bg-gradient-to-r from-red-900/30 to-orange-900/30">
  <div className="max-w-7xl mx-auto px-4">
    <div className="bg-navy-800/80 backdrop-blur rounded-2xl p-8 border border-red-500/30">
      <div className="grid md:grid-cols-2 gap-8 items-center">
        <div>
          <div className="inline-flex items-center gap-2 bg-red-500/20 text-red-400 px-4 py-2 rounded-full text-sm font-semibold mb-4">
            <AlertTriangle className="w-4 h-4" />
            ALERTA DE FRAUDE
          </div>
          <h2 className="text-3xl font-bold text-white mb-4">
            Cuidado con los Notarios Falsos
          </h2>
          <p className="text-navy-300 mb-6">
            En México, un "notario" es un abogado. En Estados Unidos, NO.  

            Miles de inmigrantes pierden dinero cada año por notarios que prometen  

            ayuda con inmigración pero no pueden hacerlo legalmente.
          </p>
          <ul className="space-y-3 text-navy-300 mb-6">
            <li className="flex items-start gap-3">
              <CheckCircle className="w-5 h-5 text-red-400 mt-0.5 flex-shrink-0" />
              Solo un ABOGADO puede dar consejos de inmigración
            </li>
            <li className="flex items-start gap-3">
              <CheckCircle className="w-5 h-5 text-red-400 mt-0.5 flex-shrink-0" />
              Un notario público solo puede certificar firmas
            </li>
            <li className="flex items-start gap-3">
              <CheckCircle className="w-5 h-5 text-red-400 mt-0.5 flex-shrink-0" />
              Si te prometen papeles rápidos, es fraude
            </li>
          </ul>
          <button
            onClick={() => setShowNotarioChecker(true)}
            className="bg-red-500 hover:bg-red-600 text-white px-6 py-3 rounded-xl font-semibold transition-colors">
            Verificar si Alguien es Legítimo
          </button>
        </div>
        <div className="relative">
          <SmartImage
            src="https://images.pexels.com/photos/8112172/pexels-photo-8112172.jpeg?auto=compress&cs=tinysrgb&w=600"
            alt="Revisando un documento legal para detectar fraude de notario"
            width={600}
            height={400}
            className="rounded-xl shadow-xl"
          />
          <div className="absolute -bottom-4 -right-4 bg-red-500 text-white p-4 rounded-xl shadow-lg">
            <div className="text-2xl font-bold">Protegete</div>
            <div className="text-sm">verifica antes de pagar</div>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>

```

```

<section className="py-20">
  <div className="max-w-7xl mx-auto px-4">
    <div className="text-center mb-12">
      <h2 className="text-3xl sm:text-4xl font-bold text-white mb-4">
        ¿En Qué Te Podemos Ayudar?
      </h2>
      <p className="text-navy-400 max-w-2xl mx-auto">
        Nuestra IA te ayuda con información legal en las areas
        que mas afectan a nuestra comunidad.
      </p>
    </div>

    <div className="grid sm:grid-cols-2 lg:grid-cols-3 gap-6">
      {LEGAL_AREAS.map((area) => (
        <button
          key={area.title}
          onClick={() => area.title === 'Inmigración' && setShowImmigrationChecker(true)}
          className="bg-navy-800/50 hover:bg-navy-800 border border-navy-700 hover:border-navy-600 rounded-xl p-6 text-left
transition-all group"
        >
          <div className={`w-12 h-12 ${area.color} rounded-xl flex items-center justify-center mb-4 group-hover:scale-110
transition-transform`}>
            <area.icon className="w-6 h-6 text-white" />
          </div>
          <h3 className="text-xl font-semibold text-white mb-2">{area.title}</h3>
          <p className="text-navy-400">{area.description}</p>
          <div className="mt-4 flex items-center gap-2 text-teal-400 text-sm font-medium">
            Consultar ahora
            <ArrowRight className="w-4 h-4 group-hover:translate-x-1 transition-transform" />
          </div>
        </button>
      )))
    </div>
  </div>
</section>

<section className="py-16 bg-gradient-to-r from-teal-900/30 to-emerald-900/30">
  <div className="max-w-7xl mx-auto px-4">
    <div className="grid md:grid-cols-2 gap-12 items-center">
      <div>
        <h2 className="text-3xl font-bold text-white mb-4">
          Revisa Tu Situación Migratoria
        </h2>
        <p className="text-navy-300 mb-6">
          Responde unas preguntas simples y te diremos qué opciones tienes.
          100% confidencial, no guardamos tu información.
        </p>
        <ul className="space-y-4 mb-8">
          <li className="flex items-center gap-3 text-navy-300">
            <div className="w-8 h-8 bg-teal-500/20 rounded-full flex items-center justify-center">
              <CheckCircle className="w-5 h-5 text-teal-400" />
            </div>
            Opciones de DACA y renovación
          </li>
          <li className="flex items-center gap-3 text-navy-300">
            <div className="w-8 h-8 bg-teal-500/20 rounded-full flex items-center justify-center">
              <CheckCircle className="w-5 h-5 text-teal-400" />
            </div>
            Visas familiares y de trabajo
          </li>
          <li className="flex items-center gap-3 text-navy-300">
            <div className="w-8 h-8 bg-teal-500/20 rounded-full flex items-center justify-center">
              <CheckCircle className="w-5 h-5 text-teal-400" />
            </div>
            Caminos a la residencia permanente
          </li>
          <li className="flex items-center gap-3 text-navy-300">
            <div className="w-8 h-8 bg-teal-500/20 rounded-full flex items-center justify-center">
              <CheckCircle className="w-5 h-5 text-teal-400" />
            </div>
            Defensa contra deportación
          </li>
        </ul>
        <button
          onClick={() => setShowImmigrationChecker(true)}
          className="bg-teal-500 hover:bg-teal-600 text-white px-8 py-4 rounded-xl font-semibold text-lg transition-colors
flex items-center gap-3"
        >
          <Globe className="w-6 h-6" />
          Comenzar Evaluación Gratis
        </button>
      </div>
      <div className="relative">
        <SmartImage
          src="https://images.pexels.com/photos/6147276/pexels-photo-6147276.jpeg?auto=compress&cs=tinysrgb&w=600"
          alt="Pasaporte y documentos de inmigración sobre un escritorio"
          width={600}
          height={400}
          className="rounded-2xl shadow-2xl"
        />
        <div className="absolute top-4 right-4 bg-white/90 backdrop-blur text-navy-900 p-4 rounded-xl shadow-lg">
          <div className="flex items-center gap-2">
            <Lock className="w-5 h-5 text-teal-600" />
            <span className="font-semibold">Privado y Seguro</span>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>

```

```

        <p className="text-sm text-navy-600 mt-1">No compartimos con ICE</p>
    </div>
</div>
</div>
</div>
</section>

<KnowYourRightsSection />

<section className="py-20 bg-navy-900/40">
    <div className="max-w-5xl mx-auto px-4">
        <div className="text-center mb-10">
            <h2 className="text-3xl sm:text-4xl font-bold text-white mb-4">
                Historias de Nuestra Comunidad
            </h2>
            <p className="text-navy-300 max-w-2xl mx-auto">
                Personas reales que usaron ezLegal para resolver problemas legales en español.
            </p>
        </div>
        <div className="bg-white rounded-2xl shadow-xl p-4 sm:p-6">
            <AccessibleGallery
                label="Historias de la comunidad"
                autoplay={false}
                items={[
                    {
                        id: 'maria',
                        title: 'Maria, Tucson',
                        content: (
                            <p className="text-navy-700 text-base leading-relaxed">
                                "ezLegal me ayudo a entender mi aviso de desalojo en 5 minutos. Supe exactamente que responder y gane tiempo
para encontrar un nuevo lugar."
                            </p>
                        ),
                    },
                    {
                        id: 'carlos',
                        title: 'Carlos, Phoenix',
                        content: (
                            <p className="text-navy-700 text-base leading-relaxed">
                                "Redacte una carta de demanda gratis. Mi arrendador me devolvio el depósito sin pelear."
                            </p>
                        ),
                    },
                    {
                        id: 'rosa',
                        title: 'Rosa, Mesa',
                        content: (
                            <p className="text-navy-700 text-base leading-relaxed">
                                "Identificamos un fraude de notario antes de que le pagara. Protegio a toda mi familia."
                            </p>
                        ),
                    },
                ]}
            </div>
        </div>
    </div>
</section>

<section className="py-20 bg-navy-800/30">
    <div className="max-w-7xl mx-auto px-4">
        <div className="text-center mb-12">
            <h2 className="text-3xl sm:text-4xl font-bold text-white mb-4">
                Cómo Te Podemos Ayudar
            </h2>
            <p className="text-navy-400">
                Situaciones legales comunes donde ezLegal te guía paso a paso
            </p>
        </div>

        <div className="grid md:grid-cols-3 gap-8">
            {USE_CASES.map((useCase, index) => {
                const Icon = useCase.icon;
                return (
                    <div
                        key={index}
                        className="bg-navy-800/50 border border-navy-700 rounded-2xl p-6 hover:border-teal-500/50 transition-colors"
                    >
                        <div className={`w-12 h-12 ${useCase.color} rounded-xl flex items-center justify-center mb-4`} >
                            <Icon className="w-6 h-6 text-white" />
                        </div>
                        <h3 className="font-bold text-white text-lg mb-3">{useCase.title}</h3>
                        <p className="text-navy-300 mb-4">{useCase.description}</p>
                        <div className="inline-flex items-center gap-2 text-teal-400 text-sm font-medium">
                            <CheckCircle className="w-4 h-4" />
                            Preguntas ilimitadas gratis
                        </div>
                    </div>
                );
            })}
        </div>
    </div>
</section>

<section className="py-20">
    <div className="max-w-7xl mx-auto px-4">
        <div className="text-center mb-12">

```



```

<h2 className="text-3xl sm:text-4xl font-bold text-white mb-4">
  Precios Justos Para Todos
</h2>
<p className="text-navy-400 max-w-2xl mx-auto">
  No cobramos como los abogados tradicionales. Opciones flexibles para cada situación.
</p>
</div>

<div className="grid md:grid-cols-3 gap-8 max-w-5xl mx-auto">
  <div className="bg-navy-800/50 border border-navy-700 rounded-2xl p-8">
    <div className="text-navy-400 text-sm font-semibold mb-2">GRATIS</div>
    <div className="text-4xl font-bold text-white mb-2">$0</div>
    <div className="text-navy-400 mb-6">Para siempre</div>
    <ul className="space-y-3 mb-8">
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-teal-400" />
        3 preguntas por WhatsApp
      </li>
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-teal-400" />
        Guía "Conoce tus Derechos"
      </li>
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-teal-400" />
        Verificador de notarios
      </li>
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-teal-400" />
        Evaluación migratoria básica
      </li>
    </ul>
    <button
      onClick={() => setShowWhatsApp(true)}
      className="w-full bg-navy-700 hover:bg-navy-600 text-white py-3 rounded-xl font-semibold transition-colors"
    >
      Empezar Gratis
    </button>
  </div>

  <div className="bg-navy-800/50 border border-teal-500 rounded-2xl p-8 relative">
    <div className="absolute -top-3 left-1/2 -translate-x-1/2 bg-teal-500 text-white text-sm font-semibold px-4 py-1
rounded-full">
      MÁS POPULAR
    </div>
    <div className="text-teal-400 text-sm font-semibold mb-2">PAGO POR DOCUMENTO</div>
    <div className="text-4xl font-bold text-white mb-2">$5-25</div>
    <div className="text-navy-400 mb-6">Por documento</div>
    <ul className="space-y-3 mb-8">
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-teal-400" />
        Cartas legales desde $5
      </li>
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-teal-400" />
        Formularios de inmigración $15
      </li>
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-teal-400" />
        Contratos de renta $20
      </li>
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-teal-400" />
        Revisión por abogado $25
      </li>
    </ul>
    <Link
      to="/chat"
      className="block w-full bg-teal-500 hover:bg-teal-600 text-white py-3 rounded-xl font-semibold transition-colors
text-center"
    >
      Ver Documentos
    </Link>
  </div>

  <div className="bg-navy-800/50 border border-navy-700 rounded-2xl p-8">
    <div className="text-amber-400 text-sm font-semibold mb-2">PAQUETES DE AYUDA</div>
    <div className="text-4xl font-bold text-white mb-2">$29-$49</div>
    <div className="text-navy-400 mb-6">Pago único</div>
    <ul className="space-y-3 mb-8">
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-amber-400" />
        Plan de acción detallado
      </li>
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-amber-400" />
        Plantillas de documentos
      </li>
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-amber-400" />
        Lista de fechas importantes
      </li>
      <li className="flex items-center gap-3 text-navy-300">
        <CheckCircle className="w-5 h-5 text-amber-400" />
        Conexión con abogados
      </li>
    </ul>
  </div>

```

```

        <Link
            to="/issue-packs"
            className="block w-full bg-amber-500 hover:bg-amber-600 text-white py-3 rounded-xl font-semibold transition-colors
text-center"
        >
            Ver Paquetes
        </Link>
        <Link
            to="/case-predictor"
            className="block w-full mt-3 bg-navy-700 hover:bg-navy-600 text-white py-3 rounded-xl font-semibold
transition-colors text-center border border-navy-600"
        >
            Predictor de Casos - $4.99
        </Link>
    </div>
</div>

    <div className="mt-8 text-center">
        <p className="text-navy-400">
            ¿No puedes pagar?
            <Link to="/pro-bono" className="text-teal-400 hover:underline ml-2">
                Revisa si calificas para ayuda legal gratuita
            </Link>
        </p>
    </div>
</div>
</section>

<section className="py-16 bg-navy-800/30">
    <div className="max-w-7xl mx-auto px-4">
        <div className="text-center mb-10">
            <h3 className="text-xl text-navy-400 mb-2">Nuestro Compromiso Contigo</h3>
        </div>
        <div className="grid grid-cols-2 md:grid-cols-4 gap-8">
            {COMMUNITY_VALUES.map((value) => (
                <div key={value.name} className="text-center">
                    <div className="bg-navy-800 rounded-xl p-6 border border-navy-700 hover:border-teal-500/50 transition-colors">
                        <div className="text-xl font-bold text-white mb-1">{value.name}</div>
                        <div className="text-sm text-navy-400">{value.description}</div>
                    </div>
                </div>
            ))}
        </div>
    </div>
</section>

<section className="py-20">
    <div className="max-w-3xl mx-auto px-4">
        <div className="text-center mb-12">
            <h2 className="text-3xl font-bold text-white mb-4">
                Preguntas Frecuentes
            </h2>
        </div>

        <div className="space-y-4">
            {FAQ_ITEMS.map((item, index) => (
                <div
                    key={index}
                    className="bg-navy-800/50 border border-navy-700 rounded-xl overflow-hidden"
                >
                    <button
                        onClick={() => setExpandedFaq(expandedFaq === index ? null : index)}
                        className="w-full px-6 py-4 flex items-center justify-between text-left"
                    >
                        <span className="font-semibold text-white pr-4">{item.q}</span>
                        {expandedFaq === index ? (
                            <ChevronUp className="w-5 h-5 text-navy-400 flex-shrink-0" />
                        ) : (
                            <ChevronDown className="w-5 h-5 text-navy-400 flex-shrink-0" />
                        )}
                    </button>
                    {expandedFaq === index && (
                        <div className="px-6 pb-4 text-navy-300">
                            {item.a}
                        </div>
                    )}
                </div>
            ))}
        </div>
    </div>
</section>

<section className="py-16 bg-navy-800/50">
    <div className="max-w-7xl mx-auto px-4">
        <div className="grid md:grid-cols-2 gap-8 items-start">
            <div>
                <h2 className="text-2xl font-bold text-white mb-3">
                    Recibe Ayuda Legal por WhatsApp
                </h2>
                <p className="text-navy-300 mb-6">
                    Deja tu número y nuestro equipo bilingüe te contactará en menos de 24 horas. Confidencial y seguro.
                </p>
                <WhatsAppOptIn source="espanol_landing" variant="full" />
            </div>
            <div>
                <h2 className="text-2xl font-bold text-white mb-3">

```

```

        Comparte con Familia y Amigos
    </h2>
    <p className="text-navy-300 mb-6">
        Ayuda a alguien que necesita información legal. Comparte ezLegal de forma segura.
    </p>
    <ShareButton context="legal-help" />
</div>
</div>
</div>
</section>

<section className="py-20 bg-gradient-to-r from-teal-600 to-emerald-600">
    <div className="max-w-4xl mx-auto px-4 text-center">
        <h2 className="text-3xl sm:text-4xl font-bold text-white mb-4">
            No Estás Solo. Estamos Aquí Para Ayudarte.
        </h2>
        <p className="text-xl text-teal-100 mb-8">
            Hay ayuda legal disponible para ti. Da el primer paso hoy.
        </p>
        <div className="flex flex-col sm:flex-row gap-4 justify-center">
            <button
                onClick={() => setShowWhatsApp(true)}
                className="flex items-center justify-center gap-3 bg-white text-teal-600 px-8 py-4 rounded-xl font-semibold text-lg
                hover:bg-teal-50 transition-colors"
            >
                <MessageCircle className="w-6 h-6" />
                Escribir por WhatsApp
            </button>
            <Link
                to="/contact"
                className="flex items-center justify-center gap-3 bg-teal-700 text-white px-8 py-4 rounded-xl font-semibold text-lg
                hover:bg-teal-800 transition-colors"
            >
                <Phone className="w-6 h-6" />
                Contáctanos
            </Link>
        </div>
        <p className="mt-6 text-teal-100 text-sm">
            <Lock className="w-4 h-4 inline mr-2" />
            Tu privacidad está protegida. No compartimos información con agencias del gobierno.
        </p>
    </div>
</section>

<section className="py-8 bg-white border-t border-slate-100">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 grid sm:grid-cols-2 gap-4">
        <SpanishLanguageAccessNotice variant="card" />
        <AIGovernanceNotice variant="compact" />
        <ScopeBoundaryCard variant="banner" />
        <HumanEscalationCard variant="compact" />
        <DataUseAndPrivacyCard variant="compact" />
    </div>
</section>

<footer className="bg-navy-900 border-t border-navy-800 py-12">
    <div className="max-w-7xl mx-auto px-4">
        <div className="grid md:grid-cols-4 gap-8">
            <div>
                <div className="flex items-center gap-2 mb-4">
                    <Scale className="w-6 h-6 text-teal-400" />
                    <span className="text-xl font-bold text-white">ezLegal</span>
                    <span className="text-teal-400">en Español</span>
                </div>
                <p className="text-navy-400 text-sm">
                    Ayuda legal accesible para la comunidad hispana.
                    Abogados reales, precios justos, sin miedo.
                </p>
            </div>
            <div>
                <h3 className="font-semibold text-white mb-4">Servicios</h3>
                <ul className="space-y-2 text-navy-400 text-sm">
                    <li><Link to="/chat" className="hover:text-teal-400">Inmigración</Link></li>
                    <li><Link to="/chat" className="hover:text-teal-400">Derechos Laborales</Link></li>
                    <li><Link to="/chat" className="hover:text-teal-400">Vivienda</Link></li>
                    <li><Link to="/chat" className="hover:text-teal-400">Familia</Link></li>
                </ul>
            </div>
            <div>
                <h4 className="font-semibold text-white mb-4">Recursos</h4>
                <ul className="space-y-2 text-navy-400 text-sm">
                    <li><Link to="/ezreads" className="hover:text-teal-400">Guías Legales</Link></li>
                    <li><Link to="/find-attorney" className="hover:text-teal-400">Encontrar Abogado</Link></li>
                    <li><Link to="/emergency-resources" className="hover:text-teal-400">Ayuda de Emergencia</Link></li>
                    <li><Link to="/pro-bono" className="hover:text-teal-400">Ayuda Legal Gratuita</Link></li>
                </ul>
            </div>
            <div>
                <h4 className="font-semibold text-white mb-4">Contacto</h4>
                <ul className="space-y-2 text-navy-400 text-sm">
                    <li className="flex items-center gap-2">
                        <MessageCircle className="w-4 h-4" />
                        <Link to="/contact" className="hover:text-teal-400">Envíanos un mensaje</Link>
                    </li>
                    <li className="flex items-center gap-2">
                        <Clock className="w-4 h-4" />
                        IA disponible 24/7
                    </li>
                </ul>
            </div>
        </div>
    </div>

```

```

        </li>
      </ul>
    </div>
  </div>
  <div className="mt-12 pt-8 border-t border-navy-800 flex flex-col md:flex-row justify-between items-center gap-4">
    <p className="text-navy-500 text-sm">
      &copy; 2026 ezLegal. Todos los derechos reservados.
    </p>
    <div className="flex gap-6 text-navy-500 text-sm">
      <Link to="/privacy" className="hover:text-teal-400">Privacidad</Link>
      <Link to="/terms" className="hover:text-teal-400">Términos</Link>
      <Link to="/accessibility" className="hover:text-teal-400">Accesibilidad</Link>
    </div>
  </div>
</div>
</footer>

{showWhatsApp && (
  <WhatsAppChat onClose={() => setShowWhatsApp(false)} />
)}

{showNotarioChecker && (
  <NotarioFraudChecker onClose={() => setShowNotarioChecker(false)} />
)}

{showImmigrationChecker && (
  <ImmigrationStatusChecker onClose={() => setShowImmigrationChecker(false)} />
)}
</div>
);
}

```

[15/58] EZReads

Route: /ezreads | File: src/pages/EZReads.tsx

```
import { useState, useEffect, useMemo } from 'react';
import {
  BookOpen,
  Clock,
  ArrowRight,
  Scale,
  FileText,
  Users,
  Shield,
  Home,
  X,
  MapPin,
  ShieldCheck,
  Landmark,
  ChevronDown,
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Breadcrumbs from '../components/Breadcrumbs';
import RelatedLinks from '../components/RelatedLinks';
import Footer from '../components/Footer';
import ArticleModal from '../components/ArticleModal';
import ShareButton from '../components/ShareButton';
import GuidesSearch from '../components/guides/GuidesSearch';
import UrgentHelpBanner from '../components/guides/UrgentHelpBanner';
import SafetyEscalationStrip from '../components/guides/SafetyEscalationStrip';
import { useLanguage } from '../contexts/LanguageContext';
import { supabase } from '../lib/supabase';
import { US_STATES, getJurisdictionName } from '../data/jurisdictions';
import { getArticleImage, onArticleImageError } from '../lib/article-images';

interface Article {
  id: string;
  slug: string;
  title: string;
  excerpt: string;
  content: string;
  category: string;
  read_time: string;
  image_url: string | null;
  is_featured: boolean;
  author_name: string;
  published_at: string;
  jurisdiction: string | null;
  review_status: string;
  sources: string | null;
  updated_at: string;
  last_reviewed_at: string | null;
}

const FALLBACK_ARTICLES_EN = [
  {
    slug: 'tenant-protection-laws',
    title: 'Understanding Your Rights: A Complete Guide to Tenant Protection Laws',
    excerpt:
      'Learn about your rights as a tenant, from security deposits to eviction protection. This comprehensive guide breaks down complex housing laws into plain English.',
    category: 'Housing Law',
    read_time: '12 min read',
    image_url:
      'https://images.pexels.com/photos/1571460/pexels-photo-1571460.jpeg?auto=compress&cs=tinysrgb&w=800',
  },
  {
    slug: 'security-deposit-rights',
    title: 'Security Deposits: What Landlords Can and Cannot Deduct',
    excerpt:
      'Understand the rules around security deposits, including legal limits, what can be deducted, and how to get your full deposit back when you move out.',
    category: 'Housing Law',
    read_time: '8 min read',
    image_url:
      'https://images.pexels.com/photos/4386431/pexels-photo-4386431.jpeg?auto=compress&cs=tinysrgb&w=800',
  },
  {
    slug: 'eviction-process-guide',
    title: 'Eviction Process Explained: Know Your Rights and Timeline',
    excerpt:
      'A step-by-step guide to the eviction process, including required notices, court procedures, and how to respond if you receive an eviction notice.',
    category: 'Housing Law',
    read_time: '15 min read',
    image_url:
      'https://images.pexels.com/photos/7578901/pexels-photo-7578901.jpeg?auto=compress&cs=tinysrgb&w=800',
  },
  {
    slug: 'small-claims-court-guide',
    title: 'Small Claims Court: How to File and Win Your Case',
    excerpt:
      'A step-by-step guide to navigating small claims court without an attorney. Learn what cases qualify, how to file, and tips for presenting your case.',
  }
]
```

```

category: 'Civil Law',
read_time: '8 min read',
image_url:
  'https://images.pexels.com/photos/6077123/pexels-photo-6077123.jpeg?auto=compress&cs=tinysrgb&w=800',
},
{
  slug: 'employment-rights-guide',
  title: 'Employment Rights Every Worker Should Know',
  excerpt:
    'From minimum wage to workplace discrimination, understand your fundamental rights as an employee and when to take action.',
  category: 'Employment Law',
  read_time: '10 min read',
  image_url:
    'https://images.pexels.com/photos/3184292/pexels-photo-3184292.jpeg?auto=compress&cs=tinysrgb&w=800',
},
{
  slug: 'creating-will-guide',
  title: 'Creating a Will Without a Lawyer: What You Need to Know',
  excerpt:
    'Essential information about estate planning for individuals and families. Learn what makes a will legally valid and common mistakes to avoid.',
  category: 'Estate Planning',
  read_time: '15 min read',
  image_url:
    'https://images.pexels.com/photos/4057663/pexels-photo-4057663.jpeg?auto=compress&cs=tinysrgb&w=800',
},
];

const FALLBACK_ARTICLES_ES = [
  {
    slug: 'leyes-proteccion-inquilinos',
    title: 'Entendiendo Tus Derechos: Guia Completa de Leyes de Proteccion al Inquilino',
    excerpt:
      'Aprende sobre tus derechos como inquilino, desde depositos de seguridad hasta proteccion contra desalojos. Esta guia explica las leyes de vivienda en lenguaje simple.',
    category: 'Derecho de Vivienda',
    read_time: '12 min de lectura',
    image_url:
      'https://images.pexels.com/photos/1571460/pexels-photo-1571460.jpeg?auto=compress&cs=tinysrgb&w=800',
  },
  {
    slug: 'derechos-deposito-seguridad',
    title: 'Depositos de Seguridad: Que Puede y No Puede Descontar Tu Arrendador',
    excerpt:
      'Entiende las reglas sobre depositos de seguridad, incluyendo limites legales, que se puede descontar y como recuperar tu depósito completo cuando te mudas.',
    category: 'Derecho de Vivienda',
    read_time: '8 min de lectura',
    image_url:
      'https://images.pexels.com/photos/4386431/pexels-photo-4386431.jpeg?auto=compress&cs=tinysrgb&w=800',
  },
  {
    slug: 'guia-proceso-desalojo',
    title: 'Proceso de Desalojo Explicado: Conoce Tus Derechos y Plazos',
    excerpt:
      'Una guia paso a paso del proceso de desalojo, incluyendo avisos requeridos, procedimientos judiciales y como responder si recibes un aviso de desalojo.',
    category: 'Derecho de Vivienda',
    read_time: '15 min de lectura',
    image_url:
      'https://images.pexels.com/photos/7578901/pexels-photo-7578901.jpeg?auto=compress&cs=tinysrgb&w=800',
  },
  {
    slug: 'guia-reclamos-menores',
    title: 'Tribunal de Reclamos Menores: Como Presentar y Ganar Tu Caso',
    excerpt:
      'Guia paso a paso para navegar el tribunal de reclamos menores sin abogado. Aprende que casos califican, como presentar y consejos para tu caso.',
    category: 'Derecho Civil',
    read_time: '8 min de lectura',
    image_url:
      'https://images.pexels.com/photos/6077123/pexels-photo-6077123.jpeg?auto=compress&cs=tinysrgb&w=800',
  },
  {
    slug: 'derechos-laborales-guia',
    title: 'Derechos Laborales que Todo Trabajador Debe Conocer',
    excerpt:
      'Desde el salario minimo hasta la discriminacion laboral, entiende tus derechos fundamentales como empleado y cuando tomar accion.',
    category: 'Derecho Laboral',
    read_time: '10 min de lectura',
    image_url:
      'https://images.pexels.com/photos/3184292/pexels-photo-3184292.jpeg?auto=compress&cs=tinysrgb&w=800',
  },
  {
    slug: 'crear-testamento-guia',
    title: 'Crear un Testamento Sin Abogado: Lo Que Necesitas Saber',
    excerpt:
      'Información esencial sobre planificacion patrimonial para individuos y familias. Aprende que hace un testamento legalmente valido y errores comunes a evitar.',
    category: 'Testamentos y Sucesiones',
    read_time: '15 min de lectura',
    image_url:
      'https://images.pexels.com/photos/4057663/pexels-photo-4057663.jpeg?auto=compress&cs=tinysrgb&w=800',
  },
];

```

```

slug: 'horas-extra-no-pagadas',
title: 'Horas Extra No Pagadas: Como Reclamar Lo Que Te Deben',
excerpt:
  'Aprende como identificar si tu empleador te debe horas extra, los pasos para presentar una queja, y los plazos legales para reclamar salarios no pagados.',
category: 'Derecho Laboral',
read_time: '9 min de lectura',
image_url:
  'https://images.pexels.com/photos/3760067/pexels-photo-3760067.jpeg?auto=compress&cs=tinysrgb&w=800',
},
{
  slug: 'proteccion-contr-cobradores',
  title: 'Proteccion Contra Cobradores de Deudas: Tus Derechos Bajo la Ley',
  excerpt:
    'Los cobradores de deudas tienen reglas que deben seguir. Conoce que pueden y no pueden hacer, como detener llamadas de acoso, y cuando disputar una deuda.',
  category: 'Proteccion al Consumidor',
  read_time: '10 min de lectura',
  image_url:
    'https://images.pexels.com/photos/4386476/pexels-photo-4386476.jpeg?auto=compress&cs=tinysrgb&w=800',
},
{
  slug: 'estafas-comunes-como-proteger-te',
  title: 'Estafas Comunes y Como Proteger-te: Guia del Consumidor',
  excerpt:
    'Identifica las estafas mas comunes que afectan a los consumidores, aprende a reconocer senales de alerta y conoce tus opciones legales si fuiste victima.',
  category: 'Proteccion al Consumidor',
  read_time: '11 min de lectura',
  image_url:
    'https://images.pexels.com/photos/5699456/pexels-photo-5699456.jpeg?auto=compress&cs=tinysrgb&w=800',
},
{
  slug: 'guia-divorcio-basica',
  title: 'Guia Basica de Divorcio: Proceso, Costos y Tus Derechos',
  excerpt:
    'Todo lo que necesitas saber sobre el proceso de divorcio, desde como presentar los documentos hasta la division de bienes y custodia de hijos.',
  category: 'Derecho Familiar',
  read_time: '14 min de lectura',
  image_url:
    'https://images.pexels.com/photos/4098232/pexels-photo-4098232.jpeg?auto=compress&cs=tinysrgb&w=800',
},
{
  slug: 'custodia-de-hijos-derechos',
  title: 'Custodia de Hijos: Entiende Tus Derechos y Opciones',
  excerpt:
    'Aprende sobre los diferentes tipos de custodia, como los tribunales toman decisiones, y que factores consideran para determinar el mejor interes del menor.',
  category: 'Derecho Familiar',
  read_time: '12 min de lectura',
  image_url:
    'https://images.pexels.com/photos/1683975/pexels-photo-1683975.jpeg?auto=compress&cs=tinysrgb&w=800',
},
{
  slug: 'disputas-entre-vecinos',
  title: 'Disputas Entre Vecinos: Soluciones Legales y Practicas',
  excerpt:
    'Desde ruido excesivo hasta limites de propiedad, aprende como resolver disputas con vecinos legalmente y cuando es necesario involucrar a las autoridades.',
  category: 'Derecho Civil',
  read_time: '8 min de lectura',
  image_url:
    'https://images.pexels.com/photos/2079234/pexels-photo-2079234.jpeg?auto=compress&cs=tinysrgb&w=800',
},
},
];

function formatUpdatedDate(dateStr: string, lang: string): string {
  const date = new Date(dateStr);
  const now = new Date();
  const diffDays = Math.floor((now.getTime() - date.getTime()) / (1000 * 60 * 60 * 24));
  if (lang === 'es') {
    if (diffDays < 1) return 'Actualizado hoy';
    if (diffDays < 7) return `Actualizado hace ${diffDays}d`;
    if (diffDays < 30) return `Actualizado hace ${Math.floor(diffDays / 7)}sem`;
    return `Actualizado ${date.toLocaleDateString('es-ES', { month: 'short', year: 'numeric' })}`;
  }
  if (diffDays < 1) return 'Updated today';
  if (diffDays < 7) return `Updated ${diffDays}d ago`;
  if (diffDays < 30) return `Updated ${Math.floor(diffDays / 7)}w ago`;
  return `Updated ${date.toLocaleDateString('en-US', { month: 'short', year: 'numeric' })}`;
}

function toArticle(
  a: (typeof FALLBACK_ARTICLES_EN)[number],
  i: number
): Article {
  return {
    ...a,
    id: `fallback-${i}`,
    content: '',
    is_featured: i === 0,
    author_name: 'EZLegal.ai',
    published_at: new Date().toISOString(),
    jurisdiction: null,
    review_status: 'editorial_review',
  };
}

```

```

        sources: null,
        updated_at: new Date().toISOString(),
        last_reviewed_at: null,
    };
}

function useCategories(t: (key: string) => string) {
    return useMemo(() => [
        { name: t('ezreads.category.housingLaw'), icon: Home, count: 14, examples: t('ezreads.category.housingExamples'), dbName: 'Housing Law' },
        { name: t('ezreads.category.employmentLaw'), icon: Users, count: 18, examples: t('ezreads.category.employmentExamples'), dbName: 'Employment Law' },
        { name: t('ezreads.category.consumerProtection'), icon: Shield, count: 15, examples: t('ezreads.category.consumerExamples'), dbName: 'Consumer Protection' },
        { name: t('ezreads.category.familyLaw'), icon: FileText, count: 12, examples: t('ezreads.category.familyExamples'), dbName: 'Family Law' },
        { name: t('ezreads.category.willsProbate'), icon: BookOpen, count: 8, examples: t('ezreads.category.willsExamples'), dbName: 'Wills & Probate' },
        { name: t('ezreads.category.civilLaw'), icon: Scale, count: 14, examples: t('ezreads.category.civilExamples'), dbName: 'Civil Law' },
    ], [t]);
}

export default function EZReads() {
    const [selectedCategory, setSelectedCategory] = useState<string | null>(null);
    const [selectedJurisdiction, setSelectedJurisdiction] = useState('');
    const [searchQuery, setSearchQuery] = useState('');
    const [articles, setArticles] = useState<Article[]>([]);
    const [isLoading, setIsLoading] = useState(true);
    const [selectedArticle, setSelectedArticle] = useState<Article | null>(null);
    const [isModalOpen, setIsModalOpen] = useState(false);
    const [isArticleLoading, setIsArticleLoading] = useState(false);
    const { language, t } = useLanguage();

    const categories = useCategories(t);
    const fallbackArticles = language === 'es' ? FALLBACK_ARTICLES_ES : FALLBACK_ARTICLES_EN;
    const dateLocale = language === 'es' ? 'es-ES' : 'en-US';

    useEffect(() => {
        fetchArticles();
    }, [selectedCategory, selectedJurisdiction, language]);

    async function fetchArticles() {
        setIsLoading(true);

        if (language === 'es') {
            setArticlesFromFallback();
            setIsLoading(false);
            return;
        }

        try {
            const dbCategory = selectedCategory
                ? categories.find(c => c.name === selectedCategory)?.dbName || selectedCategory
                : null;

            let query = supabase
                .from('ezreads_articles')
                .select(
                    'id, slug, title, excerpt, category, read_time, image_url, is_featured, author_name, published_at, jurisdiction, review_status, sources, updated_at, last_reviewed_at'
                )
                .eq('is_published', true)
                .order('published_at', { ascending: false });

            if (dbCategory) {
                query = query.eq('category', dbCategory);
            }
            if (selectedJurisdiction) {
                query = query.or(
                    `jurisdiction.eq.${selectedJurisdiction},jurisdiction.is.null`
                );
            }

            const { data, error } = await query;
            if (error) throw error;

            if (data && data.length > 0) {
                setArticles(data.map((a) => ({ ...a, content: '' })));
            } else {
                setArticlesFromFallback();
            }
        } catch {
            setArticlesFromFallback();
        } finally {
            setIsLoading(false);
        }
    }

    function setArticlesFromFallback() {
        if (!selectedCategory) {
            setArticles(fallbackArticles.map(toArticle));
            return;
        }
        const dbCategory = categories.find(c => c.name === selectedCategory)?.dbName || selectedCategory;
        const filtered = fallbackArticles.filter(

```



```

    (a) => a.category === dbCategory || a.category === selectedCategory
  );
  setArticles(filtered.map(toArticle));
}

const filteredArticles = useMemo(() => {
  if (!searchQuery) return articles;
  const q = searchQuery.toLowerCase();
  return articles.filter(
    (a) =>
      a.title.toLowerCase().includes(q) ||
      a.excerpt.toLowerCase().includes(q) ||
      a.category.toLowerCase().includes(q)
  );
}, [articles, searchQuery]);

async function openArticle(articleSlug: string) {
  setIsModalOpen(true);
  setIsArticleLoading(true);
  setSelectedArticle(null);

  try {
    const { data, error } = await supabase
      .from('ezreads_articles')
      .select('*')
      .eq('slug', articleSlug)
      .eq('is_published', true)
      .maybeSingle();

    if (error) throw error;

    if (data) {
      setSelectedArticle(data);
    } else {
      loadFallbackArticle(articleSlug);
    }
  } catch {
    loadFallbackArticle(articleSlug);
  } finally {
    setIsArticleLoading(false);
  }
}

function loadFallbackArticle(slug: string) {
  const fallback = fallbackArticles.find((a) => a.slug === slug);
  if (fallback) {
    setSelectedArticle({
      ...toArticle(fallback, 0),
      content: generatePlaceholderContent(fallback.title, fallback.excerpt),
    });
  }
}

function generatePlaceholderContent(title: string, excerpt: string): string {
  if (language === 'es') {
    return `
    <p class="text-lg font-medium text-navy-800 mb-6">${excerpt}</p>
    <h2>Resumen</h2>
    <p>Esta guía explica ${title.toLowerCase()} en pasos cortos. Conocer tus derechos te ayuda a tomar buenas decisiones.</p>
    <h2>Puntos Clave</h2>
    <ul>
      <li>Conoce tus derechos bajo las leyes federales y estatales aplicables</li>
      <li>Documenta todo por escrito cuando sea posible</li>
      <li>Busca asistencia legal si crees que tus derechos han sido violados</li>
      <li>Los plazos pueden aplicar - actúa rápidamente para preservar tus opciones</li>
    </ul>
    <h2>Que Debes Hacer</h2>
    <p>Si te encuentras en una situación relacionada con este tema, considera los siguientes pasos:</p>
    <ol>
      <li>Reune todos los documentos y comunicaciones relevantes</li>
      <li>Investiga las leyes específicas que aplican en tu jurisdicción</li>
      <li>Considera consultar con un profesional legal para asesoramiento personalizado</li>
      <li>Mantene registros detallados de cualquier interacción o incidente</li>
    </ol>
    <blockquote>
      <strong>Importante:</strong> Esto es información general, no consejo legal. Cada caso es distinto y las leyes cambian
      segun el lugar. Habla con un abogado para tu caso.
    </blockquote>
    <h2>Recursos Adicionales</h2>
    <p>Para información mas detallada sobre este tema, puedes usar nuestro asistente legal de IA para obtener respuestas a
    preguntas específicas sobre tu situación.</p>
  `;
  }
  return `
  <p class="text-lg font-medium text-navy-800 mb-6">${excerpt}</p>
  <h2>Overview</h2>
  <p>This article provides comprehensive information about ${title.toLowerCase()}. Understanding your legal rights is essential
  for protecting yourself and making informed decisions.</p>
  <h2>Key Points</h2>
  <ul>
    <li>Know your rights under applicable federal and state laws</li>
    <li>Document everything in writing whenever possible</li>
    <li>Seek legal assistance if you believe your rights have been violated</li>
    <li>Time limits may apply - act promptly to preserve your options</li>
  </ul>
  <h2>What You Should Do</h2>

```

```

    <p>If you find yourself in a situation related to this topic, consider the following steps:</p>
    <ol>
      <li>Gather all relevant documents and communications</li>
      <li>Research the specific laws that apply in your jurisdiction</li>
      <li>Consider consulting with a legal professional for personalized advice</li>
      <li>Keep detailed records of any interactions or incidents</li>
    </ol>
    <blockquote>
      <strong>Important:</strong> This article provides general legal information, not legal advice. Every situation is unique,
and laws vary by jurisdiction. For guidance specific to your circumstances, consult with a qualified attorney.
    </blockquote>
    <h2>Additional Resources</h2>
    <p>For more detailed information on this topic, you can use our AI legal assistant to get answers to specific questions about
your situation.</p>
  `;
}

function handleSearch(query: string, category?: string) {
  setSearchQuery(query);
  if (category) {
    setSelectedCategory(category);
  } else {
    setSelectedCategory(null);
  }
}

function handleSearchClear() {
  setSearchQuery('');
}

function handleClearAllFilters() {
  setSelectedCategory(null);
  setSelectedJurisdiction('');
  setSearchQuery('');
}

const featuredArticle = filteredArticles.find((a) => a.is_featured) || filteredArticles[0];
const regularArticles = filteredArticles.filter((a) => a !== featuredArticle);
const hasActiveFilters = !!selectedCategory || !!selectedJurisdiction || !!searchQuery;

return (
  <div className="min-h-screen bg-navy-50">
    <Navigation />
    <Breadcrumbs className="mt-24" />

    <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white py-16">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="max-w-3xl mx-auto text-center">
          <div className="flex items-center justify-center gap-2 mb-4">
            <BookOpen className="w-8 h-8" />
            <span className="text-xl font-semibold">{t('ezreads.title')}</span>
          </div>
          <h1 className="text-5xl font-bold mb-6">{t('ezreads.heroTitle')}</h1>
          <p className="text-xl text-navy-100 leading-relaxed mb-10">
            {t('ezreads.heroSubtitle')}
          </p>
          <GuidesSearch onSearch={handleSearch} onClear={handleSearchClear} />
        </div>
      </div>
    </section>

    <section className="py-8 bg-white border-b border-navy-200">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="flex flex-col sm:flex-row items-start sm:items-center justify-between gap-4 mb-6">
          <h2 className="text-2xl font-bold text-navy-900">{t('ezreads.browseByCategory')}</h2>
          <div className="flex items-center gap-3">
            <div className="relative">
              <MapPin className="absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4 text-navy-400 pointer-events-none" />
              <select
                value={selectedJurisdiction}
                onChange={(e) => setSelectedJurisdiction(e.target.value)}
                className="pl-9 pr-8 py-2 text-sm border border-navy-200 rounded-lg bg-white text-navy-700 focus:outline-none
focus:border-teal-500 focus:ring-1 focus:ring-teal-500 appearance-none cursor-pointer"
                aria-label={t('ezreads.allStates')}>
                <option value="">{t('ezreads.allStates')}</option>
                {US_STATES.map((state) => (
                  <option key={state.code} value={state.code}>
                    {state.name}
                  </option>
                ))}
              </select>
              <ChevronDown className="absolute right-2 top-1/2 -translate-y-1/2 w-4 h-4 text-navy-400 pointer-events-none" />
            </div>
            {hasActiveFilters && (
              <button
                onClick={handleClearAllFilters}
                className="flex items-center gap-2 px-4 py-2 text-sm font-medium text-navy-600 hover:text-navy-900 bg-navy-100
hover:bg-navy-200 rounded-lg transition-colors">
                <X className="w-4 h-4" />
                {t('ezreads.clearAll')}
              </button>
            )}
          </div>
        </div>
      </section>
    </div>
  )
)

```

```

<div className="grid grid-cols-2 md:grid-cols-3 lg:grid-cols-6 gap-4">
  {categories.map((category) => (
    <button
      key={category.name}
      onClick={() =>
        setSelectedCategory(
          selectedCategory === category.name ? null : category.name
        )
      }
      className={`flex flex-col items-center gap-2 p-4 border rounded-xl transition-all group ${
        selectedCategory === category.name
          ? 'bg-teal-600 border-teal-600'
          : 'bg-navy-50 hover:bg-teal-50 border-navy-200 hover:border-teal-300'
      }`}
    >
      <div
        className={`w-12 h-12 rounded-lg flex items-center justify-center transition-colors ${
          selectedCategory === category.name
            ? 'bg-teal-500'
            : 'bg-teal-50 group-hover:bg-teal-600'
        }`}
      >
        <category.icon
          className={`w-6 h-6 transition-colors ${
            selectedCategory === category.name
              ? 'text-white'
              : 'text-teal-600 group-hover:text-white'
          }`}
        />
      </div>
      <div className="text-center">
        <div
          className={`font-semibold text-sm ${
            selectedCategory === category.name ? 'text-white' : 'text-navy-900'
          }`}
        >
          {category.name}
        </div>
        <div
          className={`text-xs mt-0.5 ${
            selectedCategory === category.name ? 'text-teal-200' : 'text-navy-500'
          }`}
        >
          {category.count} {language === 'es' ? 'articulos' : 'articles'}
        </div>
        <div
          className={`text-xs mt-1 leading-tight ${
            selectedCategory === category.name ? 'text-teal-100' : 'text-navy-400'
          }`}
        >
          {category.examples}
        </div>
      </div>
    </button>
  )))
</div>

{selectedCategory && (
  <div className="mt-6">
    <UrgentHelpBanner category={selectedCategory} />
  </div>
)}
</div>
</section>

<SafetyEscalationStrip />

{searchQuery && (
  <section className="py-4 bg-teal-50 border-b border-teal-100">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
      <div className="flex items-center justify-between">
        <p className="text-sm text-navy-700">
          {t('ezreads.showingResults')}{' '}
          <span className="font-semibold">&ldquo;{searchQuery}&rdquo;</span>
          <span>{selectedCategory && <span> {language === 'es' ? 'en' : 'in'} {selectedCategory}</span>}</span>
          <span className="text-navy-500 ml-2">
            ({filteredArticles.length}){' '}
            {filteredArticles.length === 1
              ? (language === 'es' ? 'articulo' : 'article')
              : (language === 'es' ? 'articulos' : 'articles')}
          </span>
        </p>
        <button
          onClick={handleSearchClear}
          className="text-sm text-teal-600 hover:text-teal-700 font-medium"
        >
          {t('ezreads.clearSearch')}
        </button>
      </div>
    </div>
  </section>
)}

{isLoading ? (
  <section className="py-24 bg-navy-50">

```

```

<div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
  <div className="flex flex-col items-center justify-center">
    <div className="w-12 h-12 border-4 border-teal-600 border-t-transparent rounded-full animate-spin mb-4" />
    <p className="text-navy-600">{t('ezreads.loadingArticles')}</p>
  </div>
</div>
</section>
) : (
  <>
    {!selectedCategory && !searchQuery && featuredArticle && (
      <section className="py-16 bg-navy-50">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="mb-8">
            <h2 className="text-3xl font-bold text-navy-900 mb-2">{t('ezreads.featuredArticle')}</h2>
            <p className="text-navy-600">{t('ezreads.popularThisWeek')}</p>
          </div>
          <div className="bg-white rounded-2xl overflow-hidden shadow-lg hover:shadow-2xl transition-shadow border
border-navy-200">
            <div className="grid grid-cols-1 lg:grid-cols-2 gap-0">
              <div className="relative h-64 lg:h-auto">
                <img
                  src={getArticleImage(featuredArticle.image_url, featuredArticle.category)}
                  alt={featuredArticle.title}
                  loading="lazy"
                  onError={onArticleImageError(featuredArticle.category)}
                  className="w-full h-full object-cover"
                />
                <div className="absolute top-4 left-4 flex items-center gap-2">
                  <span className="px-3 py-1 bg-teal-600 text-white text-sm font-semibold rounded-full">
                    {featuredArticle.category}
                  </span>
                  <div>
                    {featuredArticle.jurisdiction && (
                      <span className="px-3 py-1 bg-navy-700/80 backdrop-blur-sm text-white text-sm font-medium rounded-full
flex items-center gap-1">
                        <MapPin className="w-3 h-3" />
                        {getJurisdictionName(featuredArticle.jurisdiction)}
                      </span>
                    )}
                  </div>
                </div>
              </div>
              <div className="p-8 lg:p-12 flex flex-col justify-center">
                <div className="flex flex-wrap items-center gap-3 text-sm text-navy-500 mb-4">
                  <div className="flex items-center gap-1">
                    <Clock className="w-4 h-4" />
                    {featuredArticle.read_time}
                  </div>
                  <span className="text-navy-300">|</span>
                  <span>
                    {new Date(featuredArticle.published_at).toLocaleDateString(dateLocale, {
                      month: 'long',
                      day: 'numeric',
                      year: 'numeric',
                    })}
                  </span>
                </div>
                {featuredArticle.review_status === 'attorney_reviewed' && (
                  <>
                    <span className="text-navy-300">|</span>
                    <span className="inline-flex items-center gap-1 text-emerald-600 font-medium">
                      <ShieldCheck className="w-4 h-4" />
                      {t('ezreads.attorneyReviewed')}
                    </span>
                  </>
                )}
                {featuredArticle.review_status === 'official_sources' && (
                  <>
                    <span className="text-navy-300">|</span>
                    <span className="inline-flex items-center gap-1 text-teal-600 font-medium">
                      <Landmark className="w-4 h-4" />
                      {t('ezreads.officialSources')}
                    </span>
                  </>
                )}
              </div>
            </div>
            <h3 className="text-3xl font-bold text-navy-900 mb-4 leading-tight">
              {featuredArticle.title}
            </h3>
            <p className="text-lg text-navy-600 mb-4 leading-relaxed">
              {featuredArticle.excerpt}
            </p>
            {!featuredArticle.jurisdiction && (
              <p className="text-xs text-navy-400 mb-4 flex items-center gap-1">
                <MapPin className="w-3 h-3" />
                {t('ezreads.generalGuidance')}
              </p>
            )}
            <button
              onClick={() => openArticle(featuredArticle.slug)}
              className="inline-flex items-center gap-2 px-6 py-3 bg-teal-600 text-white rounded-lg font-semibold
hover:bg-teal-700 transition-colors group w-fit"
            >
              {t('ezreads.readArticle')}
              <ArrowRight className="w-5 h-5 group-hover:translate-x-1 transition-transform" />
            </button>
          </div>
        </div>
      </div>
    )}
  </>

```

```

    </div>
  </section>
  })

  <section className="py-16 bg-white">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
      <div className="mb-12">
        <h2 className="text-3xl font-bold text-navy-900 mb-2">
          {selectedCategory
            ? `${selectedCategory}`
            : searchQuery
              ? t('ezreads.searchResults')
              : t('ezreads.recentArticles')}
        </h2>
        <p className="text-navy-600">
          {selectedCategory
            ? `${filteredArticles.length} ${t('ezreads.articlesAbout')} ${selectedCategory.toLowerCase()}`
            : searchQuery
              ? `${filteredArticles.length} ${t('ezreads.articlesMatching')}`
              : t('ezreads.latestGuides')}
          </p>
        </div>

        {filteredArticles.length === 0 ? (
          <div className="text-center py-16">
            <BookOpen className="w-16 h-16 mx-auto text-navy-300 mb-4" />
            <h3 className="text-xl font-semibold text-navy-900 mb-2">{t('ezreads.noArticles')}</h3>
            <p className="text-navy-600 mb-6">
              {searchQuery
                ? t('ezreads.noArticlesSearch')
                : t('ezreads.noArticlesCategory')}
            </p>
            <button
              onClick={handleClearAllFilters}
              className="px-6 py-3 bg-teal-600 text-white rounded-lg font-semibold hover:bg-teal-700 transition-colors"
            >
              {t('ezreads.clearAllFilters')}
            </button>
          </div>
        ) : (
          <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
            {(selectedCategory || searchQuery ? filteredArticles : regularArticles).map(
              (article) => (
                <article
                  key={article.id}
                  className="bg-white border border-navy-200 rounded-xl overflow-hidden hover:shadow-xl transition-all group"
                >
                  <div className="relative h-48 overflow-hidden">
                    <img
                      src={getArticleImage(article.image_url, article.category)}
                      alt={article.title}
                      loading="lazy"
                      onError={onArticleImageError(article.category)}
                      className="w-full h-full object-cover group-hover:scale-105 transition-transform duration-300"
                    />
                    <div className="absolute top-3 left-3 flex items-center gap-2">
                      <span className="px-3 py-1 bg-white/90 backdrop-blur-sm text-teal-600 text-xs font-semibold rounded-full">
                        {article.category}
                      </span>
                      {article.jurisdiction && (
                        <span className="px-2 py-1 bg-navy-800/80 backdrop-blur-sm text-white text-xs font-medium rounded-full flex items-center gap-1">
                          <MapPin className="w-3 h-3" />
                          {getJurisdictionName(article.jurisdiction)}
                        </span>
                      )}
                    </div>
                  </div>
                  <div className="p-6">
                    <div className="flex flex-wrap items-center gap-2 text-xs text-navy-500 mb-3">
                      <div className="flex items-center gap-1">
                        <Clock className="w-3 h-3" />
                        {article.read_time}
                      </div>
                      {article.review_status === 'attorney_reviewed' && (
                        <div>
                          <span className="text-navy-300">|</span>
                          <span className="inline-flex items-center gap-1 text-emerald-600 font-medium">
                            <ShieldCheck className="w-3 h-3" />
                            {t('ezreads.attorneyReviewed')}
                          </span>
                        </div>
                      )}
                    </div>
                    {article.review_status === 'official_sources' && (
                      <div>
                        <span className="text-navy-300">|</span>
                        <span className="inline-flex items-center gap-1 text-teal-600 font-medium">
                          <Landmark className="w-3 h-3" />
                          {t('ezreads.officialSources')}
                        </span>
                      </div>
                    )}
                  </div>
                </article>
              )}
            </div>
          </div>
        )
      </div>
    </div>
  </section>

```

```

items-center gap-1">
    <details className="mb-3 text-xs text-navy-500">
        <summary className="cursor-pointer select-none text-navy-500 hover:text-navy-700 list-none inline-flex
            <span className="underline-offset-2 hover:underline">
                {language === 'es' ? 'Detalles' : 'Details'}
            </span>
        </summary>
        <div className="mt-2 flex flex-wrap items-center gap-2">
            <span>
                {language === 'es' ? 'Publicado ' : 'Published '}
                {new Date(article.published_at).toLocaleDateString(dateLocale, {
                    month: 'short',
                    day: 'numeric',
                    year: 'numeric',
                })}
            </span>
            {article.updated_at !== article.published_at && (
                <span className="text-navy-300">|</span>
                <span>{formatUpdatedDate(article.updated_at, language)}</span>
            )}
            {article.jurisdiction && (
                <span className="text-navy-300">|</span>
                <span className="inline-flex items-center gap-1">
                    <MapPin className="w-3 h-3" />
                    {getJurisdictionName(article.jurisdiction)}
                </span>
            )}
        </div>
    </details>
    <h3 className="text-xl font-bold text-navy-900 mb-3 leading-tight group-hover:text-teal-600
transition-colors">
        {article.title}
    </h3>
    <p className="text-navy-600 mb-4 leading-relaxed text-sm">
        {article.excerpt}
    </p>
    <div className="flex items-center justify-between">
        <div className="flex items-center gap-4">
            <button
                onClick={() => openArticle(article.slug)}
                className="inline-flex items-center gap-2 text-teal-600 font-semibold text-sm group-hover:gap-3
transition-all"
            >
                {t('ezreads.readMore')}
                <ArrowRight className="w-4 h-4" />
            </button>
            <ShareButton
                variant="compact"
                context="article"
                title={article.title}
                url={` ${window.location.origin}/ezreads# ${article.slug}`}
            />
        </div>
    </div>
</article>
    )
    </div>
    </div>
</section>
</>
)}

<section className="py-16 bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
        <BookOpen className="w-16 h-16 mx-auto mb-6 text-orange-200" />
        <h2 className="text-4xl font-bold mb-6">{t('ezreads.stayInformed')}</h2>
        <p className="text-xl text-navy-100 mb-8 max-w-2xl mx-auto">
            {t('ezreads.stayInformedDesc')}
        </p>
        <div className="flex flex-col sm:flex-row gap-4 justify-center max-w-md mx-auto">
            <input
                type="email"
                placeholder={t('ezreads.enterEmail')}
                className="flex-1 px-4 py-3 rounded-lg text-navy-900 placeholder:text-navy-400 focus:outline-none focus:ring-2
focus:ring-teal-300"
            />
            <button className="px-6 py-3 bg-orange-500 text-white rounded-lg font-semibold hover:bg-orange-600 transition-colors
whitespace-nowrap">
                {t('ezreads.subscribe')}
            </button>
        </div>
        <p className="text-navy-200 text-sm mt-4">
            {t('ezreads.freeResources')}
        </p>
    </div>
</section>

<RelatedLinks />
<Footer />

```

```
    <ArticleModal
      article={selectedArticle}
      isOpen={isModalOpen}
      onClose={() => {
        setIsModalOpen(false);
        setSelectedArticle(null);
      }}
      isLoading={isArticleLoading}
    />
  </div>
);
}
```

[16/58] Features

Route: /features | File: src/pages/Features.tsx

```
import { Link } from 'react-router-dom';
import {
  MessageSquare,
  Briefcase,
  FileText,
  Search,
  UserPlus,
  Shield,
  CheckCircle,
  ArrowRight,
  Brain,
  Database,
  Lock,
  BarChart3,
  Globe,
  Workflow,
  DollarSign,
  Star,
  BookOpen,
  AlertTriangle,
  Scale,
  HelpCircle,
  FileCheck,
  Users
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

const journeySteps = [
  { icon: HelpCircle, label: 'Ask Your Question', description: 'Describe your situation in plain language' },
  { icon: Scale, label: 'Get Clear Answers', description: 'Citation-backed, jurisdiction-aware guidance' },
  { icon: FileCheck, label: 'Build Your Action Plan', description: 'Documents, timelines, and next steps' },
  { icon: Users, label: 'Connect If Needed', description: 'Lawyer referrals for complex matters' }
];

const coreFeatures = [
  {
    icon: MessageSquare,
    title: 'AI Legal Assistant',
    description: 'Get instant answers to your legal questions with our ezLegal.ai Chatbot trained on legal documentation and case law.',
    benefits: ['24/7 availability', 'Plain English explanations', 'All 50 U.S. states + territories']
  },
  {
    icon: BookOpen,
    title: 'Citation-Backed Answers',
    description: 'Every response references specific statutes, regulations, and case law so you can verify the information yourself.',
    benefits: ['Linked statute references', 'Case law citations', 'Source transparency'],
    highlight: true
  },
  {
    icon: AlertTriangle,
    title: 'Safety Screening & Escalation',
    description: 'Built-in safety checks detect crisis situations, flag high-risk matters, and connect you with emergency resources or a licensed attorney.',
    benefits: ['Crisis detection & resources', 'High-risk matter flagging', 'Human escalation pathways'],
    highlight: true
  },
  {
    icon: Shield,
    title: 'Jurisdiction-Aware Guidance',
    description: 'Responses are tailored to your specific state and local laws. The system confirms your jurisdiction before providing guidance.',
    benefits: ['State-specific statutes', 'Jurisdiction confirmation step', 'Local court information'],
    highlight: true
  },
  {
    icon: Briefcase,
    title: 'Case Tracking',
    description: 'Keep track of your legal matters in one place with simple workflows and automated reminders.',
    benefits: ['Deadline tracking', 'Priority management', 'Document organization']
  },
  {
    icon: FileText,
    title: 'Document Generation',
    description: 'Create legal documents quickly using AI-powered templates designed for common situations.',
    benefits: ['Legal document templates', 'Easy form filling', 'Instant downloads']
  },
  {
    icon: Search,
    title: 'Legal Research',
    description: 'Search through legal information and understand how laws apply to your situation.',
    benefits: ['Easy-to-understand results', 'Case examples', 'Updated with current statutes']
  },
  {
    icon: UserPlus,
    title: 'Contact Management',
    description: 'Keep your matter-level legal contacts and communications organized in one secure place.',
  }
]
```



```
benefits: ['Per-matter contact lists', 'Communication history', 'Secure document sharing']
},
{
  icon: BarChart3,
  title: 'Progress Tracking',
  description: 'Monitor your legal matters and get insights on next steps.',
  benefits: ['Status tracking', 'Timeline views', 'Helpful reminders']
}
];

const technologyFeatures = [
  {
    icon: Brain,
    title: 'Legalbreeze® AI',
    titleStyled: true,
    description: 'Powered by state-of-the-art AI models fine-tuned specifically for legal guidance and assistance.',
    link: '/ai-governance'
  },
  {
    icon: Shield,
    title: 'AES-256 Encryption',
    description: 'Your personal and legal information is protected with AES-256 encryption at rest and TLS 1.3 in transit.',
    link: '/trust-center'
  },
  {
    icon: Database,
    title: 'Secure Cloud Storage',
    description: 'Your documents are safely stored with SOC 2 compliant infrastructure and instant access whenever you need them.',
    link: '/trust-center'
  },
  {
    icon: Workflow,
    title: 'Simple Automation',
    description: 'Automated reminders and simple workflows help you stay on top of important deadlines.',
    link: '/signup'
  },
  {
    icon: Globe,
    title: '50-State Coverage',
    description: 'Support for all 50 U.S. states and territories with region-specific legal information and local court details.',
    link: '/signup'
  },
  {
    icon: Lock,
    title: 'Zero-Training Data Policy',
    description: 'Your data is never used to train our models. Your information stays private, always. Full data export and deletion available.',
    link: '/privacy'
  }
];

const comparisonFeatures = [
  { feature: 'AI Legal Assistant', us: true, traditional: 'Complements' },
  { feature: 'Document Templates', us: true, traditional: 'Complements' },
  { feature: 'Attorney Consultation', us: 'Referrals', traditional: true },
  { feature: 'Case Management', us: true, traditional: true },
  { feature: 'Legal Research', us: true, traditional: true },
  { feature: '24/7 Availability', us: true, traditional: 'Office hours' },
  { feature: 'Complex Litigation', us: 'Referrals', traditional: true },
  { feature: 'Court Representation', us: 'Referrals', traditional: true }
];

export default function Features() {
  return (
    <div className="min-h-screen bg-navy-50">
      <Navigation />

      <section className="relative bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white py-24 overflow-hidden pt-28">
        <div className="absolute inset-0 bg-[url('')]" opacity-50"></div>
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 relative">
          <div className="text-center max-w-4xl mx-auto">
            <div className="inline-flex items-center gap-2 bg-white/15 border border-white/30 px-4 py-2 rounded-full mb-6 backdrop-blur-sm">
              <Star className="w-4 h-4 text-gold-300" aria-hidden="true" />
              <span className="text-sm font-semibold text-white">AI-Powered Legal Tools for Everyone</span>
            </div>
            <h1 className="text-4xl sm:text-5xl lg:text-6xl font-bold mb-6 leading-tight">
              Legal Tools That<br className="hidden sm:block" />Work for Everyone
            </h1>
            <p className="text-xl sm:text-2xl text-white/90 mb-8 leading-relaxed max-w-3xl mx-auto">
              AI-powered legal information for individuals, trusted by attorneys. <span className="font-bold text-gold-300">Free unlimited questions</span>--pay only when you need action plans and documents.
            </p>
            <div className="flex flex-col sm:flex-row gap-4 justify-center">
              <Link
                to="/ask"
                className="px-8 py-4 bg-teal-600 text-white rounded-xl font-bold hover:bg-teal-700 transition-all shadow-xl hover:shadow-2xl hover:-translate-y-1 flex items-center justify-center gap-2">
                Ask My Question Free
              <ArrowRight className="w-5 h-5" aria-hidden="true" />
            </Link>
            <Link

```

```

        to="/pricing"
        className="px-8 py-4 bg-white text-navy-700 rounded-xl font-bold hover:bg-navy-50 transition-all shadow-lg flex
items-center justify-center gap-2"
    >
        See Pricing
    </Link>
</div>
<p className="text-sm text-white/80 mt-6 flex items-center justify-center gap-4 flex-wrap">
    <span className="flex items-center gap-1.5"><CheckCircle className="w-4 h-4 text-success-400" aria-hidden="true" />
30-day money-back guarantee</span>
    <span className="flex items-center gap-1.5"><CheckCircle className="w-4 h-4 text-success-400" aria-hidden="true" /> No
credit card required</span>
</p>
</div>
</div>
</section>

<section className="py-12 bg-white">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="grid grid-cols-2 md:grid-cols-4 gap-6 max-w-4xl mx-auto">
            <div className="text-center">
                <div className="text-4xl font-bold text-teal-600 mb-1">Free</div>
                <p className="text-navy-600 text-sm">Unlimited Questions</p>
            </div>
            <div className="text-center">
                <div className="text-4xl font-bold text-teal-600 mb-1">Instant</div>
                <p className="text-navy-600 text-sm">AI Responses</p>
            </div>
            <div className="text-center">
                <div className="text-4xl font-bold text-teal-600 mb-1">24/7</div>
                <p className="text-navy-600 text-sm">Always Available</p>
            </div>
            <div className="text-center">
                <div className="text-4xl font-bold text-teal-600 mb-1">50+</div>
                <p className="text-navy-600 text-sm">Legal Topics</p>
            </div>
        </div>
    </div>
</section>

<section className="py-16 bg-navy-50 border-b border-navy-200">
    <div className="max-w-6xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-10">
            <h2 className="text-2xl sm:text-3xl font-bold text-navy-900 mb-2">How It Works</h2>
            <p className="text-navy-600">From question to resolution in four clear steps</p>
        </div>
        <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-6">
            {journeySteps.map((step, index) => (
                <div key={index} className="relative flex flex-col items-center text-center">
                    <div className="w-14 h-14 bg-teal-100 rounded-full flex items-center justify-center mb-3 relative">
                        <step.icon className="w-6 h-6 text-teal-700" aria-hidden="true" />
                        <span className="absolute -top-1 -right-1 w-6 h-6 bg-navy-800 text-white text-xs font-bold rounded-full flex
items-center justify-center">
                            {index + 1}
                        </span>
                    </div>
                    <h3 className="font-bold text-navy-900 mb-1">{step.label}</h3>
                    <p className="text-sm text-navy-600 leading-relaxed">{step.description}</p>
                    {index < journeySteps.length - 1 && (
                        <ArrowRight className="hidden lg:block absolute top-7 -right-3 w-5 h-5 text-navy-300" aria-hidden="true" />
                    )}
                </div>
            ))}
        </div>
    </div>
</section>

<section className="py-20 bg-navy-50">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
            <h2 className="text-4xl font-bold text-navy-900 mb-4">
                Everything You Need, One Simple Price
            </h2>
            <p className="text-xl text-navy-600 max-w-2xl mx-auto">
                Comprehensive legal tools designed to help you understand your situation and make informed decisions.
            </p>
        </div>

        <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
            {coreFeatures.map((feature, index) => (
                <div
                    key={index}
                    className={`bg-white rounded-xl p-6 shadow-md hover:shadow-lg transition-all border ${
                        feature.highlight
                            ? 'border-teal-300 ring-1 ring-teal-200'
                            : 'border-navy-200'
                    }`}
                >
                    <div className={`w-12 h-12 rounded-lg flex items-center justify-center mb-4 ${
                        feature.highlight ? 'bg-teal-600' : 'bg-teal-100'
                    }`}
                    >
                        <feature.icon className={`w-6 h-6 ${feature.highlight ? 'text-white' : 'text-teal-600'}`} aria-hidden="true" />
                    </div>
                    {feature.highlight && (
                        <span className="inline-block text-xs font-bold uppercase tracking-wider text-teal-700 bg-teal-50 px-2 py-0.5
rounded mb-2">

```

```

        Trust & Safety
      </span>
    ))
    <h3 className="text-xl font-bold text-navy-900 mb-2">{feature.title}</h3>
    <p className="text-navy-600 mb-4">{feature.description}</p>
    <ul className="space-y-2">
      {feature.benefits.map((benefit, idx) => (
        <li key={idx} className="flex items-center gap-2 text-sm text-navy-600">
          <CheckCircle className="w-4 h-4 text-success-600 flex-shrink-0" aria-hidden="true" />
          {benefit}
        </li>
      ))}
    </ul>
  </div>
))
</div>

<div className="mt-6 text-center">
  <Link
    to="/trust-center"
    className="inline-flex items-center gap-2 text-teal-700 font-semibold hover:text-teal-800 transition-colors text-sm"
  >
    Learn more about our trust and safety approach
    <ArrowRight className="w-4 h-4" aria-hidden="true" />
  </Link>
</div>
</div>
</section>

<section className="py-24 bg-white">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-16">
      <h2 className="text-4xl font-bold text-navy-900 mb-4">
        Powered by <span className="text-navy-800">Legalbre</span><span className="text-teal-500">ez</span><span
className="text-navy-800">e</span><sup className="text-lg text-navy-500">TM</sup> Technology
      </h2>
      <p className="text-xl text-navy-600 max-w-2xl mx-auto">
        Secure infrastructure built for legal AI -- AES-256 encryption, SOC 2 compliance, and zero-training data policy.
      </p>
    </div>

    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
      {technologyFeatures.map((feature, index) => (
        <Link
          key={index}
          to={feature.link}
          className="flex gap-4 p-6 rounded-xl border border-navy-200 hover:border-teal-300 hover:bg-teal-50/50 transition-all
cursor-pointer group"
        >
          <div className="w-12 h-12 bg-teal-50 group-hover:bg-teal-100 rounded-lg flex items-center justify-center
flex-shrink-0 transition-colors">
            <feature.icon className="w-6 h-6 text-teal-600" aria-hidden="true" />
          </div>
          <div>
            <h3 className="font-semibold text-navy-900 mb-2 group-hover:text-teal-600 transition-colors">
              {feature.titleStylized ? (
                <<span className="text-navy-800">Legalbre</span><span className="text-teal-500">ez</span><span
className="text-navy-800">e</span><sup className="text-[10px] text-navy-500">TM</sup> AI</>
              ) : feature.title}
            </h3>
            <p className="text-sm text-navy-600 leading-relaxed">{feature.description}</p>
            <span className="text-xs text-teal-600 font-medium mt-2 inline-flex items-center gap-1 opacity-0
group-hover:opacity-100 transition-opacity">
              Learn more <ArrowRight className="w-3 h-3" aria-hidden="true" />
            </span>
          </div>
        </Link>
      ))}
    </div>
  </div>
</section>

<section className="py-16 bg-white">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="bg-gradient-to-r from-green-50 to-teal-50 rounded-2xl p-8 border-2 border-green-200 text-center">
      <div className="inline-flex items-center gap-2 bg-white px-4 py-2 rounded-full mb-4">
        <DollarSign className="w-5 h-5 text-success-600" aria-hidden="true" />
        <span className="font-bold text-navy-900">Free to Get Started</span>
      </div>
      <h2 className="text-3xl font-bold text-navy-900 mb-3">
        Ask Unlimited Questions Free
      </h2>
      <p className="text-lg text-navy-600 mb-6 max-w-2xl mx-auto">
        Understand your legal situation before deciding if you need professional counsel. Pay only when you need detailed
        action plans and document templates.
      </p>
      <Link
        to="/ask"
        className="inline-flex items-center gap-2 bg-green-600 hover:bg-green-700 text-white px-8 py-4 rounded-xl font-bold
shadow-xl hover:shadow-2xl transition-all hover:-translate-y-1"
      >
        Ask My Question Free
        <ArrowRight className="w-5 h-5" aria-hidden="true" />
      </Link>
      <p className="text-sm text-navy-600 mt-4">Issue Packs from $29 when you need action plans</p>
    </div>
  </div>

```

```

</div>
</section>

<section className="py-24 bg-white">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-navy-50 border border-navy-200 px-4 py-2 rounded-full mb-4">
        <Star className="w-4 h-4 text-teal-600" aria-hidden="true" />
        <span className="text-navy-700 text-sm font-semibold">How We Work Together</span>
      </div>
      <h2 className="text-4xl font-bold text-navy-900 mb-4">
        ezLegal.ai + Attorneys = Better Outcomes
      </h2>
      <p className="text-xl text-navy-600">
        We complement legal professionals, not replace them. See how our tools fit into your legal journey.
      </p>
    </div>

    <div className="bg-navy-50 rounded-2xl overflow-hidden border-2 border-navy-200 shadow-lg">
      <table className="w-full" role="table">
        <thead>
          <tr className="border-b-2 border-navy-200 bg-navy-100">
            <th scope="col" className="text-left font-bold text-navy-700 p-6">Service</th>
            <th scope="col" className="text-center font-bold text-teal-600 p-6">ezLegal.ai</th>
            <th scope="col" className="text-center font-bold text-navy-700 p-6">Licensed Attorneys</th>
          </tr>
        </thead>
        <tbody>
          {comparisonFeatures.map((item, index) => (
            <tr>
              <td key={index}
                className="border-b border-navy-200 last:border-0 hover:bg-white transition-colors"
              >
                <td className="text-navy-800 font-medium p-6">{item.feature}</td>
                <td className="text-center p-6">
                  {item.us === true ? (
                    <CheckCircle className="w-6 h-6 text-success-600 mx-auto" aria-hidden="true" />
                  ) : typeof item.us === 'string' ? (
                    <span className="text-teal-600 font-medium text-sm">{item.us}</span>
                  ) : (
                    <span className="text-navy-400" aria-label="Not available"></span>
                  )}
                  {item.us === true && <span className="sr-only">Yes</span>}
                </td>
                <td className="text-center p-6">
                  {item.traditional === true ? (
                    <CheckCircle className="w-6 h-6 text-success-600 mx-auto" aria-hidden="true" />
                  ) : typeof item.traditional === 'string' ? (
                    <span className="text-navy-600 font-medium text-sm">{item.traditional}</span>
                  ) : (
                    <span className="text-navy-400" aria-label="Not available"></span>
                  )}
                  {item.traditional === true && <span className="sr-only">Yes</span>}
                </td>
              </tr>
            </tbody>
          </table>
        </div>

        <div className="mt-8 bg-navy-50 border border-navy-200 rounded-xl p-6 text-center">
          <p className="text-navy-700 mb-4">
            <strong>Our philosophy:</strong> ezLegal.ai helps you understand your legal situation. For complex matters, court representation, or when you need legal advice, we'll connect you with qualified attorneys.
          </p>
          <Link
            to="/ask"
            className="inline-flex items-center gap-2 bg-teal-600 hover:bg-teal-700 text-white px-8 py-4 rounded-xl font-bold transition-all shadow-lg hover:shadow-xl"
          >
            Ask My Question Free
            <ArrowRight className="w-5 h-5" aria-hidden="true" />
          </Link>
        </div>
      </div>
    </section>

    <section className="py-20 bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900">
      <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
        <h2 className="text-4xl font-bold text-white mb-4">
          Ready to Understand Your Legal Situation?
        </h2>
        <p className="text-xl text-white/90 mb-8 max-w-2xl mx-auto">
          Get clarity on your legal questions. Our AI helps you understand your options so you can make informed decisions about next steps.
        </p>
        <Link
          to="/ask"
          className="inline-flex items-center gap-2 bg-teal-600 text-white px-10 py-4 rounded-xl font-bold hover:bg-teal-700 transition-all shadow-2xl hover:shadow-3xl hover:scale-105"
        >
          Ask My Question Free
          <ArrowRight className="w-5 h-5" aria-hidden="true" />
        </Link>
        <p className="text-white/80 text-sm mt-6 flex items-center justify-center gap-4 flex-wrap">
          <span>Free to start</span>

```

```
        <span>Available 24/7</span>
        <span>Issue Packs from $29 when needed</span>
    </p>
</div>
</section>

<Footer />
</div>
);
}
```

[17/58] Find Attorney

Route: /find-attorney | File: src/pages/LawyerProfiles.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import {
  Search, MapPin, Award, Globe, MessageSquare,
  ArrowRight, Users, Briefcase, Info
} from 'lucide-react';
import AttorneyMatchingDisclosure from '../components/AttorneyMatchingDisclosure';
import LawyerProfileModal from '../components/LawyerProfileModal';
import { arizonaLawyers, practiceAreaCategories, type LawyerProfile } from '../data/arizonaLawyers';

export default function LawyerProfiles() {
  const [searchTerm, setSearchTerm] = useState('');
  const [selectedSpecialty, setSelectedSpecialty] = useState('all');
  const [sortBy, setSortBy] = useState<'experience' | 'price'>('experience');
  const [selectedLawyer, setSelectedLawyer] = useState<LawyerProfile | null>(null);
  const [spanishOnly, setSpanishOnly] = useState(false);
  const [freeConsultation, setFreeConsultation] = useState(false);
  const [flatFee, setFlatFee] = useState(false);
  const [contingencyFee, setContingencyFee] = useState(false);
  const [showRankingInfo, setShowRankingInfo] = useState(false);

  const filteredLawyers = arizonaLawyers
    .filter((lawyer) => {
      const matchesSearch =
        searchTerm === '' ||
        lawyer.name.toLowerCase().includes(searchTerm.toLowerCase()) ||
        lawyer.practiceAreas.some(area => area.toLowerCase().includes(searchTerm.toLowerCase())) ||
        lawyer.location.toLowerCase().includes(searchTerm.toLowerCase());
      const matchesSpecialty =
        selectedSpecialty === 'all' || lawyer.practiceAreas.some(area =>
          area.toLowerCase().includes(selectedSpecialty.toLowerCase())
        );
      const matchesLanguage = !spanishOnly || lawyer.languages.includes('Spanish');
      const matchesFreeConsult = !freeConsultation || lawyer.offers?.includes('Free Consultation');
      const matchesFlatFee = !flatFee || lawyer.flatFeeAvailable;
      const matchesContingency = !contingencyFee || lawyer.offers?.includes('Contingency Fee');
      return matchesSearch && matchesSpecialty && matchesLanguage && matchesFreeConsult && matchesFlatFee && matchesContingency;
    })
    .sort((a, b) => {
      if (sortBy === 'experience') return b.experience - a.experience;
      if (sortBy === 'price') return a.averageBillingRate - b.averageBillingRate;
      return 0;
    });

  const clearFilters = () => {
    setSearchTerm('');
    setSelectedSpecialty('all');
    setSpanishOnly(false);
    setFreeConsultation(false);
    setFlatFee(false);
    setContingencyFee(false);
  };

  const hasActiveFilters = selectedSpecialty !== 'all' || spanishOnly || searchTerm || freeConsultation || flatFee ||
    contingencyFee;

  return (
    <div className="min-h-screen bg-navy-50">
      <div className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 py-10">
          <div className="flex items-center gap-2 mb-3">
            <Users className="w-5 h-5 text-teal-400" />
            <span className="text-sm font-semibold text-teal-300 uppercase tracking-wider">
              Attorney Directory
            </span>
          </div>
          <div>
            <h1 className="text-3xl sm:text-4xl font-bold mb-2">
              Find Your Attorney
            </h1>
            <p className="text-navy-300 mb-8 max-w-xl">
              Browse verified, bar-licensed Arizona attorneys. Filter by specialty,
              language, and experience.
            </p>
            <div className="relative max-w-2xl">
              <Search className="absolute left-4 top-1/2 -translate-y-1/2 text-navy-400 w-5 h-5" />
              <input
                type="text"
                placeholder="Search by name, specialty, or location..."
                value={searchTerm}
                onChange={(e) => setSearchTerm(e.target.value)}
                className="w-full pl-12 pr-4 py-4 rounded-xl bg-white/10 backdrop-blur border border-white/20 text-white
                placeholder-navy-400 focus:ring-2 focus:ring-teal-400 focus:border-transparent text-base"
              />
            </div>
          </div>
        </div>
      </div>
      <div className="bg-white border-b border-navy-200 sticky top-0 z-10 shadow-sm">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 py-4">
```

```

<div className="flex items-center gap-2 overflow-x-auto pb-1 -mx-1 px-1" style={{ scrollbarWidth: 'none' }}>
  <button
    onClick={() => setSelectedSpecialty('all')}
    className={`flex-shrink-0 px-4 py-2 rounded-full text-sm font-medium transition-all ${
      selectedSpecialty === 'all'
        ? 'bg-navy-900 text-white shadow-md'
        : 'bg-navy-100 text-navy-700 hover:bg-navy-200'
    }}`
  >
    All
  </button>
  {practiceAreaCategories.map((cat) => (
    <button
      key={cat.id}
      onClick={() => setSelectedSpecialty(
        selectedSpecialty === cat.name ? 'all' : cat.name
      )}
      className={`flex-shrink-0 px-4 py-2 rounded-full text-sm font-medium transition-all ${
        selectedSpecialty === cat.name
          ? 'bg-navy-900 text-white shadow-md'
          : 'bg-navy-100 text-navy-700 hover:bg-navy-200'
        }}`
    >
      {cat.name}
    </button>
  ))}
</div>
<div className="flex flex-wrap items-center gap-2 mt-3">
  <button
    onClick={() => setFreeConsultation(!freeConsultation)}
    aria-pressed={freeConsultation}
    className={`flex items-center gap-1.5 px-3 py-1.5 rounded-full text-sm font-medium transition-all ${
      freeConsultation
        ? 'bg-green-600 text-white shadow-md'
        : 'bg-green-50 text-green-700 border border-green-200 hover:bg-green-100'
      }}`
  >
    Free Consultation
  </button>
  <button
    onClick={() => setFlatFee(!flatFee)}
    aria-pressed={flatFee}
    className={`flex items-center gap-1.5 px-3 py-1.5 rounded-full text-sm font-medium transition-all ${
      flatFee
        ? 'bg-green-600 text-white shadow-md'
        : 'bg-green-50 text-green-700 border border-green-200 hover:bg-green-100'
      }}`
  >
    Flat Fee
  </button>
  <button
    onClick={() => setContingencyFee(!contingencyFee)}
    aria-pressed={contingencyFee}
    className={`flex items-center gap-1.5 px-3 py-1.5 rounded-full text-sm font-medium transition-all ${
      contingencyFee
        ? 'bg-green-600 text-white shadow-md'
        : 'bg-green-50 text-green-700 border border-green-200 hover:bg-green-100'
      }}`
  >
    Contingency Fee
  </button>
  <div className="w-px h-5 bg-navy-200 mx-1" />
  <button
    onClick={() => setSpanishOnly(!spanishOnly)}
    aria-pressed={spanishOnly}
    className={`flex items-center gap-1.5 px-3 py-1.5 rounded-full text-sm font-medium transition-all ${
      spanishOnly
        ? 'bg-teal-600 text-white shadow-md'
        : 'bg-teal-50 text-teal-700 border border-teal-200 hover:bg-teal-100'
      }}`
  >
    <Globe className="w-3.5 h-3.5" />
    Spanish-Speaking Attorneys
  </button>
  <div className="ml-auto flex items-center gap-2">
    <span className="text-sm text-navy-500 hidden sm:inline">Sort:</span>
    {[
      { key: 'experience' as const, label: 'Most Experience' },
    ]}.map((option) => (
      <button
        key={option.key}
        onClick={() => setSortBy(option.key)}
        aria-pressed={sortBy === option.key}
        className={`px-3 py-1.5 rounded-lg text-sm font-medium transition-all ${
          sortBy === option.key
            ? 'bg-navy-900 text-white'
            : 'bg-navy-100 text-navy-700 hover:bg-navy-200'
          }}`
      >
        {option.label}
      </button>
    ))}
  </div>
  <div className="relative">
    <button
      onClick={() => setShowRankingInfo(!showRankingInfo)}
      className="flex items-center gap-1 text-xs text-navy-500 hover:text-teal-600 transition-colors"
    >

```

```

        aria-expanded={showRankingInfo}
        aria-label="How is this sorted?"
      >
        <Info className="w-3.5 h-3.5" />
        <span className="hidden sm:inline underline decoration-dotted underline-offset-2">How is this sorted?</span>
      </button>
    {showRankingInfo && (
      <div className="absolute right-0 top-full mt-2 w-80 bg-white border border-navy-200 rounded-xl shadow-lg p-4
z-20">
        <p className="text-sm text-navy-700 leading-relaxed">
          Results are ranked by verified client reviews, relevance to your search, and location proximity.{' '}
          <span className="font-semibold">No attorney pays for placement or priority positioning.</span>{' '}
          ezLegal.ai has no sponsorship or commercial relationships that influence ordering.
        </p>
        <button
          onClick={() => setShowRankingInfo(false)}
          className="text-xs text-teal-600 hover:underline mt-2 font-medium"
        >
          Dismiss
        </button>
      </div>
    )}
  </div>
</div>
</div>
</div>
</div>
</div>

<div className="max-w-7xl mx-auto px-4 sm:px-6 py-8">
  <div className="flex items-center justify-between mb-6">
    <p className="text-navy-600">
      <span className="font-semibold text-navy-900">{filteredLawyers.length}</span> verified attorney{filteredLawyers.length
!= 1 ? 's' : ''}
      {selectedSpecialty !== 'all' && (
        <span> in <span className="font-semibold text-teal-700">{selectedSpecialty}</span></span>
      )}
      {spanishOnly && (
        <span> who speak <span className="font-semibold text-teal-700">Spanish</span></span>
      )}
      {freeConsultation && (
        <span> offering <span className="font-semibold text-green-700">free consultation</span></span>
      )}
      {flatFee && (
        <span>{freeConsultation ? ', ' : ' offering '}<span className="font-semibold text-green-700">flat fee</span></span>
      )}
      {contingencyFee && (
        <span>{freeConsultation || flatFee ? ', ' : ' offering '}<span className="font-semibold text-green-700">contingency
fee</span></span>
      )}
    </p>
    {hasActiveFilters && (
      <button
        onClick={clearFilters}
        className="text-sm text-teal-600 hover:underline font-medium"
      >
        Clear filters
      </button>
    )}
  </div>

  <AttorneyMatchingDisclosure variant="panel" className="mb-6" />

  {filteredLawyers.length === 0 ? (
    <div className="text-center py-16 bg-white rounded-2xl border border-navy-200">
      <div className="w-16 h-16 bg-navy-100 rounded-full flex items-center justify-center mx-auto mb-4">
        <Users className="w-8 h-8 text-navy-400" />
      </div>
      <h2 className="text-lg font-semibold text-navy-900 mb-2">No attorneys found</h2>
      <p className="text-navy-600 mb-4">Try adjusting your filters or search terms</p>
      <button
        onClick={clearFilters}
        className="text-teal-600 font-medium hover:underline"
      >
        Clear all filters
      </button>
    </div>
  ) : (
    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
      {filteredLawyers.map((lawyer) => (
        <div
          key={lawyer.id}
          className="bg-white rounded-2xl border border-navy-200 overflow-hidden hover:shadow-lg hover:border-navy-300
transition-all cursor-pointer group flex flex-col"
          onClick={() => setSelectedLawyer(lawyer)}
        >
          <div className="p-5 flex flex-col flex-1">
            <div className="flex gap-4 mb-4">
              <div className="relative flex-shrink-0">
                <img
                  src={lawyer.image}
                  alt={lawyer.name}
                  className="w-16 h-16 rounded-xl object-cover"
                />
                <div className={`absolute -bottom-1 -right-1 w-4 h-4 rounded-full border-2 border-white ${
                  lawyer.availability === 'Available' ? 'bg-green-500' :
                  lawyer.availability === 'Busy' ? 'bg-amber-500' : 'bg-navy-400'
                }`}>

```



```

    }} />
  </div>
  <div className="flex-1 min-w-0">
    <div className="flex items-center gap-1.5 mb-1">
      <h3 className="font-bold text-navy-900 truncate group-hover:text-teal-700 transition-colors">
        {lawyer.name}
      </h3>
      {lawyer.verified && (
        <div className="relative group/verified flex-shrink-0">
          <Award className="w-4 h-4 text-teal-600" aria-label="Bar license verified by ezLegal.ai" />
          <div className="absolute bottom-full left-1/2 -translate-x-1/2 mb-1.5 px-2.5 py-1.5 bg-slate-900
text-white text-xs rounded-lg whitespace-nowrap opacity-0 group-hover/verified:opacity-100 pointer-events-none transition-opacity
shadow-lg">
            Bar license verified by ezLegal.ai
          <div className="absolute top-full left-1/2 -translate-x-1/2 border-4 border-transparent
border-t-slate-900" />
        </div>
      </div>
    </div>
    <div className="flex items-center gap-1.5 mb-1">
      <span className="text-xs text-teal-600 font-medium">{lawyer.experience} years experience</span>
    </div>
    <div className="flex items-center gap-1 text-sm text-navy-600">
      <MapPin className="w-3.5 h-3.5 text-navy-400 flex-shrink-0" />
      <span className="truncate">{lawyer.location}</span>
    </div>
  </div>
</div>

<div className="flex flex-wrap gap-1.5 mb-3">
  {lawyer.practiceAreas.slice(0, 3).map((area) => (
    <span
      key={area}
      className="px-2 py-0.5 rounded-md text-xs font-medium bg-navy-100 text-navy-700"
    >
      {area}
    </span>
  ))}
  {lawyer.practiceAreas.length > 3 && (
    <span className="px-2 py-0.5 text-xs text-navy-400">
      +{lawyer.practiceAreas.length - 3}
    </span>
  )}
</div>

<div className="flex flex-wrap items-center gap-x-3 gap-y-1 text-xs text-navy-600 mb-4">
  <span className="flex items-center gap-1">
    <Briefcase className="w-3 h-3 text-navy-400" />
    {lawyer.experience} yrs
  </span>
  {lawyer.flatFeeAvailable && (
    <span className="text-green-700 font-medium">Flat fee</span>
  )}
  {lawyer.averageBillingRate > 0 && (
    <span className="font-medium">${lawyer.averageBillingRate}/hr</span>
  )}
  {lawyer.languages.includes('Spanish') && (
    <span className="flex items-center gap-1 text-teal-700 font-medium">
      <Globe className="w-3 h-3" />
      Español
    </span>
  )}
</div>

<p className="text-sm text-navy-600 line-clamp-2 mb-4 flex-1">{lawyer.bio}</p>

<button
  onClick={e => { e.stopPropagation(); setSelectedLawyer(lawyer); }}
  className="w-full bg-navy-900 hover:bg-teal-700 text-white py-2.5 rounded-lg font-medium transition-colors
text-sm"
>
  View Profile
</button>
</div>
</div>
  )}}
</div>
  )}
</div>

<div className="bg-gradient-to-r from-navy-900 to-navy-800">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 py-10">
    <div className="flex flex-col sm:flex-row items-start sm:items-center justify-between gap-6">
      <div>
        <h3 className="text-xl font-bold text-white mb-2">
          Not sure which attorney you need?
        </h3>
        <p className="text-navy-300 max-w-lg">
          Chat with our AI legal assistant to understand your situation first.
          Get matched to the right attorney for your specific needs.
        </p>
      </div>
      <Link
        to="/chat"
        className="flex items-center gap-2 bg-teal-600 hover:bg-teal-500 text-white px-6 py-3 rounded-xl font-semibold"
      >

```

```
transition-all shadow-lg whitespace-nowrap"
    >
      <MessageSquare className="w-5 h-5" />
      Chat with AI
      <ArrowRight className="w-4 h-4" />
    </Link>
  </div>
</div>
</div>

{selectedLawyer && (
  <LawyerProfileModal
    lawyer={selectedLawyer}
    onClose={() => setSelectedLawyer(null)}
  />
)}
</div>
);
}
```

[18/58] For Business

Route: /for-business | File: src/pages/ForBusiness.tsx

```
import { useState, useEffect, useRef, useCallback } from 'react';
import { Link } from 'react-router-dom';
import Navigation from '../components/Navigation';
import Breadcrumbs from '../components/Breadcrumbs';
import RelatedLinks from '../components/RelatedLinks';
import { AttorneyServiceDisclosure } from '../components/shared';
import Footer from '../components/Footer';
import { AIGovernanceNotice, ScopeBoundaryCard, HumanEscalationCard, DataUseAndPrivacyCard } from '../components/trust';
import {
  Building2, FileText, Shield, Clock, DollarSign, Users, CheckCircle2,
  ArrowRight, Briefcase, Scale, AlertTriangle,
  Lock, Calculator, ChevronDown, ChevronUp,
  Award, ExternalLink, X
} from 'lucide-react';

interface PricingTier {
  name: string;
  price: string;
  period: string;
  description: string;
  features: string[];
  cta: string;
  popular?: boolean;
}

const businessPricing: PricingTier[] = [
  {
    name: 'Business Starter',
    price: '$99',
    period: '/month',
    description: 'For startups & small businesses',
    features: [
      'Up to 5 team members',
      'Unlimited AI legal assistant',
      'Business document templates',
      'Employment law guidance',
      'Contract review assistance',
      'Email & chat support',
    ],
    cta: 'Start Free Trial',
  },
  {
    name: 'Business Pro',
    price: '$249',
    period: '/month',
    description: 'For growing businesses',
    features: [
      'Up to 15 team members',
      'Everything in Business Starter, plus:',
      'Attorney consultation (2 hrs/month)',
      'Compliance monitoring alerts',
      'Multi-state legal guidance',
      'Priority phone support',
      'Custom document templates',
      'API access',
    ],
    cta: 'Start Free Trial',
    popular: true,
  },
  {
    name: 'Enterprise',
    price: 'Custom',
    period: '',
    description: 'For national brands & large organizations',
    features: [
      'Unlimited team members',
      'Custom domain (yourcompany.com)',
      'Full white-label branding',
      'API integration access',
      'Dedicated account manager',
      'Custom SLA & compliance',
      'SSO & advanced security',
    ],
    cta: 'Contact Sales',
  },
];

interface Citation {
  id: number;
  label: string;
  source: string;
  url: string;
  year: string;
  accessNote?: string;
}

const citations: Citation[] = [
  { id: 1, label: 'Clio Legal Trends Report', source: 'Clio', url: 'https://www.clio.com/resources/legal-trends/', year: '2023',
    accessNote: 'Free with registration' },
```

```

    { id: 2, label: 'Legal Industry Survey', source: 'Thomson Reuters', url: 'https://legal.thomsonreuters.com/en/insights', year:
'2023', accessNote: 'May require subscription' },
    { id: 3, label: 'Cost of a Data Breach Report', source: 'IBM/Ponemon Institute', url: 'https://www.ibm.com/reports/data-breach',
year: '2023', accessNote: 'Free with registration' },
    { id: 4, label: 'State of the Legal Market', source: 'Thomson Reuters', url: 'https://legal.thomsonreuters.com/en/insights', year:
'2024', accessNote: 'May require subscription' },
];

const painPoints = [
  {
    icon: DollarSign,
    problem: 'Legal fees are unpredictable',
    stat: '$300-500/hr',
    statLabel: 'avg attorney rate',
    citationId: 1,
    solution: 'Flat monthly pricing with unlimited AI assistance',
  },
  {
    icon: Clock,
    problem: 'Contracts take weeks to review',
    stat: '5-10 days',
    statLabel: 'typical turnaround',
    citationId: 2,
    solution: 'AI-powered review in minutes, not days',
  },
  {
    icon: AlertTriangle,
    problem: 'Compliance risks are costly',
    stat: '$4.24M',
    statLabel: 'avg breach cost',
    citationId: 3,
    solution: 'Proactive compliance monitoring & alerts',
  },
  {
    icon: Users,
    problem: 'No in-house legal team',
    stat: '87%',
    statLabel: 'of SMBs lack counsel',
    citationId: 4,
    solution: 'AI legal assistant available 24/7',
  },
];

const useCases = [
  {
    icon: FileText,
    title: 'Contract Management',
    description: 'Generate, review, and manage NDAs, service agreements, employment contracts, and more.',
    benefits: ['Auto-generate from templates', 'AI clause analysis', 'Version tracking', 'E-signature ready'],
  },
  {
    icon: Shield,
    title: 'Compliance & Risk',
    description: 'Stay compliant with employment law, data privacy regulations, and industry standards.',
    benefits: ['GDPR/CCPA guidance', 'Employment law updates', 'Policy generators', 'Audit preparation'],
  },
  {
    icon: Scale,
    title: 'Employment Law',
    description: 'Navigate hiring, termination, workplace policies, and employee disputes with confidence.',
    benefits: ['Handbook templates', 'Termination guidance', 'Discrimination prevention', 'Wage & hour compliance'],
  },
  {
    icon: Briefcase,
    title: 'Business Formation',
    description: 'Structure your business correctly from day one with entity selection guidance.',
    benefits: ['LLC vs Corp analysis', 'Operating agreements', 'Bylaws & resolutions', 'State compliance'],
  },
];

const valueProps = [
  {
    title: 'Faster Contract Reviews',
    description: 'AI-powered contract analysis helps your team review agreements in hours instead of weeks, so deals close faster.',
    benefit: 'Designed to reduce review time by up to 90%',
    icon: 'speed',
  },
  {
    title: 'Affordable Legal Coverage',
    description: 'Get enterprise-level legal support without the enterprise price tag. Built specifically for teams of 5-200.',
    benefit: 'Predictable monthly pricing, no hourly surprises',
    icon: 'savings',
  },
  {
    title: 'Proactive Compliance',
    description: 'Stay ahead of regulatory requirements with built-in compliance monitoring for CCPA, employment law, and more.',
    benefit: 'Catch issues before they become costly problems',
    icon: 'shield',
  },
];

const faqs = [
  {
    question: "How is this different from just using ChatGPT for legal questions?",
    answer: "ezLegal.ai™ is purpose-built for legal work with jurisdiction-specific accuracy, attorney-reviewed templates, and compliance tracking. General AI tools lack legal training, can't generate enforceable documents, and don't understand state-specific

```

```

requirements. Our AI is trained on actual legal precedents and reviewed by practicing attorneys.",
},
{
  question: "Can ezLegal.ai™ replace our attorney entirely?",
  answer: "No, and we don't try to. ezLegal.ai\u002122 handles routine legal information tasks so you can reserve attorney time for complex matters. Think of us as your first line of defense that escalates to human attorneys when needed. We even help you find and brief attorneys when you need them.",
},
{
  question: "Is our data secure and confidential?",
  answer: "Yes. We use TLS 1.3 encryption in transit and AES-256 at rest via our infrastructure provider (Supabase, which is SOC 2 Type II certified). We never use your data to train AI models. Your business information stays private and we're CCPA compliant.",
},
{
  question: "How quickly can we get started?",
  answer: "Most teams are up and running in under 30 minutes. No complex integrations required. For Enterprise plans with custom integrations, typical deployment is 2-4 weeks with dedicated support throughout.",
},
{
  question: "What if we need help with something outside the AI's capabilities?",
  answer: "Our platform includes warm handoff to our network of vetted attorneys. You can share your conversation history and documents directly, so the attorney has full context. Business plan users get priority attorney matching.",
},
];

export default function ForBusiness() {
  const [expandedFaq, setExpandedFaq] = useState<number | null>(null);
  const [activeCitation, setActiveCitation] = useState<number | null>(null);
  const citationTriggerRefs = useRef<Record<number, HTMLButtonElement | null>>({});
  const citationPopoverRef = useRef<HTMLDivElement | null>(null);

  const closeCitation = useCallback(() => {
    const prev = activeCitation;
    setActiveCitation(null);
    if (prev !== null) {
      citationTriggerRefs.current[prev]?.focus();
    }
  }, [activeCitation]);

  useEffect(() => {
    if (activeCitation === null) return;
    function handleKeyDown(e: KeyboardEvent) {
      if (e.key === 'Escape') closeCitation();
    }
    function handleClickOutside(e: MouseEvent) {
      const popover = citationPopoverRef.current;
      const trigger = activeCitation !== null ? citationTriggerRefs.current[activeCitation] : null;
      if (popover && !popover.contains(e.target as Node) && trigger && !trigger.contains(e.target as Node)) {
        closeCitation();
      }
    }
    document.addEventListener('keydown', handleKeyDown);
    document.addEventListener('mousedown', handleClickOutside);
    return () => {
      document.removeEventListener('keydown', handleKeyDown);
      document.removeEventListener('mousedown', handleClickOutside);
    };
  }, [activeCitation, closeCitation]);

  const [calculatorInputs, setCalculatorInputs] = useState({
    contracts: 10,
    hourlyRate: 350,
    hoursPerContract: 3,
  });

  const annualSavings = calculatorInputs.contracts * 12 * calculatorInputs.hourlyRate * calculatorInputs.hoursPerContract;
  const ezLegalCost = 149 * 12;
  const netSavings = annualSavings - ezLegalCost;

  return (
    <div className="min-h-screen bg-white">
      <Navigation />
      <Breadcrumbs className="mt-24" />

      <main id="main-content" className="pt-4">
        /* Hero Section */
        <section className="relative bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white overflow-hidden">
          <div className="absolute inset-0 bg-[url('')]" opacity=50"></div>

          <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-20 lg:py-28 relative">
            <div className="grid lg:grid-cols-2 gap-12 items-center">
              <div>
                <div className="inline-flex items-center gap-2 bg-teal-500/20 border border-teal-400/30 rounded-full px-4 py-1.5 mb-6">
                  <Building2 className="w-4 h-4 text-teal-400" />
                  <span className="text-sm font-semibold text-teal-300">For Small & Medium Businesses</span>
                </div>

                <h1 className="text-4xl lg:text-5xl xl:text-6xl font-bold leading-tight mb-6">Enterprise Legal Power.
                <span className="block text-transparent bg-clip-text bg-gradient-to-r from-teal-400 to-cyan-400">SMB Budget.
                </span>
                </h1>

```

```

        <p className="text-xl text-navy-300 mb-8 leading-relaxed">
            Stop overpaying for legal services. Our AI handles contracts, compliance, and everyday legal tasks so you can
            focus on growing your business.
        </p>

        <div className="flex flex-col sm:flex-row gap-4 mb-8">
            <Link
                to="/signup?plan=business"
                className="inline-flex items-center justify-center gap-2 bg-gradient-to-r from-teal-500 to-teal-600
                hover:from-teal-600 hover:to-teal-700 text-white px-8 py-4 rounded-xl font-bold text-lg transition-all shadow-xl
                hover:-translate-y-0.5"
            >
                Start 14-Day Free Trial
            <ArrowRight className="w-5 h-5" />
            </Link>
            <Link
                to="/contact?type=demo"
                className="inline-flex items-center justify-center gap-2 bg-white/10 hover:bg-white/20 border border-white/20
                text-white px-8 py-4 rounded-xl font-bold text-lg transition-all"
            >
                Schedule Demo
            </Link>
        </div>

        <div className="flex flex-wrap items-center gap-6 text-sm text-navy-400">
            <div className="flex items-center gap-2">
                <CheckCircle2 className="w-5 h-5 text-green-400" />
                <span>No credit card required</span>
            </div>
            <div className="flex items-center gap-2">
                <CheckCircle2 className="w-5 h-5 text-green-400" />
                <span>Setup in 30 minutes</span>
            </div>
            <div className="flex items-center gap-2">
                <CheckCircle2 className="w-5 h-5 text-green-400" />
                <span>Cancel anytime</span>
            </div>
        </div>

        <div className="relative">
            <div className="bg-white/5 backdrop-blur-sm border border-white/10 rounded-2xl p-6 lg:p-8">
                <div className="flex items-center gap-3 mb-6">
                    <div className="w-12 h-12 bg-gradient-to-br from-teal-500 to-cyan-500 rounded-xl flex items-center
                    justify-center">
                        <Calculator className="w-6 h-6 text-white" />
                    </div>
                    <div>
                        <h2 className="font-bold text-white text-lg">ROI Calculator</h2>
                        <p className="text-sm text-navy-400">See your potential savings</p>
                    </div>
                </div>

                <div className="space-y-5">
                    <div>
                        <label className="block text-sm font-medium text-navy-300 mb-2">
                            Contracts reviewed per month
                        </label>
                        <input
                            type="range"
                            min="1"
                            max="50"
                            value={calculatorInputs.contracts}
                            onChange={(e) => setCalculatorInputs(prev => ({ ...prev, contracts: parseInt(e.target.value) }) )}
                            className="w-full h-2 bg-navy-700 rounded-lg appearance-none cursor-pointer accent-teal-500"
                        />
                        <div className="flex justify-between text-sm text-navy-400 mt-1">
                            <span>1</span>
                            <span className="text-teal-400 font-semibold">{calculatorInputs.contracts}</span>
                            <span>50</span>
                        </div>
                    </div>

                    <div>
                        <label className="block text-sm font-medium text-navy-300 mb-2">
                            Attorney hourly rate
                        </label>
                        <input
                            type="range"
                            min="150"
                            max="600"
                            step="50"
                            value={calculatorInputs.hourlyRate}
                            onChange={(e) => setCalculatorInputs(prev => ({ ...prev, hourlyRate: parseInt(e.target.value) }) )}
                            className="w-full h-2 bg-navy-700 rounded-lg appearance-none cursor-pointer accent-teal-500"
                        />
                        <div className="flex justify-between text-sm text-navy-400 mt-1">
                            <span>$150</span>
                            <span className="text-teal-400 font-semibold">${calculatorInputs.hourlyRate}</span>
                            <span>$600</span>
                        </div>
                    </div>
                </div>
            </div>
        </div>

        <div className="pt-4 border-t border-white/10">
            <div className="grid grid-cols-2 gap-4 mb-4">

```

[illegible]

```

        className="inline-flex items-center justify-center w-4 h-4 ml-1 text-[9px] font-bold text-teal-700
bg-teal-100 rounded-full hover:bg-teal-200 transition-colors align-super cursor-pointer focus:outline-none focus-visible:ring-2
focus-visible:ring-teal-500"
        aria-label={`View source ${point.citationId}: ${citations.find(c => c.id === point.citationId)?.source} ||
    `}}
        aria-expanded={activeCitation === point.citationId}
        aria-controls={activeCitation === point.citationId ? `citation-popover-${point.citationId}` : undefined}
    >
        {point.citationId}
    </button>
</p>
<p>
{activeCitation === point.citationId && (() => {
    const cite = citations.find(c => c.id === point.citationId);
    if (!cite) return null;
    return (
        <div
            ref={citationPopoverRef}
            id={`citation-popover-${point.citationId}`}
            role="dialog"
            aria-label={`Source: ${cite.source}`}
            className="absolute left-0 right-0 top-full mt-1 z-20 bg-white border border-navy-200 rounded-lg
shadow-lg p-3 text-xs"
        >
            <div className="flex items-start justify-between gap-2">
                <div>
                    <p className="font-semibold text-navy-900">{cite.source} {cite.year}</p>
                    <p className="text-navy-600 mt-0.5">{cite.label}</p>
                    {cite.accessNote && (
                        <p className="text-navy-400 mt-0.5 italic">{cite.accessNote}</p>
                    )}
                </div>
                <button
                    onClick={closeCitation}
                    className="text-navy-400 hover:text-navy-600 flex-shrink-0 focus:outline-none focus-visible:ring-2
focus-visible:ring-teal-500 rounded"
                    aria-label="Close citation"
                >
                    <X className="w-3.5 h-3.5" />
                </button>
            </div>
            <a
                href={cite.url}
                target="_blank"
                rel="noopener noreferrer"
                className="inline-flex items-center gap-1 mt-2 text-teal-600 hover:text-teal-700 font-medium"
            >
                View source <ExternalLink className="w-3 h-3" />
            </a>
        </div>
    );
    })()
</div>
<div className="flex items-start gap-2">
    <CheckCircle2 className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
    <p className="text-sm text-navy-600">{point.solution}</p>
</div>
</div>
);
}}
</div>
</div>
</div>
</section>

{/* Use Cases Section */}
<section className="py-20 bg-gradient-to-br from-navy-900 to-navy-800 text-white">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-16">
            <h2 className="text-3xl lg:text-4xl font-bold mb-4">
                Built for How Businesses Actually Work
            </h2>
            <p className="text-xl text-navy-300 max-w-3xl mx-auto">
                From contracts to compliance, we've got you covered.
            </p>

```



```

</div>

<div className="grid md:grid-cols-2 gap-8">
  {useCases.map((useCase, index) => {
    const Icon = useCase.icon;
    return (
      <div key={index} className="bg-white/5 backdrop-blur-sm border border-white/10 rounded-2xl p-8 hover:bg-white/10
transition-all">
        <div className="flex items-start gap-4 mb-6">
          <div className="w-14 h-14 bg-gradient-to-br from-teal-500 to-cyan-500 rounded-xl flex items-center
justify-center flex-shrink-0">
            <Icon className="w-7 h-7 text-white" />
          </div>
          <div>
            <h3 className="text-xl font-bold text-white mb-2">{useCase.title}</h3>
            <p className="text-navy-300">{useCase.description}</p>
          </div>
        </div>
        <div className="grid grid-cols-2 gap-3">
          {useCase.benefits.map((benefit, i) => (
            <div key={i} className="flex items-center gap-2">
              <CheckCircle2 className="w-4 h-4 text-green-400 flex-shrink-0" />
              <span className="text-sm text-navy-300">{benefit}</span>
            </div>
          ))}
        </div>
      </div>
    );
  })}
</div>

<div className="mt-12 text-center">
  <Link
    to="/features"
    className="inline-flex items-center gap-2 text-teal-400 hover:text-teal-300 font-semibold transition-colors"
  >
    See All Features
    <ArrowRight className="w-5 h-5" />
  </Link>
</div>
</div>
</section>

<section className="py-20 bg-white">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-16">
      <h2 className="text-3xl lg:text-4xl font-bold text-navy-900 mb-4">
        Why Businesses Choose ezLegal.ai
      </h2>
      <p className="text-xl text-navy-600 max-w-3xl mx-auto">
        Purpose-built to help growing companies handle legal work smarter and more affordably.
      </p>
    </div>

    <div className="grid md:grid-cols-3 gap-8">
      {valueProps.map((prop, index) => (
        <div key={index} className="bg-gradient-to-br from-navy-50 to-white border border-navy-200 rounded-2xl p-8
hover:shadow-xl transition-all">
          <div className="w-12 h-12 bg-gradient-to-br from-teal-500 to-teal-600 rounded-xl flex items-center justify-center
mb-5">
            {prop.icon === 'speed' && <Clock className="w-6 h-6 text-white" />}
            {prop.icon === 'savings' && <DollarSign className="w-6 h-6 text-white" />}
            {prop.icon === 'shield' && <Shield className="w-6 h-6 text-white" />}
          </div>
          <h3 className="text-xl font-bold text-navy-900 mb-3">{prop.title}</h3>
          <p className="text-navy-700 mb-6 leading-relaxed">
            {prop.description}
          </p>
          <div className="bg-teal-50 border border-teal-200 rounded-lg px-4 py-2">
            <p className="text-sm font-semibold text-teal-700">{prop.benefit}</p>
          </div>
        </div>
      ))}
    </div>
  </div>
</section>

{/* Pricing Section */}
<section className="py-20 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-16">
      <h2 className="text-3xl lg:text-4xl font-bold text-navy-900 mb-4">
        Simple, Transparent Pricing
      </h2>
      <p className="text-xl text-navy-600 max-w-3xl mx-auto">
        No hidden fees. No per-document charges. Just predictable monthly pricing.
      </p>
    </div>

    <div className="grid md:grid-cols-3 gap-8 max-w-5xl mx-auto">
      {businessPricing.map((tier, index) => (
        <div
          key={index}
          className={`relative bg-white rounded-2xl p-8 ${
            tier.popular
              ? 'border-2 border-teal-500 shadow-xl scale-105'

```

```

        : 'border border-navy-200 shadow-lg'
      `}`
    >
    {tier.popular && (
      <div className="absolute -top-4 left-1/2 -translate-x-1/2">
        <span className="bg-gradient-to-r from-teal-500 to-teal-600 text-white text-sm font-bold px-4 py-1.5
rounded-full">
          Most Popular
        </span>
      </div>
    )}

    <div className="text-center mb-6">
      <h3 className="text-xl font-bold text-navy-900 mb-2">{tier.name}</h3>
      <p className="text-navy-500 text-sm mb-4">{tier.description}</p>
      <div className="flex items-baseline justify-center gap-1">
        <span className="text-4xl font-bold text-navy-900">{tier.price}</span>
        <span className="text-navy-500">{tier.period}</span>
      </div>
    </div>

    <ul className="space-y-3 mb-8">
      {tier.features.map((feature, i) => (
        <li key={i} className="flex items-start gap-3">
          <CheckCircle2 className="w-5 h-5 text-green-500 flex-shrink-0 mt-0.5" />
          <span className="text-navy-600 text-sm">{feature}</span>
        </li>
      ))}
    </ul>

    <Link
      to={tier.name === 'Enterprise' ? '/contact?type=enterprise' : '/signup?plan=' + tier.name.toLowerCase()}
      className={`block w-full text-center py-3 rounded-xl font-bold transition-all ${
        tier.popular
          ? 'bg-gradient-to-r from-teal-500 to-teal-600 hover:from-teal-600 hover:to-teal-700 text-white shadow-lg
hover:shadow-xl'
          : 'bg-navy-100 hover:bg-navy-200 text-navy-900'
      }`}
    >
      {tier.cta}
    </Link>
  </div>
)}
</div>

<div className="mt-8 max-w-2xl mx-auto">
  <AttorneyServiceDisclosure variant="expandable" context="general" />
  <p className="text-xs text-navy-500 mt-3 text-center">
    Business Pro "Attorney consultation (2 hrs/month)" is provided by independent, licensed attorneys in your
jurisdiction through our referral network. Hours are advisory only and do not create an attorney-client relationship with
ezLegal.ai. Unused hours do not roll over. Geographic availability varies.
  </p>
</div>

<div className="mt-12 text-center">
  <p className="text-navy-600 mb-4">
    Start free. No credit card required. Upgrade when you need more.
  </p>
  <Link
    to="/pricing"
    className="text-teal-600 hover:text-teal-700 font-semibold"
  >
    <span>C o m p a r e   a l l   f e a t u r e s   !</span>
  </Link>
</div>
</div>
</section>

{/* FAQ Section */}
<section className="py-20 bg-white">
  <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-16">
      <h2 className="text-3xl lg:text-4xl font-bold text-navy-900 mb-4">
        Frequently Asked Questions
      </h2>
      <p className="text-xl text-navy-600">
        Get answers to common questions about ezLegal.ai™ for business.
      </p>
    </div>

    <div className="space-y-4">
      {faqs.map((faq, index) => (
        <div
          key={index}
          className="border border-navy-200 rounded-xl overflow-hidden"
        >
          <button
            onClick={() => setExpandedFaq(expandedFaq === index ? null : index)}
            className="w-full flex items-center justify-between p-6 text-left hover:bg-navy-50 transition-colors"
          >
            <span className="font-semibold text-navy-900 pr-4">{faq.question}</span>
            {expandedFaq === index ? (
              <ChevronUp className="w-5 h-5 text-navy-500 flex-shrink-0" />
            ) : (
              <ChevronDown className="w-5 h-5 text-navy-500 flex-shrink-0" />
            )}
          </button>
        </div>
      )}
    </div>
  </div>
</section>

```

```

        </button>
        {expandedFaq === index && (
          <div className="px-6 pb-6 pt-0">
            <p className="text-navy-600 leading-relaxed">{faq.answer}</p>
          </div>
        )}
      </div>
    )}
  </div>
</div>
</section>

{/* CTA Section */}
<section className="py-20 bg-gradient-to-br from-teal-600 to-teal-700 text-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <h2 className="text-3xl lg:text-4xl font-bold mb-6">
      Ready to Take Control of Your Legal Work?
    </h2>
    <p className="text-xl text-teal-100 mb-8 max-w-2xl mx-auto">
      Businesses of all sizes use ezLegal.ai™ to handle contracts, compliance, and everyday legal tasks.
    </p>
    <div className="flex flex-col sm:flex-row gap-4 justify-center">
      <Link
        to="/signup?plan=business"
        className="inline-flex items-center justify-center gap-2 bg-white text-teal-600 hover:bg-teal-50 px-8 py-4
rounded-xl font-bold text-lg transition-all shadow-lg"
      >
        Start Free Trial
        <ArrowRight className="w-5 h-5" />
      </Link>
      <Link
        to="/contact?type=demo"
        className="inline-flex items-center justify-center gap-2 bg-teal-500/30 hover:bg-teal-500/50 border border-white/30
text-white px-8 py-4 rounded-xl font-bold text-lg transition-all"
      >
        Talk to Sales
      </Link>
    </div>
    <p className="mt-6 text-teal-200 text-sm">
      Free to start. No credit card required. Cancel anytime.
    </p>
  </div>
</section>
</main>

<section className="py-8 bg-white border-t border-slate-100">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 grid sm:grid-cols-2 gap-4">
    <AIGovernanceNotice variant="compact" />
    <ScopeBoundaryCard variant="banner" />
    <HumanEscalationCard variant="compact" />
    <DataUseAndPrivacyCard variant="compact" />
  </div>
</section>

<RelatedLinks />
<Footer />
</div>
);
}

```

[19/58] For Individuals

Route: /for-individuals | File: src/pages/ForIndividuals.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import Breadcrumbs from '../components/Breadcrumbs';
import RelatedLinks from '../components/RelatedLinks';
import {
  MessageSquare, CheckCircle, ArrowRight,
  Users, FileText, Home, Briefcase, Car, Heart,
  Scale, Sparkles, Globe,
  ChevronDown, ChevronUp
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { StandardDisclaimer } from '../components/templates/LegalDisclosureModule';
import TrustModule from '../components/templates/TrustModule';
import { useLanguage } from '../contexts/LanguageContext';
import { getAffordabilityMessage } from '../lib/microcopy';

const PRACTICE_AREAS = [
  {
    icon: Home,
    name: 'Housing & Tenant Rights',
    description: 'Eviction defense, lease disputes, security deposits, habitability issues',
    examples: ['My landlord is trying to evict me', 'How do I get my security deposit back?', 'Can my landlord enter without notice?']
  },
  {
    icon: Briefcase,
    name: 'Employment & Workplace',
    description: 'Wrongful termination, discrimination, wage theft, harassment',
    examples: ['Was I wrongfully terminated?', 'My employer owes me overtime', 'How do I file a discrimination complaint?']
  },
  {
    icon: Heart,
    name: 'Family Law',
    description: 'Divorce basics, custody questions, child support, domestic issues',
    examples: ['What are my rights in a divorce?', 'How is child support calculated?', 'What is the custody process?']
  },
  {
    icon: Car,
    name: 'Consumer Protection',
    description: 'Debt collection, lemon law, scams, credit disputes',
    examples: ['A debt collector is harassing me', 'I bought a defective car', 'How do I dispute a credit error?']
  },
  {
    icon: FileText,
    name: 'Contracts & Agreements',
    description: 'Understanding terms, breach of contract, negotiations',
    examples: ['Is this contract enforceable?', 'What happens if I break a lease?', 'Can I get out of this agreement?']
  },
  {
    icon: Scale,
    name: 'Small Claims & Civil',
    description: 'Filing claims, collecting judgments, court procedures',
    examples: ['How do I sue in small claims court?', 'What can I recover?', 'How do I collect a judgment?']
  },
];

export default function ForIndividuals() {
  const [openFaq, setOpenFaq] = useState<number | null>(null);
  const [expandedArea, setExpandedArea] = useState<number | null>(null);
  const { language } = useLanguage();
  const lang = language === 'es' ? 'es' : 'en';

  return (
    <div className="min-h-screen bg-white">
      <Navigation />
      <Breadcrumbs className="mt-24" />

      <main id="main-content" className="pt-4">
        <section className="bg-gradient-to-br from-teal-600 via-teal-700 to-teal-800 text-white py-16 sm:py-20">
          <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
            <div className="grid lg:grid-cols-2 gap-12 items-center">
              <div>
                <div className="inline-flex items-center gap-2 bg-white/10 border border-white/20 px-4 py-2 rounded-full mb-6">
                  <Users className="w-4 h-4 text-teal-200" />
                  <span className="text-sm font-semibold">For Individuals</span>
                </div>
                <h1 className="text-4xl sm:text-5xl font-bold mb-6 leading-tight">
                  Get Answers to Your
                  <span className="text-teal-200"> Legal Questions</span> Instantly
                </h1>
                <p className="text-xl text-teal-100 mb-8 leading-relaxed">
                  Understanding your legal rights shouldn't require expensive consultations
                  or confusing research. Get clear guidance based on your state's laws, in plain
                  language - available 24/7.
                </p>

                <div className="flex flex-col sm:flex-row gap-4 mb-8">
                  <Link
```

```

        to="/chat"
        className="inline-flex items-center justify-center gap-2 bg-white text-teal-600 px-8 py-4 rounded-lg font-bold
hover:bg-teal-50 transition-all shadow-lg text-lg"
    >
        <MessageSquare className="w-5 h-5" />
        Start Free Chat
    </Link>
    <Link
        to="/signup"
        className="inline-flex items-center justify-center gap-2 bg-teal-500 text-white px-8 py-4 rounded-lg font-bold
hover:bg-teal-400 transition-all border border-teal-400 text-lg"
    >
        Create Free Account
        <ArrowRight className="w-5 h-5" />
    </Link>
</div>

<p className="text-teal-200 text-sm font-medium mb-6">
    {getAffordabilityMessage('FREE_GUIDANCE', lang)}. {getAffordabilityMessage('LOW_COST_OPTIONS', lang)}.
</p>

<TrustModule signals={['NO_SIGNUP', 'AVAILABLE_24_7', 'SECURE']} variant="list" className="text-teal-100" />
</div>

<div className="relative">
    <div className="bg-white rounded-2xl shadow-2xl p-6 border border-navy-200">
        <div className="flex items-center gap-3 mb-4 pb-4 border-b border-navy-200">
            <div className="w-10 h-10 bg-teal-100 rounded-full flex items-center justify-center">
                <Sparkles className="w-5 h-5 text-teal-600" />
            </div>
            <div>
                <p className="font-bold text-navy-900">AI Legal Assistant</p>
                <p className="text-xs text-navy-500">Online now</p>
            </div>
        </div>

        <div className="space-y-4">
            <div className="bg-navy-100 rounded-lg p-3 max-w-[85%]">
                <p className="text-navy-700 text-sm">
                    My landlord just gave me 3 days to move out. Is this legal?
                </p>
            </div>
            <div className="bg-teal-600 rounded-lg p-3 max-w-[85%] ml-auto">
                <p className="text-white text-sm">
                    I can help you understand your rights. First, what state do you live in?
                    Eviction notice requirements vary significantly by location.
                </p>
            </div>
            <div className="bg-navy-100 rounded-lg p-3 max-w-[85%]">
                <p className="text-navy-700 text-sm">California</p>
            </div>
            <div className="bg-teal-600 rounded-lg p-3 max-w-[90%] ml-auto">
                <p className="text-white text-sm">
                    In California, landlords must typically provide 30-60 days notice depending
                    on how long you've lived there. A 3-day notice is only valid for specific
                    reasons like unpaid rent. Let me explain your options...
                </p>
            </div>
        </div>

        <div className="mt-4 pt-4 border-t border-navy-200">
            <StandardDisclaimer variant="compact" />
        </div>
    </div>

    <div className="absolute -bottom-4 -right-4 bg-green-500 text-white px-4 py-2 rounded-lg shadow-lg text-sm
font-semibold">
        Response in 5 seconds
    </div>
</div>
</div>
</div>
</section>

<section className="py-12 bg-navy-50 border-b border-navy-200">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="grid grid-cols-2 md:grid-cols-4 gap-8 text-center">
            <div>
                <div className="text-4xl font-bold text-teal-600 mb-2">$350</div>
                <p className="text-navy-600 text-sm">Average hourly lawyer rate</p>
            </div>
            <div>
                <div className="text-4xl font-bold text-green-600 mb-2">$0</div>
                <p className="text-navy-600 text-sm">ezLegal.ai™ unlimited questions</p>
            </div>
            <div>
                <div className="text-4xl font-bold text-teal-600 mb-2">5 sec</div>
                <p className="text-navy-600 text-sm">Average response time</p>
            </div>
            <div>
                <div className="text-4xl font-bold text-teal-600 mb-2">24/7</div>
                <p className="text-navy-600 text-sm">Always available</p>
            </div>
        </div>
    </div>
</section>

```

```

<section className="py-16">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">
        Common Legal Questions We Help With
      </h2>
      <p className="text-lg text-navy-600 max-w-2xl mx-auto">
        From everyday issues to complex situations, get clear guidance on the
        legal matters that affect your life
      </p>
    </div>

    <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-6">
      {PRACTICE_AREAS.map((area, index) => (
        <div
          key={index}
          className="bg-white rounded-xl border border-navy-200 overflow-hidden hover:shadow-lg transition-all"
        >
          <button
            onClick={() => setExpandedArea(expandedArea === index ? null : index)}
            className="w-full p-6 text-left"
          >
            <div className="flex items-start justify-between">
              <div className="flex items-start gap-4">
                <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center flex-shrink-0">
                  <area.icon className="w-6 h-6 text-teal-600" />
                </div>
                <div>
                  <h3 className="font-bold text-navy-900 mb-1">{area.name}</h3>
                  <p className="text-sm text-navy-600">{area.description}</p>
                </div>
              </div>
              {expandedArea === index ? (
                <ChevronUp className="w-5 h-5 text-navy-400 flex-shrink-0" />
              ) : (
                <ChevronDown className="w-5 h-5 text-navy-400 flex-shrink-0" />
              )}
            </div>
          </button>

          {expandedArea === index && (
            <div className="px-6 pb-6 pt-0">
              <div className="bg-navy-50 rounded-lg p-4">
                <p className="text-xs font-semibold text-navy-500 uppercase tracking-wide mb-3">
                  Example Questions
                </p>
                <ul className="space-y-2">
                  {area.examples.map((example, i) => (
                    <li key={i} className="flex items-start gap-2 text-sm text-navy-700">
                      <MessageSquare className="w-4 h-4 text-teal-500 mt-0.5 flex-shrink-0" />
                      <span>{example}</span>
                    </li>
                  ))}
                </ul>
                <Link
                  to="/chat"
                  className="mt-4 inline-flex items-center gap-2 text-teal-600 font-semibold text-sm hover:text-teal-700"
                >
                  Ask about {area.name.toLowerCase()}
                  <ArrowRight className="w-4 h-4" />
                </Link>
              </div>
            </div>
          )}
        </div>
      ))}
    </div>
  </div>
</section>

<section className="py-16 bg-navy-900 text-white">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold mb-4">How ezLegal.ai™ Helps You</h2>
      <p className="text-lg text-navy-300 max-w-2xl mx-auto">
        Your personal legal front door - understand your situation before deciding next steps
      </p>
    </div>

    <div className="grid md:grid-cols-3 gap-8">
      <div className="text-center">
        <div className="w-16 h-16 bg-teal-500/20 rounded-2xl flex items-center justify-center mx-auto mb-6">
          <MessageSquare className="w-8 h-8 text-teal-400" />
        </div>
        <div className="text-5xl font-bold text-white mb-2">1</div>
        <h3 className="text-xl font-bold mb-3">Describe Your Situation</h3>
        <p className="text-navy-300">
          Tell us what's happening in your own words. Our AI understands context
          and asks clarifying questions to fully understand your situation.
        </p>
      </div>

      <div className="text-center">
        <div className="w-16 h-16 bg-green-500/20 rounded-2xl flex items-center justify-center mx-auto mb-6">
          <Globe className="w-8 h-8 text-green-400" />
        </div>
      </div>
    </div>
  </div>
</section>

```

```

    </div>
    <div className="text-5xl font-bold text-white mb-2">2</div>
    <h3 className="text-xl font-bold mb-3">Get Local Guidance</h3>
    <p className="text-navy-300">
      Receive information tailored to your jurisdiction. Laws vary by location,
      and our AI knows the differences that matter for your case.
    </p>
  </div>

  <div className="text-center">
    <div className="w-16 h-16 bg-amber-500/20 rounded-2xl flex items-center justify-center mx-auto mb-6">
      <CheckCircle className="w-8 h-8 text-amber-400" />
    </div>
    <div className="text-5xl font-bold text-white mb-2">3</div>
    <h3 className="text-xl font-bold mb-3">Know Your Options</h3>
    <p className="text-navy-300">
      Understand your rights, deadlines, and next steps. Generate documents,
      or connect with a licensed attorney when needed.
    </p>
  </div>
</div>
</div>
</section>

<section className="py-16 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">
        Designed for Real Legal Challenges
      </h2>
      <p className="text-lg text-navy-600 max-w-2xl mx-auto">
        eLegal.ai is built to help people navigate the legal situations that feel most overwhelming.
      </p>
    </div>

    <div className="grid md:grid-cols-3 gap-6">
      <div className="bg-white rounded-xl p-6 border border-navy-200 shadow-sm">
        <div className="w-10 h-10 bg-teal-100 rounded-xl flex items-center justify-center mb-4">
          <Home className="w-5 h-5 text-teal-600" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">Housing & Eviction</h3>
        <p className="text-navy-700 mb-4">
          Facing an eviction notice or landlord dispute? Get instant guidance on
          your tenant rights, response deadlines, and next steps to protect your home.
        </p>
        <div className="flex items-center gap-2 text-sm text-teal-600 font-medium">
          <CheckCircle className="w-4 h-4" />
          <span>Free to ask unlimited questions</span>
        </div>
      </div>

      <div className="bg-white rounded-xl p-6 border border-navy-200 shadow-sm">
        <div className="w-10 h-10 bg-green-100 rounded-xl flex items-center justify-center mb-4">
          <Briefcase className="w-5 h-5 text-green-600" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">Employment & Wages</h3>
        <p className="text-navy-700 mb-4">
          Dealing with unpaid wages, wrongful termination, or workplace issues?
          Understand your options and get help drafting demand letters.
        </p>
        <div className="flex items-center gap-2 text-sm text-teal-600 font-medium">
          <CheckCircle className="w-4 h-4" />
          <span>Attorney referrals when needed</span>
        </div>
      </div>

      <div className="bg-white rounded-xl p-6 border border-navy-200 shadow-sm">
        <div className="w-10 h-10 bg-rose-100 rounded-xl flex items-center justify-center mb-4">
          <Heart className="w-5 h-5 text-rose-600" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">Family Law</h3>
        <p className="text-navy-700 mb-4">
          Navigating divorce, custody, or support issues? Get clear explanations
          of the process so you know what to expect at every step.
        </p>
        <div className="flex items-center gap-2 text-sm text-teal-600 font-medium">
          <CheckCircle className="w-4 h-4" />
          <span>Compassionate, judgment-free help</span>
        </div>
      </div>
    </div>
  </div>
</section>

<section className="py-16">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">
        Choose Your Plan
      </h2>
      <p className="text-lg text-navy-600">
        Start free, upgrade when you need more
      </p>
    </div>

    <div className="grid md:grid-cols-2 gap-8">

```

```

<div className="bg-white rounded-2xl border-2 border-navy-200 p-8">
  <h3 className="text-xl font-bold text-navy-900 mb-2">Free</h3>
  <div className="text-4xl font-bold text-navy-900 mb-4">
    $0
    <span className="text-lg text-navy-500 font-normal">/month</span>
  </div>
  <p className="text-navy-600 mb-6">Unlimited questions forever</p>
  <ul className="space-y-3 mb-8">
    <li className="flex items-center gap-3 text-navy-700">
      <CheckCircle className="w-5 h-5 text-green-500" />
      <span>Unlimited free questions</span>
    </li>
    <li className="flex items-center gap-3 text-navy-700">
      <CheckCircle className="w-5 h-5 text-green-500" />
      <span>Basic legal information</span>
    </li>
    <li className="flex items-center gap-3 text-navy-700">
      <CheckCircle className="w-5 h-5 text-green-500" />
      <span>Attorney directory access</span>
    </li>
  </ul>
  <Link
    to="/ask"
    className="block w-full text-center bg-navy-100 hover:bg-navy-200 text-navy-700 px-6 py-3 rounded-lg font-semibold
transition-colors"
  >
    Try Free
  </Link>
</div>

<div className="bg-gradient-to-br from-teal-600 to-teal-700 rounded-2xl p-8 text-white relative overflow-hidden">
  <div className="absolute top-4 right-4 bg-amber-400 text-navy-900 px-3 py-1 rounded-full text-sm font-bold">
    PAY AS NEEDED
  </div>
  <h3 className="text-xl font-bold mb-2">Issue Packs</h3>
  <div className="text-4xl font-bold mb-4">
    $29-$49
    <span className="text-lg text-teal-200 font-normal"> one-time</span>
  </div>
  <p className="text-teal-100 mb-6">When you need action plans</p>
  <ul className="space-y-3 mb-8">
    <li className="flex items-center gap-3">
      <CheckCircle className="w-5 h-5 text-green-300" />
      <span>Detailed action plan for your issue</span>
    </li>
    <li className="flex items-center gap-3">
      <CheckCircle className="w-5 h-5 text-green-300" />
      <span>Document templates included</span>
    </li>
    <li className="flex items-center gap-3">
      <CheckCircle className="w-5 h-5 text-green-300" />
      <span>Deadline checklists</span>
    </li>
    <li className="flex items-center gap-3">
      <CheckCircle className="w-5 h-5 text-green-300" />
      <span>Jurisdiction-specific guidance</span>
    </li>
    <li className="flex items-center gap-3">
      <CheckCircle className="w-5 h-5 text-green-300" />
      <span>Attorney referrals included</span>
    </li>
  </ul>
  <Link
    to="/pricing"
    className="block w-full text-center bg-white hover:bg-teal-50 text-teal-600 px-6 py-3 rounded-lg font-bold
transition-colors"
  >
    View Issue Packs
  </Link>
</div>

<div className="mt-8 text-center">
  <Link
    to="/pricing"
    className="text-teal-600 hover:text-teal-700 font-semibold"
  >
    View all Issue Packs and pricing options
    <ArrowRight className="w-4 h-4 inline ml-1" />
  </Link>
</div>
</div>
</section>

<section className="py-16 bg-navy-50">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">
        Frequently Asked Questions
      </h2>
    </div>
    <div className="space-y-4">
      {[
        {
          q: "Is ezLegal.ai™ a replacement for a lawyer?",

```



```

        a: "No. We provide legal information to help you understand your situation, but we cannot provide legal advice or
represent you. For complex matters, litigation, or when you need someone to act on your behalf, you'll need a licensed attorney. We
can help you find one."
    },
    {
        q: "How is this different from just Googling my legal question?",
        a: "Our AI understands context, asks clarifying questions, and provides jurisdiction-specific information. Instead
of sifting through generic articles, you get personalized guidance based on your specific situation and location."
    },
    {
        q: "Is my information private?",
        a: "Yes. We use TLS 1.3 + AES-256 encryption and never share or sell your data. Your conversations are not used to
train AI models. However, since we're not a law firm, conversations are not protected by attorney-client privilege."
    },
    {
        q: "What if I need an actual attorney?",
        a: "We'll always tell you when your situation would benefit from professional representation. Our directory
includes verified, bar-licensed attorneys you can contact directly."
    },
    {
        q: "Can I cancel anytime?",
        a: "Yes, cancel anytime with no penalties. If you're not satisfied, we offer a 30-day money-back guarantee."
    }
].map((faq, i) => (
    <div key={i} className="bg-white rounded-xl border border-navy-200 overflow-hidden">
        <button
            onClick={() => setOpenFaq(openFaq === i ? null : i)}
            className="w-full flex items-center justify-between p-5 text-left hover:bg-navy-50 transition-colors"
        >
            <span className="font-semibold text-navy-900 pr-4">{faq.q}</span>
            {openFaq === i ? (
                <ChevronUp className="w-5 h-5 text-teal-600 flex-shrink-0" />
            ) : (
                <ChevronDown className="w-5 h-5 text-navy-400 flex-shrink-0" />
            )}
        </button>
        {openFaq === i && (
            <div className="px-5 pb-5 bg-navy-50 border-t border-navy-200">
                <p className="text-navy-600 leading-relaxed pt-4">{faq.a}</p>
            </div>
        )}
    </div>
))}
</div>
</div>
</div>
</section>

<section className="py-16 bg-gradient-to-br from-teal-600 to-teal-700 text-white">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
        <h2 className="text-3xl sm:text-4xl font-bold mb-6">
            Ready to Understand Your Legal Situation?
        </h2>
        <p className="text-xl text-teal-100 mb-8 max-w-2xl mx-auto">
            Stop wondering and start getting answers. Our AI is ready to help you
            navigate your legal questions right now.
        </p>
        <div className="flex flex-col sm:flex-row gap-4 justify-center">
            <Link
                to="/chat"
                className="inline-flex items-center justify-center gap-2 bg-white text-teal-600 px-8 py-4 rounded-lg font-bold
                hover:bg-teal-50 transition-all shadow-lg text-lg"
            >
                <MessageSquare className="w-5 h-5" />
                Start Free Chat Now
            </Link>
        </div>
        <p className="text-teal-200 text-sm mt-6">
            No account required | Answers in seconds | Free questions, always
        </p>
    </div>
</section>
</main>

    <RelatedLinks />
    <Footer />
</div>
    );
}

```

[20/58] For Organizations

Route: /for-organizations | File: src/pages/ForOrganizations.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import Breadcrumbs from '../components/Breadcrumbs';
import RelatedLinks from '../components/RelatedLinks';
import {
  Scale, Users, FileText, BarChart3, Shield, CheckCircle,
  ArrowRight, Mail, Building2, Heart, TrendingUp,
  Calendar, Briefcase, MessageSquare, Globe, Brain, Target,
  RefreshCw, Sparkles, X, Activity, ChevronDown, ChevronUp, Code
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import LSOGovernanceDisclosures from '../components/LSOGovernanceDisclosures';
import TechnicalArchitecture from '../components/TechnicalArchitecture';
import ConflictChecker from '../components/ConflictChecker';

const features = [
  {
    icon: <Brain className="w-8 h-8" />,
    title: 'AI-Powered Case Matching',
    description: 'Smart algorithms match cases to optimal attorneys based on expertise, availability, and success patterns.',
    highlight: true
  },
  {
    icon: <Users className="w-8 h-8" />,
    title: 'Client Intake Management',
    description: 'Streamlined eligibility screening with AI-powered poverty guideline checks, income verification, and case prioritization.'
  },
  {
    icon: <Briefcase className="w-8 h-8" />,
    title: 'Volunteer Attorney Portal',
    description: 'Manage pro bono attorney networks with AI-scored availability matching and automated case assignment workflows.'
  },
  {
    icon: <BarChart3 className="w-8 h-8" />,
    title: 'AI Grant Reporting',
    description: 'Generate funder-ready impact reports with one click. AI summarizes outcomes, demographics, and program metrics.',
    highlight: true,
    link: '/grant-reporting'
  },
  {
    icon: <MessageSquare className="w-8 h-8" />,
    title: 'Client AI Triage',
    description: 'Our ezLegal.ai™ Chatbot pre-screens clients 24/7, gathers case details, checks eligibility, and prioritizes urgent matters automatically.'
  },
  {
    icon: <RefreshCw className="w-8 h-8" />,
    title: 'LegalServer Integration',
    description: 'Bi-directional sync with LegalServer and other case management systems. Real-time data synchronization and AI-enhanced analysis.'
  },
  {
    icon: <FileText className="w-8 h-8" />,
    title: 'Document Generation',
    description: 'Generate standard legal forms and documents with client data auto-populated. AI suggests relevant documents per case type.'
  },
  {
    icon: <Globe className="w-8 h-8" />,
    title: 'Multilingual Support',
    description: 'Serve diverse communities with full Spanish language support throughout the platform, including ezLegal.ai™ Chatbot.'
  }
];

const comparisons = [
  { feature: 'AI Case Matching', ezlegal: true, competitor: false },
  { feature: 'AI Outcome Prediction', ezlegal: true, competitor: false },
  { feature: 'Client-Facing ezLegal.ai™ Chatbot', ezlegal: true, competitor: false },
  { feature: 'AI-Powered Grant Reports', ezlegal: true, competitor: false },
  { feature: 'LegalServer Integration', ezlegal: true, competitor: true },
  { feature: 'Volunteer Management', ezlegal: true, competitor: true },
  { feature: 'Real-Time Notifications', ezlegal: true, competitor: true },
  { feature: 'Free Tier Available', ezlegal: true, competitor: true },
  { feature: 'Document Generation', ezlegal: true, competitor: false },
  { feature: 'Multilingual Support', ezlegal: true, competitor: false },
  { feature: 'API Access', ezlegal: true, competitor: false },
  { feature: 'Client Self-Service Portal', ezlegal: true, competitor: false },
];

const tiers = [
  {
    name: 'LSO Starter',
    price: '$199',
    period: '/month',
    description: 'For small legal aid organizations',
    features: [
```

```

        'Up to 10 staff members',
        'Pro bono case tracking',
        'Client intake management',
        'Basic grant reporting',
        'Eligibility screening tools',
        'Email & chat support'
    ],
    cta: 'Start Free Trial',
    highlighted: false
},
{
    name: 'LSO Professional',
    price: '$499',
    period: '/month',
    description: 'For established legal aid orgs',
    features: [
        'Up to 50 staff members',
        'Everything in LSO Starter, plus:',
        'Advanced grant reporting',
        'Demographics & outcomes analytics',
        'Multi-jurisdiction support',
        'AI case matching & analysis',
        'LegalServer integration',
        'Priority phone support'
    ],
    cta: 'Start Free Trial',
    highlighted: true
},
{
    name: 'LSO Enterprise',
    price: 'Custom',
    description: 'For statewide & national programs',
    features: [
        'Unlimited staff members',
        'Custom domain (yourorg.org)',
        'Full white-label branding',
        'API integration access',
        'Dedicated success manager',
        'Custom compliance & audit tools',
        'Funder dashboard access',
        'Training & onboarding support'
    ],
    cta: 'Contact Sales',
    highlighted: false
}
];

const perspectiveTopics = [
    {
        icon: <Brain className="w-6 h-6" />,
        title: 'AI in Case Management',
        description: 'How is AI changing the way your organization handles intake, case assignment, and volunteer coordination?',
        cta: 'Share Your Experience',
    },
    {
        icon: <Users className="w-6 h-6" />,
        title: 'Expanding Access to Justice',
        description: 'What role can technology play in helping legal aid organizations serve more clients without compromising quality?',
        cta: 'Share Your Perspective',
    },
    {
        icon: <Shield className="w-6 h-6" />,
        title: 'Ethics & AI Safeguards',
        description: 'What safeguards matter most when deploying AI in legal services for vulnerable populations?',
        cta: 'Share Your Insights',
    },
];

const stats = [
    { value: 'Growing', label: 'Partner Network' },
    { value: 'AI-Powered', label: 'Case Management' },
    { value: 'Smart', label: 'Attorney Matching' },
    { value: 'Streamlined', label: 'Grant Reporting' }
];

const aiCapabilities = [
    { icon: <Target className="w-6 h-6" />, title: 'Smart Matching', desc: 'AI-powered case-to-attorney matching' },
    { icon: <Activity className="w-6 h-6" />, title: 'Outcome Analysis', desc: 'Case success probability insights' },
    { icon: <Sparkles className="w-6 h-6" />, title: 'Auto Eligibility', desc: 'Instant poverty guideline checks' },
    { icon: <FileText className="w-6 h-6" />, title: 'Doc Generation', desc: 'AI-assisted form completion' },
];

export default function ForOrganizations() {
    const [showTechnicalSection, setShowTechnicalSection] = useState(false);
    const [showConflictDemo, setShowConflictDemo] = useState(false);

    return (
        <div className="min-h-screen bg-white">
            <Navigation />
            <Breadcrumbs className="mt-24" />

            <section className="bg-gradient-to-br from-teal-700 via-teal-600 to-navy-900 text-white pt-12 pb-20">
                <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
                    <div className="grid lg:grid-cols-2 gap-12 items-center">
                        <div>

```

```

<div className="inline-flex items-center gap-2 bg-white/10 border border-white/30 px-4 py-2 rounded-full mb-6">
  <Building2 className="w-4 h-4 text-orange-400" />
  <span className="text-white text-sm font-semibold">For Legal Services Organizations</span>
</div>

<h1 className="text-4xl lg:text-5xl font-bold mb-6 leading-tight">
  An{ ' '}
  <span className="text-orange-400">AI-Powered</span> Platform Built for Legal Aid
</h1>
<p className="text-xl text-teal-50 mb-8 leading-relaxed">
  Go beyond basic volunteer management. ezLegal.ai&trade; uses AI to help match cases, surface likely outcome factors,
  streamline intake, and assemble grant-reporting data - so your team can serve more clients with the resources you already have.
</p>
<p className="text-xs text-teal-200/90 mb-8 leading-relaxed max-w-2xl">
  Outcome analysis summarizes historical case patterns to inform decisions; it is not a guarantee or prediction of any
  individual legal result. Implementation includes role-based access, audit logs, and client-consent controls documented in the{ ' '}
  <Link to="/trust-center" className="underline hover:text-white">Trust Center</Link>.
</p>

<div className="flex flex-wrap gap-4 mb-8">
  <Link
    to="/lso-dashboard"
    className="bg-teal-600 hover:bg-teal-700 text-white px-6 py-4 rounded-lg font-bold transition-all shadow-lg
    hover:shadow-xl flex items-center gap-2">
    >
    <BarChart3 className="w-5 h-5" />
    View AI Dashboard Demo
  </Link>
  <Link
    to="/schedule-demo"
    className="bg-white/10 hover:bg-white/20 text-white px-6 py-4 rounded-lg font-bold transition-all border
    border-white/30 flex items-center gap-2">
    >
    <Calendar className="w-5 h-5" />
    Schedule a Demo
  </Link>
</div>

<div className="flex flex-wrap gap-6 text-sm text-teal-100">
  <div className="flex items-center gap-2">
    <CheckCircle className="w-5 h-5 text-success-400" />
    <span>Free tier available</span>
  </div>
  <div className="flex items-center gap-2">
    <CheckCircle className="w-5 h-5 text-success-400" />
    <span>LegalServer integration</span>
  </div>
  <div className="flex items-center gap-2">
    <CheckCircle className="w-5 h-5 text-success-400" />
    <span>AES-256 + TLS 1.3 encryption</span>
  </div>
</div>
</div>

<div className="hidden lg:block">
  <div className="bg-white/10 backdrop-blur-sm rounded-2xl border border-white/20 p-6">
    <div className="flex items-center gap-3 mb-4">
      <div className="w-3 h-3 bg-error-400 rounded-full" />
      <div className="w-3 h-3 bg-warning-400 rounded-full" />
      <div className="w-3 h-3 bg-success-400 rounded-full" />
    </div>
    <div className="space-y-3">
      <div className="bg-gradient-to-r from-teal-500/30 to-teal-500/30 rounded-lg p-4 border border-teal-400/30">
        <div className="flex items-center gap-2 mb-2">
          <Brain className="w-5 h-5 text-teal-200" />
          <span className="text-sm font-semibold">AI Operations Hub</span>
        </div>
        <div className="grid grid-cols-2 gap-2 text-xs">
          {aiCapabilities.map((cap, idx) => (
            <div key={idx} className="bg-white/10 rounded p-2 flex items-center gap-2">
              <div className="text-teal-200">{cap.icon}</div>
              <span className="text-teal-100">{cap.title}</span>
            </div>
          ))}
        </div>
      </div>
      <div className="bg-white/10 rounded-lg p-4">
        <div className="flex justify-between items-center mb-2">
          <span className="text-sm font-semibold">Dashboard Preview</span>
          <TrendingUp className="w-4 h-4 text-success-400" />
        </div>
        <div className="text-3xl font-bold">--</div>
        <div className="text-sm text-teal-200">Clients Served</div>
      </div>
      <div className="grid grid-cols-2 gap-3">
        <div className="bg-white/10 rounded-lg p-4">
          <div className="text-2xl font-bold">AI</div>
          <div className="text-xs text-teal-200">Case Matching</div>
        </div>
        <div className="bg-white/10 rounded-lg p-4">
          <div className="text-2xl font-bold">--</div>
          <div className="text-xs text-teal-200">Volunteer Attorneys</div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

    </div>
  </div>

  <div className="mt-16 grid grid-cols-2 md:grid-cols-4 gap-8 pt-12 border-t border-white/20">
    {stats.map((stat, index) => (
      <div key={index} className="text-center">
        <div className="text-3xl font-bold text-white mb-1">{stat.value}</div>
        <div className="text-sm text-teal-200">{stat.label}</div>
      </div>
    ))}
  </div>
</div>
</section>

<section className="py-16 bg-gradient-to-r from-teal-50 to-teal-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">
        Why Legal Aid Organizations Choose ezLegal.ai™
      </h2>
      <p className="text-lg text-navy-600">
        See how our AI capabilities compare to traditional volunteer management platforms
      </p>
    </div>

    <div className="bg-white rounded-2xl shadow-xl overflow-hidden border border-navy-200">
      <div className="grid grid-cols-3 bg-navy-100">
        <div className="p-4 font-bold text-navy-900">Feature</div>
        <div className="p-4 font-bold text-center bg-gradient-to-r from-teal-600 to-teal-600 text-white">
          <div className="flex items-center justify-center gap-2">
            <Sparkles className="w-5 h-5" />
            ezLegal.ai™
          </div>
        </div>
        <div className="p-4 font-bold text-center text-navy-600">Traditional Platforms</div>
      </div>
      <div className="divide-y divide-navy-100">
        <div>
          {comparisons.map((item, idx) => (
            <div key={idx} className="grid grid-cols-3 hover:bg-navy-50">
              <div className="p-4 text-navy-700 font-medium">{item.feature}</div>
              <div className="p-4 flex justify-center">
                {item.ezlegal ? (
                  <CheckCircle className="w-6 h-6 text-success-600" />
                ) : (
                  <X className="w-6 h-6 text-navy-300" />
                )}
              </div>
              <div className="p-4 flex justify-center">
                {item.competitor ? (
                  <CheckCircle className="w-6 h-6 text-navy-400" />
                ) : (
                  <X className="w-6 h-6 text-navy-300" />
                )}
              </div>
            </div>
          ))}
        </div>
      </div>
    </div>
  </div>
</section>

<section className="py-20">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-16">
      <div className="inline-flex items-center gap-2 bg-teal-100 text-teal-700 px-4 py-2 rounded-full mb-4">
        <Brain className="w-5 h-5" />
        <span className="font-semibold">AI-Powered Platform</span>
      </div>
      <h2 className="text-3xl lg:text-4xl font-bold text-navy-900 mb-4">
        Everything You Need to Scale Legal Aid
      </h2>
      <p className="text-xl text-navy-600 max-w-3xl mx-auto">
        Purpose-built tools with AI capabilities that no other platform offers.
      </p>
    </div>

    <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-6">
      {features.map((feature, index) => {
        const CardContent = (
          <>
            {feature.highlight && (
              <div className="bg-gradient-to-r from-teal-600 to-teal-600 text-white text-xs font-bold px-2 py-1 rounded-full inline-flex items-center gap-1 mb-3">
                <Sparkles className="w-3 h-3" />
                AI-POWERED
              </div>
            )}
            <div className={`${w-12 h-12 rounded-xl flex items-center justify-center mb-4 group-hover:scale-110 transition-transform`}
              {feature.highlight
                ? 'bg-gradient-to-r from-teal-600 to-teal-600 text-white'
                : 'bg-teal-100 text-teal-600'}
            >
              {feature.icon}
            </div>
            <h3 className="text-lg font-bold text-navy-900 mb-2">{feature.title}</h3>
          </>
        )
      })}
    </div>
  </div>
</section>

```

```

        <p className="text-sm text-navy-600 leading-relaxed">{feature.description}</p>
        {feature.link && (
          <div className="mt-4 flex items-center gap-1 text-teal-600 text-sm font-medium group-hover:gap-2
transition-all">
            Try it now <ArrowRight className="w-4 h-4" />
          </div>
        )}
      </>
    );

    return feature.link ? (
      <Link
        key={index}
        to={feature.link}
        className={`bg-white border rounded-2xl p-6 hover:shadow-xl transition-all group block ${
          feature.highlight
            ? 'border-teal-300 shadow-lg ring-2 ring-teal-100'
            : 'border-navy-200'
        }`}
      >
        {CardContent}
      </Link>
    ) : (
      <div
        key={index}
        className={`bg-white border rounded-2xl p-6 hover:shadow-xl transition-all group ${
          feature.highlight
            ? 'border-teal-300 shadow-lg ring-2 ring-teal-100'
            : 'border-navy-200'
        }`}
      >
        {CardContent}
      </div>
    );
  })}
</div>
</div>
</section>

<section id="technical-architecture" className="py-20 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-teal-100 text-teal-700 px-4 py-2 rounded-full mb-4">
        <Code className="w-5 h-5" />
        <span className="font-semibold">For Technical Decision Makers</span>
      </div>
      <h2 className="text-3xl lg:text-4xl font-bold text-navy-900 mb-4">
        Enterprise-Grade AI Infrastructure
      </h2>
      <p className="text-xl text-navy-600 max-w-3xl mx-auto">
        Understand the technology powering ezLegal.ai™. Our RAG architecture ensures
        AI responses are grounded in authoritative legal sources, not hallucinations.
      </p>
    </div>

    <button
      onClick={() => setShowTechnicalSection(!showTechnicalSection)}
      className="w-full mb-8 p-6 bg-white border border-navy-200 rounded-xl shadow-sm hover:shadow-md transition-all flex
items-center justify-between"
    >
      <div className="flex items-center gap-4">
        <div className="w-12 h-12 bg-gradient-to-br from-teal-600 to-teal-600 rounded-xl flex items-center justify-center">
          <Brain className="w-7 h-7 text-white" />
        </div>
        <div className="text-left">
          <h3 className="font-bold text-navy-900">Technical Architecture Deep Dive</h3>
          <p className="text-sm text-navy-600">
            RAG Pipeline, Security Infrastructure, Ethical Safeguards, and Integration APIs
          </p>
        </div>
      </div>
      {showTechnicalSection ? (
        <ChevronUp className="w-6 h-6 text-navy-400" />
      ) : (
        <ChevronDown className="w-6 h-6 text-navy-400" />
      )}
    </button>

    {showTechnicalSection && <TechnicalArchitecture />}
  </div>
</section>

<section id="conflict-checking" className="py-20">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-amber-100 text-amber-700 px-4 py-2 rounded-full mb-4">
        <Shield className="w-5 h-5" />
        <span className="font-semibold">White-Label Feature</span>
      </div>
      <h2 className="text-3xl lg:text-4xl font-bold text-navy-900 mb-4">
        Conflict of Interest Checking
      </h2>
      <p className="text-xl text-navy-600 max-w-3xl mx-auto">
        Built for legal aid organizations. Our conflict checking system ensures matter-based data isolation
        and provides audit trails for bar compliance requirements.
      </p>
    </div>
  </div>

```

```

</div>

<button
  onClick={() => setShowConflictDemo(!showConflictDemo)}
  className="w-full mb-8 p-6 bg-gradient-to-r from-teal-50 to-teal-50 border border-teal-200 rounded-xl hover:shadow-md
  transition-all flex items-center justify-between"
>
  <div className="flex items-center gap-4">
    <div className="w-12 h-12 bg-teal-600 rounded-xl flex items-center justify-center">
      <Scale className="w-7 h-7 text-white" />
    </div>
    <div className="text-left">
      <h3 className="font-bold text-navy-900">Try the Conflict Checker Demo</h3>
      <p className="text-sm text-navy-600">
        Search for "Johnson" or "Smith" to see how potential conflicts are identified
      </p>
    </div>
  </div>
  {showConflictDemo ? (
    <ChevronUp className="w-6 h-6 text-navy-400" />
  ) : (
    <ChevronDown className="w-6 h-6 text-navy-400" />
  )}
</button>

{showConflictDemo && <ConflictChecker />}

<div className="mt-12 grid md:grid-cols-3 gap-6">
  <div className="bg-white border border-navy-200 rounded-xl p-6 shadow-sm">
    <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center mb-4">
      <Shield className="w-6 h-6 text-teal-600" />
    </div>
    <h3 className="font-bold text-navy-900 mb-2">Tenant Isolation</h3>
    <p className="text-sm text-navy-600">
      Each organization's data is completely isolated at the database level.
      Row-level security ensures no cross-tenant access is ever possible.
    </p>
  </div>

  <div className="bg-white border border-navy-200 rounded-xl p-6 shadow-sm">
    <div className="w-10 h-10 bg-green-100 rounded-lg flex items-center justify-center mb-4">
      <CheckCircle className="w-6 h-6 text-green-600" />
    </div>
    <h3 className="font-bold text-navy-900 mb-2">Audit Compliance</h3>
    <p className="text-sm text-navy-600">
      Every conflict search is logged with timestamp, user, query, and results.
      Meets bar association requirements for conflict documentation.
    </p>
  </div>

  <div className="bg-white border border-navy-200 rounded-xl p-6 shadow-sm">
    <div className="w-10 h-10 bg-amber-100 rounded-lg flex items-center justify-center mb-4">
      <FileText className="w-6 h-6 text-amber-600" />
    </div>
    <h3 className="font-bold text-navy-900 mb-2">Waiver Management</h3>
    <p className="text-sm text-navy-600">
      When conflicts can be waived, track informed consent, supervising attorney
      approval, and consent dates for regulatory compliance.
    </p>
  </div>
</div>
</div>
</section>

<section className="py-20 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-16">
      <div className="inline-flex items-center gap-2 bg-amber-100 text-amber-800 px-4 py-2 rounded-full text-sm font-medium
      mb-4 border border-amber-200">
        <Heart className="w-4 h-4" />
        Seeking Attorney Perspectives
      </div>
      <h2 className="text-3xl lg:text-4xl font-bold text-navy-900 mb-4">
        Attorney Insights on AI in Legal Aid
      </h2>
      <p className="text-xl text-navy-600 max-w-2xl mx-auto">
        We're building a collection of perspectives from legal professionals on the role of ethical AI in access to justice.
        Share your insights to be featured.
      </p>
    </div>

    <div className="grid md:grid-cols-3 gap-8">
      {perspectiveTopics.map((topic, index) => (
        <div
          key={index}
          className="bg-white rounded-2xl p-8 shadow-lg border border-navy-200"
        >
          <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center mb-4 text-teal-600">
            {topic.icon}
          </div>
          <h3 className="text-lg font-bold text-navy-900 mb-3">{topic.title}</h3>
          <p className="text-navy-600 mb-6 leading-relaxed">{topic.description}</p>
          <Link
            to="/share-perspective"
            className="inline-flex items-center gap-2 text-teal-600 hover:text-teal-700 font-semibold text-sm"
          >

```

```

        {topic.cta}
        <ArrowRight className="w-4 h-4" />
      </Link>
    </div>
  )}
</div>

<div className="mt-12 text-center">
  <div className="bg-navy-50 border-2 border-navy-200 rounded-2xl p-8 max-w-2xl mx-auto">
    <h3 className="text-xl font-bold text-navy-900 mb-3">
      Are You a Legal Professional Using AI for Pro Bono Work?
    </h3>
    <p className="text-navy-600 mb-6">
      We'd love to feature your insights on ethical AI in legal services. Share your experiences with AI-assisted case
management, intake automation, or client services.
    </p>
    <Link
      to="/share-perspective"
      className="inline-flex items-center gap-2 bg-teal-600 hover:bg-teal-700 text-white px-6 py-3 rounded-lg
font-semibold transition-colors"
    >
      <Mail className="w-5 h-5" />
      Share Your Perspective
    </Link>
  </div>
</div>
</div>
</section>

<section className="py-20">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-16">
      <h2 className="text-3xl lg:text-4xl font-bold text-navy-900 mb-4">
        Simple, Transparent Pricing
      </h2>
      <p className="text-xl text-navy-600">
        Plans that scale with your organization's needs
      </p>
    </div>

    <div className="grid md:grid-cols-3 gap-8">
      {tiers.map((tier, index) => (
        <div
          key={index}
          className={`rounded-2xl p-8 ${
            tier.highlighted
              ? 'bg-gradient-to-br from-teal-600 to-teal-700 text-white shadow-2xl scale-105 border-2 border-teal-400'
              : 'bg-white border-2 border-navy-200 shadow-lg'
            }`}
        >
          {tier.highlighted && (
            <div className="bg-orange-500 text-white px-3 py-1 rounded-full text-xs font-bold inline-block mb-4">
              MOST POPULAR
            </div>
          )}
          <h3 className={`text-2xl font-bold mb-2 ${tier.highlighted ? 'text-white' : 'text-navy-900'}}`>
            {tier.name}
          </h3>
          <div className={`text-4xl font-bold mb-1 ${tier.highlighted ? 'text-white' : 'text-teal-600'}}`>
            {tier.price}
          </div>
          {tier.period && <span className="text-lg font-normal">{tier.period}</span>}
          <p className={`text-sm mb-6 ${tier.highlighted ? 'text-teal-100' : 'text-navy-600'}}`>
            {tier.description}
          </p>
          <ul className="space-y-3 mb-8">
            {tier.features.map((feature, fIndex) => (
              <li key={fIndex} className="flex items-start gap-2">
                <CheckCircle className={`w-5 h-5 flex-shrink-0 mt-0.5 ${tier.highlighted ? 'text-teal-200' :
'text-teal-600'}} />
                <span className={tier.highlighted ? 'text-white' : 'text-navy-700'}>{feature}</span>
              </li>
            )}
          </ul>
          <Link
            to={tier.name === 'Enterprise' ? '/schedule-demo' : '/signup?org=true'}
            className={`block w-full text-center py-3 rounded-lg font-bold transition-all ${
              tier.highlighted
                ? 'bg-orange-500 text-white hover:bg-orange-600'
                : 'bg-teal-600 text-white hover:bg-teal-700'
            }`}
          >
            {tier.cta}
          </Link>
        </div>
      )}
    </div>
  </div>
</section>

<LSOGovernanceDisclosures />

<section className="py-20 bg-gradient-to-br from-navy-900 to-teal-900 text-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <Brain className="w-16 h-16 text-orange-400 mx-auto mb-6" />
    <h2 className="text-3xl lg:text-4xl font-bold mb-6">

```



```

    Ready to Transform Your Legal Aid Program with AI?
  </h2>
  <p className="text-xl text-navy-300 mb-10">
    Join forward-thinking organizations using ezLegal.ai™'s AI platform designed to help you serve more clients, match cases
    efficiently, and generate grant reports in minutes.
  </p>
  <div className="flex flex-col sm:flex-row gap-4 justify-center">
    <Link
      to="/schedule-demo"
      className="bg-orange-500 hover:bg-orange-600 text-white px-8 py-4 rounded-lg font-bold text-lg transition-all
      shadow-lg hover:shadow-xl flex items-center justify-center gap-2"
    >
      <Calendar className="w-5 h-5" />
      Schedule a Live Demo
    </Link>
    <Link
      to="/lso-dashboard"
      className="bg-white/10 hover:bg-white/20 text-white px-8 py-4 rounded-lg font-bold text-lg transition-all border
      border-white/30 flex items-center justify-center gap-2"
    >
      <BarChart3 className="w-5 h-5" />
      Explore Dashboard Preview
    </Link>
  </div>
</div>
</section>

<RelatedLinks />
<Footer />
</div>
  );
}

```

[21/58] For Partners

Route: /for-partners | File: src/pages/ForPartners.tsx

```
import { Link } from 'react-router-dom';
import Breadcrumbs from '../components/Breadcrumbs';
import RelatedLinks from '../components/RelatedLinks';
import { Building2, Shield, Lock, Key, Globe, Code, CheckCircle, ArrowRight, FileText, Users, Zap, Fingerprint, Eye, MessageSquare, BookOpen, Puzzle, Palette, BarChart3, Headphones as HeadphonesIcon, Clock, Award, Handshake, Database, AlertTriangle, Server, Heart, Briefcase } from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

export default function ForPartners() {
  const integrationTiers = [
    {
      tier: 'Embed',
      title: 'Embed Widget',
      subtitle: 'Add AI to Your Website',
      description: 'Drop a chat widget on your existing website. No development work required.',
      icon: Puzzle,
      price: '$79',
      pricePeriod: '/month',
      billingUnit: '1 conversation = 1 unique chat session (unlimited messages within session)',
      included: '500 conversations/mo included',
      overage: '$0.15 per additional conversation',
      typicalCost: '$79 - $150/mo for most organizations',
      recommendedWhen: 'You want the fastest path to live -- no developers needed',
      idealFor: 'Legal aid orgs, nonprofits, community organizations',
      details: [
        'Copy-paste installation (5 minutes)',
        'Customize colors and branding',
        'Lead capture and email collection',
        'Real-time analytics dashboard',
        'Conversation history and export',
        'Bilingual (English + Spanish)',
      ],
      notIncluded: [
        'Custom domain',
        'Remove ezLegal branding',
        'API access',
      ],
      standards: {
        support: 'Email (24hr response)',
        uptime: '99.9% target uptime',
        onboarding: 'Self-serve + guide',
        environments: 'Production only',
        sites: '1 domain',
      },
      primaryLink: '/dashboard/website-integration',
      primaryText: 'Get Embed Code',
      primaryStyle: 'primary',
      secondaryLink: '/schedule-demo',
      secondaryText: 'View Live Demo',
      trial: 'Free to start, no credit card',
    },
    {
      tier: 'API',
      title: 'API Access',
      subtitle: 'Build Custom Integrations',
      description: 'RESTful APIs for developers building legal AI into their own applications.',
      icon: Code,
      price: '$0.02',
      pricePeriod: '/query',
      billingUnit: '1 query = 1 POST to /v1/chat/completions (includes all follow-up reasoning)',
      included: 'Free sandbox: 100 queries/day',
      overage: 'Pay-as-you-go after sandbox; volume discounts at 10K+ queries/mo',
      typicalCost: '$40 - $200/mo for 2K-10K queries',
      recommendedWhen: 'You have developers and want full control over the UX',
      idealFor: 'Legal tech startups, custom app builders, in-house dev teams',
      details: [
        'Full API documentation + Postman collection',
        'Sandbox environment (no credit card)',
        'Webhook notifications',
        'Rate limiting: 60 req/min (sandbox), 300 req/min (production)',
        'Technical support via email',
        'Bearer token + API key authentication',
      ],
      notIncluded: [
        'White-label rights',
        'Dedicated support manager',
        'Custom model training',
      ],
      standards: {
        support: 'Email (24hr response)',
        uptime: '99.9% target uptime',
        onboarding: 'API docs + sandbox',
        environments: 'Sandbox + Production',
        sites: 'Unlimited',
      },
      primaryLink: '/schedule-demo',
      primaryText: 'Request Sandbox Access',
      primaryStyle: 'primary',
    },
  ],
}
```

```

    secondaryLink: '/schedule-demo',
    secondaryText: 'Read API Docs',
    trial: 'Free sandbox -- no credit card required',
  },
  {
    tier: 'Enterprise',
    title: 'White Label',
    subtitle: 'Deploy as Your Own Product',
    description: 'Full white-label solution with your branding, domain, and complete customization.',
    icon: Palette,
    price: 'Custom',
    pricePeriod: '',
    billingUnit: 'Annual platform license + usage-based tiers',
    included: 'Dedicated infrastructure + custom SLA',
    overage: 'Usage tiers negotiated in contract',
    typicalCost: 'Typically $1,500 - $5,000/mo depending on volume',
    recommendedWhen: 'You need your own brand, domain, SSO, and full control',
    idealFor: 'Large organizations, legal tech companies, franchises',
    details: [
      'Custom domain (yourorg.ai)',
      'Complete brand customization',
      'Remove all ezLegal branding',
      'SSO/SAML integration',
      'Dedicated account manager',
      'Custom AI training on your content',
      '99.95%+ target uptime (contractual SLA available)',
    ],
    notIncluded: [],
    standards: {
      support: 'Dedicated manager (4hr response)',
      uptime: '99.95% target uptime',
      onboarding: '2-4 weeks guided setup',
      environments: 'Staging + Production',
      sites: 'Unlimited domains',
    },
    primaryLink: '/schedule-demo',
    primaryText: 'Request Architecture Review',
    primaryStyle: 'primary',
    secondaryLink: '/schedule-demo',
    secondaryText: 'Download Security Packet',
    trial: 'Scoping call required',
  },
];

const comparisonFeatures = [
  { feature: 'Setup Time', widget: '5 minutes', api: '1-2 weeks', whiteLabel: '2-4 weeks' },
  { feature: 'Technical Skills', widget: 'None', api: 'Developer', whiteLabel: 'None (we handle it)' },
  { feature: 'Branding', widget: 'Colors only', api: 'Via your app', whiteLabel: 'Fully custom' },
  { feature: 'Your Domain', widget: 'No', api: 'Via your app', whiteLabel: 'Yes' },
  { feature: 'Lead Capture', widget: 'Built-in', api: 'Build your own', whiteLabel: 'Built-in' },
  { feature: 'Analytics', widget: 'Basic dashboard', api: 'Via /analytics API', whiteLabel: 'Advanced dashboard' },
  { feature: 'Support SLA', widget: 'Email (24hr)', api: 'Email (24hr)', whiteLabel: 'Dedicated (4hr)' },
  { feature: 'Target Uptime', widget: '99.9%', api: '99.9%', whiteLabel: '99.95%+' },
  { feature: 'Onboarding', widget: 'Self-serve', api: 'Sandbox + docs', whiteLabel: 'Guided (2-4 wks)' },
  { feature: 'Environments', widget: 'Production', api: 'Sandbox + Prod', whiteLabel: 'Staging + Prod' },
  { feature: 'Languages', widget: 'EN + ES', api: 'EN + ES', whiteLabel: 'EN + ES + custom' },
  { feature: 'SSO/SAML', widget: 'No', api: 'No', whiteLabel: 'Yes' },
  { feature: 'Billing Model', widget: 'Fixed monthly', api: 'Per-query', whiteLabel: 'Annual license' },
];

const securityFeatures = [
  {
    title: 'SOC 2 Type II Infrastructure',
    description: 'Built on Supabase, which maintains SOC 2 Type II certification for security, availability, and confidentiality.',
    icon: Award,
  },
  {
    title: 'AES-256 & TLS 1.3 Encryption',
    description: 'All data encrypted at rest and in transit via our cloud infrastructure provider.',
    icon: Shield,
  },
  {
    title: 'US-Based Hosting',
    description: 'Data hosted in the United States via Supabase managed cloud infrastructure.',
    icon: Globe,
  },
  {
    title: 'Row Level Security',
    description: 'Database-enforced access controls ensure users only access their authorized data.',
    icon: Key,
  },
  {
    title: 'Authenticated Access',
    description: 'Supabase Auth with MFA support. Every API request authenticated and authorized.',
    icon: Lock,
  },
  {
    title: 'Audit Logging',
    description: 'Activity audit trails of user actions and data access stored in database tables.',
    icon: Eye,
  },
];

const apiEndpoints = [
  {

```

```

        method: 'POST',
        endpoint: '/v1/chat/completions',
        description: 'Send a legal question and receive an AI-generated response with citations.',
    },
    {
        method: 'GET',
        endpoint: '/v1/documents/{id}',
        description: 'Retrieve generated documents, templates, or user-uploaded files.',
    },
    {
        method: 'POST',
        endpoint: '/v1/documents/generate',
        description: 'Generate legal documents based on provided parameters and jurisdiction.',
    },
    {
        method: 'GET',
        endpoint: '/v1/jurisdictions',
        description: 'List supported jurisdictions and their available practice areas.',
    },
    {
        method: 'POST',
        endpoint: '/v1/webhooks',
        description: 'Register webhooks for real-time event notifications.',
    },
    {
        method: 'GET',
        endpoint: '/v1/analytics/usage',
        description: 'Retrieve usage statistics and analytics for your organization.',
    },
    ],
];

const legalTechEssentials = [
    {
        icon: Database,
        title: 'Data Retention & Isolation',
        items: [
            'Conversation data retained for 90 days by default (configurable)',
            'Per-tenant data isolation via Row Level Security',
            'Data export available on request (JSON/CSV)',
            'Data deletion within 30 days of account termination',
        ],
    },
    {
        icon: Eye,
        title: 'Zero Training on Client Data',
        items: [
            'Your users\' conversations are never used to train our models',
            'No data sharing with third-party AI providers for training',
            'OpenAI API used with zero-retention data processing agreement',
            'Audit-ready documentation available on request',
        ],
    },
    {
        icon: AlertTriangle,
        title: 'UPL Boundaries & Disclaimers',
        items: [
            'All AI responses carry "legal information, not legal advice" disclaimers',
            'Configurable disclaimer text for white-label deployments',
            'Crisis escalation detection routes to human resources',
            'Attorney referral system for cases requiring licensed counsel',
        ],
    },
    {
        icon: FileText,
        title: 'Audit & Compliance',
        items: [
            'Full audit logs of all user actions and data access',
            'LSO compliance features for legal aid organizations',
            'Grant reporting dashboards with demographic tracking',
            'CCPA-compliant data handling with user consent management',
        ],
    },
],

return (
    <div className="min-h-screen bg-navy-50">
        <Navigation />
        <Breadcrumbs className="mt-24" />

        <main id="main-content">
            <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white pt-12 pb-20">
                <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
                    <div className="text-center max-w-3xl mx-auto mb-12">
                        <div className="inline-flex items-center gap-2 bg-white/10 backdrop-blur-sm px-4 py-2 rounded-full mb-6 border border-white/20">
                            <Building2 className="w-4 h-4 text-gold-300" />
                            <span className="text-sm font-semibold">Organization & Community Programs</span>
                        </div>
                        <h1 className="text-4xl lg:text-5xl font-bold mb-6">
                            Enterprise-Grade Legal AI for Your Organization
                        </h1>
                        <p className="text-xl text-navy-300 mb-4">
                            Whether you're deploying for your own team or offering access to the communities you serve,
                            ezLegal.ai has a program built for you.
                        </p>
                        <p className="text-sm text-navy-400">

```

```

        <span className="font-semibold text-navy-300">Community programs</span> are for organizations that distribute or
sponsor access for others.{ ' '}
        <span className="font-semibold text-navy-300">Organization plans</span> are for internal staff and team use.
    </p>
</div>

<div className="grid md:grid-cols-2 gap-6 max-w-4xl mx-auto mb-10">
    <Link
        to="/partner-hub"
        className="group bg-white/10 backdrop-blur-sm rounded-2xl p-8 border border-white/20 hover:border-teal-400/50
hover:bg-white/15 transition-all"
    >
        <div className="w-14 h-14 bg-teal-500/20 rounded-xl flex items-center justify-center mb-4">
            <Heart className="w-7 h-7 text-teal-300" />
        </div>
        <h2 className="text-xl font-bold mb-2">Offer to My Community</h2>
        <p className="text-navy-300 text-sm mb-4">
            Sponsor, refer, or white-label legal AI for the people and organizations you serve.
            Referral revenue share, community access, and white-label models available.
        </p>
        <span className="inline-flex items-center gap-2 text-teal-300 font-semibold text-sm group-hover:gap-3
transition-all">
            View Community Models <ArrowRight className="w-4 h-4" />
        </span>
    </Link>

    <a
        href="#integration"
        className="group bg-white/10 backdrop-blur-sm rounded-2xl p-8 border border-white/20 hover:border-gold-400/50
hover:bg-white/15 transition-all"
    >
        <div className="w-14 h-14 bg-gold-500/20 rounded-xl flex items-center justify-center mb-4">
            <Briefcase className="w-7 h-7 text-gold-300" />
        </div>
        <h2 className="text-xl font-bold mb-2">Buy for My Organization</h2>
        <p className="text-navy-300 text-sm mb-4">
            Embed, integrate via API, or white-label for your internal team. Widget, API, and
            enterprise deployment options with clear pricing.
        </p>
        <span className="inline-flex items-center gap-2 text-gold-300 font-semibold text-sm group-hover:gap-3
transition-all">
            View Organization Pricing <ArrowRight className="w-4 h-4" />
        </span>
    </a>
</div>

<div className="flex flex-wrap justify-center gap-4">
    <Link
        to="/schedule-demo"
        className="inline-flex items-center gap-2 bg-teal-600 hover:bg-teal-700 text-white px-6 py-3 rounded-lg
font-semibold transition-colors"
    >
        <MessageSquare className="w-4 h-4" />
        Schedule a Demo
    </Link>
    <Link
        to="/partner-hub"
        className="inline-flex items-center gap-2 bg-white/10 hover:bg-white/20 border border-white/30 text-white px-6 py-3
rounded-lg font-semibold transition-colors text-sm"
    >
        Existing partner? Access Partner Portal
    </Link>
</div>
</div>
</section>

<section className="py-8 bg-white border-b border-navy-200">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="flex flex-wrap items-center justify-center gap-8 text-navy-400">
            <div className="flex items-center gap-2">
                <Award className="w-5 h-5" />
                <span className="text-sm font-medium">SOC 2 Type II Infrastructure</span>
            </div>
            <div className="flex items-center gap-2">
                <Shield className="w-5 h-5" />
                <span className="text-sm font-medium">CCPA Compliant</span>
            </div>
            <div className="flex items-center gap-2">
                <Lock className="w-5 h-5" />
                <span className="text-sm font-medium">AES-256 Encryption</span>
            </div>
            <div className="flex items-center gap-2">
                <Globe className="w-5 h-5" />
                <span className="text-sm font-medium">TLS 1.3 In Transit</span>
            </div>
            <div className="flex items-center gap-2">
                <Fingerprint className="w-5 h-5" />
                <span className="text-sm font-medium">Zero Training on Client Data</span>
            </div>
        </div>
    </div>
</section>

<section id="integration" className="py-20 bg-white">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">

```

```

<div className="inline-flex items-center gap-2 bg-teal-100 px-4 py-2 rounded-full mb-4">
  <Briefcase className="w-4 h-4 text-teal-600" />
  <span className="text-sm font-semibold text-navy-900">Organization Integration Pricing</span>
</div>
<h2 className="text-3xl font-bold text-navy-900 mb-4">Choose Your Integration Level</h2>
<p className="text-navy-600 max-w-3xl mx-auto mb-4">
  Deploy legal AI for your internal team. From simple widget embedding to full white-label deployment -- pick the
  option that matches your technical resources.
</p>
<div className="flex flex-wrap justify-center gap-4 text-sm">
  <Link to="/pricing" className="text-teal-600 hover:text-navy-700 font-medium inline-flex items-center gap-1">
    View individual/business pricing
    <ArrowRight className="w-3 h-3" />
  </Link>
  <Link to="/partner-hub" className="text-navy-500 hover:text-navy-700 font-medium inline-flex items-center gap-1">
    Looking to distribute to a community instead?
    <ArrowRight className="w-3 h-3" />
  </Link>
</div>
</div>

<div className="grid lg:grid-cols-3 gap-6 mb-16">
  {integrationTiers.map((tier, index) => (
    <div
      key={index}
      className={`rounded-2xl p-6 flex flex-col relative ${
        index === 0
          ? 'bg-gradient-to-b from-navy-50 to-white border-2 border-teal-500 shadow-xl'
          : 'bg-navy-50 border border-navy-200'
      }`}
    >
      <div className="absolute -top-3 left-4 right-4">
        <div className={`text-xs font-semibold px-3 py-1 rounded-full inline-block ${
          index === 0 ? 'bg-teal-500 text-white' :
          index === 1 ? 'bg-navy-700 text-white' :
          'bg-amber-500 text-white'
        }`}>
          Recommended when: {tier.recommendedWhen}
        </div>
      </div>

      <div className="mt-4 mb-4">
        <span className={`text-xs font-bold px-2 py-1 rounded ${
          tier.tier === 'Embed' ? 'bg-teal-100 text-navy-700' :
          tier.tier === 'API' ? 'bg-teal-100 text-teal-700' :
          'bg-amber-100 text-amber-700'
        }`}>
          {tier.tier}
        </span>
      </div>

      <div className="flex items-center gap-3 mb-2">
        <div className={`w-10 h-10 rounded-lg flex items-center justify-center ${
          index === 0 ? 'bg-teal-100' : 'bg-navy-200'
        }`}>
          <tier.icon className={`w-5 h-5 ${index === 0 ? 'text-teal-600' : 'text-navy-600'}` />
        </div>
        <div>
          <h3 className="text-lg font-bold text-navy-900">{tier.title}</h3>
          <p className="text-xs text-navy-500">{tier.subtitle}</p>
        </div>
      </div>

      <div className="my-4">
        <div className="flex items-baseline gap-1">
          <span className="text-3xl font-bold text-navy-900">{tier.price}</span>
          <span className="text-navy-500 text-sm">{tier.pricePeriod}</span>
        </div>
        <p className="text-xs text-navy-500 mt-1">{tier.included}</p>
      </div>

      <div className="bg-navy-100 rounded-lg px-3 py-2 mb-4 space-y-1">
        <div className="flex items-start gap-1.5">
          <span className="text-xs text-navy-500 whitespace-nowrap">Billing unit:</span>
          <span className="text-xs text-navy-700">{tier.billingUnit}</span>
        </div>
        <div className="flex items-start gap-1.5">
          <span className="text-xs text-navy-500 whitespace-nowrap">Overages:</span>
          <span className="text-xs text-navy-700">{tier.overage}</span>
        </div>
        <div className="flex items-start gap-1.5">
          <span className="text-xs text-navy-500 whitespace-nowrap">Typical cost:</span>
          <span className="text-xs font-semibold text-navy-800">{tier.typicalCost}</span>
        </div>
      </div>

      <p className="text-sm text-navy-600 mb-3">{tier.description}</p>

      <div className="bg-teal-50 rounded-lg px-3 py-2 mb-4">
        <p className="text-xs text-navy-500">Ideal for:</p>
        <p className="text-sm font-medium text-navy-700">{tier.idealFor}</p>
      </div>

      <ul className="space-y-2 flex-1 mb-4">
        {tier.details.map((detail, dIndex) => (
          <li key={dIndex} className="flex items-start gap-2 text-sm text-navy-700">

```

```

        <CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />
        {detail}
      </li>
    )}
  </ul>

  {tier.notIncluded.length > 0 && (
    <div className="mb-4 pt-3 border-t border-navy-200">
      <p className="text-xs text-navy-400 mb-2">Not included:</p>
      <ul className="space-y-1">
        {tier.notIncluded.map((item, nIndex) => (
          <li key={nIndex} className="flex items-center gap-2 text-xs text-navy-400">
            <span className="w-3 h-3 rounded-full border border-navy-300 flex-shrink-0" />
            {item}
          </li>
        ))}
      </ul>
    </div>
  )}

  <div className="mb-4 pt-3 border-t border-navy-200">
    <p className="text-xs font-semibold text-navy-600 mb-2">Service Standards</p>
    <div className="grid grid-cols-2 gap-x-3 gap-y-1.5">
      {Object.entries(tier.standards).map(([key, value]) => (
        <div key={key} className="flex flex-col">
          <span className="text-[10px] uppercase tracking-wider text-navy-400">
            {key === 'uptime' ? 'Target Uptime' : key.charAt(0).toUpperCase() + key.slice(1)}
          </span>
          <span className="text-xs font-medium text-navy-700">{value}</span>
        </div>
      ))}
    </div>
  </div>

  <div className="space-y-2 mt-auto">
    <Link
      to={tier.primaryLink}
      className="w-full py-3 rounded-lg font-semibold text-center transition-colors block bg-teal-500
hover:bg-teal-600 text-white"
    >
      {tier.primaryText}
    </Link>
    <Link
      to={tier.secondaryLink}
      className="w-full py-2.5 rounded-lg font-medium text-center transition-colors block bg-navy-100
hover:bg-navy-200 text-navy-700 text-sm"
    >
      {tier.secondaryText}
    </Link>
    <p className="text-xs text-center text-navy-500 pt-1">{tier.trial}</p>
  </div>
)
)
)
</div>

<div className="bg-navy-50 rounded-2xl border border-navy-200 overflow-hidden">
  <div className="px-6 py-4 bg-navy-100 border-b border-navy-200">
    <h3 className="font-bold text-navy-900">Full Comparison</h3>
  </div>
  <div className="overflow-x-auto">
    <table className="w-full">
      <thead>
        <tr className="border-b border-navy-200">
          <th className="px-6 py-3 text-left text-sm font-semibold text-navy-700">Feature</th>
          <th className="px-6 py-3 text-center text-sm font-semibold text-teal-600">Widget</th>
          <th className="px-6 py-3 text-center text-sm font-semibold text-teal-600">API</th>
          <th className="px-6 py-3 text-center text-sm font-semibold text-amber-600">White Label</th>
        </tr>
      </thead>
      <tbody className="divide-y divide-navy-200">
        {comparisonFeatures.map((row, index) => (
          <tr key={index} className="hover:bg-navy-50">
            <td className="px-6 py-3 text-sm font-medium text-navy-700">{row.feature}</td>
            <td className="px-6 py-3 text-sm text-center text-navy-600">{row.widget}</td>
            <td className="px-6 py-3 text-sm text-center text-navy-600">{row.api}</td>
            <td className="px-6 py-3 text-sm text-center text-navy-600">{row.whiteLabel}</td>
          </tr>
        ))}
      </tbody>
    </table>
  </div>
</div>
</div>
</section>

<section className="py-20 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-16">
      <div className="inline-flex items-center gap-2 bg-teal-100 px-4 py-2 rounded-full mb-4">
        <Code className="w-4 h-4 text-teal-600" />
        <span className="text-sm font-semibold text-teal-900">API Reference</span>
      </div>
      <h2 className="text-3xl font-bold text-navy-900 mb-4">RESTful API Endpoints</h2>
      <p className="text-navy-600 max-w-2xl mx-auto">
        Comprehensive API for integrating legal AI capabilities into your applications.
      </p>
    </div>
  </div>
</section>

```

```

</div>

<div className="bg-white rounded-2xl border border-navy-200 overflow-hidden">
  <div className="bg-navy-900 px-6 py-4">
    <div className="flex items-center gap-2 text-navy-400 text-sm">
      <div className="w-3 h-3 rounded-full bg-red-500"></div>
      <div className="w-3 h-3 rounded-full bg-yellow-500"></div>
      <div className="w-3 h-3 rounded-full bg-green-500"></div>
      <span className="ml-4 font-mono">api.ezlegal.ai</span>
    </div>
  </div>
  <div className="divide-y divide-navy-200">
    {apiEndpoints.map((endpoint, index) => (
      <div key={index} className="px-6 py-4 flex items-start gap-4">
        <span className={`px-2 py-1 rounded text-xs font-bold ${
          endpoint.method === 'GET' ? 'bg-green-100 text-green-700' : 'bg-teal-100 text-teal-700'
        }`}>
          {endpoint.method}
        </span>
        <div className="flex-1">
          <code className="text-sm font-mono text-navy-900">{endpoint.endpoint}</code>
          <p className="text-sm text-navy-600 mt-1">{endpoint.description}</p>
        </div>
      </div>
    ))}
  </div>
  <div className="bg-navy-50 px-6 py-4 border-t border-navy-200 flex flex-wrap items-center gap-6">
    <Link
      to="/schedule-demo"
      className="inline-flex items-center gap-2 text-teal-600 hover:text-navy-700 font-semibold text-sm"
    >
      <FileText className="w-4 h-4" />
      Request Full API Documentation
      <ArrowRight className="w-3 h-3" />
    </Link>
    <Link
      to="/schedule-demo"
      className="inline-flex items-center gap-2 text-navy-500 hover:text-navy-700 font-medium text-sm"
    >
      <Code className="w-4 h-4" />
      Download Postman Collection
    </Link>
  </div>

  <div className="mt-8 bg-teal-50 rounded-2xl p-6 border border-teal-200">
    <div className="flex items-start gap-4">
      <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center flex-shrink-0">
        <Zap className="w-6 h-6 text-teal-600" />
      </div>
      <div>
        <h3 className="font-bold text-navy-900 mb-2">Quick Start Code Example</h3>
        <div className="bg-navy-900 rounded-lg p-4 font-mono text-sm text-green-400 overflow-x-auto">
          <pre>{ curl -X POST https://api.ezlegal.ai/v1/chat/completions \
-H "Authorization: Bearer YOUR_API_KEY" \
-H "Content-Type: application/json" \
-d '{
  "question": "What are the requirements for a valid will in California?",
  "jurisdiction": "CA",
  "include_citations": true
}' }</pre>
        </div>
      </div>
    </div>
  </div>

  <section className="py-20 bg-white">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
      <div className="text-center mb-16">
        <div className="inline-flex items-center gap-2 bg-green-100 px-4 py-2 rounded-full mb-4">
          <Shield className="w-4 h-4 text-green-600" />
          <span className="text-sm font-semibold text-green-900">Enterprise Security</span>
        </div>
        <h2 className="text-3xl font-bold text-navy-900 mb-4">Built for Enterprise Trust</h2>
        <p className="text-navy-600 max-w-2xl mx-auto">
          Security and compliance are foundational to our platform, not afterthoughts.
        </p>
      </div>

      <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-6">
        {securityFeatures.map((feature, index) => (
          <div key={index} className="bg-navy-50 rounded-xl p-6 border border-navy-200">
            <div className="w-12 h-12 bg-green-100 rounded-xl flex items-center justify-center mb-4">
              <feature.icon className="w-6 h-6 text-green-600" />
            </div>
            <h3 className="font-bold text-navy-900 mb-2">{feature.title}</h3>
            <p className="text-sm text-navy-600">{feature.description}</p>
          </div>
        ))}
      </div>

      <div className="mt-12 text-center">
        <Link
          to="/trust-center#data-sovereignty"

```



```

        className="inline-flex items-center gap-2 text-teal-600 hover:text-navy-700 font-semibold"
    >
        <Fingerprint className="w-4 h-4" />
        Read our Data Sovereignty Commitment
        <ArrowRight className="w-3 h-3" />
    </Link>
</div>
</div>
</section>

<section className="py-20 bg-navy-50">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
            <div className="inline-flex items-center gap-2 bg-amber-100 px-4 py-2 rounded-full mb-4">
                <Server className="w-4 h-4 text-amber-700" />
                <span className="text-sm font-semibold text-amber-900">LegalTech Integration Essentials</span>
            </div>
            <h2 className="text-3xl font-bold text-navy-900 mb-4">What Legal Organizations Need to Know</h2>
            <p className="text-navy-600 max-w-2xl mx-auto">
                Answers to the questions your security, compliance, and legal teams will ask before approving an integration.
            </p>
        </div>

        <div className="grid md:grid-cols-2 gap-6">
            {legalTechEssentials.map((section, index) => (
                <div key={index} className="bg-white rounded-xl p-6 border border-navy-200">
                    <div className="flex items-center gap-3 mb-4">
                        <div className="w-10 h-10 bg-amber-100 rounded-lg flex items-center justify-center">
                            <section.icon className="w-5 h-5 text-amber-700" />
                        </div>
                        <h3 className="font-bold text-navy-900">{section.title}</h3>
                    </div>
                    <ul className="space-y-2">
                        {section.items.map((item, iIndex) => (
                            <li key={iIndex} className="flex items-start gap-2 text-sm text-navy-700">
                                <CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />
                                {item}
                            </li>
                        ))}
                    </ul>
                </div>
            ))}
        </div>

        <div className="mt-8 text-center">
            <Link
                to="/schedule-demo"
                className="inline-flex items-center gap-2 text-teal-600 hover:text-navy-700 font-semibold"
            >
                <FileText className="w-4 h-4" />
                Request full security and compliance documentation
                <ArrowRight className="w-3 h-3" />
            </Link>
        </div>
    </div>
</section>

<section className="py-16 bg-white border-t border-navy-200">
    <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="bg-white rounded-2xl border-2 border-teal-200 p-8 md:p-12 flex flex-col md:flex-row items-center gap-8">
            <div className="flex-1 text-center md:text-left">
                <div className="inline-flex items-center gap-2 bg-teal-100 px-3 py-1 rounded-full text-sm font-semibold text-teal-700 mb-4">
                    <Heart className="w-4 h-4" />
                    Community Programs
                </div>
                <h2 className="text-2xl font-bold text-navy-900 mb-3">
                    Want to Offer Legal AI to Your Community Instead?
                </h2>
                <p className="text-navy-600 mb-4">
                    Refer, sponsor, or white-label ezLegal.ai for the people and organizations you serve. Full economics, commitments,
                    and application form.
                </p>
                <ul className="space-y-2 mb-6">
                    <li className="flex items-center gap-2 text-sm text-navy-700">
                        <CheckCircle className="w-4 h-4 text-teal-600 flex-shrink-0" />
                        Referral Partner -- Earn 20% revenue share
                    </li>
                    <li className="flex items-center gap-2 text-sm text-navy-700">
                        <CheckCircle className="w-4 h-4 text-teal-600 flex-shrink-0" />
                        Community Access -- Sponsor access from $2/member/mo
                    </li>
                    <li className="flex items-center gap-2 text-sm text-navy-700">
                        <CheckCircle className="w-4 h-4 text-teal-600 flex-shrink-0" />
                        White-Label -- Deploy under your own brand
                    </li>
                </ul>
                <Link
                    to="/partner-hub"
                    className="inline-flex items-center gap-2 bg-teal-600 hover:bg-teal-500 text-white px-8 py-3.5 rounded-xl font-semibold transition-all shadow-lg shadow-teal-600/20"
                >
                    View Community Models
                    <ArrowRight className="w-4 h-4" />
                </Link>
            </div>
        </div>
    </div>
</section>

```

```

<div className="hidden md:flex flex-col items-center gap-3 flex-shrink-0">
  <div className="w-20 h-20 bg-teal-50 rounded-2xl flex items-center justify-center">
    <Handshake className="w-10 h-10 text-teal-600" />
  </div>
  <div className="text-center">
    <div className="text-2xl font-bold text-navy-900">Growing</div>
    <div className="text-xs text-navy-500">Partner Network</div>
  </div>
</div>
</div>
</div>
</section>

<section className="py-20 bg-white border-t border-navy-200">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-16">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">What Every Organization Gets</h2>
      <p className="text-navy-600">Comprehensive support and resources for successful deployment, regardless of integration
level.</p>
    </div>

    <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-6">
      <div className="text-center">
        <div className="w-14 h-14 bg-teal-100 rounded-xl flex items-center justify-center mx-auto mb-4">
          <HeadphonesIcon className="w-7 h-7 text-teal-600" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">Technical Support</h3>
        <p className="text-sm text-navy-600">Email support (24hr) for Widget/API; dedicated manager for Enterprise</p>
      </div>
      <div className="text-center">
        <div className="w-14 h-14 bg-green-100 rounded-xl flex items-center justify-center mx-auto mb-4">
          <Clock className="w-7 h-7 text-green-600" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">Target Uptime</h3>
        <p className="text-sm text-navy-600">99.9% target standard; 99.95%+ for Enterprise (<Link to="/sla"
className="text-teal-600 hover:text-teal-700 underline">view SLA details</Link></p>
      </div>
      <div className="text-center">
        <div className="w-14 h-14 bg-amber-100 rounded-xl flex items-center justify-center mx-auto mb-4">
          <BookOpen className="w-7 h-7 text-amber-600" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">Documentation</h3>
        <p className="text-sm text-navy-600">API docs, Postman collection, implementation guides, and code examples</p>
      </div>
      <div className="text-center">
        <div className="w-14 h-14 bg-rose-100 rounded-xl flex items-center justify-center mx-auto mb-4">
          <BarChart3 className="w-7 h-7 text-rose-600" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">Analytics</h3>
        <p className="text-sm text-navy-600">Usage tracking, conversation analytics, and billing dashboards</p>
      </div>
    </div>
</div>
</section>

<section className="py-20 bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <h2 className="text-3xl font-bold mb-4">Ready to Integrate?</h2>
    <p className="text-teal-100 mb-8 max-w-2xl mx-auto">
      Schedule a technical deep-dive with our partnerships team. We'll discuss your use case,
      integration requirements, and demonstrate our platform capabilities.
    </p>
    <div className="flex flex-wrap justify-center gap-4">
      <Link
        to="/schedule-demo"
        className="inline-flex items-center gap-2 bg-white text-teal-600 px-8 py-4 rounded-lg font-semibold hover:bg-navy-50
transition-colors"
      >
        <MessageSquare className="w-5 h-5" />
        Schedule Technical Demo
      </Link>
      <Link
        to="/contact"
        className="inline-flex items-center gap-2 bg-white/10 border border-white/30 text-white px-8 py-4 rounded-lg
font-semibold hover:bg-white/20 transition-colors"
      >
        <Users className="w-5 h-5" />
        Contact Partnerships
      </Link>
    </div>
    <p className="mt-8 text-navy-200 text-sm">
      Or email us directly at{' '}
      <a href="mailto:partners@ezlegal.ai" className="text-white underline">
        partners@ezlegal.ai
      </a>
    </p>
  </div>
</section>
</main>

<RelatedLinks />
<Footer />
</div>
);
}

```

[22/58] Forgot Password

Route: /forgot-password | File: src/pages/ForgotPassword.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import { Mail, ArrowLeft, CheckCircle, Globe } from 'lucide-react';
import { translateAuthError } from '../lib/microcopy';

export default function ForgotPassword() {
  const [email, setEmail] = useState('');
  const [error, setError] = useState('');
  const [loading, setLoading] = useState(false);
  const [emailSent, setEmailSent] = useState(false);
  const { resetPassword } = useAuth();
  const { language, setLanguage, t } = useLanguage();

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    setError('');
    setLoading(true);

    const { error } = await resetPassword(email);

    if (error) {
      setError(translateAuthError(error.message, language));
      setLoading(false);
    } else {
      setEmailSent(true);
      setLoading(false);
    }
  };

  return (
    <div className="min-h-screen bg-gradient-to-br from-white to-navy-50 flex items-center justify-center p-4">
      <div className="absolute top-4 right-4">
        <button
          onClick={() => setLanguage(language === 'en' ? 'es' : 'en')}
          className="flex items-center gap-1.5 bg-amber-500 hover:bg-amber-400 text-navy-900 px-3 py-1.5 rounded-full text-xs font-bold transition-colors"
          aria-label={`Switch to ${language === 'en' ? 'Spanish' : 'English'}`}
        >
          <Globe className="w-3.5 h-3.5" />
          <span>{language === 'en' ? 'Español' : 'English'}</span>
        </button>
      </div>

      <div className="w-full max-w-md">
        <div className="text-center mb-8">
          
        </div>

        <div className="bg-white rounded-2xl shadow-xl p-8">
          {emailSent ? (
            <div className="text-center">
              <div className="w-16 h-16 bg-green-100 rounded-full flex items-center justify-center mx-auto mb-4">
                <CheckCircle className="w-8 h-8 text-green-600" />
              </div>
              <h2 className="text-2xl font-bold text-navy-900 mb-2">{t('forgot.checkEmail')}</h2>
              <p className="text-navy-600 mb-6">
                {t('forgot.sentTo')} <strong>{email}</strong>. {t('forgot.clickLink')}
              </p>
              <p className="text-sm text-navy-500 mb-6">
                {t('forgot.checkSpam')}
              </p>
              <div className="space-y-3">
                <button
                  onClick={() => {
                    setEmailSent(false);
                    setEmail('');
                  }}
                  className="w-full bg-teal-600 hover:bg-teal-500 text-white font-semibold py-3 px-4 rounded-lg transition-all"
                >
                  {t('forgot.tryAgain')}
                </button>
                <Link
                  to="/login"
                  className="block w-full text-center text-teal-600 hover:text-teal-500 font-medium py-2"
                >
                  {t('auth.forgot.back')}
                </Link>
              </div>
            </div>
          ) : (
            <div className="text-center mb-6">
              <div className="w-16 h-16 bg-navy-50 rounded-full flex items-center justify-center mx-auto mb-4">
```

```

        <Mail className="w-8 h-8 text-teal-600" />
      </div>
      <h2 className="text-2xl font-bold text-navy-900 mb-2">{t('auth.forgot.title')}</h2>
      <p className="text-navy-600">
        {t('auth.forgot.subtitle')}
      </p>
    </div>

    <form onSubmit={handleSubmit} className="space-y-6">
      {error && (
        <div className="bg-red-50 border border-red-200 text-red-700 px-4 py-3 rounded-lg text-sm">
          {error}
        </div>
      )}

      <div>
        <label htmlFor="email" className="block text-sm font-medium text-navy-600 mb-2">
          {t('auth.forgot.email')}
        </label>
        <input
          id="email"
          name="email"
          type="email"
          value={email}
          onChange={(e) => setEmail(e.target.value)}
          required
          autoComplete="email"
          autoCapitalize="none"
          autoCorrect="off"
          spellCheck={false}
          inputMode="email"
          className="w-full px-4 py-3 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600 transition-colors"
          placeholder="your@email.com"
        />
      </div>

      <button
        type="submit"
        disabled={loading}
        className="w-full bg-teal-600 hover:bg-teal-500 text-white font-semibold py-3.5 px-4 rounded-lg transition-all
shadow-md hover:shadow-lg disabled:opacity-50 disabled:cursor-not-allowed"
      >
        {loading ? t('forgot.sending') : t('auth.forgot.submit')}
      </button>
    </form>

    <div className="mt-6 text-center">
      <Link
        to="/login"
        className="inline-flex items-center gap-2 text-teal-600 hover:text-teal-500 font-medium"
      >
        <ArrowLeft className="w-4 h-4" />
        {t('auth.forgot.back')}
      </Link>
    </div>
  </>
  </div>
</div>
</div>
);
}

```

[23/58] Grant Reporting

Route: /grant-reporting | File: src/pages/GrantReporting.tsx

```
import { useState, useEffect } from 'react';
import { Link } from 'react-router-dom';
import {
  BarChart3, FileText, Calendar, DollarSign, TrendingUp, AlertTriangle,
  CheckCircle, Clock, Download, Sparkles, RefreshCw, Target, Users,
  PieChart, ArrowRight, Eye, Send, Filter, Search,
  FileCheck, Zap, Brain, ArrowLeft
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { supabase } from '../lib/supabase';
import { useAuth } from '../contexts/AuthContext';

interface Grant {
  id: string;
  grant_name: string;
  grant_number: string;
  description: string;
  amount_awarded: number;
  amount_spent: number;
  start_date: string;
  end_date: string;
  status: string;
  funder: {
    name: string;
    type: string;
    report_frequency: string;
  } | null;
}

interface GrantReport {
  id: string;
  grant_id: string;
  report_type: string;
  reporting_period_start: string;
  reporting_period_end: string;
  status: string;
  compliance_score: number | null;
  created_at: string;
}

interface GrantMetric {
  id: string;
  metric_name: string;
  target_value: number;
  current_value: number;
  metric_type: string;
}

const mockGrants: Grant[] = [
  {
    id: '1',
    grant_name: 'Legal Services Corporation Grant 2024',
    grant_number: 'LSC-2024-AZ-001',
    description: 'Federal funding for civil legal assistance to low-income individuals',
    amount_awarded: 450000,
    amount_spent: 287500,
    start_date: '2024-01-01',
    end_date: '2024-12-31',
    status: 'active',
    funder: { name: 'Legal Services Corporation (LSC)', type: 'federal', report_frequency: 'semi_annual' }
  },
  {
    id: '2',
    grant_name: 'State Bar Foundation Pro Bono Initiative',
    grant_number: 'SBF-2024-Q1',
    description: 'Supporting volunteer attorney programs and clinic operations',
    amount_awarded: 125000,
    amount_spent: 78000,
    start_date: '2024-01-01',
    end_date: '2024-12-31',
    status: 'active',
    funder: { name: 'State Bar Foundation', type: 'state', report_frequency: 'quarterly' }
  },
  {
    id: '3',
    grant_name: 'Access to Justice Technology Grant',
    grant_number: 'ATJ-TECH-2024',
    description: 'Funding for AI-powered legal assistance tools and client intake systems',
    amount_awarded: 75000,
    amount_spent: 45000,
    start_date: '2024-03-01',
    end_date: '2025-02-28',
    status: 'active',
    funder: { name: 'Access to Justice Foundation', type: 'private_foundation', report_frequency: 'annual' }
  }
];

const mockMetrics: GrantMetric[] = [
```

```

    { id: '1', metric_name: 'Clients Served', target_value: 2500, current_value: 1847, metric_type: 'count' },
    { id: '2', metric_name: 'Cases Closed', target_value: 1200, current_value: 923, metric_type: 'count' },
    { id: '3', metric_name: 'Pro Bono Hours', target_value: 5000, current_value: 3642, metric_type: 'hours' },
    { id: '4', metric_name: 'Favorable Outcomes', target_value: 85, current_value: 89, metric_type: 'percentage' }
  ];

  const reportTypes = [
    { value: 'progress', label: 'Progress Report', icon: TrendingUp },
    { value: 'financial', label: 'Financial Report', icon: DollarSign },
    { value: 'compliance', label: 'Compliance Report', icon: FileCheck },
    { value: 'narrative', label: 'Narrative Report', icon: FileText },
    { value: 'combined', label: 'Combined Report', icon: BarChart3 }
  ];

  export default function GrantReporting() {
    const { user } = useAuth();
    const [grants, setGrants] = useState<Grant[]>(mockGrants);
    const [selectedGrant, setSelectedGrant] = useState<Grant | null>(null);
    const [metrics, _setMetrics] = useState<GrantMetric[]>(mockMetrics);
    const [reports, setReports] = useState<GrantReport[]>([]);
    const [isGenerating, setIsGenerating] = useState(false);
    const [generationProgress, setGenerationProgress] = useState(0);
    const [activeTab, setActiveTab] = useState<'overview' | 'generate' | 'history'>('overview');
    const [selectedReportType, setSelectedReportType] = useState('combined');
    const [showReportPreview, setShowReportPreview] = useState(false);
    const [generatedReport, setGeneratedReport] = useState<any>(null);

    useEffect(() => {
      if (user) {
        loadGrants();
        loadReports();
      }
    }, [user]);

    const loadGrants = async () => {
      try {
        const { data, error } = await supabase
          .from('grants')
          .select(`
            *,
            funder:grant_funders(name, type, report_frequency)
          `)
          .order('created_at', { ascending: false });

        if (error) throw error;
        if (data && data.length > 0) {
          setGrants(data);
        }
      } catch (err) {
        console.error('Error loading grants:', err);
      }
    };

    const loadReports = async () => {
      try {
        const { data, error } = await supabase
          .from('grant_reports')
          .select('*')
          .order('created_at', { ascending: false });

        if (error) throw error;
        if (data) {
          setReports(data);
        }
      } catch (err) {
        console.error('Error loading reports:', err);
      }
    };

    const generateAIReport = async () => {
      if (!selectedGrant) return;

      setIsGenerating(true);
      setGenerationProgress(0);

      const progressSteps = [
        { progress: 15, message: 'Analyzing grant objectives...' },
        { progress: 30, message: 'Aggregating client demographics...' },
        { progress: 45, message: 'Calculating outcome metrics...' },
        { progress: 60, message: 'Processing financial data...' },
        { progress: 75, message: 'Running compliance checks...' },
        { progress: 90, message: 'Generating narrative summary...' },
        { progress: 100, message: 'Report complete!' }
      ];

      for (const step of progressSteps) {
        await new Promise(resolve => setTimeout(resolve, 600));
        setGenerationProgress(step.progress);
      }

      const report = {
        grant: selectedGrant,
        reportType: selectedReportType,
        generatedAt: new Date().toISOString(),
        executiveSummary: `During the reporting period, ${selectedGrant.grant_name} achieved significant progress toward its stated objectives. The program served 1,847 clients, representing 74% of the annual target of 2,500 clients. Case closure rates remained`
      };
    };
  }

```

strong at 923 cases (77% of target), with an exceptional 89% favorable outcome rate exceeding the 85% goal.`,

```
    metrics: {
      clientsServed: { target: 2500, actual: 1847, percentComplete: 74 },
      casesClosed: { target: 1200, actual: 923, percentComplete: 77 },
      proBonoHours: { target: 5000, actual: 3642, percentComplete: 73 },
      favorableOutcomes: { target: 85, actual: 89, percentComplete: 105 }
    },
    demographics: {
      incomeLevel: { 'Below 125% FPL': 68, '125-200% FPL': 27, 'Above 200% FPL': 5 },
      caseTypes: { 'Family Law': 34, 'Housing': 28, 'Consumer': 18, 'Employment': 12, 'Other': 8 },
      geography: { 'Urban': 62, 'Suburban': 24, 'Rural': 14 }
    },
    financialSummary: {
      awarded: selectedGrant.amount_awarded,
      spent: selectedGrant.amount_spent,
      remaining: selectedGrant.amount_awarded - selectedGrant.amount_spent,
      burnRate: (selectedGrant.amount_spent / selectedGrant.amount_awarded * 100).toFixed(1)
    },
    complianceScore: 94,
    complianceFlags: [
      { severity: 'low', message: 'Minor documentation gaps in 3 case files' },
      { severity: 'info', message: 'All required reports submitted on time' }
    ],
    aiConfidence: 0.92,
    recommendations: [
      'Increase outreach in rural communities to improve geographic coverage',
      'Schedule additional housing law clinics to address high demand',
      'Consider expanding Spanish-language services based on demographic trends'
    ]
  }
};

setGeneratedReport(report);
setShowReportPreview(true);
setIsGenerating(false);
};

const formatCurrency = (amount: number) => {
  return new Intl.NumberFormat('en-US', {
    style: 'currency',
    currency: 'USD',
    maximumFractionDigits: 0
  }).format(amount);
};

const formatDate = (dateString: string) => {
  return new Date(dateString).toLocaleDateString('en-US', {
    month: 'short',
    day: 'numeric',
    year: 'numeric'
  });
};

const getStatusColor = (status: string) => {
  switch (status) {
    case 'active': return 'bg-green-100 text-green-700';
    case 'completed': return 'bg-teal-100 text-teal-700';
    case 'pending': return 'bg-yellow-100 text-yellow-700';
    case 'expired': return 'bg-navy-100 text-navy-700';
    default: return 'bg-navy-100 text-navy-700';
  }
};

const getFunderTypeColor = (type: string) => {
  switch (type) {
    case 'federal': return 'bg-teal-600';
    case 'state': return 'bg-teal-600';
    case 'private_foundation': return 'bg-amber-600';
    case 'corporate': return 'bg-navy-600';
    default: return 'bg-navy-500';
  }
};

return (
  <div className="min-h-screen bg-navy-50">
    <Navigation />

    <div className="bg-gradient-to-br from-teal-700 via-teal-600 to-navy-800 text-white pt-28 pb-12">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <Link
          to="/for-organizations"
          className="inline-flex items-center gap-2 text-teal-200 hover:text-white mb-4 transition-colors"
        >
          <ArrowLeft className="w-4 h-4" />
          Back to For Organizations
        </Link>
        <div className="flex items-center gap-4 mb-4">
          <div className="w-14 h-14 bg-white/10 rounded-xl flex items-center justify-center">
            <BarChart3 className="w-8 h-8 text-orange-400" />
          </div>
          <div>
            <div className="inline-flex items-center gap-2 bg-white/10 border border-white/30 px-3 py-1 rounded-full mb-1">
              <Sparkles className="w-3 h-3 text-orange-400" />
              <span className="text-xs font-semibold">AI-POWERED</span>
            </div>
            <h1 className="text-3xl font-bold">Grant Reporting</h1>
          </div>
        </div>
      </div>
    </div>
  </div>
);
```

```

    </div>
    <p className="text-teal-100 text-lg max-w-2xl">
      Generate funder-ready impact reports with one click. AI analyzes your data to create comprehensive reports with
      demographics, outcomes, and compliance assessments.
    </p>
  </div>
</div>

<div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 -mt-6">
  <div className="bg-white rounded-xl shadow-lg border border-navy-200 overflow-hidden">
    <div className="border-b border-navy-200">
      <nav className="flex">
        {[
          { id: 'overview', label: 'Grant Overview', icon: PieChart },
          { id: 'generate', label: 'Generate Report', icon: Sparkles },
          { id: 'history', label: 'Report History', icon: Clock }
        ].map((tab) => (
          <button
            key={tab.id}
            onClick={() => setActiveTab(tab.id as any)}
            className={`flex items-center gap-2 px-6 py-4 font-medium transition-colors border-b-2 ${
              activeTab === tab.id
                ? 'border-teal-600 text-teal-600 bg-teal-50/50'
                : 'border-transparent text-navy-600 hover:text-navy-900 hover:bg-navy-50'
            }`}
          >
            <tab.icon className="w-5 h-5" />
            {tab.label}
          </button>
        ))}
      </nav>
    </div>

    <div className="p-6">
      {activeTab === 'overview' && (
        <div className="space-y-6">
          <div className="grid md:grid-cols-4 gap-4">
            <div className="bg-gradient-to-br from-teal-500 to-teal-600 rounded-xl p-5 text-white">
              <div className="flex items-center justify-between mb-3">
                <DollarSign className="w-8 h-8 opacity-80" />
                <span className="text-xs bg-white/20 px-2 py-1 rounded-full">Total</span>
              </div>
              <div className="text-3xl font-bold mb-1">
                {formatCurrency(grants.reduce((sum, g) => sum + g.amount_awarded, 0))}
              </div>
              <div className="text-teal-100 text-sm">Total Funding</div>
            </div>
            <div className="bg-gradient-to-br from-teal-500 to-teal-600 rounded-xl p-5 text-white">
              <div className="flex items-center justify-between mb-3">
                <TrendingUp className="w-8 h-8 opacity-80" />
                <span className="text-xs bg-white/20 px-2 py-1 rounded-full">Spent</span>
              </div>
              <div className="text-3xl font-bold mb-1">
                {formatCurrency(grants.reduce((sum, g) => sum + g.amount_spent, 0))}
              </div>
              <div className="text-teal-100 text-sm">Total Spent</div>
            </div>
            <div className="bg-gradient-to-br from-amber-500 to-amber-600 rounded-xl p-5 text-white">
              <div className="flex items-center justify-between mb-3">
                <Users className="w-8 h-8 opacity-80" />
                <span className="text-xs bg-white/20 px-2 py-1 rounded-full">YTD</span>
              </div>
              <div className="text-3xl font-bold mb-1">1,847</div>
              <div className="text-amber-100 text-sm">Clients Served</div>
            </div>
            <div className="bg-gradient-to-br from-green-500 to-green-600 rounded-xl p-5 text-white">
              <div className="flex items-center justify-between mb-3">
                <CheckCircle className="w-8 h-8 opacity-80" />
                <span className="text-xs bg-white/20 px-2 py-1 rounded-full">Rate</span>
              </div>
              <div className="text-3xl font-bold mb-1">89%</div>
              <div className="text-green-100 text-sm">Favorable Outcomes</div>
            </div>
          </div>

          <div className="grid lg:grid-cols-3 gap-6">
            <div className="lg:col-span-2">
              <h2 className="text-lg font-bold text-navy-900 mb-4">Active Grants</h2>
              <div className="space-y-4">
                {grants.map((grant) => (
                  <div
                    key={grant.id}
                    className={`border rounded-xl p-5 transition-all cursor-pointer ${
                      selectedGrant?.id === grant.id
                        ? 'border-teal-500 bg-teal-50 ring-2 ring-teal-200'
                        : 'border-navy-200 hover:border-teal-300 hover:shadow-md'
                    }`}
                    onClick={() => setSelectedGrant(grant)}
                  >
                    <div className="flex items-start justify-between mb-3">
                      <div>
                        <div className="flex items-center gap-2 mb-1">
                          {grant.funder && (
                            <span className={`w-2 h-2 rounded-full ${getFunderTypeColor(grant.funder.type)}`} />
                          )}
                          <h3 className="font-bold text-navy-900">{grant.grant_name}</h3>
                        </div>

```



```

    </div>
    <p className="text-sm text-navy-500">{grant.grant_number}</p>
    </div>
    <span className={`px-3 py-1 rounded-full text-xs font-medium ${getStatusColor(grant.status)}`}>
      {grant.status.charAt(0).toUpperCase() + grant.status.slice(1)}
    </span>
  </div>
  <p className="text-sm text-navy-600 mb-4">{grant.description}</p>
  <div className="flex items-center justify-between text-sm">
    <div className="flex items-center gap-4">
      <span className="text-navy-500">
        {grant.funder?.name || 'Unknown Funder'}
      </span>
      <span className="text-navy-400">|</span>
      <span className="text-navy-500">
        {formatDate(grant.start_date)} - {formatDate(grant.end_date)}
      </span>
    </div>
    <span className="font-bold text-teal-600">{formatCurrency(grant.amount_awarded)}</span>
  </div>
  <div className="mt-3">
    <div className="flex items-center justify-between text-xs mb-1">
      <span className="text-navy-500">Budget Utilization</span>
      <span className="font-medium text-navy-700">
        {(grant.amount_spent / grant.amount_awarded) * 100}.toFixed(0)}%
      </span>
    </div>
    <div className="h-2 bg-navy-100 rounded-full overflow-hidden">
      <div
        className="h-full bg-gradient-to-r from-teal-500 to-teal-500 rounded-full transition-all"
        style={{ width: `${(grant.amount_spent / grant.amount_awarded) * 100}%` }}
      />
    </div>
  </div>
))}
</div>
</div>

<div>
  <h3 className="text-lg font-bold text-navy-900 mb-4">Key Metrics</h3>
  <div className="space-y-4">
    {metrics.map((metric) => (
      <div key={metric.id} className="bg-navy-50 rounded-xl p-4">
        <div className="flex items-center justify-between mb-2">
          <span className="font-medium text-navy-700">{metric.metric_name}</span>
          <span className={`${text-sm font-bold} ${
            (metric.current_value / metric.target_value) >= 1
              ? 'text-green-600'
              : (metric.current_value / metric.target_value) >= 0.7
                ? 'text-teal-600'
                : 'text-amber-600'
          }`}>
            {metric.metric_type === 'percentage'
              ? `${metric.current_value}%`
              : metric.current_value.toLocaleString()}
          </span>
        </div>
        <div className="h-2 bg-navy-200 rounded-full overflow-hidden">
          <div
            className={`h-full rounded-full transition-all ${
              (metric.current_value / metric.target_value) >= 1
                ? 'bg-green-500'
                : (metric.current_value / metric.target_value) >= 0.7
                  ? 'bg-teal-500'
                  : 'bg-amber-500'
            }`}
            style={{ width: `${Math.min((metric.current_value / metric.target_value) * 100, 100)}%` }}
          />
        </div>
        <div className="flex items-center justify-between mt-1 text-xs text-navy-500">
          <span>Target: {metric.metric_type === 'percentage' ? `${metric.target_value}%` :
metric.target_value.toLocaleString()}</span>
          <span>{(metric.current_value / metric.target_value) * 100}.toFixed(0)}% complete</span>
        </div>
      </div>
    ))}
  </div>

  <div className="mt-6 bg-gradient-to-br from-teal-50 to-teal-50 rounded-xl p-4 border border-teal-200">
    <div className="flex items-center justify-between gap-2 mb-2">
      <Calendar className="w-5 h-5 text-teal-600" />
      <span className="font-bold text-navy-900">Upcoming Deadlines</span>
    </div>
    <div className="space-y-2">
      <div className="flex items-center justify-between text-sm">
        <span className="text-navy-600">LSC Semi-Annual Report</span>
        <span className="text-amber-600 font-medium">Jan 31</span>
      </div>
      <div className="flex items-center justify-between text-sm">
        <span className="text-navy-600">State Bar Q1 Report</span>
        <span className="text-navy-500">Apr 15</span>
      </div>
      <div className="flex items-center justify-between text-sm">
        <span className="text-navy-600">ATJ Annual Report</span>
        <span className="text-navy-500">Mar 28</span>
      </div>
    </div>
  </div>

```

```

    </div>
  </div>
</div>
</div>
</div>
</div>
</div>
)}

{activeTab === 'generate' && (
  <div className="max-w-4xl mx-auto">
    {!showReportPreview ? (
      <div className="space-y-6">
        <div className="text-center mb-8">
          <div className="w-16 h-16 bg-gradient-to-br from-teal-500 to-teal-500 rounded-2xl flex items-center justify-center mx-auto mb-4">
            <Brain className="w-8 h-8 text-white" />
          </div>
          <h2 className="text-2xl font-bold text-navy-900 mb-2">AI Report Generator</h2>
          <p className="text-navy-600">
            Select a grant and report type to generate a comprehensive, funder-ready report in seconds.
          </p>
        </div>

        <div className="bg-navy-50 rounded-xl p-6">
          <label className="block text-sm font-bold text-navy-700 mb-3">Select Grant</label>
          <div className="grid md:grid-cols-2 gap-3">
            {grants.map((grant) => (
              <button
                key={grant.id}
                onClick={() => setSelectedGrant(grant)}
                className={`text-left p-4 rounded-lg border-2 transition-all ${
                  selectedGrant?.id === grant.id
                    ? 'border-teal-500 bg-teal-50'
                    : 'border-navy-200 hover:border-teal-300 bg-white'
                }`}
              >
                <div className="font-medium text-navy-900 mb-1">{grant.grant_name}</div>
                <div className="text-sm text-navy-500">{grant.funder?.name}</div>
              </button>
            ))}
          </div>
        </div>

        <div className="bg-navy-50 rounded-xl p-6">
          <label className="block text-sm font-bold text-navy-700 mb-3">Report Type</label>
          <div className="grid grid-cols-2 md:grid-cols-5 gap-3">
            {reportTypes.map((type) => (
              <button
                key={type.value}
                onClick={() => setSelectedReportType(type.value)}
                className={`p-4 rounded-lg border-2 transition-all text-center ${
                  selectedReportType === type.value
                    ? 'border-teal-500 bg-teal-50'
                    : 'border-navy-200 hover:border-teal-300 bg-white'
                }`}
              >
                <type.icon className={`w-6 h-6 mx-auto mb-2 ${
                  selectedReportType === type.value ? 'text-teal-600' : 'text-navy-400'
                }`} />
                <div className={`text-sm font-medium ${
                  selectedReportType === type.value ? 'text-teal-700' : 'text-navy-600'
                }`} >
                  {type.label}
                </div>
              </button>
            ))}
          </div>
        </div>

        {selectedGrant && (
          <div className="bg-gradient-to-br from-teal-50 to-teal-50 rounded-xl p-6 border border-teal-200">
            <h3 className="font-bold text-navy-900 mb-4">Report Preview Configuration</h3>
            <div className="grid md:grid-cols-2 gap-4 text-sm">
              <div>
                <span className="text-navy-500">Grant:</span>
                <span className="ml-2 font-medium text-navy-900">{selectedGrant.grant_name}</span>
              </div>
              <div>
                <span className="text-navy-500">Funder:</span>
                <span className="ml-2 font-medium text-navy-900">{selectedGrant.funder?.name}</span>
              </div>
              <div>
                <span className="text-navy-500">Report Type:</span>
                <span className="ml-2 font-medium text-navy-900">
                  {reportTypes.find(t => t.value === selectedReportType)?.label}
                </span>
              </div>
              <div>
                <span className="text-navy-500">Period:</span>
                <span className="ml-2 font-medium text-navy-900">
                  {formatDate(selectedGrant.start_date)} - Present
                </span>
              </div>
            </div>
          </div>
        )}
      </div>
    )}
  )}
)

```

```

<button
  onClick={generateAIRport}
  disabled={!selectedGrant || isGenerating}
  className="w-full bg-gradient-to-r from-teal-600 to-teal-600 hover:from-teal-700 hover:to-teal-700 text-white
py-4 rounded-xl font-bold text-lg transition-all disabled:opacity-50 disabled:cursor-not-allowed flex items-center justify-center
gap-3"
>
  {isGenerating ? (
    <>
      <RefreshCw className="w-6 h-6 animate-spin" />
      Generating Report... {generationProgress}%
    </>
  ) : (
    <>
      <Sparkles className="w-6 h-6" />
      Generate AI Report
    </>
  )}
</button>

{isGenerating && (
  <div className="bg-navy-50 rounded-xl p-6">
    <div className="h-2 bg-navy-200 rounded-full overflow-hidden mb-3">
      <div
        className="h-full bg-gradient-to-r from-teal-500 to-teal-500 rounded-full transition-all duration-500"
        style={{ width: `${generationProgress}%` }}
      />
    </div>
    <div className="text-center text-sm text-navy-600">
      {generationProgress < 20 && 'Analyzing grant objectives...'}
      {generationProgress >= 20 && generationProgress < 40 && 'Aggregating client demographics...'}
      {generationProgress >= 40 && generationProgress < 60 && 'Calculating outcome metrics...'}
      {generationProgress >= 60 && generationProgress < 80 && 'Processing financial data...'}
      {generationProgress >= 80 && generationProgress < 95 && 'Running compliance checks...'}
      {generationProgress >= 95 && 'Finalizing report...'}
    </div>
  </div>
)}
</div>
) : (
  <div className="space-y-6">
    <div className="flex items-center justify-between">
      <button
        onClick={() => setShowReportPreview(false)}
        className="flex items-center gap-2 text-navy-600 hover:text-navy-900 transition-colors"
      >
        <ArrowLeft className="w-4 h-4" />
        Back to Generator
      </button>
      <div className="flex items-center gap-3">
        <button className="flex items-center gap-2 px-4 py-2 border border-navy-300 rounded-lg text-navy-700
hover:bg-navy-50 transition-colors">
          <Download className="w-4 h-4" />
          Export PDF
        </button>
        <button className="flex items-center gap-2 px-4 py-2 border border-navy-300 rounded-lg text-navy-700
hover:bg-navy-50 transition-colors">
          <Download className="w-4 h-4" />
          Export Excel
        </button>
        <button className="flex items-center gap-2 px-4 py-2 bg-teal-600 text-white rounded-lg hover:bg-teal-700
transition-colors">
          <Send className="w-4 h-4" />
          Submit to Funder
        </button>
      </div>
    </div>
  </div>

  {generatedReport && (
    <div className="bg-white border border-navy-200 rounded-xl overflow-hidden">
      <div className="bg-gradient-to-r from-teal-600 to-teal-600 text-white p-6">
        <div className="flex items-center justify-between">
          <div>
            <div className="flex items-center gap-2 mb-2">
              <Sparkles className="w-5 h-5 text-teal-200" />
              <span className="text-sm text-teal-100">AI-Generated Report</span>
            </div>
            <h2 className="text-2xl font-bold">{generatedReport.grant.grant_name}</h2>
            <p className="text-teal-100 mt-1">
              {reportTypes.find(t => t.value === generatedReport.reportType)?.label} |
              Generated {new Date(generatedReport.generatedAt).toLocaleDateString()}
            </p>
          </div>
          <div className="text-right">
            <div className="text-sm text-teal-100 mb-1">AI Confidence</div>
            <div className="text-3xl font-bold">{(generatedReport.aiConfidence * 100).toFixed(0)}%</div>
          </div>
        </div>
      </div>
      <div className="p-6 space-y-6">
        <div>
          <h3 className="text-lg font-bold text-navy-900 mb-3 flex items-center gap-2">
            <FileText className="w-5 h-5 text-teal-600" />
            Executive Summary

```

```

</h3>
<p className="text-navy-600 leading-relaxed bg-navy-50 p-4 rounded-lg">
  {generatedReport.executiveSummary}
</p>
</div>

<div>
  <h3 className="text-lg font-bold text-navy-900 mb-3 flex items-center gap-2">
    <Target className="w-5 h-5 text-teal-600" />
    Performance Metrics
  </h3>
  <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-4">
    {Object.entries(generatedReport.metrics).map([key, value]: [string, any]) => (
      <div key={key} className="bg-navy-50 rounded-lg p-4">
        <div className="text-sm text-navy-500 mb-1">
          {key.replace(/[A-Z])/g, ' $1').replace(/^./, str => str.toUpperCase())}
        </div>
        <div className="flex items-end justify-between">
          <span className="text-2xl font-bold text-navy-900">{value.actual.toLocaleString()}</span>
          <span className={`text-sm font-medium ${
            value.percentComplete >= 100 ? 'text-green-600' :
            value.percentComplete >= 70 ? 'text-teal-600' : 'text-amber-600'
          }`}>
            {value.percentComplete}%
          </span>
        </div>
        <div className="text-xs text-navy-400 mt-1">Target: {value.target.toLocaleString()}</div>
      </div>
    )
  )}
</div>
</div>

<div className="grid md:grid-cols-2 gap-6">
  <div>
    <h3 className="text-lg font-bold text-navy-900 mb-3 flex items-center gap-2">
      <Users className="w-5 h-5 text-teal-600" />
      Demographics
    </h3>
    <div className="space-y-4">
      {Object.entries(generatedReport.demographics).map([category, data]: [string, any]) => (
        <div key={category} className="bg-navy-50 rounded-lg p-4">
          <div className="text-sm font-medium text-navy-700 mb-2">
            {category.replace(/[A-Z])/g, ' $1').replace(/^./, str => str.toUpperCase())}
          </div>
          <div className="space-y-2">
            {Object.entries(data).map([label, percent]: [string, any]) => (
              <div key={label} className="flex items-center justify-between text-sm">
                <span className="text-navy-600">{label}</span>
                <div className="flex items-center gap-2">
                  <div className="w-20 h-2 bg-navy-200 rounded-full overflow-hidden">
                    <div
                      className="h-full bg-teal-500 rounded-full"
                      style={{ width: `${percent}%` }}
                    </div>
                  </div>
                  <span className="text-navy-700 font-medium w-10 text-right">{percent}%</span>
                </div>
              </div>
            )
          )}
        </div>
      )
    }
  </div>
  <div>
    <h3 className="text-lg font-bold text-navy-900 mb-3 flex items-center gap-2">
      <DollarSign className="w-5 h-5 text-teal-600" />
      Financial Summary
    </h3>
    <div className="bg-navy-50 rounded-lg p-4 space-y-3">
      <div className="flex items-center justify-between">
        <span className="text-navy-600">Total Awarded</span>
        <span className="font-bold
text-navy-900">{formatCurrency(generatedReport.financialSummary.awarded)}</span>
      </div>
      <div className="flex items-center justify-between">
        <span className="text-navy-600">Amount Spent</span>
        <span className="font-bold
text-navy-900">{formatCurrency(generatedReport.financialSummary.spent)}</span>
      </div>
      <div className="flex items-center justify-between">
        <span className="text-navy-600">Remaining</span>
        <span className="font-bold
text-green-600">{formatCurrency(generatedReport.financialSummary.remaining)}</span>
      </div>
      <div className="border-t border-navy-200 pt-3">
        <div className="flex items-center justify-between">
          <span className="text-navy-600">Burn Rate</span>
          <span className="font-bold text-teal-600">{generatedReport.financialSummary.burnRate}%</span>
        </div>
      </div>
    </div>
  </div>
  <div>
    <h3 className="text-lg font-bold text-navy-900 mt-6 mb-3 flex items-center gap-2">
      <FileCheck className="w-5 h-5 text-teal-600" />

```

[illegible]

```

    </div>
    <div>
      <div className="font-medium text-navy-900">
        {report.report_type.charAt(0).toUpperCase() + report.report_type.slice(1)} Report
      </div>
      <div className="text-sm text-navy-500">
        {formatDate(report.reporting_period_start)} - {formatDate(report.reporting_period_end)}
      </div>
    </div>
  </div>
  <div className="flex items-center gap-4">
    {report.compliance_score && (
      <div className="text-right">
        <div className="text-sm text-navy-500">Compliance</div>
        <div className="font-bold text-green-600">{report.compliance_score}%</div>
      </div>
    )}
    <span className={`px-3 py-1 rounded-full text-xs font-medium ${
      report.status === 'submitted' ? 'bg-green-100 text-green-700' :
      report.status === 'draft' ? 'bg-yellow-100 text-yellow-700' :
      'bg-navy-100 text-navy-700'
    }`}>
      {report.status.charAt(0).toUpperCase() + report.status.slice(1)}
    </span>
    <button className="p-2 text-navy-400 hover:text-teal-600 transition-colors">
      <Eye className="w-5 h-5" />
    </button>
    <button className="p-2 text-navy-400 hover:text-teal-600 transition-colors">
      <Download className="w-5 h-5" />
    </button>
  </div>
</div>
  )}
</div>
  )}
</div>
  )}
</div>
  <div className="py-16">
    <Footer />
  </div>
</div>
  );
}

```

[24/58] Feature Guide

Route: /help/which-feature | File: src/pages/FeatureGuide.tsx

```
import { MessageSquare, FileText, Search, Brain, Scale, ArrowRight, HelpCircle } from 'lucide-react';
import { Link } from 'react-router-dom';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

interface Feature {
  id: string;
  name: string;
  icon: React.ComponentType<any>;
  description: string;
  bestFor: string[];
  examples: string[];
  actionUrl: string;
  color: string;
}

const features: Feature[] = [
  {
    id: 'chat',
    name: 'AI Legal Chat',
    icon: MessageSquare,
    description: 'Get instant answers to legal questions with AI-powered guidance',
    bestFor: [
      'Quick legal questions',
      'General guidance and explanations',
      'Understanding legal terms or processes',
      'Jurisdiction-specific information'
    ],
    examples: [
      '"What are my rights as a tenant in Arizona?"',
      '"Can my employer fire me for this reason?"',
      '"What does this legal term mean?"'
    ],
    actionUrl: '/chat',
    color: 'teal'
  },
  {
    id: 'documents',
    name: 'Document Generation',
    icon: FileText,
    description: 'Create professional legal documents using templates or AI',
    bestFor: [
      'Need forms or contracts',
      'Creating standard legal documents',
      'Templates for common situations',
      'Custom document generation'
    ],
    examples: [
      'LLC Formation Agreement',
      'Demand Letter',
      'Employment Agreement',
      'Non-Disclosure Agreement'
    ],
    actionUrl: '/dashboard/documents',
    color: 'blue'
  },
  {
    id: 'research',
    name: 'Legal Research',
    icon: Search,
    description: 'Search case law, statutes, and legal precedents',
    bestFor: [
      'Finding relevant cases',
      'Looking up statutes or regulations',
      'Understanding legal precedents',
      'Supporting your legal arguments'
    ],
    examples: [
      'Cases about wrongful termination',
      'Landlord-tenant law in your state',
      'Precedents for contract disputes'
    ],
    actionUrl: '/dashboard/research',
    color: 'purple'
  },
  {
    id: 'prediction',
    name: 'Case Predictor',
    icon: Brain,
    description: 'Estimate potential case outcomes based on similar cases',
    bestFor: [
      'Evaluating case strength',
      'Deciding whether to pursue legal action',
      'Understanding likelihood of success',
      'Settlement strategy planning'
    ],
    examples: [
      'Security deposit dispute chances',
      'Employment discrimination case strength',
  ]
}
```

```

    ],
    actionUrl: '/case-predictor/start',
    color: 'amber'
  },
  {
    id: 'negotiation',
    name: 'Negotiation Planner',
    icon: Scale,
    description: 'Plan settlement strategies and negotiation tactics',
    bestFor: [
      'Planning settlement strategy',
      'Preparing for negotiations',
      'Understanding BATNA and ZOPA',
      'Structuring offers and counteroffers'
    ],
    examples: [
      'Debt settlement negotiation',
      'Landlord-tenant dispute resolution',
      'Insurance claim settlement'
    ],
    actionUrl: '/negotiate',
    color: 'green'
  }
];

const scenarios = [
  {
    situation: 'My landlord is keeping my security deposit unfairly',
    recommendation: 'Start with Chat to understand your rights, then use the Negotiation Planner to strategize your approach',
    features: ['chat', 'negotiation']
  },
  {
    situation: 'I need to create an LLC for my small business',
    recommendation: 'Use Document Generation to create formation documents, or Chat if you have questions first',
    features: ['documents', 'chat']
  },
  {
    situation: 'I think I have a discrimination case',
    recommendation: 'Start with Chat for general guidance, then use Case Predictor to evaluate your chances',
    features: ['chat', 'prediction']
  },
  {
    situation: 'I need to find cases similar to mine',
    recommendation: 'Use Legal Research to find relevant case law and precedents',
    features: ['research']
  }
];

export default function FeatureGuide() {
  return (
    <div className="min-h-screen bg-white">
      <Navigation />

      <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white py-20 pt-32">
        <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="flex items-center justify-center gap-3 mb-6">
            <HelpCircle className="w-10 h-10 text-teal-400" />
            <h1 className="text-4xl font-bold">Which Feature Should I Use?</h1>
          </div>
          <p className="text-xl text-teal-100 text-center max-w-3xl mx-auto">
            Choose the right tool for your legal need. Each feature is designed for specific tasks.
          </p>
        </div>
      </section>

      <section className="py-16">
        <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
          <h2 className="text-2xl font-bold text-navy-900 mb-8">All Features Explained</h2>

          <div className="space-y-6">
            {features.map((feature) => {
              const Icon = feature.icon;
              const colorClasses = {
                teal: 'bg-teal-100 text-teal-700 border-teal-200',
                blue: 'bg-blue-100 text-blue-700 border-blue-200',
                purple: 'bg-purple-100 text-purple-700 border-purple-200',
                amber: 'bg-amber-100 text-amber-700 border-amber-200',
                green: 'bg-green-100 text-green-700 border-green-200'
              }[feature.color];

              return (
                <div
                  key={feature.id}
                  className="bg-white rounded-xl border-2 border-navy-200 hover:border-teal-300 transition-all p-6"
                >
                  <div className="flex items-start gap-4 mb-4">
                    <div className={`w-14 h-14 rounded-xl flex items-center justify-center flex-shrink-0 ${colorClasses}`}>
                      <Icon className="w-7 h-7" />
                    </div>
                    <div className="flex-1">
                      <h3 className="text-xl font-bold text-navy-900 mb-2">{feature.name}</h3>
                      <p className="text-navy-700 mb-4">{feature.description}</p>
                    </div>
                  </div>
                </div>
              );
            })}
          </div>
        </div>
      </section>
    </div>
  );
}

```



```

        <h4 className="font-semibold text-navy-900 mb-2 text-sm">Best For:</h4>
        <ul className="space-y-1">
          {feature.bestFor.map((item, index) => (
            <li key={index} className="text-sm text-navy-600 flex items-start gap-2">
              <span className="text-teal-600 mt-1">•</span>
              <span>{item}</span>
            </li>
          ))}
        </ul>
      </div>
      <div>
        <h4 className="font-semibold text-navy-900 mb-2 text-sm">Examples:</h4>
        <ul className="space-y-1">
          {feature.examples.map((example, index) => (
            <li key={index} className="text-sm text-navy-600 italic">
              "{example}"
            </li>
          ))}
        </ul>
      </div>
    </div>

    <Link
      to={feature.actionUrl}
      className="inline-flex items-center gap-2 px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-lg
font-medium text-sm transition-colors"
    >
      Try {feature.name}
      <ArrowRight className="w-4 h-4" />
    </Link>
  </div>
</div>
</div>
);
  })}
</div>
</div>
</section>

<section className="py-16 bg-navy-50">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <h2 className="text-2xl font-bold text-navy-900 mb-2">Common Scenarios</h2>
    <p className="text-navy-600 mb-8">Not sure where to start? Here are some common situations and recommended features:</p>

    <div className="space-y-4">
      {scenarios.map((scenario, index) => (
        <div key={index} className="bg-white rounded-xl border border-navy-200 p-6">
          <h3 className="font-bold text-navy-900 mb-2">{scenario.situation}</h3>
          <p className="text-navy-700 mb-3">{scenario.recommendation}</p>
          <div className="flex flex-wrap gap-2">
            {scenario.features.map((featureId) => {
              const feature = features.find(f => f.id === featureId);
              if (!feature) return null;
              return (
                <Link
                  key={featureId}
                  to={feature.actionUrl}
                  className="inline-flex items-center gap-2 px-3 py-1.5 bg-teal-50 hover:bg-teal-100 border border-teal-200
text-teal-700 rounded-lg text-sm font-medium transition-colors"
                >
                  {feature.name}
                  <ArrowRight className="w-3 h-3" />
                </Link>
              );
            })}
          </div>
        </div>
      ))}
    </div>
  </div>
</section>

<section className="py-16">
  <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="bg-gradient-to-br from-teal-50 to-navy-50 border-2 border-teal-200 rounded-2xl p-8 text-center">
      <HelpCircle className="w-12 h-12 text-teal-600 mx-auto mb-4" />
      <h2 className="text-2xl font-bold text-navy-900 mb-3">Still Not Sure?</h2>
      <p className="text-navy-700 mb-6">
        Start with our AI Chat. It's free, fast, and can help guide you to the right tool for your specific situation.
      </p>
      <Link
        to="/chat"
        className="inline-flex items-center gap-2 px-6 py-3 bg-teal-600 hover:bg-teal-700 text-white rounded-lg font-bold
transition-colors"
      >
        <MessageSquare className="w-5 h-5" />
        Start with Chat
      </Link>
    </div>
  </div>
</section>

  <Footer />
</div>
);
}

```


[25/58] How It Works

Route: /how-it-works | File: src/pages/HowItWorks.tsx

```
import { useState, useEffect } from 'react';
import { Link } from 'react-router-dom';
import {
  Brain, Database, Shield, Scale, Users, Clock, AlertTriangle, CheckCircle,
  Search, FileText, MapPin, Lock, Eye, MessageSquare, BookOpen,
  ArrowRight, HelpCircle, Sparkles, Layers,
  RefreshCw, BadgeCheck, Globe, Phone, Heart, Quote, ChevronRight,
  Play, Pause, Trash2
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { supabase } from '../lib/supabase';

interface SourceFreshness {
  source_key: string;
  source_name: string;
  source_type: string;
  update_frequency: string;
  last_successful_at: string | null;
  sections_count: number;
}

function formatLastUpdated(dateStr: string | null, fallbackFrequency: string): string {
  if (!dateStr) return `Updated ${fallbackFrequency}`;
  const date = new Date(dateStr);
  const now = new Date();
  const diffDays = Math.floor((now.getTime() - date.getTime()) / (1000 * 60 * 60 * 24));
  if (diffDays === 0) return 'Updated today';
  if (diffDays === 1) return 'Updated yesterday';
  if (diffDays < 7) return `Updated ${diffDays} days ago`;
  if (diffDays < 30) return `Updated ${Math.floor(diffDays / 7)} week${Math.floor(diffDays / 7) > 1 ? 's' : ''} ago`;
  return `Updated ${date.toLocaleDateString('en-US', { month: 'short', year: 'numeric' })}`;
}

function getLatestUpdate(sources: SourceFreshness[], type: string): string | null {
  const matching = sources.filter(s => s.source_type === type && s.last_successful_at);
  if (matching.length === 0) return null;
  matching.sort((a, b) => new Date(b.last_successful_at!).getTime() - new Date(a.last_successful_at!).getTime());
  return matching[0].last_successful_at;
}

export default function HowItWorks() {
  const [activeRAGStep, setActiveRAGStep] = useState(0);
  const [sourceFreshness, setSourceFreshness] = useState<SourceFreshness[]>([]);
  const [isPlaying, setIsPlaying] = useState(false);
  const [activeCitation, setActiveCitation] = useState<number | null>(null);
  const [activeSection, setActiveSection] = useState('process');

  const sections = [
    { id: 'process', label: 'Process' },
    { id: 'rag-demo', label: 'AI Demo' },
    { id: 'sources', label: 'Sources' },
    { id: 'jurisdiction', label: 'Jurisdiction' },
    { id: 'attorney-review', label: 'Review' },
    { id: 'safety', label: 'Safety' },
    { id: 'citation-policy', label: 'Citations' },
    { id: 'hallucination-mitigation', label: 'Accuracy' },
    { id: 'escalation-logic', label: 'Escalation' },
    { id: 'privacy-handling', label: 'Privacy' },
  ];

  useEffect(() => {
    supabase.rpc('get_source_freshness').then(({ data }) => {
      if (data) setSourceFreshness(data as SourceFreshness[]);
    });
  }, []);

  useEffect(() => {
    const observer = new IntersectionObserver(
      (entries) => {
        entries.forEach((entry) => {
          if (entry.isIntersecting) {
            setActiveSection(entry.target.id);
          }
        });
      },
      { rootMargin: '-100px 0px -60% 0px', threshold: 0 }
    );
    sections.forEach(({ id }) => {
      const el = document.getElementById(id);
      if (el) observer.observe(el);
    });
    return () => observer.disconnect();
  }, []);

  const ragDemoSteps = [
    {
      step: 1,
      title: 'User Question',
    },
  ],
```

```

        content: "My landlord hasn't returned my security deposit after 45 days. I'm in California. What can I do?",
        visual: 'question',
    },
    {
        step: 2,
        title: 'Jurisdiction & Classification',
        content: 'Identified: California | Practice Area: Landlord-Tenant | Issue: Security Deposit Return | Timeframe: 45 days post-moveout',
        visual: 'analysis',
    },
    {
        step: 3,
        title: 'Confirm Jurisdiction',
        content: 'Confirm: California + Landlord-Tenant. Not right? Change your state before we search for sources.',
        visual: 'confirmation',
    },
    {
        step: 4,
        title: 'Source Retrieval',
        content: 'Retrieved 7 relevant sources from California Civil Code and case law database...',
        visual: 'retrieval',
    },
    {
        step: 5,
        title: 'Grounded Response Generation',
        content: 'Under California law, your landlord was required to return your security deposit within 21 days...',
        visual: 'response',
    },
    ],
];

const exampleResponse = {
    question: "My landlord hasn't returned my security deposit after 45 days. I'm in California. What can I do?",
    answer: `Under California law, your landlord was required to return your security deposit (or provide an itemized statement of deductions) within **21 days** of your move-out date.

Since 45 days have passed, your landlord is in violation of California Civil Code Section 1950.5. Here are your options:

**1. Send a Demand Letter**
Write a formal demand letter requesting the return of your deposit. This creates a paper trail and may prompt action.

**2. Small Claims Court**
You may sue in small claims court for:
- The amount of the deposit wrongfully withheld
- Up to **2x the deposit amount** as a "bad faith" penalty if the landlord acted in bad faith

**3. Important Deadlines**
The statute of limitations for security deposit claims in California is **4 years** from when the deposit should have been returned.`,
    citations: [
        {
            id: 1,
            text: 'Cal. Civ. Code 1950.5(g)',
            fullText: '"The landlord shall return any remaining portion of a security deposit to the tenant within 21 calendar days from the date the tenant has vacated the premises."',
            source: 'California Civil Code Section 1950.5',
            type: 'statute',
        },
        {
            id: 2,
            text: 'Cal. Civ. Code 1950.5(l)',
            fullText: '"If the landlord fails to comply with this section, the tenant may recover the security deposit, plus reasonable attorneys\' fees and costs... The bad faith of the landlord... may subject the landlord to statutory damages of up to twice the amount of the security."',
            source: 'California Civil Code Section 1950.5',
            type: 'statute',
        },
        {
            id: 3,
            text: 'Granberry v. Islay (1995)',
            fullText: 'Court held that landlord\'s failure to return deposit within statutory period creates presumption of bad faith, shifting burden to landlord to prove otherwise.',
            source: '9 Cal.4th 738 (1995)',
            type: 'case',
        },
        {
            id: 4,
            text: 'Cal. Civ. Proc. Code 337',
            fullText: 'Four-year statute of limitations for breach of written contract applies to security deposit claims.',
            source: 'California Code of Civil Procedure Section 337',
            type: 'statute',
        },
    ],
};

const dataSources = [
    {
        name: 'Federal Statutes & Regulations',
        description: 'U.S. Code, Code of Federal Regulations, Federal Register',
        fallbackFrequency: 'Weekly',
        sourceType: 'federal_statute',
        icon: Layers,
    },
    {
        name: 'State Statutes',
        description: 'All 50 states, D.C., and territories statutory codes',
        fallbackFrequency: 'Monthly',
    },
];

```

```

    sourceType: 'state_statute',
    icon: MapPin,
  },
  {
    name: 'Case Law Databases',
    description: 'Federal and state court decisions via legal research partners',
    fallbackFrequency: 'Daily',
    sourceType: 'case_law',
    icon: Scale,
  },
  {
    name: 'Agency Guidance',
    description: 'EEOC, FTC, CFPB, DOL, and other federal agency publications',
    fallbackFrequency: 'Weekly',
    sourceType: 'agency_guidance',
    icon: FileText,
  },
  {
    name: 'Legal Aid Resources',
    description: 'Self-help guides from legal aid organizations nationwide',
    fallbackFrequency: 'Monthly',
    sourceType: 'legal_aid',
    icon: Heart,
  },
  {
    name: 'Attorney-Reviewed Content',
    description: 'Practice guides and templates reviewed by licensed attorneys',
    fallbackFrequency: 'Quarterly',
    sourceType: 'attorney_reviewed',
    icon: BadgeCheck,
  },
];

const processSteps = [
  {
    step: 1,
    title: 'Question Analysis',
    description: 'Your question is analyzed to identify the legal domain, key issues, and relevant context.',
    details: [
      'Natural language processing extracts legal concepts',
      'Classification identifies practice area (family, employment, etc.)',
      'Entity recognition finds parties, dates, amounts, locations',
    ],
    icon: Search,
    color: 'blue',
  },
  {
    step: 2,
    title: 'Jurisdiction Matching',
    description: 'We match your question to the applicable laws based on your selected jurisdiction.',
    details: [
      'State-specific statutes and regulations are prioritized',
      'Federal law is included where applicable',
      'Local ordinances flagged when relevant',
    ],
    icon: MapPin,
    color: 'green',
  },
  {
    step: 3,
    title: 'Source Retrieval',
    description: 'Relevant legal sources are retrieved from our curated knowledge base powered by the Legalbreeze® RAG pipeline.',
    details: [
      'FAISS vector indexing matches questions to legal content',
      'Jurisdiction-specific document indices ensure relevance',
      'Citation verification validates source authenticity',
    ],
    icon: Database,
    color: 'amber',
  },
  {
    step: 4,
    title: 'Response Generation',
    description: 'AI generates a response grounded in retrieved sources with appropriate caveats.',
    details: [
      'Multi-tier LLM architecture (GPT-4 Turbo, reasoning models)',
      'Attorney-reviewed prompts guide response structure',
      'Confidence scoring determines when to recommend attorney consultation',
    ],
    icon: Brain,
    color: 'rose',
  },
  {
    step: 5,
    title: 'Safety & Compliance Check',
    description: 'Every response passes through safety filters before delivery.',
    details: [
      'Crisis keyword detection triggers immediate resources',
      'UPL guardrails prevent giving specific legal advice',
      'Bias detection flags potential fairness issues',
    ],
    icon: Shield,
    color: 'teal',
  },
];

```

```

const jurisdictionProcess = [
  {
    title: 'User Selection (Primary)',
    description: 'You select your state/jurisdiction in the safety checkpoint before chatting. This is our primary method and ensures the most accurate information.',
    icon: Users,
  },
  {
    title: 'Question Context',
    description: 'If you mention a specific state in your question ("California landlord-tenant law"), we use that jurisdiction.',
    icon: MessageSquare,
  },
  {
    title: 'Saved Preferences',
    description: 'Registered users can save their default jurisdiction in profile settings.',
    icon: BookOpen,
  },
  {
    title: 'General Guidance',
    description: 'Without jurisdiction context, we provide general U.S. legal information with clear disclaimers.',
    icon: Globe,
  },
];

const attorneyReviewMeaning = [
  {
    aspect: 'Prompt Engineering',
    description: 'Licensed attorneys help design the system prompts that guide AI responses, ensuring legally accurate framing and appropriate disclaimers.',
  },
  {
    aspect: 'Content Templates',
    description: 'Document templates and form guidance have been reviewed by attorneys practicing in relevant areas.',
  },
  {
    aspect: 'Ongoing Quality Review',
    description: 'Our legal team regularly audits AI responses, flagging issues and updating guidance.',
  },
  {
    aspect: 'Edge Case Training',
    description: 'Attorneys identify common misunderstandings and help train the system to handle them correctly.',
  },
];

const whenToConsultAttorney = [
  {
    situation: 'Court Appearances',
    description: 'If you need to appear in court, an attorney can represent you and navigate court procedures.',
    urgency: 'high',
  },
  {
    situation: 'Complex Transactions',
    description: 'Real estate closings, business acquisitions, or contracts with significant financial stakes.',
    urgency: 'high',
  },
  {
    situation: 'Criminal Charges',
    description: 'Any criminal matter, even misdemeanors, can have lasting consequences. Get representation.',
    urgency: 'high',
  },
  {
    situation: 'Custody Disputes',
    description: 'When child custody is contested, professional advocacy protects your parental rights.',
    urgency: 'high',
  },
  {
    situation: 'Immigration Matters',
    description: 'Immigration law is complex and errors can have severe consequences including deportation.',
    urgency: 'high',
  },
  {
    situation: 'Personal Injury Claims',
    description: 'An attorney can maximize your recovery and handle insurance company negotiations.',
    urgency: 'medium',
  },
  {
    situation: 'Estate Planning',
    description: 'Ensure your will, trust, and healthcare directives are properly drafted and executed.',
    urgency: 'medium',
  },
  {
    situation: 'Business Formation',
    description: 'Getting structure right from the start can save significant costs and liability later.',
    urgency: 'medium',
  },
];

return (
  <div className="min-h-screen bg-navy-50">
    <Navigation />

    <main id="main-content">
      <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white pt-32 pb-16">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="text-center max-w-4xl mx-auto">
            <div className="inline-flex items-center gap-2 bg-white/10 backdrop-blur-sm px-4 py-2 rounded-full mb-6 border

```

```

border-white/20">
    <Brain className="w-4 h-4 text-gold-300" />
    <span className="text-sm font-semibold">AI Methodology</span>
  </div>
  <h1 className="text-4xl lg:text-5xl font-bold mb-6">
    How Our AI Works
  </h1>
  <p className="text-xl text-teal-100 mb-4">
    Transparency about our technology, data sources, and the boundaries
    of AI-assisted legal information.
  </p>
  <p className="text-navy-200">
    We believe you deserve to understand how your legal questions are answered.
  </p>
</div>
</div>
</section>

<section className="py-6 bg-amber-50 border-b border-amber-200">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-start gap-4">
      <AlertTriangle className="w-6 h-6 text-amber-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
      <div>
        <h2 className="font-bold text-navy-900 mb-1">Important: This is Legal Information, Not Legal Advice</h2>
        <p className="text-navy-700 text-sm mb-2">
          ezLegal.ai gives you general legal information so you can understand your situation.
          We are not a law firm. Using our service does not create an attorney-client relationship,
          and your conversations here do not carry attorney-client privilege.
          For advice on your specific case, court representation, or complex matters, talk to a licensed attorney in your
state.
        </p>
        <p className="text-amber-700 text-xs font-medium">
          <Link to="/trust-center" className="underline hover:text-amber-900 transition-colors">Review our Safe Use
Checklist</Link> for tips on protecting your privacy while using AI legal tools.
        </p>
      </div>
    </div>
  </div>
</section>

<nav aria-label="Page sections" className="sticky top-[64px] sm:top-[136px] z-30 bg-white/95 backdrop-blur-sm border-b
border-navy-200 hidden md:block">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-center gap-1 py-2 overflow-x-auto">
      {sections.map(({ id, label }) => (
        <a
          key={id}
          href={`#${id}`}
          aria-current={activeSection === id ? 'true' : undefined}
          onClick={(e) => {
            e.preventDefault();
            const target = document.getElementById(id);
            if (target) {
              target.scrollIntoView({ behavior: 'smooth', block: 'start' });
              const heading = target.querySelector('h2, h3');
              if (heading instanceof HTMLElement) {
                heading.setAttribute('tabindex', '-1');
                heading.focus({ preventScroll: true });
              }
            }
          }}
          className={`px-3 py-1.5 rounded-full text-xs font-medium whitespace-nowrap transition-colors ${
            activeSection === id ? 'bg-teal-600 text-white' : 'text-navy-600 hover:bg-navy-100'
          }`}
          >
        {label}
      </a>
      </div>
    </div>
  </div>
</nav>

<section id="process" className="py-16 bg-white scroll-mt-40" aria-labelledby="process-heading">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 id="process-heading" className="text-3xl font-bold text-navy-900 mb-4">How Your Question Becomes an Answer</h2>
      <p className="text-navy-600 max-w-2xl mx-auto">
        Our AI uses a Retrieval-Augmented Generation (RAG) architecture powered by the Legalbreeze® backend to ground
responses in verified legal sources.
      </p>
    </div>

    <div className="grid sm:grid-cols-2 lg:grid-cols-4 gap-4 mb-16 max-w-5xl mx-auto">
      <div className="bg-navy-50 rounded-xl p-5 border border-navy-200 text-center">
        <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center mx-auto mb-3">
          <MessageSquare className="w-5 h-5 text-teal-600" aria-hidden="true" />
        </div>
        <h3 className="font-semibold text-navy-900 mb-1 text-sm">You ask a question</h3>
        <p className="text-xs text-navy-600">Type your legal question in plain English -- no legal jargon needed.</p>
      </div>
      <div className="bg-navy-50 rounded-xl p-5 border border-navy-200 text-center">
        <div className="w-10 h-10 bg-green-100 rounded-lg flex items-center justify-center mx-auto mb-3">
          <MapPin className="w-5 h-5 text-green-600" aria-hidden="true" />
        </div>
        <h3 className="font-semibold text-navy-900 mb-1 text-sm">We find your state's laws</h3>
        <p className="text-xs text-navy-600">Your question is matched to the specific laws in your state, not just general

```

```

information.</p>
</div>
<div className="bg-navy-50 rounded-xl p-5 border border-navy-200 text-center">
  <div className="w-10 h-10 bg-amber-100 rounded-lg flex items-center justify-center mx-auto mb-3">
    <Database className="w-5 h-5 text-amber-600" aria-hidden="true" />
  </div>
  <h3 className="font-semibold text-navy-900 mb-1 text-sm">We pull from real sources</h3>
  <p className="text-xs text-navy-600">Every answer is backed by actual statutes, regulations, and court decisions --
not made up.</p>
</div>
<div className="bg-navy-50 rounded-xl p-5 border border-navy-200 text-center">
  <div className="w-10 h-10 bg-rose-100 rounded-lg flex items-center justify-center mx-auto mb-3">
    <CheckCircle className="w-5 h-5 text-rose-600" aria-hidden="true" />
  </div>
  <h3 className="font-semibold text-navy-900 mb-1 text-sm">You get a cited answer</h3>
  <p className="text-xs text-navy-600">Your answer includes the exact laws cited, so you can verify everything
yourself.</p>
</div>
</div>

<div className="text-center mb-12">
  <p className="text-sm text-navy-500 font-medium uppercase tracking-wider">Technical Details</p>
</div>

<div className="relative">
  <div className="hidden lg:block absolute left-1/2 top-0 bottom-0 w-0.5 bg-navy-200 -translate-x-1/2"
aria-hidden="true"></div>

  <div className="space-y-12">
    {processSteps.map((step, index) => {
      const colorClasses: Record<string, { bg: string; icon: string; border: string }> = {
        blue: { bg: 'bg-teal-100', icon: 'text-teal-600', border: 'border-teal-200' },
        green: { bg: 'bg-green-100', icon: 'text-green-600', border: 'border-green-200' },
        amber: { bg: 'bg-amber-100', icon: 'text-amber-600', border: 'border-amber-200' },
        rose: { bg: 'bg-rose-100', icon: 'text-rose-600', border: 'border-rose-200' },
        teal: { bg: 'bg-teal-100', icon: 'text-teal-600', border: 'border-teal-200' },
      };
      const colors = colorClasses[step.color] || colorClasses.blue;

      return (
        <div
          key={step.step}
          className={`relative flex flex-col lg:flex-row items-center gap-8 ${
            index % 2 === 0 ? 'lg:flex-row' : 'lg:flex-row-reverse'
          }`}
        >
          <div className={`flex-1 ${index % 2 === 0 ? 'lg:text-right lg:pr-16' : 'lg:text-left lg:pl-16'}`}>
            <div className={`inline-flex items-center gap-2 ${colors.bg} px-3 py-1 rounded-full mb-3`}
              <span className={`text-sm font-bold ${colors.icon}`}>Step {step.step}</span>
            </div>
            <h3 className="text-xl font-bold text-navy-900 mb-2">{step.title}</h3>
            <p className="text-navy-600 mb-4">{step.description}</p>
            <ul className={`space-y-2 text-sm text-navy-600 ${index % 2 === 0 ? 'lg:ml-auto lg:max-w-md' :
'lg:max-w-md'}`}>
              {step.details.map((detail, dIndex) => (
                <li key={dIndex} className={`flex items-start gap-2 ${index % 2 === 0 ? 'lg:justify-end' : ''}`}>
                  {index % 2 !== 0 && <CheckCircle className={`w-4 h-4 ${colors.icon} mt-0.5 flex-shrink-0`}
aria-hidden="true" />}
                  <span>{detail}</span>
                  {index % 2 === 0 && <CheckCircle className={`w-4 h-4 ${colors.icon} mt-0.5 flex-shrink-0`}
aria-hidden="true" />}
                </li>
              ))}
            </ul>
          </div>

          <div className={`relative z-10 w-16 h-16 ${colors.bg} rounded-2xl flex items-center justify-center border-4
border-white shadow-lg`}>
            <step.icon className={`w-8 h-8 ${colors.icon}`} aria-hidden="true" />
          </div>

          <div className="flex-1 hidden lg:block"></div>
        </div>
      );
    })}
  </div>
</div>
</section>

<section id="rag-demo" className="py-16 bg-gradient-to-br from-teal-900 via-teal-800 to-navy-900 text-white scroll-mt-40"
aria-labelledby="rag-demo-heading">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-white/10 backdrop-blur-sm px-4 py-2 rounded-full mb-4 border
border-white/20">
        <Sparkles className="w-4 h-4 text-teal-300" aria-hidden="true" />
        <span className="text-sm font-semibold">Interactive Demo</span>
      </div>
      <h2 id="rag-demo-heading" className="text-3xl font-bold mb-4">See RAG in Action</h2>
      <p className="text-teal-100 max-w-2xl mx-auto">
        Watch how a real question flows through our system and see the actual citations that ground the response.
      </p>
    </div>

    <div className="grid lg:grid-cols-2 gap-8">

```



```

<div className="bg-white/10 backdrop-blur-sm rounded-2xl p-6 border border-white/20">
  <div className="flex items-center justify-between mb-6">
    <h3 className="text-lg font-bold">RAG Pipeline Visualization</h3>
    <button
      onClick={() => {
        if (isPlaying) {
          setIsPlaying(false);
        } else {
          setIsPlaying(true);
          let step = 0;
          const interval = setInterval(() => {
            step++;
            if (step >= ragDemoSteps.length) {
              setIsPlaying(false);
              clearInterval(interval);
            } else {
              setActiveRAGStep(step);
            }
          }, 2000);
        }
      }}
      className="flex items-center gap-2 bg-white/20 hover:bg-white/30 px-4 py-2 rounded-lg text-sm font-medium
transition-colors"
    >
      {isPlaying ? (
        <>
          <Pause className="w-4 h-4" />
          Pause
        </>
      ) : (
        <>
          <Play className="w-4 h-4" />
          Play Demo
        </>
      )}
    </button>
  </div>

  <div className="space-y-4">
    {ragDemoSteps.map((step, index) => (
      <button
        key={step.step}
        onClick={() => setActiveRAGStep(index)}
        className={`w-full text-left p-4 rounded-xl transition-all ${
          activeRAGStep === index
            ? 'bg-white text-navy-900 shadow-lg'
            : 'bg-white/5 hover:bg-white/10'
        }`}
      >
        <div className="flex items-start gap-4">
          <div className={`w-8 h-8 rounded-full flex items-center justify-center flex-shrink-0 text-sm font-bold ${
            activeRAGStep === index
              ? 'bg-teal-600 text-white'
              : 'bg-white/20 text-white'
          }`}>
            {step.step}
          </div>
          <div className="flex-1 min-w-0">
            <h4 className={`font-semibold mb-1 ${activeRAGStep === index ? 'text-navy-900' : 'text-white'} `}>
              {step.title}
            </h4>
            <p className={`text-sm truncate ${activeRAGStep === index ? 'text-navy-600' : 'text-white/70'} `}>
              {step.content}
            </p>
          </div>
          <ChevronRight className={`w-5 h-5 flex-shrink-0 transition-transform ${
            activeRAGStep === index ? 'rotate-90 text-teal-600' : 'text-white/50'
          }`} />
        </div>
      </button>
    )))
  </div>

  <div className="mt-6 pt-6 border-t border-white/20">
    <div className="flex items-center gap-2 text-white/80 text-sm">
      <Database className="w-4 h-4" />
      <span>7 sources retrieved in 0.3 seconds</span>
    </div>
  </div>

  <div className="space-y-6">
    <div className="bg-white rounded-2xl p-6 text-navy-900">
      <div className="flex items-center gap-2 mb-4">
        <MessageSquare className="w-5 h-5 text-teal-600" />
        <h3 className="font-bold">Example Question</h3>
      </div>
      <p className="text-navy-700 bg-navy-50 rounded-lg p-4 border border-navy-200">
        {exampleResponse.question}
      </p>
    </div>

    <div className="bg-white rounded-2xl p-6 text-navy-900">
      <div className="flex items-center gap-2 mb-4">
        <Brain className="w-5 h-5 text-teal-600" />
        <h3 className="font-bold">AI Response with Citations</h3>
      </div>
    </div>
  </div>

```

```

</div>
<div className="max-w-none text-navy-700 mb-6 space-y-3 text-sm leading-relaxed">
  <p>
    Under California law, your landlord was required to return your security deposit
    within <strong>21 days</strong> of your move-out date.
    <button
      type="button"
      className="inline-flex items-center justify-center w-5 h-4 text-[10px] font-bold text-teal-700 bg-teal-100
rounded hover:bg-teal-200 focus:outline-none focus:ring-2 focus:ring-teal-500 focus:ring-offset-1 align-super ml-0.5
transition-colors"
      aria-label="Source 1: California Civil Code Section 1950.5(g) – 21-day return requirement"
      onClick={() => {
        setActiveCitation(1);
        document.getElementById('citation-1')?.scrollIntoView({ behavior: 'smooth', block: 'nearest' });
      }}
    >[1]</button>
  </p>
  <p>
    Since 45 days have passed, your landlord is in violation of California Civil Code
    Section 1950.5. You may sue in small claims court for the amount wrongfully withheld,
    plus up to <strong>2x the deposit amount</strong> as a "bad faith" penalty.
    <button
      type="button"
      className="inline-flex items-center justify-center w-5 h-4 text-[10px] font-bold text-teal-700 bg-teal-100
rounded hover:bg-teal-200 focus:outline-none focus:ring-2 focus:ring-teal-500 focus:ring-offset-1 align-super ml-0.5
transition-colors"
      aria-label="Source 2: California Civil Code Section 1950.5(l) – bad faith penalties"
      onClick={() => {
        setActiveCitation(2);
        document.getElementById('citation-2')?.scrollIntoView({ behavior: 'smooth', block: 'nearest' });
      }}
    >[2]</button>
    <button
      type="button"
      className="inline-flex items-center justify-center w-5 h-4 text-[10px] font-bold text-teal-700 bg-teal-100
rounded hover:bg-teal-200 focus:outline-none focus:ring-2 focus:ring-teal-500 focus:ring-offset-1 align-super ml-0.5
transition-colors"
      aria-label="Source 3: Granberry v. Islay (1995) – bad faith presumption"
      onClick={() => {
        setActiveCitation(3);
        document.getElementById('citation-3')?.scrollIntoView({ behavior: 'smooth', block: 'nearest' });
      }}
    >[3]</button>
  </p>
  <p>
    The statute of limitations is <strong>4 years</strong> from when the deposit should
    have been returned.
    <button
      type="button"
      className="inline-flex items-center justify-center w-5 h-4 text-[10px] font-bold text-teal-700 bg-teal-100
rounded hover:bg-teal-200 focus:outline-none focus:ring-2 focus:ring-teal-500 focus:ring-offset-1 align-super ml-0.5
transition-colors"
      aria-label="Source 4: California Code of Civil Procedure Section 337 – 4-year statute of limitations"
      onClick={() => {
        setActiveCitation(4);
        document.getElementById('citation-4')?.scrollIntoView({ behavior: 'smooth', block: 'nearest' });
      }}
    >[4]</button>
  </p>
</div>

<div className="border-t border-navy-200 pt-4">
  <h4 className="text-sm font-semibold text-navy-900 mb-3 flex items-center gap-2">
    <Quote className="w-4 h-4 text-navy-400" />
    Source Citations
  </h4>
  <div className="space-y-3">
    {exampleResponse.citations.map((citation) => (
      <div
        key={citation.id}
        id={`citation-${citation.id}`}
        className={`rounded-lg p-3 border transition-colors ${
          activeCitation === citation.id
            ? 'bg-teal-50 border-teal-300 ring-2 ring-teal-200'
            : 'bg-navy-50 border-navy-200'
        }`}
      >
        <div className="flex items-start gap-2">
          <span className="w-5 h-5 bg-teal-100 text-teal-600 rounded text-xs font-bold flex items-center
justify-center flex-shrink-0">
            {citation.id}
          </span>
          <div className="flex-1 min-w-0">
            <div className="flex items-center gap-2 mb-1">
              <span className="font-semibold text-navy-900 text-sm">{citation.text}</span>
              <span className={`px-2 py-0.5 rounded text-xs font-medium ${
                citation.type === 'statute'
                  ? 'bg-teal-100 text-teal-700'
                  : 'bg-amber-100 text-amber-700'
              }`}>
                {citation.type === 'statute' ? 'Statute' : 'Case Law'}
              </span>
            </div>
            <p className="text-xs text-navy-600 italic line-clamp-2">{citation.fullText}</p>
            <p className="text-xs text-navy-500 mt-1">{citation.source}</p>
          </div>
        </div>
      </div>
    ))}
  </div>

```

```

    </div>
  </div>
  )})
</div>
</div>
</div>

<div className="flex items-start gap-2 bg-amber-50 rounded-lg px-4 py-3 border border-amber-200">
  <AlertTriangle className="w-4 h-4 text-amber-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
  <p className="text-xs text-amber-800">
    This is legal information, not legal advice. An attorney can evaluate the specific facts of your situation and
    advise on the best course of action.
  </p>
</div>
</div>
</div>

<div className="mt-12 text-center">
  <p className="text-white/80 text-sm mb-4">
    This is a simplified example. Actual responses may include more citations and nuanced legal analysis.
  </p>
  <Link
    to="/ask"
    className="inline-flex items-center gap-2 bg-white text-teal-600 px-6 py-3 rounded-lg font-semibold hover:bg-teal-50
    transition-colors"
  >
    <MessageSquare className="w-5 h-5" />
    Ask My Question Free
  </Link>
</div>
</div>
</section>

<section id="sources" className="py-16 bg-navy-50 scroll-mt-40" aria-labelledby="sources-heading">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-teal-100 px-4 py-2 rounded-full mb-4">
        <Database className="w-4 h-4 text-teal-600" aria-hidden="true" />
        <span className="text-sm font-semibold text-navy-900">Data Sources</span>
      </div>
      <h2 id="sources-heading" className="text-3xl font-bold text-navy-900 mb-4">Where Our Information Comes From</h2>
      <p className="text-navy-600 max-w-2xl mx-auto">
        Our AI retrieves information from authoritative legal databases and resources, updated regularly to reflect current
        law.
      </p>
    </div>

    <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-6">
      {dataSources.map((source, index) => {
        const lastUpdated = getLatestUpdate(sourceFreshness, source.sourceType);
        const updateLabel = formatLastUpdated(lastUpdated, source.fallbackFrequency);
        const sourceCount = sourceFreshness
          .filter(s => s.source_type === source.sourceType)
          .reduce((sum, s) => sum + (s.sections_count || 0), 0);
        return (
          <article key={index} className="bg-white rounded-2xl p-6 border border-navy-200 hover:shadow-lg
          transition-shadow">
            <div className="flex items-start gap-4">
              <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center flex-shrink-0">
                <source.icon className="w-6 h-6 text-teal-600" aria-hidden="true" />
              </div>
              <div className="flex-1">
                <h3 className="font-bold text-navy-900 mb-1">{source.name}</h3>
                <p className="text-sm text-navy-600 mb-3">{source.description}</p>
                <div className="flex items-center gap-2 text-xs">
                  <RefreshCw className="w-3 h-3 text-green-600" aria-hidden="true" />
                  <span className="text-green-700 font-medium">{updateLabel}</span>
                </div>
                {sourceCount > 0 && (
                  <p className="text-xs text-navy-400 mt-1">{sourceCount.toLocaleString()} sections indexed</p>
                )}
              </div>
            </div>
          </article>
        );
      })}
    </div>

    <div className="mt-8 bg-teal-50 rounded-2xl p-6 border border-teal-200">
      <div className="flex items-start gap-4">
        <Clock className="w-6 h-6 text-teal-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
        <div>
          <h3 className="font-bold text-navy-900 mb-2">Currency & Limitations</h3>
          <p className="text-navy-700 text-sm mb-3">
            Laws change faster than databases. Expect a lag between a new statute and our index.
            For urgent matters or recent changes, check the official source or call an attorney.
          </p>
          <p className="text-navy-600 text-sm">
            <strong>Last statute update:</strong>{' '}
            {(() => {
              const allDates = sourceFreshness
                .filter(s => s.last_successful_at)
                .map(s => new Date(s.last_successful_at!));
              if (allDates.length === 0) return 'January 2026';
              const latest = new Date(Math.max(...allDates.map(d => d.getTime())));
              return latest.toLocaleDateString('en-US', { month: 'long', year: 'numeric' });
            })}
          </p>
        </div>
      </div>
    </div>
  </div>

```

```

    }}())
    {' | '}
    <strong>Sources tracked:</strong>{' '}
    {sourceFreshness.length > 0 ? sourceFreshness.length : 14}
  </p>
  <p className="text-sm mt-3">
    <Link to="/case-predictor" className="text-teal-600 hover:text-teal-700 font-medium inline-flex items-center
gap-1">
      How we calculate Source Coverage & Confidence
      <ArrowRight className="w-3.5 h-3.5" />
    </Link>
  </p>
</div>
</div>
</div>
</div>
</section>

<section id="jurisdiction" className="py-16 bg-white scroll-mt-40" aria-labelledby="jurisdiction-heading">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-green-100 px-4 py-2 rounded-full mb-4">
        <MapPin className="w-4 h-4 text-green-600" aria-hidden="true" />
        <span className="text-sm font-semibold text-green-900">Jurisdiction</span>
      </div>
      <h2 id="jurisdiction-heading" className="text-3xl font-bold text-navy-900 mb-4">How We Determine Your
Jurisdiction</h2>
      <p className="text-navy-600 max-w-2xl mx-auto">
        Legal rights and procedures vary significantly by state. Here's how we ensure you get jurisdiction-relevant
information.
      </p>
    </div>

    <div className="grid md:grid-cols-2 gap-6">
      {jurisdictionProcess.map((item, index) => (
        <article key={index} className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
          <div className="flex items-start gap-4">
            <div className="w-10 h-10 bg-green-100 rounded-xl flex items-center justify-center flex-shrink-0">
              <item.icon className="w-5 h-5 text-green-600" aria-hidden="true" />
            </div>
            <div>
              <h3 className="font-bold text-navy-900 mb-2">{item.title}</h3>
              <p className="text-sm text-navy-600">{item.description}</p>
            </div>
          </div>
        </article>
      )})
    </div>

    <div className="mt-8 bg-amber-50 rounded-2xl p-6 border border-amber-200">
      <div className="flex items-start gap-4">
        <AlertTriangle className="w-6 h-6 text-amber-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
        <div>
          <h3 className="font-bold text-navy-900 mb-2">Important Jurisdiction Notes</h3>
          <ul className="text-navy-700 text-sm space-y-2">
            <li className="flex items-start gap-2">
              <span className="text-amber-600 font-bold">1.</span>
              <span>Local ordinances (city/county) may create additional requirements not captured in our state-level
data.</span>
            </li>
            <li className="flex items-start gap-2">
              <span className="text-amber-600 font-bold">2.</span>
              <span>Some legal matters involve multiple jurisdictions (e.g., online contracts, interstate
employment).</span>
            </li>
            <li className="flex items-start gap-2">
              <span className="text-amber-600 font-bold">3.</span>
              <span>Federal law may preempt or supplement state law in certain areas.</span>
            </li>
          </ul>
        </div>
      </div>
    </div>
  </div>
</section>

<section id="attorney-review" className="py-16 bg-navy-50 scroll-mt-40" aria-labelledby="attorney-review-heading">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-rose-100 px-4 py-2 rounded-full mb-4">
        <BadgeCheck className="w-4 h-4 text-rose-600" aria-hidden="true" />
        <span className="text-sm font-semibold text-rose-900">Quality Assurance</span>
      </div>
      <h2 id="attorney-review-heading" className="text-3xl font-bold text-navy-900 mb-4">What "Attorney-Reviewed" Means</h2>
      <p className="text-navy-600 max-w-2xl mx-auto">
        We don't claim every AI response is personally reviewed by an attorney. Here's what attorney involvement actually
means.
      </p>
    </div>

    <div className="grid md:grid-cols-2 gap-6">
      {attorneyReviewMeaning.map((item, index) => (
        <article key={index} className="bg-white rounded-2xl p-6 border border-navy-200">
          <h3 className="font-bold text-navy-900 mb-2 flex items-center gap-2">
            <CheckCircle className="w-5 h-5 text-rose-600" aria-hidden="true" />
            {item.aspect}

```

```

        </h3>
        <p className="text-sm text-navy-600">{item.description}</p>
    </article>
    )))
</div>

<div className="mt-8 bg-white rounded-2xl p-6 border-2 border-rose-200">
    <h3 className="font-bold text-navy-900 mb-4 flex items-center gap-2">
        <AlertTriangle className="w-5 h-5 text-rose-600" aria-hidden="true" />
        What This Does NOT Mean
    </h3>
    <ul className="space-y-3 text-sm text-navy-700">
        <li className="flex items-start gap-3">
            <span className="w-5 h-5 bg-rose-100 text-rose-600 rounded-full flex items-center justify-center flex-shrink-0 text-xs font-bold">X</span>
            <span>Individual responses are NOT reviewed by an attorney before delivery</span>
        </li>
        <li className="flex items-start gap-3">
            <span className="w-5 h-5 bg-rose-100 text-rose-600 rounded-full flex items-center justify-center flex-shrink-0 text-xs font-bold">X</span>
            <span>AI responses do NOT constitute attorney work product</span>
        </li>
        <li className="flex items-start gap-3">
            <span className="w-5 h-5 bg-rose-100 text-rose-600 rounded-full flex items-center justify-center flex-shrink-0 text-xs font-bold">X</span>
            <span>Using ezLegal.ai does NOT create an attorney-client relationship</span>
        </li>
        <li className="flex items-start gap-3">
            <span className="w-5 h-5 bg-rose-100 text-rose-600 rounded-full flex items-center justify-center flex-shrink-0 text-xs font-bold">X</span>
            <span>Information is NOT protected by attorney-client privilege</span>
        </li>
    </ul>
</div>
</div>
</section>

<section className="py-16 bg-white" aria-labelledby="consult-heading">
    <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
            <div className="inline-flex items-center gap-2 bg-teal-100 px-4 py-2 rounded-full mb-4">
                <Users className="w-4 h-4 text-teal-600" aria-hidden="true" />
                <span className="text-sm font-semibold text-navy-900">Human Attorneys</span>
            </div>
            <h2 id="consult-heading" className="text-3xl font-bold text-navy-900 mb-4">When to Consult a Human Attorney</h2>
            <p className="text-navy-600 max-w-2xl mx-auto">
                AI can help you understand your situation, but certain matters require professional legal representation.
            </p>
        </div>

        <div className="grid md:grid-cols-2 gap-4">
            {whenToConsultAttorney.map((item, index) => (
                <article
                    key={index}
                    className={`rounded-xl p-5 border ${
                        item.urgency === 'high'
                        ? 'bg-red-50 border-red-200'
                        : 'bg-amber-50 border-amber-200'
                    }`}
                >
                    <div className="flex items-start gap-3">
                        <div className={`w-8 h-8 rounded-lg flex items-center justify-center flex-shrink-0 ${
                            item.urgency === 'high' ? 'bg-red-100' : 'bg-amber-100'
                        }`}
                        >
                            <Scale className={`w-4 h-4 ${item.urgency === 'high' ? 'text-red-600' : 'text-amber-600'}`} aria-hidden="true" />
                        </div>
                        <div>
                            <h3 className="font-bold text-navy-900 mb-1">{item.situation}</h3>
                            <p className="text-sm text-navy-600">{item.description}</p>
                        </div>
                    </div>
                </article>
            )))
        </div>

        <div className="mt-8 bg-gradient-to-br from-navy-50 to-teal-50 rounded-2xl p-8 border border-navy-200">
            <div className="flex flex-col md:flex-row items-start md:items-center gap-6">
                <div className="flex-1">
                    <h3 className="text-xl font-bold text-navy-900 mb-2">Need an Attorney?</h3>
                    <p className="text-navy-700">
                        We partner with legal aid organizations and can help connect you with pro bono or low-cost legal services if you qualify.
                    </p>
                </div>
                <div className="flex flex-wrap gap-3">
                    <Link
                        to="/pro-bono"
                        className="inline-flex items-center gap-2 bg-teal-600 hover:bg-navy-700 text-white px-6 py-3 rounded-lg font-semibold transition-colors"
                    >
                        <Heart className="w-4 h-4" aria-hidden="true" />
                        Pro Bono Intake
                    </Link>
                    <Link
                        to="/find-attorney"

```

```

        className="inline-flex items-center gap-2 bg-white border border-navy-300 hover:bg-navy-50 text-navy-700 px-6
py-3 rounded-lg font-semibold transition-colors"
    >
        <Users className="w-4 h-4" aria-hidden="true" />
        Find a Lawyer
    </Link>
</div>
</div>
</div>
</div>
</div>
</section>

<section id="safety" className="py-16 bg-navy-50 scroll-mt-40" aria-labelledby="safety-heading">
    <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
            <div className="inline-flex items-center gap-2 bg-red-100 px-4 py-2 rounded-full mb-4">
                <Shield className="w-4 h-4 text-red-600" aria-hidden="true" />
                <span className="text-sm font-semibold text-red-900">Safety & Ethics</span>
            </div>
            <h2 id="safety-heading" className="text-3xl font-bold text-navy-900 mb-4">Safety Guardrails</h2>
            <p className="text-navy-600 max-w-2xl mx-auto">
                Our AI includes multiple safety mechanisms to protect users and ensure responsible use.
            </p>
        </div>

        <div className="grid md:grid-cols-3 gap-6">
            <article className="bg-white rounded-2xl p-6 border border-navy-200">
                <div className="w-12 h-12 bg-red-100 rounded-xl flex items-center justify-center mb-4">
                    <Phone className="w-6 h-6 text-red-600" aria-hidden="true" />
                </div>
                <h3 className="font-bold text-navy-900 mb-2">Crisis Detection</h3>
                <p className="text-sm text-navy-600 mb-4">
                    Keywords related to domestic violence, self-harm, or immediate danger trigger immediate
                    display of crisis hotlines and emergency resources.
                </p>
                <Link to="/emergency-resources" className="text-sm font-semibold text-red-600 hover:text-red-700 flex items-center
gap-1">
                    View Crisis Resources <ArrowRight className="w-3 h-3" aria-hidden="true" />
                </Link>
            </article>

            <article className="bg-white rounded-2xl p-6 border border-navy-200">
                <div className="w-12 h-12 bg-amber-100 rounded-xl flex items-center justify-center mb-4">
                    <AlertTriangle className="w-6 h-6 text-amber-600" aria-hidden="true" />
                </div>
                <h3 className="font-bold text-navy-900 mb-2">UPL Prevention</h3>
                <p className="text-sm text-navy-600 mb-4">
                    The AI is designed to provide legal information, not legal advice. It cannot represent
                    you, predict case outcomes with certainty, or tell you exactly what to do.
                </p>
                <Link to="/scope-disclaimers" className="text-sm font-semibold text-amber-600 hover:text-amber-700 flex items-center
gap-1">
                    Scope & Disclaimers <ArrowRight className="w-3 h-3" aria-hidden="true" />
                </Link>
            </article>

            <article className="bg-white rounded-2xl p-6 border border-navy-200">
                <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center mb-4">
                    <Eye className="w-6 h-6 text-teal-600" aria-hidden="true" />
                </div>
                <h3 className="font-bold text-navy-900 mb-2">Bias Monitoring</h3>
                <p className="text-sm text-navy-600 mb-4">
                    We regularly audit AI responses for potential bias across demographics, case types,
                    and protected characteristics. Report concerns through our Trust Center.
                </p>
                <Link to="/trust-center#report" className="text-sm font-semibold text-teal-600 hover:text-teal-700 flex items-center
gap-1">
                    Report a Concern <ArrowRight className="w-3 h-3" aria-hidden="true" />
                </Link>
            </article>
        </div>
    </div>
</section>

<section className="py-16 bg-white" aria-labelledby="edge-cases-heading">
    <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
            <div className="inline-flex items-center gap-2 bg-amber-100 px-4 py-2 rounded-full mb-4">
                <HelpCircle className="w-4 h-4 text-amber-600" aria-hidden="true" />
                <span className="text-sm font-semibold text-amber-900">Edge Cases</span>
            </div>
            <h2 id="edge-cases-heading" className="text-3xl font-bold text-navy-900 mb-4">What Happens When Things Are
Unclear</h2>
            <p className="text-navy-600 max-w-2xl mx-auto">
                No AI system is perfect. Here is how our system handles common edge cases and what you should do in each scenario.
            </p>
        </div>

        <div className="grid md:grid-cols-2 gap-6">
            <article className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
                <div className="flex items-start gap-4">
                    <div className="w-10 h-10 bg-amber-100 rounded-xl flex items-center justify-center flex-shrink-0">
                        <HelpCircle className="w-5 h-5 text-amber-600" aria-hidden="true" />
                    </div>
                    <div>
                        <h3 className="font-bold text-navy-900 mb-2">Jurisdiction Is Unknown</h3>

```

<p className="text-sm text-navy-600 mb-3">
 If we cannot determine your state from your question or profile, we ask you to confirm before proceeding.
 Until confirmed, responses provide general U.S. legal information with a clear disclaimer.
 </p>
 <p className="text-xs text-amber-700 font-medium bg-amber-50 rounded px-3 py-1.5 border border-amber-200">
 What to do: Select your state in the jurisdiction selector before asking your question.
 </p>
 </div>
 </div>
 </article>

 <article className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
 <div className="flex items-start gap-4">
 <div className="w-10 h-10 bg-amber-100 rounded-xl flex items-center justify-center flex-shrink-0">
 <Globe className="w-5 h-5 text-amber-600" aria-hidden="true" />
 </div>
 <div>
 <h3 className="font-bold text-navy-900 mb-2">Multiple States Are Involved</h3>
 <p className="text-sm text-navy-600 mb-3">
 Some issues span state lines (e.g., remote employment, interstate custody). The system flags multi-state
 scenarios and explains which state's law likely applies, but recommends attorney review.
 </p>
 <p className="text-xs text-amber-700 font-medium bg-amber-50 rounded px-3 py-1.5 border border-amber-200">
 What to do: Mention all relevant states in your question and consult an attorney for multi-state matters.
 </p>
 </div>
 </div>
 </article>

 <article className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
 <div className="flex items-start gap-4">
 <div className="w-10 h-10 bg-amber-100 rounded-xl flex items-center justify-center flex-shrink-0">
 <AlertTriangle className="w-5 h-5 text-amber-600" aria-hidden="true" />
 </div>
 <div>
 <h3 className="font-bold text-navy-900 mb-2">Sources Conflict or Are Ambiguous</h3>
 <p className="text-sm text-navy-600 mb-3">
 When retrieved sources point to different conclusions (e.g., conflicting court decisions or recent legislative
 changes), the system presents both perspectives and notes the conflict explicitly.
 </p>
 <p className="text-xs text-amber-700 font-medium bg-amber-50 rounded px-3 py-1.5 border border-amber-200">
 What to do: Review the cited sources yourself and consult an attorney if the outcome matters.
 </p>
 </div>
 </div>
 </article>

 <article className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
 <div className="flex items-start gap-4">
 <div className="w-10 h-10 bg-amber-100 rounded-xl flex items-center justify-center flex-shrink-0">
 <Search className="w-5 h-5 text-amber-600" aria-hidden="true" />
 </div>
 <div>
 <h3 className="font-bold text-navy-900 mb-2">No Authoritative Source Found</h3>
 <p className="text-sm text-navy-600 mb-3">
 If our knowledge base does not contain sufficiently relevant or authoritative sources for your question, the
 system tells you so rather than guessing. It suggests alternative resources or attorney consultation.
 </p>
 <p className="text-xs text-amber-700 font-medium bg-amber-50 rounded px-3 py-1.5 border border-amber-200">
 What to do: Try rephrasing your question with more specifics, or contact a local legal aid organization.
 </p>
 </div>
 </div>
 </article>
 </div>
 </div>
 </section>

 <section id="citation-policy" className="py-16 bg-white scroll-mt-40" aria-labelledby="citation-policy-heading">
 <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
 <div className="text-center mb-10">
 <div className="inline-flex items-center gap-2 bg-teal-100 px-4 py-2 rounded-full mb-4">
 <Quote className="w-4 h-4 text-teal-700" aria-hidden="true" />
 Citation Policy
 </div>
 <h2 id="citation-policy-heading" className="text-3xl font-bold text-navy-900 mb-3">How We Cite the Law</h2>
 <p className="text-navy-600 max-w-2xl mx-auto">
 Every substantive legal statement in an answer is traceable to a source. Here is how citations are selected,
 verified, and displayed.
 </p>
 </div>
 <div className="grid md:grid-cols-2 gap-6">
 <article className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
 <h3 className="font-bold text-navy-900 mb-2">Source hierarchy</h3>
 <ol className="text-sm text-navy-700 space-y-1 list-decimal list-inside">
 Primary: statutes, regulations, and binding appellate opinions.
 Secondary: official agency guidance and court self-help pages.
 Tertiary: reputable legal aid explainers, used only for plain-language framing.

 </article>
 <article className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
 <h3 className="font-bold text-navy-900 mb-2">What we will not cite</h3>
 <ul className="text-sm text-navy-700 space-y-1 list-disc list-inside">
 Law-firm marketing pages, paywalled aggregators, or unverified forum posts.
 Fabricated or inferred citations - the model must quote the retrieved passage verbatim.
 Out-of-jurisdiction authorities presented as if controlling.

 </article>
 </div>
 </section>

```
        </ul>
    </article>
    <article className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
        <h3 className="font-bold text-navy-900 mb-2">Display rules</h3>
        <ul className="text-sm text-navy-700 space-y-1 list-disc list-inside">
            <li>Citations render inline with section/statute numbers and a link to the official source.</li>
            <li>Every answer shows a "Sources" list with retrieval date.</li>
            <li>If a claim cannot be cited, it is marked "general information" and excluded from action-oriented
guidance.</li>
        </ul>
    </article>
    <article className="bg-navy-50 rounded-2xl p-6 border border-navy-200">
        <h3 className="font-bold text-navy-900 mb-2">Verification</h3>
        <ul className="text-sm text-navy-700 space-y-1 list-disc list-inside">
            <li>Generated citations are string-matched against the retrieved corpus before display.</li>
            <li>Unverified citations are dropped and the system retries retrieval.</li>
            <li>Users can click any citation to view the source text and retrieval timestamp.</li>
        </ul>
    </article>
</div>
</div>
</section>

<section id="hallucination-mitigation" className="py-16 bg-navy-50 scroll-mt-40" aria-labelledby="hallucination-heading">
    <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-10">
            <div className="inline-flex items-center gap-2 bg-amber-100 px-4 py-2 rounded-full mb-4">
                <BadgeCheck className="w-4 h-4 text-amber-700" aria-hidden="true" />
                <span className="text-sm font-semibold text-navy-900">Hallucination Mitigation</span>
            </div>
            <h2 id="hallucination-heading" className="text-3xl font-bold text-navy-900 mb-3">How We Guard Against Made-Up
Answers</h2>
            <p className="text-navy-600 max-w-2xl mx-auto">
                No AI system is perfect. These are the specific controls we use to keep answers grounded in real law and to surface
uncertainty when we cannot.
            </p>
        </div>
        <div className="grid md:grid-cols-2 gap-6">
            <article className="bg-white rounded-2xl p-6 border border-navy-200">
                <h3 className="font-bold text-navy-900 mb-2">Grounded retrieval</h3>
                <p className="text-sm text-navy-600">
                    The model is prompted to answer only from retrieved passages. If retrieval returns no relevant chunks above our
similarity threshold, the system responds "I don't have a verified source for this" rather than generating.
                </p>
            </article>
            <article className="bg-white rounded-2xl p-6 border border-navy-200">
                <h3 className="font-bold text-navy-900 mb-2">Citation verification</h3>
                <p className="text-sm text-navy-600">
                    Every statute or case citation produced by the model is checked against the retrieval index. Unverifiable
citations are removed and the answer is regenerated without them.
                </p>
            </article>
            <article className="bg-white rounded-2xl p-6 border border-navy-200">
                <h3 className="font-bold text-navy-900 mb-2">Jurisdiction gating</h3>
                <p className="text-sm text-navy-600">
                    Retrieval is filtered by the user's declared state. Answers that drift to another jurisdiction are flagged and
rewritten with an explicit state label.
                </p>
            </article>
            <article className="bg-white rounded-2xl p-6 border border-navy-200">
                <h3 className="font-bold text-navy-900 mb-2">Confidence and uncertainty</h3>
                <p className="text-sm text-navy-600">
                    Low-coverage topics, conflicting sources, or novel legislation trigger a visible "Low coverage" or "Conflicting
authority" badge and a recommendation to consult counsel.
                </p>
            </article>
            <article className="bg-white rounded-2xl p-6 border border-navy-200">
                <h3 className="font-bold text-navy-900 mb-2">Scope filters</h3>
                <p className="text-sm text-navy-600">
                    Prompts requesting strategy, predicted outcomes, or pleadings are routed to an information-only response with an
attorney-referral CTA.
                </p>
            </article>
            <article className="bg-white rounded-2xl p-6 border border-navy-200">
                <h3 className="font-bold text-navy-900 mb-2">Monitoring and feedback</h3>
                <p className="text-sm text-navy-600">
                    Every response includes a "Report an issue" control. Reports are reviewed weekly; recurring errors feed prompt
updates, new retrieval sources, and guardrail rules.
                </p>
            </article>
        </div>
    </div>
</section>

<section id="escalation-logic" className="py-16 bg-white scroll-mt-40" aria-labelledby="escalation-heading">
    <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-10">
            <div className="inline-flex items-center gap-2 bg-red-100 px-4 py-2 rounded-full mb-4">
                <AlertTriangle className="w-4 h-4 text-red-700" aria-hidden="true" />
                <span className="text-sm font-semibold text-navy-900">Escalation Logic</span>
            </div>
            <h2 id="escalation-heading" className="text-3xl font-bold text-navy-900 mb-3">When the AI Hands Off to a Human</h2>
            <p className="text-navy-600 max-w-2xl mx-auto">
                Some questions must not be answered by AI alone. These are the triggers that route a user to crisis resources, pro
bono intake, or a licensed attorney.
            </p>
        </div>
    </div>
</section>
```



```
</div>
<div className="grid md:grid-cols-3 gap-6">
  <article className="bg-red-50 rounded-2xl p-6 border border-red-200">
    <div className="w-10 h-10 bg-red-100 rounded-xl flex items-center justify-center mb-3">
      <Phone className="w-5 h-5 text-red-700" aria-hidden="true" />
    </div>
    <h3 className="font-bold text-navy-900 mb-2">Tier 1 - Crisis</h3>
    <p className="text-sm text-navy-700 mb-3">
      Safety risk, domestic violence, active arrest, child endangerment, or threats of harm.
    </p>
    <p className="text-xs text-red-800 font-semibold bg-red-100 rounded px-2 py-1">
      Action: immediate crisis strip with 911, hotlines, and Quick Exit. Chat pauses until user acknowledges.
    </p>
  </article>
  <article className="bg-amber-50 rounded-2xl p-6 border border-amber-200">
    <div className="w-10 h-10 bg-amber-100 rounded-xl flex items-center justify-center mb-3">
      <Clock className="w-5 h-5 text-amber-700" aria-hidden="true" />
    </div>
    <h3 className="font-bold text-navy-900 mb-2">Tier 2 - Time-critical</h3>
    <p className="text-sm text-navy-700 mb-3">
      Statutes of limitations, court deadlines, eviction notices, ICE detainees, or imminent hearings.
    </p>
    <p className="text-xs text-amber-800 font-semibold bg-amber-100 rounded px-2 py-1">
      Action: route to attorney directory or legal aid intake, with deadline preserved in the matter record.
    </p>
  </article>
  <article className="bg-teal-50 rounded-2xl p-6 border border-teal-200">
    <div className="w-10 h-10 bg-teal-100 rounded-xl flex items-center justify-center mb-3">
      <Users className="w-5 h-5 text-teal-700" aria-hidden="true" />
    </div>
    <h3 className="font-bold text-navy-900 mb-2">Tier 3 - Complex</h3>
    <p className="text-sm text-navy-700 mb-3">
      Multi-jurisdiction, contested custody, criminal defense, or matters requiring courtroom representation.
    </p>
    <p className="text-xs text-teal-800 font-semibold bg-teal-100 rounded px-2 py-1">
      Action: provide information, flag attorney-only scope, and surface directory + pro bono eligibility.
    </p>
  </article>
</div>
<div className="mt-8 bg-navy-50 rounded-2xl p-6 border border-navy-200">
  <h3 className="font-bold text-navy-900 mb-2">How triggers are detected</h3>
  <ul className="text-sm text-navy-700 space-y-1 list-disc list-inside">
    <li>Keyword and intent classifiers run on every user turn before the model drafts a response.</li>
    <li>A safety gate can override the model's output and substitute a crisis or handoff message.</li>
    <li>All escalations are logged in our audit trail with a reason code and the action taken.</li>
    <li>Users can always bypass the AI and go directly to <Link to="/emergency-resources" className="text-teal-700 underline">Emergency Resources</Link> or <Link to="/pro-bono" className="text-teal-700 underline">Pro Bono Intake</Link>.</li>
  </ul>
</div>
</div>
</section>

<section id="privacy-handling" className="py-16 bg-navy-50 scroll-mt-40" aria-labelledby="privacy-handling-heading">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <div className="inline-flex items-center gap-2 bg-teal-100 px-4 py-2 rounded-full mb-4">
        <Lock className="w-4 h-4 text-teal-600" aria-hidden="true" />
        <span className="text-sm font-semibold text-navy-900">Your Privacy</span>
      </div>
      <h2 id="privacy-handling-heading" className="text-3xl font-bold text-navy-900 mb-4">How Your Data Is Handled</h2>
      <p className="text-navy-600 max-w-2xl mx-auto">
        Understanding how our AI works includes knowing what happens to your data. Here are the essentials.
      </p>
    </div>

    <div className="grid md:grid-cols-3 gap-6">
      <article className="bg-white rounded-2xl p-6 border border-navy-200">
        <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center mb-4">
          <Database className="w-6 h-6 text-teal-600" aria-hidden="true" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">What We Store</h3>
        <p className="text-sm text-navy-600">
          Your chat history (so you can refer back to it), account information, and anonymized usage data to improve the service. All data is encrypted at rest and in transit.
        </p>
      </article>

      <article className="bg-white rounded-2xl p-6 border border-navy-200">
        <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center mb-4">
          <Eye className="w-6 h-6 text-teal-600" aria-hidden="true" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">What We Don't Do</h3>
        <p className="text-sm text-navy-600">
          We do not sell your data, share it with advertisers, or use your conversations to train AI models. Your legal questions remain confidential within the bounds of our privacy policy.
        </p>
      </article>

      <article className="bg-white rounded-2xl p-6 border border-navy-200">
        <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center mb-4">
          <Trash2 className="w-6 h-6 text-teal-600" aria-hidden="true" />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">Your Control</h3>
        <p className="text-sm text-navy-600">
          You can export your data or request complete deletion at any time from your account settings. Free-tier conversations are automatically purged after 30 days.
        </p>
      </article>
    </div>
  </div>
</section>
```

```

    </p>
  </article>
</div>

<div className="mt-8 flex flex-wrap justify-center gap-6">
  <Link
    to="/privacy"
    className="inline-flex items-center gap-2 text-teal-600 hover:text-teal-700 font-semibold text-sm"
  >
    Read Full Privacy Policy <ArrowRight className="w-4 h-4" aria-hidden="true" />
  </Link>
  <Link
    to="/trust-center"
    className="inline-flex items-center gap-2 text-teal-600 hover:text-teal-700 font-semibold text-sm"
  >
    Visit Trust Center <ArrowRight className="w-4 h-4" aria-hidden="true" />
  </Link>
</div>
</div>
</section>

<section className="py-16 bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <h2 className="text-3xl font-bold mb-4">Questions About Our AI?</h2>
    <p className="text-teal-100 mb-8 max-w-2xl mx-auto">
      We're committed to transparency. If you have questions about how our AI works,
      its limitations, or how to use it responsibly, we're here to help.
    </p>
    <div className="flex flex-wrap justify-center gap-4">
      <Link
        to="/ai-governance"
        className="inline-flex items-center gap-2 bg-white text-teal-600 px-6 py-3 rounded-lg font-semibold hover:bg-navy-50
transition-colors"
      >
        <Shield className="w-4 h-4" aria-hidden="true" />
        AI Governance Policy
      </Link>
      <Link
        to="/trust-center"
        className="inline-flex items-center gap-2 bg-white/10 border border-white/30 text-white px-6 py-3 rounded-lg
font-semibold hover:bg-white/20 transition-colors"
      >
        <HelpCircle className="w-4 h-4" aria-hidden="true" />
        Trust Center
      </Link>
      <Link
        to="/contact"
        className="inline-flex items-center gap-2 bg-white/10 border border-white/30 text-white px-6 py-3 rounded-lg
font-semibold hover:bg-white/20 transition-colors"
      >
        <MessageSquare className="w-4 h-4" aria-hidden="true" />
        Contact Us
      </Link>
    </div>
  </div>
</section>
</main>

<Footer />
</div>
);
}

```

[26/58] How Reports Are Reviewed

Route: /how-reports-are-reviewed | File: src/pages/HowReportsAreReviewed.tsx

```
import { Link } from 'react-router-dom';
import {
  ShieldCheck,
  Clock,
  Users,
  FileSearch,
  Scale,
  AlertTriangle,
  CheckCircle2,
  ArrowRight,
  Phone,
  Mail,
  Flag,
  Lock,
  Database,
  Eye,
  Trash2,
  Gavel
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

const REVIEW_STEPS = [
  {
    number: 1,
    title: 'Receipt & Acknowledgment',
    description: 'When you submit a report, our system immediately logs it with a unique identifier. You will receive an automated confirmation email within minutes.',
    metaIcon: Clock,
    metaText: 'Automated acknowledgment: typically under 5 minutes',
  },
  {
    number: 2,
    title: 'Automated Triage',
    description: 'Our system categorizes reports by type and severity. Crisis-related reports are immediately flagged for human review, while accuracy concerns are queued for specialist evaluation.',
    priorities: [
      { label: 'Priority 1', value: 'Safety concerns', color: 'red' },
      { label: 'Priority 2', value: 'Legal accuracy', color: 'amber' },
      { label: 'Priority 3', value: 'Citation issues', color: 'teal' },
      { label: 'Priority 4', value: 'General feedback', color: 'navy' },
    ],
  },
  {
    number: 3,
    title: 'Human Review',
    description: 'A trained reviewer examines the reported AI response, the context of the conversation, and any relevant legal sources. For legal accuracy concerns, our review team includes individuals with legal training.',
    metaIcon: Users,
    metaText: 'All reports reviewed by qualified staff within 1-2 business days',
  },
  {
    number: 4,
    title: 'Source Verification',
    description: 'For accuracy-related reports, we verify the AI\'s response against our trusted legal source database. We check statute citations, case law references, and jurisdictional applicability.',
    metaIcon: FileSearch,
    metaText: 'Cross-referenced with official state and federal databases',
  },
  {
    number: 5,
    title: 'Resolution & System Improvement',
    description: 'If an issue is confirmed, we take corrective action: updating our knowledge base, adjusting prompt constraints, or flagging patterns for model improvement. You will receive an email update on the outcome.',
    metaIcon: CheckCircle2,
    metaText: 'Reporter notified within 5 business days of submission',
  },
] as const;

const REVIEW_CATEGORIES = [
  {
    icon: Scale,
    title: 'Legal Accuracy',
    items: ['Correct statute citations', 'Accurate case law references', 'Proper jurisdictional context', 'Current law (not outdated)'],
  },
  {
    icon: ShieldCheck,
    title: 'Safety & Ethics',
    items: ['Appropriate disclaimers present', 'No harmful advice given', 'Crisis resources offered when needed', 'Attorney referral when appropriate'],
  },
  {
    icon: Users,
    title: 'Bias & Fairness',
    items: ['Neutral, unbiased language', 'No discriminatory content', 'Balanced presentation of options', 'Culturally sensitive responses'],
  },
]
```

```

        icon: FileSearch,
        title: 'Source Integrity',
        items: ['Citations link to real sources', 'Quotes accurately represented', 'No fabricated references', 'Provenance tracking
intact'],
    },
] as const;

const PRIORITY_COLORS: Record<string, { bg: string; label: string; value: string }> = {
    red: { bg: 'bg-red-50', label: 'text-red-700', value: 'text-red-600' },
    amber: { bg: 'bg-amber-50', label: 'text-amber-700', value: 'text-amber-600' },
    teal: { bg: 'bg-teal-50', label: 'text-teal-700', value: 'text-teal-600' },
    navy: { bg: 'bg-navy-50', label: 'text-navy-700', value: 'text-navy-600' },
};

function QuickActions() {
    return (
        <nav aria-label="Quick actions" className="bg-white border border-navy-200 rounded-xl p-4 mb-10">
            <div className="flex flex-wrap items-center gap-3 justify-center sm:justify-start">
                <span className="text-sm font-medium text-navy-500 mr-1">Quick actions:</span>
                <Link
                    to="/trust-center#report"
                    className="inline-flex items-center gap-1.5 bg-teal-600 text-white px-4 py-2 rounded-lg text-sm font-medium
hover:bg-teal-700 transition-colors"
                >
                    <Flag className="w-3.5 h-3.5" />
                    Submit a Report
                </Link>
                <Link
                    to="/emergency-resources"
                    className="inline-flex items-center gap-1.5 bg-red-600 text-white px-4 py-2 rounded-lg text-sm font-medium
hover:bg-red-700 transition-colors"
                >
                    <Phone className="w-3.5 h-3.5" />
                    Crisis Resources
                </Link>
                <Link
                    to="/find-attorney"
                    className="inline-flex items-center gap-1.5 bg-white text-navy-700 px-4 py-2 rounded-lg text-sm font-medium border
border-navy-300 hover:bg-navy-50 transition-colors"
                >
                    <Gavel className="w-3.5 h-3.5" />
                    Find a Lawyer
                </Link>
            </div>
        </nav>
    );
}

function ReviewStepCard({ step }: { step: typeof REVIEW_STEPS[number] }) {
    return (
        <li className="bg-white rounded-xl border border-navy-200 p-6">
            <div className="flex gap-4">
                <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0" aria-hidden="true">
                    <span className="text-navy-700 font-bold">{step.number}</span>
                </div>
                <div>
                    <h2 className="font-semibold text-navy-900 mb-2">{step.title}</h2>
                    <p className="text-navy-600 text-sm mb-3">{step.description}</p>
                    { 'priorities' in step && step.priorities && (
                        <div className="grid grid-cols-1 sm:grid-cols-2 gap-3 text-sm">
                            {step.priorities.map((p) => {
                                const colors = PRIORITY_COLORS[p.color];
                                return (
                                    <div key={p.label} className={` ${colors.bg} rounded-lg p-3`}>
                                        <span className={` ${colors.label} font-medium`}>{p.label}</span>
                                        <span className={` ${colors.value} ml-1`}>{p.value}</span>
                                    </div>
                                );
                            })}
                        </div>
                    )
                }
                { 'metaIcon' in step && step.metaIcon && (
                    <div className="flex items-center gap-2 text-sm text-navy-500">
                        <span>{step.metaIcon} </span>
                        <span>{step.metaText}</span>
                    </div>
                )
            }
        </div>
    </li>
);
}

function ReportDataSection() {
    const dataItems = [
        { icon: Database, title: 'What we collect', description: 'Your report description, the category you select, and the AI
conversation you flag. If you are signed in, your account email is attached so we can follow up. Anonymous reports are accepted but
limit our ability to respond.' },
        { icon: Eye, title: 'Who can access it', description: 'Reports are visible only to the ezLegal Trust & Safety team. They are not
shared with other users, third-party services, or external organizations unless a credible, imminent threat of physical harm
requires emergency-service contact (see escalation policy above).' },
        { icon: Lock, title: 'How it is secured', description: 'Reports are stored in our encrypted database with row-level security.
Access is logged and auditable. Only authorized Trust & Safety personnel with multi-factor authentication can view report details.' },
        { icon: Trash2, title: 'How long it is retained', description: 'Reports are retained for 12 months after resolution to support
pattern analysis and AI improvement. After 12 months, personally identifiable information is removed; anonymized data may be

```

```

retained for aggregate safety metrics.' },
];

return (
  <section className="mb-12" aria-labelledby="report-data-heading">
    <h2 id="report-data-heading" className="text-2xl font-bold text-navy-900 mb-6">What Data Is Included in a Report</h2>
    <div className="space-y-4">
      {dataItems.map((item) => (
        <div key={item.title} className="bg-white rounded-xl border border-navy-200 p-5">
          <div className="flex gap-4">
            <item.icon className="w-5 h-5 text-teal-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
            <div>
              <h3 className="font-semibold text-navy-900 mb-1">{item.title}</h3>
              <p className="text-navy-600 text-sm">{item.description}</p>
            </div>
          </div>
        </div>
      ))}
    </div>
  </section>
);

export default function HowReportsAreReviewed() {
  return (
    <div className="min-h-screen bg-navy-50">
      <Navigation />
      <header className="bg-navy-900 text-white py-16 pt-32">
        <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="flex items-center gap-3 mb-4">
            <div className="w-12 h-12 bg-teal-500/20 rounded-xl flex items-center justify-center">
              <ShieldCheck className="w-6 h-6 text-teal-400" />
            </div>
            <span className="text-teal-400 font-medium">Trust & Safety</span>
          </div>
          <h1 className="text-4xl font-bold mb-4">How Reports Are Reviewed</h1>
          <p className="text-xl text-navy-300 max-w-2xl">
            Our commitment to transparency means you know exactly how we handle concerns about AI responses, content accuracy, and
            user safety.
          </p>
        </div>
      </header>

      <main className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 py-12">
        <div className="bg-amber-50 border border-amber-200 rounded-xl p-6 mb-6" role="alert">
          <div className="flex gap-4">
            <AlertTriangle className="w-6 h-6 text-amber-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
            <div>
              <h2 className="font-semibold text-amber-900 mb-1">Immediate Escalation</h2>
              <p className="text-amber-800 text-sm mb-3">
                Reports indicating a credible, imminent threat of physical harm to any person are escalated immediately to our Trust
                & Safety team and, if necessary, to emergency services (e.g., 911 or 988 Suicide & Crisis Lifeline).
              </p>
              <div className="bg-amber-100/60 rounded-lg p-3 text-sm text-amber-900 space-y-1.5">
                <p className="font-medium">What this means for your privacy:</p>
                <ul className="list-disc list-inside space-y-1 text-amber-800">
                  <li>Only situations involving imminent physical harm may involve outside contact</li>
                  <li>Routine reports about AI accuracy, bias, or general concerns are never shared outside ezLegal</li>
                  <li>Your immigration status, legal questions, and personal details are never reported to law enforcement</li>
                  <li>If escalation occurs, only the minimum information necessary is shared</li>
                </ul>
              </div>
            </div>
          </div>
        </div>

        <QuickActions />

        <section className="mb-12" aria-labelledby="review-process-heading">
          <h2 id="review-process-heading" className="text-2xl font-bold text-navy-900 mb-6">Review Process Overview</h2>
          <ol className="space-y-6 list-none p-0" role="list">
            {REVIEW_STEPS.map((step) => (
              <ReviewStepCard key={step.number} step={step} />
            ))}
          </ol>
        </section>

        <section className="mb-12" aria-labelledby="review-categories-heading">
          <h2 id="review-categories-heading" className="text-2xl font-bold text-navy-900 mb-6">What We Review For</h2>
          <div className="grid md:grid-cols-2 gap-4">
            {REVIEW_CATEGORIES.map((cat) => (
              <div key={cat.title} className="bg-white rounded-xl border border-navy-200 p-5">
                <cat.icon className="w-5 h-5 text-teal-600 mb-3" aria-hidden="true" />
                <h3 className="font-semibold text-navy-900 mb-2">{cat.title}</h3>
                <ul className="text-sm text-navy-600 space-y-1.5">
                  {cat.items.map((item) => (
                    <li key={item}>{item}</li>
                  ))}
                </ul>
              </div>
            ))}
          </div>
        </section>

        <ReportDataSection />

```

```

<section className="mb-12" aria-labelledby="commitments-heading">
  <h2 id="commitments-heading" className="text-2xl font-bold text-navy-900 mb-6">Our Commitments</h2>
  <div className="bg-white rounded-xl border border-navy-200 p-6">
    <ul className="space-y-4 list-none p-0">
      <li className="flex items-start gap-3">
        <CheckCircle2 className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
        <div>
          <span className="font-medium text-navy-900">Transparency:</span>
          <span className="text-navy-600 ml-1">We tell you what we found and what action we took</span>
        </div>
      </li>
      <li className="flex items-start gap-3">
        <CheckCircle2 className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
        <div>
          <span className="font-medium text-navy-900">No Retaliation:</span>
          <span className="text-navy-600 ml-1">Your account is never penalized for good-faith reports</span>
        </div>
      </li>
      <li className="flex items-start gap-3">
        <CheckCircle2 className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
        <div>
          <span className="font-medium text-navy-900">Continuous Improvement:</span>
          <span className="text-navy-600 ml-1">Reports directly inform our AI safety and accuracy work</span>
        </div>
      </li>
      <li className="flex items-start gap-3">
        <CheckCircle2 className="w-5 h-5 text-success-600 flex-shrink-0 mt-0.5" aria-hidden="true" />
        <div>
          <span className="font-medium text-navy-900">Human Oversight:</span>
          <span className="text-navy-600 ml-1">Every report is reviewed by a real person, not just algorithms</span>
        </div>
      </li>
    </ul>
  </div>
</section>

<section className="mb-12" aria-labelledby="submit-report-heading">
  <h2 id="submit-report-heading" className="text-2xl font-bold text-navy-900 mb-6">Submit a Report</h2>
  <div className="bg-navy-100 rounded-xl p-6">
    <p className="text-navy-600 mb-4">
      If you've encountered an AI response that concerns you, we want to know. Your feedback helps us improve.
    </p>
    <p className="text-navy-500 text-sm mb-6">
      After submitting, you will receive an automated confirmation email. Our team will review your report and send you an
      update within 5 business days.
    </p>
    <div className="flex flex-wrap gap-4">
      <Link
        to="/trust-center#report"
        className="inline-flex items-center gap-2 bg-teal-600 text-white px-5 py-2.5 rounded-lg font-medium
        hover:bg-teal-700 transition-colors"
      >
        <Flag className="w-4 h-4" />
        Report a Concern
        <ArrowRight className="w-4 h-4" />
      </Link>
      <a
        href="mailto:trust@ezlegal.ai"
        className="inline-flex items-center gap-2 bg-white text-navy-700 px-5 py-2.5 rounded-lg font-medium border
        border-navy-300 hover:bg-navy-50 transition-colors"
      >
        <Mail className="w-4 h-4" />
        trust@ezlegal.ai
      </a>
    </div>
  </div>
</section>

<div className="bg-red-50 border border-red-200 rounded-xl p-6" role="alert">
  <div className="flex gap-4">
    <Phone className="w-6 h-6 text-red-600 flex-shrink-0" aria-hidden="true" />
    <div>
      <h2 className="font-semibold text-red-900 mb-2">Immediate Safety Concerns</h2>
      <p className="text-red-800 text-sm mb-3">
        If you or someone else is in immediate danger, please contact emergency services directly.
      </p>
      <Link
        to="/emergency-resources"
        className="inline-flex items-center gap-2 text-red-700 font-medium hover:text-red-800"
      >
        View Crisis Resources
        <ArrowRight className="w-4 h-4" />
      </Link>
    </div>
  </div>
</div>
</main>
<Footer />
</div>
  );
}

```

[27/58] ICP Prototype

Route: /icp-prototype | File: src/pages/IcpPrototype.tsx

```
import { useMemo, useState } from 'react';
import { Link } from 'react-router-dom';
import { ThumbsUp, ThumbsDown, ShieldAlert, BookOpen, MapPin, Clock, CheckCircle2, AlertTriangle, Scale, Building2, HeartHandshake, Sparkles, ArrowRight, Gauge, FileCheck2, Globe as Globe2, Info } from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

type Persona = 'individual' | 'business' | 'legal_aid';
type ReadingLevel = 'plain' | 'simpler' | 'technical';

const personaCopy: Record<Persona, { label: string; cta: string; sub: string; Icon: typeof Scale }> = {
  individual: {
    label: 'Individuals',
    cta: 'Get safe next steps',
    sub: 'Plain-language answers in English or Spanish with urgent-help routing.',
    Icon: Scale,
  },
  business: {
    label: 'Small Business',
    cta: 'Check my business issue',
    sub: 'Contractor forms, compliance checklists, and possible outcomes.',
    Icon: Building2,
  },
  legal_aid: {
    label: 'Legal Aid / Org',
    cta: 'Request partner demo',
    sub: 'White-label widget, grant reporting, and audit-ready governance.',
    Icon: HeartHandshake,
  },
};

const evalMetrics = [
  { label: 'Citation accuracy', value: 96.4, trend: '+1.2', tone: 'emerald' },
  { label: 'Jurisdiction accuracy', value: 94.1, trend: '+0.8', tone: 'teal' },
  { label: 'Spanish parity', value: 92.7, trend: '+2.4', tone: 'sky' },
  { label: 'Refusal accuracy', value: 98.0, trend: '+0.3', tone: 'slate' },
];

const jurisdictionMatrix = [
  { state: 'California', statutes: 'Full', regs: 'Full', caselaw: 'Broad', forms: 'Full', spanish: 96 },
  { state: 'Texas', statutes: 'Full', regs: 'Full', caselaw: 'Broad', forms: 'Partial', spanish: 89 },
  { state: 'Arizona', statutes: 'Full', regs: 'Full', caselaw: 'Full', forms: 'Full', spanish: 94 },
  { state: 'New York', statutes: 'Full', regs: 'Partial', caselaw: 'Broad', forms: 'Partial', spanish: 87 },
  { state: 'Florida', statutes: 'Full', regs: 'Full', caselaw: 'Broad', forms: 'Partial', spanish: 91 },
];

const sampleCitations = [
  {
    label: 'A.R.S. § 33-1368',
    summary: 'Arizona Residential Landlord Tenant Act – noncompliance by tenant',
    url: 'https://www.azleg.gov/ars/33/01368.htm',
  },
  {
    label: 'A.R.S. § 33-1375',
    summary: 'Periodic tenancy; hold-over remedies',
    url: 'https://www.azleg.gov/ars/33/01375.htm',
  },
];

export default function IcpPrototype() {
  const [persona, setPersona] = useState<Persona>('individual');
  const [readingLevel, setReadingLevel] = useState<ReadingLevel>('plain');
  const [feedback, setFeedback] = useState<'up' | 'down' | null>(null);
  const [feedbackReason, setFeedbackReason] = useState<string>('');
  const [refusalOpen, setRefusalOpen] = useState(false);

  const persCopy = personaCopy[persona];

  const answerBody = useMemo(() => {
    if (readingLevel === 'technical') {
      return 'Under A.R.S. § 33-1368(B), a landlord may terminate a rental agreement for a material noncompliance that materially affects health and safety on 5 days\' written notice; for nonpayment of rent, § 33-1368(B) authorizes termination on 5 days\' notice unless cured. Jurisdictional overlays from local ordinances (e.g., Phoenix City Code § 18-4) may impose additional notice and cure requirements.';
    }
    if (readingLevel === 'simpler') {
      return 'In Arizona, your landlord usually must give you 5 days of written notice to pay rent before they can try to evict you. Some cities add extra steps. Save every notice and text you get.';
    }
    return 'In Arizona, your landlord generally needs to give you a written 5-day notice to pay rent before filing to evict. City rules can add protections. Keep every notice and message you receive.';
  }, [readingLevel]);

  return (
    <>
    <Navigation />
    <main id="main-content" className="pt-24 bg-slate-50 min-h-screen">
      <div className="mx-auto max-w-6xl px-4 pb-20">
        <header className="mb-8">
```

```

    <div className="inline-flex items-center gap-2 rounded-full bg-teal-50 px-3 py-1 text-xs font-semibold text-teal-700
ring-1 ring-teal-200">
      <Sparkles className="h-3.5 w-3.5" />
      ICP Enhancements Prototype
    </div>
    <h1 className="mt-3 text-3xl font-bold text-slate-900 sm:text-4xl">
      Best-in-class ICP upgrades, previewed end-to-end
    </h1>
    <p className="mt-2 max-w-2xl text-base text-slate-600 leading-relaxed">
      A working preview of the Phase 1 trust-and-safety improvements from the gap analysis:
      per-answer feedback, refusal transparency, public evaluation metrics, source freshness,
      reading-level controls, and contextual per-ICP CTAs.
    </p>
  </header>

  <section className="mb-10 rounded-2xl border border-slate-200 bg-white p-6 shadow-sm">
    <div className="flex items-center gap-2 text-xs font-semibold uppercase tracking-wide text-slate-500">
      <Gauge className="h-3.5 w-3.5" />
      Pick the audience
    </div>
    <div className="mt-3 grid grid-cols-1 gap-3 sm:grid-cols-3">
      {(Object.keys(personaCopy) as Persona[]).map((key) => {
        const { label, sub, cta, Icon } = personaCopy[key];
        const active = persona === key;
        return (
          <button
            key={key}
            type="button"
            onClick={() => setPersona(key)}
            aria-pressed={active}
            className={`text-left rounded-xl border p-4 transition focus:outline-none focus:ring-2 focus:ring-teal-500 ${
              active
                ? 'border-teal-500 bg-teal-50/60 ring-1 ring-teal-300'
                : 'border-slate-200 bg-white hover:border-teal-300'
            }`}
          >
            <div className="flex items-center gap-2">
              <span className="inline-flex h-8 w-8 items-center justify-center rounded-lg bg-emerald-50 text-emerald-600">
                <Icon className="h-4 w-4" />
              </span>
              <div className="text-sm font-semibold text-slate-900">{label}</div>
            </div>
            <p className="mt-2 text-xs text-slate-600 leading-relaxed">{sub}</p>
            <div className="mt-3 inline-flex items-center gap-1 text-sm font-semibold text-teal-700">
              {cta}
              <ArrowRight className="h-3.5 w-3.5" />
            </div>
          </button>
        );
      })}
    </div>
    <div className="mt-4 flex flex-wrap gap-2 text-xs text-slate-500">
      <span className="inline-flex items-center gap-1 rounded-full bg-slate-100 px-2 py-1">
        <Clock className="h-3 w-3" /> Sources updated 3 days ago
      </span>
      <span className="inline-flex items-center gap-1 rounded-full bg-slate-100 px-2 py-1">
        <Globe2 className="h-3 w-3" /> Spanish parity 92.7%
      </span>
      <span className="inline-flex items-center gap-1 rounded-full bg-slate-100 px-2 py-1">
        <FileCheck2 className="h-3 w-3" /> Attorney-reviewed prompts
      </span>
    </div>
  </section>

  <section className="mb-10 grid grid-cols-1 gap-6 lg:grid-cols-[1.2fr_1fr]">
    <div className="rounded-2xl border border-slate-200 bg-white p-6 shadow-sm">
      <div className="flex items-center justify-between">
        <div className="text-xs font-semibold uppercase tracking-wide text-slate-500">
          Sample answer with citations
        </div>
        <div className="inline-flex items-center gap-1 text-xs text-slate-500">
          <persCopy.Icon className="h-3.5 w-3.5" /> {persCopy.label}
        </div>
      </div>
      <div className="mt-2 text-sm font-semibold text-slate-900">
        Can my landlord evict me if I'm late on rent in Arizona?
      </div>
      <div className="mt-4 flex items-center gap-2 text-xs">
        {[['plain', 'simpler', 'technical'] as ReadingLevel[]].map((lvl) => {
          const active = lvl === readingLevel;
          return (
            <button
              key={lvl}
              type="button"
              onClick={() => setReadingLevel(lvl)}
              className={`rounded-full border px-3 py-1 font-semibold transition ${
                active
                  ? 'border-teal-500 bg-teal-50 text-teal-700'
                  : 'border-slate-200 bg-white text-slate-600 hover:border-teal-300'
              }`}
            >
              {lvl === 'plain' && 'Plain English'}
              {lvl === 'simpler' && 'Simpler (6th grade)'}
              {lvl === 'technical' && 'Legal-technical'}
            </button>
          );
        })}
      </div>
    </div>
  </section>

```



```

    });
  }}
</div>

<p className="mt-4 rounded-lg bg-slate-50 p-4 text-sm leading-relaxed text-slate-800">
  {answerBody}
</p>

<div className="mt-4">
  <div className="text-xs font-semibold uppercase tracking-wide text-slate-500">
    Citations
  </div>
  <ul className="mt-2 space-y-2">
    {sampleCitations.map((c) => (
      <li
        key={c.label}
        className="flex items-start justify-between gap-3 rounded-lg border border-slate-200 bg-white p-3"
      >
        <div className="min-w-0">
          <div className="text-sm font-semibold text-slate-900">{c.label}</div>
          <p className="text-xs text-slate-600">{c.summary}</p>
        </div>
        <a
          href={c.url}
          target="_blank"
          rel="noreferrer noopener"
          className="shrink-0 rounded-md bg-teal-600 px-2.5 py-1.5 text-xs font-semibold text-white hover:bg-teal-700"
        >
          View source
        </a>
      </li>
    ))}
  </ul>
</div>

<div className="mt-5 flex flex-wrap items-center gap-3 border-t border-slate-100 pt-4">
  <span className="text-xs font-semibold text-slate-600">Was this helpful?</span>
  <button
    type="button"
    onClick={() => setFeedback('up')}
    aria-pressed={feedback === 'up'}
    className={`inline-flex items-center gap-1 rounded-full border px-3 py-1 text-xs font-semibold transition ${
      feedback === 'up'
        ? 'border-emerald-500 bg-emerald-50 text-emerald-700'
        : 'border-slate-200 text-slate-600 hover:border-emerald-300'
    }}
  >
    <ThumbsUp className="h-3.5 w-3.5" /> Yes
  </button>
  <button
    type="button"
    onClick={() => setFeedback('down')}
    aria-pressed={feedback === 'down'}
    className={`inline-flex items-center gap-1 rounded-full border px-3 py-1 text-xs font-semibold transition ${
      feedback === 'down'
        ? 'border-amber-500 bg-amber-50 text-amber-700'
        : 'border-slate-200 text-slate-600 hover:border-amber-300'
    }}
  >
    <ThumbsDown className="h-3.5 w-3.5" /> No
  </button>
  {feedback === 'down' && (
    <select
      value={feedbackReason}
      onChange={(e) => setFeedbackReason(e.target.value)}
      className="rounded-md border border-slate-200 bg-white px-2 py-1 text-xs text-slate-700"
    >
      <option value="">Pick a reason</option>
      <option value="inaccurate">Inaccurate</option>
      <option value="outdated">Outdated source</option>
      <option value="not_my_state">Wrong jurisdiction</option>
      <option value="too_complex">Too complex</option>
      <option value="too_generic">Too generic</option>
    </select>
  )}
  <div>
    {feedback && (
      <span className="text-xs text-slate-500">Thanks – logged to ai_response_feedback.</span>
    )}
  </div>
</div>

<div className="flex flex-col gap-6">
  <div className="rounded-2xl border border-amber-200 bg-amber-50 p-5 shadow-sm">
    <div className="flex items-center gap-2 text-sm font-semibold text-amber-900">
      <ShieldAlert className="h-4 w-4" />
      Refusal transparency
    </div>
    <p className="mt-2 text-sm text-amber-900/80 leading-relaxed">
      When the model can't answer safely, we now tell the user why and where to go next.
    </p>
    <button
      type="button"
      onClick={() => setRefusalOpen((v) => !v)}
      className="mt-3 rounded-md bg-amber-600 px-3 py-1.5 text-xs font-semibold text-white hover:bg-amber-700"
    >
      {refusalOpen ? 'Hide example' : 'Show refusal example'}
    </button>
  </div>
</div>

```

```

</button>
{refusalOpen && (
  <div className="mt-3 rounded-lg border border-amber-300 bg-white p-3 text-xs">
    <div className="flex items-center gap-1 font-semibold text-amber-800">
      <AlertTriangle className="h-3.5 w-3.5" /> Reason: INSUFFICIENT_JURISDICTION_COVERAGE
    </div>
    <p className="mt-1 text-slate-700">
      We don't have enough verified sources for Wyoming landlord notice periods to answer with confidence.
    </p>
    <div className="mt-2 flex flex-wrap gap-2">
      <Link
        to="/find-attorney"
        className="rounded-md bg-teal-600 px-2.5 py-1 font-semibold text-white"
      >
        Talk to a human
      </Link>
      <Link
        to="/emergency-resources"
        className="rounded-md border border-slate-300 bg-white px-2.5 py-1 font-semibold text-slate-700"
      >
        Find legal aid near you
      </Link>
    </div>
  </div>
)}
</div>

<div className="rounded-2xl border border-slate-200 bg-white p-5 shadow-sm">
  <div className="flex items-center gap-2 text-sm font-semibold text-slate-900">
    <BookOpen className="h-4 w-4 text-teal-600" />
    Public evaluation results
  </div>
  <p className="mt-1 text-xs text-slate-500">Last run: May 1, 2026 · Methodology published</p>
  <div className="mt-3 grid grid-cols-2 gap-3">
    {evalMetrics.map((m) => (
      <div
        key={m.label}
        className="rounded-lg border border-slate-200 bg-slate-50 p-3"
      >
        <div className="text-[11px] uppercase tracking-wide text-slate-500">{m.label}</div>
        <div className="mt-1 text-xl font-bold text-slate-900">
          {m.value}
          <span className="ml-0.5 text-xs text-slate-500">%</span>
        </div>
        <div className="text-[11px] font-semibold text-emerald-600">{m.trend} pts</div>
      </div>
    ))}
  </div>
</div>
</div>
</section>

<section className="mb-10 rounded-2xl border border-slate-200 bg-white p-6 shadow-sm">
  <div className="flex items-center justify-between flex-wrap gap-3">
    <div className="flex items-center gap-2 text-sm font-semibold text-slate-900">
      <MapPin className="h-4 w-4 text-teal-600" />
      Jurisdiction coverage matrix
    </div>
    <Link
      to="/scope-disclaimers"
      className="inline-flex items-center gap-1 text-xs font-semibold text-teal-700 hover:text-teal-800"
    >
      Scope & limits <Info className="h-3 w-3" />
    </Link>
  </div>
  <div className="mt-4 overflow-x-auto">
    <table className="min-w-full text-sm">
      <thead>
        <tr className="text-left text-xs uppercase tracking-wide text-slate-500">
          <th className="px-3 py-2 font-semibold">State</th>
          <th className="px-3 py-2 font-semibold">Statutes</th>
          <th className="px-3 py-2 font-semibold">Regulations</th>
          <th className="px-3 py-2 font-semibold">Case law</th>
          <th className="px-3 py-2 font-semibold">Forms</th>
          <th className="px-3 py-2 font-semibold">Spanish parity</th>
        </tr>
      </thead>
      <tbody className="divide-y divide-slate-100">
        {jurisdictionMatrix.map((row) => (
          <tr key={row.state}>
            <td className="px-3 py-2 font-semibold text-slate-900">{row.state}</td>
            <td className="px-3 py-2"><CoverageChip level={row.statutes} /></td>
            <td className="px-3 py-2"><CoverageChip level={row.regs} /></td>
            <td className="px-3 py-2"><CoverageChip level={row.caselaw} /></td>
            <td className="px-3 py-2"><CoverageChip level={row.forms} /></td>
            <td className="px-3 py-2">
              <div className="flex items-center gap-2">
                <div className="h-1.5 w-24 overflow-hidden rounded-full bg-slate-200">
                  <div
                    className="h-full rounded-full bg-teal-500"
                    style={{ width: `${row.spanish}%` }}
                  />
                </div>
                <span className="text-xs font-semibold text-slate-700">{row.spanish}%</span>
              </div>
            </td>
          </tr>
        ))}
      </tbody>
    </table>
  </div>

```

```

        </tr>
      )}}
    </tbody>
  </table>
</div>
</section>

<section className="mb-10 rounded-2xl border border-slate-200 bg-gradient-to-br from-teal-50 to-white p-6 shadow-sm">
  <div className="flex items-center gap-2 text-sm font-semibold text-slate-900">
    <CheckCircle2 className="h-4 w-4 text-emerald-600" />
    Contextual CTA for {persCopy.label}
  </div>
  <div className="mt-3 flex flex-wrap items-center gap-3">
    <button
      type="button"
      className="inline-flex items-center gap-2 rounded-lg bg-teal-600 px-4 py-2.5 text-sm font-semibold text-white shadow
hover:bg-teal-700"
    >
      {persCopy.cta}
      <ArrowRight className="h-4 w-4" />
    </button>
    <span className="text-xs text-slate-500">
      Wired through cta_experiments + engagement_analytics telemetry.
    </span>
  </div>
</section>

<div className="text-center text-xs text-slate-500">
  Prototype of the Phase 1 roadmap. Live data wires into Supabase tables described in the gap
  analysis (ai_response_feedback, refusal_events, evaluation_metrics, jurisdiction_coverage,
  cta_experiments).
</div>
</div>
</main>
<Footer />
</>
  );
}

function CoverageChip({ level }: { level: string }) {
  const tone =
    level === 'Full'
      ? 'bg-emerald-50 text-emerald-700 ring-emerald-200'
      : level === 'Broad'
      ? 'bg-teal-50 text-teal-700 ring-teal-200'
      : level === 'Partial'
      ? 'bg-amber-50 text-amber-700 ring-amber-200'
      : 'bg-slate-100 text-slate-600 ring-slate-200';
  return (
    <span className={`inline-flex items-center rounded-full px-2 py-0.5 text-[11px] font-semibold ring-1 ${tone}`}>
      {level}
    </span>
  );
}

```

[28/58] Issue Packs

Route: /issue-packs | File: src/pages/IssuePacks.tsx

```
import { useState } from 'react';
import { Link, useNavigate, useSearchParams } from 'react-router-dom';
import { Globe, Building2, Users, Briefcase, FileWarning, Handshake, CheckCircle, ArrowRight, Shield, Clock, FileText,
AlertTriangle, Lock, Eye, RefreshCw, Phone, Ligature as FileSignature, UserCog, Landmark, BookOpen, BarChart3, Mail } from
' lucide-react';
import { supabase } from '../lib/supabase';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import HighRiskPackGate from '../components/HighRiskPackGate';
import VerifiableTrustStrip from '../components/VerifiableTrustStrip';
import InlineEmailCapture from '../components/InlineEmailCapture';
import AttorneyReferralDisclosure from '../components/AttorneyReferralDisclosure';
import RelatedLinks from '../components/RelatedLinks';
import IssuePackPreviewModal from '../components/IssuePackPreviewModal';
import IssuePackDeadlineScreening from '../components/IssuePackDeadlineScreening';

type Audience = 'individuals' | 'business' | 'legal_aid';

interface PackDef {
  id: string;
  icon: typeof Globe;
  color: string;
  highRisk: boolean;
  price: number;
  audience: Audience[];
  en: { name: string; desc: string; who: string; includes: string[]; sample: string };
  es: { name: string; desc: string; who: string; includes: string[]; sample: string };
}

const PACKS: PackDef[] = [
  {
    id: 'immigration',
    icon: Globe,
    color: 'amber',
    highRisk: true,
    price: 39,
    audience: ['individuals'],
    en: {
      name: 'Immigration Help Pack',
      desc: 'Deportation defense, visa issues, status questions, and ICE encounter rights.',
      who: 'People facing immigration questions, visa renewals, or deportation concerns.',
      includes: ['Step-by-step action plan for your issue type', 'Know Your Rights document (ICE encounters)', 'Emergency contact
templates', 'Deadline checklist', 'Attorney referral matched to your area'],
      sample: 'Includes a 5-page action plan with state-specific contacts, fillable ICE encounter card, and 30-day access to
updates.',
    },
    es: {
      name: 'Paquete de Inmigracion',
      desc: 'Defensa contra deportacion, problemas de visa, preguntas de estatus y derechos ante ICE.',
      who: 'Personas enfrentando preguntas de inmigracion o preocupaciones de deportacion.',
      includes: ['Plan de accion paso a paso', 'Documento de Conoce Tus Derechos (ICE)', 'Plantillas de contactos de emergencia',
'Lista de fechas limite', 'Referencia a abogado'],
      sample: 'Incluye un plan de accion de 5 paginas con contactos estatales.',
    },
  },
  {
    id: 'housing',
    icon: Building2,
    color: 'sky',
    highRisk: true,
    price: 29,
    audience: ['individuals'],
    en: {
      name: 'Housing & Eviction Pack',
      desc: 'Eviction defense, tenant rights, security deposits, and landlord disputes.',
      who: 'Tenants facing eviction, deposit disputes, or unsafe housing conditions.',
      includes: ['Eviction response template', 'Tenant rights guide for your state', 'Court calendar and preparation checklist',
'Evidence collection checklist', 'Attorney referral matched to your area'],
      sample: 'Includes a fillable eviction response, state-specific tenant rights summary, and 30-day deadline tracker.',
    },
    es: {
      name: 'Paquete de Vivienda y Desalojo',
      desc: 'Defensa contra desalojo, derechos de inquilino y depositos de seguridad.',
      who: 'Inquilinos enfrentando desalojo o disputas de depósito.',
      includes: ['Plantilla de respuesta a desalojo', 'Guia de derechos del inquilino', 'Calendario del tribunal', 'Lista de
evidencia', 'Referencia a abogado'],
      sample: 'Incluye respuesta de desalojo rellenable y resumen de derechos.',
    },
  },
  {
    id: 'family',
    icon: Users,
    color: 'rose',
    highRisk: true,
    price: 39,
    audience: ['individuals'],
    en: {
```

```

    name: 'Family Matters Pack',
    desc: 'Divorce, child custody, support calculations, and domestic law guidance.',
    who: 'People navigating divorce, custody disputes, or family court proceedings.',
    includes: ['Self-representation guide', 'Custody and visitation templates', 'Child support calculator worksheet', 'Document
preparation checklist', 'Attorney referral matched to your area'],
    sample: 'Includes custody proposal template, support calculation worksheet, and court prep guide.',
  },
  es: {
    name: 'Paquete de Asuntos Familiares',
    desc: 'Divorcio, custodia de hijos, calculos de manutencion y orientación.',
    who: 'Personas navegando divorcio o disputas de custodia.',
    includes: ['Guia de autorepresentacion', 'Plantillas de custodia', 'Hoja de calculo de manutencion', 'Lista de documentos',
'Referencia a abogado'],
    sample: 'Incluye plantilla de propuesta de custodia y guia de preparacion.',
  },
},
{
  id: 'employment',
  icon: Briefcase,
  color: 'emerald',
  highRisk: false,
  price: 29,
  audience: ['individuals'],
  en: {
    name: 'Employment & Wages Pack',
    desc: 'Wage claims, wrongful termination, workplace discrimination, and labor rights.',
    who: 'Workers dealing with unpaid wages, termination, or workplace issues.',
    includes: ['Wage claim filing guide', 'Demand letter templates', 'Evidence documentation guide', 'Filing deadline tracker',
'Attorney referral matched to your area'],
    sample: 'Includes fillable demand letter, wage calculation worksheet, and agency contact list.',
  },
  es: {
    name: 'Paquete de Empleo y Salarios',
    desc: 'Reclamos salariales, despido injustificado y derechos laborales.',
    who: 'Trabajadores con salarios impagos o problemas laborales.',
    includes: ['Guia de reclamo salarial', 'Plantillas de carta de demanda', 'Guia de documentacion', 'Rastreador de fechas',
'Referencia a abogado'],
    sample: 'Incluye carta de demanda rellenable y hoja de calculo salarial.',
  },
},
{
  id: 'debt',
  icon: FileWarning,
  color: 'teal',
  highRisk: false,
  price: 29,
  audience: ['individuals'],
  en: {
    name: 'Debt Defense Pack',
    desc: 'Debt validation, collection harassment, lawsuit response, and statute of limitations.',
    who: 'People being contacted by collectors or facing debt-related lawsuits.',
    includes: ['Debt validation letter templates', 'Lawsuit response guide', 'Statute of limitations checker', 'Negotiation
scripts', 'Attorney referral matched to your area'],
    sample: 'Includes 3 letter templates, negotiation script library, and statute tracker.',
  },
  es: {
    name: 'Paquete de Defensa de Deudas',
    desc: 'Validacion de deudas, acoso de cobradores y respuesta a demandas.',
    who: 'Personas contactadas por cobradores o enfrentando demandas.',
    includes: ['Plantillas de carta de validacion', 'Guia de respuesta a demandas', 'Verificador de prescripción', 'Guiones de
negociacion', 'Referencia a abogado'],
    sample: 'Incluye 3 plantillas de cartas y biblioteca de guiones de negociacion.',
  },
},
{
  id: 'smb_contract',
  icon: FileSignature,
  color: 'teal',
  highRisk: false,
  price: 249,
  audience: ['business'],
  en: {
    name: 'Contract Review Pack',
    desc: 'Plain-language contract review with risk flags and suggested redlines for small businesses.',
    who: 'SMB owners reviewing vendor, client, or partnership agreements before signing.',
    includes: ['Clause-by-clause risk breakdown', 'Suggested redlines in Word format', 'Plain-language summary memo', 'Negotiation
leverage points', 'Attorney referral if escalation needed'],
    sample: 'Includes annotated contract with risk flags, redline suggestions, and 2-page summary memo.',
  },
  es: {
    name: 'Paquete de Revision de Contratos',
    desc: 'Revision de contratos en lenguaje claro con banderas de riesgo y sugerencias de cambios.',
    who: 'Dueños de pequenas empresas revisando acuerdos antes de firmar.',
    includes: ['Desglose de riesgo por clausula', 'Sugerencias de cambios en Word', 'Memo de resumen', 'Puntos de negociacion',
'Referencia a abogado si escala'],
    sample: 'Incluye contrato anotado con banderas de riesgo y memo de resumen.',
  },
},
{
  id: 'smb_employee',
  icon: UserCog,
  color: 'sky',
  highRisk: false,
  price: 199,
  audience: ['business'],
  en: {

```

```

    name: 'Employee Issue Pack',
    desc: 'Documentation, warning letters, and termination guidance that keeps you compliant.',
    who: 'SMB owners and managers handling performance issues, warnings, or terminations.',
    includes: ['Performance documentation templates', 'Progressive discipline letter library', 'Termination checklist by state',
'Separation agreement template', 'Attorney referral for wrongful-termination risk'],
    sample: 'Includes 4 warning-letter templates, termination checklist, and separation agreement.',
  },
  es: {
    name: 'Paquete de Problemas con Empleados',
    desc: 'Documentacion, cartas de advertencia y guia de terminacion que mantiene cumplimiento.',
    who: 'Dueños y gerentes manejando problemas de desempeno o terminaciones.',
    includes: ['Plantillas de documentacion', 'Biblioteca de cartas disciplinarias', 'Lista de terminacion por estado', 'Plantilla
de acuerdo de separacion', 'Referencia a abogado'],
    sample: 'Incluye 4 plantillas de cartas y lista de terminacion.',
  },
},
{
  id: 'smb_vendor',
  icon: FileWarning,
  color: 'amber',
  highRisk: false,
  price: 149,
  audience: ['business'],
  en: {
    name: 'Vendor Dispute Pack',
    desc: 'Recover money and resolve vendor or client disputes without jumping to court.',
    who: 'SMBs dealing with unpaid invoices, non-delivery, or breach-of-contract claims.',
    includes: ['Demand letter template library', 'Small claims filing guide by state', 'Settlement negotiation scripts', 'Evidence
and documentation checklist', 'Attorney referral for claims over $10k'],
    sample: 'Includes demand letter, small claims guide, and 3 negotiation scripts.',
  },
  es: {
    name: 'Paquete de Disputas con Proveedores',
    desc: 'Recupera dinero y resuelve disputas con proveedores o clientes sin ir a corte.',
    who: 'Empresas con facturas impagas o incumplimientos de contrato.',
    includes: ['Biblioteca de cartas de demanda', 'Guia de reclamos menores', 'Guiones de negociacion', 'Lista de evidencia',
'Referencia a abogado'],
    sample: 'Incluye carta de demanda y guiones de negociacion.',
  },
},
{
  id: 'negotiation',
  icon: Handshake,
  color: 'gold',
  highRisk: false,
  price: 49,
  audience: ['individuals', 'business'],
  en: {
    name: 'Negotiation Strategy Planner',
    desc: 'Your complete, exportable strategy document. Explore free tools at /negotiate first, then purchase your personalized
PDF pack.',
    who: 'Anyone negotiating a settlement, debt resolution, lease terms, or business dispute.',
    includes: ['Tailored opening statement scripts', 'Settlement range calculator', 'Counter-offer strategies', 'Red flag
detection for bad deals', 'Downloadable PDF strategy document'],
    sample: 'Includes personalized strategy document with 3 negotiation scenarios and risk assessment.',
  },
  es: {
    name: 'Planificador de Estrategia de Negociacion',
    desc: 'Estrategias de negociacion generadas por IA para acuerdos y disputas.',
    who: 'Cualquiera negociando un acuerdo, resolucion de deuda o disputa.',
    includes: ['Guiones de declaracion inicial', 'Calculadora de rango de acuerdo', 'Estrategias de contraoferta', 'Deteccion de
banderas rojas', 'Documento PDF descargable'],
    sample: 'Incluye documento de estrategia personalizado con 3 escenarios.',
  },
},
];

export default function IssuePacks() {
  const navigate = useNavigate();
  const [searchParams] = useSearchParams();
  const highlightTopic = searchParams.get('topic');
  const { user } = useAuth();
  const { language } = useLanguage();
  const [activeAudience, setActiveAudience] = useState<Audience>('individuals');
  const [previewPack, setPreviewPack] = useState<PackDef | null>(null);
  const [screeningPack, setScreeningPack] = useState<PackDef | null>(null);
  const [safetyGatePack, setSafetyGatePack] = useState<{ id: string; name: string } | null>(null);
  const [lsoForm, setLsoForm] = useState({ org: '', name: '', email: '', orgType: 'legal_aid', seats: '', notes: '' });
  const [lsoSubmitted, setLsoSubmitted] = useState(false);
  const [lsoSubmitting, setLsoSubmitting] = useState(false);
  const lang = language === 'en' ? 'en' : 'es';

  const visiblePacks = activeAudience === 'legal_aid'
    ? PACKS.filter((p) => p.audience.includes('individuals'))
    : PACKS.filter((p) => p.audience.includes(activeAudience));

  const proceedToCheckout = (packId: string) => {
    if (user) navigate(`/checkout?plan=${packId}`);
    else navigate(`/signup?plan=${packId}`);
  };

  const handlePurchase = (pack: PackDef) => {
    if (pack.highRisk) {
      setScreeningPack(pack);
    } else {
      proceedToCheckout(pack.id);
    }
  };
}

```

```

    }
  };

const submitLsoInquiry = async (e: React.FormEvent) => {
  e.preventDefault();
  setLsoSubmitting(true);
  try {
    await supabase.from('lso_pricing_inquiries').insert({
      organization_name: lsoForm.org,
      contact_name: lsoForm.name,
      contact_email: lsoForm.email,
      org_type: lsoForm.orgType,
      seats_estimated: lsoForm.seats ? parseInt(lsoForm.seats, 10) : null,
      languages: ['en', 'es'],
      notes: lsoForm.notes,
    });
    setLsoSubmitted(true);
  } catch {
    setLsoSubmitted(true);
  } finally {
    setLsoSubmitting(false);
  }
};

const logScreeningOutcome = async (packId: string, outcome: 'proceeded' | 'declined') => {
  try {
    await supabase.from('issue_pack_safety_screenings').insert({
      user_id: user?.id ?? null,
      pack_id: packId,
      language,
      acknowledged: outcome === 'proceeded',
      outcome,
    });
  } catch {
    // non-blocking audit
  }
};

return (
  <div className="min-h-screen bg-white">
    <Navigation />
    <VerifiableTrustStrip className="mt-[73px]" />

    <main id="main-content" className="pt-4">
      <section className="bg-gradient-to-br from-navy-900 to-navy-800 py-16">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
          <div className="inline-flex items-center gap-2 bg-gold-400/20 text-gold-300 px-4 py-2 rounded-full text-sm font-bold mb-6">
            <FileText className="w-4 h-4" />
            {language === 'en' ? 'ISSUE PACKS' : 'PAQUETES DE TEMAS'}
          </div>
            <h1 className="text-4xl sm:text-5xl font-bold text-white mb-4">
              {language === 'en' ? 'Your Action Plan, Ready to Go' : 'Tu Plan de Accion, Listo para Usar'}
            </h1>
            <p className="text-xl text-navy-100 max-w-3xl mx-auto mb-8">
              {language === 'en'
                ? 'Each Issue Pack gives you a complete action plan built from attorney-reviewed templates, with document checklists, deadline trackers, and a matched attorney referral for your specific legal situation.'
                : 'Cada Paquete te da un plan de accion completo basado en plantillas revisadas por abogados, con listas de verificacion, rastreadores de fechas y referencia a abogado.'
              }
            </p>
            <div className="flex items-center justify-center gap-8 text-sm text-navy-200">
              <div className="flex items-center gap-2"><Clock className="w-4 h-4 text-teal-400" /> {language === 'en' ? '30-day access' : '30 dias de acceso'}</div>
              <div className="flex items-center gap-2"><Shield className="w-4 h-4 text-teal-400" /> {language === 'en' ? 'State-specific' : 'Especifico por estado'}</div>
              <div className="flex items-center gap-2"><Lock className="w-4 h-4 text-teal-400" /> {language === 'en' ? 'Secure checkout' : 'Pago seguro'}</div>
            </div>
          </section>

          <section className="pt-10 pb-4">
            <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
              <div className="rounded-2xl border-2 border-red-200 bg-red-50 p-5 sm:p-6">
                <div className="flex items-start gap-3">
                  <AlertTriangle className="w-6 h-6 text-red-600 flex-shrink-0 mt-0.5 aria-hidden="true" />
                  <div className="flex-1">
                    <h2 className="text-base font-bold text-red-900 mb-1">
                      {language === 'en' ? 'In an emergency? Do not buy a pack first.' : 'En una emergencia? No compres un paquete primero.'}
                    </h2>
                    <p className="text-sm text-red-800 mb-3">
                      {language === 'en'
                        ? 'If you are currently detained, facing a hearing in the next 48 hours, locked out of your home, or in danger, get free urgent help before purchasing anything.'
                        : 'Si estas detenido, tienes audiencia en 48 horas, estas fuera de tu casa o en peligro, obten ayuda gratis y urgente antes de comprar.'}
                    </p>
                    <div className="flex flex-wrap gap-2">
                      <Link
                        to="/emergency-resources"
                        className="inline-flex items-center gap-1.5 px-3 py-2 bg-red-600 hover:bg-red-700 text-white text-sm font-semibold rounded-lg">

```

```

        <Phone className="w-4 h-4" />
        {language === 'en' ? 'Emergency resources' : 'Recursos de emergencia'}
      </Link>
      <Link
        to="/ask"
        className="inline-flex items-center gap-1.5 px-3 py-2 bg-white border border-red-300 text-red-700
        hover:bg-red-50 text-sm font-semibold rounded-lg"
      >
        {language === 'en' ? 'Ask a free question first' : 'Hacer una pregunta gratis primero'}
      </Link>
    </div>
  </div>
</div>
</div>
</div>
</div>
</section>

<section className="pt-6">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex flex-wrap justify-center gap-2 p-1.5 bg-navy-50 border border-navy-200 rounded-2xl" role="tablist"
    aria-label={language === 'en' ? 'Audience' : 'Audiencia'}>
      {[
        { id: 'individuals' as Audience, en: 'For Individuals & Families', es: 'Individuos y Familias', icon: Users },
        { id: 'business' as Audience, en: 'For Small Business', es: 'Pequeñas Empresas', icon: Briefcase },
        { id: 'legal_aid' as Audience, en: 'For Legal Aid & Nonprofits', es: 'Ayuda Legal y ONG', icon: Landmark },
      ]}.map((tab) => {
        const Icon = tab.icon;
        const active = activeAudience === tab.id;
        return (
          <button
            key={tab.id}
            role="tab"
            aria-selected={active}
            onClick={() => setActiveAudience(tab.id)}
            className={`flex-1 min-w-[170px] inline-flex items-center justify-center gap-2 px-4 py-2.5 rounded-xl text-sm
            font-semibold transition-all ${
              active ? 'bg-white text-navy-900 shadow-sm border border-navy-200' : 'text-navy-600 hover:text-navy-900'
            }`}
          >
            <Icon className="w-4 h-4" />
            {language === 'en' ? tab.en : tab.es}
          </button>
        );
      })
    </div>
  </div>
</section>

{activeAudience === 'legal_aid' && (
  <section className="py-10">
    <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
      <div className="bg-gradient-to-br from-navy-900 to-navy-800 text-white rounded-3xl p-8 sm:p-10 shadow-xl">
        <div className="flex items-center gap-3 mb-4">
          <div className="w-11 h-11 bg-gold-400/20 rounded-xl flex items-center justify-center">
            <Landmark className="w-6 h-6 text-gold-300" />
          </div>
          <div>
            <h2 className="text-2xl font-bold">
              {language === 'en' ? 'Legal Services Organization Plans' : 'Planes para Organizaciones de Servicios Legales'}
            </h2>
            <p className="text-sm text-navy-200">
              {language === 'en' ? 'Volume access, caseworker dashboards, and shared intake for LSOs and nonprofits.' :
              'Acceso por volumen, paneles de caseworkers y admision compartida.'}
            </p>
          </div>
        </div>
        <div>
          <div className="grid sm:grid-cols-3 gap-4 mt-6 mb-8">
            {[
              { tier: 'Starter', seats: '1-5', price: 199, en: 'Single-office legal aid clinic', es: 'Clinica de ayuda legal
              de una oficina' },
              { tier: 'Community', seats: '6-25', price: 499, en: 'County-wide nonprofit with caseworkers', es: 'Sin fines de
              lucro con caseworkers' },
              { tier: 'Statewide', seats: '25+', price: 1499, en: 'Statewide LSO with multi-office access', es: 'LSO estatal
              con multi-oficina' },
            ]}.map((t) => (
              <div key={t.tier} className="bg-white/5 border border-white/10 rounded-2xl p-5">
                <div className="text-xs uppercase tracking-wide text-gold-300 font-bold mb-1">{t.tier}</div>
                <div className="text-3xl font-bold font-serif mb-1">${t.price}<span className="text-sm font-normal
                text-navy-300">/mo</span></div>
                <div className="text-xs text-navy-300 mb-3">{t.seats} {language === 'en' ? 'caseworker seats' :
                'asientos'}</div>
                <p className="text-sm text-navy-100">{language === 'en' ? t.en : t.es}</p>
              </div>
            ))
            </div>
            <div className="grid sm:grid-cols-2 gap-3 mb-8 text-sm">
              {[
                { icon: BarChart3, en: 'Caseworker dashboard with client pipeline', es: 'Panel de caseworker con pipeline de
                clientes' },
                { icon: Users, en: 'Shared intake forms with team access controls', es: 'Formularios de admision con controles
                de equipo' },
                { icon: BookOpen, en: 'Grant reporting and aggregated impact metrics', es: 'Reportes de subvencion y metricas de
                impacto' },
                { icon: Shield, en: 'SOC 2 + HIPAA-ready data handling', es: 'Manejo de datos SOC 2 y HIPAA-ready' },
              ]}
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>
)

```



```

    }).map((f, i) => {
      const Icon = f.icon;
      return (
        <div key={i} className="flex items-start gap-2">
          <Icon className="w-4 h-4 text-gold-300 flex-shrink-0 mt-0.5" />
          <span className="text-navy-100">{language === 'en' ? f.en : f.es}</span>
        </div>
      );
    });
  </div>

  <!lsoSubmitted ? (
    <form onSubmit={submitLsoInquiry} className="bg-white rounded-2xl p-5 sm:p-6 text-navy-900">
      <h3 className="font-bold mb-1">{language === 'en' ? 'Get a custom quote' : 'Obten una cotizacion
personalizada'}</h3>
      <p className="text-xs text-navy-500 mb-4">{language === 'en' ? 'We respond within 2 business days with pricing
and a pilot plan.' : 'Respondemos en 2 dias habiles.'}</p>
      <div className="grid sm:grid-cols-2 gap-3">
        <input required placeholder={language === 'en' ? 'Organization name' : 'Nombre de la organizacion'}
value={lsoForm.org} onChange={(e) => setLsoForm({ ...lsoForm, org: e.target.value })} className="px-3 py-2 border border-navy-200
rounded-lg text-sm" />
        <input required placeholder={language === 'en' ? 'Your name' : 'Tu nombre'} value={lsoForm.name} onChange={(e)
=> setLsoForm({ ...lsoForm, name: e.target.value })} className="px-3 py-2 border border-navy-200 rounded-lg text-sm" />
        <input required type="email" placeholder={language === 'en' ? 'Work email' : 'Correo de trabajo'}
value={lsoForm.email} onChange={(e) => setLsoForm({ ...lsoForm, email: e.target.value })} className="px-3 py-2 border
border-navy-200 rounded-lg text-sm" />
        <input type="number" min="1" placeholder={language === 'en' ? 'Caseworker seats' : 'Asientos'}
value={lsoForm.seats} onChange={(e) => setLsoForm({ ...lsoForm, seats: e.target.value })} className="px-3 py-2 border
border-navy-200 rounded-lg text-sm" />
        <select value={lsoForm.orgType} onChange={(e) => setLsoForm({ ...lsoForm, orgType: e.target.value })}
className="px-3 py-2 border border-navy-200 rounded-lg text-sm sm:col-span-2">
          <option value="legal_aid">{language === 'en' ? 'Legal aid organization' : 'Organizacion de ayuda
legal'}</option>
          <option value="nonprofit">{language === 'en' ? 'Nonprofit / community org' : 'Sin fines de lucro'}</option>
          <option value="law_school">{language === 'en' ? 'Law school clinic' : 'Clinica de escuela de
derecho'}</option>
          <option value="court">{language === 'en' ? 'Court self-help center' : 'Centro de autoayuda de
corte'}</option>
        </select>
        <textarea placeholder={language === 'en' ? 'Which practice areas? Anything else we should know?' : 'Que areas?
Algo mas?'} value={lsoForm.notes} onChange={(e) => setLsoForm({ ...lsoForm, notes: e.target.value })} rows={3} className="px-3 py-2
border border-navy-200 rounded-lg text-sm sm:col-span-2" />
      </div>
      <button type="submit" disabled={lsoSubmitting} className="mt-4 w-full sm:w-auto inline-flex items-center
justify-center gap-2 px-6 py-3 bg-teal-600 hover:bg-teal-500 disabled:bg-navy-300 text-white rounded-xl font-bold text-sm">
        <Mail className="w-4 h-4" />
        {lsoSubmitting ? (language === 'en' ? 'Sending...' : 'Enviando...') : (language === 'en' ? 'Request LSO quote'
: 'Solicitar cotizacion')}
      </button>
    </form>
  ) : (
    <div className="bg-white rounded-2xl p-6 text-navy-900 text-center">
      <CheckCircle className="w-10 h-10 text-teal-600 mx-auto mb-2" />
      <h3 className="font-bold mb-1">{language === 'en' ? 'Inquiry received' : 'Consulta recibida'}</h3>
      <p className="text-sm text-navy-600">{language === 'en' ? 'We will reach out within 2 business days with pricing
and next steps.' : 'Te contactaremos en 2 dias habiles.'}</p>
    </div>
  )
</div>
</div>
</section>
)}

<section className="py-8 sm:py-12">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    {activeAudience === 'legal_aid' && (
      <div className="text-center mb-8">
        <p className="text-sm text-navy-500">
          {language === 'en'
            ? 'Your caseworkers can also use any individual pack on behalf of clients. Volume licensing is included in the
plans above.'
            : 'Tus caseworkers tambien pueden usar cualquier paquete individual para clientes.'}
        </p>
      </div>
    )}
  </div>
  <div className="grid lg:grid-cols-2 gap-8">
    {visiblePacks.map((pack) => {
      const isHighlighted = highlightTopic === pack.id;
      const PackIcon = pack.icon;
      return (
        <div
          key={pack.id}
          className={`rounded-2xl border-2 overflow-hidden transition-all hover:shadow-xl ${
            isHighlighted ? 'border-teal-400 shadow-lg ring-2 ring-teal-200' : 'border-navy-200'
          } ${pack.id === 'negotiation' ? 'lg:col-span-2 max-w-2xl mx-auto w-full' : ''}`}
        >
          <div className={`p-6 sm:p-8 bg-gradient-to-br ${
            pack.id === 'negotiation' ? 'from-navy-900 to-navy-800' : 'from-white to-navy-50'
          }`}
            >
            <div className="flex items-start justify-between mb-4">
              <div className="flex items-center gap-4">
                <div className={`w-14 h-14 rounded-2xl flex flex items-center justify-center ${
                  pack.id === 'negotiation' ? 'bg-gold-400' : `bg-${pack.color}-50`
                }`}
                >
                  <PackIcon className={`w-7 h-7 ${pack.id === 'negotiation' ? 'text-navy-900' :
`text-${pack.color}-600`} ` />
                </div>
              </div>
            </div>
          </div>
        </div>
      );
    })}
  </div>

```

```

    </div>
    <div>
      <h3 className={`text-xl font-bold ${pack.id === 'negotiation' ? 'text-white' : 'text-navy-900'}}`>
        {pack[lang].name}
      </h3>
      <p className={`text-sm ${pack.id === 'negotiation' ? 'text-navy-200' : 'text-navy-500'}}`>
        {pack[lang].desc}
      </p>
    </div>
  </div>
  <div className="text-right flex-shrink-0 ml-4">
    <div className={`text-3xl font-bold font-serif ${pack.id === 'negotiation' ? 'text-gold-400' :
'text-navy-900'}}`>
      ${pack.price}
    </div>
    <div className={`text-xs ${pack.id === 'negotiation' ? 'text-navy-300' : 'text-navy-400'}}`>
      {language === 'en' ? 'one-time' : 'unico pago'}
    </div>
  </div>
</div>
</div>

{pack.highRisk && (
  <div className="flex items-center gap-2 bg-amber-50 border border-amber-200 rounded-lg px-3 py-2 mb-3">
    <AlertTriangle className="w-4 h-4 text-amber-600 flex-shrink-0" />
    <span className="text-xs text-amber-700 font-medium">
      {language === 'en' ? 'High-stakes situation - includes safety screening before purchase' : 'Situación de
alto riesgo - incluye evaluacion de seguridad'}
    </span>
  </div>
)}

<div className="flex flex-wrap items-center gap-2 mb-4 text-xs">
  <span className={`inline-flex items-center gap-1 px-2 py-1 rounded-full font-medium ${pack.id ===
'negotiation' ? 'bg-white/10 text-navy-100' : 'bg-teal-50 text-teal-700 border border-teal-100'}}`>
    <Globe className="w-3 h-3" />
    {language === 'en' ? 'English + Español' : 'Ingles + Español'}
  </span>
  <span className={`inline-flex items-center gap-1 px-2 py-1 rounded-full font-medium ${pack.id ===
'negotiation' ? 'bg-white/10 text-navy-100' : 'bg-navy-50 text-navy-600 border border-navy-100'}}`>
    <RefreshCw className="w-3 h-3" />
    {language === 'en' ? '30-day refund if unused' : 'Reembolso 30 dias si no se usa'}
  </span>
  <button
    type="button"
    onClick={() => setPreviewPack(pack)}
    className={`inline-flex items-center gap-1 px-2 py-1 rounded-full font-medium transition-colors ${pack.id
=== 'negotiation' ? 'bg-white/10 text-navy-100 hover:bg-white/20' : 'bg-navy-50 text-navy-600 border border-navy-100
hover:bg-teal-50 hover:border-teal-200 hover:text-teal-700'}}`>
    <Eye className="w-3 h-3" />
    {language === 'en' ? 'Preview before pay' : 'Vista previa antes de pagar'}
  </button>
</div>

<div className={`rounded-xl p-4 mb-4 ${pack.id === 'negotiation' ? 'bg-white/10' : 'bg-navy-50'}}`>
  <h4 className={`text-xs font-bold uppercase tracking-wide mb-1 ${pack.id === 'negotiation' ? 'text-gold-300'
: 'text-navy-500'}}`>
    {language === 'en' ? 'WHO IS THIS FOR' : 'PARA QUIEN ES'}
  </h4>
  <p className={`text-sm ${pack.id === 'negotiation' ? 'text-navy-100' : 'text-navy-600'}}`>
    {pack[lang].who}
  </p>
</div>

<div className="mb-4">
  <h4 className={`text-xs font-bold uppercase tracking-wide mb-3 ${pack.id === 'negotiation' ? 'text-gold-300'
: 'text-navy-500'}}`>
    {language === 'en' ? 'WHAT YOU GET' : 'QUE INCLUYE'}
  </h4>
  <ul className="space-y-2">
    {pack[lang].includes.map((item, i) => (
      <li key={i} className="flex items-start gap-2">
        <CheckCircle className={`w-4 h-4 flex-shrink-0 mt-0.5 ${pack.id === 'negotiation' ? 'text-gold-400' :
'text-teal-600'}}` />
        <span className={`text-sm ${pack.id === 'negotiation' ? 'text-navy-100' :
'text-navy-700'}}`>{item}</span>
      </li>
    ))}
  </ul>
</div>

<div className={`rounded-lg p-3 mb-6 ${pack.id === 'negotiation' ? 'bg-white/5 border border-white/10' :
'bg-teal-50 border border-teal-100'}}`>
  <p className={`text-xs ${pack.id === 'negotiation' ? 'text-navy-200' : 'text-teal-700'}}`>
    <span className="font-semibold">{language === 'en' ? 'Sample output:' : 'Ejemplo:'}</span>
    {pack[lang].sample}
  </p>
</div>

<button
  onClick={() => handlePurchase(pack)}
  className={`w-full py-3 rounded-xl font-bold transition-all flex items-center justify-center gap-2 ${
pack.id === 'negotiation'
  ? 'bg-gold-400 hover:bg-gold-300 text-navy-900 shadow-lg hover:shadow-xl'
  : 'bg-teal-600 hover:bg-teal-500 text-white shadow-lg hover:shadow-xl'
}`}

```

```

>
    {pack.highRisk ? (
      <>
        <Shield className="w-4 h-4" />
        {language === 'en' ? 'Start safety check' : 'Iniciar revision de seguridad'}
      </>
    ) : (
      <>
        {language === 'en' ? 'Get ${pack[lang].name}` : `Obtener ${pack[lang].name}`}
        <ArrowRight className="w-4 h-4" />
      </>
    )
  </button>
  <p className={`text-[11px] mt-2 text-center ${pack.id === 'negotiation' ? 'text-navy-300' :
'text-navy-400'}}`>
    {language === 'en'
      ? 'Legal information, not legal advice. Purchase does not create an attorney-client relationship.'
      : 'Informacion legal, no asesoria legal. La compra no crea una relacion abogado-cliente.'}
  </p>
</div>
</div>
);
}}
</div>
</div>
</section>

<section className="py-16 bg-navy-50 border-t border-navy-100">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-10">
      <h2 className="text-2xl font-bold text-navy-900 mb-3">
        {language === 'en' ? 'Free vs. Issue Packs' : 'Gratis vs. Paquetes de Temas'}
      </h2>
      <p className="text-navy-500">{language === 'en' ? 'Understand the difference' : 'Entiende la diferencia'}</p>
    </div>
    <div className="bg-white rounded-2xl border border-navy-200 overflow-hidden">
      <div className="grid grid-cols-3">
        <div className="p-4 bg-navy-50 border-b border-r border-navy-200 font-bold text-navy-700 text-sm">{language === 'en'
? 'Feature' : 'Caracteristica'}</div>
        <div className="p-4 bg-navy-50 border-b border-r border-navy-200 text-center font-bold text-navy-700
text-sm">{language === 'en' ? 'Free Q&A' : 'Preguntas Gratis'}</div>
        <div className="p-4 bg-teal-50 border-b border-navy-200 text-center font-bold text-teal-700 text-sm">{language ===
'en' ? 'Issue Pack' : 'Paquete'}</div>
      </div>
      [[
        { feature: language === 'en' ? 'AI legal answers' : 'Respuestas legales IA', free: true, pack: true },
        { feature: language === 'en' ? 'Unlimited follow-ups' : 'Seguimientos ilimitados', free: true, pack: true },
        { feature: language === 'en' ? 'Action plan document' : 'Documento de plan de accion', free: false, pack: true },
        { feature: language === 'en' ? 'Fillable templates' : 'Plantillas rellenables', free: false, pack: true },
        { feature: language === 'en' ? 'Deadline tracker' : 'Rastreador de fechas', free: false, pack: true },
        { feature: language === 'en' ? 'Attorney referral' : 'Referencia a abogado', free: false, pack: true },
        { feature: language === 'en' ? '30-day updates' : 'Actualizaciones por 30 dias', free: false, pack: true },
      ]
      .map((row, i) => (
        <div key={i} className="grid grid-cols-3">
          <div className="p-3 border-b border-r border-navy-100 text-sm text-navy-700">{row.feature}</div>
          <div className="p-3 border-b border-r border-navy-100 text-center">
            {row.free ? <CheckCircle className="w-5 h-5 text-green-600 mx-auto" /> : <span
className="text-navy-300">--</span>}
          </div>
          <div className="p-3 border-b border-navy-100 text-center bg-teal-50/50">
            <CheckCircle className="w-5 h-5 text-teal-600 mx-auto" />
          </div>
        </div>
      ))
    </div>
  </div>
</section>

<section className="py-12 bg-white border-t border-navy-100">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="grid md:grid-cols-2 gap-8">
      <div>
        <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
          <Shield className="w-5 h-5 text-teal-600" />
          {language === 'en' ? 'What "Attorney-Reviewed Templates" Means' : 'Que Significa "Plantillas Revisadas por
Abogados"}
        </h3>
        <ul className="space-y-2 text-sm text-navy-600">
          {(language === 'en' ? [
            'Template documents and checklists are reviewed by licensed attorneys for legal accuracy',
            'Templates are general-purpose, not customized legal advice for your specific case',
            'Review is at the template level, not per-user or per-purchase',
            'This does not create an attorney-client relationship',
          ] : [
            'Las plantillas son revisadas por abogados licenciados para precision legal',
            'Las plantillas son de proposito general, no asesoria legal personalizada',
            'La revision es a nivel de plantilla, no por usuario o por compra',
            'Esto no crea una relacion abogado-cliente',
          ])
          .map((item, i) => (
            <li key={i} className="flex items-start gap-2">
              <CheckCircle className="w-4 h-4 text-teal-600 flex-shrink-0 mt-0.5" />
              {item}
            </li>
          ))
        </ul>
      </div>
    </div>
  </div>

```

```

<div>
  <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
    <FileText className="w-5 h-5 text-teal-600" />
    {language === 'en' ? 'What You\'ll Receive' : 'Lo Que Recibiras'}
  </h3>
  <ul className="space-y-2 text-sm text-navy-600">
    {(language === 'en' ? [
      'PDF action plan with step-by-step instructions',
      'Fillable document templates (Word/PDF format)',
      'Interactive deadline checklist with key dates',
      'Matched attorney referral in your area',
      '30-day access to updates and revisions',
    ] : [
      'Plan de accion PDF con instrucciones paso a paso',
      'Plantillas de documentos rellenable (Word/PDF)',
      'Lista interactiva de fechas limite',
      'Referencia a abogado en tu area',
      '30 dias de acceso a actualizaciones',
    ]).map((item, i) => (
      <li key={i} className="flex items-start gap-2">
        <CheckCircle className="w-4 h-4 text-teal-600 flex-shrink-0 mt-0.5" />
        {item}
      </li>
    ))}
  </ul>
  <div className="mt-4 bg-navy-50 border border-navy-200 rounded-lg p-3">
    <p className="text-xs text-navy-500">
      <span className="font-semibold">{language === 'en' ? 'After purchase:' : 'Despues de la compra:'}</span>{' '}
      {language === 'en'
        ? 'Instant access via your dashboard. Download or print at any time. Full refund available within 7 days if
        unused.'
        : 'Acceso instantaneo en tu panel. Descarga o imprime en cualquier momento. Reembolso completo en 7 dias si no
        se usa.'}
    </p>
  </div>
</div>
</div>
<div className="mt-8">
  <AttorneyReferralDisclosure variant="expandable" />
</div>
<div className="mt-8 max-w-md mx-auto">
  <InlineEmailCapture
    source="issue_packs_preview"
    context="issue_packs"
    label={{
      en: 'Email me a sample action plan',
      es: 'Enviar un plan de accion de muestra',
    }}
  />
</div>
</div>
</section>

<section className="py-16 bg-gradient-to-br from-navy-900 to-navy-800 text-white text-center">
  <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">
    <h2 className="text-3xl font-bold mb-4">{language === 'en' ? 'Not Sure Which Pack You Need?' : 'No Sabes Cual Paquete
    Necesitas?'}</h2>
    <p className="text-navy-100 mb-8 text-lg">
      {language === 'en'
        ? 'Start with a free question. Our AI will help you understand your situation and recommend the right pack if one
        applies.'
        : 'Comienza con una pregunta gratis. Nuestra IA te ayudara a entender tu situación.'}
    </p>
    <Link
      to="/ask"
      className="inline-flex items-center gap-2 bg-teal-500 hover:bg-teal-400 text-white px-8 py-4 rounded-xl font-bold
      text-lg transition-all shadow-lg hover:shadow-xl"
    >
      {language === 'en' ? 'Ask My Question Free' : 'Hacer Mi Pregunta Gratis'}
      <ArrowRight className="w-5 h-5" />
    </Link>
  </div>
</section>
</main>

{screeningPack && (
  <IssuePackDeadlineScreening
    packId={screeningPack.id}
    packName={screeningPack[lang].name}
    onClose={() => {
      logScreeningOutcome(screeningPack.id, 'declined');
      setScreeningPack(null);
    }}
    onProceed={() => {
      const packId = screeningPack.id;
      logScreeningOutcome(packId, 'proceeded');
      setScreeningPack(null);
      proceedToCheckout(packId);
    }}
  />
)}

{previewPack && (
  <IssuePackPreviewModal
    packId={previewPack.id}

```

```

        packName={previewPack[lang].name}
        onClose={() => setPreviewPack(null)}
        onPurchase={() => {
            const pack = previewPack;
            setPreviewPack(null);
            handlePurchase(pack);
        }}
    />
)}

{safetyGatePack && (
  <HighRiskPackGate
    packId={safetyGatePack.id}
    packName={safetyGatePack.name}
    language={language}
    onContinue={() => {
        const packId = safetyGatePack.id;
        logScreeningOutcome(packId, 'proceeded');
        setSafetyGatePack(null);
        proceedToCheckout(packId);
    }}
    onClose={() => {
        logScreeningOutcome(safetyGatePack.id, 'declined');
        setSafetyGatePack(null);
    }}
  />
)}

<RelatedLinks fromPath="/issue-packs" />

<Footer />
</div>
);
}

```

[29/58] Login

Route: /login | File: src/pages/Login.tsx

```
import { useState } from 'react';
import { useNavigate, Link, useSearchParams } from 'react-router-dom';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import TrustBadges, { SecurityDisclosure } from '../components/TrustBadges';
import { Shield, Zap, Lock, Globe, Loader2 } from 'lucide-react';
import { translateAuthError } from '../lib/microcopy';

export default function Login() {
  const [email, setEmail] = useState('');
  const [password, setPassword] = useState('');
  const [error, setError] = useState('');
  const [loading, setLoading] = useState(false);
  const [oauthLoading, setOauthLoading] = useState<string | null>(null);
  const { signIn, signInWithOAuth } = useAuth();
  const { language, setLanguage, t } = useLanguage();
  const navigate = useNavigate();
  const [searchParams] = useSearchParams();

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    setError('');
    setLoading(true);

    const { error } = await signIn(email, password);

    if (error) {
      setError(translateAuthError(error.message, language));
      setLoading(false);
    } else {
      const redirectTo = searchParams.get('redirect') || '/dashboard';
      navigate(redirectTo);
    }
  };

  const handleOAuthLogin = async (provider: 'google' | 'azure') => {
    setError('');
    setOauthLoading(provider);
    const redirectTo = searchParams.get('redirect') || '/dashboard';
    const { error } = await signInWithOAuth(provider, `${window.location.origin}${redirectTo}`);
    if (error) {
      setError(translateAuthError(error.message, language));
      setOauthLoading(null);
    }
  };

  return (
    <div className="min-h-screen bg-gradient-to-br from-white to-navy-50 flex items-center justify-center p-4">
      <div className="absolute top-4 right-4">
        <button
          onClick={() => setLanguage(language === 'en' ? 'es' : 'en')}
          className="flex items-center gap-1.5 bg-amber-500 hover:bg-amber-400 text-navy-900 px-3 py-1.5 rounded-full text-xs font-bold transition-colors"
          aria-label={`Switch to ${language === 'en' ? 'Spanish' : 'English'}`}
        >
          <Globe className="w-3.5 h-3.5" />
          <span>{language === 'en' ? 'Español' : 'English'}</span>
        </button>
      </div>

      <div className="w-full max-w-5xl">
        <div className="grid md:grid-cols-2 gap-8 items-center">
          <div className="hidden md:block">
            <div className="text-center mb-6">
              
            </div>

            <h1 className="text-3xl font-bold text-navy-900 mb-4">
              {t('login.welcomeBack')}
            </h1>
            <p className="text-lg text-navy-600 mb-8">
              {t('login.continueHelp')}
            </p>

            <div className="bg-gradient-to-br from-navy-50 to-white rounded-xl p-6 mb-6 border border-navy-200">
              <div className="text-2xl font-bold text-teal-600 mb-2">{t('login.freeToStart')}</div>
              <div className="text-navy-600 font-medium mb-1">{t('login.freeForever')}</div>
              <div className="text-sm text-navy-600">{t('login.noCreditCard')}</div>
            </div>

            <div className="space-y-3 mb-6">
              <div className="flex items-center gap-3 text-sm text-navy-600">
                <div className="w-8 h-8 bg-navy-50 rounded-full flex items-center justify-center flex-shrink-0">
                  <Shield className="w-4 h-4 text-teal-600" />
                </div>
              </div>
            </div>
          </div>
          <div>
            <h1>Login</h1>
            <form>
              <input type="text" value={email} />
              <input type="password" value={password} />
              <button type="submit" />
            </form>
            <p>{error}</p>
            <p>{loading ? 'Loading...' : ''}</p>
            <p>{oauthLoading ? 'Loading...' : ''}</p>
          </div>
        </div>
      </div>
    </div>
  );
}
```

```
<span><strong>{t('login.ethicalAi')}</strong> {t('login.neverTrains')}</span>
</div>

<div className="flex items-center gap-3 text-sm text-navy-600">
  <div className="w-8 h-8 bg-amber-100 rounded-full flex items-center justify-center flex-shrink-0">
    <Zap className="w-4 h-4 text-amber-600" />
  </div>
  <span><strong>{t('login.access247')}</strong> {t('login.wheneverYouNeed')}</span>
</div>

<div className="flex items-center gap-3 text-sm text-navy-600">
  <div className="w-8 h-8 bg-blue-100 rounded-full flex items-center justify-center flex-shrink-0">
    <Lock className="w-4 h-4 text-blue-600" />
  </div>
  <span><strong>{t('login.bankSecurity')}</strong> {t('login.encryption')}</span>
</div>
</div>
</div>

<div>
  <div className="text-center mb-6 md:hidden">
    
    <p className="text-navy-600">{t('auth.login.subtitle')}</p>
  </div>

  <div className="bg-white rounded-2xl shadow-xl p-8">
    <div className="space-y-3 mb-6">
      <button
        type="button"
        onClick={() => handleOAuthLogin('google')}
        disabled={!oauthLoading}
        className="w-full bg-white hover:bg-navy-50 text-navy-800 font-medium py-3 px-4 rounded-lg border border-navy-300
transition-all flex items-center justify-center gap-3 disabled:opacity-50 disabled:cursor-not-allowed"
        aria-label="Continue with Google"
      >
        {oauthLoading === 'google' ? (
          <Loader2 className="w-5 h-5 animate-spin" />
        ) : (
          <svg className="w-5 h-5" viewBox="0 0 24 24" aria-hidden="true">
            <path fill="#4285F4" d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-1.04 2.53-2.21
3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z" />
            <path fill="#34A853" d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98-.66-2.23 1.06-3.71 1.06-2.86
0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.7 23 12 23z" />
            <path fill="#FBBC05" d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09V13-1.43,35-2.09V7.07H2.18c1.43 8.55 1 10.22 1
12s.43 3.45 1.18 4.93l2.85-2.22.81-.62z" />
            <path fill="#EA4335" d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1 7.7 1 3.99 3.47
2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6.16-4.53z" />
          </svg>
        )}
        Continue with Google
      </button>

      <button
        type="button"
        onClick={() => handleOAuthLogin('azure')}
        disabled={!oauthLoading}
        className="w-full bg-white hover:bg-navy-50 text-navy-800 font-medium py-3 px-4 rounded-lg border border-navy-300
transition-all flex items-center justify-center gap-3 disabled:opacity-50 disabled:cursor-not-allowed"
        aria-label="Continue with Microsoft"
      >
        {oauthLoading === 'azure' ? (
          <Loader2 className="w-5 h-5 animate-spin" />
        ) : (
          <svg className="w-5 h-5" viewBox="0 0 23 23" aria-hidden="true">
            <path fill="#f35325" d="M1 1h10v10H1z" />
            <path fill="#81bc06" d="M12 1h10v10H12z" />
            <path fill="#05a6f0" d="M1 12h10v10H1z" />
            <path fill="#ffba08" d="M12 12h10v10H12z" />
          </svg>
        )}
        Continue with Microsoft
      </button>
    </div>
  </div>

  <div className="relative mb-6">
    <div className="absolute inset-0 flex items-center">
      <div className="w-full border-t border-navy-200"></div>
    </div>
    <div className="relative flex justify-center text-sm">
      <span className="px-4 bg-white text-navy-500">or continue with email</span>
    </div>
  </div>

  <form onSubmit={handleSubmit} className="space-y-6">
    {error && (
      <div className="bg-red-50 border border-red-200 text-red-700 px-4 py-3 rounded-lg text-sm" role="alert">
        {error}
      </div>
    )}

    <div>
      <label htmlFor="email" className="block text-sm font-medium text-navy-600 mb-2">
```

```

        {t('auth.login.email')}}
      </label>
      <input
        id="email"
        name="email"
        type="email"
        value={email}
        onChange={(e) => setEmail(e.target.value)}
        required
        autoComplete="email"
        autoCapitalize="none"
        autoCorrect="off"
        spellCheck={false}
        inputMode="email"
        className="w-full px-4 py-3 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600 transition-colors"
        placeholder="your@email.com"
      />
    </div>

    <div>
      <div className="flex items-center justify-between mb-2">
        <label htmlFor="password" className="block text-sm font-medium text-navy-600">
          {t('auth.login.password')}
        </label>
        <Link to="/forgot-password" className="text-sm text-teal-600 hover:text-teal-700 font-medium">
          {t('auth.login.forgot')}
        </Link>
      </div>
      <input
        id="password"
        type="password"
        value={password}
        onChange={(e) => setPassword(e.target.value)}
        required
        className="w-full px-4 py-3 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600 transition-colors"
        placeholder={t('login.enterPassword')}
      />
    </div>

    <button
      type="submit"
      disabled={loading}
      className="w-full bg-teal-600 hover:bg-teal-700 text-white font-semibold py-3.5 px-4 rounded-lg transition-all
shadow-md hover:shadow-lg disabled:opacity-50 disabled:cursor-not-allowed"
    >
      {loading ? t('login.signingIn') : t('auth.login.submit')}
    </button>
  </form>

  <div className="mt-6 text-center text-sm space-y-2">
    <div>
      <span className="text-navy-600">{t('auth.login.noAccount')} </span>
      <Link to="/signup" className="text-teal-600 hover:text-teal-700 font-medium">
        {t('auth.login.signUp')}
      </Link>
    </div>
    <div>
      <Link to="/pricing" className="text-navy-600 hover:text-teal-600 font-medium">
        {t('login.viewPricing')}
      </Link>
    </div>
  </div>

  <div className="mt-6 pt-6 border-t border-navy-200">
    <TrustBadges variant="inline" className="justify-center" />
  </div>

  <SecurityDisclosure className="mt-4" />
</div>
</div>
</div>
</div>
</div>
);
}

```


[30/58] Media Kit

Route: /media-kit | File: src/pages/MediaKit.tsx

```
import { useState, useEffect } from 'react';
import { Link } from 'react-router-dom';
import {
  Copy, Check, Share2, MessageCircle, Facebook,
  MapPin, FileText, Image, Globe, ArrowRight, CheckCircle,
  Shield, Users, Megaphone, QrCode, Printer, Loader2,
  Download, BookOpen, Presentation, FileCode, Lock
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { useLanguage } from '../contexts/LanguageContext';
import { supabase } from '../lib/supabase';
import { getReadinessLabel, type PartnerAsset } from '../services/asset-service';

interface SocialTemplate {
  id: string;
  platform: string;
  icon_name: string;
  color: string;
  label_en: string;
  label_es: string;
  text_en: string;
  text_es: string;
  display_order: number;
}

const ICON_MAP: Record<string, typeof MessageCircle> = {
  MessageCircle,
  Facebook,
  MapPin,
};

const TYPE_ICONS: Record<string, typeof FileText> = {
  pdf: FileText,
  pptx: Presentation,
  docx: BookOpen,
  html: FileCode,
  zip: Download,
  'community-flyer': BookOpen,
};

const FLYER_CONTENT = {
  en: {
    headline: 'Free Legal Help - Available 24/7',
    subheadline: 'Get answers to your legal questions in plain English',
    bullets: [
      'Housing: Evictions, lease disputes, repairs',
      'Employment: Unpaid wages, discrimination, wrongful termination',
      'Immigration: Know your rights regardless of status',
      'Family: Custody, divorce, child support',
      'Criminal: Your rights, defense options',
    ],
    footer: 'Visit ezlegal.ai or scan the QR code',
    disclaimer: 'Legal information, not legal advice. Consult a licensed attorney for specific counsel.',
  },
  es: {
    headline: 'Ayuda Legal Gratis - Disponible 24/7',
    subheadline: 'Obtien respuestas a tus preguntas legales en español simple',
    bullets: [
      'Vivienda: Desalojos, disputas de renta, reparaciones',
      'Trabajo: Salarios impagados, discriminacion, despido injusto',
      'Inmigracion: Conoce tus derechos sin importar tu estatus',
      'Familia: Custodia, divorcio, manutencion',
      'Criminal: Tus derechos, opciones de defensa',
    ],
    footer: 'Visita ezlegal.ai o escanea el codigo QR',
    disclaimer: 'Información legal, no asesoria legal. Consulte a un abogado licenciado para asesoramiento especifico.',
  },
};

function CopyButton({ text, label }: { text: string; label?: string }) {
  const [copied, setCopied] = useState(false);

  const handleCopy = async () => {
    try {
      await navigator.clipboard.writeText(text);
    } catch {
      const ta = document.createElement('textarea');
      ta.value = text;
      document.body.appendChild(ta);
      ta.select();
      document.execCommand('copy');
      document.body.removeChild(ta);
    }
    setCopied(true);
    setTimeout(() => setCopied(false), 2000);
  };

  return (
```

```

<button
  onClick={handleCopy}
  className={`inline-flex items-center gap-1.5 px-3 py-1.5 rounded-lg text-sm font-medium transition-all ${
    copied
      ? 'bg-green-100 text-green-700'
      : 'bg-navy-100 text-navy-700 hover:bg-navy-200'
  }`}
>
  {copied ? <Check className="w-3.5 h-3.5" /> : <Copy className="w-3.5 h-3.5" />}
  {copied ? 'Copied' : (label || 'Copy')}
</button>
);
}

function getTypeLabel(type: string): string {
  const labels: Record<string, string> = {
    pdf: 'PDF',
    pptx: 'Presentation',
    docx: 'Document',
    html: 'HTML Template',
    zip: 'Archive',
    'community-flyer': 'Community Flyer',
  };
  return labels[type] || type.toUpperCase();
}

function getTypeColor(type: string): string {
  const colors: Record<string, string> = {
    pdf: 'bg-red-100 text-red-700',
    pptx: 'bg-amber-100 text-amber-700',
    docx: 'bg-blue-100 text-blue-700',
    html: 'bg-green-100 text-green-700',
    zip: 'bg-navy-100 text-navy-700',
    'community-flyer': 'bg-teal-100 text-teal-700',
  };
  return colors[type] || 'bg-navy-100 text-navy-700';
}

export default function MediaKit() {
  const { language } = useLanguage();
  const es = language === 'es';
  const [activeTab, setActiveTab] = useState<'social' | 'flyer' | 'assets'>('social');
  const [templates, setTemplates] = useState<SocialTemplate[]>([]);
  const [partnerAssets, setPartnerAssets] = useState<PartnerAsset[]>([]);
  const [loadingTemplates, setLoadingTemplates] = useState(true);
  const [loadingAssets, setLoadingAssets] = useState(true);

  useEffect(() => {
    loadTemplates();
    loadPartnerAssets();
  }, []);

  const loadTemplates = async () => {
    const { data } = await supabase
      .from('social_media_templates')
      .select('*')
      .eq('is_active', true)
      .order('display_order');
    setTemplates((data || []) as SocialTemplate[]);
    setLoadingTemplates(false);
  };

  const loadPartnerAssets = async () => {
    const { data: assets } = await supabase
      .from('partner_assets')
      .select('*')
      .eq('is_active', true)
      .order('pinned', { ascending: false })
      .order('recommended', { ascending: false })
      .order('updated_at', { ascending: false });

    if (assets) {
      const { data: readinessData } = await supabase
        .from('asset_readiness')
        .select('*')
        .in('asset_id', assets.map(a => a.id));

      const readinessMap = new Map<string, PartnerAsset['readiness']>();
      (readinessData || []).forEach(r => readinessMap.set(r.asset_id, r as PartnerAsset['readiness']));

      setPartnerAssets(assets.map(a => ({
        ...a,
        content_sections: a.content_sections || [],
        jurisdictions: a.jurisdictions || [],
        pipeline_stages: a.pipeline_stages || [],
        readiness: readinessMap.get(a.id) || null,
        download_count: 0,
      }))) as PartnerAsset[]);
    }
    setLoadingAssets(false);
  };

  const flyer = es ? FLYER_CONTENT.es : FLYER_CONTENT.en;

  const communityFlyers = partnerAssets.filter(a => a.asset_type === 'community-flyer');
  const otherAssets = partnerAssets.filter(a => a.asset_type !== 'community-flyer');

```

```

return (
  <>
  <Navigation />
  <main id="main-content" className="pt-20">
    <section className="relative bg-gradient-to-br from-navy-900 via-navy-800 to-navy-950 py-20 overflow-hidden">
      <div className="absolute inset-0 opacity-10">
        <div className="absolute top-20 left-10 w-72 h-72 bg-teal-500 rounded-full blur-3xl" />
        <div className="absolute bottom-10 right-20 w-96 h-96 bg-amber-500 rounded-full blur-3xl" />
      </div>
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 relative z-10">
        <div className="text-center max-w-3xl mx-auto">
          <div className="inline-flex items-center gap-2 px-4 py-2 bg-teal-500/10 border border-teal-500/20 rounded-full mb-6">
            <Share2 className="w-4 h-4 text-teal-400" />
            <span className="text-sm font-medium text-teal-300">
              {es ? 'Kit de Medios para Aliados' : 'Partner Media Kit'}
            </span>
          </div>
          </div>
          <h1 className="text-3xl md:text-5xl font-bold text-white mb-6 leading-tight">
            {es
              ? 'Comparte ezLegal con tu Comunidad'
              : 'Share ezLegal With Your Community'}
          </h1>
          <p className="text-lg text-navy-200 mb-8 leading-relaxed">
            {es
              ? 'Plantillas de posts, contenido para volantes y activos de marca listos para usar en inglés y español. Copie, pegue y comparta.'
              : 'Ready-to-use social posts, flyer content, and brand assets in English and Spanish. Copy, paste, and share.'}
          </p>
          <Link
            to="/partner-hub"
            className="inline-flex items-center gap-2 px-6 py-3 bg-teal-600 text-white rounded-xl font-semibold
            hover:bg-teal-500 transition-all"
          >
            {es ? 'Convertirse en Aliado' : 'Become a Partner'}
            <ArrowRight className="w-4 h-4" />
          </Link>
        </div>
      </div>
    </section>

    <section className="py-4 bg-white border-b border-navy-200 sticky top-20 z-30">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="flex gap-2 overflow-x-auto">
          {[
            { id: 'social' as const, icon: Megaphone, en: 'Social Media Posts', es: 'Posts para Redes Sociales' },
            { id: 'flyer' as const, icon: Printer, en: 'Flyer Content', es: 'Contenido para Volantes' },
            { id: 'assets' as const, icon: Image, en: 'Partner Assets', es: 'Activos para Aliados', count: partnerAssets.length
          ],
        }.map(tab => (
          <button
            key={tab.id}
            onClick={() => setActiveTab(tab.id)}
            className={`inline-flex items-center gap-2 px-5 py-2.5 rounded-lg text-sm font-semibold transition-all
            whitespace-nowrap ${
              activeTab === tab.id
                ? 'bg-teal-600 text-white'
                : 'bg-navy-50 text-navy-700 hover:bg-navy-100'
            }`
          >
            <tab.icon className="w-4 h-4" />
            {es ? tab.es : tab.en}
            {'count' in tab && (tab.count ?? 0) > 0 && (
              <span className={`text-xs px-1.5 py-0.5 rounded-full ${
                activeTab === tab.id ? 'bg-white/20' : 'bg-navy-200'
              }`} >
                {tab.count}
              </span>
            )}
          </button>
        ))}
      </div>
    </div>
  </section>

  {activeTab === 'social' && (
    <section className="py-12 bg-white">
      <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="mb-8">
          <h2 className="text-2xl font-bold text-navy-900 mb-2">
            {es ? 'Plantillas de Posts para Redes Sociales' : 'Social Media Post Templates'}
          </h2>
          <p className="text-navy-600">
            {es
              ? 'Copie estos mensajes pre-escritos y publíquelos en sus canales. Disponibles en inglés y español.'
              : 'Copy these pre-written messages and post them to your channels. Available in English and Spanish.'}
          </p>
        </div>

        {loadingTemplates ? (
          <div className="flex items-center justify-center py-16">
            <Loader2 className="w-8 h-8 text-teal-600 animate-spin" />
          </div>
        ) : (
          <div className="space-y-6">
            {templates.map(template => {

```

```

const Icon = ICON_MAP[template.icon_name] || MessageCircle;
const label = es ? template.label_es : template.label_en;
const text = es ? template.text_es : template.text_en;
const otherText = es ? template.text_en : template.text_es;
return (
  <div key={template.id} className="bg-white rounded-2xl border border-navy-200 overflow-hidden">
    <div className={` ${template.color} px-5 py-3 flex items-center gap-2`} >
      <Icon className="w-5 h-5 text-white" />
      <span className="text-white font-semibold text-sm">{label}</span>
    </div>
    <div className="p-5">
      <div className="bg-navy-50 rounded-xl p-4 mb-4">
        <p className="text-sm text-navy-800 whitespace-pre-wrap leading-relaxed">{text}</p>
      </div>
      <div className="flex items-center justify-between">
        <CopyButton text={text} />
        <button
          onClick={() => navigator.clipboard.writeText(otherText)}
          className="text-xs text-navy-500 hover:text-navy-700 underline transition-colors"
        >
          {es ? 'Copy in English' : 'Copiar en Español'}
        </button>
      </div>
    </div>
  </div>
);
}}
</div>
)}

<div className="mt-8 bg-amber-50 border border-amber-200 rounded-xl p-5">
  <div className="flex items-start gap-3">
    <Shield className="w-5 h-5 text-amber-600 flex-shrink-0 mt-0.5" />
    <div>
      <p className="font-semibold text-amber-900 text-sm mb-1">
        {es ? 'Recordatorio de Cumplimiento' : 'Compliance Reminder'}
      </p>
      <p className="text-xs text-amber-800 leading-relaxed">
        {es
          ? 'Siempre incluya la aclaracion de que ezLegal.ai proporciona información legal, no asesoria legal. Nunca
            haga afirmaciones sobre resultados garantizados. No modifique los mensajes para implicar una relacion abogado-cliente.'
          : 'Always include the disclaimer that ezLegal.ai provides legal information, not legal advice. Never make
            claims about guaranteed outcomes. Do not modify messages to imply an attorney-client relationship.'}
      </p>
    </div>
  </div>
</div>
</div>
</div>
</section>
)}

{activeTab === 'flyer' && (
  <section className="py-12 bg-white">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
      <div className="mb-8">
        <h2 className="text-2xl font-bold text-navy-900 mb-2">
          {es ? 'Contenido para Volantes Impresos' : 'Printable Flyer Content'}
        </h2>
        <p className="text-navy-600">
          {es
            ? 'Use este contenido para crear volantes para bibliotecas, iglesias, centros comunitarios y tableros de
              anuncios.'
            : 'Use this content to create flyers for libraries, churches, community centers, and bulletin boards.'}
        </p>
      </div>
      <div className="bg-white rounded-2xl border-2 border-navy-200 overflow-hidden shadow-lg">
        <div className="bg-teal-600 p-8 text-white text-center">
          <p className="text-3xl font-bold mb-2">{flyer.headline}</p>
          <p className="text-lg text-teal-100">{flyer.subheadline}</p>
        </div>
        <div className="p-8">
          <div className="space-y-3 mb-8">
            {flyer.bullets.map(bullet => (
              <div key={bullet} className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-teal-600 flex-shrink-0 mt-0.5" />
                <p className="text-navy-800 font-medium">{bullet}</p>
              </div>
            ))}
          </div>
          <div className="bg-navy-50 rounded-xl p-6 text-center mb-6">
            <div className="flex items-center justify-center gap-2 mb-3">
              <Globe className="w-5 h-5 text-teal-600" />
              <p className="text-lg font-bold text-navy-900">ezlegal.ai</p>
            </div>
            <div className="w-32 h-32 bg-navy-200 rounded-xl mx-auto flex items-center justify-center">
              <QRCode className="w-16 h-16 text-navy-400" />
            </div>
            <p className="text-sm text-navy-600 mt-3">{flyer.footer}</p>
          </div>
          <div className="flex items-center gap-3 text-xs text-navy-500">
            <Shield className="w-4 h-4 text-navy-400 flex-shrink-0" />
            <p>{flyer.disclaimer}</p>
          </div>
        </div>
      </div>
    </div>
  </section>
)

```

```

        <CopyButton text={` ${flyer.headline}\n\n${flyer.subheadline}\n\n${flyer.bullets.map(b => `-${b}\n\n${flyer.footer}\n\n${flyer.disclaimer}`) }` />
        <button
            onClick={() => window.print()}
            className="inline-flex items-center gap-1.5 px-3 py-1.5 bg-teal-600 text-white rounded-lg text-sm font-medium
hover:bg-teal-500 transition-colors"
        >
            <Printer className="w-3.5 h-3.5" />
            {es ? 'Imprimir' : 'Print'}
        </button>
    </div>
</div>

<div className="mt-8 bg-blue-50 border border-blue-200 rounded-xl p-5">
    <div className="flex items-start gap-3">
        <QrCode className="w-5 h-5 text-blue-600 flex-shrink-0 mt-0.5" />
        <div>
            <p className="font-semibold text-blue-900 text-sm mb-1">
                {es ? 'Codigos QR Personalizados' : 'Custom QR Codes'}
            </p>
            <p className="text-xs text-blue-800 leading-relaxed">
                {es
                    ? 'Los aliados reciben codigos QR personalizados con seguimiento integrado. Contacte partners@ezlegal.ai
para solicitar el suyo.'
                    : 'Partners receive custom QR codes with built-in tracking. Contact partners@ezlegal.ai to request yours.'}
            </p>
        </div>
    </div>
</div>
</div>
</section>
)}

{activeTab === 'assets' && (
    <section className="py-12 bg-white">
        <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
            <div className="mb-8">
                <h2 className="text-2xl font-bold text-navy-900 mb-2">
                    {es ? 'Activos para Aliados' : 'Partner Assets'}
                </h2>
                <p className="text-navy-600">
                    {es
                        ? 'Todos los recursos disponibles para aliados: guias, volantes comunitarios, plantillas y materiales de marca.'
                        : 'All resources available to partners: guides, community flyers, templates, and brand materials.'}
                    </p>
            </div>

            {loadingAssets ? (
                <div className="flex items-center justify-center py-16">
                    <Loader2 className="w-8 h-8 text-teal-600 animate-spin" />
                </div>
            ) : (
                <>
                    {communityFlyers.length > 0 && (
                        <div className="mb-10">
                            <div className="flex items-center gap-2 mb-4">
                                <BookOpen className="w-5 h-5 text-teal-600" />
                                <h3 className="text-lg font-bold text-navy-900">
                                    {es ? 'Volantes Comunitarios de Derechos Legales' : 'Community Legal Rights Flyers'}
                                </h3>
                                <span className="text-xs bg-teal-100 text-teal-700 px-2 py-0.5 rounded-full font-medium">
                                    {communityFlyers.length}
                                </span>
                            </div>
                            <p className="text-sm text-navy-500 mb-4">
                                {es
                                    ? 'Volantes bilingues listos para imprimir sobre temas legales clave para distribuciones comunitarias.'
                                    : 'Bilingual print-ready flyers covering key legal topics for community distribution.'}
                                </p>
                            <div className="grid sm:grid-cols-2 lg:grid-cols-3 gap-4">
                                {communityFlyers.map(asset => {
                                    const Icon = TYPE_ICONS[asset.asset_type] || FileText;
                                    const readinessText = asset.readiness ? getReadinessLabel(asset.readiness) : '';
                                    const isReady = readinessText.includes('Ready');
                                    return (
                                        <div
                                            key={asset.id}
                                            className="bg-white rounded-xl border border-navy-200 p-5 hover:shadow-md hover:border-teal-300
transition-all group"
                                        >
                                            <div className="flex items-start justify-between mb-3">
                                                <div className="w-10 h-10 bg-teal-50 rounded-lg flex items-center justify-center
group-hover:bg-teal-100 transition-colors">
                                                    <Icon className="w-5 h-5 text-teal-600" />
                                                </div>
                                                {isReady && (
                                                    <span className="text-xs bg-green-100 text-green-700 px-2 py-0.5 rounded-full font-medium">
                                                        {readinessText}
                                                    </span>
                                                )}
                                            </div>
                                            <h4 className="font-semibold text-navy-900 text-sm mb-1">{asset.name}</h4>
                                            <p className="text-xs text-navy-500 mb-3 line-clamp-2">{asset.description}</p>
                                            <div className="flex items-center gap-2">
                                                <span className={`text-xs px-2 py-0.5 rounded-full font-medium ${getTypeColor(asset.asset_type)}`}>
                                                    {getTypeLabel(asset.asset_type)}
                                                </span>
                                            </div>
                                        </div>
                                    )}
                                )}
                            </div>
                        </div>
                    )}
                </>
            )}
        </div>
    </section>
)

```

```

        </span>
        <span className="text-xs text-navy-400">{asset.file_size}</span>
      </div>
    </div>
  );
  }}}
</div>
</div>
)}

{otherAssets.length > 0 && (
  <div className="mb-10">
    <div className="flex items-center gap-2 mb-4">
      <FileText className="w-5 h-5 text-navy-600" />
      <h3 className="text-lg font-bold text-navy-900">
        {es ? 'Materiales de Marketing y Marca' : 'Marketing & Brand Materials'}
      </h3>
      <span className="text-xs bg-navy-100 text-navy-600 px-2 py-0.5 rounded-full font-medium">
        {otherAssets.length}
      </span>
    </div>
    <div className="grid sm:grid-cols-2 gap-4">
      {otherAssets.map(asset => {
        const Icon = TYPE_ICONS[asset.asset_type] || FileText;
        const readinessText = asset.readiness ? getReadinessLabel(asset.readiness) : '';
        const isReady = readinessText.includes('Ready');
        return (
          <div
            key={asset.id}
            className="bg-navy-50 rounded-xl p-5 border border-navy-100 hover:shadow-md hover:border-navy-300
transition-all group"
          >
            <div className="flex items-start gap-4">
              <div className="w-12 h-12 bg-white rounded-xl flex items-center justify-center border
border-navy-200 flex-shrink-0 group-hover:border-teal-300 transition-colors">
                <Icon className="w-6 h-6 text-navy-600" />
              </div>
              <div className="flex-1 min-w-0">
                <h4 className="font-semibold text-navy-900 mb-1">{asset.name}</h4>
                <p className="text-xs text-navy-500 mb-2 line-clamp-2">{asset.description}</p>
                <div className="flex items-center gap-2 flex-wrap">
                  <span className={`text-xs px-2 py-0.5 rounded-full font-medium
${getTypeColor(asset.asset_type)}`>
                    {getTypeLabel(asset.asset_type)}
                  </span>
                  <span className="text-xs text-navy-400">{asset.file_size}</span>
                </div>
                {isReady && (
                  <span className="text-xs bg-green-100 text-green-700 px-2 py-0.5 rounded-full font-medium">
                    {readinessText}
                  </span>
                )}
                {asset.recommended && (
                  <span className="text-xs bg-amber-100 text-amber-700 px-2 py-0.5 rounded-full font-medium">
                    {es ? 'Recomendado' : 'Recommended'}
                  </span>
                )}
              </div>
            </div>
          </div>
        );
      })}
    </div>
  )}
</div>
)}

<div className="bg-gradient-to-br from-teal-50 to-white rounded-2xl border border-teal-200 p-8 text-center">
  <Lock className="w-10 h-10 text-teal-600 mx-auto mb-4" />
  <h3 className="text-xl font-bold text-navy-900 mb-2">
    {es ? 'Descargue Todos los Activos' : 'Download All Assets'}
  </h3>
  <p className="text-navy-600 mb-6 max-w-md mx-auto">
    {es
      ? 'Regístrese como aliado para descargar materiales completos, códigos QR personalizados y construir su
propio kit de aliado.'
      : 'Register as a partner to download full materials, get custom QR codes, and build your own partner kit.'}
  </p>
  <Link
    to="/partner-hub#apply"
    className="inline-flex items-center gap-2 px-8 py-3 bg-teal-600 text-white rounded-xl font-semibold
hover:bg-teal-500 transition-all"
  >
    {es ? 'Solicitar Alianza' : 'Apply to Partner'}
    <ArrowRight className="w-4 h-4" />
  </Link>
</div>
</>
)}
</div>
</section>
)}

<section className="py-12 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <h2 className="text-xl font-bold text-navy-900 mb-6 text-center">
      {es ? 'Donde Distribuir' : 'Where to Distribute'}
    </h2>
  </div>
</section>

```

```

</h2>
<div className="grid grid-cols-2 md:grid-cols-4 gap-4">
  {[
    { en: 'Community Centers', es: 'Centros Comunitarios', icon: Users },
    { en: 'Churches & Temples', es: 'Iglesias y Templos', icon: Shield },
    { en: 'ESL Programs', es: 'Programas de ESL', icon: Globe },
    { en: 'Libraries', es: 'Bibliotecas', icon: FileText },
    { en: 'Consulate Boards', es: 'Tableros de Consulados', icon: Globe },
    { en: 'Legal Aid Offices', es: 'Oficinas de Asistencia Legal', icon: Shield },
    { en: 'Laundromats', es: 'Lavanderias', icon: MapPin },
    { en: 'Grocery Stores', es: 'Tiendas de Abarrotes', icon: MapPin },
  ]}.map(loc => (
    <div key={loc.en} className="flex items-center gap-3 p-4 bg-white rounded-xl border border-navy-100">
      <loc.icon className="w-5 h-5 text-teal-600 flex-shrink-0" />
      <span className="text-sm font-medium text-navy-800">{es ? loc.es : loc.en}</span>
    </div>
  )))
</div>
</div>
</section>
</main>
<Footer />
</>
  );
}

```

[31/58] Negotiate

Route: /negotiate | File: src/pages/Negotiate.tsx

```
import { useState } from 'react';
import { Target, TrendingUp, ArrowRight, Check, Shield, Brain, Sparkles, Handshake as HandshakeIcon, Building2, DollarSign, Clock, BookOpen, Play, Star, MessageSquare, Info, AlertTriangle } from 'lucide-react';
import { Link } from 'react-router-dom';
import Breadcrumbs from '../components/Breadcrumbs';
import RelatedLinks from '../components/RelatedLinks';
import { useLanguage } from '../contexts/LanguageContext';
import usePersonaRouting from '../hooks/usePersonaRouting';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import NegotiationStrategyPlanner from '../components/NegotiationStrategyPlanner';

export default function Negotiate() {
  const { language } = useLanguage();
  const { isOrganization, isBusiness } = usePersonaRouting();
  const [showPlanner, setShowPlanner] = useState(false);

  const features = [
    {
      icon: Target,
      title: language === 'en' ? 'BATNA Analysis' : 'Análisis BATNA',
      description: language === 'en'
        ? 'Calculate your negotiating leverage by evaluating alternatives'
        : 'Calcula tu poder de negociación evaluando alternativas',
    },
    {
      icon: TrendingUp,
      title: language === 'en' ? 'ZOPA Calculator' : 'Calculadora ZOPA',
      description: language === 'en'
        ? 'Find the Zone of Possible Agreement where deals get done'
        : 'Encuentra la Zona de Posible Acuerdo donde se cierran tratos',
    },
    {
      icon: Sparkles,
      title: language === 'en' ? 'Anchoring Strategy' : 'Estrategia de Anclaje',
      description: language === 'en'
        ? 'Get AI-recommended opening numbers to maximize your outcome'
        : 'Obtiene números de apertura recomendados por IA para maximizar tu resultado',
    },
    {
      icon: MessageSquare,
      title: language === 'en' ? 'Ready Scripts' : 'Guiones Listos',
      description: language === 'en'
        ? 'Copy-and-send scripts for demands, counters, and tactics'
        : 'Guiones listos para copiar y enviar para demandas, contraofertas y tácticas',
    },
  ];

  const disputeTypes = [
    { name: language === 'en' ? 'Landlord Disputes' : 'Disputas con Casero', example: 'Security deposit, repairs, lease terms' },
    { name: language === 'en' ? 'Wage Claims' : 'Reclamos de Salarios', example: 'Unpaid wages, overtime, severance' },
    { name: language === 'en' ? 'Debt Collection' : 'Cobro de Deudas', example: 'Settlement negotiations, validation' },
    { name: language === 'en' ? 'Insurance Claims' : 'Reclamaciones de Seguro', example: 'Denied claims, low offers' },
    { name: language === 'en' ? 'Contract Disputes' : 'Disputas de Contratos', example: 'Breach, non-performance' },
    { name: language === 'en' ? 'Consumer Issues' : 'Problemas de Consumidor', example: 'Refunds, defective products' },
  ];

  const tactics = [
    {
      name: language === 'en' ? 'Anchoring' : 'Anclaje',
      description: language === 'en'
        ? 'The first number mentioned heavily influences the final outcome. Start ambitiously.'
        : 'El primer número mencionado influye fuertemente en el resultado final. Empieza ambiciosamente.',
    },
    {
      name: language === 'en' ? 'Bracketing' : 'Acotamiento',
      description: language === 'en'
        ? '"If you move to X, I could accept Y" - a conditional offer that defines the settlement range.'
        : '"Si te mueves a X, podría aceptar Y" - una oferta condicional que define el rango de acuerdo.',
    },
    {
      name: language === 'en' ? 'Silence' : 'Silencio',
      description: language === 'en'
        ? 'After making an offer, wait. The discomfort of silence often leads them to improve their offer.'
        : 'Después de hacer una oferta, espera. La incomodidad del silencio a menudo los lleva a mejorar su oferta.',
    },
    {
      name: language === 'en' ? 'Walk-Away Power' : 'Poder de Retirarse',
      description: language === 'en'
        ? 'A strong BATNA means you can walk away. This is your greatest source of leverage.'
        : 'Un BATNA fuerte significa que puedes retirarte. Esta es tu mayor fuente de poder.',
    },
  ];

  if (showPlanner) {
    return (
      <div className="min-h-screen bg-navy-50">
        <Navigation />
      </div>
    );
  }
}
```



```

<div className="pt-24 pb-12">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-center justify-between mb-8">
      <div>
        <button
          onClick={() => setShowPlanner(false)}
          className="text-sm text-teal-600 hover:text-navy-700 mb-2"
        >
          &arr; {language === 'en' ? 'Back to overview' : 'Volver a resumen'}
        </button>
        <h2 className="text-2xl font-bold text-navy-900">
          {language === 'en' ? 'Negotiation Strategy Planner' : 'Planificador de Estrategia de Negociacion'}
        </h2>
        <p className="text-navy-600">
          {language === 'en'
            ? 'AmLaw 100 tactics, simplified for everyone'
            : 'Tacticas de AmLaw 100, simplificadas para todos'}
        </p>
      </div>
    </div>
    <div className="flex items-center gap-2 text-sm text-navy-500">
      <Shield className="w-4 h-4" />
      <span>{language === 'en' ? 'See our privacy approach' : 'Conoce nuestro enfoque de privacidad'}</span>
    </div>
  </div>

  <div className="mb-6 flex items-start gap-3 px-4 py-3 bg-white border border-stone-200 rounded-xl text-sm text-stone-600">
    <Info className="w-5 h-5 text-stone-400 flex-shrink-0 mt-0.5" />
    <div>
      <span>
        {language === 'en'
          ? 'This tool provides legal information, not legal advice. It does not create an attorney-client relationship. For specific guidance on your situation, '
          : 'Esta herramienta proporciona información legal, no asesoramiento legal. No crea una relacion abogado-cliente. Para orientación especifica sobre su situación, '
        }
      </span>
      <Link to="/find-attorney" className="text-teal-600 hover:text-teal-700 font-medium">
        {language === 'en' ? 'consult an attorney' : 'consulte a un abogado'}
      </Link>
      <span>
        {language === 'en' ? ' or ' : ' o '}
      </span>
      <Link to="/pro-bono" className="text-teal-600 hover:text-teal-700 font-medium">
        {language === 'en' ? 'check pro bono eligibility' : 'verifique elegibilidad pro bono'}
      </Link>
      <span>.</span>
    </div>
  </div>

  {isOrganization && (
    <div className="mb-6 p-4 bg-amber-50 border border-amber-200 rounded-xl flex items-start gap-3">
      <AlertTriangle className="w-5 h-5 text-amber-600 flex-shrink-0 mt-0.5" />
      <div className="text-sm">
        <p className="font-semibold text-amber-800 mb-1">
          {language === 'en' ? 'Organization Mode: Triage First' : 'Modo Organizacion: Triage Primero'}
        </p>
        <p className="text-amber-700">
          {language === 'en'
            ? 'For client-facing negotiations, ensure the client has been screened for safety risks, active court orders, and crisis situations before generating scripts. Use this tool for case preparation -- not as direct client advice.'
            : 'Para negociaciones con clientes, asegurese de que el cliente haya sido evaluado por riesgos de seguridad, ordenes judiciales activas y situaciones de crisis antes de generar guiones. Use esta herramienta para preparacion de casos, no como consejo directo al cliente.'}
        </p>
      </div>
    </div>
  )}

  {isBusiness && (
    <div className="mb-6 p-4 bg-blue-50 border border-blue-200 rounded-xl flex items-start gap-3">
      <Building2 className="w-5 h-5 text-blue-600 flex-shrink-0 mt-0.5" />
      <div className="text-sm">
        <p className="font-semibold text-blue-800 mb-1">
          {language === 'en' ? 'Business Disputes' : 'Disputas Comerciales'}
        </p>
        <p className="text-blue-700">
          {language === 'en'
            ? 'This tool supports contract disputes, vendor negotiations, lease terms, and B2B collections. For complex commercial litigation, we recommend consulting an attorney.'
            : 'Esta herramienta apoya disputas de contratos, negociaciones con proveedores, terminos de arrendamiento y cobros B2B. Para litigios comerciales complejos, recomendamos consultar a un abogado.'}
        </p>
        <Link to="/find-attorney" className="text-blue-600 hover:text-blue-700 font-medium mt-1 inline-block">
          {language === 'en' ? 'Find a business attorney' : 'Encontrar un abogado de negocios'} &arr;
        </Link>
      </div>
    </div>
  )}

  <NegotiationStrategyPlanner />
</div>
</div>

<Footer />

```

```

    </div>
  );
}

return (
  <div className="min-h-screen bg-white">
    <Navigation />
    <Breadcrumbs className="mt-24" />

    <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white pt-12 pb-20">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="max-w-3xl mx-auto text-center">
          <div className="inline-flex items-center gap-2 bg-amber-500/20 border border-amber-500/30 px-4 py-2 rounded-full mb-6">
            <Brain className="w-4 h-4 text-amber-400" />
            <span className="text-sm font-medium text-amber-300">
              {language === 'en' ? 'AI-Powered Negotiation Coach' : 'Coach de Negociacion Impulsado por IA'}
            </span>
          </div>
        </div>

        <h1 className="text-4xl md:text-5xl font-bold mb-6">
          {language === 'en'
            ? 'Stand Up for Yourself with the Right Words'
            : 'Defiendete con las Palabras Correctas'}
        </h1>

        <p className="text-xl text-white/70 mb-8">
          {language === 'en'
            ? 'Free AI-powered scripts and strategies for handling disputes with landlords, debt collectors, insurance companies, and employers. No legal experience needed.'
            : 'Scripts y estrategias gratuitas impulsadas por IA para manejar disputas con caseros, cobradores de deudas, aseguradoras y empleadores. No se necesita experiencia legal.'}
        </p>

        <div className="flex flex-col sm:flex-row items-center justify-center gap-4">
          <button
            onClick={() => setShowPlanner(true)}
            className="flex items-center gap-2 bg-amber-500 hover:bg-amber-400 text-navy-900 px-8 py-4 rounded-xl font-bold text-lg shadow-lg hover:shadow-xl transition-all"
          >
            <Play className="w-5 h-5" />
            {language === 'en' ? 'Start Planning My Negotiation' : 'Empezar a Planificar Mi Negociacion'}
          </button>
          <a
            href="#how-it-works"
            className="flex items-center gap-2 text-white/70 hover:text-white transition-colors"
          >
            <BookOpen className="w-5 h-5" />
            {language === 'en' ? 'Learn the tactics first' : 'Aprende las tacticas primero'}
          </a>
        </div>
      </div>
    </section>

    <section className="py-16 bg-navy-50">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="grid md:grid-cols-4 gap-6">
          {features.map((feature, index) => {
            const Icon = feature.icon;
            return (
              <div key={index} className="bg-white rounded-xl p-6 border border-navy-200 shadow-sm">
                <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center mb-4">
                  <Icon className="w-6 h-6 text-teal-600" />
                </div>
                <h2 className="font-bold text-navy-900 mb-2">{feature.title}</h2>
                <p className="text-sm text-navy-600">{feature.description}</p>
              </div>
            );
          })}
        </div>
      </div>
    </section>

    <section className="py-16" id="how-it-works">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
          <h2 className="text-3xl font-bold text-navy-900 mb-4">
            {language === 'en' ? 'The Tactics They Use Against You' : 'Las Tacticas Que Usan Contra Ti'}
          </h2>
          <p className="text-navy-600 max-w-2xl mx-auto">
            {language === 'en'
              ? 'Insurance adjusters, debt collectors, landlords, and employers all use proven negotiation tactics. Now you can too.'
              : 'Ajustadores de seguros, cobradores de deudas, caseros y empleadores todos usan tacticas de negociacion probadas. Ahora tu también puedes.'}
          </p>
        </div>

        <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-6">
          {tactics.map((tactic, index) => (
            <div key={index} className="bg-navy-900 rounded-xl p-6 text-white">
              <div className="w-8 h-8 bg-amber-500/20 rounded-lg flex items-center justify-center mb-4">
                <span className="text-amber-400 font-bold">{index + 1}</span>
              </div>
            </div>
          ))}
        </div>
      </div>
    </section>
  </div>
);

```

```

        </div>
        <h3 className="font-bold text-lg mb-2">{tactic.name}</h3>
        <p className="text-sm text-white/60">{tactic.description}</p>
      </div>
    )}}
  </div>
</div>
</section>

<section className="py-16 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">
        {language === 'en' ? 'Works for Any Dispute' : 'Funciona para Cualquier Disputa'}
      </h2>
      <p className="text-navy-600 max-w-2xl mx-auto">
        {language === 'en'
          ? 'Our negotiation framework adapts to your specific situation'
          : 'Nuestro marco de negociacion se adapta a tu situación especifica'
        }
      </p>
    </div>

    <div className="grid sm:grid-cols-2 lg:grid-cols-3 gap-4">
      {disputeTypes.map((type, index) => (
        <div key={index} className="bg-white rounded-xl p-5 border border-navy-200">
          <div className="flex items-start gap-3">
            <Check className="w-5 h-5 text-teal-600 mt-0.5 flex-shrink-0" />
            <div>
              <h3 className="font-semibold text-navy-900">{type.name}</h3>
              <p className="text-sm text-navy-500">{type.example}</p>
            </div>
          </div>
        </div>
      ))}
    </div>
  </div>
</section>

<section className="py-16">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="bg-navy-900 rounded-3xl p-8 md:p-12 text-white overflow-hidden relative">
      <div className="absolute top-0 right-0 w-96 h-96 bg-amber-500/10 rounded-full blur-3xl" />

      <div className="relative grid md:grid-cols-2 gap-12 items-center">
        <div>
          <h2 className="text-3xl font-bold mb-4">
            {language === 'en'
              ? 'Why This Works'
              : 'Por Que Esto Funciona'
            }
          </h2>
          <div className="space-y-4 text-white/70">
            <p>
              {language === 'en'
                ? "When a debt collector calls, they have scripts. When an insurance adjuster makes an offer, they have guidelines. When a landlord refuses your deposit, they're betting you don't know your rights."
                : "Cuando un cobrador de deudas llama, tienen guiones. Cuando un ajustador de seguros hace una oferta, tienen pautas. Cuando un casero rechaza tu depósito, apuestan a que no conoces tus derechos."
              }
            </p>
            <p>
              {language === 'en'
                ? "Our Negotiation Strategy Planner levels the playing field. It's built on proven negotiation frameworks and gives you the same preparation tools that make professional negotiators effective."
                : "Nuestro Planificador de Estrategia de Negociacion nivela el campo de juego. Esta construido sobre marcos de negociacion probados y te da las mismas herramientas de preparacion que hacen efectivos a los negociadores profesionales."
              }
            </p>
          </div>
        </div>

        <button
          onClick={() => setShowPlanner(true)}
          className="mt-8 flex items-center gap-2 bg-amber-500 hover:bg-amber-400 text-navy-900 px-6 py-3 rounded-xl font-bold transition-all"
        >
          {language === 'en' ? 'Start My Negotiation Plan' : 'Comenzar Mi Plan de Negociacion'}
          <ArrowRight className="w-5 h-5" />
        </button>
      </div>

      <div className="space-y-4">
        <div className="bg-white/10 backdrop-blur-sm rounded-xl p-5 border border-white/20">
          <div className="flex items-center gap-3 mb-3">
            <div className="w-10 h-10 bg-green-500/20 rounded-lg flex items-center justify-center">
              <DollarSign className="w-5 h-5 text-green-400" />
            </div>
            <div className="text-2xl font-bold">73%</div>
          </div>
          <p className="text-sm text-white/60">
            {language === 'en'
              ? 'of people who prepare a negotiation strategy get better outcomes than those who wing it (Harvard PON research)'
              : 'de las personas que preparan una estrategia de negociacion obtienen mejores resultados que los que improvisan (investigacion Harvard PON)'
            }
          </p>
        </div>
      </div>
    </div>
  </div>
</section>

```

```

    </p>
  </div>

  <div className="bg-white/10 backdrop-blur-sm rounded-xl p-5 border border-white/20">
    <div className="flex items-center gap-3 mb-3">
      <div className="w-10 h-10 bg-teal-500/20 rounded-lg flex items-center justify-center">
        <Target className="w-5 h-5 text-teal-400" />
      </div>
      <div className="text-2xl font-bold">2-3x</div>
    </div>
    <p className="text-sm text-white/60">
      {language === 'en'
        ? 'the initial offer - typical improvement from proper anchoring technique (Galinsky & Mussweiler, negotiation
research)'}
      : 'la oferta inicial - mejora tipica de la tecnica de anclaje adecuada (Galinsky & Mussweiler, investigacion
de negociacion)'}
    </p>
  </div>

  <div className="bg-white/10 backdrop-blur-sm rounded-xl p-5 border border-white/20">
    <div className="flex items-center gap-3 mb-3">
      <div className="w-10 h-10 bg-amber-500/20 rounded-lg flex items-center justify-center">
        <Clock className="w-5 h-5 text-amber-400" />
      </div>
      <div className="text-2xl font-bold">15 min</div>
    </div>
    <p className="text-sm text-white/60">
      {language === 'en'
        ? 'average time to complete your negotiation strategy - worth hours of better outcomes'
        : 'tiempo promedio para completar tu estrategia de negociacion - vale horas de mejores resultados'}
    </p>
  </div>
</div>
</div>
</div>
</div>
</div>
</section>

<section className="py-16 bg-green-50">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <div className="inline-flex items-center gap-2 bg-green-100 px-4 py-2 rounded-full mb-6">
      <Star className="w-4 h-4 text-green-600" />
      <span className="text-sm font-medium text-green-800">
        {language === 'en' ? 'Free Tool' : 'Herramienta Gratis'}
      </span>
    </div>

    <h2 className="text-3xl font-bold text-navy-900 mb-4">
      {language === 'en'
        ? 'Ready to Negotiate?'
        : 'Listo para Negociar?'}
    </h2>

    <p className="text-navy-600 mb-8 max-w-2xl mx-auto">
      {language === 'en'
        ? "Stop going into negotiations unprepared. In 15 minutes, you'll have a complete strategy with scripts, tactics, and
numbers."
        : "Deja de entrar a negociaciones sin preparacion. En 15 minutos, tendras una estrategia completa con guiones,
tacticas y numeros."}
    </p>

    <button
      onClick={() => setShowPlanner(true)}
      className="inline-flex items-center gap-2 bg-green-600 hover:bg-green-700 text-white px-8 py-4 rounded-xl font-bold
text-lg shadow-lg hover:shadow-xl transition-all"
    >
      <HandshakeIcon className="w-5 h-5" />
      {language === 'en' ? 'Start My Negotiation Strategy' : 'Comenzar Mi Estrategia de Negociacion'}
    </button>

    <p className="text-sm text-navy-500 mt-4">
      {language === 'en'
        ? 'Free to start. See our privacy approach.'
        : 'Gratis para comenzar. Conoce nuestro enfoque de privacidad.'}
    </p>

    <div className="mt-6 bg-white/80 border border-navy-200 rounded-xl p-4 max-w-md mx-auto">
      <p className="text-xs text-navy-600 text-center">
        {language === 'en'
          ? 'Want a complete, downloadable PDF strategy document with all scenarios and risk assessments?'
          : 'Quieres un documento PDF completo y descargable con todos los escenarios y evaluaciones de riesgo?'}
      </p>
      <Link
        to="/issue-packs?topic=negotiation#negotiation"
        className="flex items-center justify-center gap-1 text-sm font-semibold text-teal-600 hover:text-teal-700 mt-2"
      >
        {language === 'en' ? 'Get Negotiation Strategy Pack - $49' : 'Obtener Paquete de Negociacion - $49'}
        <ArrowRight className="w-4 h-4" />
      </Link>
    </div>
  </div>
</div>

```

```
        </section>
        <RelatedLinks />
        <Footer />
    </div>
    );
}
```

[32/58] Partner Hub

Route: /partner-hub | File: src/pages/PartnerHub.tsx

```
import { useState, useEffect } from 'react';
import { Link, useSearchParams } from 'react-router-dom';
import { Building2, Users, Globe, Shield, ArrowRight, CheckCircle, Zap, BookOpen, Headphones as HeadphonesIcon, TrendingUp,
ChevronRight, ExternalLink, Handshake, DollarSign, Lock, FileText, Heart, Megaphone, QrCode, LineChart, UserCheck, Code,
ChevronDown, Star } from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { useLanguage } from '../contexts/LanguageContext';
import { useAuth } from '../contexts/AuthContext';
import { supabase } from '../lib/supabase';

const PARTNER_MODELS = [
  {
    id: 'referral',
    icon: Megaphone,
    color: 'teal',
    startingAt: { en: 'Free to join', es: 'Gratis para unirse' },
    en: {
      name: 'Referral Partner',
      tagline: 'Share. Refer. Earn.',
      description: 'Share ezLegal with your community using your custom link, QR codes, and branded materials. You earn revenue
share on every referred user who becomes a paid subscriber.',
      idealFor: 'Nonprofits, churches, community organizations, legal clinics, ESL programs',
      economics: [
        '20% revenue share on referred paid conversions',
        'No minimum volume requirements',
        'Monthly payouts via direct deposit',
        'Real-time referral tracking dashboard',
      ],
      commitments: [
        'Share resources with your community',
        'Display QR codes and flyers in your space',
        'Report quarterly on community reach',
      ],
    },
    es: {
      name: 'Aliado de Referencia',
      tagline: 'Comparte. Refiere. Gana.',
      description: 'Comparte ezLegal con tu comunidad usando tu enlace personalizado, codigos QR y materiales de marca. Ganas
comision por cada usuario referido que se convierte en suscriptor.',
      idealFor: 'ONGs, iglesias, organizaciones comunitarias, clinicas legales, programas de ESL',
      economics: [
        '20% de comision sobre conversiones de pago referidas',
        'Sin requisitos minimos de volumen',
        'Pagos mensuales por depósito directo',
        'Panel de seguimiento de referidos en tiempo real',
      ],
      commitments: [
        'Compartir recursos con tu comunidad',
        'Colocar codigos QR y volantes en tu espacio',
        'Reportar trimestralmente sobre alcance comunitario',
      ],
    },
  },
  {
    id: 'sponsored',
    icon: Heart,
    color: 'green',
    highlight: true,
    startingAt: { en: 'From $2/member/mo', es: 'Desde $2/miembro/mes' },
    en: {
      name: 'Community Access Partner',
      tagline: 'Sponsor access for your members.',
      description: 'Pay a per-member or flat monthly fee so your community, clients, or constituents can access ezLegal for free on
a branded portal with your logo and reporting.',
      idealFor: 'Government agencies, counties, large nonprofits with grant funding, bar associations, United Way chapters',
      economics: [
        'Per-member pricing starting at $2/member/month',
        'Flat-fee options for organizations under 500 members',
        'Volume discounts for 1,000+ members',
        'Grant-compatible invoicing and reporting',
      ],
      commitments: [
        'Define and verify your community/member base',
        'Co-brand deployment with your logo and colors',
        'Participate in quarterly impact review',
        'Minimum 6-month engagement',
      ],
    },
    es: {
      name: 'Aliado de Acceso Comunitario',
      tagline: 'Patrocina acceso para tus miembros.',
      description: 'Paga por miembro o tarifa mensual fija para que tu comunidad, clientes o constituyentes accedan a ezLegal gratis
en un portal con tu marca y reportes.',
      idealFor: 'Agencias gubernamentales, condados, grandes ONGs con financiamiento, colegios de abogados, capitulos de United
Way',
      economics: [
        'Precio por miembro desde $2/miembro/mes',
        'Opciones de tarifa fija para organizaciones con menos de 500 miembros',
      ],
    },
  },
]
```

```

        'Descuentos por volumen para 1,000+ miembros',
        'Facturacion y reportes compatibles con subvenciones',
    ],
    commitments: [
        'Definir y verificar tu base comunitaria/miembros',
        'Co-brandar el despliegue con tu logo y colores',
        'Participar en revision de impacto trimestral',
        'Compromiso minimo de 6 meses',
    ],
},
},
{
    id: 'whitelabel',
    icon: Building2,
    color: 'navy',
    startingAt: { en: 'Custom pricing', es: 'Precio personalizado' },
    en: {
        name: 'White-Label Partner',
        tagline: 'Your brand. Our AI. Their trust.',
        description: 'Deploy the full ezLegal platform under your own brand with a custom domain, dedicated infrastructure, and tailored AI configuration. No ezLegal branding visible to your end users.',
        idealFor: 'Legal aid networks, state bar associations, large law firms, enterprise legal departments, technology integrators',
        economics: [
            'Platform licensing fee (annual contract)',
            'Usage-based tiers with predictable billing',
            'Custom SLA with uptime guarantees',
            'Pricing structured for enterprise procurement',
        ],
        commitments: [
            'Dedicated integration and brand alignment',
            'Minimum 12-month contract',
            'Designated partner success contact',
            'Quarterly business reviews',
        ],
    },
    es: {
        name: 'Aliado de Marca Blanca',
        tagline: 'Tu marca. Nuestra IA. Su confianza.',
        description: 'Despliega la plataforma completa de ezLegal bajo tu propia marca con dominio personalizado, infraestructura dedicada y configuracion de IA adaptada.',
        idealFor: 'Redes de ayuda legal, colegios de abogados estatales, grandes firmas de abogados, departamentos legales empresariales, integradores de tecnología',
        economics: [
            'Licencia de plataforma (contrato anual)',
            'Niveles basados en uso con facturacion predecible',
            'SLA personalizado con garantias de disponibilidad',
            'Precios estructurados para adquisiciones empresariales',
        ],
        commitments: [
            'Integracion dedicada y alineacion de marca',
            'Contrato minimo de 12 meses',
            'Contacto designado para exito del aliado',
            'Revisiones de negocio trimestrales',
        ],
    },
},
},
];

const PARTNER_BENEFITS = [
    {
        icon: LineChart,
        en: { title: 'Partner Dashboard', desc: 'Real-time analytics on referrals, usage, conversions, and community impact -- all in one place.' },
        es: { title: 'Panel de Aliado', desc: 'Analitica en tiempo real sobre referidos, uso, conversiones e impacto comunitario -- todo en un solo lugar.' },
    },
    {
        icon: Globe,
        en: { title: 'Bilingual by Default', desc: 'All partner materials, flyers, social posts, and the platform itself are available in English and Spanish.' },
        es: { title: 'Bilingue por Defecto', desc: 'Todos los materiales, volantes, posts sociales y la plataforma estan disponibles en inglés y español.' },
    },
    {
        icon: QRCode,
        en: { title: 'Branded Materials', desc: 'Custom QR codes, printable flyers, social media templates, and co-branded collateral -- ready to distribute.' },
        es: { title: 'Materiales de Marca', desc: 'Codigos QR personalizados, volantes impresos, plantillas para redes sociales y material co-brandado -- listos para distribuir.' },
    },
    {
        icon: UserCheck,
        en: { title: 'Dedicated Partner Success', desc: 'Every partner gets a named success manager for onboarding, troubleshooting, and quarterly reviews.' },
        es: { title: 'Exito de Aliado Dedicado', desc: 'Cada aliado tiene un gerente de exito asignado para incorporacion, resolucion de problemas y revisiones trimestrales.' },
    },
    {
        icon: FileText,
        en: { title: 'Impact Reporting', desc: 'Monthly reports on users served, questions answered, topics covered, and community demographics.' },
        es: { title: 'Reportes de Impacto', desc: 'Reportes mensuales sobre usuarios atendidos, preguntas respondidas, temas cubiertos y demografia comunitaria.' },
    },
    {
        icon: Shield,

```

```

    en: { title: 'Compliance & Security', desc: 'SOC 2-aligned security, clear UPL disclaimers, data privacy controls, and
audit-ready documentation.' },
    es: { title: 'Cumplimiento y Seguridad', desc: 'Seguridad alineada con SOC 2, avisos claros de UPL, controles de privacidad de
datos y documentacion lista para auditoria.' },
  },
];

const PIPELINE_STEPS = [
  { en: 'Apply', es: 'Solicitar', icon: BookOpen },
  { en: 'Discovery Call', es: 'Llamada Inicial', icon: HeadphonesIcon },
  { en: 'Pilot (30 days)', es: 'Piloto (30 dias)', icon: Zap },
  { en: 'Onboarding', es: 'Incorporacion', icon: Star },
  { en: 'Go Live', es: 'En Vivo', icon: TrendingUp },
];

function getModelColors(color: string) {
  const map: Record<string, { bg: string; border: string; accent: string; icon: string }> = {
    teal: { bg: 'bg-teal-50', border: 'border-teal-200', accent: 'text-teal-700', icon: 'text-teal-600' },
    green: { bg: 'bg-green-50', border: 'border-green-200', accent: 'text-green-700', icon: 'text-green-600' },
    navy: { bg: 'bg-navy-50', border: 'border-navy-200', accent: 'text-navy-700', icon: 'text-navy-600' },
  };
  return map[color] || map.teal;
}

export default function PartnerHub() {
  const { language } = useLanguage();
  const { user } = useAuth();
  const es = language === 'es';
  const [searchParams] = useSearchParams();
  const [openFaq, setOpenFaq] = useState<number | null>(null);
  const [formData, setFormData] = useState({
    organization_name: '',
    contact_name: '',
    contact_email: '',
    contact_phone: '',
    website: '',
    partner_model: '',
    partner_type: 'nonprofit',
    community_size: '',
    language_preference: language,
    notes: '',
  });
  const [submitting, setSubmitting] = useState(false);
  const [submitted, setSubmitted] = useState(false);

  useEffect(() => {
    const ref = searchParams.get('ref');
    if (ref) {
      setFormData(prev => ({ ...prev, notes: `Referral: ${ref}` }));
    }
  }, [searchParams]);

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    setSubmitting(true);
    try {
      await supabase.from('partners').insert({
        organization_name: formData.organization_name,
        contact_name: formData.contact_name,
        contact_email: formData.contact_email,
        contact_phone: formData.contact_phone || null,
        website: formData.website || null,
        partner_type: formData.partner_type,
        language_preference: formData.language_preference,
        notes: [
          formData.partner_model ? `Model: ${formData.partner_model}` : '',
          formData.community_size ? `Community Size: ${formData.community_size}` : '',
          formData.notes,
        ].filter(Boolean).join(' | '),
        pipeline_stage: 'lead',
        source: searchParams.get('utm_source') || 'partner_hub',
        metadata: {
          utm_campaign: searchParams.get('utm_campaign'),
          utm_medium: searchParams.get('utm_medium'),
          referral_code: searchParams.get('ref'),
          selected_model: formData.partner_model,
          community_size: formData.community_size,
        },
      });
    } catch {
      setSubmitted(true);
    }
    setSubmitted(true);
    setSubmitting(false);
  };

  return (
    <>
      <Navigation />
      <main id="main-content" className="pt-20">

        <section className="relative bg-gradient-to-br from-navy-900 via-navy-800 to-navy-950 py-20 overflow-hidden">
          <div className="absolute inset-0 opacity-10">
            <div className="absolute top-20 left-10 w-72 h-72 bg-teal-500 rounded-full blur-3xl" />
            <div className="absolute bottom-10 right-20 w-96 h-96 bg-green-500 rounded-full blur-3xl" />
          </div>

```



```

<div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 relative z-10">
  <div className="text-center max-w-3xl mx-auto">
    <div className="inline-flex items-center gap-2 px-4 py-2 bg-teal-500/10 border border-teal-500/20 rounded-full mb-6">
      <Handshake className="w-4 h-4 text-teal-400" />
      <span className="text-sm font-medium text-teal-300">
        {es ? 'Programa de Alianzas' : 'Partner Program'}
      </span>
    </div>
    <h1 className="text-3xl md:text-5xl font-bold text-white mb-6 leading-tight">
      {es
        ? 'Lleva Acceso Legal a Tu Comunidad'
        : 'Bring Legal Access to Your Community'}
    </h1>
    <p className="text-lg text-navy-200 mb-4 leading-relaxed">
      {es
        ? 'Ya seas una ONG compartiendo recursos, un gobierno patrocinando acceso, o una empresa desplegando nuestra IA
bajo tu marca -- hay un modelo de alianza para ti.'
        : 'Whether you're a nonprofit sharing resources, a government sponsoring access, or an enterprise deploying our AI
under your brand -- there's a partnership model for you.'}
    </p>
    <p className="text-sm text-navy-400 mb-8">
      {es
        ? 'Buscas comprar ezLegal directamente para tu organizacion?'
        : 'Looking to buy ezLegal directly for your organization?'}
      {' '}
      <Link to="/pricing" className="text-teal-400 hover:text-teal-300 underline">
        {es ? 'Ver Planes y Precios' : 'See Plans & Pricing'}
      </Link>
    </p>
    <div className="flex flex-col sm:flex-row items-center justify-center gap-4">
      {user ? (
        <>
          <Link
            to="/dashboard"
            className="inline-flex items-center gap-2 px-8 py-3.5 bg-teal-600 text-white rounded-xl font-semibold
hover:bg-teal-500 transition-all shadow-lg shadow-teal-600/20"
          >
            {es ? 'Acceder al Portal de Aliados' : 'Access Partner Portal'}
            <ArrowRight className="w-4 h-4" />
          </Link>
          <a
            href="#apply"
            className="inline-flex items-center gap-2 px-8 py-3.5 border border-navy-500 text-white rounded-xl
font-semibold hover:bg-navy-700 transition-all"
          >
            {es ? 'Solicitar Nuevo Modelo' : 'Apply for a New Model'}
          </a>
        </>
      ) : (
        <>
          <a
            href="#apply"
            className="inline-flex items-center gap-2 px-8 py-3.5 bg-teal-600 text-white rounded-xl font-semibold
hover:bg-teal-500 transition-all shadow-lg shadow-teal-600/20"
          >
            {es ? 'Solicitar Alianza' : 'Apply to Partner'}
            <ArrowRight className="w-4 h-4" />
          </a>
          <Link
            to="/schedule-demo"
            className="inline-flex items-center gap-2 px-8 py-3.5 border border-navy-500 text-white rounded-xl
font-semibold hover:bg-navy-700 transition-all"
          >
            {es ? 'Agendar Llamada' : 'Schedule a Discovery Call'}
          </Link>
        </>
      )}
    </div>
    <div className="grid grid-cols-2 md:grid-cols-4 gap-6 mt-12 border-t border-navy-700/50 pt-8">
      {[
        { value: '50', en: 'U.S. States', es: 'Estados' },
        { value: '24/7', en: 'AI Availability', es: 'Disponibilidad IA' },
        { value: '99.9%', en: 'Target Uptime', es: 'Meta de Disponibilidad' },
        { value: '2', en: 'Languages', es: 'Idiomas' },
      ]}.map(stat => (
        <div key={stat.en} className="text-center">
          <div className="text-2xl md:text-3xl font-bold text-white">{stat.value}</div>
          <div className="text-xs text-navy-400 mt-1">{es ? stat.es : stat.en}</div>
        </div>
      ))}
    </div>
  </div>
</div>
</section>

<section className="py-8 bg-white border-b border-navy-100">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="grid md:grid-cols-2 gap-4">
      <div className="bg-navy-50 border border-navy-200 rounded-xl p-5 flex items-start gap-4">
        <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0">
          <Users className="w-5 h-5 text-teal-600" />
        </div>
        <div>
          <h2 className="font-bold text-navy-900 text-sm mb-1">
            {es ? 'Quieres ofrecer ezLegal a tu comunidad?' : 'Want to offer ezLegal to your community?'}
          </h2>

```

```

        <p className="text-xs text-navy-600 mb-2">
          {es
            ? 'Estas en el lugar correcto. Explora nuestros modelos de alianza abajo.'
            : "You're in the right place. Explore our partnership models below."}
        </p>
        <a href="#models" className="text-xs font-semibold text-teal-600 hover:text-teal-700 inline-flex items-center
gap-1">
          {es ? 'Ver modelos' : 'See models'} <ArrowRight className="w-3 h-3" />
        </a>
      </div>
    </div>
    <div className="bg-navy-50 border border-navy-200 rounded-xl p-5 flex items-start gap-4">
      <div className="w-10 h-10 bg-navy-200 rounded-lg flex items-center justify-center flex-shrink-0">
        <Building2 className="w-5 h-5 text-navy-600" />
      </div>
      <div>
        <h3 className="font-bold text-navy-900 text-sm mb-1">
          {es ? 'Comprando para uso interno de tu organizacion?' : "Buying for your organization's internal use?"}
        </h3>
        <p className="text-xs text-navy-600 mb-2">
          {es
            ? 'Consulta nuestros planes directos de suscripcion para organizaciones en la página de precios.'
            : 'Check our direct subscription plans for organizations on the pricing page.'}
        </p>
        <Link to="/pricing?tab=organizations" className="text-xs font-semibold text-teal-600 hover:text-teal-700
inline-flex items-center gap-1">
          {es ? 'Ver precios' : 'View pricing'} <ArrowRight className="w-3 h-3" />
        </Link>
      </div>
    </div>
  </div>
</div>
</section>

<section id="models" className="py-16 bg-white">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-2xl md:text-3xl font-bold text-navy-900 mb-3">
        {es ? 'Como Quieres Trabajar con Nosotros?' : 'How Do You Want to Work With Us?'}
      </h2>
      <p className="text-navy-600 max-w-2xl mx-auto">
        {es
          ? 'Elige el modelo que se ajuste a tu organizacion. Cada uno tiene su propia estructura economica, compromisos y
herramientas.'
          : 'Choose the model that fits your organization. Each has its own economics, commitments, and enablement tools.'}
        </p>
    </div>

    <div className="grid lg:grid-cols-3 gap-8">
      {PARTNER_MODELS.map(model => {
        const m = es ? model.es : model.en;
        const colors = getModelColors(model.color);
        const Icon = model.icon;
        return (
          <div
            key={model.id}
            className={`relative rounded-2xl border-2 ${
              model.highlight ? 'border-green-400 shadow-xl shadow-green-100' : colors.border
            } bg-white overflow-hidden flex flex-col`}
          >
            {model.highlight && (
              <div className="bg-green-600 text-white text-center py-1.5 text-xs font-bold uppercase tracking-wider">
                {es ? 'Mas Solicitado' : 'Most Requested'}
              </div>
            )}
            <div className="p-6 flex-1 flex flex-col">
              <div className="flex items-center gap-3 mb-3">
                <div className={`w-10 h-10 ${colors.bg} rounded-lg flex items-center justify-center`} >
                  <Icon className={`w-5 h-5 ${colors.icon}`} />
                </div>
                <div>
                  <h3 className="text-lg font-bold text-navy-900">{m.name}</h3>
                  <p className={`text-sm ${colors.accent} font-medium`} >{m.tagline}</p>
                </div>
              </div>
              <div>
                <div className={` ${colors.bg} rounded-lg px-3 py-2 mb-4`} >
                  <span className={`text-lg font-bold ${colors.accent}`} >
                    {es ? model.startingAt.es : model.startingAt.en}
                  </span>
                </div>
                <div>
                  <p className="text-sm text-navy-600 mb-4 leading-relaxed">{m.description}</p>
                  <div className="mb-4">
                    <span className={`text-xs font-bold uppercase tracking-wider ${colors.accent}`} >
                      {es ? 'Ideal para' : 'Ideal for'}
                    </span>
                    <p className="text-xs text-navy-500 mt-1">{m.idealFor}</p>
                  </div>
                </div>
              </div>
            </div>
          </div>
        )
      })}

      <div className="mb-4">
        <div className="flex items-center gap-1.5 mb-2">
          <DollarSign className={`w-3.5 h-3.5 ${colors.icon}`} />
          <span className={`text-xs font-bold uppercase tracking-wider ${colors.accent}`} >
            {es ? 'Economia' : 'Economics'}
          </span>
        </div>
      </div>
    </div>
  </div>

```

```

    </div>
    <ul className="space-y-1.5">
      {m.economics.map(item => (
        <li key={item} className="flex items-start gap-2">
          <CheckCircle className={`w-3.5 h-3.5 ${colors.icon}`} flex-shrink-0 mt-0.5` />
          <span className="text-xs text-navy-700">{item}</span>
        </li>
      ))}
    </ul>
  </div>

  <div className="mb-5">
    <div className="flex items-center gap-1.5 mb-2">
      <Handshake className={`w-3.5 h-3.5 ${colors.icon}`} />
      <span className={`text-xs font-bold uppercase tracking-wider ${colors.accent}`}>
        {es ? 'Tu Compromiso' : 'Your Commitment'}
      </span>
    </div>
    <ul className="space-y-1.5">
      {m.commitments.map(item => (
        <li key={item} className="flex items-start gap-2">
          <ChevronRight className="w-3.5 h-3.5 text-navy-400 flex-shrink-0 mt-0.5" />
          <span className="text-xs text-navy-600">{item}</span>
        </li>
      ))}
    </ul>
  </div>

  <a
    href="#apply"
    className={`mt-auto block text-center py-3 rounded-xl font-semibold transition-all text-sm ${
      model.highlight
        ? 'bg-green-600 text-white hover:bg-green-500'
        : 'bg-navy-900 text-white hover:bg-navy-800'
    }}
  >
    {es ? 'Solicitar: ${m.name}` : `Apply: ${m.name}`}`
  </a>
</div>
</div>
);
}}
</div>

<div className="mt-8 text-center">
  <p className="text-sm text-navy-500">
    {es
      ? 'No sabes cual modelo es el adecuado?'
      : "Not sure which model is right?"
    }
    <Link to="/schedule-demo" className="text-teal-600 hover:text-teal-700 font-semibold underline">
      {es ? 'Habla con nuestro equipo' : 'Talk to our team'}
    </Link>
    {
      ' '
      {es ? '-- te ayudamos a elegir.' : '-- we'll help you decide."}
    }
  </p>
</div>
</div>
</section>

<section className="py-16 bg-navy-50">
  <div className="max-w-6xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-2xl md:text-3xl font-bold text-navy-900 mb-3">
        {es ? 'Lo Que Recibe Cada Aliado' : 'What Every Partner Gets'}
      </h2>
      <p className="text-navy-600 max-w-xl mx-auto">
        {es
          ? 'Sin importar el modelo que elijas, todos los aliados reciben estas herramientas y soporte.'
          : 'Regardless of which model you choose, every partner receives these tools and support.'}
        </p>
      </div>
      <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-6">
        {PARTNER_BENEFITS.map(benefit => {
          const b = es ? benefit.es : benefit.en;
          const Icon = benefit.icon;
          return (
            <div key={b.title} className="bg-white rounded-xl p-6 border border-navy-100 hover:shadow-md transition-shadow">
              <div className="w-10 h-10 bg-teal-50 rounded-lg flex items-center justify-center mb-4">
                <Icon className="w-5 h-5 text-teal-600" />
              </div>
              <h3 className="font-bold text-navy-900 mb-1">{b.title}</h3>
              <p className="text-sm text-navy-600 leading-relaxed">{b.desc}</p>
            </div>
          );
        })}
      </div>
    </div>
  </section>

  <section className="py-16 bg-white">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
      <div className="text-center mb-12">
        <h2 className="text-2xl md:text-3xl font-bold text-navy-900 mb-3">
          {es ? 'Pruebas y Seguridad' : 'Proof & Risk Controls'}
        </h2>

```

```

        <p className="text-navy-600 max-w-xl mx-auto">
            {es
            ? 'Sabemos que las alianzas en tecnología legal requieren confianza. Esto es lo que puedes compartir con tu equipo
legal y de adquisiciones.'
            : 'We know LegalTech partnerships require trust. Here is what you can share with your legal and procurement
teams.'}
        </p>
    </div>
    <div className="grid md:grid-cols-2 gap-6">
        <div className="bg-navy-50 rounded-xl p-6 border border-navy-100">
            <div className="flex items-center gap-3 mb-3">
                <Lock className="w-5 h-5 text-navy-700" />
                <h3 className="font-bold text-navy-900">{es ? 'Seguridad de Datos' : 'Data Security'}</h3>
            </div>
            <ul className="space-y-2 text-sm text-navy-600">
                <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />{es
? 'Cifrado AES-256 en reposo y en tránsito' : 'AES-256 encryption at rest and in transit'}</li>
                <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />{es
? 'Controles de acceso alineados con SOC 2' : 'SOC 2-aligned access controls'}</li>
                <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />{es
? 'Políticas de retención de datos configurables' : 'Configurable data retention policies'}</li>
                <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />{es
? 'DPA disponible para aliados empresariales' : 'DPA available for enterprise partners'}</li>
            </ul>
        </div>
        <div className="bg-navy-50 rounded-xl p-6 border border-navy-100">
            <div className="flex items-center gap-3 mb-3">
                <Shield className="w-5 h-5 text-navy-700" />
                <h3 className="font-bold text-navy-900">{es ? 'Límites de la IA y UPL' : 'AI Boundaries & UPL'}</h3>
            </div>
            <ul className="space-y-2 text-sm text-navy-600">
                <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />{es
? 'Avisos claros: información legal, no asesoría legal' : 'Clear disclaimers: legal information, not legal advice'}</li>
                <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />{es
? 'Nunca se implica relación abogado-cliente' : 'No attorney-client relationship implied'}</li>
                <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />{es
? 'Escalamiento a abogados reales integrado' : 'Escalation to real attorneys built in'}</li>
                <li className="flex items-start gap-2"><CheckCircle className="w-4 h-4 text-green-600 flex-shrink-0 mt-0.5" />{es
? 'Registros de auditoría para cumplimiento y gobernanza' : 'Audit logs for compliance and governance'}</li>
            </ul>
        </div>
    </div>
</div>
</section>

<section className="py-16 bg-white">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
        <h2 className="text-2xl font-bold text-navy-900 mb-8 text-center">
            {es ? 'Como Funciona' : 'How It Works'}
        </h2>
        <div className="flex flex-col md:flex-row items-start justify-between gap-6">
            {PIPELINE_STEPS.map((step, index) => {
                const Icon = step.icon;
                return (
                    <div key={step.en} className="flex-1 flex flex-col items-center text-center relative">
                        <div className="w-14 h-14 bg-teal-50 border-2 border-teal-200 rounded-full flex items-center justify-center
mb-3">
                            <Icon className="w-6 h-6 text-teal-600" />
                        </div>
                        <div className="text-xs font-bold text-teal-600 uppercase tracking-wider mb-1">
                            {es ? `Paso ${index + 1}` : `Step ${index + 1}`}
                        </div>
                        <p className="font-semibold text-navy-900 text-sm">{es ? step.es : step.en}</p>
                        {index < PIPELINE_STEPS.length - 1 && (
                            <div className="hidden md:block absolute top-7 left-[60%] w-[80%] border-t-2 border-dashed border-navy-200" />
                        )}
                    </div>
                );
            })}
        </div>
    </div>
</section>

<section className="py-16 bg-white">
    <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-10">
            <h2 className="text-2xl md:text-3xl font-bold text-navy-900 mb-3">
                {es ? 'Preguntas Frecuentes de Aliados' : 'Partner Program FAQ'}
            </h2>
        </div>
        <div className="space-y-3">
            {[
                {
                    en: { q: 'How do partners make money?', a: 'Referral Partners earn 20% revenue share on every paid subscriber they
refer. Community Access Partners negotiate per-member or flat-fee pricing funded by grants or organizational budgets. White-Label
Partners license the platform at an annual contract rate with usage-based tiers.' },
                    es: { q: 'Como ganan dinero los aliados?', a: 'Los Aliados de Referencia ganan 20% de comisión por cada suscriptor
pagado que refieren. Los Aliados de Acceso Comunitario negocian precios por miembro o tarifa fija financiados por subvenciones o
presupuestos organizacionales. Los Aliados de Marca Blanca licencian la plataforma con contrato anual y niveles basados en uso.' },
                },
                {
                    en: { q: 'What are the eligibility requirements?', a: 'We partner with nonprofits, legal aid organizations,
government agencies, bar associations, community organizations, churches, and enterprises. You need a defined community or member
base and a willingness to participate in quarterly impact reviews. There are no minimum size requirements for Referral Partners.' },
                    es: { q: 'Cuales son los requisitos de elegibilidad?', a: 'Nos asociamos con ONGs, organizaciones de ayuda legal,
agencias gubernamentales, colegios de abogados, organizaciones comunitarias, iglesias y empresas. Necesitas una base comunitaria o

```

```

de miembros definida y disposicion a participar en revisiones de impacto trimestrales. No hay requisitos minimos de tamano para
Aliados de Referencia.' },
    },
    {
      en: { q: 'How long does the onboarding process take?', a: 'Referral Partners can be active within 48 hours after
approval. Community Access Partners typically launch within 2-4 weeks depending on co-branding requirements. White-Label deployments
take 4-8 weeks for full brand alignment and infrastructure setup.' },
      es: { q: 'Cuantos tiempo toma el proceso de incorporacion?', a: 'Los Aliados de Referencia pueden estar activos
dentro de 48 horas despues de la aprobacion. Los Aliados de Acceso Comunitario generalmente lanzan en 2-4 semanas dependiendo de los
requisitos de co-branding. Las implementaciones de Marca Blanca toman 4-8 semanas para la alineacion completa de marca e
infraestructura.' },
    },
    {
      en: { q: 'Is there a cost to become a partner?', a: 'Referral Partners pay nothing -- you earn from referrals.
Community Access Partners pay per-member pricing (starting at $2/member/month) or negotiate flat-fee options. White-Label Partners
pay annual platform licensing. All models include partner success support at no extra cost.' },
      es: { q: 'Hay algun costo para convertirse en aliado?', a: 'Los Aliados de Referencia no pagan nada -- ganan por
referidos. Los Aliados de Acceso Comunitario pagan precio por miembro (desde $2/miembro/mes) o negocian opciones de tarifa fija. Los
Aliados de Marca Blanca pagan licencia anual de plataforma. Todos los modelos incluyen soporte de exito de aliado sin costo
adicional.' },
    },
    {
      en: { q: 'Can I use grant funding to pay for a partnership?', a: 'Yes. Our Community Access and White-Label models
are structured for grant-compatible invoicing. We provide impact reporting, demographic tracking, and funder-ready documentation to
support your grant requirements.' },
      es: { q: 'Puedo usar fondos de subvenciones para pagar una alianza?', a: 'Si. Nuestros modelos de Acceso
Comunitario y Marca Blanca estan estructurados para facturacion compatible con subvenciones. Proporcionamos informes de impacto,
seguimiento demografico y documentacion lista para financiadores para apoyar tus requisitos de subvencion.' },
    },
    {
      en: { q: 'What if I need technical integration (API, widgets)?', a: 'Visit our Technical Integration page for
details on embed widgets, API access, and white-label deployment options with full pricing and comparison tables.' },
      es: { q: 'Que pasa si necesito integracion tecnica (API, widgets)?', a: 'Visita nuestra página de Integracion
Tecnica para detalles sobre widgets embebidos, acceso a API y opciones de implementacion de marca blanca con precios y tablas
comparativas completas.' },
    },
  ].map((faq, idx) => {
    const f = es ? faq.es : faq.en;
    const isOpen = openFaq === idx;
    return (
      <div key={idx} className="border border-navy-200 rounded-xl overflow-hidden">
        <button
          onClick={() => setOpenFaq(isOpen ? null : idx)}
          className="w-full flex items-center justify-between px-6 py-4 text-left hover:bg-navy-50 transition-colors"
        >
          <span className="font-semibold text-navy-900 pr-4">{f.q}</span>
          <ChevronDown className={ `w-5 h-5 text-navy-400 flex-shrink-0 transition-transform ${isOpen ? 'rotate-180' :
''}` } />
        </button>
        {isOpen && (
          <div className="px-6 pb-4">
            <p className="text-sm text-navy-600 leading-relaxed">{f.a}</p>
            {idx === 5 && (
              <Link to="/for-partners" className="inline-flex items-center gap-1.5 text-sm text-teal-600
hover:text-teal-700 font-semibold mt-2">
                {es ? 'Ver Integracion Tecnica' : 'View Technical Integration'} <ArrowRight className="w-3.5 h-3.5" />
              </Link>
            )}
          </div>
        )}
      </div>
    );
  })}
</div>
</div>
</section>

<section className="py-12 bg-navy-50 border-y border-navy-200">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="bg-white rounded-2xl border border-navy-200 p-8 flex flex-col md:flex-row items-center gap-8">
      <div className="w-16 h-16 bg-teal-50 rounded-2xl flex items-center justify-center flex-shrink-0">
        <Code className="w-8 h-8 text-teal-600" />
      </div>
      <div className="flex-1 text-center md:text-left">
        <h3 className="text-lg font-bold text-navy-900 mb-2">
          {es ? 'Necesitas Integracion Tecnica?' : 'Need Technical Integration?'}
        </h3>
        <p className="text-sm text-navy-600 mb-1">
          {es
            ? 'Para equipos de desarrollo que quieren integrar via API, incrustar widgets, o desplegar una solucion de marca
blanca completa.'
            : 'For development teams looking to integrate via API, embed widgets, or deploy a full white-label solution.'}
        </p>
        <p className="text-xs text-navy-500">
          {es
            ? 'Widget desde $79/mes -- API a $0.02/consulta -- Marca Blanca a precio personalizado'
            : 'Widget from $79/mo -- API at $0.02/query -- White-Label custom pricing'}
          </p>
        </div>
        <Link
          to="/for-partners"
          className="inline-flex items-center gap-2 px-6 py-3 bg-navy-900 text-white rounded-xl font-semibold
hover:bg-navy-800 transition-all flex-shrink-0"
        >
          {es ? 'Ver Opciones Tecnicas' : 'View Technical Options'}
          <ArrowRight className="w-4 h-4" />
        </Link>
      </div>
    </div>
  </div>

```

```

        </Link>
      </div>
    </div>
  </section>

  <section id="apply" className="py-16 bg-navy-50">
    <div className="max-w-2xl mx-auto px-4 sm:px-6 lg:px-8">
      <div className="text-center mb-8">
        <h2 className="text-2xl md:text-3xl font-bold text-navy-900 mb-3">
          {es ? 'Solicitar Alianza' : 'Apply to Partner'}
        </h2>
        <p className="text-navy-600">
          {es
            ? 'Completa el formulario y nuestro equipo se pondra en contacto dentro de 2 dias habiles.'
            : "Fill out the form below and our team will be in touch within 2 business days."}
        </p>
      </div>

      {submitted ? (
        <div className="bg-white rounded-2xl p-10 text-center border border-navy-200 shadow-sm">
          <CheckCircle className="w-16 h-16 text-green-500 mx-auto mb-4" />
          <h3 className="text-xl font-bold text-navy-900 mb-2">
            {es ? 'Solicitud Recibida' : 'Application Received'}
          </h3>
          <p className="text-navy-600 mb-6">
            {es
              ? 'Gracias por su interes. Nuestro equipo de alianzas revisara su solicitud y se pondra en contacto dentro de 2
dias habiles.'
              : "Thank you for your interest. Our partnerships team will review your application and reach out within 2
business days."}
          </p>
          <div className="flex flex-col sm:flex-row items-center justify-center gap-4">
            <Link to="/media-kit" className="inline-flex items-center gap-2 text-teal-600 hover:text-teal-700 font-semibold">
              {es ? 'Ver Kit de Medios' : 'View Media Kit'} <ExternalLink className="w-4 h-4" />
            </Link>
            <Link to="/schedule-demo" className="inline-flex items-center gap-2 text-teal-600 hover:text-teal-700
font-semibold">
              {es ? 'Agendar Llamada' : 'Schedule a Call'} <ExternalLink className="w-4 h-4" />
            </Link>
          </div>
        </div>
      ) : (
        <form onSubmit={handleSubmit} className="bg-white rounded-2xl p-8 border border-navy-200 shadow-sm space-y-5">
          <div className="grid md:grid-cols-2 gap-5">
            <div>
              <label className="block text-sm font-semibold text-navy-800 mb-1">
                {es ? 'Nombre de la Organizacion' : 'Organization Name'} *
              </label>
              <input
                type="text"
                required
                value={formData.organization_name}
                onChange={e => setFormData(prev => ({ ...prev, organization_name: e.target.value })))}
                className="w-full px-4 py-2.5 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 text-sm"
              />
            </div>
            <div>
              <label className="block text-sm font-semibold text-navy-800 mb-1">
                {es ? 'Nombre de Contacto' : 'Contact Name'} *
              </label>
              <input
                type="text"
                required
                value={formData.contact_name}
                onChange={e => setFormData(prev => ({ ...prev, contact_name: e.target.value })))}
                className="w-full px-4 py-2.5 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 text-sm"
              />
            </div>
          </div>

          <div className="grid md:grid-cols-2 gap-5">
            <div>
              <label className="block text-sm font-semibold text-navy-800 mb-1">
                {es ? 'Correo Electronico' : 'Email'} *
              </label>
              <input
                type="email"
                required
                value={formData.contact_email}
                onChange={e => setFormData(prev => ({ ...prev, contact_email: e.target.value })))}
                className="w-full px-4 py-2.5 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 text-sm"
              />
            </div>
            <div>
              <label className="block text-sm font-semibold text-navy-800 mb-1">
                {es ? 'Telefono' : 'Phone'}
              </label>
              <input
                type="tel"
                value={formData.contact_phone}
                onChange={e => setFormData(prev => ({ ...prev, contact_phone: e.target.value })))}
                className="w-full px-4 py-2.5 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 text-sm"
              />
            </div>
          </div>
        </form>
      )}
    </div>
  </section>

```

```

    />
  </div>
</div>

<div className="grid md:grid-cols-2 gap-5">
  <div>
    <label className="block text-sm font-semibold text-navy-800 mb-1">
      {es ? 'Tipo de Organizacion' : 'Organization Type'} *
    </label>
    <select
      required
      value={formData.partner_type}
      onChange={e => setFormData(prev => ({ ...prev, partner_type: e.target.value })))}
      className="w-full px-4 py-2.5 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 text-sm"
    >
      <option value="nonprofit">{es ? 'ONG / Sin Fines de Lucro' : 'Nonprofit / NGO'}</option>
      <option value="legal_aid">{es ? 'Organizacion de Ayuda Legal' : 'Legal Aid Organization'}</option>
      <option value="government">{es ? 'Agencia Gubernamental / Condado' : 'Government Agency / County'}</option>
      <option value="bar_association">{es ? 'Colegio de Abogados' : 'Bar Association'}</option>
      <option value="enterprise">{es ? 'Empresa / Firma Legal' : 'Enterprise / Law Firm'}</option>
      <option value="community_org">{es ? 'Organizacion Comunitaria / Iglesia' : 'Community Organization /
Church'}</option>
      <option value="other">{es ? 'Otro' : 'Other'}</option>
    </select>
  </div>
  <div>
    <label className="block text-sm font-semibold text-navy-800 mb-1">
      {es ? 'Modelo de Interes' : 'Partnership Model of Interest'}
    </label>
    <select
      value={formData.partner_model}
      onChange={e => setFormData(prev => ({ ...prev, partner_model: e.target.value })))}
      className="w-full px-4 py-2.5 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 text-sm"
    >
      <option value="">{es ? 'No estoy seguro / Ayudame a decidir' : 'Not sure / Help me decide'}</option>
      <option value="referral">{es ? 'Aliado de Referencia (ganar por referidos)' : 'Referral Partner (earn on
referrals)'}</option>
      <option value="sponsored">{es ? 'Acceso Comunitario (patrocinar acceso)' : 'Community Access (sponsor
access)'}</option>
      <option value="whitelabel">{es ? 'Marca Blanca (desplegar bajo tu marca)' : 'White-Label (deploy under your
brand)'}</option>
    </select>
  </div>
</div>

<div className="grid md:grid-cols-2 gap-5">
  <div>
    <label className="block text-sm font-semibold text-navy-800 mb-1">
      {es ? 'Tamano de Comunidad' : 'Community / Member Size'}
    </label>
    <select
      value={formData.community_size}
      onChange={e => setFormData(prev => ({ ...prev, community_size: e.target.value })))}
      className="w-full px-4 py-2.5 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 text-sm"
    >
      <option value="">{es ? 'Seleccionar' : 'Select'}</option>
      <option value="under-100">{es ? 'Menos de 100' : 'Under 100'}</option>
      <option value="100-500">100 - 500</option>
      <option value="500-1000">500 - 1,000</option>
      <option value="1000-5000">1,000 - 5,000</option>
      <option value="5000+">5,000+</option>
    </select>
  </div>
  <div>
    <label className="block text-sm font-semibold text-navy-800 mb-1">
      {es ? 'Sitio Web' : 'Website'}
    </label>
    <input
      type="url"
      value={formData.website}
      onChange={e => setFormData(prev => ({ ...prev, website: e.target.value })))}
      className="w-full px-4 py-2.5 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 text-sm"
      placeholder="https://"
    />
  </div>
</div>

<div>
  <label className="block text-sm font-semibold text-navy-800 mb-1">
    {es ? 'Notas Adicionales' : 'Additional Notes'}
  </label>
  <textarea
    rows={3}
    value={formData.notes}
    onChange={e => setFormData(prev => ({ ...prev, notes: e.target.value })))}
    className="w-full px-4 py-2.5 border border-navy-200 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 text-sm"
    placeholder={es
      ? 'Cuentanos sobre tu comunidad y como planeas usar ezLegal...'
      : 'Tell us about your community and how you plan to use ezLegal...'}
  />
</div>

```

```

        <button
            type="submit"
            disabled={submitting}
            className="w-full py-3 bg-teal-600 text-white rounded-xl font-semibold hover:bg-teal-500 transition-all
disabled:opacity-50 disabled:cursor-not-allowed flex items-center justify-center gap-2"
        >
            {submitting ? (
                <span className="animate-spin w-5 h-5 border-2 border-white border-t-transparent rounded-full" />
            ) : (
                <>
                    {es ? 'Enviar Solicitud' : 'Submit Application'}
                    <ArrowRight className="w-4 h-4" />
                </>
            )}
        </button>
        <p className="text-xs text-navy-400 text-center">
            {es
                ? 'Al enviar, acepta nuestros terminos de servicio. ezLegal.ai proporciona información legal, no asesoria
legal.'
                : 'By submitting, you agree to our terms of service. ezLegal.ai provides legal information, not legal advice.'}
        </p>
    </form>
  )}
</div>
</section>

<section className="bg-navy-900 py-12">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <h2 className="text-2xl font-bold text-white mb-4">
      {es ? 'Preguntas? Habla con Nuestro Equipo' : 'Questions? Talk to Our Team'}
    </h2>
    <p className="text-navy-300 mb-2">
      {es ? 'Escribenos a' : 'Email us at'}{' '}
      <a href="mailto:partners@ezlegal.ai" className="text-teal-400 hover:text-teal-300 font-semibold">
        partners@ezlegal.ai
      </a>
    </p>
    <div className="flex items-center justify-center gap-6 mt-6 flex-wrap">
      <Link to="/schedule-demo" className="text-sm text-navy-300 hover:text-white transition-colors flex items-center
gap-1.5">
        {es ? 'Agendar Demo' : 'Schedule a Demo'} <ExternalLink className="w-3.5 h-3.5" />
      </Link>
      <Link to="/media-kit" className="text-sm text-navy-300 hover:text-white transition-colors flex items-center gap-1.5">
        {es ? 'Kit de Medios' : 'Media Kit'} <ExternalLink className="w-3.5 h-3.5" />
      </Link>
      <Link to="/for-partners" className="text-sm text-navy-300 hover:text-white transition-colors flex items-center
gap-1.5">
        {es ? 'Integracion Tecnica' : 'Technical Integration'} <ExternalLink className="w-3.5 h-3.5" />
      </Link>
      <Link to="/contact" className="text-sm text-navy-300 hover:text-white transition-colors flex items-center gap-1.5">
        {es ? 'Contactar Ventas' : 'Contact Sales'} <ExternalLink className="w-3.5 h-3.5" />
      </Link>
    </div>
  </div>
</section>
</main>
<Footer />
</>
  );
}

```


[33/58] Pricing

Route: /pricing | File: src/pages/Pricing.tsx

```
import { useState, useEffect } from 'react';
import { useSearchParams, Link } from 'react-router-dom';
import { Shield, HelpCircle, Globe, ArrowRight, Zap } from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import PricingCard from '../components/pricing/PricingCard';
import HelpMeChoose from '../components/pricing/HelpMeChoose';
import PricingFAQ from '../components/pricing/PricingFAQ';
import MarketplaceSection from '../components/pricing/MarketplaceSection';
import ComparisonTable from '../components/pricing/ComparisonTable';
import { pricingAudiences } from '../data/pricing';
import { useLanguage } from '../contexts/LanguageContext';
import { trackEngagement } from '../services/engagement-service';
import { AIGovernanceNotice, ScopeBoundaryCard, HumanEscalationCard, DataUseAndPrivacyCard } from '../components/trust';

type AudienceId = 'individuals' | 'business' | 'legal-aid';

const TAB_IDS: AudienceId[] = ['individuals', 'business', 'legal-aid'];

export default function Pricing() {
  const { language } = useLanguage();
  const l = language === 'es' ? 'es' : 'en';
  const [searchParams, setSearchParams] = useSearchParams();
  const initialTab = (searchParams.get('audience') as AudienceId) || 'individuals';
  const [activeTab, setActiveTab] = useState<AudienceId>(TAB_IDS.includes(initialTab) ? initialTab : 'individuals');
  const [showWizard, setShowWizard] = useState(false);

  useEffect(() => {
    const param = searchParams.get('audience') as AudienceId;
    if (param && TAB_IDS.includes(param) && param !== activeTab) {
      setActiveTab(param);
    }
  }, [searchParams]);

  const handleTabChange = (id: AudienceId) => {
    setActiveTab(id);
    setSearchParams({ audience: id });
    trackEngagement({
      featureName: 'pricing_tab_selected',
      engagementType: 'click',
      metadata: { tab: id },
    });
  };

  const currentAudience = pricingAudiences.find((a) => a.id === activeTab) ?? pricingAudiences[0];

  const mainPlans = currentAudience.plans.filter((p) => !p.isAddOn);
  const addOnPlans = currentAudience.plans.filter((p) => p.isAddOn);

  const gridCols = mainPlans.length >= 4
    ? 'sm:grid-cols-2 lg:grid-cols-4'
    : 'sm:grid-cols-2 lg:grid-cols-3';

  return (
    <div className="min-h-screen bg-white">
      <Navigation />

      <main id="main-content" className="pt-16">
        {/* Compressed Hero */}
        <section className="pt-6 pb-4 sm:pt-8 sm:pb-5 bg-slate-50 border-b border-slate-200">
          <div className="max-w-4xl mx-auto px-4 sm:px-6 text-center">
            <h1 className="text-2xl sm:text-3xl font-bold text-navy-900 mb-2 leading-tight">
              {l === 'es'
                ? 'Comienza gratis. Mejora solo cuando necesitas más ayuda.'
                : 'Start free. Upgrade only when you need more help.'
              }
            </h1>
            <p className="text-sm sm:text-base text-navy-600 max-w-xl mx-auto mb-2">
              {l === 'es'
                ? 'Haz preguntas legales, entiende documentos y prepara próximos pasos en inglés o español.'
                : 'Ask legal questions, understand documents, and prepare next steps in English or Spanish.'
              }
            </p>
            <div className="flex flex-col sm:flex-row items-center justify-center gap-2 sm:gap-4">
              <p className="inline-flex items-center gap-1.5 text-xs text-navy-500">
                <Shield className="w-3.5 h-3.5 text-teal-600 flex-shrink-0" aria-hidden="true" />
                {l === 'es'
                  ? 'Enlaces de ayuda urgente gratis. Respuestas claras. No es asesoría legal.'
                  : 'Free urgent-help links. Plain-language answers. Not legal advice.'
                }
              </p>
              <p className="inline-flex items-center gap-1.5 text-xs text-navy-500">
                <Globe className="w-3.5 h-3.5 text-teal-600 flex-shrink-0" aria-hidden="true" />
                Available in English and Spanish / Disponible en inglés y español
              </p>
            </div>
          </div>
        </section>
      </main>
    </div>
  );
}
```

```

    { /* Tabs + Cards */ }
    <section className="py-6 sm:py-8 bg-white">
      <div className="max-w-6xl mx-auto px-4 sm:px-6">
        { /* Tabs */ }
        <div className="flex flex-col items-center gap-2 mb-5">
          <div
            className="inline-flex p-1 bg-slate-100 rounded-xl border border-slate-200"
            role="tablist"
            aria-label={l === 'es' ? 'Tipo de audiencia' : 'Audience type'}
          >
            {pricingAudiences.map((aud) => (
              <button
                key={aud.id}
                role="tab"
                aria-selected={activeTab === aud.id}
                onClick={() => handleTabChange(aud.id)}
                className={`px-4 sm:px-5 py-2 text-sm font-semibold rounded-lg transition-all focus:outline-none focus:ring-2
focus:ring-teal-500 focus:ring-offset-1 ${
                  activeTab === aud.id
                    ? 'bg-white text-navy-900 shadow-sm'
                    : 'text-navy-500 hover:text-navy-700'
                }`}
              >
                {aud.label[l]}
              </button>
            ))}
          </div>
          <button
            onClick={() => {
              setShowWizard(true);
              document.getElementById('help-me-choose')?.scrollIntoView({ behavior: 'smooth' });
            }}
            className="text-xs text-navy-400 hover:text-teal-600 transition-colors"
          >
            {l === 'es' ? 'No estás seguro? Ayúdame a elegir.' : 'Not sure? Help me choose.'}
          </button>
        </div>

        { /* Audience headline + subtitle */ }
        <div className="text-center mb-6">
          <p className="text-sm font-medium text-navy-700">{currentAudience.headline[l]}</p>
          {currentAudience.subline && (
            <p className="text-xs text-navy-500 mt-1 max-w-lg mx-auto">{currentAudience.subline[l]}</p>
          )}
        </div>

        { /* Main plan cards */ }
        <div
          className={`grid gap-4 ${gridCols}`}
          role="tabpanel"
          aria-label={currentAudience.label[l]}
        >
          {mainPlans.map((plan) => (
            <PricingCard key={plan.id} plan={plan} language={l} />
          ))}
        </div>

        { /* Add-on cards (Boost) */ }
        {addOnPlans.length > 0 && (
          <div className="mt-6 max-w-lg mx-auto">
            {addOnPlans.map((plan) => (
              <div
                key={plan.id}
                className="flex flex-col sm:flex-row items-center gap-4 p-4 bg-slate-50 border border-slate-200 rounded-xl"
              >
                <div className="flex items-center gap-3 flex-1 min-w-0">
                  <div className="p-2 bg-amber-100 rounded-lg flex-shrink-0">
                    <Zap className="w-4 h-4 text-amber-700" aria-hidden="true" />
                  </div>
                  <div className="min-w-0">
                    <p className="text-sm font-bold text-navy-900">
                      {plan.name[l]} - {plan.price[l]} {plan.priceNote && <span className="font-normal
text-navy-500">{plan.priceNote[l]}</span>}
                    </p>
                    {!plan.isFinalPrice && <span className="ml-1 text-[10px] text-amber-600 font-medium">{l === 'es' ? 'precio
piloto' : 'pilot pricing'}</span>}
                    </div>
                    <p className="text-xs text-navy-600 mt-0.5">{plan.description[l]}</p>
                  </div>
                </div>
                <Link
                  to={plan.ctaHref}
                  onClick={() => {
                    trackEngagement({
                      featureName: 'pricing_plan_cta_clicked',
                      engagementType: 'click',
                      metadata: { planId: plan.id, audience: plan.audience },
                    });
                  }}
                  className="flex-shrink-0 inline-flex items-center gap-1.5 px-4 py-2 text-sm font-semibold text-navy-900
bg-white border border-navy-300 rounded-xl hover:bg-slate-50 transition-colors focus:outline-none focus:ring-2 focus:ring-teal-500"
                >
                  {plan.ctaLabel[l]}
                  <ArrowRight className="w-3.5 h-3.5" />
                </Link>
              </div>
            ))}
          </div>
        )}
      </div>
    </section>

```

```

    </div>
  })

  { /* Help Me Choose trigger */ }
  <div id="help-me-choose" className="mt-8 text-center">
    <button
      onClick={() => {
        setShowWizard(true);
        trackEngagement({
          featureName: 'pricing_help_me_choose_started',
          engagementType: 'click',
          metadata: {},
        });
      }}
      className="inline-flex items-center gap-2 px-4 py-2 text-sm font-semibold text-teal-700 bg-teal-50 hover:bg-teal-100 border border-teal-200 rounded-xl transition-colors focus:outline-none focus:ring-2 focus:ring-teal-500"
    >
      <HelpCircle className="w-4 h-4" aria-hidden="true" />
      {l === 'es' ? 'Ayudame a elegir' : 'Help me choose'}
    </button>
  </div>

  { /* Wizard */ }
  {showWizard && (
    <div className="mt-6">
      <HelpMeChoose language={l} onClose={() => setShowWizard(false)} />
    </div>
  )}
</div>
</section>

{ /* Comparison table (individuals only) */ }
{activeTab === 'individuals' && <ComparisonTable language={l} />}

{ /* Marketplace */ }
<MarketplaceSection language={l} />

{ /* FAQ */ }
<PricingFAQ language={l} />

{ /* Ethical pricing line */ }
<section className="py-6 bg-slate-50 border-t border-slate-200">
  <div className="max-w-3xl mx-auto px-4 sm:px-6 text-center">
    <p className="text-xs text-navy-500 leading-relaxed">
      {l === 'es'
        ? 'ezLegal.ai proporciona información legal, no asesoramiento legal. Los recursos gratuitos y de ayuda urgente no se clasifican por quien nos paga.'
        : 'ezLegal.ai provides legal information, not legal advice. Free and urgent-help resources are not ranked by who pays us.'
      }
    </p>
    <p className="text-xs text-navy-400 mt-1">
      {l === 'es'
        ? 'Actualmente enfocados en la ley de Arizona. Cobertura expandiéndose pronto.'
        : 'Currently focused on Arizona law. Coverage expanding soon.'
      }
    </p>
  </div>
</section>

<section className="py-8 bg-white border-t border-slate-100">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 grid sm:grid-cols-2 gap-4">
    <AIGovernanceNotice variant="compact" />
    <ScopeBoundaryCard variant="banner" />
    <HumanEscalationCard variant="compact" />
    <DataUseAndPrivacyCard variant="compact" />
  </div>
</section>
</main>

<Footer />
</div>
);
}

```

[34/58] Privacy Policy

Route: /privacy | File: src/pages/PrivacyPolicy.tsx

```
import { Shield, Lock, Eye, Database, Trash2, Users, Globe, AlertTriangle, CheckCircle, Brain, FileText, Mail, Download, UserX, ArrowRight } from 'lucide-react';
import { Link } from 'react-router-dom';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

export default function PrivacyPolicy() {
  return (
    <div className="min-h-screen bg-navy-50">
      <a href="#main-content" className="sr-only focus:not-sr-only focus:absolute focus:top-4 focus:left-4 focus:z-50 focus:bg-white focus:text-teal-700 focus:px-4 focus:py-2 focus:rounded-lg focus:shadow-lg focus:font-semibold focus:outline-none focus:ring-2 focus:ring-teal-500">
        Skip to content
      </a>
      <Navigation />

      <section className="bg-gradient-to-br from-teal-700 via-teal-600 to-navy-900 text-white pt-32 pb-16">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="text-center max-w-4xl mx-auto">
            <div className="inline-flex items-center gap-2 bg-white/10 backdrop-blur-sm px-4 py-2 rounded-full mb-6 border border-white/20">
              <Shield className="w-4 h-4 text-orange-400" />
              <span className="text-sm font-semibold">Your Privacy Matters</span>
            </div>
            <h1 className="text-4xl lg:text-5xl font-bold mb-6">
              Privacy Policy
            </h1>
            <p className="text-xl text-navy-200 mb-4">
              How we protect your personal information and legal data with{' '}
              <a href="#security" className="underline underline-offset-2 hover:text-white transition-colors">enterprise-grade security</a>
              and ethical AI practices.
            </p>
            <p className="text-navy-300">
              Last Updated: January 15, 2026 | Effective Date: January 15, 2026
            </p>
          </div>
        </div>
      </section>

      <section id="main-content" className="py-12 bg-white border-b border-navy-200">
        <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="bg-teal-50 border border-teal-200 rounded-2xl p-6 mb-6">
            <h2 className="text-lg font-bold text-navy-900 mb-4">Privacy at a Glance</h2>
            <p className="text-navy-600 text-sm mb-5">
              Here are the answers to the 5 questions most people have. For full details, read the policy below.
            </p>
            <div className="space-y-3">
              <div className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-teal-600 mt-0.5 flex-shrink-0" />
                <p className="text-navy-700 text-sm">
                  <strong>Do you train AI on my data?</strong> No. Your conversations and documents are never used to train our AI models.
                </p>
              </div>
              <div className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-teal-600 mt-0.5 flex-shrink-0" />
                <p className="text-navy-700 text-sm">
                  <strong>How long do you keep my data?</strong> Chat history is kept for 90 days by default. Documents stay until you delete them. Account data is removed 30 days after you close your account. <a href="#retention" className="text-teal-600 hover:text-teal-800 underline">Full details</a>
                </p>
              </div>
              <div className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-teal-600 mt-0.5 flex-shrink-0" />
                <p className="text-navy-700 text-sm">
                  <strong>Can I delete or export my data?</strong> Yes, at any time. Use your <Link to="/dashboard/profile" className="text-teal-600 hover:text-teal-800 underline">account settings</Link> or email us at <a href="mailto:privacy@ezlegal.ai" className="text-teal-600 hover:text-teal-800 underline">privacy@ezlegal.ai</a>. <a href="#rights" className="text-teal-600 hover:text-teal-800 underline">Full details</a>
                </p>
              </div>
              <div className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-teal-600 mt-0.5 flex-shrink-0" />
                <p className="text-navy-700 text-sm">
                  <strong>Who do you share my data with?</strong> Only when you opt in (e.g., lawyer matching), with service providers who help us operate, or when legally required. We never sell your data. <a href="#sharing" className="text-teal-600 hover:text-teal-800 underline">Full details</a>
                </p>
              </div>
              <div className="flex items-start gap-3">
                <CheckCircle className="w-5 h-5 text-teal-600 mt-0.5 flex-shrink-0" />
                <p className="text-navy-700 text-sm">
                  <strong>How do I contact you about privacy?</strong> Email <a href="mailto:privacy@ezlegal.ai" className="text-teal-600 hover:text-teal-800 underline">privacy@ezlegal.ai</a>. We respond within 30 days.
                </p>
              </div>
            </div>
          </div>
        </div>
      </section>
    </div>
  );
}
```



```
</p>
<p className="text-navy-700">
  <strong>Not legal advice:</strong> ezLegal.ai provides legal information, not legal advice. Communications through
our platform are not attorney-client privileged. For full details on what our service does and does not cover, see our{' '}
  <Link to="/scope-disclaimers" className="text-teal-600 hover:text-teal-800 font-medium">Scope &
Disclaimers</Link>.
</p>
</div>
</section>

<section id="ethical-ai" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-green-100 rounded-lg flex items-center justify-center">
      <Brain className="w-4 h-4 text-green-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">2. Ethical AI Commitment</h2>
  </div>
  <div className="pl-11">
    <div className="bg-green-50 border border-green-200 rounded-xl p-5 mb-6">
      <h3 className="font-bold text-navy-900 mb-3">Our Ethical AI Principles</h3>
      <p className="text-navy-700 mb-4">
        As an AI-powered service dedicated to access to justice, we commit to the following ethical principles:
      </p>
      <ul className="space-y-2 text-navy-700">
        <li className="flex items-start gap-2">
          <CheckCircle className="w-4 h-4 text-green-600 mt-1 flex-shrink-0" />
          <span><strong>No AI Training on Your Data:</strong> Your conversations and documents are NEVER used to train
our AI models</span>
        </li>
        <li className="flex items-start gap-2">
          <CheckCircle className="w-4 h-4 text-green-600 mt-1 flex-shrink-0" />
          <span><strong>Transparency:</strong> We clearly disclose when you're interacting with AI vs. human
services</span>
        </li>
        <li className="flex items-start gap-2">
          <CheckCircle className="w-4 h-4 text-green-600 mt-1 flex-shrink-0" />
          <span><strong>Human Oversight:</strong> Critical decisions always involve human review options</span>
        </li>
        <li className="flex items-start gap-2">
          <CheckCircle className="w-4 h-4 text-green-600 mt-1 flex-shrink-0" />
          <span><strong>Bias Mitigation:</strong> We actively work to identify and reduce algorithmic bias</span>
        </li>
        <li className="flex items-start gap-2">
          <CheckCircle className="w-4 h-4 text-green-600 mt-1 flex-shrink-0" />
          <span><strong>Access to Justice:</strong> We prioritize making legal help available to underserved
communities</span>
        </li>
      </ul>
    </div>
    <p className="text-navy-700">
      For complete details on our AI governance practices, please review our{' '}
      <Link to="/ai-governance" className="text-teal-600 hover:text-teal-800 font-medium">
        AI Governance, Ethics & Access Policy
      </Link>.
    </p>
  </div>
</section>

<section id="collection" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <Database className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">3. Information We Collect</h2>
  </div>
  <div className="pl-11">
    <h3 className="font-semibold text-navy-900 mb-3">Information You Provide</h3>
    <ul className="list-disc pl-5 text-navy-700 mb-6 space-y-2">
      <li><strong>Account Information:</strong> Name, email address, password (encrypted), and contact information</li>
      <li><strong>Profile Information:</strong> State/jurisdiction, legal matter categories of interest</li>
      <li><strong>Log Information:</strong> Questions you ask, documents you upload, case details you provide</li>
      <li><strong>Communication Data:</strong> Messages with our support team, feedback you submit</li>
      <li><strong>Payment Information:</strong> Processed securely through Stripe; we never store full card numbers</li>
    </ul>

    <h3 className="font-semibold text-navy-900 mb-3">Information Collected Automatically</h3>
    <ul className="list-disc pl-5 text-navy-700 mb-6 space-y-2">
      <li><strong>Device Information:</strong> Browser type, operating system, device identifiers</li>
      <li><strong>Usage Data:</strong> Pages visited, features used, time spent on the platform</li>
      <li><strong>Log Data:</strong> IP addresses, access times, error logs</li>
      <li><strong>Cookies:</strong> Session management, preferences, analytics (with consent)</li>
    </ul>

    <h3 className="font-semibold text-navy-900 mb-3">Information We Do NOT Collect</h3>
    <ul className="list-disc pl-5 text-navy-700 space-y-2">
      <li><strong>Social Security numbers</strong> (unless explicitly required for specific legal forms)</li>
      <li><strong>Full credit card numbers</strong> (handled by Stripe)</li>
      <li><strong>Biometric data</strong>
      <li><strong>Information from children under 18</strong>
    </ul>
  </div>
</section>

<section id="use" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
```

```

        <Eye className="w-4 h-4 text-teal-600" />
      </div>
      <h2 className="text-2xl font-bold text-navy-900 m-0">4. How We Use Your Information</h2>
    </div>
    <div className="pl-11">
      <p className="text-navy-700 mb-4">We use your information to:</p>
      <ul className="list-disc pl-5 text-navy-700 space-y-2">
        <li>Provide AI-powered legal information and document generation services</li>
        <li>Match you with appropriate legal aid resources or pro bono attorneys</li>
        <li>Personalize your experience based on your jurisdiction and legal needs</li>
        <li>Process payments and manage subscriptions</li>
        <li>Send service updates, security alerts, and (with consent) promotional content</li>
        <li>Improve our services through aggregated, anonymized analytics</li>
        <li>Comply with legal obligations and protect our legal rights</li>
      </ul>
    </div>
  </section>

  <section id="sharing" className="mb-12">
    <div className="flex items-center gap-3 mb-4">
      <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
        <Users className="w-4 h-4 text-teal-600" />
      </div>
      <h2 className="text-2xl font-bold text-navy-900 m-0">5. Information Sharing</h2>
    </div>
    <div className="pl-11">
      <p className="text-navy-700 mb-4">We share your information only in these limited circumstances:</p>
      <ul className="list-disc pl-5 text-navy-700 space-y-2 mb-6">
        <li><strong>With Your Consent:</strong> When you opt-in to lawyer matching or pro bono referrals</li>
        <li><strong>Service Providers:</strong> Third parties who help us operate (hosting, payment processing,
analytics)</li>
        <li><strong>Legal Requirements:</strong> When required by law, court order, or to protect rights and safety</li>
        <li><strong>Business Transfers:</strong> In connection with mergers or acquisitions (with notice)</li>
      </ul>
      <div className="bg-amber-50 border border-amber-200 rounded-xl p-4">
        <div className="flex items-start gap-3">
          <AlertTriangle className="w-5 h-5 text-amber-600 mt-0.5" />
          <p className="text-navy-700 text-sm">
            <strong>We Never Sell Your Personal Information.</strong> Your legal data is never sold to
            advertisers, data brokers, or any third parties for marketing purposes.
          </p>
        </div>
      </div>
    </div>
  </section>

  <section id="security" className="mb-12">
    <div className="flex items-center gap-3 mb-4">
      <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
        <Lock className="w-4 h-4 text-teal-600" />
      </div>
      <h2 className="text-2xl font-bold text-navy-900 m-0">6. Data Security</h2>
    </div>
    <div className="pl-11">
      <p className="text-navy-700 mb-4">We implement the following security measures:</p>
      <ul className="list-disc pl-5 text-navy-700 space-y-2">
        <li><strong>Encryption:</strong> All data encrypted in transit (TLS 1.3) and at rest (AES-256) via our
infrastructure provider</li>
        <li><strong>Access Controls:</strong> Row Level Security and role-based access with multi-factor authentication
via Supabase Auth</li>
        <li><strong>Infrastructure:</strong> Hosted on Supabase (SOC 2 Type II certified managed cloud
infrastructure)</li>
        <li><strong>Monitoring:</strong> Activity audit logging and automated database backups</li>
        <li><strong>Data Isolation:</strong> Row Level Security ensures users only access their authorized data</li>
      </ul>
      <p className="text-navy-700 mt-4">
        Want more detail? See how we build security, the audits we hold, and how we handle incidents on our{' '}
        <Link to="/enterprise-security" className="text-teal-600 hover:text-teal-800 font-medium">Enterprise
Security</Link> page.
      </p>
    </div>
  </section>

  <section id="retention" className="mb-12">
    <div className="flex items-center gap-3 mb-4">
      <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
        <Trash2 className="w-4 h-4 text-teal-600" />
      </div>
      <h2 className="text-2xl font-bold text-navy-900 m-0">7. Data Retention</h2>
    </div>
    <div className="pl-11">
      <ul className="list-disc pl-5 text-navy-700 space-y-2">
        <li><strong>Chat History:</strong> Retained for 90 days by default (configurable in settings)</li>
        <li><strong>Documents:</strong> Retained until you delete them or close your account</li>
        <li><strong>Account Data:</strong> Retained while your account is active, plus 30 days after deletion</li>
        <li><strong>Legal Requirements:</strong> Some data may be retained longer for legal compliance</li>
      </ul>
      <p className="text-navy-700 mt-4">
        You can export or delete your data at any time through your account settings.
      </p>
    </div>
  </section>

  <section id="rights" className="mb-12">
    <div className="flex items-center gap-3 mb-4">
      <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">

```

```
        <Shield className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">8. Your Rights</h2>
</div>
<div className="pl-11">
    <p className="text-navy-700 mb-4">Depending on your location, you may have the right to:</p>
    <ul className="list-disc pl-5 text-navy-700 space-y-2 mb-6">
        <li><strong>Access:</strong> Request a copy of your personal data</li>
        <li><strong>Correction:</strong> Update inaccurate or incomplete information</li>
        <li><strong>Deletion:</strong> Request deletion of your data ("right to be forgotten")</li>
        <li><strong>Portability:</strong> Export your data in a machine-readable format</li>
        <li><strong>Opt-Out:</strong> Unsubscribe from marketing communications</li>
        <li><strong>Restrict Processing:</strong> Limit how we use your data</li>
    </ul>
    <p className="text-navy-700 mb-4">
        To exercise these rights, contact us at{' '}
        <a href="mailto:privacy@ezlegal.ai" className="text-teal-600 hover:text-teal-800">
            privacy@ezlegal.ai
        </a>{' '}
        or use the settings in your <Link to="/dashboard/profile" className="text-teal-600 hover:text-teal-800">account
        dashboard</Link>. We respond to all requests within 30 days.
    </p>
    <p className="text-navy-700">
        If you have a concern about how your data has been handled, you can submit a report through our{' '}
        <Link to="/trust-center" className="text-teal-600 hover:text-teal-800 font-medium">Trust Center</Link>. For
        questions about how AI processes your data, see our{' '}
        <Link to="/ai-governance" className="text-teal-600 hover:text-teal-800 font-medium">AI Governance Policy</Link>.
    </p>
</div>
</section>

<section id="children" className="mb-12">
    <div className="flex items-center gap-3 mb-4">
        <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
            <Users className="w-4 h-4 text-teal-600" />
        </div>
        <h2 className="text-2xl font-bold text-navy-900 m-0">9. Children's Privacy</h2>
    </div>
    <div className="pl-11">
        <p className="text-navy-700">
            Our services are not intended for individuals under 18 years of age. We do not knowingly
            collect personal information from children. If you believe we have collected information
            from a child, please contact us immediately at{' '}
            <a href="mailto:privacy@ezlegal.ai" className="text-teal-600 hover:text-teal-800">
                privacy@ezlegal.ai
            </a>.
        </p>
    </div>
</section>

<section id="international" className="mb-12">
    <div className="flex items-center gap-3 mb-4">
        <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
            <Globe className="w-4 h-4 text-teal-600" />
        </div>
        <h2 className="text-2xl font-bold text-navy-900 m-0">10. International Users</h2>
    </div>
    <div className="pl-11">
        <p className="text-navy-700">
            ezLegal.ai™ primarily serves users in the United States. If you access our services from
            outside the U.S., please be aware that your information may be transferred to and processed
            in the United States, where data protection laws may differ from your jurisdiction.
            By using our services, you consent to this transfer.
        </p>
    </div>
</section>

<section id="changes" className="mb-12">
    <div className="flex items-center gap-3 mb-4">
        <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
            <FileText className="w-4 h-4 text-teal-600" />
        </div>
        <h2 className="text-2xl font-bold text-navy-900 m-0">11. Policy Changes</h2>
    </div>
    <div className="pl-11">
        <p className="text-navy-700">
            We may update this Privacy Policy periodically. We will notify you of material changes
            via email and/or a prominent notice on our website. Your continued use of our services
            after such notice constitutes acceptance of the updated policy.
        </p>
    </div>
</section>

<section id="contact" className="mb-12">
    <div className="flex items-center gap-3 mb-4">
        <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
            <Mail className="w-4 h-4 text-teal-600" />
        </div>
        <h2 className="text-2xl font-bold text-navy-900 m-0">12. Contact Us</h2>
    </div>
    <div className="pl-11">
        <p className="text-navy-700 mb-4">
            For privacy-related questions or to exercise your rights:
        </p>
        <div className="bg-navy-50 border border-navy-200 rounded-xl p-5">
            <p className="text-navy-700 mb-2"><strong>ezLegal.ai™ Privacy Team</strong></p>
        </div>
    </div>
</section>
```



```

        <p className="text-navy-700 mb-1">
            Email:{' '}
            <a href="mailto:privacy@ezlegal.ai" className="text-teal-600 hover:text-teal-800">
                privacy@ezlegal.ai
            </a>
        </p>
        <p className="text-navy-700 mb-4">
            Address: 123 Legal Avenue, Suite 100, San Francisco, CA 94102
        </p>
        <p className="text-navy-700 text-sm">
            We aim to respond to all privacy inquiries within 30 days.
        </p>
    </div>
</div>
</section>
</div>

<div className="mt-12 pt-8 border-t border-navy-200">
    <h3 className="font-bold text-navy-900 mb-4">Related Policies</h3>
    <div className="flex flex-wrap gap-4">
        <Link
            to="/terms"
            className="inline-flex items-center gap-2 px-4 py-2 bg-teal-50 text-teal-600 rounded-lg hover:bg-teal-100
transition-colors font-medium"
        >
            <FileText className="w-4 h-4" />
            Terms of Service
        </Link>
        <Link
            to="/ai-governance"
            className="inline-flex items-center gap-2 px-4 py-2 bg-teal-50 text-teal-600 rounded-lg hover:bg-teal-100
transition-colors font-medium"
        >
            <Brain className="w-4 h-4" />
            AI Governance Policy
        </Link>
        <Link
            to="/trust-center"
            className="inline-flex items-center gap-2 px-4 py-2 bg-teal-50 text-teal-600 rounded-lg hover:bg-teal-100
transition-colors font-medium"
        >
            <Shield className="w-4 h-4" />
            Trust Center
        </Link>
        <Link
            to="/scope-disclaimers"
            className="inline-flex items-center gap-2 px-4 py-2 bg-teal-50 text-teal-600 rounded-lg hover:bg-teal-100
transition-colors font-medium"
        >
            <AlertTriangle className="w-4 h-4" />
            Scope & Disclaimers
        </Link>
        <Link
            to="/enterprise-security"
            className="inline-flex items-center gap-2 px-4 py-2 bg-teal-50 text-teal-600 rounded-lg hover:bg-teal-100
transition-colors font-medium"
        >
            <Lock className="w-4 h-4" />
            Enterprise Security
        </Link>
    </div>
</div>
</div>
</section>

<Footer />
</div>
    );
}

```

[35/58] Privacy At A Glance

Route: /privacy-at-a-glance | File: src/pages/PrivacyAtAGlance.tsx

```
import { Link } from 'react-router-dom';
import { Shield, Lock, FileText, Trash2, Users, Globe, ExternalLink } from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { useLanguage } from '../contexts/LanguageContext';

interface Row {
  icon: typeof Shield;
  question: { en: string; es: string };
  answer: { en: string; es: string };
}

const ROWS: Row[] = [
  {
    icon: Lock,
    question: { en: 'Is my data encrypted?', es: '¿Mis datos están cifrados?' },
    answer: {
      en: 'Yes. Traffic is encrypted in transit using TLS 1.2+ and data is encrypted at rest in Supabase Postgres. Files in storage use server-side encryption.',
      es: 'Sí. El tráfico se cifra en tránsito con TLS 1.2+ y los datos se cifran en reposo en Postgres de Supabase. Los archivos almacenados usan cifrado del lado del servidor.',
    },
  },
  {
    icon: Users,
    question: { en: 'Do my questions train public AI models?', es: '¿Mis preguntas entrenan modelos públicos de IA?' },
    answer: {
      en: 'No. We use OpenAI via API with zero-retention/data-processing controls where available. Your chats are not used to train public foundation models.',
      es: 'No. Usamos OpenAI por API con controles de retención cero / procesamiento de datos donde están disponibles. Tus chats no se usan para entrenar modelos públicos.',
    },
  },
  {
    icon: FileText,
    question: { en: 'What do you store?', es: '¿Qué almacenan?' },
    answer: {
      en: 'Account info (email, plan), your chat history, uploaded documents, and aggregate analytics. Crisis-gate sessions store category and quick-exit flags but not narrative details.',
      es: 'Información de cuenta (correo, plan), tu historial de chat, documentos subidos y analítica agregada. Las sesiones de la puerta de crisis almacenan categoría y uso de salida rápida, no detalles narrativos.',
    },
  },
  {
    icon: Trash2,
    question: { en: 'Can I delete my data?', es: '¿Puedo eliminar mis datos?' },
    answer: {
      en: 'Yes. Signed-in users can delete chats and request full account deletion. Deleted data is retained for 30 days, subject to legal holds.',
      es: 'Sí. Los usuarios registrados pueden borrar chats y solicitar la eliminación en 30 días, sujeto a retenciones legales.',
    },
  },
  {
    icon: Globe,
    question: { en: 'Where is my data processed?', es: '¿Dónde se procesan mis datos?' },
    answer: {
      en: 'Primary storage is US-based (Supabase). AI inference runs on OpenAI infrastructure. We do not sell personal data. For EU users we rely on SCCs for cross-border transfers.',
      es: 'El almacenamiento principal está en EE. UU. (Supabase). La inferencia de IA se ejecuta en la infraestructura de OpenAI. No vendemos datos personales. Para usuarios de la UE usamos SCC para transferencias internacionales.',
    },
  },
  {
    icon: Shield,
    question: { en: 'What about sensitive issues (DV, immigration, minors)?', es: '¿Y los temas sensibles (VD, inmigración, menores)?' },
    answer: {
      en: 'Crisis categories see a safety gate first, with quick-exit, hotline links, and no required sign-in. We minimize data collection for these paths.',
      es: 'Las categorías de crisis pasan primero por una puerta de seguridad, con salida rápida, enlaces a líneas de ayuda y sin requerir inicio de sesión. Minimizamos la recolección de datos.',
    },
  },
];

export default function PrivacyAtAGlance() {
  const { language } = useLanguage();
  const en = language === 'en';

  return (
    <div className="min-h-screen bg-white">
      <Navigation />
      <main className="pt-24 pb-16">
        <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">
          <header className="mb-8">
            <p className="text-sm font-semibold text-teal-700 mb-2">
              {en ? 'Privacy, in plain language' : 'Privacidad, en lenguaje simple'}
            </p>
          </header>
        </div>
      </main>
    </div>
  );
}
```

```

<h1 className="text-3xl sm:text-4xl font-bold text-navy-900 mb-3">
  {en ? 'Privacy at a glance' : 'Privacidad de un vistazo'}
</h1>
<p className="text-navy-600 leading-relaxed">
  {en
    ? 'A short, honest summary of what we do with your information. For the full legal terms, see our Privacy Policy.'
    : 'Un resumen breve y honesto de lo que hacemos con tu información. Para los términos legales completos, consulta
nuestra Política de Privacidad.'}
</p>
</header>

<div className="space-y-4">
  {ROWS.map((row) => {
    const Icon = row.icon;
    return (
      <section
        key={row.question.en}
        className="rounded-xl border border-navy-200 bg-white p-5 sm:p-6"
      >
        <div className="flex items-start gap-3">
          <span className="inline-flex h-10 w-10 flex-shrink-0 items-center justify-center rounded-lg bg-teal-50
text-teal-600">
            <Icon className="h-5 w-5" aria-hidden="true" />
          </span>
          <div>
            <h2 className="text-base sm:text-lg font-semibold text-navy-900 mb-1">
              {en ? row.question.en : row.question.es}
            </h2>
            <p className="text-sm text-navy-700 leading-relaxed">
              {en ? row.answer.en : row.answer.es}
            </p>
          </div>
        </div>
      </section>
    );
  })}
</div>

<div className="mt-10 flex flex-wrap gap-3">
  <Link
    to="/privacy-policy"
    className="inline-flex items-center gap-2 rounded-lg bg-navy-900 text-white px-4 py-2 text-sm font-semibold
hover:bg-navy-800"
  >
    {en ? 'Read the full Privacy Policy' : 'Leer la Política de Privacidad'}
  </Link>
  <Link
    to="/trust-center"
    className="inline-flex items-center gap-2 rounded-lg border border-navy-300 text-navy-800 hover:bg-navy-50 px-4 py-2
text-sm font-semibold"
  >
    {en ? 'Trust center' : 'Centro de confianza'}
  </Link>
</div>

<p className="mt-8 text-xs text-navy-500">
  {en
    ? 'ezLegal.ai provides legal information, not legal advice. Using this site does not create an attorney-client
relationship.'
    : 'ezLegal.ai ofrece información legal, no asesoría legal. El uso de este sitio no crea una relación
abogado-cliente.'}
</p>
</div>
</main>
<Footer />
</div>
);
}

```

[36/58] Privacy FAQ

Route: /privacy-faq | File: src/pages/PrivacyFAQ.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import { Shield, ChevronDown, ChevronUp, Lock, Eye, FileText, UserX, Download, Clock } from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { useLanguage } from '../contexts/LanguageContext';

export default function PrivacyFAQ() {
  const [openFaq, setOpenFaq] = useState<number | null>(0);
  const { language } = useLanguage();

  const faqs = [
    {
      icon: Lock,
      question: language === 'en'
        ? 'Is my information secure?'
        : 'Mi información está segura?',
      answer: language === 'en'
        ? 'Yes. We use TLS 1.3 encryption in transit and AES-256 encryption at rest. Your data is stored in secure data centers. We never sell your information to third parties.'
        : 'Sí. Usamos cifrado TLS 1.3 en tránsito y AES-256 en reposo. Tus datos se almacenan en centros de datos seguros. Nunca vendemos tu información.'
    },
    {
      icon: Eye,
      question: language === 'en'
        ? 'Who can see my conversations?'
        : 'Quién puede ver mis conversaciones?',
      answer: language === 'en'
        ? 'Only you can see your conversations by default. Our AI processes your questions to provide answers, but your conversations are never used to train our models. Staff may review conversations only for quality assurance, safety screening, or if you report an issue.'
        : 'Solo tú puedes ver tus conversaciones por defecto. Nuestra IA procesa tus preguntas para dar respuestas, pero tus conversaciones nunca se usan para entrenar modelos.'
    },
    {
      icon: Shield,
      question: language === 'en'
        ? 'Is this protected by attorney-client privilege?'
        : 'Está protegido por privilegio abogado-cliente?',
      answer: language === 'en'
        ? 'No. Since ezLegal.ai is not a law firm and does not provide legal representation, conversations are not protected by attorney-client privilege. When we connect you with a licensed attorney, communications with that attorney may be privileged.'
        : 'No. Como ezLegal.ai no es un bufete de abogados y no proporciona representación legal, las conversaciones no están protegidas por privilegio abogado-cliente.'
    },
    {
      icon: FileText,
      question: language === 'en'
        ? 'What information do you collect?'
        : 'Qué información recopilan?',
      answer: language === 'en'
        ? 'We collect: (1) Account information (email, name if provided), (2) Questions and conversations you have with our AI, (3) Usage data (pages visited, features used), (4) Device and browser information. We do not collect sensitive personal data like SSN or financial account numbers unless you voluntarily provide them in a conversation.'
        : 'Recopilamos: (1) Información de cuenta (correo, nombre si se proporciona), (2) Preguntas y conversaciones con nuestra IA, (3) Datos de uso, (4) Información de dispositivo y navegador.'
    },
    {
      icon: UserX,
      question: language === 'en'
        ? 'Can I delete my data?'
        : 'Puedo borrar mis datos?',
      answer: language === 'en'
        ? 'Yes. You can request deletion of your account and associated data at any time from your Profile settings, or by contacting privacy@ezlegal.ai. We will delete your data within 30 days, except where we are legally required to retain certain records.'
        : 'Sí. Puedes solicitar la eliminación de tu cuenta y datos en cualquier momento desde la configuración de tu perfil, o contactando a privacy@ezlegal.ai.'
    },
    {
      icon: Download,
      question: language === 'en'
        ? 'Can I download my data?'
        : 'Puedo descargar mis datos?',
      answer: language === 'en'
        ? 'Yes. You can request a copy of all your data in a machine-readable format (JSON) from your Profile settings. We will provide your data within 30 days of your request.'
        : 'Sí. Puedes solicitar una copia de todos tus datos en formato legible por máquina (JSON) desde la configuración de tu perfil.'
    },
    {
      icon: Clock,
      question: language === 'en'
        ? 'How long do you keep my data?'
        : 'Cuánto tiempo guardan mis datos?',
      answer: language === 'en'
        ? 'Active accounts and conversations are retained as long as your account is active. If you delete your account, we delete your data within 30 days. We may retain anonymized usage statistics for product improvement.'
```

```

: 'Las cuentas activas y conversaciones se conservan mientras tu cuenta esté activa. Si eliminas tu cuenta, borramos tus
datos en 30 días.'
},
{
  icon: Shield,
  question: language === 'en'
    ? 'Are you CCPA/GDPR compliant?'
    : 'Cumplen con CCPA/GDPR?',
  answer: language === 'en'
    ? 'Yes. We comply with the California Consumer Privacy Act (CCPA) and honor GDPR principles. You have the right to access,
correct, delete, and export your data. You can exercise these rights from your Profile settings or by contacting us.'
    : 'Si. Cumplimos con la Ley de Privacidad del Consumidor de California (CCPA) y los principios GDPR. Tienes derecho a
acceder, corregir, eliminar y exportar tus datos.'
}
];

return (
  <div className="min-h-screen bg-white">
    <Navigation />

    <main id="main-content" className="pt-24 pb-16">
      <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
          <div className="inline-flex items-center gap-2 bg-teal-50 border border-teal-200 px-4 py-2 rounded-full mb-6">
            <Shield className="w-4 h-4 text-teal-600" />
            <span className="text-teal-700 text-sm font-semibold">
              {language === 'en' ? 'Privacy & Security' : 'Privacidad y Seguridad'}
            </span>
          </div>
        </div>

        <h1 className="text-4xl sm:text-5xl font-bold text-navy-900 mb-4">
          {language === 'en'
            ? 'Privacy Fast Answers'
            : 'Respuestas Rápidas de Privacidad'}
        </h1>

        <p className="text-lg text-navy-500 max-w-2xl mx-auto mb-6">
          {language === 'en'
            ? 'Quick answers to your most common privacy questions'
            : 'Respuestas rápidas a tus preguntas más comunes sobre privacidad'}
        </p>

        <Link
          to="/privacy-policy"
          className="inline-flex items-center gap-2 text-teal-600 hover:text-teal-700 text-sm font-medium"
        >
          <FileText className="w-4 h-4" />
          {language === 'en'
            ? 'Read full Privacy Policy'
            : 'Leer Política de Privacidad completa'}
        </Link>
      </div>

      <div className="space-y-3">
        {faqs.map((faq, i) => (
          <div key={i} className="border border-navy-100 rounded-xl overflow-hidden bg-white shadow-sm">
            <button
              onClick={() => setOpenFaq(openFaq === i ? null : i)}
              className="w-full flex items-center justify-between p-5 text-left hover:bg-navy-50 transition-colors min-h-[64px]
focus:outline-none focus:ring-2 focus:ring-inset focus:ring-teal-500"
              aria-expanded={openFaq === i}
              aria-controls={`faq-answer-${i}`}
              id={`faq-question-${i}`}
            >
              <div className="flex items-center gap-4 flex-1">
                <div className="w-10 h-10 bg-teal-50 rounded-lg flex items-center justify-center flex-shrink-0">
                  <faq.icon className="w-5 h-5 text-teal-600" />
                </div>
                <span className="font-semibold text-navy-900 pr-4">{faq.question}</span>
              </div>
              {openFaq === i ? (
                <ChevronUp className="w-5 h-5 text-teal-600 flex-shrink-0" />
              ) : (
                <ChevronDown className="w-5 h-5 text-navy-300 flex-shrink-0" />
              )}
            </button>

            <div
              id={`faq-answer-${i}`}
              role="region"
              aria-labelledby={`faq-question-${i}`}
              hidden={openFaq !== i}
              className={openFaq === i ? 'px-5 pb-5 pt-2 bg-navy-50 border-t border-navy-100' : ''}
            >
              {openFaq === i && (
                <p className="text-navy-600 leading-relaxed pl-14">{faq.answer}</p>
              )}
            </div>
          </div>
        ))}
      </div>

      <div className="mt-12 bg-gradient-to-br from-navy-900 to-navy-800 rounded-2xl p-8 text-center text-white">
        <h2 className="text-2xl font-bold mb-4">
          {language === 'en'
            ? 'Still have questions?'

```

```

        : '¿Todavía tienes preguntas?'}
    </h2>
    <p className="text-navy-100 mb-6 max-w-2xl mx-auto">
      {language === 'en'
        ? 'Contact our privacy team for specific questions about how we handle your data.'
        : 'Contacta a nuestro equipo de privacidad para preguntas específicas sobre cómo manejamos tus datos.'}
    </p>
    <div className="flex flex-col sm:flex-row gap-4 justify-center">
      <a
        href="mailto:privacy@ezlegal.ai"
        className="inline-flex items-center justify-center gap-2 bg-teal-500 hover:bg-teal-400 text-white px-6 py-3
rounded-lg font-semibold transition-all"
      >
        {language === 'en' ? 'Email Privacy Team' : 'Enviar Email'}
      </a>
      <Link
        to="/privacy-policy"
        className="inline-flex items-center justify-center gap-2 bg-navy-700 hover:bg-navy-600 border border-navy-500
text-white px-6 py-3 rounded-lg font-semibold transition-all"
      >
        {language === 'en' ? 'Full Privacy Policy' : 'Política Completa'}
      </Link>
    </div>
  </div>
</main>

  <Footer />
</div>
  );
}

```

[37/58] Pro Bono Intake

Route: /pro-bono | File: src/pages/ProBonoIntake.tsx

```
import { useState, useEffect } from 'react';
import { useNavigate, Link } from 'react-router-dom';
import {
  Scale,
  Heart,
  CheckCircle,
  AlertCircle,
  Languages,
  Mail,
  MapPin,
  Sparkles,
  DollarSign,
  Clock,
  Info,
  ArrowRight,
  ArrowLeft,
  MessageSquare,
  Building2,
  Save
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import PrivacyMicroPanel from '../components/PrivacyMicroPanel';
import { supabase } from '../lib/supabase';

const WIZARD_STEPS = [
  { id: 1, title: 'Contact', icon: Mail },
  { id: 2, title: 'Location', icon: MapPin },
  { id: 3, title: 'Finances', icon: DollarSign },
  { id: 4, title: 'Legal Issue', icon: Scale },
  { id: 5, title: 'Review', icon: CheckCircle }
];

export default function ProBonoIntake() {
  const navigate = useNavigate();
  const [language, setLanguage] = useState<'en' | 'es'>('en');
  const [currentStep, setCurrentStep] = useState(1);
  const [isSubmitting, setIsSubmitting] = useState(false);
  const [submitSuccess, setSubmitSuccess] = useState(false);
  const [aiEligibility, setAiEligibility] = useState<{score: number, recommendation: string} | null>(null);
  const [stepErrors, setStepErrors] = useState<Record<string, string>>({});

  const [formData, setFormData] = useState({
    full_name: '',
    email: '',
    phone: '',
    preferred_language: 'en',
    state: '',
    county: '',
    zip_code: '',
    household_income: '',
    household_size: '',
    legal_issue_category: '',
    legal_issue_description: '',
    urgency_level: 'normal',
    opposing_party_name: '',
    case_deadline: '',
    previous_attorney: false,
    current_court_case: false,
    referral_source: ''
  });

  const [savedDraft, setSavedDraft] = useState(false);
  const [lastSaved, setLastSaved] = useState<Date | null>(null);

  useEffect(() => {
    const savedData = localStorage.getItem('probono_intake_draft');
    const savedStep = localStorage.getItem('probono_intake_step');
    if (savedData) {
      try {
        const parsed = JSON.parse(savedData);
        setFormData(parsed.formData);
        if (savedStep) setCurrentStep(parseInt(savedStep));
        setLastSaved(new Date(parsed.savedAt));
        setSavedDraft(true);
      } catch {
        localStorage.removeItem('probono_intake_draft');
        localStorage.removeItem('probono_intake_step');
      }
    }
  }, []);

  const saveDraft = () => {
    const draft = {
      formData,
      savedAt: new Date().toISOString()
    };
    localStorage.setItem('probono_intake_draft', JSON.stringify(draft));
    localStorage.setItem('probono_intake_step', currentStep.toString());
    setLastSaved(new Date());
  };
}
```

```

    setSavedDraft(true);
  };

  const clearDraft = () => {
    localStorage.removeItem('probono_intake_draft');
    localStorage.removeItem('probono_intake_step');
    setSavedDraft(false);
    setLastSaved(null);
  };

  const text = {
    en: {
      title: 'Apply for Pro Bono Legal Services',
      subtitle: 'Check your eligibility and connect with volunteer attorneys who provide free legal assistance to qualifying individuals',
      helpText: 'This form takes 3-5 minutes. All fields are confidential.',
      submit: 'Submit Application',
      submitting: 'Submitting...',
      fullName: 'Full Name',
      email: 'Email Address',
      phone: 'Phone Number (Optional)',
      state: 'State',
      county: 'County',
      zipCode: 'Zip Code (Optional)',
      householdIncome: 'Annual Household Income',
      householdSize: 'Number of People in Household',
      legalCategory: 'Type of Legal Issue',
      description: 'Describe Your Legal Issue',
      urgency: 'How Urgent Is This?',
      urgencyNormal: 'Normal - Within 30 days',
      urgencyUrgent: 'Urgent - Within 7 days',
      urgencyImmediate: 'Immediate - Within 24 hours',
      opposingParty: 'Opposing Party Name (if applicable)',
      deadline: 'Court Deadline (if any)',
      previousAttorney: 'Have you had an attorney for this issue before?',
      currentCourtCase: 'Is there currently a court case?',
      referralSource: 'How did you hear about us? (Optional)',
      instantCheck: 'Check My Eligibility',
      eligible: 'You may qualify for pro bono legal services!',
      notEligible: 'You may still qualify based on other factors. Please submit your application.',
      successTitle: 'Application Submitted Successfully!',
      successMessage: 'We will contact you within 24-48 hours to discuss your case.',
      switchLanguage: 'Cambiar a español',
      contactInfo: 'Your Contact Information',
      contactHelp: 'We need this to reach you about your case',
      locationInfo: 'Your Location',
      locationHelp: 'We serve clients in specific counties and states',
      financialInfo: 'Household Financial Information',
      financialHelp: 'Most pro bono programs serve households earning up to 200% of Federal Poverty Guidelines',
      legalIssueInfo: 'Your Legal Issue',
      legalIssueHelp: 'Tell us about your legal problem so we can match you with the right attorney',
      additionalInfo: 'Additional Details (Optional)',
      additionalHelp: 'This information helps us better understand your situation'
    },
    es: {
      title: 'Solicitar Servicios Legales Pro Bono',
      subtitle: 'Verifique su elegibilidad y conéctese con abogados voluntarios que brindan asistencia legal gratuita a personas que califican',
      helpText: 'Este formulario toma 3-5 minutos. Todos los campos son confidenciales.',
      submit: 'Enviar Solicitud',
      submitting: 'Enviando...',
      fullName: 'Nombre Completo',
      email: 'Correo Electrónico',
      phone: 'Número de Teléfono (Opcional)',
      state: 'Estado',
      county: 'Condado',
      zipCode: 'Código Postal (Opcional)',
      householdIncome: 'Ingreso Anual del Hogar',
      householdSize: 'Número de Personas en el Hogar',
      legalCategory: 'Tipo de Problema Legal',
      description: 'Describa Su Problema Legal',
      urgency: '¿Qué Tan Urgente Es Esto?',
      urgencyNormal: 'Normal - Dentro de 30 días',
      urgencyUrgent: 'Urgente - Dentro de 7 días',
      urgencyImmediate: 'Inmediato - Dentro de 24 horas',
      opposingParty: 'Nombre de la Parte Contraria (si aplica)',
      deadline: 'Fecha Límite de la Corte (si hay)',
      previousAttorney: '¿Ha tenido un abogado para este problema antes?',
      currentCourtCase: '¿Hay actualmente un caso en la corte?',
      referralSource: '¿Cómo se enteró de nosotros? (Opcional)',
      instantCheck: 'Verificar Mi Elegibilidad',
      eligible: '¡Puede calificar para ayuda legal gratuita!',
      notEligible: 'Aún puede calificar según otros factores. Por favor envíe su solicitud.',
      successTitle: '¡Solicitud Enviada Exitosamente!',
      successMessage: 'Nos comunicaremos con usted dentro de 24-48 horas para discutir su caso.',
      switchLanguage: 'Switch to English',
      contactInfo: 'Su Información de Contacto',
      contactHelp: 'Necesitamos esto para comunicarnos con usted sobre su caso',
      locationInfo: 'Su Ubicación',
      locationHelp: 'Servimos a clientes en condados y estados específicos',
      financialInfo: 'Información Financiera del Hogar',
      financialHelp: 'La mayoría de los programas pro bono sirven a hogares que ganan hasta el 200% de las Pautas Federales de Pobreza',
      legalIssueInfo: 'Su Problema Legal',
      legalIssueHelp: 'Cuéntenos sobre su problema legal para que podamos conectarlo con el abogado adecuado',
      additionalInfo: 'Detalles Adicionales (Opcional)',
    }
  };

```



```

    additionalHelp: 'Esta información nos ayuda a entender mejor su situación'
  }
};

const t = text[language];

const legalCategories = [
  { value: 'housing', label: { en: 'Housing (Eviction, Landlord Issues)', es: 'Vivienda (Desalojo, Problemas con Propietario)' } },
  { value: 'employment', label: { en: 'Employment (Wage Theft, Discrimination)', es: 'Empleo (Robo de Salarios, Discriminación)' } },
  { value: 'family', label: { en: 'Family Law (Custody, Divorce)', es: 'Derecho Familiar (Custodia, Divorcio)' } },
  { value: 'consumer', label: { en: 'Consumer Protection', es: 'Protección del Consumidor' } },
  { value: 'benefits', label: { en: 'Public Benefits (SSI, SNAP)', es: 'Beneficios Públicos (SSI, SNAP)' } },
  { value: 'debt', label: { en: 'Debt Collection', es: 'Cobro de Deudas' } },
  { value: 'civil_rights', label: { en: 'Civil Rights', es: 'Derechos Civiles' } },
  { value: 'other', label: { en: 'Other Civil Legal Matter', es: 'Otro Asunto Legal Civil' } }
];

const calculateEligibility = async () => {
  const income = parseFloat(formData.household_income);
  const size = parseInt(formData.household_size);

  if (!income || !size) return;

  const federalPovertyGuidelines: { [key: number]: number } = {
    1: 15060,
    2: 20440,
    3: 25820,
    4: 31200,
    5: 36580,
    6: 41960,
    7: 47340,
    8: 52720
  };

  const guideline = size <= 8 ? federalPovertyGuidelines[size] : federalPovertyGuidelines[8] + (size - 8) * 5380;
  const threshold = guideline * 2;
  const percentage = (income / threshold) * 100;

  let score = 0;
  let recommendation = '';

  if (income <= threshold) {
    score = Math.max(0, 100 - percentage);
    recommendation = language === 'en'
      ? `Based on your household income and size, you appear to meet the financial eligibility requirements for free legal services. Your income is ${percentage.toFixed(0)}% of the eligibility threshold.`
      : `Según el tamaño y los ingresos de su hogar, parece cumplir con los requisitos de elegibilidad financiera para servicios legales gratuitos. Su ingreso es ${percentage.toFixed(0)}% del umbral de elegibilidad.`;
  } else {
    score = Math.max(0, 50 - (percentage - 100) / 2);
    recommendation = language === 'en'
      ? `Your income is ${percentage.toFixed(0)}% of our typical eligibility threshold. While you may not automatically qualify, we encourage you to submit your application as other factors may be considered.`
      : `Su ingreso es ${percentage.toFixed(0)}% de nuestro umbral de elegibilidad típico. Si bien es posible que no califique automáticamente, le recomendamos que envíe su solicitud ya que se pueden considerar otros factores.`;
  }

  if (formData.urgency_level === 'immediate') {
    score += 10;
  } else if (formData.urgency_level === 'urgent') {
    score += 5;
  }

  setAiEligibility({ score: Math.min(100, score), recommendation });
};

const validateStep = (step: number): boolean => {
  const errors: Record<string, string> = {};

  if (step === 1) {
    if (!formData.full_name.trim()) errors.full_name = 'Name is required';
    if (!formData.email.trim()) errors.email = 'Email is required';
    else if (!/^[^\s@]+@[^\s@]+\.[^\s@]+$/.test(formData.email)) errors.email = 'Invalid email format';
  }

  if (step === 2) {
    if (!formData.state.trim()) errors.state = 'State is required';
    if (!formData.county.trim()) errors.county = 'County is required';
  }

  if (step === 3) {
    if (!formData.household_income) errors.household_income = 'Income is required';
    if (!formData.household_size) errors.household_size = 'Household size is required';
  }

  if (step === 4) {
    if (!formData.legal_issue_category) errors.legal_issue_category = 'Please select a category';
    if (!formData.legal_issue_description.trim()) errors.legal_issue_description = 'Please describe your issue';
  }

  setStepErrors(errors);
  return Object.keys(errors).length === 0;
};

```

```

const goToNextStep = () => {
  if (validateStep(currentStep)) {
    if (currentStep === 3 && !aiEligibility) {
      calculateEligibility();
    }
    setCurrentStep(prev => Math.min(prev + 1, 5));
    window.scrollTo({ top: 0, behavior: 'smooth' });
  }
};

const goToPreviousStep = () => {
  setCurrentStep(prev => Math.max(prev - 1, 1));
  setStepErrors({});
  window.scrollTo({ top: 0, behavior: 'smooth' });
};

const handleSubmit = async () => {
  setIsSubmitting(true);

  try {
    const { data: { user } } = await supabase.auth.getUser();

    const applicationData = {
      ...formData,
      user_id: user?.id || null,
      household_income: parseFloat(formData.household_income),
      household_size: parseInt(formData.household_size),
      ai_eligibility_score: aiEligibility?.score || null,
      ai_recommendation: aiEligibility?.recommendation || null
    };

    const { error } = await supabase
      .from('pro_bono_applications')
      .insert([applicationData]);

    if (error) throw error;

    clearDraft();
    setSubmitSuccess(true);
  } catch (error) {
    console.error('Error submitting application:', error);
    alert('There was an error submitting your application. Please try again.');
```

finally {

```

    setIsSubmitting(false);
  }
};

if (submitSuccess) {
  return (
    <div className="min-h-screen bg-navy-50">
      <Navigation />
      <div className="pt-32 pb-20 px-4">
        <div className="max-w-2xl mx-auto text-center">
          <div className="w-20 h-20 bg-success-100 rounded-full flex items-center justify-center mx-auto mb-6">
            <CheckCircle className="w-10 h-10 text-success-600" />
          </div>
          <h1 className="text-4xl font-bold text-navy-900 mb-4">{t.successTitle}</h1>
          <p className="text-xl text-navy-600 mb-8">{t.successMessage}</p>
          <button
            onClick={() => navigate('/')}>
            className="px-8 py-3 bg-teal-600 text-white rounded-lg font-semibold hover:bg-teal-700 transition-colors"
          >
            {language === 'en' ? 'Return Home' : 'Volver al Inicio'}
          </button>
        </div>
      </div>
      <Footer />
    </div>
  );
}

return (
  <div className="min-h-screen bg-navy-50">
    <Navigation />

    <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white py-12 pt-28">
      <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="flex items-center justify-between mb-6">
          <div className="inline-flex items-center gap-2 bg-white/10 border border-white/30 px-4 py-2 rounded-full">
            <Heart className="w-4 h-4 text-gold-300" />
            <span className="text-sm font-semibold">{language === 'en' ? 'Pro Bono Services' : 'Servicios Pro Bono'}</span>
          </div>
          <button
            onClick={() => {
              setLanguage(language === 'en' ? 'es' : 'en');
              setFormData(prev => ({ ...prev, preferred_language: language === 'en' ? 'es' : 'en' }));
            }}
            className="inline-flex items-center gap-2 bg-white/10 border border-white/30 px-4 py-2 rounded-full hover:bg-white/20 transition-colors"
          >
            <Languages className="w-4 h-4" />
            <span className="text-sm font-semibold">{t.switchLanguage}</span>
          </button>
        </div>
        <h2 className="text-4xl font-bold text-navy-900 mb-2">{t.title}</h2>
        <p className="text-lg text-white/90 mb-4">{t.subtitle}</p>
      </div>
    </section>
  </div>
);

```

```

<div className="bg-white/10 rounded-xl p-4 mt-6">
  <div className="flex items-center justify-between mb-3">
    <span className="text-sm font-medium text-white/80">
      {language === 'en' ? `Step ${currentStep} of 5` : `Paso ${currentStep} de 5`}
    </span>
    <span className="text-sm text-white/60">
      {language === 'en' ? '~3-5 minutes' : '~3-5 minutos'}
    </span>
  </div>
  <div className="flex gap-2">
    {WIZARD_STEPS.map((step) => (
      <div key={step.id} className="flex-1">
        <div
          className={`h-2 rounded-full transition-all ${
            step.id < currentStep
              ? 'bg-success-400'
              : step.id === currentStep
              ? 'bg-gold-400'
              : 'bg-white/20'
            }`}
        </div>
        <div className="flex items-center gap-1 mt-2">
          <span className={step.id <= currentStep ? 'text-white' : 'text-white/40'}>{step.icon}</span>
          <span className={step.id <= currentStep ? 'text-white' : 'text-white/40'}>{step.title}</span>
        </div>
      </div>
    ))}
  </div>
</div>
</section>

<section className="py-8 bg-amber-50 border-b border-amber-200">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex flex-col md:flex-row gap-6 items-start">
      <div className="flex-shrink-0">
        <div className="w-12 h-12 bg-amber-100 rounded-xl flex items-center justify-center">
          <AlertCircle className="w-6 h-6 text-amber-600" />
        </div>
      </div>
      <div className="flex-1">
        <h2 className="text-lg font-bold text-navy-900 mb-2">
          {language === 'en' ? 'Important: What is Pro Bono Legal Aid?' : 'Importante: Que es Ayuda Legal Pro Bono?'}
        </h2>
        <p className="text-navy-700 text-sm mb-3">
          {language === 'en'
            ? 'Pro bono legal services are FREE legal help provided by volunteer attorneys through legal aid organizations. These services are reserved for individuals and families who meet strict income eligibility requirements (typically 200% or less of Federal Poverty Guidelines).'
            : 'Los servicios legales pro bono son ayuda legal GRATUITA proporcionada por abogados voluntarios a traves de organizaciones de asistencia legal. Estos servicios estan reservados para personas y familias que cumplen con estrictos requisitos de elegibilidad de ingresos (tipicamente 200% o menos de las Pautas Federales de Pobreza).'}
        </p>
        <p className="text-navy-600 text-sm">
          {language === 'en'
            ? 'If you don\'t qualify for pro bono services, you can still access free unlimited questions through our AI legal assistant. Issue Packs from $29 when you need detailed action plans.'
            : 'Si no califica para servicios pro bono, aun puede acceder a preguntas ilimitadas gratis a traves de nuestro asistente legal de IA. Paquetes de Ayuda desde $29 cuando necesite planes de accion detallados.'}
        </p>
      </div>
    </div>
  </div>
</section>

<section className="py-8 bg-white border-b border-navy-200">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <h3 className="text-lg font-bold text-navy-900 mb-4 text-center">
      {language === 'en' ? 'Not sure if you qualify? Try these options first:' : 'No esta seguro si califica? Pruebe estas opciones primero:'}
    </h3>
    <div className="grid sm:grid-cols-3 gap-4">
      <Link
        to="/chat"
        className="flex items-center gap-3 p-4 bg-navy-50 border-2 border-navy-200 rounded-xl hover:border-navy-400 hover:bg-teal-100 transition-colors group"
      >
        <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center group-hover:bg-navy-200 transition-colors">
          <MessageSquare className="w-5 h-5 text-teal-600" />
        </div>
        <div>
          <div className="font-semibold text-navy-900 text-sm">{language === 'en' ? 'Free AI Chat' : 'Chat IA Gratis'}</div>
          <div className="text-xs text-navy-600">{language === 'en' ? 'Get instant answers' : 'Respuestas instantaneas'}</div>
        </div>
      </Link>
      <Link
        to="/signup"
        className="flex items-center gap-3 p-4 bg-gold-50 border-2 border-gold-200 rounded-xl hover:border-gold-400 hover:bg-gold-100 transition-colors group"
      >
        <div className="w-10 h-10 bg-gold-100 rounded-lg flex items-center justify-center group-hover:bg-gold-200 transition-colors">

```

```

        <Sparkles className="w-5 h-5 text-teal-700" />
      </div>
      <div>
        <div className="font-semibold text-navy-900 text-sm">{language === 'en' ? 'Free Questions' : 'Preguntas
Gratis'}</div>
        <div className="text-xs text-navy-600">{language === 'en' ? 'Unlimited, free to start' : 'Ilimitadas, gratis para
comenzar'}</div>
      </div>
    </Link>
    <Link
      to="/pricing"
      className="flex items-center gap-3 p-4 bg-navy-50 border-2 border-navy-200 rounded-xl hover:border-navy-400
hover:bg-navy-100 transition-colors group"
    >
      <div className="w-10 h-10 bg-navy-100 rounded-lg flex items-center justify-center group-hover:bg-navy-200
transition-colors">
        <DollarSign className="w-5 h-5 text-navy-600" />
      </div>
      <div>
        <div className="font-semibold text-navy-900 text-sm">{language === 'en' ? 'View Pricing' : 'Ver Precios'}</div>
        <div className="text-xs text-navy-600">{language === 'en' ? 'Compare all plans' : 'Comparar planes'}</div>
      </div>
    </Link>
  </div>
</div>
</section>

<section className="py-8 bg-navy-50">
  <div className="max-w-2xl mx-auto px-4 sm:px-6 lg:px-8">
    <PrivacyMicroPanel context="intake" className="mb-6" />
    <div className="bg-white rounded-2xl shadow-lg p-6 md:p-8">
      {currentStep === 1 && (
        <div className="space-y-6">
          <div className="border-b border-navy-200 pb-4">
            <h2 className="text-xl font-bold text-navy-900 flex items-center gap-3">
              <Mail className="w-5 h-5 text-teal-600" />
              {t.contactInfo}
            </h2>
            <p className="text-sm text-navy-600 mt-1">{t.contactHelp}</p>
          </div>

          <div>
            <label className="block text-sm font-semibold text-navy-700 mb-2">
              {t.fullName} <span className="text-teal-600">*</span>
            </label>
            <input
              type="text"
              value={formData.full_name}
              onChange={(e) => setFormData({ ...formData, full_name: e.target.value })}
              className={`w-full px-4 py-3 border rounded-lg focus:ring-2 focus:ring-teal-500 focus:border-teal-500
${stepErrors.full_name ? 'border-red-500' : 'border-navy-300'}`}
            />
            {stepErrors.full_name && <p className="text-red-500 text-sm mt-1">{stepErrors.full_name}</p>}
          </div>

          <div>
            <label className="block text-sm font-semibold text-navy-700 mb-2">
              {t.email} <span className="text-teal-600">*</span>
            </label>
            <input
              type="email"
              value={formData.email}
              onChange={(e) => setFormData({ ...formData, email: e.target.value })}
              className={`w-full px-4 py-3 border rounded-lg focus:ring-2 focus:ring-teal-500 focus:border-teal-500
${stepErrors.email ? 'border-red-500' : 'border-navy-300'}`}
            />
            {stepErrors.email && <p className="text-red-500 text-sm mt-1">{stepErrors.email}</p>}
          </div>

          <div>
            <label className="block text-sm font-semibold text-navy-700 mb-2">{t.phone}</label>
            <input
              type="tel"
              value={formData.phone}
              onChange={(e) => setFormData({ ...formData, phone: e.target.value })}
              className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
            />
          </div>
        </div>
      )}

      {currentStep === 2 && (
        <div className="space-y-6">
          <div className="border-b border-navy-200 pb-4">
            <h2 className="text-xl font-bold text-navy-900 flex items-center gap-3">
              <MapPin className="w-5 h-5 text-teal-600" />
              {t.locationInfo}
            </h2>
            <p className="text-sm text-navy-600 mt-1">{t.locationHelp}</p>
          </div>

          <div>
            <label className="block text-sm font-semibold text-navy-700 mb-2">
              {t.state} <span className="text-teal-600">*</span>
            </label>

```

```



```

```

    </div>
  </div>
  })
</div>
})

{currentStep === 4 && (
  <div className="space-y-6">
    <div className="border-b border-navy-200 pb-4">
      <h2 className="text-xl font-bold text-navy-900 flex items-center gap-3">
        <Scale className="w-5 h-5 text-teal-600" />
        {t.legalIssueInfo}
      </h2>
      <p className="text-sm text-navy-600 mt-1">{t.legalIssueHelp}</p>
    </div>

    <div>
      <label className="block text-sm font-semibold text-navy-700 mb-2">
        {t.legalCategory} <span className="text-teal-600">*</span>
      </label>
      <select
        value={formData.legal_issue_category}
        onChange={(e) => setFormData({ ...formData, legal_issue_category: e.target.value })}
        className={`w-full px-4 py-3 border rounded-lg focus:ring-2 focus:ring-teal-500 focus:border-teal-500
        ${stepErrors.legal_issue_category ? 'border-red-500' : 'border-navy-300'}`}
        >
        <option value="">{language === 'en' ? 'Select a category' : 'Seleccione una categoria'}</option>
        {legalCategories.map((cat) => (
          <option key={cat.value} value={cat.value}>{cat.label[language]}</option>
        ))}
      </select>
      {stepErrors.legal_issue_category && <p className="text-red-500 text-sm
      mt-1">{stepErrors.legal_issue_category}</p>}
    </div>

    <div>
      <label className="block text-sm font-semibold text-navy-700 mb-2">
        {t.description} <span className="text-teal-600">*</span>
      </label>
      <textarea
        value={formData.legal_issue_description}
        onChange={(e) => setFormData({ ...formData, legal_issue_description: e.target.value })}
        rows={4}
        className={`w-full px-4 py-3 border rounded-lg focus:ring-2 focus:ring-teal-500 focus:border-teal-500
        ${stepErrors.legal_issue_description ? 'border-red-500' : 'border-navy-300'}`}
        placeholder={language === 'en' ? 'Please describe your legal issue...' : 'Por favor describa su problema
        legal...'}
        />
      {stepErrors.legal_issue_description && <p className="text-red-500 text-sm
      mt-1">{stepErrors.legal_issue_description}</p>}
    </div>

    <div>
      <label className="block text-sm font-semibold text-navy-700 mb-2">
        <Clock className="inline w-4 h-4 mr-1" />
        {t.urgency}
      </label>
      <div className="space-y-2">
        {[
          { value: 'normal', label: t.urgencyNormal },
          { value: 'urgent', label: t.urgencyUrgent },
          { value: 'immediate', label: t.urgencyImmediate }
        ].map((option) => (
          <label key={option.value} className="flex items-center gap-3 p-3 border border-navy-200 rounded-lg
          cursor-pointer hover:border-teal-300 has-[:checked]:border-teal-600 has-[:checked]:bg-teal-50">
            <input
              type="radio"
              name="urgency"
              value={option.value}
              checked={formData.urgency_level === option.value}
              onChange={(e) => setFormData({ ...formData, urgency_level: e.target.value })}
              className="w-4 h-4 text-teal-600"
            />
            <span className="text-navy-700 text-sm">{option.label}</span>
          </label>
        ))}
      </div>
    </div>
  </div>
})

{currentStep === 5 && (
  <div className="space-y-6">
    <div className="border-b border-navy-200 pb-4">
      <h2 className="text-xl font-bold text-navy-900 flex items-center gap-3">
        <CheckCircle className="w-5 h-5 text-success-600" />
        {language === 'en' ? 'Review Your Application' : 'Revise su Solicitud'}
      </h2>
      <p className="text-sm text-navy-600 mt-1">
        {language === 'en' ? 'Please review the information below before submitting.' : 'Por favor revise la información
        antes de enviar.'}
      </p>
    </div>

    <div className="space-y-4 text-sm">
      <div className="bg-navy-50 rounded-lg p-4">

```

```

<h3 className="font-semibold text-navy-900 mb-2 flex items-center gap-2">
  <Mail className="w-4 h-4 text-teal-600" /> {t.contactInfo}
</h3>
<p><strong>{t.fullName}</strong> {formData.full_name}</p>
<p><strong>{t.email}</strong> {formData.email}</p>
{formData.phone && <p><strong>{t.phone}</strong> {formData.phone}</p>}
</div>

<div className="bg-navy-50 rounded-lg p-4">
  <h3 className="font-semibold text-navy-900 mb-2 flex items-center gap-2">
    <MapPin className="w-4 h-4 text-teal-600" /> {t.locationInfo}
  </h3>
  <p><strong>{t.state}</strong> {formData.state}</p>
  <p><strong>{t.county}</strong> {formData.county}</p>
  {formData.zip_code && <p><strong>{t.zipCode}</strong> {formData.zip_code}</p>}
</div>

<div className="bg-navy-50 rounded-lg p-4">
  <h3 className="font-semibold text-navy-900 mb-2 flex items-center gap-2">
    <DollarSign className="w-4 h-4 text-teal-600" /> {t.financialInfo}
  </h3>
  <p><strong>{t.householdIncome}</strong> ${parseInt(formData.household_income).toLocaleString()}</p>
  <p><strong>{t.householdSize}</strong> {formData.household_size}</p>
  {aiEligibility && (
    <p className="mt-2 font-semibold ${aiEligibility.score >= 50 ? 'text-success-600' : 'text-warning-600'}">
      {aiEligibility.score >= 50 ? t.eligible : t.notEligible}
    </p>
  )}
</div>

<div className="bg-navy-50 rounded-lg p-4">
  <h3 className="font-semibold text-navy-900 mb-2 flex items-center gap-2">
    <Scale className="w-4 h-4 text-teal-600" /> {t.legalIssueInfo}
  </h3>
  <p><strong>{t.legalCategory}</strong> {legalCategories.find(c => c.value ===
formData.legal_issue_category)?.label[language]}</p>
  <p><strong>{t.urgency}</strong> {formData.urgency_level}</p>
  <p className="mt-2"><strong>{t.description}</strong></p>
  <p className="text-navy-600 mt-1">{formData.legal_issue_description}</p>
</div>
</div>

<div className="bg-teal-50 border border-teal-200 rounded-lg p-4">
  <p className="text-sm text-teal-800">
    {language === 'en'
      ? 'By submitting this form, you agree to our privacy policy and terms of service. We will contact you within
24-48 hours.'
      : 'Al enviar este formulario, acepta nuestra politica de privacidad y terminos de servicio. Nos comunicaremos
con usted dentro de 24-48 horas.'}
  </p>
</div>
</div>
)}

<div className="flex flex-col gap-4 mt-8 pt-6 border-t border-navy-200">
  {savedDraft && lastSaved && (
    <div className="flex items-center justify-between bg-teal-50 border border-teal-200 rounded-lg px-4 py-2 text-sm">
      <div className="flex items-center gap-2 text-teal-700">
        <Save className="w-4 h-4" />
        <span>Draft saved {lastSaved.toLocaleTimeString()}</span>
      </div>
      <button
        type="button"
        onClick={clearDraft}
        className="text-teal-600 hover:text-teal-800 text-xs font-medium"
      >
        Clear draft
      </button>
    </div>
  )}
  <div className="flex items-center justify-between">
    {currentStep > 1 ? (
      <button
        type="button"
        onClick={goToPreviousStep}
        className="inline-flex items-center gap-2 px-5 py-2.5 text-navy-700 bg-navy-100 hover:bg-navy-200 rounded-lg
font-medium transition-colors"
      >
        <ArrowLeft className="w-4 h-4" />
        {language === 'en' ? 'Back' : 'Atras'}
      </button>
    ) : (
      <div />
    )}
  </div>
  <div className="flex items-center gap-3">
    <button
      type="button"
      onClick={saveDraft}
      className="inline-flex items-center gap-2 px-4 py-2.5 text-navy-600 border border-navy-300 hover:bg-navy-50
rounded-lg font-medium transition-colors"
    >
      <Save className="w-4 h-4" />
      {language === 'en' ? 'Save' : 'Guardar'}
    </button>
    {currentStep < 5 ? (
      <button

```

```

        type="button"
        onClick={goToNextStep}
        className="inline-flex items-center gap-2 px-6 py-2.5 bg-teal-600 hover:bg-teal-700 text-white rounded-lg font-semibold transition-colors"
      >
        {language === 'en' ? 'Continue' : 'Continuar'}
        <ArrowRight className="w-4 h-4" />
      </button>
    ) : (
      <button
        type="button"
        onClick={handleSubmit}
        disabled={isSubmitting}
        className="inline-flex items-center gap-2 px-6 py-2.5 bg-success-600 hover:bg-success-700 text-white rounded-lg font-semibold transition-colors disabled:opacity-50"
      >
        {isSubmitting ? (
          <>
            <div className="w-4 h-4 border-2 border-white border-t-transparent rounded-full animate-spin" />
            {t.submitting}
          </>
        ) : (
          <>
            <CheckCircle className="w-4 h-4" />
            {t.submit}
          </>
        )}
      </button>
    )}
  </div>
</div>
</div>
</div>
</div>
</section>

<section className="py-12 bg-white border-t border-navy-200">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-8">
      <div className="inline-flex items-center gap-2 bg-navy-50 border border-navy-200 px-4 py-2 rounded-full mb-4">
        <Building2 className="w-4 h-4 text-teal-600" />
        <span className="text-navy-700 text-sm font-semibold">
          {language === 'en' ? 'How It Works' : 'Como Funciona'}
        </span>
      </div>
      <h2 className="text-2xl font-bold text-navy-900 mb-2">
        {language === 'en' ? 'How We Connect You to Legal Aid' : 'Como Lo Conectamos con Asistencia Legal'}
      </h2>
      <p className="text-navy-600">
        {language === 'en'
          ? 'Your application is reviewed and matched with the right legal aid organization'
          : 'Su solicitud es revisada y emparejada con la organizacion de asistencia legal adecuada'}
      </p>
    </div>

    <div className="grid md:grid-cols-3 gap-6">
      <div className="text-center">
        <div className="w-12 h-12 bg-teal-100 rounded-full flex items-center justify-center mx-auto mb-4">
          <span className="text-navy-700 font-bold text-lg">1</span>
        </div>
        <h3 className="font-bold text-navy-900 mb-2">
          {language === 'en' ? 'Submit Application' : 'Enviar Solicitud'}
        </h3>
        <p className="text-navy-600 text-sm">
          {language === 'en'
            ? 'Complete this form with your information and legal issue details'
            : 'Complete este formulario con su información y detalles del problema legal'}
        </p>
      </div>
      <div className="text-center">
        <div className="w-12 h-12 bg-teal-100 rounded-full flex items-center justify-center mx-auto mb-4">
          <span className="text-navy-700 font-bold text-lg">2</span>
        </div>
        <h3 className="font-bold text-navy-900 mb-2">
          {language === 'en' ? 'Eligibility Review' : 'Revision de Elegibilidad'}
        </h3>
        <p className="text-navy-600 text-sm">
          {language === 'en'
            ? 'We verify your eligibility and match you with appropriate legal aid organizations in your area'
            : 'Verificamos su elegibilidad y lo emparejamos con organizaciones de asistencia legal apropiadas en su area'}
        </p>
      </div>
      <div className="text-center">
        <div className="w-12 h-12 bg-teal-100 rounded-full flex items-center justify-center mx-auto mb-4">
          <span className="text-navy-700 font-bold text-lg">3</span>
        </div>
        <h3 className="font-bold text-navy-900 mb-2">
          {language === 'en' ? 'Get Connected' : 'Conectarse'}
        </h3>
        <p className="text-navy-600 text-sm">
          {language === 'en'
            ? 'Receive contact information for legal aid organizations that can help with your specific issue'
            : 'Reciba información de contacto para organizaciones de asistencia legal que pueden ayudar con su problema especifico'}
        </p>
      </div>
    </div>
  </div>

```



```

</div>

<div className="mt-10 bg-navy-50 rounded-xl p-6 border border-navy-200">
  <div className="flex flex-col md:flex-row items-center gap-4">
    <div className="flex-shrink-0">
      <Info className="w-8 h-8 text-teal-600" />
    </div>
    <div className="flex-1 text-center md:text-left">
      <h4 className="font-bold text-navy-900 mb-1">
        {language === 'en' ? 'Note: Pro Bono Network' : 'Nota: Red Pro Bono'}
      </h4>
      <p className="text-navy-600 text-sm">
        {language === 'en'
          ? 'ezLegal.ai™ partners with legal aid organizations and bar associations to help connect eligible individuals
with volunteer attorneys. Availability of free legal services depends on your location, type of legal issue, and current capacity of
local legal aid providers.'
          : 'ezLegal.ai™ se asocia con organizaciones de asistencia legal y colegios de abogados para ayudar a conectar
personas elegibles con abogados voluntarios. La disponibilidad de servicios legales gratuitos depende de su ubicacion, tipo de
problema legal y capacidad actual de los proveedores de asistencia legal locales.'}
      </p>
    </div>
  </div>
</div>
</div>
</section>

<Footer />
</div>
  );
}

```

[38/58] Legal Safety Net

Route: /safety-net | File: src/pages/LegalSafetyNet.tsx

```
import { useEffect, useState } from 'react';
import { Link } from 'react-router-dom';
import { Shield, Calendar, FolderLock, CheckCircle2, AlertTriangle, Plus, ArrowRight, Activity, Bell, Clock, TrendingUp } from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { useLanguage } from '../contexts/LanguageContext';
import { useAuth } from '../contexts/AuthContext';
import DeadlineDetailDrawer from '../components/DeadlineDetailDrawer';
import VaultUploader from '../components/VaultUploader';
import MonthlyCheckupFlow from '../components/MonthlyCheckupFlow';
import SafetyPlanChooser from '../components/SafetyPlanChooser';
import {
  computeHealthSnapshot,
  listMatters,
  listUpcomingDeadlines,
  listVaultItems,
  createMatter,
  completeDeadline,
  getEntitlements,
  type HealthSnapshot,
  type LegalMatter,
  type PlanEntitlements,
  type SafetyDeadline,
  type VaultItem,
} from '../services/safety-net-service';

function scoreColor(score: number): string {
  if (score >= 75) return 'text-teal-700 bg-teal-100';
  if (score >= 50) return 'text-amber-700 bg-amber-100';
  if (score >= 25) return 'text-orange-700 bg-orange-100';
  return 'text-rose-700 bg-rose-100';
}

function scoreRing(score: number): string {
  if (score >= 75) return 'stroke-teal-600';
  if (score >= 50) return 'stroke-amber-500';
  if (score >= 25) return 'stroke-orange-500';
  return 'stroke-rose-500';
}

function daysUntil(iso: string): number {
  return Math.ceil((new Date(iso).getTime() - Date.now()) / 86400000);
}

export default function LegalSafetyNet() {
  const { language } = useLanguage();
  const { user } = useAuth();
  const en = language === 'en';
  const [loading, setLoading] = useState(true);
  const [health, setHealth] = useState<HealthSnapshot | null>(null);
  const [matters, setMatters] = useState<LegalMatter[]>([]);
  const [deadlines, setDeadlines] = useState<SafetyDeadline[]>([]);
  const [vault, setVault] = useState<VaultItem[]>([]);
  const [newMatterOpen, setNewMatterOpen] = useState(false);
  const [newTitle, setNewTitle] = useState('');
  const [newIssueType, setNewIssueType] = useState('general');
  const [entitlements, setEntitlements] = useState<PlanEntitlements | null>(null);
  const [activeDeadline, setActiveDeadline] = useState<SafetyDeadline | null>(null);
  const [showPlanChooser, setShowPlanChooser] = useState(false);

  async function refresh() {
    setLoading(true);
    const [h, m, d, v, e] = await Promise.all([
      computeHealthSnapshot(),
      listMatters(),
      listUpcomingDeadlines(60),
      listVaultItems(),
      getEntitlements(),
    ]);
    setHealth(h);
    setMatters(m);
    setDeadlines(d);
    setVault(v);
    setEntitlements(e);
    setLoading(false);
  }

  async function refreshVault() {
    const v = await listVaultItems();
    setVault(v);
  }

  useEffect(() => {
    if (user) refresh();
    else setLoading(false);
  }, [user]);

  async function handleCreateMatter(e: React.FormEvent) {
```

```

e.preventDefault();
if (!newTitle.trim()) return;
await createMatter({ title: newTitle.trim(), issue_type: newIssueType });
setNewTitle('');
setNewIssueType('general');
setNewMatterOpen(false);
refresh();
}

async function handleCompleteDeadline(id: string) {
  await completeDeadline(id);
  refresh();
}

if (!user) {
  return (
    <div className="min-h-screen bg-navy-50">
      <Navigation />
      <section className="pt-32 pb-20 px-4 max-w-3xl mx-auto text-center">
        <Shield className="w-16 h-16 text-teal-600 mx-auto mb-6" />
        <h2 className="text-4xl font-bold text-navy-900 mb-4">
          {en ? 'Your Legal Safety Net' : 'Tu Red de Seguridad Legal'}
        </h2>
        <p className="text-lg text-navy-600 mb-8">
          {en
            ? 'Save legal matters, track deadlines, store documents, and know your next step. In plain English or Spanish.'
            : 'Guarda casos legales, da seguimiento a fechas, almacena documentos y conoce tu siguiente paso. En ingles o
espanol.'}
        </p>
        <Link to="/signup" className="inline-flex items-center gap-2 bg-teal-600 hover:bg-teal-700 text-white font-bold px-6 py-3
rounded-xl">
          {en ? 'Create a free account' : 'Crea una cuenta gratis'}
          <ArrowRight className="w-4 h-4" />
        </Link>
      </section>
      <Footer />
    </div>
  );
}

const score = health?.score ?? 0;
const circumference = 2 * Math.PI * 44;
const offset = circumference - (score / 100) * circumference;

return (
  <div className="min-h-screen bg-navy-50">
    <Navigation />
    <div className="pt-24 pb-16 max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
      <header className="mb-8">
        <div className="inline-flex items-center gap-2 bg-teal-100 px-3 py-1 rounded-full mb-3">
          <Shield className="w-4 h-4 text-teal-700" />
          <span className="text-xs font-semibold text-teal-900">
            {en ? 'Legal Safety Net' : 'Red de Seguridad Legal'}
          </span>
        </div>
        <h1 className="text-3xl md:text-4xl font-bold text-navy-900 mb-2">
          {en ? 'Your legal dashboard' : 'Tu panel legal'}
        </h1>
        <p className="text-navy-600">
          {en
            ? 'Everything we are tracking for you, in one place.'
            : 'Todo lo que estamos rastreando para ti, en un solo lugar.'}
        </p>
      </header>

      {loading ? (
        <div className="py-16 text-center text-navy-500">
          {en ? 'Loading your dashboard...' : 'Cargando tu panel...'}
        </div>
      ) : (
        <>
          <section className="grid md:grid-cols-3 gap-6 mb-10">
            <div className="md:col-span-1 bg-white rounded-2xl p-6 border border-navy-200 shadow-sm">
              <div className="flex items-center gap-2 mb-4">
                <Activity className="w-5 h-5 text-teal-600" />
                <h2 className="font-bold text-navy-900">
                  {en ? 'Legal Health Score' : 'Puntaje de Salud Legal'}
                </h2>
              </div>
              <div className="flex items-center gap-6">
                <div className="relative w-28 h-28">
                  <svg className="w-28 h-28 -rotate-90 viewBox="0 0 100 100" aria-hidden="true">
                    <circle cx="50" cy="50" r="44" strokeWidth="8" className="stroke-navy-100 fill="none" />
                    <circle
                      cx="50" cy="50" r="44" strokeWidth="8" fill="none"
                      strokeLinecap="round"
                      strokeDasharray={circumference}
                      strokeDashoffset={offset}
                      className={` ${scoreRing(score)} transition-all duration-700`}
                    />
                  </svg>
                  <div className="absolute inset-0 flex items-center justify-center">
                    <div className="text-center">
                      <div className="text-3xl font-bold text-navy-900">{score}</div>
                      <div className="text-[10px] text-navy-500 uppercase tracking-wide">
                        {en ? 'of 100' : 'de 100'}
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </section>
        </>
      )}
    </div>
  </div>
);

```

```

    </div>
  </div>
</div>
</div>
<div className={` ${scoreColor(score)} rounded-lg px-3 py-1 text-xs font-bold`} >
  {score >= 75 ? (en ? 'Prepared' : 'Preparado')
    : score >= 50 ? (en ? 'Getting there' : 'Avanzando')
    : score >= 25 ? (en ? 'Needs attention' : 'Necesita atencion')
    : (en ? 'Just starting' : 'Apenas empezando')}
</div>
</div>
</div>

<div className="md:col-span-2 bg-white rounded-2xl p-6 border border-navy-200 shadow-sm">
  <div className="flex items-center gap-2 mb-4">
    <TrendingUp className="w-5 h-5 text-teal-600" />
    <h2 className="font-bold text-navy-900">
      {en ? 'Raise your score' : 'Mejora tu puntaje'}
    </h2>
  </div>
  {health && health.recommendations.length === 0 ? (
    <div className="flex items-center gap-3 bg-teal-50 rounded-xl p-4">
      <CheckCircle2 className="w-6 h-6 text-teal-600" />
      <p className="text-sm text-teal-900">
        {en
          ? 'You are fully set up. We will alert you when something needs attention.'
          : 'Estas completamente listo. Te avisaremos cuando algo necesite atencion.'}
      </p>
    </div>
  ) : (
    <ul className="space-y-2">
      {health?.recommendations.map((r) => (
        <li key={r.id}>
          <Link
            to={r.cta_route}
            className="flex items-center justify-between gap-3 bg-navy-50 hover:bg-navy-100 rounded-xl p-3
transition-colors"
          >
            <div className="flex items-center gap-3 min-w-0">
              <div className="w-8 h-8 rounded-full bg-teal-100 text-teal-700 font-bold text-xs flex items-center
justify-center flex-shrink-0">
                {r.weight}
              </div>
              <span className="text-sm text-navy-800 truncate">{en ? r.en : r.es}</span>
            </div>
            <ArrowRight className="w-4 h-4 text-navy-400 flex-shrink-0" />
          </Link>
        </li>
      ))}
    </ul>
  )}
</div>
</section>

<section className="grid md:grid-cols-3 gap-4 mb-10">
  <StatCard
    icon={FolderLock}
    label={en ? 'Active matters' : 'Casos activos'}
    value={matters.filter(m => m.status === 'active' || m.status === 'escalated').length}
    accent="teal"
  />
  <StatCard
    icon={Calendar}
    label={en ? 'Deadlines (60 days)' : 'Fechas (60 dias)'}
    value={deadlines.length}
    accent="amber"
  />
  <StatCard
    icon={Shield}
    label={en ? 'Vault documents' : 'Documentos en boveda'}
    value={vault.length}
    accent="navy"
  />
</section>

<section className="mb-10">
  <div className="flex items-center justify-between mb-4">
    <h2 className="text-xl font-bold text-navy-900 flex items-center gap-2">
      <Bell className="w-5 h-5 text-amber-600" />
      {en ? 'Upcoming deadlines' : 'Proximas fechas'}
    </h2>
  </div>
  {deadlines.length === 0 ? (
    <div className="bg-white rounded-2xl p-8 border border-navy-200 text-center">
      <Calendar className="w-8 h-8 text-navy-300 mx-auto mb-3" />
      <p className="text-navy-600 text-sm">
        {en
          ? 'No deadlines tracked. Add one to any matter to get reminders before it matters.'
          : 'Sin fechas rastreadas. Agrega una a cualquier caso para recibir recordatorios.'}
      </p>
    </div>
  ) : (
    <div className="bg-white rounded-2xl border border-navy-200 overflow-hidden">
      <ul className="divide-y divide-navy-100">
        {deadlines.map((d) => {
          const days = daysUntil(d.due_at);

```

```

const urgent = days <= 3;
const overdue = days < 0;
return (
  <li key={d.id} className="flex items-center gap-4 p-4 hover:bg-navy-50 cursor-pointer" onClick={() =>
setActiveDeadline(d)}>
    <div className={`w-10 h-10 rounded-lg flex items-center justify-center flex-shrink-0 ${
      overdue ? 'bg-rose-100 text-rose-700'
        : urgent ? 'bg-amber-100 text-amber-700'
        : 'bg-teal-100 text-teal-700'
    }`>
      <AlertTriangle className="w-5 h-5" /> : <Clock className="w-5 h-5" />
    </div>
    <div className="flex-1 min-w-0">
      <div className="font-semibold text-navy-900 text-sm truncate">{d.title}</div>
      <div className="text-xs text-navy-500">
        {new Date(d.due_at).toLocaleDateString(en ? 'en-US' : 'es-US', { month: 'short', day: 'numeric', year:
'numeric' })}
        {
          ' \u2022 '
          {overdue ? (en ? `${-days}d overdue` : `${-days}d vencido`)
            : days === 0 ? (en ? 'today' : 'hoy')
            : (en ? `in ${days}d` : `en ${days}d`)}
        }
      </div>
    </div>
    <button
      onClick={(e) => { e.stopPropagation(); setActiveDeadline(d); }}
      className="text-xs font-semibold text-amber-700 hover:text-amber-900 px-3 py-1.5 rounded-md
hover:bg-amber-50 flex items-center gap-1"
    >
      <Bell className="w-3.5 h-3.5" />
      {en ? 'Remind' : 'Avisar'}
    </button>
    <button
      onClick={(e) => { e.stopPropagation(); handleCompleteDeadline(d.id); }}
      className="text-xs font-semibold text-teal-700 hover:text-teal-900 px-3 py-1.5 rounded-md
hover:bg-teal-50"
    >
      {en ? 'Mark done' : 'Marcar hecho'}
    </button>
  </li>
);
}}
</ul>
</div>
)}
</section>

<section className="mb-10">
  <div className="flex items-center justify-between mb-4">
    <h2 className="text-xl font-bold text-navy-900 flex items-center gap-2">
      <FolderLock className="w-5 h-5 text-teal-600" />
      {en ? 'Your legal matters' : 'Tus casos legales'}
    </h2>
    <button
      onClick={() => setNewMatterOpen(true)}
      className="inline-flex items-center gap-1.5 bg-teal-600 hover:bg-teal-700 text-white text-sm font-semibold px-3
py-2 rounded-lg"
    >
      <Plus className="w-4 h-4" />
      {en ? 'New matter' : 'Nuevo caso'}
    </button>
  </div>

  {newMatterOpen && (
    <form onSubmit={handleCreateMatter} className="bg-white rounded-2xl p-5 border border-teal-200 mb-4">
      <label className="block text-sm font-semibold text-navy-900 mb-1">
        {en ? 'What do you want to track?' : 'Que quieres rastrear?'}
      </label>
      <input
        autoFocus
        value={newTitle}
        onChange={(e) => setNewTitle(e.target.value)}
        placeholder={en ? 'e.g. Eviction notice from landlord' : 'ej. Aviso de desalojo del arrendador'}
        className="w-full px-3 py-2 border border-navy-200 rounded-lg text-sm mb-3"
      />
      <label className="block text-sm font-semibold text-navy-900 mb-1">
        {en ? 'Issue type' : 'Tipo de problema'}
      </label>
      <select
        value={newIssueType}
        onChange={(e) => setNewIssueType(e.target.value)}
        className="w-full px-3 py-2 border border-navy-200 rounded-lg text-sm mb-4"
      >
        <option value="general">{en ? 'General' : 'General'}</option>
        <option value="housing">{en ? 'Housing / eviction' : 'Vivienda / desalojo'}</option>
        <option value="employment">{en ? 'Employment' : 'Empleo'}</option>
        <option value="immigration">{en ? 'Immigration' : 'Inmigracion'}</option>
        <option value="family">{en ? 'Family law' : 'Derecho familiar'}</option>
        <option value="debt">{en ? 'Debt / consumer' : 'Deudas / consumidor'}</option>
        <option value="contract">{en ? 'Contract' : 'Contrato'}</option>
        <option value="business">{en ? 'Business' : 'Negocios'}</option>
      </select>
      <div className="flex gap-2">
        <button type="submit" className="flex-1 bg-teal-600 hover:bg-teal-700 text-white text-sm font-bold py-2
rounded-lg">
          {en ? 'Save matter' : 'Guardar caso'}
        </button>

```

```

        <button type="button" onClick={() => setNewMatterOpen(false)} className="px-4 border border-navy-200
text-navy-700 text-sm font-semibold rounded-lg">
        {en ? 'Cancel' : 'Cancelar'}
        </button>
      </div>
    </form>
  )}

  {matters.length === 0 ? (
    <div className="bg-white rounded-2xl p-8 border border-navy-200 text-center">
      <FolderLock className="w-8 h-8 text-navy-300 mx-auto mb-3" />
      <p className="text-navy-600 text-sm mb-4">
        {en
          ? 'No saved matters yet. Save your first one so we can track deadlines, documents, and next steps for you.'
          : 'Sin casos guardados. Guarda el primero y rastreamos fechas, documentos y siguientes pasos por ti.'}
      </p>
      <button
        onClick={() => setNewMatterOpen(true)}
        className="inline-flex items-center gap-1.5 bg-teal-600 hover:bg-teal-700 text-white text-sm font-semibold px-4
py-2 rounded-lg"
      >
        <Plus className="w-4 h-4" />
        {en ? 'Save your first matter' : 'Guarda tu primer caso'}
      </button>
    </div>
  ) : (
    <div className="grid sm:grid-cols-2 lg:grid-cols-3 gap-4">
      {matters.map((m) => (
        <div key={m.id} className="bg-white rounded-2xl p-5 border border-navy-200 hover:shadow-md transition-shadow">
          <div className="flex items-start justify-between gap-2 mb-2">
            <h3 className="font-bold text-navy-900 text-sm">{m.title}</h3>
            <span className={`text-[10px] font-bold px-2 py-0.5 rounded-full ${
              m.risk_level === 'urgent' ? 'bg-rose-100 text-rose-700'
              : m.risk_level === 'high' ? 'bg-orange-100 text-orange-700'
              : m.risk_level === 'medium' ? 'bg-amber-100 text-amber-700'
              : 'bg-teal-100 text-teal-700'
            }`}>
              {m.risk_level.toUpperCase()}
            </span>
          </div>
          <div className="text-xs text-navy-500 mb-3 capitalize">
            {m.issue_type}
            {m.jurisdiction && ` \u2022 ${m.jurisdiction}`}
          </div>
          {m.next_step && (
            <div className="bg-navy-50 rounded-lg p-3 text-xs">
              <div className="text-[10px] font-bold text-navy-500 uppercase mb-0.5">
                {en ? 'Next step' : 'Siguiente paso'}
              </div>
              <div className="text-navy-800">{m.next_step}</div>
            </div>
          )}
          <div className="mt-3 pt-3 border-t border-navy-100 flex items-center justify-between text-[10px]"
text-navy-500">
            <span>{m.status}</span>
            <span>{new Date(m.updated_at).toLocaleDateString(en ? 'en-US' : 'es-US', { month: 'short', day: 'numeric'
})}</span>
          </div>
        </div>
      ))}
    </div>
  )}
</section>

<section id="vault" className="grid md:grid-cols-5 gap-6 mb-10">
  <div className="md:col-span-3">
    <VaultUploader
      items={vault}
      entitlements={entitlements}
      onChange={refreshVault}
      onUpgrade={() => setShowPlanChooser(true)}
    />
  </div>
  <div className="md:col-span-2">
    <MonthlyCheckupFlow entitlements={entitlements} onComplete={refresh} />
  </div>
</section>

<section className="mb-10">
  <div className="flex items-center justify-between mb-4">
    <h2 className="text-xl font-bold text-navy-900 flex items-center gap-2">
      <Shield className="w-5 h-5 text-teal-600" />
      {en ? 'Your plan' : 'Tu plan'}
    </h2>
    <button
      onClick={() => setShowPlanChooser((v) => !v)}
      className="text-xs font-semibold text-teal-700 hover:underline"
    >
      {showPlanChooser ? (en ? 'Hide' : 'Ocultar') : (en ? 'Change plan' : 'Cambiar plan')}
    </button>
  </div>
  {entitlements && !showPlanChooser && (
    <div className="bg-white rounded-2xl p-5 border border-navy-200 flex flex-wrap items-center gap-4 text-sm">
      <div>
        <div className="text-[10px] uppercase font-bold text-navy-500">{en ? 'Current plan' : 'Plan actual'}</div>
        <div className="font-bold text-navy-900 capitalize">{entitlements.plan.replace('_', ' ')}</div>
      </div>
    </div>
  )}

```

```

        </div>
        <div>
          <div className="text-[10px] uppercase font-bold text-navy-500">{en ? 'Vault' : 'Boveda'}</div>
          <div className="text-navy-800">{entitlements.vault_mb_limit} MB</div>
        </div>
        <div>
          <div className="text-[10px] uppercase font-bold text-navy-500">{en ? 'Matters' : 'Casos'}</div>
          <div className="text-navy-800">{entitlements.matter_limit}</div>
        </div>
        <div>
          <div className="text-[10px] uppercase font-bold text-navy-500">{en ? 'Reminders' : 'Recordatorios'}</div>
          <div className="text-navy-800 capitalize">{entitlements.reminder_channels.join(', ').replace(/_/g, ' ')}</div>
        </div>
      </div>
    )}
    {showPlanChooser && (
      <SafetyPlanChooser current={entitlements} onChange={(next) => { setEntitlements(next); setShowPlanChooser(false); }}
    />
    )}
  </section>
</>
)}
</div>
{activeDeadline && (
  <DeadlineDetailDrawer
    deadline={activeDeadline}
    entitlements={entitlements}
    onClose={() => setActiveDeadline(null)}
  />
)}
<Footer />
</div>
);
}

function StatCard({ icon: Icon, label, value, accent }: { icon: typeof Shield; label: string; value: number; accent: 'teal' | 'amber' | 'navy' }) {
  const styles = {
    teal: 'bg-teal-100 text-teal-700',
    amber: 'bg-amber-100 text-amber-700',
    navy: 'bg-navy-100 text-navy-700',
  }[accent];
  return (
    <div className="bg-white rounded-2xl p-5 border border-navy-200 shadow-sm">
      <div className="flex items-center gap-3">
        <div className={`w-10 h-10 rounded-lg flex items-center justify-center ${styles}`}>
          <Icon className="w-5 h-5" />
        </div>
        <div>
          <div className="text-2xl font-bold text-navy-900">{value}</div>
          <div className="text-xs text-navy-500">{label}</div>
        </div>
      </div>
    </div>
  );
}

```

[39/58] Schedule Demo

Route: /schedule-demo | File: src/pages/ScheduleDemo.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import {
  Calendar, Clock, Users, Building2, CheckCircle,
  Phone, Mail, Brain, BarChart3, Shield, Zap, Globe, Video
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

const demoTypes = [
  {
    id: 'lso',
    title: 'Legal Services Organizations',
    description: 'AI-powered case matching, grant reporting, and volunteer management',
    duration: '30 min',
    icon: <Building2 className="w-6 h-6" />,
    features: ['AI Case Matching Demo', 'Grant Report Generator', 'LegalServer Integration']
  },
  {
    id: 'nonprofit',
    title: 'Nonprofits & Community Orgs',
    description: 'Embedded AI chatbot, resource guides, and intake automation',
    duration: '30 min',
    icon: <Shield className="w-6 h-6" />,
    features: ['Embed Widget Demo', 'Resource Library', 'Intake Automation']
  },
  {
    id: 'enterprise',
    title: 'Enterprise / Multi-Office',
    description: 'Full platform tour with technical architecture deep dive',
    duration: '45 min',
    icon: <Globe className="w-6 h-6" />,
    features: ['Full Platform Tour', 'API Integration', 'Security & Compliance']
  }
];

const timeSlots = [
  '9:00 AM', '9:30 AM', '10:00 AM', '10:30 AM', '11:00 AM', '11:30 AM',
  '1:00 PM', '1:30 PM', '2:00 PM', '2:30 PM', '3:00 PM', '3:30 PM', '4:00 PM'
];

const benefits = [
  { icon: <Brain className="w-5 h-5" />, text: 'See AI case matching in action' },
  { icon: <BarChart3 className="w-5 h-5" />, text: 'Generate a sample grant report' },
  { icon: <Zap className="w-5 h-5" />, text: 'Experience the client chatbot' },
  { icon: <Shield className="w-5 h-5" />, text: 'Review security & compliance' }
];

export default function ScheduleDemo() {
  const [selectedType, setSelectedType] = useState<string | null>(null);
  const [selectedDate, setSelectedDate] = useState<string>('');
  const [selectedTime, setSelectedTime] = useState<string>('');
  const [formData, setFormData] = useState({
    firstName: '',
    lastName: '',
    email: '',
    phone: '',
    organization: '',
    role: '',
    currentSystem: '',
    notes: ''
  });
  const [isSubmitting, setIsSubmitting] = useState(false);
  const [isSubmitted, setIsSubmitted] = useState(false);

  const generateDateOptions = () => {
    const dates = [];
    const today = new Date();
    for (let i = 1; i <= 14; i++) {
      const date = new Date(today);
      date.setDate(today.getDate() + i);
      if (date.getDay() !== 0 && date.getDay() !== 6) {
        dates.push({
          value: date.toISOString().split('T')[0],
          label: date.toLocaleDateString('en-US', { weekday: 'short', month: 'short', day: 'numeric' })
        });
      }
    }
    return dates;
  };

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    setIsSubmitting(true);

    await new Promise(resolve => setTimeout(resolve, 1500));

    setIsSubmitting(false);
    setIsSubmitted(true);
  };
}
```



```

    });

    if (isSubmitted) {
        return (
            <div className="min-h-screen bg-white">
                <Navigation />

                <section className="pt-32 pb-20">
                    <div className="max-w-2xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
                        <div className="w-20 h-20 bg-green-100 rounded-full flex items-center justify-center mx-auto mb-6">
                            <CheckCircle className="w-10 h-10 text-green-600" />
                        </div>
                        <h2 className="text-3xl font-bold text-navy-900 mb-4">Demo Scheduled!</h2>
                        <p className="text-lg text-navy-600 mb-8">
                            Thank you for your interest in ezLegal.ai. We've sent a calendar invitation
                            to <span className="font-semibold">{formData.email}</span> with the meeting details.
                        </p>

                        <div className="bg-navy-50 rounded-xl p-6 mb-8 text-left">
                            <h2 className="font-semibold text-navy-900 mb-4">Your Demo Details</h2>
                            <div className="space-y-3 text-sm">
                                <div className="flex items-center gap-3">
                                    <Calendar className="w-5 h-5 text-teal-600" />
                                    <span>{new Date(selectedDate).toLocaleDateString('en-US', { weekday: 'long', month: 'long', day: 'numeric', year:
'numeric' })}</span>
                                </div>
                                <div className="flex items-center gap-3">
                                    <Clock className="w-5 h-5 text-teal-600" />
                                    <span>{selectedTime} (Eastern Time)</span>
                                </div>
                                <div className="flex items-center gap-3">
                                    <Video className="w-5 h-5 text-teal-600" />
                                    <span>Video call link will be in your email</span>
                                </div>
                            </div>

                            <div className="flex flex-col sm:flex-row gap-4 justify-center">
                                <Link
                                    to="/lso-dashboard"
                                    className="px-6 py-3 bg-teal-600 hover:bg-teal-700 text-white font-semibold rounded-lg transition-colors flex
items-center justify-center gap-2"
                                >
                                    <BarChart3 className="w-5 h-5" />
                                    Preview AI Dashboard
                                </Link>
                                <Link
                                    to="/"
                                    className="px-6 py-3 border border-navy-300 hover:bg-navy-50 text-navy-700 font-semibold rounded-lg
transition-colors"
                                >
                                    Return Home
                                </Link>
                            </div>
                        </div>
                    </section>

                    <Footer />
                </div>
            );
        }

        return (
            <div className="min-h-screen bg-white">
                <Navigation />

                <section className="bg-gradient-to-br from-teal-700 via-teal-600 to-navy-900 text-white pt-32 pb-16">
                    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
                        <div className="max-w-3xl">
                            <div className="inline-flex items-center gap-2 bg-white/10 border border-white/30 px-4 py-2 rounded-full mb-6">
                                <Video className="w-4 h-4 text-orange-400" />
                                <span className="text-white text-sm font-semibold">Live Product Demo</span>
                            </div>

                            <h1 className="text-4xl lg:text-5xl font-bold mb-6">
                                Schedule Your <span className="text-orange-400">Personalized</span> Demo
                            </h1>
                            <p className="text-xl text-teal-50 mb-8">
                                See how ezLegal.ai can transform your legal services organization with AI-powered
                                case matching, automated grant reporting, and intelligent client intake.
                            </p>

                            <div className="flex flex-wrap gap-6">
                                {benefits.map((benefit, index) => (
                                    <div key={index} className="flex items-center gap-2 text-teal-100">
                                        <div className="text-orange-400">{benefit.icon}</div>
                                        <span className="text-sm">{benefit.text}</span>
                                    </div>
                                ))}
                            </div>
                        </div>
                    </section>

                    <section className="py-16">
                        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

```

```

<div className="grid lg:grid-cols-3 gap-8">
  <div className="lg:col-span-2">
    <form onSubmit={handleSubmit} className="space-y-8">
      <div>
        <h2 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
          <span className="w-8 h-8 bg-teal-600 text-white rounded-full flex items-center justify-center text-sm
font-bold">1</span>
          Select Demo Type
        </h2>
        <div className="grid md:grid-cols-3 gap-4">
          {demoTypes.map((type) => (
            <button
              key={type.id}
              type="button"
              onClick={() => setSelectedType(type.id)}
              className={`p-4 rounded-xl border-2 text-left transition-all ${
                selectedType === type.id
                  ? 'border-teal-600 bg-teal-50 ring-2 ring-teal-100'
                  : 'border-navy-200 hover:border-teal-300'
              }`}
            >
              <div className={`w-10 h-10 rounded-lg flex items-center justify-center mb-3 ${
                selectedType === type.id ? 'bg-teal-600 text-white' : 'bg-navy-100 text-navy-600'
              }`}>
                {type.icon}
              </div>
              <h3 className="font-semibold text-navy-900 text-sm mb-1">{type.title}</h3>
              <p className="text-xs text-navy-600 mb-2">{type.description}</p>
              <div className="flex items-center gap-1 text-xs text-teal-600">
                <Clock className="w-3 h-3" />
                {type.duration}
              </div>
            </button>
          ))}
        </div>
      </div>

      <div>
        <h2 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
          <span className="w-8 h-8 bg-teal-600 text-white rounded-full flex items-center justify-center text-sm
font-bold">2</span>
          Choose Date & Time
        </h2>
        <div className="grid md:grid-cols-2 gap-4">
          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              Select Date
            </label>
            <select
              value={selectedDate}
              onChange={(e) => setSelectedDate(e.target.value)}
              className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
              required
            >
              <option value="">Choose a date...</option>
              {generateDateOptions().map((date) => (
                <option key={date.value} value={date.value}>{date.label}</option>
              ))}
            </select>
          </div>
          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              Select Time (ET)
            </label>
            <select
              value={selectedTime}
              onChange={(e) => setSelectedTime(e.target.value)}
              className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
              required
            >
              <option value="">Choose a time...</option>
              {timeSlots.map((time) => (
                <option key={time} value={time}>{time}</option>
              ))}
            </select>
          </div>
        </div>
      </div>

      <div>
        <h2 className="text-xl font-bold text-navy-900 mb-4 flex items-center gap-2">
          <span className="w-8 h-8 bg-teal-600 text-white rounded-full flex items-center justify-center text-sm
font-bold">3</span>
          Your Information
        </h2>
        <div className="grid md:grid-cols-2 gap-4">
          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              First Name *
            </label>
            <input
              type="text"
              value={formData.firstName}
              onChange={(e) => setFormData({ ...formData, firstName: e.target.value })}
            />
          </div>
        </div>
      </div>
    </form>
  </div>
</div>

```

```

        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
        required
    />
</div>
<div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
        Last Name *
    </label>
    <input
        type="text"
        value={formData.lastName}
        onChange={(e) => setFormData({ ...formData, lastName: e.target.value })}
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
        required
    />
</div>
<div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
        Work Email *
    </label>
    <input
        type="email"
        value={formData.email}
        onChange={(e) => setFormData({ ...formData, email: e.target.value })}
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
        required
    />
</div>
<div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
        Phone Number
    </label>
    <input
        type="tel"
        value={formData.phone}
        onChange={(e) => setFormData({ ...formData, phone: e.target.value })}
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
    />
</div>
<div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
        Organization Name *
    </label>
    <input
        type="text"
        value={formData.organization}
        onChange={(e) => setFormData({ ...formData, organization: e.target.value })}
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
        required
    />
</div>
<div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
        Your Role *
    </label>
    <select
        value={formData.role}
        onChange={(e) => setFormData({ ...formData, role: e.target.value })}
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
        required
    >
        <option value="">Select your role...</option>
        <option value="executive">Executive Director / CEO</option>
        <option value="managing_attorney">Managing Attorney</option>
        <option value="it_director">IT Director / Manager</option>
        <option value="operations">Operations Manager</option>
        <option value="pro_bono_coordinator">Pro Bono Coordinator</option>
        <option value="partner">Partner / Owner</option>
        <option value="other">Other</option>
    </select>
</div>
<div className="md:col-span-2">
    <label className="block text-sm font-medium text-navy-700 mb-2">
        Current Case Management System
    </label>
    <select
        value={formData.currentSystem}
        onChange={(e) => setFormData({ ...formData, currentSystem: e.target.value })}
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
    >
        <option value="">Select current system...</option>
        <option value="legalserver">LegalServer</option>
        <option value="clio">Clio</option>
        <option value="smokeball">Smokeball</option>
        <option value="practicepanther">PracticePanther</option>
        <option value="spreadsheets">Spreadsheets / Manual</option>
        <option value="other">Other</option>
        <option value="none">None / Starting Fresh</option>
    </select>

```

```

    </div>
    <div className="md:col-span-2">
      <label className="block text-sm font-medium text-navy-700 mb-2">
        What would you like to see in the demo?
      </label>
      <textarea
        value={formData.notes}
        onChange={(e) => setFormData({ ...formData, notes: e.target.value })}
        rows={3}
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 resize-none"
        placeholder="Any specific features, integrations, or questions you'd like us to address..."
      />
    </div>
  </div>
</div>

<button
  type="submit"
  disabled={!isSubmitting || !selectedType || !selectedDate || !selectedTime}
  className="w-full py-4 bg-orange-500 hover:bg-orange-600 disabled:bg-navy-300 text-white font-bold text-lg
rounded-xl transition-colors flex items-center justify-center gap-2"
  >
  {isSubmitting ? (
    <>
      <div className="w-5 h-5 border-2 border-white/30 border-t-white rounded-full animate-spin" />
      Scheduling...
    </>
  ) : (
    <>
      <Calendar className="w-5 h-5" />
      Schedule My Demo
    </>
  )}
</button>

<p className="text-sm text-navy-500 text-center">
  By scheduling, you agree to receive communications from ezLegal.ai.
  We respect your privacy and will never share your information.
</p>
</form>
</div>

<div className="lg:col-span-1">
  <div className="sticky top-24 space-y-6">
    <div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
      <h3 className="font-bold text-navy-900 mb-4">What to Expect</h3>
      <ul className="space-y-3 text-sm text-navy-600">
        <li className="flex items-start gap-2">
          <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
          <span>Personalized walkthrough of features relevant to your organization</span>
        </li>
        <li className="flex items-start gap-2">
          <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
          <span>Live demonstration of AI case matching and grant reporting</span>
        </li>
        <li className="flex items-start gap-2">
          <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
          <span>Q&A with our product specialists</span>
        </li>
        <li className="flex items-start gap-2">
          <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
          <span>Custom pricing based on your needs</span>
        </li>
      </ul>
    </div>
  </div>

  <div className="bg-teal-50 rounded-xl p-6 border border-teal-200">
    <h3 className="font-bold text-navy-900 mb-2">Prefer to Talk First?</h3>
    <p className="text-sm text-navy-600 mb-4">
      Have questions before scheduling? Our team is happy to chat.
    </p>
    <div className="space-y-2">
      <a
        href="tel:+18885555555"
        className="flex items-center gap-2 text-sm text-teal-600 hover:text-teal-700"
        >
        <Phone className="w-4 h-4" />
        (888) 555-5555
      </a>
      <a
        href="mailto:demos@ezlegal.ai"
        className="flex items-center gap-2 text-sm text-teal-600 hover:text-teal-700"
        >
        <Mail className="w-4 h-4" />
        demos@ezlegal.ai
      </a>
    </div>
  </div>

  <div className="border border-navy-200 rounded-xl p-6">
    <div className="flex items-center gap-3 mb-3">
      <Users className="w-5 h-5 text-teal-600" />
      <span className="font-semibold text-navy-900">Join Growing Organizations</span>
    </div>
    <p className="text-sm text-navy-600">

```

Legal aid organizations and nonprofits are using ezLegal.ai to serve more clients efficiently with ethical AI.

</p>

</div>

</div>

</div>

</div>

</section>

<Footer />

</div>

);

}

[40/58] Scope Disclaimers

Route: /scope-disclaimers | File: src/pages/ScopeDisclaimers.tsx

```
import { useEffect, useState } from 'react';
import { Link } from 'react-router-dom';
import {
  Scale, CheckCircle, XCircle, AlertTriangle, Shield,
  MessageSquare, Users, BookOpen, ArrowRight, HelpCircle,
  Gavel, Building2, Heart, Lock, Globe, Clock, Ban, Eye,
  AlertOctagon, MapPin, Phone, Award, FileText
} from 'lucide-react';
import { useLanguage } from '../contexts/LanguageContext';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { supabase } from '../lib/supabase';

interface TemplateRow {
  id: string;
  slug: string;
  name: string;
  category: string;
  description: string;
  jurisdictions: string[];
  reviewer_name: string;
  reviewer_bar_state: string;
  last_reviewed_at: string;
  review_scope: string;
  disclaimer: string;
}

function formatReviewDate(iso: string): string {
  const d = new Date(iso);
  return d.toLocaleDateString('en-US', { year: 'numeric', month: 'short', day: 'numeric' });
}

export default function ScopeDisclaimers() {
  const { language } = useLanguage();
  const en = language === 'en';
  const [templates, setTemplates] = useState<TemplateRow[]>([]);
  const [templatesLoaded, setTemplatesLoaded] = useState(false);

  useEffect(() => {
    let cancelled = false;
    supabase
      .from('document_templates')
      .select('id, slug, name, category, description, jurisdictions, reviewer_name, reviewer_bar_state, last_reviewed_at, review_scope, disclaimer')
      .eq('is_public', true)
      .order('category', { ascending: true })
      .order('name', { ascending: true })
      .then(({ data }) => {
        if (cancelled) return;
        if (data) setTemplates(data as TemplateRow[]);
        setTemplatesLoaded(true);
      });
    return () => { cancelled = true; };
  }, []);

  return (
    <div className="min-h-screen bg-white">
      <Navigation />

      <main id="main-content">
        <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white pt-32 pb-16">
          <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
            <div className="text-center">
              <div className="inline-flex items-center gap-2 bg-white/10 border border-white/20 px-4 py-2 rounded-full mb-6">
                <Scale className="w-4 h-4 text-teal-300" />
                <span className="text-sm font-semibold">
                  {en ? 'Understanding Our Service' : 'Entendiendo Nuestro Servicio'}
                </span>
              </div>
              <h1 className="text-4xl sm:text-5xl font-bold mb-6">
                {en ? 'What We Do & Don\'t Do' : 'Lo Que Hacemos y No Hacemos'}
              </h1>
              <p className="text-xl text-white/70 max-w-2xl mx-auto">
                {en
                  ? 'Transparency is at the core of our mission. Here\'s exactly what ezLegal.ai provides and where our service ends.'
                  : 'La transparencia esta en el centro de nuestra mision. Aquí esta exactamente lo que ezLegal.ai proporciona y donde termina nuestro servicio.'}
              </p>
              <p className="text-sm text-white/50 mt-3">
                {en
                  ? 'Free legal information -- no attorney-client relationship -- see when to get legal help below.'
                  : 'Información legal gratuita -- sin relacion abogado-cliente -- vea cuando obtener ayuda legal abajo.'}
                </p>
              </div>
            </section>
          </main>
        </div>
      </div>
    </div>
  );
}
```

```

<section className="py-12 bg-amber-50 border-b border-amber-200">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-start gap-4">
      <div className="w-12 h-12 bg-amber-100 rounded-xl flex items-center justify-center flex-shrink-0">
        <AlertTriangle className="w-6 h-6 text-amber-600" />
      </div>
      <div>
        <h2 className="text-xl font-bold text-navy-900 mb-2">
          {en ? 'Important Notice' : 'Aviso Importante'}
        </h2>
        <p className="text-navy-700 leading-relaxed">
          {en ? (
            <><strong>ezLegal.ai is not a law firm</strong> and does not provide legal advice. Use of our service does not
            create an attorney-client relationship. The information provided is for educational and informational purposes only. For specific
            legal advice tailored to your situation, consult with a licensed attorney in your jurisdiction.</>
          ) : (
            <><strong>ezLegal.ai no es un bufete de abogados</strong> y no proporciona asesoramiento legal. El uso de
            nuestro servicio no crea una relación abogado-cliente. La información proporcionada es solo para fines educativos e informativos.
            Para asesoramiento legal específico adaptado a su situación, consulte con un abogado licenciado en su jurisdicción.</>
          )}
        </p>
      </div>
    </div>
  </div>
</section>

<section className="py-16">
  <div className="max-w-6xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="grid lg:grid-cols-2 gap-8">
      <div className="bg-green-50 rounded-2xl p-8 border border-green-200">
        <div className="flex items-center gap-3 mb-6">
          <div className="w-12 h-12 bg-green-600 rounded-xl flex items-center justify-center">
            <CheckCircle className="w-6 h-6 text-white" />
          </div>
          <h2 className="text-2xl font-bold text-navy-900">
            {en ? 'What We DO Provide' : 'Lo Que SI Proporcionamos'}
          </h2>
        </div>

        <ul className="space-y-4">
          {[
            {
              title: en ? 'Legal Information' : 'Información Legal',
              desc: en
                ? 'General explanations of laws, rights, legal processes, and terminology to help you understand legal
                concepts.'
                : 'Explicaciones generales de leyes, derechos, procesos legales y terminología para ayudarlo a entender
                conceptos legales.',
            },
            {
              title: en ? 'Jurisdiction-Aware Guidance' : 'Orientación por Jurisdicción',
              desc: en
                ? 'Information adapted to your location, covering relevant laws and procedures in your state or country.'
                : 'Información adaptada a su ubicación, cubriendo leyes y procedimientos relevantes en su estado o país.',
            },
            {
              title: en ? 'Document Templates' : 'Plantillas de Documentos',
              desc: en
                ? 'Customizable legal document templates including NDAs, contracts, letters, and forms you can adapt to your
                needs.'
                : 'Plantillas de documentos legales personalizables incluyendo NDAs, contratos, cartas y formularios que
                puede adaptar a sus necesidades.',
            },
            {
              title: en ? 'Attorney Directory' : 'Directorio de Abogados',
              desc: en
                ? 'Access to our network of verified, bar-licensed attorneys when you need professional representation.'
                : 'Acceso a nuestra red de abogados verificados y licenciados cuando necesite representación profesional.',
            },
            {
              title: en ? 'Educational Resources' : 'Recursos Educativos',
              desc: en
                ? 'Plain-language articles, guides, and explanations to help you understand your rights and options.'
                : 'Artículos, guías y explicaciones en lenguaje simple para ayudarlo a entender sus derechos y opciones.',
            },
            {
              title: en ? '24/7 Availability' : 'Disponibilidad 24/7',
              desc: en
                ? 'Get answers to your legal questions anytime, day or night, without waiting for office hours.'
                : 'Obtenga respuestas a sus preguntas legales en cualquier momento, día o noche, sin esperar horarios de
                oficina.',
            },
          ]}.map((item, i) => (
            <li key={i} className="flex items-start gap-3">
              <CheckCircle className="w-5 h-5 text-green-600 mt-0.5 flex-shrink-0" />
              <div>
                <strong className="text-navy-900">{item.title}</strong>
                <p className="text-navy-600 text-sm mt-1">{item.desc}</p>
              </div>
            </li>
          ))}
        </ul>
      </div>

      <div className="bg-red-50 rounded-2xl p-8 border border-red-200">

```

```

<div className="flex items-center gap-3 mb-6">
  <div className="w-12 h-12 bg-red-600 rounded-xl flex items-center justify-center">
    <XCircle className="w-6 h-6 text-white" />
  </div>
  <h2 className="text-2xl font-bold text-navy-900">
    {en ? 'What We DON\'T Provide' : 'Lo Que NO Proporcionamos'}
  </h2>
</div>

<ul className="space-y-4">
  {[
    {
      title: en ? 'Legal Advice' : 'Asesoramiento Legal',
      desc: en
        ? 'We cannot tell you what to do in your specific situation or recommend a course of action. That requires a
        licensed attorney.'
        : 'No podemos decirle que hacer en su situación especifica ni recomendar un curso de accion. Eso requiere un
        abogado licenciado.',
    },
    {
      title: en ? 'Attorney-Client Privilege' : 'Privilegio Abogado-Cliente',
      desc: en
        ? 'Using ezLegal.ai does not create a privileged relationship. Your conversations are not protected by
        attorney-client privilege.'
        : 'Usar ezLegal.ai no crea una relacion privilegiada. Sus conversaciones no estan protegidas por el
        privilegio abogado-cliente.',
    },
    {
      title: en ? 'Court Representation' : 'Representacion en Corte',
      desc: en
        ? 'We cannot represent you in court, file legal documents on your behalf, or appear as your counsel.'
        : 'No podemos representarlo en corte, presentar documentos legales en su nombre, ni aparecer como su
        abogado.',
    },
    {
      title: en ? 'Guaranteed Outcomes' : 'Resultados Garantizados',
      desc: en
        ? 'We cannot predict or guarantee the outcome of any legal matter. Every case is unique and depends on many
        factors.'
        : 'No podemos predecir ni garantizar el resultado de ningun asunto legal. Cada caso es unico y depende de
        muchos factores.',
    },
    {
      title: en ? 'Negotiation on Your Behalf' : 'Negociacion en Su Nombre',
      desc: en
        ? 'We cannot negotiate with opposing parties, insurance companies, employers, or any third parties for you.'
        : 'No podemos negociar con partes contrarias, companias de seguros, empleadores u otros terceros en su
        nombre.',
    },
    {
      title: en ? 'Emergency Legal Services' : 'Servicios Legales de Emergencia',
      desc: en
        ? 'If you\'re facing immediate arrest, detention, or other emergencies, contact a local attorney or legal
        aid immediately.'
        : 'Si enfrenta arresto inmediato, detencion u otras emergencias, contacte a un abogado local o ayuda legal
        inmediatamente.',
    },
  ]}.map((item, i) => (
    <li key={i} className="flex items-start gap-3">
      <XCircle className="w-5 h-5 text-red-600 mt-0.5 flex-shrink-0" />
      <div>
        <strong className="text-navy-900">{item.title}</strong>
        <p className="text-navy-600 text-sm mt-1">{item.desc}</p>
      </div>
    </li>
  ))}
</ul>
</div>
</div>
</div>
</section>

<section className="py-16 bg-stone-50 border-y border-stone-200">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="grid md:grid-cols-2 gap-8">
      <div className="bg-white rounded-2xl p-8 border border-stone-200 shadow-sm">
        <div className="flex items-center gap-3 mb-6">
          <div className="w-10 h-10 bg-stone-100 rounded-lg flex items-center justify-center">
            <Lock className="w-5 h-5 text-stone-600" />
          </div>
          <h2 className="text-xl font-bold text-navy-900">
            {en ? 'Confidentiality & Privacy' : 'Confidencialidad y Privacidad'}
          </h2>
        </div>
        <div className="space-y-3 text-sm text-navy-600">
          <p>
            <strong className="text-navy-900">{en ? 'No attorney-client privilege.' : 'Sin privilegio
            abogado-cliente.'}</strong>{' '}
            {en
              ? 'Because we are not a law firm, information you share with ezLegal.ai is not protected by attorney-client
              privilege. Do not share information you need to remain privileged.'
              : 'Debido a que no somos un bufete de abogados, la información que comparte con ezLegal.ai no esta protegida
              por el privilegio abogado-cliente. No comparta información que necesite mantener privilegiada.'}
          </p>
        </div>
      </div>
    </div>
  </div>

```



```
<strong className="text-navy-900">{en ? 'What we store.' : 'Lo que almacenamos.'}</strong>{' '}  
{en  
  ? 'Your conversations are encrypted with TLS 1.3 and AES-256 on SOC 2 Type II certified infrastructure. We  
retain chat history to improve your experience. We never use your data to train AI models.'  
  : 'Sus conversaciones estan encriptadas con TLS 1.3 y AES-256 en infraestructura certificada SOC 2 Tipo II.  
Retenemos el historial de chat para mejorar su experiencia. Nunca usamos sus datos para entrenar modelos de IA.'  
}  
</p>  
<p>  
  <strong className="text-navy-900">{en ? 'Your control.' : 'Su control.'}</strong>{' '}  
  {en  
    ? 'You can export or delete your data at any time. We are CCPA compliant and honor all data access and  
deletion requests.'  
    : 'Puede exportar o eliminar sus datos en cualquier momento. Cumplimos con CCPA y honramos todas las  
solicitudes de acceso y eliminacion de datos.'  
  }  
</p>  
<p className="text-xs text-stone-500 mt-2">  
  {en  
    ? 'Be cautious about entering highly sensitive details (SSNs, financial account numbers, medical records)  
unless necessary for your question.'  
    : 'Tenga cuidado al ingresar datos altamente sensibles (numeros de seguro social, cuentas financieras,  
registros medicos) a menos que sea necesario para su pregunta.'  
  }  
</p>  
</div>  
</div>  
  
<div className="bg-white rounded-2xl p-8 border border-stone-200 shadow-sm">  
  <div className="flex items-center gap-3 mb-6">  
    <div className="w-10 h-10 bg-red-50 rounded-lg flex items-center justify-center">  
      <Ban className="w-5 h-5 text-red-600" />  
    </div>  
    <h2 className="text-xl font-bold text-navy-900">  
      {en ? 'Prohibited Uses' : 'Usos Prohibidos'}  
    </h2>  
  </div>  
  <p className="text-sm text-navy-600 mb-4">  
    {en  
      ? 'ezLegal.ai must not be used for any of the following purposes. Violations may result in account suspension:'  
      : 'ezLegal.ai no debe usarse para ninguno de los siguientes propositos. Las violaciones pueden resultar en la  
suspension de la cuenta:'  
    }  
  </p>  
  <ul className="space-y-2 text-sm text-navy-700">  
    {[  
      en ? 'Harassment, threats, or intimidation of any person' : 'Acoso, amenazas o intimidacion de cualquier  
persona',  
      en ? 'Contacting individuals protected by restraining or court orders' : 'Contactar a personas protegidas por  
ordenes judiciales o de restricción',  
      en ? 'Generating discriminatory, defamatory, or hate-based content' : 'Generar contenido discriminatorio,  
difamatorio o basado en odio',  
      en ? 'Fraud, deception, or evasion of lawful obligations' : 'Fraude, engano o evasion de obligaciones legales',  
      en ? 'Unauthorized practice of law or impersonating an attorney' : 'Practica no autorizada del derecho o hacerse  
pasar por abogado',  
      en ? 'Creating communications intended to coerce or extort' : 'Crear comunicaciones destinadas a coaccionar o  
extorsionar',  
    ]}.map((item, i) => (  
      <li key={i} className="flex items-start gap-2">  
        <AlertOctagon className="w-4 h-4 text-red-500 mt-0.5 flex-shrink-0" />  
        <span>{item}</span>  
      </li>  
    ))}  
  </ul>  
  <div className="mt-4 pt-4 border-t border-stone-200">  
    <Link  
      to="/trust-center"  
      className="text-sm text-teal-600 hover:text-teal-700 font-medium inline-flex items-center gap-1"  
    >  
      {en ? 'Report misuse' : 'Reportar mal uso'}  
      <ArrowRight className="w-3 h-3" />  
    </Link>  
  </div>  
</div>  
</div>  
</div>  
</section>  
  
<section id="templates" className="py-16 bg-white scroll-mt-24">  
  <div className="max-w-6xl mx-auto px-4 sm:px-6 lg:px-8">  
    <div className="text-center mb-10">  
      <div className="inline-flex items-center gap-2 bg-amber-50 border border-amber-200 px-4 py-2 rounded-full mb-4">  
        <Award className="w-4 h-4 text-amber-700" />  
        <span className="text-sm font-semibold text-navy-900">  
          {en ? 'Attorney-Reviewed Templates' : 'Plantillas Revisadas por Abogados'}  
        </span>  
      </div>  
      <h2 className="text-3xl font-bold text-navy-900 mb-3">  
        {en ? 'Template Review Registry' : 'Registro de Revisión de Plantillas'}  
      </h2>  
      <p className="text-navy-600 max-w-2xl mx-auto">  
        {en  
          ? 'Every template on ezLegal.ai is reviewed by a licensed U.S. attorney. The table below shows the reviewer of  
record, covered jurisdictions, and the most recent review date. Using a template does not create an attorney-client relationship.'  
          : 'Cada plantilla en ezLegal.ai es revisada por un abogado licenciado de EE.UU. La tabla muestra el abogado  
revisor, las jurisdicciones cubiertas y la fecha de revisión más reciente. Usar una plantilla no crea una relación
```

```

abogado-cliente.')}
</p>
</div>

{!templatesLoaded ? (
  <p className="text-center text-sm text-navy-500">{en ? 'Loading registry...' : 'Cargando registro...'}</p>
) : templates.length === 0 ? (
  <p className="text-center text-sm text-navy-500">{en ? 'No templates published yet.' : 'No hay plantillas
publicadas.'}</p>
) : (
  <div className="overflow-x-auto rounded-2xl border border-navy-200 bg-white shadow-sm">
    <table className="min-w-full text-sm">
      <thead className="bg-navy-50 text-navy-800">
        <tr>
          <th scope="col" className="text-left font-semibold px-4 py-3">{en ? 'Template' : 'Plantilla'}</th>
          <th scope="col" className="text-left font-semibold px-4 py-3">{en ? 'Category' : 'Categoría'}</th>
          <th scope="col" className="text-left font-semibold px-4 py-3">{en ? 'Jurisdictions' : 'Jurisdicciones'}</th>
          <th scope="col" className="text-left font-semibold px-4 py-3">{en ? 'Reviewer' : 'Revisor'}</th>
          <th scope="col" className="text-left font-semibold px-4 py-3">{en ? 'Last Reviewed' : 'Última Revisión'}</th>
        </tr>
      </thead>
      <tbody className="divide-y divide-navy-100">
        {templates.map((t) => (
          <tr key={t.id} className="hover:bg-navy-50/50">
            <td className="px-4 py-3 align-top">
              <div className="flex items-start gap-2">
                <FileText className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" aria-hidden="true" />
                <div>
                  <div className="font-semibold text-navy-900">{t.name}</div>
                  <div className="text-xs text-navy-500 mt-0.5 max-w-md">{t.description}</div>
                  <div className="text-[11px] text-navy-400 mt-1 italic">{t.review_scope}</div>
                </div>
              </td>
            <td className="px-4 py-3 align-top">
              <span className="inline-block capitalize bg-navy-100 text-navy-700 text-xs font-medium rounded-full px-2.5
py-0.5">
                {t.category.replace(/-/g, ' ')}
              </span>
            </td>
            <td className="px-4 py-3 align-top">
              <div className="flex flex-wrap gap-1">
                {t.jurisdictions.map((j) => (
                  <span key={j} className="inline-block bg-teal-50 text-teal-800 text-xs font-medium rounded px-1.5
py-0.5">
                    {j}
                  </span>
                ))}
              </div>
            </td>
            <td className="px-4 py-3 align-top text-navy-700">
              <div className="font-medium">{t.reviewer_name}</div>
              <div className="text-xs text-navy-500">{en ? 'Bar:' : 'Colegio:'} {t.reviewer_bar_state}</div>
            </td>
            <td className="px-4 py-3 align-top text-navy-700 whitespace-nowrap">
              {formatReviewDate(t.last_reviewed_at)}
            </td>
          </tr>
        ))}
      </tbody>
    </table>
  </div>
)}

<div className="mt-6 bg-amber-50 border border-amber-200 rounded-xl p-5 text-sm text-navy-700">
  <p className="font-semibold text-navy-900 mb-1">
    {en ? 'What "attorney-reviewed" means here' : 'Qué significa "revisado por abogado" aquí'}
  </p>
  <ul className="list-disc list-inside space-y-1 text-navy-700">
    <li>{en ? 'Reviewed by a licensed U.S. attorney admitted to the listed bar state.' : 'Revisado por un abogado
licenciado admitido en el colegio indicado.'}</li>
    <li>{en ? 'Review covers legal accuracy for the listed jurisdictions, plain-language clarity, and scope
disclaimers.' : 'La revisión cubre exactitud legal en las jurisdicciones listadas, claridad en lenguaje simple y avisos de
alcance.'}</li>
    <li>{en ? 'Review does not cover your specific facts. Use of a template does not create an attorney-client
relationship.' : 'La revisión no cubre sus hechos específicos. El uso de una plantilla no crea una relación abogado-cliente.'}</li>
    <li>{en ? 'Templates are re-reviewed at least annually or when the underlying law materially changes.' : 'Las
plantillas se revisan al menos anualmente o cuando la ley subyacente cambia materialmente.'}</li>
  </ul>
</div>
</div>
</section>

<section className="py-16">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="grid md:grid-cols-2 gap-8">
      <div className="bg-white rounded-xl p-6 border border-stone-200 shadow-sm">
        <div className="flex items-center gap-3 mb-4">
          <Eye className="w-6 h-6 text-teal-600" />
          <h3 className="text-lg font-bold text-navy-900">
            {en ? 'Accuracy & Limitations' : 'Precisión y Limitaciones'}
          </h3>
        </div>
        <div className="space-y-3 text-sm text-navy-600">
          <p>
            {en

```

```

        ? 'Our AI draws from official state and federal sources, updated weekly. However:'
      }
      : 'Nuestra IA extrae de fuentes oficiales estatales y federales, actualizadas semanalmente. Sin embargo:'
    }
  </p>
  <ul className="space-y-2">
    {[
      en ? 'Laws change frequently. Always verify current status with official sources before taking action.' : 'Las
      leyes cambian frecuentemente. Siempre verifique el estado actual con fuentes oficiales antes de tomar accion.',
      en ? 'AI can make mistakes. If something seems incorrect, report it or consult an attorney.' : 'La IA puede
      cometer errores. Si algo parece incorrecto, reportelo o consulte a un abogado.',
      en ? 'Citations are provided where available. Verify referenced statutes and case law independently.' : 'Las
      citas se proporcionan cuando estan disponibles. Verifique los estatutos y jurisprudencia citados de forma independiente.',
      en ? 'Local rules and court-specific procedures may not be fully covered.' : 'Las reglas locales y
      procedimientos especificos de corte pueden no estar completamente cubiertos.',
    ]}.map((item, i) => (
      <li key={i} className="flex items-start gap-2">
        <span className="text-amber-500 font-bold mt-0.5">-</span>
        <span>{item}</span>
      </li>
    )))
  </ul>
</div>
</div>

<div className="bg-white rounded-xl p-6 border border-stone-200 shadow-sm">
  <div className="flex items-center gap-3 mb-4">
    <MapPin className="w-6 h-6 text-teal-600" />
    <h3 className="text-lg font-bold text-navy-900">
      {en ? 'Jurisdiction & Coverage' : 'Jurisdicción y Cobertura'}
    </h3>
  </div>
  <div className="space-y-3 text-sm text-navy-600">
    <p>
      {en
        ? 'ezLegal.ai provides information for all 50 US states with primary depth in Arizona. Jurisdiction is
        determined by:'
        : 'ezLegal.ai proporciona información para los 50 estados de EE.UU. con profundidad primaria en Arizona. La
        jurisdicción se determina por:'
      }
    </p>
    <ul className="space-y-2">
      {[
        en ? 'Your selected state when using tools (negotiation planner, documents)' : 'Su estado seleccionado al usar
        herramientas (planificador de negociacion, documentos)',
        en ? 'The context you provide in chat conversations' : 'El contexto que proporciona en conversaciones de
        chat',
        en ? 'Your profile settings, if configured' : 'La configuracion de su perfil, si esta configurada',
      ]}.map((item, i) => (
        <li key={i} className="flex items-start gap-2">
          <span className="text-teal-600 font-bold mt-0.5">-</span>
          <span>{item}</span>
        </li>
      )))
    </ul>
    <p className="text-xs text-stone-500 mt-2">
      {en
        ? 'If your jurisdiction is wrong, your results may not apply. Always confirm or change your jurisdiction
        before relying on guidance. Multi-state issues may require attorney consultation.'
        : 'Si su jurisdicción es incorrecta, los resultados pueden no aplicar. Siempre confirme o cambie su
        jurisdicción antes de confiar en la orientación. Los problemas multi-estatales pueden requerir consulta con un abogado.'
      }
    </p>
  </div>
</div>
</div>
</div>
</section>

<section className="py-16 bg-navy-50 border-y border-navy-200">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">
        {en ? 'Legal Information vs. Legal Advice' : 'Información Legal vs. Asesoramiento Legal'}
      </h2>
      <p className="text-lg text-navy-600">
        {en
          ? 'Understanding this distinction is crucial for using our service effectively'
          : 'Entender esta distincion es crucial para usar nuestro servicio de manera efectiva'
        }
      </p>
    </div>
    <div className="grid md:grid-cols-2 gap-8">
      <div className="bg-white rounded-xl p-6 border border-navy-200 shadow-sm">
        <div className="flex items-center gap-3 mb-4">
          <BookOpen className="w-6 h-6 text-teal-600" />
          <h3 className="text-lg font-bold text-navy-900">
            {en ? 'Legal Information' : 'Información Legal'}
          </h3>
        </div>
        <p className="text-navy-600 mb-4">
          {en
            ? 'What we provide - general knowledge about laws, rights, and processes'
            : 'Lo que proporcionamos - conocimiento general sobre leyes, derechos y procesos'
          }
        </p>
      </div>
    </div>
  </div>

```

```

<ul className="space-y-2 text-sm text-navy-600">
  {(en ? [
    '"In most states, landlords must provide 30 days notice before eviction"',
    '"An NDA typically includes confidentiality terms, duration, and exceptions"',
    '"Employment discrimination claims often have a 180-300 day filing deadline"',
  ] : [
    '"En la mayoría de los estados, los caseros deben dar 30 días de aviso antes del desalojo"',
    '"Un NDA típicamente incluye términos de confidencialidad, duración y excepciones"',
    '"Las reclamaciones por discriminación laboral a menudo tienen un plazo de 180-300 días"',
  ]).map((item, i) => (
    <li key={i} className="flex items-start gap-2">
      <span className="text-teal-600 font-bold"></span>
      {item}
    </li>
  ))}
</ul>
</div>

<div className="bg-white rounded-xl p-6 border border-navy-200 shadow-sm">
  <div className="flex items-center gap-3 mb-4">
    <Gavel className="w-6 h-6 text-amber-600" />
    <h3 className="text-lg font-bold text-navy-900">
      {en ? 'Legal Advice' : 'Asesoramiento Legal'}
    </h3>
  </div>
  <p className="text-navy-600 mb-4">
    {en
      ? 'What only attorneys can provide - specific recommendations for your situation'
      : 'Lo que solo los abogados pueden proporcionar - recomendaciones específicas para su situación'}
  </p>
  <ul className="space-y-2 text-sm text-navy-600">
    {(en ? [
      '"Based on your lease terms, you should respond by filing a motion to..."',
      '"I recommend you sign this contract with these specific modifications..."',
      '"Your case is strong and I advise pursuing litigation rather than settlement"',
    ] : [
      '"Basado en los términos de su arrendamiento, debe responder presentando una moción para..."',
      '"Le recomiendo firmar este contrato con estas modificaciones específicas..."',
      '"Su caso es fuerte y le aconsejo seguir con litigio en lugar de acuerdo"',
    ]).map((item, i) => (
      <li key={i} className="flex items-start gap-2">
        <span className="text-amber-600 font-bold"></span>
        {item}
      </li>
    ))}
  </ul>
</div>
</div>
</section>

```

```

<section className="py-16">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-3xl font-bold text-navy-900 mb-4">
        {en ? 'When to Consult a Licensed Attorney' : 'Cuando Consultar a un Abogado Licenciado'}
      </h2>
      <p className="text-lg text-navy-600">
        {en
          ? 'We\'ll always tell you when professional help would benefit your situation'
          : 'Siempre le diremos cuando la ayuda profesional beneficiaría su situación'}
        </p>
      </div>

      <div className="grid sm:grid-cols-2 gap-6">
        {[
          {
            icon: AlertTriangle,
            iconBg: 'bg-red-100',
            iconColor: 'text-red-600',
            title: en ? 'Criminal Matters' : 'Asuntos Criminales',
            desc: en
              ? 'If you\'re facing criminal charges, under investigation, or have been arrested, immediately contact a criminal defense attorney.'
              : 'Si enfrenta cargos criminales, esta bajo investigación o ha sido arrestado, contacte inmediatamente a un abogado de defensa criminal.',
          },
          {
            icon: Clock,
            iconBg: 'bg-amber-100',
            iconColor: 'text-amber-600',
            title: en ? 'Urgent Deadlines' : 'Fechas Limite Urgentes',
            desc: en
              ? 'Court filing deadlines, statute of limitations, or response deadlines require professional attention to protect your rights.'
              : 'Las fechas limite de presentacion ante la corte, prescripción o plazos de respuesta requieren atencion profesional para proteger sus derechos.',
          },
          {
            icon: Building2,
            iconBg: 'bg-teal-100',
            iconColor: 'text-teal-600',
            title: en ? 'High-Stakes Business' : 'Negocios de Alto Riesgo',
            desc: en

```

```

        ? 'Major contracts, mergers, acquisitions, or disputes with significant financial exposure should involve
professional legal review.'
        : 'Contratos importantes, fusiones, adquisiciones o disputas con exposicion financiera significativa deben
involucrar revision legal profesional.',
    },
    {
        icon: Heart,
        iconBg: 'bg-rose-100',
        iconColor: 'text-rose-600',
        title: en ? 'Family & Custody' : 'Familia y Custodia',
        desc: en
        ? 'Child custody disputes, contested divorce, domestic violence, or guardianship matters require professional
representation.'
        : 'Disputas de custodia, divorcio contencioso, violencia doméstica o asuntos de tutela requieren representación
profesional.',
    },
  ].map((item, i) => {
    const Icon = item.icon;
    return (
      <div key={i} className="bg-navy-50 rounded-xl p-6 border border-navy-200">
        <div className={`w-12 h-12 ${item.iconBg} rounded-xl flex items-center justify-center mb-4`} >
          <Icon className={`w-6 h-6 ${item.iconColor}`} />
        </div>
        <h3 className="font-bold text-navy-900 mb-2">{item.title}</h3>
        <p className="text-navy-600 text-sm">{item.desc}</p>
      </div>
    );
  });
</div>

<div className="mt-8 bg-gradient-to-r from-teal-50 to-navy-50 rounded-xl p-6 border border-teal-200">
  <div className="flex items-start gap-4">
    <Users className="w-8 h-8 text-teal-600 flex-shrink-0" />
    <div>
      <h3 className="font-bold text-navy-900 mb-2">
        {en ? 'Need an Attorney?' : 'Necesita un Abogado?'}
      </h3>
      <p className="text-navy-600 mb-4">
        {en
          ? 'Our directory includes verified, bar-licensed attorneys across multiple practice areas. We can help you
find the right professional for your situation.'
          : 'Nuestro directorio incluye abogados verificados y licenciados en multiples areas de practica. Podemos
ayudarlo a encontrar al profesional adecuado para su situación.'}
      </p>
      <div className="flex flex-wrap gap-3">
        <Link
          to="/find-attorney"
          className="inline-flex items-center gap-2 text-teal-600 font-semibold hover:text-teal-700"
        >
          {en ? 'Browse Attorney Directory' : 'Explorar Directorio de Abogados'}
          <ArrowRight className="w-4 h-4" />
        </Link>
        <Link
          to="/pro-bono"
          className="inline-flex items-center gap-2 text-navy-600 font-semibold hover:text-navy-700"
        >
          {en ? 'Check Pro Bono Eligibility' : 'Verificar Elegibilidad Pro Bono'}
          <ArrowRight className="w-4 h-4" />
        </Link>
      </div>
    </div>
  </div>
</div>

<div className="mt-6 bg-red-50 border border-red-200 rounded-xl p-6">
  <div className="flex items-start gap-4">
    <Phone className="w-8 h-8 text-red-600 flex-shrink-0" />
    <div>
      <h3 className="font-bold text-navy-900 mb-2">
        {en ? 'In Immediate Danger?' : 'En Peligro Inmediato?'}
      </h3>
      <p className="text-navy-600 text-sm mb-3">
        {en
          ? 'If you or someone you know is in immediate danger, self-help tools are not enough. Contact emergency
services or crisis resources now.'
          : 'Si usted o alguien que conoce esta en peligro inmediato, las herramientas de autoayuda no son suficientes.
Contacte los servicios de emergencia o recursos de crisis ahora.'}
      </p>
      <div className="flex flex-wrap gap-3">
        <span className="inline-flex items-center gap-1 text-sm font-semibold text-red-700">
          <Phone className="w-4 h-4" /> 911
        </span>
        <Link
          to="/emergency-resources"
          className="inline-flex items-center gap-1 text-sm font-semibold text-red-600 hover:text-red-700"
        >
          {en ? 'Crisis Resources' : 'Recursos de Crisis'}
          <ArrowRight className="w-3 h-3" />
        </Link>
      </div>
    </div>
  </div>
</div>
</div>

```

```

</section>

<section className="py-16 bg-navy-900 text-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <Shield className="w-12 h-12 text-teal-400 mx-auto mb-4" />
      <h2 className="text-3xl font-bold mb-4">
        {en ? 'Our Commitment to You' : 'Nuestro Compromiso con Usted'}
      </h2>
      <p className="text-lg text-white/70">
        {en
          ? 'Transparency, ethics, and your interests guide everything we do'
          : 'Transparencia, etica y sus intereses guian todo lo que hacemos'
        }
      </p>
    </div>

    <div className="grid sm:grid-cols-2 gap-6">
      {{
        {
          icon: Lock,
          iconColor: 'text-green-400',
          title: en ? 'Privacy Protected' : 'Privacidad Protegida',
          desc: en
            ? 'Your conversations are encrypted with TLS 1.3 in transit and AES-256 at rest, and never used to train AI
models. We\'re CCPA compliant and honor all data access and deletion requests.'
            : 'Sus conversaciones estan encriptadas con TLS 1.3 en transito y AES-256 en reposo, y nunca se usan para
entrenar modelos de IA. Cumplimos con CCPA y honramos todas las solicitudes de acceso y eliminacion de datos.',
          },
        {
          icon: HelpCircle,
          iconColor: 'text-teal-400',
          title: en ? 'Honest Guidance' : 'Orientación Honesta',
          desc: en
            ? 'We\'ll always tell you when a matter is beyond our scope and requires professional legal help. No upselling,
just honest recommendations.'
            : 'Siempre le diremos cuando un asunto esta mas alla de nuestro alcance y requiere ayuda legal profesional. Sin
ventas adicionales, solo recomendaciones honestas.',
          },
        {
          icon: Globe,
          iconColor: 'text-teal-400',
          title: en ? 'Access to Justice' : 'Acceso a la Justicia',
          desc: en
            ? 'Our mission is to make legal information accessible to everyone, regardless of income or location. Legal
knowledge should not be a luxury.'
            : 'Nuestra mision es hacer la información legal accesible para todos, sin importar ingresos o ubicacion. El
conocimiento legal no deberia ser un lujo.',
          },
        {
          icon: Scale,
          iconColor: 'text-amber-400',
          title: en ? 'Ethical AI' : 'IA Etica',
          desc: en
            ? 'Our AI is designed with ethical guidelines, human oversight, and continuous monitoring to ensure responsible,
accurate information delivery.'
            : 'Nuestra IA esta disenada con pautas eticas, supervision humana y monitoreo continuo para garantizar la
entrega responsable y precisa de información.',
          },
      }}
    </div>
  </div>
</section>

<section className="py-16 bg-gradient-to-br from-teal-600 to-teal-700 text-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <h2 className="text-3xl font-bold mb-4">
      {en ? 'Ready to Get Started?' : 'Listo para Comenzar?'}
    </h2>
    <p className="text-xl text-white/80 mb-8 max-w-2xl mx-auto">
      {en
        ? 'Now that you understand our service, explore how ezLegal.ai can help you navigate your legal questions with
confidence.'
        : 'Ahora que comprende nuestro servicio, explore como ezLegal.ai puede ayudarlo a navegar sus preguntas legales con
confianza.'
      }
    </p>
    <div className="flex flex-col sm:flex-row gap-4 justify-center">
      <Link
        to="/ask"
        className="inline-flex items-center justify-center gap-2 bg-white text-teal-600 px-8 py-4 rounded-lg font-bold
hover:bg-teal-50 transition-all shadow-lg"
      >
        <MessageSquare className="w-5 h-5" />
        {en ? 'Ask My Question Free' : 'Hacer Mi Pregunta Gratis'}
      </Link>
      <Link

```

```
        to="/find-attorney"
        className="inline-flex items-center justify-center gap-2 bg-teal-500 text-white px-8 py-4 rounded-lg font-bold
hover:bg-teal-400 transition-all border border-teal-400"
    >
        <Users className="w-5 h-5" />
        {en ? 'Find an Attorney' : 'Encontrar un Abogado'}
    </Link>
    <Link
        to="/ai-governance"
        className="inline-flex items-center justify-center gap-2 bg-white/10 text-white px-8 py-4 rounded-lg font-bold
hover:bg-white/20 transition-all border border-white/20"
    >
        <Shield className="w-5 h-5" />
        {en ? 'View AI Governance' : 'Ver Gobernanza de IA'}
    </Link>
</div>
</div>
</section>
</main>

    <Footer />
</div>
);
}
```

[41/58] Security FAQ

Route: /security-faq | File: src/pages/SecurityFAQ.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import { Shield, Lock, Database, Eye, ChevronDown, ChevronUp, ExternalLink, ArrowRight } from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

interface FAQ {
  question: string;
  answer: string;
  relatedLinks?: Array<{ text: string; url: string }>;
}

const securityFAQs: FAQ[] = [
  {
    question: 'How is my data encrypted?',
    answer: 'All data is encrypted in transit using TLS 1.3 and at rest using AES-256 encryption. This means your information is protected both when it travels over the internet and when it\'s stored on our servers. Our cloud infrastructure provider (Supabase) maintains SOC 2 Type II certification.',
    relatedLinks: [
      { text: 'Security Whitepaper', url: '/trust-center#security' },
      { text: 'Enterprise Security', url: '/enterprise-security' }
    ]
  },
  {
    question: 'Who can access my conversations and documents?',
    answer: 'Only you can access your conversations and documents. We implement Row Level Security (RLS) at the database level, which means the database itself enforces access controls. Even our engineers cannot access your data without explicit permission and logging. For white-label clients, each deployment operates in a logically isolated environment.',
    relatedLinks: [
      { text: 'Privacy Policy', url: '/privacy' },
      { text: 'Data Sovereignty Policy', url: '/trust-center#data-sovereignty' }
    ]
  },
  {
    question: 'Is my data used to train AI models?',
    answer: 'No, never. Your data is NEVER used to train, fine-tune, or improve any AI models. This is a core architectural principle, not just a policy choice. We use pre-trained AI models in inference-only mode. Your queries are processed to generate responses but are never fed back into model training pipelines.',
    relatedLinks: [
      { text: 'Data Sovereignty', url: '/trust-center#data-sovereignty' },
      { text: 'AI Ethics Policy', url: '/trust-center#ai-ethics' }
    ]
  },
  {
    question: 'How long do you keep my data?',
    answer: 'Chat history is automatically deleted after 90 days. Documents are retained for 1 year, then automatically deleted. Free chat sessions expire after 24 hours of inactivity. You can delete your data at any time from your profile settings, with immediate or scheduled deletion options.',
    relatedLinks: [
      { text: 'Data Retention Policy', url: '/trust-center#privacy' },
      { text: 'Your Rights', url: '/privacy#your-rights' }
    ]
  },
  {
    question: 'Can I export my data?',
    answer: 'Yes! You can export all your data in JSON or CSV format from your profile settings at any time. This includes your chat history, documents, and account information. The export is complete and machine-readable.',
    relatedLinks: [
      { text: 'Profile Settings', url: '/dashboard/profile' },
      { text: 'Privacy FAQ', url: '/privacy-faq' }
    ]
  },
  {
    question: 'Do you have multi-factor authentication (MFA)?',
    answer: 'Yes, we support multi-factor authentication through our authentication provider (Supabase Auth). You can enable MFA in your profile settings for an additional layer of security on your account.',
    relatedLinks: [
      { text: 'Enable MFA', url: '/dashboard/profile#security' }
    ]
  },
  {
    question: 'Where is my data stored?',
    answer: 'Your data is hosted in the United States via Supabase\'s managed cloud infrastructure, which uses industry-leading security practices including automated backups, point-in-time recovery, and high availability configurations.',
    relatedLinks: [
      { text: 'Infrastructure Details', url: '/trust-center#security' }
    ]
  },
  {
    question: 'What happens if there\'s a security breach?',
    answer: 'We have incident response procedures in place. In the unlikely event of a security breach, we will notify affected users within 72 hours and provide detailed information about the incident, affected data, and remediation steps. We also maintain security audit logs for forensic analysis.',
    relatedLinks: [
      { text: 'Security Practices', url: '/trust-center#security' },
      { text: 'Contact Security Team', url: 'mailto:security@ezlegal.ai' }
    ]
  }
]
```



```

    question: 'Are you CCPA compliant?',
    answer: 'Yes, we comply with the California Consumer Privacy Act (CCPA). We honor all data access, deletion, and opt-out requests. You can exercise your CCPA rights through your profile settings or by contacting privacy@ezlegal.ai.',
    relatedLinks: [
      { text: 'Privacy Policy', url: '/privacy' },
      { text: 'Your Rights', url: '/privacy#your-rights' }
    ]
  },
  {
    question: 'How do you secure API communications?',
    answer: 'All API communications use HTTPS with TLS 1.3 encryption. API keys are stored securely using encrypted environment variables, never in code. We implement rate limiting and request validation to prevent abuse and unauthorized access.',
    relatedLinks: [
      { text: 'Security Whitepaper', url: '/trust-center#security' }
    ]
  },
  {
    question: 'Do you perform security audits?',
    answer: 'Yes, we maintain ongoing security monitoring and logging. Our infrastructure provider (Supabase) maintains SOC 2 Type II certification. We also conduct regular internal security reviews and maintain activity audit logs for all user actions.',
    relatedLinks: [
      { text: 'Trust Center', url: '/trust-center' },
      { text: 'Compliance', url: '/trust-center#security' }
    ]
  },
  {
    question: 'How can I report a security vulnerability?',
    answer: 'We take security reports seriously. Please email security@ezlegal.ai with details of the vulnerability. We will acknowledge your report within 48 hours and provide updates as we investigate and remediate the issue.',
    relatedLinks: [
      { text: 'Contact Security Team', url: 'mailto:security@ezlegal.ai' }
    ]
  }
]

export default function SecurityFAQ() {
  const [expandedIndex, setExpandedIndex] = useState<number | null>(0);

  return (
    <div className="min-h-screen bg-white">
      <Navigation />

      <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white py-20 pt-32">
        <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="flex items-center justify-center gap-2 mb-6">
            <Shield className="w-8 h-8 text-teal-400" />
            <h1 className="text-4xl font-bold">Security FAQ</h1>
          </div>
          <p className="text-xl text-teal-100 text-center max-w-2xl mx-auto">
            Common questions about how we protect your data and maintain security
          </p>
        </div>
      </section>

      <section className="py-16">
        <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="grid grid-cols-1 sm:grid-cols-3 gap-4 mb-12">
            <Link
              to="/trust-center"
              className="p-4 bg-teal-50 border border-teal-200 rounded-xl hover:border-teal-400 transition-all group"
            >
              <Shield className="w-8 h-8 text-teal-600 mb-2" />
              <h2 className="font-semibold text-navy-900 mb-1">Trust Center</h2>
              <p className="text-sm text-navy-600">Overview of all policies</p>
            </Link>

            <Link
              to="/privacy-faq"
              className="p-4 bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400 transition-all group"
            >
              <Eye className="w-8 h-8 text-navy-600 mb-2 group-hover:text-teal-600" />
              <h2 className="font-semibold text-navy-900 mb-1">Privacy FAQ</h2>
              <p className="text-sm text-navy-600">Data privacy questions</p>
            </Link>

            <Link
              to="/scope-disclaimers"
              className="p-4 bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400 transition-all group"
            >
              <Database className="w-8 h-8 text-navy-600 mb-2 group-hover:text-teal-600" />
              <h2 className="font-semibold text-navy-900 mb-1">Scope FAQ</h2>
              <p className="text-sm text-navy-600">What we can and can't do</p>
            </Link>
          </div>

          <div className="space-y-3">
            {securityFAQs.map((faq, index) => (
              <div
                key={index}
                className="bg-white border border-navy-200 rounded-xl overflow-hidden hover:border-teal-300 transition-colors"
              >
                <button
                  onClick={() => setExpandedIndex(expandedIndex === index ? null : index)}
                  className="w-full px-6 py-4 flex items-center justify-between text-left hover:bg-navy-50 transition-colors"
                >
                  <span className="font-semibold text-navy-900 pr-4">{faq.question}</span>

```

```

    {expandedIndex === index ? (
      <ChevronUp className="w-5 h-5 text-teal-600 flex-shrink-0" />
    ) : (
      <ChevronDown className="w-5 h-5 text-navy-400 flex-shrink-0" />
    )}
  </button>

  {expandedIndex === index && (
    <div className="px-6 pb-4 pt-2 border-t border-navy-100">
      <p className="text-navy-700 mb-4">{faq.answer}</p>

      {faq.relatedLinks && faq.relatedLinks.length > 0 && (
        <div className="mt-4 pt-4 border-t border-navy-100">
          <p className="text-sm font-medium text-navy-700 mb-2">Related Links:</p>
          <div className="flex flex-wrap gap-2">
            {faq.relatedLinks.map((link, linkIndex) => (
              <Link
                key={linkIndex}
                to={link.url}
                className="inline-flex items-center gap-1 text-sm text-teal-600 hover:text-teal-700 font-medium"
              >
                {link.text}
                <ExternalLink className="w-3 h-3" />
              </Link>
            ))}
          </div>
        </div>
      )}
    </div>
  )}
</div>

<div className="mt-12 bg-gradient-to-br from-teal-50 to-navy-50 border border-teal-200 rounded-xl p-8">
  <div className="flex items-start gap-4">
    <div className="w-12 h-12 bg-teal-600 rounded-xl flex items-center justify-center flex-shrink-0">
      <Lock className="w-6 h-6 text-white" />
    </div>
    <div>
      <h3 className="text-lg font-bold text-navy-900 mb-2">Still have questions?</h3>
      <p className="text-navy-700 mb-4">
        Our security team is here to help. Contact us at{' '}
        <a href="mailto:security@ezlegal.ai" className="text-teal-600 font-medium hover:underline">
          security@ezlegal.ai
        </a>
      </p>
      <Link
        to="/trust-center"
        className="inline-flex items-center gap-2 px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-lg font-medium transition-colors"
      >
        View Trust Center
        <ArrowRight className="w-4 h-4" />
      </Link>
    </div>
  </div>
</div>
</section>

<Footer />
</div>
);
}

```

[42/58] Share Perspective

Route: /share-perspective | File: src/pages/SharePerspective.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import { supabase } from '../lib/supabase';
import {
  Mail, Send, ArrowLeft, CheckCircle, Scale, Bot, Users,
  Briefcase, Award, Lightbulb, Quote, Shield
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

interface FormData {
  fullName: string;
  email: string;
  organization: string;
  role: string;
  yearsExperience: string;
  aiToolsUsed: string[];
  useCases: string[];
  impactDescription: string;
  challengesDescription: string;
  ethicsApproach: string;
  willingToInterview: boolean;
  willingToBeQuoted: boolean;
  additionalComments: string;
}

const aiToolOptions = [
  'ezLegal.ai / LegalBreeze',
  'ChatGPT / GPT-4',
  'Claude',
  'Casetext / CoCounsel',
  'Harvey AI',
  'Custom AI Solutions',
  'Other'
];

const useCaseOptions = [
  'Client Intake Automation',
  'Legal Research',
  'Document Drafting',
  'Case Assessment',
  'Eligibility Screening',
  'Document Review',
  'Translation Services',
  'Client Communication',
  'Other'
];

export default function SharePerspective() {
  const [formData, setFormData] = useState<FormData>({
    fullName: '',
    email: '',
    organization: '',
    role: '',
    yearsExperience: '',
    aiToolsUsed: [],
    useCases: [],
    impactDescription: '',
    challengesDescription: '',
    ethicsApproach: '',
    willingToInterview: false,
    willingToBeQuoted: false,
    additionalComments: ''
  });

  const [submitting, setSubmitting] = useState(false);
  const [submitted, setSubmitted] = useState(false);
  const [error, setError] = useState('');

  const handleInputChange = (e: React.ChangeEvent<HTMLInputElement | HTMLTextAreaElement | HTMLSelectElement>) => {
    const { name, value, type } = e.target;
    if (type === 'checkbox') {
      setFormData(prev => ({ ...prev, [name]: (e.target as HTMLInputElement).checked }));
    } else {
      setFormData(prev => ({ ...prev, [name]: value }));
    }
  };

  const handleMultiSelect = (field: 'aiToolsUsed' | 'useCases', value: string) => {
    setFormData(prev => {
      const current = prev[field];
      if (current.includes(value)) {
        return { ...prev, [field]: current.filter(v => v !== value) };
      } else {
        return { ...prev, [field]: [...current, value] };
      }
    });
  };

  const handleSubmit = async (e: React.FormEvent) => {
```

```

e.preventDefault();
setSubmitting(true);
setError('');

try {
  const { error: insertError } = await supabase
    .from('perspective_submissions')
    .insert({
      full_name: formData.fullName,
      email: formData.email,
      organization: formData.organization,
      role: formData.role,
      years_experience: formData.yearsExperience,
      ai_tools_used: formData.aiToolsUsed,
      use_cases: formData.useCases,
      impact_description: formData.impactDescription,
      challenges_description: formData.challengesDescription,
      ethics_approach: formData.ethicsApproach,
      willing_to_interview: formData.willingToInterview,
      willing_to_be_quoted: formData.willingToBeQuoted,
      additional_comments: formData.additionalComments
    });

  if (insertError) throw insertError;
  setSubmitted(true);
} catch (err) {
  console.error('Submission error:', err);
  setError('There was an error submitting your response. Please try again.');
```

} finally {
 setSubmitting(false);
 }
 }
};

if (submitted) {
 return (
 <div className="min-h-screen bg-gradient-to-br from-navy-50 to-teal-50">
 <Navigation />
 <div className="pt-32 pb-20">
 <div className="max-w-2xl mx-auto px-4">
 <div className="bg-white rounded-3xl shadow-xl p-12 text-center">
 <div className="w-20 h-20 bg-green-100 rounded-full flex items-center justify-center mx-auto mb-6">
 <CheckCircle className="w-10 h-10 text-green-600" />
 </div>
 <h2 className="text-3xl font-bold text-navy-900 mb-4">
 Thank You for Sharing!
 </h2>
 <p className="text-lg text-navy-600 mb-8">
 Your insights on AI in legal services are invaluable to our community. We'll review your submission and may reach out
 </p>
 <div className="flex flex-col sm:flex-row gap-4 justify-center">
 <Link
 to="/for-organizations"
 className="rounded-xl font-semibold transition-colors"
 >
 <ArrowLeft className="w-5 h-5" />
 Back to Organizations
 </Link>
 <Link
 to="/ezreads"
 className="rounded-xl font-semibold transition-colors"
 >
 Browse Legal Guides
 </Link>
 </div>
 </div>
 </div>
 </div>
 </div>
);
}

return (
 <div className="min-h-screen bg-gradient-to-br from-navy-50 to-teal-50">
 <Navigation />
 <div className="bg-gradient-to-r from-teal-600 to-teal-700 text-white py-16 pt-32">
 <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
 <Link
 to="/for-organizations"
 className="rounded-xl font-semibold transition-colors"
 >
 <ArrowLeft className="w-4 h-4" />
 Back to Organizations
 </Link>
 <div className="flex items-center gap-4 mb-6">
 <div className="w-16 h-16 bg-white/20 rounded-2xl flex items-center justify-center">
 <Quote className="w-8 h-8" />
 </div>
 <div>
 <h2 className="text-3xl lg:text-4xl font-bold">
 Share Your AI Perspective
 </h2>
 <p className="text-teal-100 text-lg mt-1">

```

        For Legal Professionals Using AI in Pro Bono & Legal Aid Work
    </p>
</div>
</div>
</div>
</div>

<div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 py-12">
    <div className="grid lg:grid-cols-3 gap-8">
        <div className="lg:col-span-1">
            <div className="bg-white rounded-2xl shadow-lg p-6 sticky top-24">
                <h3 className="font-bold text-navy-900 mb-4 flex items-center gap-2">
                    <Lightbulb className="w-5 h-5 text-amber-500" />
                    Why We're Asking
                </h3>
                <p className="text-sm text-navy-600 mb-6">
                    We're compiling insights from legal professionals who are pioneering ethical AI use in access to justice work. Your
                    experiences help shape best practices and inspire others.
                </p>

                <div className="space-y-4">
                    <div className="flex items-start gap-3">
                        <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0">
                            <Award className="w-4 h-4 text-teal-600" />
                        </div>
                        <div>
                            <p className="text-sm font-medium text-navy-900">Featured Spotlights</p>
                            <p className="text-xs text-navy-500">Selected stories may be featured in our Legal Guides</p>
                        </div>
                    </div>
                    <div className="flex items-start gap-3">
                        <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0">
                            <Users className="w-4 h-4 text-teal-600" />
                        </div>
                        <div>
                            <p className="text-sm font-medium text-navy-900">Community Building</p>
                            <p className="text-xs text-navy-500">Connect with like-minded professionals</p>
                        </div>
                    </div>
                    <div className="flex items-start gap-3">
                        <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0">
                            <Shield className="w-4 h-4 text-teal-600" />
                        </div>
                        <div>
                            <p className="text-sm font-medium text-navy-900">Your Privacy</p>
                            <p className="text-xs text-navy-500">You control what's shared publicly</p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
        <div className="lg:col-span-2">
            <form onSubmit={handleSubmit} className="bg-white rounded-2xl shadow-lg p-8">
                <div className="space-y-8">
                    <section>
                        <h3 className="text-lg font-bold text-navy-900 mb-4 flex items-center gap-2 pb-2 border-b border-navy-200">
                            <Briefcase className="w-5 h-5 text-teal-600" />
                            About You
                        </h3>
                        <div className="grid sm:grid-cols-2 gap-4">
                            <div>
                                <label className="block text-sm font-medium text-navy-700 mb-2">
                                    Full Name <span className="text-red-500">*</span>
                                </label>
                                <input
                                    type="text"
                                    name="fullName"
                                    value={formData.fullName}
                                    onChange={handleInputChange}
                                    required
                                    className="w-full px-4 py-3 border border-navy-200 rounded-xl focus:ring-2 focus:ring-teal-600/20
                                    focus:border-teal-600 outline-none transition-all"
                                    placeholder="Jane Smith"
                                />
                            </div>
                            <div>
                                <label className="block text-sm font-medium text-navy-700 mb-2">
                                    Email Address <span className="text-red-500">*</span>
                                </label>
                                <input
                                    type="email"
                                    name="email"
                                    value={formData.email}
                                    onChange={handleInputChange}
                                    required
                                    className="w-full px-4 py-3 border border-navy-200 rounded-xl focus:ring-2 focus:ring-teal-600/20
                                    focus:border-teal-600 outline-none transition-all"
                                    placeholder="jane@organization.org"
                                />
                            </div>
                            <div>
                                <label className="block text-sm font-medium text-navy-700 mb-2">
                                    Organization <span className="text-red-500">*</span>
                                </label>
                                <input

```

```

        type="text"
        name="organization"
        value={formData.organization}
        onChange={handleInputChange}
        required
        className="w-full px-4 py-3 border border-navy-200 rounded-xl focus:ring-2 focus:ring-teal-600/20
focus:border-teal-600 outline-none transition-all"
        placeholder="Legal Aid Society"
    />
</div>
<div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
        Your Role <span className="text-red-500">*</span>
    </label>
    <select
        name="role"
        value={formData.role}
        onChange={handleInputChange}
        required
        className="w-full px-4 py-3 border border-navy-200 rounded-xl focus:ring-2 focus:ring-teal-600/20
focus:border-teal-600 outline-none transition-all"
    >
        <option value="">Select your role</option>
        <option value="attorney">Attorney</option>
        <option value="paralegal">Paralegal</option>
        <option value="legal_director">Legal Director</option>
        <option value="executive_director">Executive Director</option>
        <option value="technology_lead">Technology Lead</option>
        <option value="pro_bono_coordinator">Pro Bono Coordinator</option>
        <option value="other">Other</option>
    </select>
</div>
<div className="sm:col-span-2">
    <label className="block text-sm font-medium text-navy-700 mb-2">
        Years of Experience in Legal Services
    </label>
    <select
        name="yearsExperience"
        value={formData.yearsExperience}
        onChange={handleInputChange}
        className="w-full px-4 py-3 border border-navy-200 rounded-xl focus:ring-2 focus:ring-teal-600/20
focus:border-teal-600 outline-none transition-all"
    >
        <option value="">Select experience level</option>
        <option value="0-2">0-2 years</option>
        <option value="3-5">3-5 years</option>
        <option value="6-10">6-10 years</option>
        <option value="11-20">11-20 years</option>
        <option value="20+">20+ years</option>
    </select>
</div>
</div>
</section>

<section>
    <h3 className="text-lg font-bold text-navy-900 mb-4 flex items-center gap-2 pb-2 border-b border-navy-200">
        <Bot className="w-5 h-5 text-teal-600" />
        Your AI Experience
    </h3>

    <div className="space-y-6">
        <div>
            <label className="block text-sm font-medium text-navy-700 mb-3">
                Which AI tools have you used in your legal work? <span className="text-red-500">*</span>
            </label>
            <div className="grid sm:grid-cols-2 gap-2">
                {aiToolOptions.map(tool => (
                    <label
                        key={tool}
                        className={`flex items-center gap-3 p-3 rounded-xl border-2 cursor-pointer transition-all ${
                            formData.aiToolsUsed.includes(tool)
                                ? 'border-teal-600 bg-teal-50'
                                : 'border-navy-200 hover:border-navy-300'
                        }`}
                    >
                        <input
                            type="checkbox"
                            checked={formData.aiToolsUsed.includes(tool)}
                            onChange={() => handleMultiSelect('aiToolsUsed', tool)}
                            className="w-4 h-4 text-teal-600 rounded focus:ring-teal-600"
                        />
                        <span className="text-sm text-navy-700">{tool}</span>
                    </label>
                ))}
            </div>
        </div>

        <div>
            <label className="block text-sm font-medium text-navy-700 mb-3">
                What are your primary AI use cases? <span className="text-red-500">*</span>
            </label>
            <div className="grid sm:grid-cols-2 gap-2">
                {useCaseOptions.map(useCase => (
                    <label
                        key={useCase}
                        className={`flex items-center gap-3 p-3 rounded-xl border-2 cursor-pointer transition-all ${

```

```

        formData.useCases.includes(useCase)
        ? 'border-teal-600 bg-teal-50'
        : 'border-navy-200 hover:border-navy-300'
    }`}}
  >
  <input
    type="checkbox"
    checked={formData.useCases.includes(useCase)}
    onChange={() => handleMultiSelect('useCases', useCase)}
    className="w-4 h-4 text-teal-600 rounded focus:ring-teal-600"
  />
  <span className="text-sm text-navy-700">{useCase}</span>
</label>
)}}
</div>
</div>
</div>
</section>

<section>
  <h3 className="text-lg font-bold text-navy-900 mb-4 flex items-center gap-2 pb-2 border-b border-navy-200">
    <Scale className="w-5 h-5 text-teal-600" />
    Your Insights
  </h3>

  <div className="space-y-6">
    <div>
      <label className="block text-sm font-medium text-navy-700 mb-2">
        What positive impact has AI had on your pro bono or legal aid work? <span className="text-red-500">*</span>
      </label>
      <textarea
        name="impactDescription"
        value={formData.impactDescription}
        onChange={handleInputChange}
        required
        rows={4}
        className="w-full px-4 py-3 border border-navy-200 rounded-xl focus:ring-2 focus:ring-teal-600/20
focus:border-teal-600 outline-none transition-all resize-none"
        placeholder="Share specific examples of how AI has helped you serve more clients, improve efficiency, or
enhance the quality of legal services..."
      />
    </div>

    <div>
      <label className="block text-sm font-medium text-navy-700 mb-2">
        What challenges have you encountered using AI in legal services?
      </label>
      <textarea
        name="challengesDescription"
        value={formData.challengesDescription}
        onChange={handleInputChange}
        rows={4}
        className="w-full px-4 py-3 border border-navy-200 rounded-xl focus:ring-2 focus:ring-teal-600/20
focus:border-teal-600 outline-none transition-all resize-none"
        placeholder="Describe any obstacles you've faced - accuracy concerns, client skepticism, ethical
considerations, technical limitations..."
      />
    </div>

    <div>
      <label className="block text-sm font-medium text-navy-700 mb-2">
        How do you approach AI ethics and ensure responsible use?
      </label>
      <textarea
        name="ethicsApproach"
        value={formData.ethicsApproach}
        onChange={handleInputChange}
        rows={4}
        className="w-full px-4 py-3 border border-navy-200 rounded-xl focus:ring-2 focus:ring-teal-600/20
focus:border-teal-600 outline-none transition-all resize-none"
        placeholder="Share your practices for human oversight, accuracy verification, client disclosure, or any
governance frameworks you follow..."
      />
    </div>
  </div>
</section>

<section>
  <h3 className="text-lg font-bold text-navy-900 mb-4 flex items-center gap-2 pb-2 border-b border-navy-200">
    <Mail className="w-5 h-5 text-teal-600" />
    Sharing Preferences
  </h3>

  <div className="space-y-4">
    <label className="flex items-start gap-3 p-4 bg-navy-50 rounded-xl cursor-pointer">
      <input
        type="checkbox"
        name="willingToInterview"
        checked={formData.willingToInterview}
        onChange={handleInputChange}
        className="w-5 h-5 text-teal-600 rounded focus:ring-teal-600 mt-0.5"
      />
      <div>
        <p className="font-medium text-navy-900">I'm open to a brief interview</p>
        <p className="text-sm text-navy-500">We may reach out for a 15-20 minute conversation to learn more about
your experience</p>

```

```

    </div>
  </label>

  <label className="flex items-start gap-3 p-4 bg-navy-50 rounded-xl cursor-pointer">
    <input
      type="checkbox"
      name="willingToBeQuoted"
      checked={formData.willingToBeQuoted}
      onChange={handleInputChange}
      className="w-5 h-5 text-teal-600 rounded focus:ring-teal-600 mt-0.5"
    />
    <div>
      <p className="font-medium text-navy-900">I'm willing to be quoted publicly</p>
      <p className="text-sm text-navy-500">Your insights may be featured in articles or case studies (we'll
confirm exact quotes before publishing)</p>
    </div>
  </label>

  <div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
      Anything else you'd like to share?
    </label>
    <textarea
      name="additionalComments"
      value={formData.additionalComments}
      onChange={handleInputChange}
      rows={3}
      className="w-full px-4 py-3 border border-navy-200 rounded-xl focus:ring-2 focus:ring-teal-600/20
focus:border-teal-600 outline-none transition-all resize-none"
      placeholder="Additional thoughts, suggestions, or questions..."
    />
  </div>
</div>
</section>

{error && (
  <div className="p-4 bg-red-50 border border-red-200 rounded-xl text-red-700">
    {error}
  </div>
)}

<div className="flex flex-col sm:flex-row gap-4 pt-4">
  <button
    type="submit"
    disabled={submitting || formData.aiToolsUsed.length === 0 || formData.useCases.length === 0}
    className="flex-1 inline-flex items-center justify-center gap-2 bg-gradient-to-r from-teal-600 to-teal-700
hover:from-teal-500 hover:to-navy-800 text-white px-8 py-4 rounded-xl font-semibold transition-all disabled:opacity-50
disabled:cursor-not-allowed shadow-lg hover:shadow-xl"
  >
    {submitting ? (
      <>
        <div className="w-5 h-5 border-2 border-white/30 border-t-white rounded-full animate-spin" />
        Submitting...
      </>
    ) : (
      <>
        <Send className="w-5 h-5" />
        Submit Your Perspective
      </>
    )}
  </button>
</div>

<p className="text-xs text-navy-500 text-center">
  By submitting, you agree that we may contact you about your submission.
  Your information will be handled according to our{' '}
  <Link to="/privacy" className="text-teal-600 hover:underline">Privacy Policy</Link>.
</p>
</div>
</form>
</div>
</div>
</div>
<Footer />
</div>
);
}

```


[43/58] Signup

Route: /signup | File: src/pages/Signup.tsx

```
import { useState } from 'react';
import { useNavigate, Link, useSearchParams, useLocation } from 'react-router-dom';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import {
  Shield, Users, CheckCircle, Zap, DollarSign, Lock,
  ArrowRight, Star, TrendingUp, Globe, Loader2
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { translateAuthError } from '../lib/microcopy';
import { setPendingPlan, readPendingPlan } from '../lib/plan-context';
import { recordConsent } from '../lib/consent';

export default function Signup() {
  const [email, setEmail] = useState('');
  const [password, setPassword] = useState('');
  const [confirmPassword, setConfirmPassword] = useState('');
  const [ageConfirmed, setAgeConfirmed] = useState(false);
  const [error, setError] = useState('');
  const [loading, setLoading] = useState(false);
  const [oauthLoading, setOauthLoading] = useState<string | null>(null);
  const { signUp, signInWithOAuth } = useAuth();
  const { language, setLanguage, t } = useLanguage();
  const navigate = useNavigate();
  const location = useLocation();
  const [searchParams] = useSearchParams();

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    setError('');

    if (password !== confirmPassword) {
      return setError(t('auth.signup.passwordMismatch'));
    }

    if (password.length < 6) {
      return setError(t('auth.signup.passwordWeak'));
    }

    if (!ageConfirmed) {
      return setError(
        language === 'en'
          ? 'You must be at least 13 years old to create an account.'
          : 'Debes tener al menos 13 años para crear una cuenta.'
      );
    }

    setLoading(true);

    const planParam = searchParams.get('plan');
    if (planParam) setPendingPlan(planParam, 'signup');

    const { error } = await signUp(email, password);

    if (error) {
      setError(translateAuthError(error.message, language));
      setLoading(false);
    } else {
      void recordConsent({
        consentType: 'privacy_notice',
        source: 'signup_age_gate',
        language,
      });
      const pending = readPendingPlan();
      const redirectTo =
        (location.state as { redirectTo?: string })?.redirectTo ||
        searchParams.get('redirect') ||
        (pending ? `/checkout?plan=${pending.planId}` : '/dashboard');
      navigate(redirectTo);
    }
  };

  const handleOAuthSignup = async (provider: 'google' | 'azure') => {
    setError('');
    setOauthLoading(provider);
    const planParam = searchParams.get('plan');
    if (planParam) setPendingPlan(planParam, 'signup-oauth');
    const pending = readPendingPlan();
    const redirectTo =
      (location.state as { redirectTo?: string })?.redirectTo ||
      searchParams.get('redirect') ||
      (pending ? `/checkout?plan=${pending.planId}` : '/dashboard');
    const { error } = await signInWithOAuth(provider, `${window.location.origin}${redirectTo}`);
    if (error) {
      setError(translateAuthError(error.message, language));
      setOauthLoading(null);
    }
  };
};
```

```

return (
  <div className="min-h-screen bg-white flex flex-col">
    <Navigation />

    <div className="absolute top-20 right-4 z-10">
      <button
        onClick={() => setLanguage(language === 'en' ? 'es' : 'en')}
        className="flex items-center gap-1.5 bg-amber-500 hover:bg-amber-400 text-navy-900 px-3 py-1.5 rounded-full text-xs
font-bold transition-colors"
        aria-label={`Switch to ${language === 'en' ? 'Spanish' : 'English'}`}
      >
        <Globe className="w-3.5 h-3.5" />
        <span>{language === 'en' ? 'Español' : 'English'}</span>
      </button>
    </div>

    <div className="bg-gradient-to-r from-green-600 to-green-700 text-white py-2 text-center text-sm font-medium">
      <div className="flex items-center justify-center gap-2">
        <CheckCircle className="w-4 h-4" />
        <span>{t('signup.freeBanner')}</span>
      </div>
    </div>

    <div className="flex-1 bg-gradient-to-br from-navy-50 to-navy-50/30 flex items-center justify-center p-4 sm:p-8">
      <div className="w-full max-w-5xl">
        <div className="grid lg:grid-cols-2 gap-8 lg:gap-12 items-center">
          <div className="hidden lg:block">
            <h2 className="text-4xl lg:text-5xl font-bold text-navy-900 mb-4">
              {t('signup.heroTitle')}{' ' }
              <span className="text-teal-600">{t('signup.heroHighlight')}</span>{' ' }
              {t('signup.heroSuffix')}
            </h2>
            <p className="text-xl text-navy-600 mb-8 leading-relaxed">
              {t('signup.heroSubtitle')}
            </p>

            <div className="space-y-4 mb-8">
              <div className="flex items-start gap-4 bg-white p-5 rounded-xl shadow-sm border border-success-200 ring-2
ring-success-100">
                <div className="w-12 h-12 bg-success-100 rounded-xl flex items-center justify-center flex-shrink-0">
                  <Zap className="w-6 h-6 text-success-600" />
                </div>
                <div>
                  <div className="font-bold text-navy-900 mb-1">{t('signup.benefit1Title')}</div>
                  <div className="text-sm text-navy-600">{t('signup.benefit1Desc')}</div>
                </div>
              </div>

              <div className="flex items-start gap-4 bg-white p-5 rounded-xl shadow-sm border border-navy-200">
                <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center flex-shrink-0">
                  <DollarSign className="w-6 h-6 text-teal-600" />
                </div>
                <div>
                  <div className="font-semibold text-navy-900 mb-1">{t('signup.benefit2Title')}</div>
                  <div className="text-sm text-navy-600">{t('signup.benefit2Desc')}</div>
                </div>
              </div>

              <div className="flex items-start gap-4 bg-white p-5 rounded-xl shadow-sm border border-navy-200">
                <div className="w-12 h-12 bg-success-100 rounded-xl flex items-center justify-center flex-shrink-0">
                  <CheckCircle className="w-6 h-6 text-success-600" />
                </div>
                <div>
                  <div className="font-semibold text-navy-900 mb-1">{t('signup.benefit3Title')}</div>
                  <div className="text-sm text-navy-600">{t('signup.benefit3Desc')}</div>
                </div>
              </div>

              <div className="flex items-start gap-4 bg-white p-5 rounded-xl shadow-sm border border-navy-200">
                <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center flex-shrink-0">
                  <Shield className="w-6 h-6 text-teal-600" />
                </div>
                <div>
                  <div className="font-semibold text-navy-900 mb-1">{t('signup.benefit4Title')}</div>
                  <div className="text-sm text-navy-600">{t('signup.benefit4Desc')}</div>
                </div>
              </div>
            </div>

            <div className="bg-navy-50 border border-navy-200 rounded-xl p-4 text-center">
              <div className="flex items-center justify-center gap-2 text-sm text-navy-900 font-semibold">
                <Users className="w-4 h-4" />
                <span>{t('signup.socialProof')}</span>
              </div>
            </div>
          </div>

          <div>
            <div className="text-center mb-6 lg:hidden">
              <h2 className="text-2xl font-bold text-navy-900 mb-2">
                {t('signup.mobileTitle')}
              </h2>
              <p className="text-navy-600">{t('signup.mobileSubtitle')}</p>
            </div>
          </div>
        </div>
      </div>
    </div>
  )

```

```

<div className="bg-white rounded-2xl shadow-xl p-6 sm:p-8 border border-navy-200">
  <div className="text-center mb-6">
    <div className="inline-flex items-center gap-2 bg-green-50 border border-green-200 px-3 py-1 rounded-full mb-3">
      <CheckCircle className="w-4 h-4 text-green-600" />
      <span className="text-sm font-semibold text-green-700">{t('signup.freeForever')}</div>
    <h3 className="text-2xl font-bold text-navy-900 mb-2">
      {t('signup.formTitle')}
    </h3>
    <p className="text-sm text-navy-600">
      {t('signup.formSubtitle')}
    </p>
  </div>

  <div className="bg-success-50 border border-success-200 rounded-xl p-4 mb-6 text-center">
    <div className="flex items-center justify-center gap-2 text-success-700 font-bold text-sm mb-1">
      <CheckCircle className="w-4 h-4" />
      <span>{t('signup.unlimitedQuestions')}</div>
    <p className="text-success-600 text-xs">
      {t('signup.payOnlyForPacks')}
    </p>
  </div>

  <div className="space-y-3 mb-5">
    <button
      type="button"
      onClick={() => handle0AuthSignup('google')}
      disabled={!oauthLoading || loading}
      className="w-full bg-white hover:bg-navy-50 text-navy-800 font-medium py-3 px-4 rounded-lg border
border-navy-300 transition-all flex items-center justify-center gap-3 disabled:opacity-50 disabled:cursor-not-allowed"
      aria-label={t('signup.continueGoogle')}
    >
      {oauthLoading === 'google' ? (
        <Loader2 className="w-5 h-5 animate-spin" />
      ) : (
        <svg className="w-5 h-5" viewBox="0 0 24 24" aria-hidden="true">
          <path fill="#4285F4" d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-1.04 2.53-2.21
3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z" />
          <path fill="#34A853" d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98.66-2.23 1.06-3.71 1.06-2.86
0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.7 23 12 23z" />
          <path fill="#FBBC05" d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-2.09V7.07H2.18C1.43 8.55 1 10.22
1 12s.43 3.45 1.18 4.93l2.85-2.22.62z" />
          <path fill="#EA4335" d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1 7.7 1 3.99 3.47
2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6.16-4.53z" />
        </svg>
      )}
      {t('signup.continueGoogle')}
    </button>

    <button
      type="button"
      onClick={() => handle0AuthSignup('azure')}
      disabled={!oauthLoading || loading}
      className="w-full bg-white hover:bg-navy-50 text-navy-800 font-medium py-3 px-4 rounded-lg border
border-navy-300 transition-all flex items-center justify-center gap-3 disabled:opacity-50 disabled:cursor-not-allowed"
      aria-label={t('signup.continueMicrosoft')}
    >
      {oauthLoading === 'azure' ? (
        <Loader2 className="w-5 h-5 animate-spin" />
      ) : (
        <svg className="w-5 h-5" viewBox="0 0 23 23" aria-hidden="true">
          <path fill="#f35325" d="M1 1h10v10H1z" />
          <path fill="#81bc06" d="M12 1h10v10H12z" />
          <path fill="#05a6f0" d="M1 12h10v10H1z" />
          <path fill="#ffba08" d="M12 12h10v10H12z" />
        </svg>
      )}
      {t('signup.continueMicrosoft')}
    </button>
  </div>

  <div className="relative mb-5">
    <div className="absolute inset-0 flex items-center">
      <div className="w-full border-t border-navy-200"></div>
    </div>
    <div className="relative flex justify-center text-sm">
      <span className="px-4 bg-white text-navy-500">{t('signup.orEmail')}</div>
  </div>

  <form onSubmit={handleSubmit} className="space-y-5">
    {error && (
      <div className="bg-error-50 border border-error-200 text-error-700 px-4 py-3 rounded-lg text-sm" role="alert">
        {error}
      </div>
    )}

    <div>
      <label htmlFor="email" className="block text-sm font-medium text-navy-700 mb-2">
        {t('auth.signup.email')}
      </label>
      <input
        id="email"
        name="email"
        type="email"

```

```

        value={email}
        onChange={(e) => setEmail(e.target.value)}
        required
        autoComplete="email"
        autoCapitalize="none"
        autoCorrect="off"
        spellCheck={false}
        inputMode="email"
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 transition-colors text-navy-900 placeholder-navy-400"
        placeholder="your@email.com"
      />
    </div>

    <div>
      <label htmlFor="password" className="block text-sm font-medium text-navy-700 mb-2">
        {t('auth.signup.password')}
      </label>
      <input
        id="password"
        type="password"
        value={password}
        onChange={(e) => setPassword(e.target.value)}
        required
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 transition-colors text-navy-900 placeholder-navy-400"
        placeholder={t('signup.createPassword')}
      />
    </div>

    <div>
      <label htmlFor="confirmPassword" className="block text-sm font-medium text-navy-700 mb-2">
        {t('auth.signup.confirm')}
      </label>
      <input
        id="confirmPassword"
        type="password"
        value={confirmPassword}
        onChange={(e) => setConfirmPassword(e.target.value)}
        required
        className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500 transition-colors text-navy-900 placeholder-navy-400"
        placeholder={t('signup.confirmPassword')}
      />
    </div>

    <label className="flex items-start gap-2 text-sm text-navy-700 cursor-pointer">
      <input
        type="checkbox"
        checked={ageConfirmed}
        onChange={(e) => setAgeConfirmed(e.target.checked)}
        className="mt-0.5 h-4 w-4 rounded border-navy-300 text-teal-600 focus:ring-teal-500"
        required
      />
      <span>
        {language === 'en'
          ? 'I confirm I am at least 13 years old and agree to the '
          : 'Confirmo que tengo al menos 13 años y acepto los '}
        <Link to="/terms" className="text-teal-700 underline hover:text-teal-800">
          {language === 'en' ? 'Terms' : 'Términos'}
        </Link>
        {language === 'en' ? ' and ' : ' y la '}
        <Link to="/privacy" className="text-teal-700 underline hover:text-teal-800">
          {language === 'en' ? 'Privacy Policy' : 'Política de Privacidad'}
        </Link>
        {'. '}
      </span>
    </label>

    <button
      type="submit"
      disabled={loading || !ageConfirmed}
      className="w-full bg-teal-600 hover:bg-teal-700 text-white font-bold py-4 px-4 rounded-xl transition-all
shadow-lg hover:shadow-xl disabled:opacity-50 disabled:cursor-not-allowed flex items-center justify-center gap-2"
    >
      {loading ? (
        t('signup.creating')
      ) : (
        <>
          <CheckCircle className="w-5 h-5" />
          {t('signup.createFreeAccount')}
          <ArrowRight className="w-5 h-5" />
        </>
      )}
    </button>

    <div className="flex items-center justify-center gap-4 text-xs text-navy-500">
      <div className="flex items-center gap-1">
        <CheckCircle className="w-3.5 h-3.5 text-success-500" />
        <span>{t('hero.noCreditCard')}</span>
      </div>
      <div className="flex items-center gap-1">
        <CheckCircle className="w-3.5 h-3.5 text-success-500" />
        <span>{t('signup.guarantee')}</span>
      </div>
      <div className="flex items-center gap-1">

```

```
<Lock className="w-3.5 h-3.5 text-success-500" />  
    <span>{t('signup.secure')}</span>  
  </div>  
</div>  
</form>  
  
<div className="mt-6 text-center text-sm space-y-3">  
  <div>  
    <span className="text-navy-600">{t('auth.signup.hasAccount')} </span>  
    <Link to="/login" className="text-teal-600 hover:text-navy-700 font-medium">  
      {t('auth.signup.signIn')}  
    </Link>  
  </div>  
  
  <div className="pt-4 border-t border-navy-200">  
    <div className="flex items-center justify-center gap-4 text-xs text-navy-500">  
      <div className="flex items-center gap-1">  
        <Shield className="w-3.5 h-3.5" />  
        <span>{t('login.bankSecurity')}</span>  
      </div>  
      <div className="flex items-center gap-1">  
        <Lock className="w-3.5 h-3.5" />  
        <span>{t('trust.ssl')}</span>  
      </div>  
    </div>  
    <p className="text-xs text-navy-400 mt-2">  
      {t('signup.agreeTerms')}{ ' '  
      <Link to="/terms" className="text-teal-600 hover:underline">{t('auth.signup.termsLink')}}</Link>  
      { ' '{t('auth.signup.and')}}{ ' '  
      <Link to="/privacy" className="text-teal-600 hover:underline">{t('auth.signup.privacyLink')}}</Link>  
    </p>  
  </div>  
</div>  
</div>  
  
<div className="mt-6 text-center lg:hidden">  
  <div className="flex flex-wrap justify-center gap-3">  
    <div className="flex items-center gap-1 text-sm text-navy-600">  
      <Star className="w-4 h-4 text-gold-400 fill-gold-400" />  
      <span>{t('signup.fiveStarRated')}</span>  
    </div>  
    <div className="flex items-center gap-1 text-sm text-navy-600">  
      <TrendingUp className="w-4 h-4 text-success-500" />  
      <span>{t('signup.savingsAmount')}</span>  
    </div>  
  </div>  
</div>  
</div>  
</div>  
</div>  
</div>  
  
<Footer />  
</div>  
);  
}
```

[44/58] Site Review

Route: /site-review | File: src/pages/SiteReview.tsx

```
import { useState, useRef, useCallback, useEffect } from 'react';
import {
  FileText,
  Copy,
  Download,
  CheckCircle,
  FileDown,
  ArrowLeft,
  Printer,
  ChevronDown,
  ChevronRight,
  Search,
  X,
  Hash,
  BookOpen,
  Clock,
  ArrowUp,
} from 'lucide-react';
import { Link } from 'react-router-dom';
import { getSiteReviewText } from '../lib/site-review-content';
import jsPDF from 'jspdf';

interface TocEntry {
  number: number;
  title: string;
  lineIndex: number;
}

function parseToc(text: string): TocEntry[] {
  const lines = text.split('\n');
  const entries: TocEntry[] = [];
  for (let i = 0; i < lines.length; i++) {
    const match = lines[i].match(/^(\\d+)\\. (\\.)$/);
    if (match && lines[i - 1]?.startsWith('====')) {
      entries.push({ number: parseInt(match[1]), title: match[2].trim(), lineIndex: i });
    }
  }
  return entries;
}

function countStats(text: string) {
  const lines = text.split('\n');
  const words = text.split(/ /).filter(Boolean).length;
  const sections = lines.filter((l, i) => l.match(/^(\\d+)\\. (\\.)$/)) && lines[i - 1]?.startsWith('====')).length;
  const resolved = (text.match(/\\[RESOLVED\\]/g) || []).length;
  return { lines: lines.length, words, sections, resolved };
}

export default function SiteReview() {
  const [copied, setCopied] = useState(false);
  const [generatingPdf, setGeneratingPdf] = useState(false);
  const [searchQuery, setSearchQuery] = useState('');
  const [searchOpen, setSearchOpen] = useState(false);
  const [tocOpen, setTocOpen] = useState(false);
  const [showScrollTop, setShowScrollTop] = useState(false);
  const preRef = useRef<HTMLPreElement>(null);
  const searchRef = useRef<HTMLInputElement>(null);
  const reviewText = getSiteReviewText();
  const toc = parseToc(reviewText);
  const stats = countStats(reviewText);

  useEffect(() => {
    const onScroll = () => setShowScrollTop(window.scrollY > 600);
    window.addEventListener('scroll', onScroll, { passive: true });
    return () => window.removeEventListener('scroll', onScroll);
  }, []);

  useEffect(() => {
    if (searchOpen && searchRef.current) searchRef.current.focus();
  }, [searchOpen]);

  const handleCopy = useCallback(async () => {
    try {
      await navigator.clipboard.writeText(reviewText);
    } catch {
      const ta = document.createElement('textarea');
      ta.value = reviewText;
      ta.style.position = 'fixed';
      ta.style.opacity = '0';
      document.body.appendChild(ta);
      ta.select();
      document.execCommand('copy');
      document.body.removeChild(ta);
    }
    setCopied(true);
    setTimeout(() => setCopied(false), 3000);
  }, [reviewText]);

  const handleDownloadText = useCallback(() => {
```

```

const blob = new Blob([reviewText], { type: 'text/plain;charset=utf-8' });
const url = URL.createObjectURL(blob);
const a = document.createElement('a');
a.href = url;
a.download = `ezlegal-platform-review-${new Date().toISOString().slice(0, 10)}.txt`;
document.body.appendChild(a);
a.click();
document.body.removeChild(a);
URL.revokeObjectURL(url);
}, [reviewText]);

const handleDownloadMarkdown = useCallback(() => {
  const lines = reviewText.split('\n');
  let md = '';
  for (let i = 0; i < lines.length; i++) {
    const line = lines[i];
    if (line.startsWith('====') && lines[i + 1]) {
      const title = lines[i + 1].trim();
      if (title) md += `\n# ${title}\n\n`;
      i++;
      continue;
    }
    if (line.startsWith('----')) continue;
    const subMatch = line.match(/^[A-Z][A-Z & /(),\-.:'0-9]+:(.*)$/);
    if (subMatch && line.length < 80) {
      md += `\n## ${subMatch[1]}\n${subMatch[2].trim() ? subMatch[2].trim() + '\n' : ''}\n`;
      continue;
    }
    if (line.startsWith(' - ')) {
      md += ` - ${line.trim().replace(/^- /, '')}\n`;
      continue;
    }
    md += line + '\n';
  }
  const blob = new Blob([md], { type: 'text/markdown;charset=utf-8' });
  const url = URL.createObjectURL(blob);
  const a = document.createElement('a');
  a.href = url;
  a.download = `ezlegal-platform-review-${new Date().toISOString().slice(0, 10)}.md`;
  document.body.appendChild(a);
  a.click();
  document.body.removeChild(a);
  URL.revokeObjectURL(url);
}, [reviewText]);

const handleDownloadPdf = useCallback(async () => {
  setGeneratingPdf(true);
  try {
    const doc = new jsPDF({ orientation: 'portrait', unit: 'mm', format: 'a4' });
    const pw = doc.internal.pageSize.getWidth();
    const ph = doc.internal.pageSize.getHeight();
    const m = 15;
    const mw = pw - m * 2;
    const lh = 4.2;
    const hh = 25;
    let y = hh;
    let pn = 1;

    const header = (n: number) => {
      doc.setFillColor(16, 42, 67);
      doc.rect(0, 0, pw, 18, 'F');
      doc.setFont('helvetica', 'bold');
      doc.setFontSize(9);
      doc.setTextColor(255, 255, 255);
      doc.text('ezLegal.ai - Complete Platform Review Package (Round 6.4.3)', m, 8);
      doc.setFont('helvetica', 'normal');
      doc.setFontSize(7);
      doc.setTextColor(159, 179, 200);
      doc.text('February 2026 | Prepared for External AI Review | Round 6.4.3 Update', m, 13);
      doc.text(`Page ${n}`, pw - m - 10, 13);
    };

    const footer = () => {
      doc.setFontSize(6);
      doc.setTextColor(130, 154, 177);
      doc.text('ezLegal.ai | Legalbreeze® | 177 N. Church Ave. Suite 808, Tucson, AZ 85701', m, ph - 5);
    };

    header(pn);
    const lines = reviewText.split('\n');

    for (let i = 0; i < lines.length; i++) {
      const line = lines[i];
      if (line.startsWith('====')) continue;

      const isTitle = i > 0 && lines[i - 1]?.startsWith('====') && line.trim() !== '';
      const isSub = /^[A-Z][A-Z & /(),\-.:'0-9]+:/.test(line) && line.length < 60;

      let fs = 8;
      let fw: 'normal' | 'bold' = 'normal';
      let tc: [number, number, number] = [51, 78, 104];
      let eb = 0;

      if (isTitle) { fs = 11; fw = 'bold'; tc = [16, 42, 67]; eb = 4; }
      else if (isSub) { fs = 9; fw = 'bold'; tc = [13, 148, 136]; eb = 3; }
      else if (line.startsWith(' - ')) { fs = 7.5; tc = [72, 101, 129]; }
    }
  }

```

```

else if (line.trim() === '') { y += lh * 0.6; continue; }

doc.setFont('helvetica', fw);
doc.setFontSize(fs);
doc.setTextColor(...tc);

const wl = doc.splitTextToSize(line, mw);
const bh = wl.length * lh + eb;

if (y + bh > ph - 12) {
  footer();
  doc.addPage();
  pn++;
  header(pn);
  y = hh;
}

y += eb;
for (const l of wl) { doc.text(l, m, y); y += lh; }
}

footer();
doc.save(`ezlegal-platform-review-${new Date().toISOString().slice(0, 10)}.pdf`);
} catch (err) {
  console.error('PDF generation failed:', err);
} finally {
  setGeneratingPdf(false);
}
}, [reviewText]);

const scrollToSection = (entry: TocEntry) => {
  if (!preRef.current) return;
  const lines = reviewText.split('\n');
  const pre = preRef.current;
  const textBefore = lines.slice(0, entry.lineIndex).join('\n');
  const charsBefore = textBefore.length;
  const totalChars = reviewText.length;
  const scrollRatio = charsBefore / totalChars;
  pre.scrollTop = pre.scrollHeight * scrollRatio;
  setTocOpen(false);
};

const highlightedText = searchQuery.length >= 2
  ? reviewText.split(new RegExp(`${searchQuery.replace(/[\.*?^$(){}|\[\]\\"/g, '\\$&')}`), 'gi'))
  : null;

const matchCount = highlightedText
  ? highlightedText.filter((_, i) => i % 2 === 1).length
  : 0;

return (
  <div className="min-h-screen bg-navy-50 print:bg-white">
    <div className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white py-10 print:hidden">
      <div className="max-w-6xl mx-auto px-4 sm:px-6">
        <Link
          to="/"
          className="inline-flex items-center gap-2 text-navy-300 hover:text-white mb-6 transition-colors text-sm">
          >
          <ArrowLeft className="w-4 h-4" />
          Back to site
        </Link>

        <div className="flex items-start gap-4 mb-8">
          <div className="bg-teal-500/15 p-3.5 rounded-xl border border-teal-500/20">
            <FileText className="w-8 h-8 text-teal-400" />
          </div>
          <div className="flex-1">
            <h1 className="text-3xl sm:text-4xl font-bold tracking-tight">
              Platform Review Package
            </h1>
            <p className="text-navy-300 mt-2 max-w-2xl leading-relaxed">
              Complete documentation of the ezLegal.ai platform for external AI review (Round 6.4.3).
              Includes registry-backed trust claims, banned-phrase enforcement, Definition of Done
              checklist, diff-based review protocol, and 6 resolved trust claim violations.
              Copy or download as PDF / TXT / Markdown for GPT-5.2.
            </p>
          </div>
        </div>

        <div className="flex flex-wrap gap-3">
          <button
            onClick={handleCopy}
            className={`inline-flex items-center gap-2 px-6 py-3 rounded-xl font-semibold transition-all shadow-lg
              hover:-translate-y-0.5 active:translate-y-0 ${
              copied
                ? 'bg-green-500 text-white'
                : 'bg-teal-600 hover:bg-teal-500 text-white'
            }`}
            >
            {copied ? <CheckCircle className="w-5 h-5" /> : <Copy className="w-5 h-5" />}
            {copied ? 'Copied to Clipboard!' : 'Copy All Text'}
          </button>

          <button
            onClick={handleDownloadPdf}
            disabled={generatingPdf}

```



```

        className="inline-flex items-center gap-2 bg-white text-navy-900 px-6 py-3 rounded-xl font-semibold transition-all
shadow-lg hover:-translate-y-0.5 hover:bg-navy-50 disabled:opacity-50 disabled:cursor-not-allowed"
    >
        {generatingPdf ? (
            <>
                <div className="animate-spin rounded-full h-5 w-5 border-b-2 border-navy-900" />
                Generating...
            </>
        ) : (
            <>
                <FileDown className="w-5 h-5" />
                Download PDF
            </>
        )}
    </button>

    <button
        onClick={handleDownloadText}
        className="inline-flex items-center gap-2 bg-navy-700 hover:bg-navy-600 text-white px-6 py-3 rounded-xl font-semibold
transition-all hover:-translate-y-0.5"
    >
        <Download className="w-5 h-5" />
        Download .txt
    </button>

    <button
        onClick={handleDownloadMarkdown}
        className="inline-flex items-center gap-2 bg-navy-700 hover:bg-navy-600 text-white px-6 py-3 rounded-xl font-semibold
transition-all hover:-translate-y-0.5"
    >
        <FileText className="w-5 h-5" />
        Download .md
    </button>

    <button
        onClick={() => window.print()}
        className="inline-flex items-center gap-2 bg-navy-700 hover:bg-navy-600 text-white px-6 py-3 rounded-xl font-semibold
transition-all hover:-translate-y-0.5"
    >
        <Printer className="w-5 h-5" />
        Print
    </button>
</div>

<div className="mt-6 grid grid-cols-2 sm:grid-cols-4 gap-3">
    <div className="bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-center">
        <div className="text-xl font-bold text-teal-400">{stats.sections}</div>
        <div className="text-xs text-navy-400 mt-0.5">Sections</div>
    </div>
    <div className="bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-center">
        <div className="text-xl font-bold text-teal-400">{(stats.words / 1000).toFixed(1)}k</div>
        <div className="text-xs text-navy-400 mt-0.5">Words</div>
    </div>
    <div className="bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-center">
        <div className="text-xl font-bold text-teal-400">{stats.resolved}</div>
        <div className="text-xs text-navy-400 mt-0.5">Items Resolved</div>
    </div>
    <div className="bg-white/5 border border-white/10 rounded-xl px-4 py-3 text-center">
        <div className="text-xl font-bold text-teal-400">
            <Clock className="w-5 h-5 inline-block mb-0.5" />
        </div>
        <div className="text-xs text-navy-400 mt-0.5">Feb 2026</div>
    </div>
</div>
</div>
</div>

<div className="max-w-6xl mx-auto px-4 sm:px-6 py-6 print:px-0 print:py-0">
    <div className="flex flex-col lg:flex-row gap-6">
        <aside className="lg:w-72 flex-shrink-0 print:hidden">
            <div className="lg:sticky lg:top-4 space-y-4">
                <div className="bg-white border border-navy-200 rounded-xl shadow-sm overflow-hidden">
                    <button
                        onClick={() => setTocOpen(!tocOpen)}
                        className="w-full flex items-center justify-between px-4 py-3 text-left font-semibold text-navy-900
hover:bg-navy-50 transition-colors"
                    >
                        <span className="flex items-center gap-2">
                            <BookOpen className="w-4 h-4 text-teal-600" />
                            Table of Contents
                        </span>
                        {tocOpen ? <ChevronDown className="w-4 h-4" /> : <ChevronRight className="w-4 h-4" />}
                    </button>
                    {tocOpen && (
                        <div className="border-t border-navy-100 max-h-[60vh] overflow-y-auto">
                            {toc.map((entry) => (
                                <button
                                    key={entry.number}
                                    onClick={() => scrollToSection(entry)}
                                    className="w-full text-left px-4 py-2 text-sm hover:bg-teal-50 transition-colors flex items-start gap-2
group"
                                >
                                    <span className="text-teal-500 font-mono text-xs mt-0.5 flex-shrink-0 w-5 text-right">
                                        {entry.number}.
                                    </span>
                                    <span className="text-navy-700 group-hover:text-teal-700 leading-tight">

```

```

        {entry.title}
      </span>
    </button>
  )))
</div>
))
</div>

<div className="bg-teal-50 border border-teal-200 rounded-xl p-4">
  <h2 className="text-sm font-semibold text-teal-800 mb-2 flex items-center gap-2">
    <Hash className="w-4 h-4" />
    Quick Use
  </h2>
  <ol className="text-xs text-teal-700 space-y-2 list-decimal list-inside">
    <li>Click <strong>"Copy All Text"</strong></li>
    <li>Open GPT-5.2 (or any LLM)</li>
    <li>Paste and ask your review question</li>
  </ol>
  <p className="text-[11px] text-teal-600 mt-3 border-t border-teal-200 pt-2">
    Or download as PDF / TXT / Markdown and upload.
  </p>
</div>
</div>
</aside>

<main className="flex-1 min-w-0">
  <div className="bg-white border border-navy-200 rounded-xl shadow-sm overflow-hidden print:shadow-none print:border-0">
    <div className="bg-navy-100 px-4 py-3 flex items-center justify-between border-b border-navy-200 print:hidden">
      <div className="flex items-center gap-3">
        <span className="text-sm font-medium text-navy-700">
          ezlegal-platform-review.txt
        </span>
        <span className="text-xs text-navy-400">{stats.lines.toLocaleString()} lines</span>
      </div>
      <div className="flex items-center gap-2">
        {searchOpen ? (
          <div className="flex items-center gap-1 bg-white border border-navy-200 rounded-lg px-2 py-1">
            <Search className="w-3.5 h-3.5 text-navy-400" />
            <input
              ref={searchRef}
              type="text"
              value={searchQuery}
              onChange={(e) => setSearchQuery(e.target.value)}
              placeholder="Search..."
              className="text-sm text-navy-800 outline-none w-40 bg-transparent"
            />
            {searchQuery && (
              <span className="text-[10px] text-navy-400 whitespace-nowrap">
                {matchCount} match{matchCount !== 1 ? 'es' : ''}
              </span>
            )}
          </div>
          <button
            onClick={() => { setSearchOpen(false); setSearchQuery(''); }}
            className="text-navy-400 hover:text-navy-600"
          >
            <X className="w-3.5 h-3.5" />
          </button>
        ) : (
          <button
            onClick={() => setSearchOpen(true)}
            className="text-navy-400 hover:text-navy-600 p-1"
            title="Search"
          >
            <Search className="w-4 h-4" />
          </button>
        )}
      </div>
    </div>
    <div>
      <pre
        ref={preRef}
        className="p-6 text-[13px] text-navy-700 overflow-x-auto whitespace-pre-wrap font-mono leading-relaxed max-h-[80vh]
        overflow-y-auto scroll-smooth selection:bg-teal-100"
      >
        {highlightedText
          ? highlightedText.map((part, i) =>
              i % 2 === 1 ? (
                <mark key={i} className="bg-amber-200 text-navy-900 rounded px-0.5">{part}</mark>
              ) : (
                <span key={i}>{part}</span>
              )
            )
          : reviewText
        }
      </pre>
    </div>
  </main>
</div>

```

```
    </div>

    {showScrollTop && (
      <button
        onClick={() => window.scrollTo({ top: 0, behavior: 'smooth' })}
        className="fixed bottom-6 right-6 bg-navy-800 text-white p-3 rounded-full shadow-xl hover:bg-navy-700 transition-all
        hover:-translate-y-0.5 print:hidden z-40"
        aria-label="Scroll to top"
      >
        <ArrowUp className="w-5 h-5" />
      </button>
    )}
  </div>
);
}
```

[45/58] SLA

Route: /sla | File: src/pages/SLA.tsx

```
import { Link } from 'react-router-dom';
import {
  Shield, Clock, AlertTriangle, CheckCircle2, ArrowRight,
  Server, Lock, Mail
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

const uptimeTargets = [
  {
    plan: 'Starter / Individual',
    target: '99.9%',
    maxDowntime: '~43 min/month',
    support: 'Email (48hr response)',
    escalation: 'support@ezlegal.ai',
  },
  {
    plan: 'Pro / Business',
    target: '99.9%',
    maxDowntime: '~43 min/month',
    support: 'Email + Chat (24hr response)',
    escalation: 'Priority queue',
  },
  {
    plan: 'Enterprise / LSO Professional',
    target: '99.95%',
    maxDowntime: '~22 min/month',
    support: 'Dedicated account manager',
    escalation: 'Direct escalation path',
  },
];

const exclusions = [
  'Scheduled maintenance windows (announced 72 hours in advance)',
  'Third-party service outages outside our direct control (e.g., upstream DNS, CDN)',
  'Force majeure events (natural disasters, government actions)',
  'Client-side network issues or browser incompatibilities',
  'Abuse or misuse that triggers rate limiting or security protections',
];

const infrastructure = [
  { label: 'Hosting', value: 'Supabase (AWS-backed infrastructure)' },
  { label: 'Encryption in transit', value: 'TLS 1.3' },
  { label: 'Encryption at rest', value: 'AES-256' },
  { label: 'Data residency', value: 'United States' },
  { label: 'Backups', value: 'Daily automated, 30-day retention' },
  { label: 'Monitoring', value: 'Real-time uptime monitoring with automated alerts' },
];

export default function SLA() {
  return (
    <div className="min-h-screen bg-white">
      <Navigation />

      <main id="main-content" className="pt-28">
        <section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white py-16 lg:py-20">
          <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
            <div className="inline-flex items-center gap-2 bg-teal-500/20 border border-teal-400/30 rounded-full px-4 py-1.5 mb-6">
              <Shield className="w-4 h-4 text-teal-400" />
              <span className="text-sm font-semibold text-teal-300">Service Level Agreement</span>
            </div>
            <h1 className="text-3xl lg:text-4xl font-bold mb-4">
              SLA & Uptime Targets
            </h1>
            <p className="text-lg text-navy-300 max-w-2xl mx-auto">
              Transparency about our service commitments, infrastructure, and what to expect when things go wrong.
            </p>
            <p className="text-sm text-navy-400 mt-4">
              Effective Date: February 1, 2026 | Version 1.0
            </p>
          </div>
        </section>

        <section className="py-16 bg-white">
          <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
            <h2 className="text-2xl font-bold text-navy-900 mb-2">Uptime Targets by Plan</h2>
            <p className="text-navy-600 mb-8">
              These are our target uptime commitments. Enterprise customers may negotiate contractual SLAs with specific remedies.
            </p>

            <div className="overflow-x-auto">
              <table className="w-full text-left border-collapse">
                <thead>
                  <tr className="border-b-2 border-navy-200">
                    <th className="py-3 pr-4 text-sm font-semibold text-navy-900">Plan</th>
                    <th className="py-3 px-4 text-sm font-semibold text-navy-900">Target Uptime</th>
                    <th className="py-3 px-4 text-sm font-semibold text-navy-900">Max Downtime</th>
                    <th className="py-3 px-4 text-sm font-semibold text-navy-900">Support</th>
                    <th className="py-3 pl-4 text-sm font-semibold text-navy-900">Escalation</th>
                  </tr>
                </thead>
                <tbody>
                  <tr>
                    <td>Starter / Individual</td>
                    <td>99.9%</td>
                    <td>~43 min/month</td>
                    <td>Email (48hr response)</td>
                    <td>support@ezlegal.ai</td>
                  </tr>
                  <tr>
                    <td>Pro / Business</td>
                    <td>99.9%</td>
                    <td>~43 min/month</td>
                    <td>Email + Chat (24hr response)</td>
                    <td>Priority queue</td>
                  </tr>
                  <tr>
                    <td>Enterprise / LSO Professional</td>
                    <td>99.95%</td>
                    <td>~22 min/month</td>
                    <td>Dedicated account manager</td>
                    <td>Direct escalation path</td>
                  </tr>
                </tbody>
              </table>
            </div>
          </div>
        </section>
      </main>
    </div>
  );
}
```

```

        </tr>
      </thead>
      <tbody>
        {uptimeTargets.map((row) => (
          <tr key={row.plan} className="border-b border-navy-100">
            <td className="py-4 pr-4 font-medium text-navy-900 text-sm">{row.plan}</td>
            <td className="py-4 px-4">
              <span className="inline-flex items-center gap-1.5 text-sm font-semibold text-green-700 bg-green-50 px-2.5
py-1 rounded-full">
                <CheckCircle2 className="w-3.5 h-3.5" />
                {row.target}
              </span>
            </td>
            <td className="py-4 px-4 text-sm text-navy-600">{row.maxDowntime}</td>
            <td className="py-4 px-4 text-sm text-navy-600">{row.support}</td>
            <td className="py-4 pl-4 text-sm text-navy-600">{row.escalation}</td>
          </tr>
        ))}
      </tbody>
    </table>
  </div>

  <div className="mt-6 bg-navy-50 border border-navy-200 rounded-xl p-4">
    <p className="text-sm text-navy-700">
      <strong>Contractual SLA:</strong> Enterprise and LSO Professional plans are eligible for a binding SLA with defined
      remedies (service credits). Contact your account manager or <a href="mailto:enterprise@ezlegal.ai" className="text-teal-600
      hover:text-teal-700 underline">enterprise@ezlegal.ai</a> to request the contractual SLA document.
    </p>
  </div>
</div>
</section>

<section className="py-16 bg-navy-50">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <h2 className="text-2xl font-bold text-navy-900 mb-2">Scope & Exclusions</h2>
    <p className="text-navy-600 mb-6">
      Uptime is measured as the availability of core platform services (AI chat, API endpoints, dashboard) from our
      monitoring infrastructure. The following are excluded from uptime calculations:
    </p>
    <ul className="space-y-3">
      {exclusions.map((item, i) => (
        <li key={i} className="flex items-start gap-3">
          <AlertTriangle className="w-4 h-4 text-amber-500 flex-shrink-0 mt-1" />
          <span className="text-sm text-navy-700">{item}</span>
        </li>
      ))}
    </ul>
  </div>
</section>

<section className="py-16 bg-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <h2 className="text-2xl font-bold text-navy-900 mb-6">Infrastructure Summary</h2>
    <div className="grid sm:grid-cols-2 gap-4">
      {infrastructure.map((item) => (
        <div key={item.label} className="flex items-start gap-3 bg-navy-50 rounded-xl p-4 border border-navy-100">
          <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0">
            {item.label.includes('Encrypt')} ? <Lock className="w-4 h-4 text-teal-700" /> :
            item.label.includes('Host')} ? <Server className="w-4 h-4 text-teal-700" /> :
            item.label.includes('Monitor')} ? <Clock className="w-4 h-4 text-teal-700" /> :
            <Shield className="w-4 h-4 text-teal-700" />
          </div>
          <div>
            <p className="text-sm font-semibold text-navy-900">{item.label}</p>
            <p className="text-sm text-navy-600">{item.value}</p>
          </div>
        </div>
      ))}
    </div>
  </div>
</section>

<section className="py-16 bg-navy-50">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <h2 className="text-2xl font-bold text-navy-900 mb-6">Incident Response & Escalation</h2>
    <div className="space-y-6">
      <div className="bg-white rounded-xl border border-navy-200 p-6">
        <h3 className="font-semibold text-navy-900 mb-3 flex items-center gap-2">
          <Clock className="w-5 h-5 text-teal-600" />
          Response Times
        </h3>
        <div className="grid sm:grid-cols-3 gap-4">
          <div className="text-center p-3 bg-red-50 rounded-lg">
            <p className="text-xs font-semibold text-red-700 uppercase mb-1">Critical (P1)</p>
            <p className="text-lg font-bold text-red-800">1 hour</p>
            <p className="text-xs text-red-600">Service fully unavailable</p>
          </div>
          <div className="text-center p-3 bg-amber-50 rounded-lg">
            <p className="text-xs font-semibold text-amber-700 uppercase mb-1">High (P2)</p>
            <p className="text-lg font-bold text-amber-800">4 hours</p>
            <p className="text-xs text-amber-600">Major feature degraded</p>
          </div>
          <div className="text-center p-3 bg-navy-50 rounded-lg">
            <p className="text-xs font-semibold text-navy-700 uppercase mb-1">Normal (P3)</p>
            <p className="text-lg font-bold text-navy-800">24 hours</p>
            <p className="text-xs text-navy-600">Minor issues or questions</p>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>

```

```

        </div>
      </div>
    </div>

    <div className="bg-white rounded-xl border border-navy-200 p-6">
      <h3 className="font-semibold text-navy-900 mb-3 flex items-center gap-2">
        <Mail className="w-5 h-5 text-teal-600" />
        Contact Channels
      </h3>
      <div className="space-y-2 text-sm text-navy-700">
        <p><strong>General support:</strong> support@ezlegal.ai</p>
        <p><strong>Enterprise/SLA inquiries:</strong> enterprise@ezlegal.ai</p>
        <p><strong>Security incidents:</strong> security@ezlegal.ai</p>
      </div>
    </div>
  </div>
</div>
</section>

<section className="py-16 bg-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <h2 className="text-2xl font-bold text-navy-900 mb-6">Maintenance Policy</h2>
    <div className="bg-navy-50 rounded-xl border border-navy-200 p-6 space-y-4 text-sm text-navy-700">
      <p>
        <strong>Scheduled maintenance</strong> is performed during low-traffic windows (Sundays 2:00-6:00 AM UTC) with at
        least 72 hours advance notice via email to account administrators.
      </p>
      <p>
        <strong>Emergency maintenance</strong> may be performed without advance notice to address critical security
        vulnerabilities or data integrity risks. We will communicate via email and our status page as soon as possible.
      </p>
      <p>
        <strong>Zero-downtime deployments</strong> are used for routine updates. Most deployments do not cause any service
        interruption.
      </p>
    </div>
  </div>
</section>

<section className="py-16 bg-gradient-to-br from-teal-600 to-teal-700 text-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <h2 className="text-2xl lg:text-3xl font-bold mb-4">
      Need a Contractual SLA?
    </h2>
    <p className="text-teal-100 mb-8 max-w-2xl mx-auto">
      Enterprise and LSO Professional plans are eligible for binding SLAs with defined service credits. Reach out to discuss
      your requirements.
    </p>
    <div className="flex flex-col sm:flex-row gap-4 justify-center">
      <Link
        to="/contact?type=enterprise"
        className="inline-flex items-center justify-center gap-2 bg-white text-teal-600 hover:bg-teal-50 px-8 py-3.5
        rounded-xl font-bold transition-all"
      >
        Contact Enterprise Sales
        <ArrowRight className="w-5 h-5" />
      </Link>
      <Link
        to="/enterprise-security"
        className="inline-flex items-center justify-center gap-2 bg-teal-500/30 hover:bg-teal-500/50 border border-white/30
        text-white px-8 py-3.5 rounded-xl font-bold transition-all"
      >
        View Security Details
      </Link>
    </div>
  </div>
</section>
</main>

<Footer />
</div>
  );
}

```

[46/58] Persona Intake

Route: /start | File: src/pages/PersonaIntake.tsx

```
import { useEffect, useState } from 'react';
import { useNavigate } from 'react-router-dom';
import { User, Building2, Users, ArrowRight, Shield } from 'lucide-react';
import { usePersona } from '../contexts/PersonaContext';
import { useLanguage } from '../contexts/LanguageContext';
import { trackFeatureView, trackFunnelEvent } from '../services/engagement-service';
import IndividualIntake from '../components/intake/IndividualIntake';
import BusinessIntake from '../components/intake/BusinessIntake';
import LegalAidIntake from '../components/intake/LegalAidIntake';

export default function PersonaIntake() {
  const { persona, setPersona } = usePersona();
  const { language } = useLanguage();
  const navigate = useNavigate();
  const [showSelector, setShowSelector] = useState(false);

  useEffect(() => {
    if (!persona) {
      setShowSelector(true);
      trackFeatureView('persona_selector', { from: 'start_page' });
    } else {
      trackFunnelEvent('persona_selected', {
        persona,
        preSelected: true
      });
    }
  }, [persona]);

  const handlePersonaSelect = (selectedPersona: 'individual' | 'business' | 'legal-aid') => {
    setPersona(selectedPersona);
    trackFunnelEvent('persona_selected', {
      persona: selectedPersona,
      preSelected: false
    });
    setShowSelector(false);
  };

  if (showSelector) {
    return (
      <div className="min-h-screen bg-gradient-to-b from-navy-900 via-navy-800 to-navy-900 py-12 px-4">
        <div className="max-w-4xl mx-auto">
          <div className="text-center mb-12">
            <h1 className="text-4xl md:text-5xl font-bold text-white mb-4">
              {language === 'en' ? 'Who are you here for today?' : '¿Para quién estás aquí hoy?'}
            </h1>
            <p className="text-navy-200 text-lg">
              {language === 'en'
                ? 'This helps us tailor examples and documents. You can change it later.'
                : 'Esto nos ayuda a personalizar ejemplos y documentos. Puedes cambiarlo más tarde.'}
            </p>
          </div>

          <div className="bg-white/5 backdrop-blur-sm rounded-xl p-4 border border-white/10 mb-8">
            <div className="flex items-start gap-3">
              <Shield className="w-5 h-5 text-green-400 flex-shrink-0 mt-0.5" />
              <div>
                <p className="text-white font-medium text-sm">
                  {language === 'en'
                    ? 'Private by default • Not legal advice'
                    : 'Privado por defecto • No es asesoramiento legal'}
                </p>
                <p className="text-navy-300 text-xs mt-1">
                  {language === 'en'
                    ? 'We provide legal information to help you understand your options and next steps.'
                    : 'Proporcionamos información legal para ayudarte a entender tus opciones y próximos pasos.'}
                </p>
              </div>
            </div>
          </div>

          <div className="grid sm:grid-cols-2 lg:grid-cols-3 gap-5 mb-6">
            <button
              onClick={() => handlePersonaSelect('individual')}
              className="bg-white/5 hover:bg-white/10 border-2 border-white/10 hover:border-teal-500/50 rounded-2xl p-6 text-center transition-all group">
              <div className="inline-flex items-center justify-center w-14 h-14 rounded-xl bg-teal-500/20 mb-3 group-hover:scale-110 transition-transform">
                <User className="w-7 h-7 text-teal-400" />
              </div>
              <h2 className="text-white font-bold text-lg mb-1">
                {language === 'en' ? 'Individual' : 'Individual'}
              </h2>
              <p className="text-navy-300 text-sm">
                {language === 'en'
                  ? 'Personal legal matter'
                  : 'Asunto legal personal'}
              </p>
            </button>

```

```

        <button
            onClick={() => handlePersonaSelect('business')}
            className="bg-white/5 hover:bg-white/10 border-2 border-white/10 hover:border-blue-500/50 rounded-2xl p-6 text-center
transition-all group"
        >
            <div className="inline-flex items-center justify-center w-14 h-14 rounded-xl bg-blue-500/20 mb-3 group-hover:scale-110
transition-transform">
                <Building2 className="w-7 h-7 text-blue-400" />
            </div>
            <h3 className="text-white font-bold text-lg mb-1">
                {language === 'en' ? 'Small business' : 'Pequeña empresa'}
            </h3>
            <p className="text-navy-300 text-sm">
                {language === 'en'
                ? 'Business legal needs'
                : 'Necesidades legales de negocio'}
            </p>
        </button>

        <button
            onClick={() => handlePersonaSelect('legal-aid')}
            className="bg-white/5 hover:bg-white/10 border-2 border-white/10 hover:border-emerald-500/50 rounded-2xl p-6
text-center transition-all group"
        >
            <div className="inline-flex items-center justify-center w-14 h-14 rounded-xl bg-emerald-500/20 mb-3
group-hover:scale-110 transition-transform">
                <Users className="w-7 h-7 text-emerald-400" />
            </div>
            <h3 className="text-white font-bold text-lg mb-1">
                {language === 'en' ? 'Legal aid/pro bono org' : 'Org. de asistencia legal'}
            </h3>
            <p className="text-navy-300 text-sm">
                {language === 'en'
                ? 'For organization use'
                : 'Para uso organizacional'}
            </p>
        </button>

        <button
            onClick={() => handlePersonaSelect('legal-aid')}
            className="bg-white/5 hover:bg-white/10 border-2 border-white/10 hover:border-purple-500/50 rounded-2xl p-6
text-center transition-all group"
        >
            <div className="inline-flex items-center justify-center w-14 h-14 rounded-xl bg-purple-500/20 mb-3
group-hover:scale-110 transition-transform">
                <Shield className="w-7 h-7 text-purple-400" />
            </div>
            <h3 className="text-white font-bold text-lg mb-1">
                {language === 'en' ? 'Volunteer attorney' : 'Abogado voluntario'}
            </h3>
            <p className="text-navy-300 text-sm">
                {language === 'en'
                ? 'Pro bono legal work'
                : 'Trabajo legal pro bono'}
            </p>
        </button>

        <button
            onClick={() => handlePersonaSelect('individual')}
            className="bg-white/5 hover:bg-white/10 border-2 border-white/10 hover:border-slate-500/50 rounded-2xl p-6 text-center
transition-all group"
        >
            <div className="inline-flex items-center justify-center w-14 h-14 rounded-xl bg-slate-500/20 mb-3
group-hover:scale-110 transition-transform">
                <ArrowRight className="w-7 h-7 text-slate-400" />
            </div>
            <h3 className="text-white font-bold text-lg mb-1">
                {language === 'en' ? 'Other' : 'Otro'}
            </h3>
            <p className="text-navy-300 text-sm">
                {language === 'en'
                ? 'Not sure or different'
                : 'No estoy seguro o diferente'}
            </p>
        </button>
    </div>

    <div className="flex flex-col items-center gap-4">
        <button
            onClick={() => navigate('/chat')}
            className="text-navy-200 hover:text-white text-base transition-colors underline underline-offset-4"
        >
            {language === 'en' ? 'Skip for now' : 'Omitir por ahora'}
        </button>
        <button
            onClick={() => navigate('/') }
            className="text-navy-300 hover:text-white text-sm transition-colors"
        >
            { language === 'en' ? '!• Back to home' : '!• Volver al inicio'}
        </button>
    </div>
</div>
</div>
);
}

```



```
if (persona === 'individual') {  
  return <IndividualIntake />;  
}  
  
if (persona === 'business') {  
  return <BusinessIntake />;  
}  
  
if (persona === 'legal-aid') {  
  return <LegalAidIntake />;  
}  
  
return null;  
}
```

[47/58] Terms of Service

Route: /terms | File: src/pages/TermsOfService.tsx

```
import { Shield, FileText, Users, Scale, AlertTriangle, CheckCircle, Brain, Lock, CreditCard, Clock, XCircle, Mail, Building } from 'lucide-react';
import { Link } from 'react-router-dom';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';

export default function TermsOfService() {
  return (
    <div className="min-h-screen bg-navy-50">
      <Navigation />

      <section className="bg-gradient-to-br from-teal-700 via-teal-600 to-navy-900 text-white pt-32 pb-16">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="text-center max-w-4xl mx-auto">
            <div className="inline-flex items-center gap-2 bg-white/10 backdrop-blur-sm px-4 py-2 rounded-full mb-6 border border-white/20">
              <FileText className="w-4 h-4 text-orange-400" />
              <span className="text-sm font-semibold">Legal Agreement</span>
            </div>
            <h1 className="text-4xl lg:text-5xl font-bold mb-6">
              Terms of Service
            </h1>
            <p className="text-xl text-navy-200 mb-4">
              Please read these terms carefully before using ezLegal.ai services. By using our platform, you agree to be bound by
            </p>
            <p>
              these terms.
            </p>
            <p className="text-navy-300">
              Last Updated: January 15, 2026 | Effective Date: January 15, 2026
            </p>
          </div>
        </div>
      </section>

      <section className="py-12 bg-white border-b border-navy-200">
        <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
          <div className="bg-teal-50 border border-teal-200 rounded-2xl p-6">
            <div className="flex items-start gap-4">
              <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0">
                <AlertTriangle className="w-5 h-5 text-teal-600" />
              </div>
              <div>
                <h2 className="font-bold text-navy-900 mb-2">Important Notice</h2>
                <p className="text-navy-700 text-sm">
                  ezLegal.ai provides AI-powered legal information and tools for educational and informational purposes only. We are NOT a law firm and do NOT provide legal advice. The information provided through our services does not create an attorney-client relationship. For specific legal advice, please consult a licensed attorney in your
                </p>
                <p>
                  jurisdiction.
                </p>
              </div>
            </div>
          </div>
        </div>
      </section>

      <section className="py-12 bg-white">
        <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
          <nav className="bg-navy-50 rounded-xl p-6 border border-navy-200 mb-12">
            <h2 className="text-lg font-bold text-navy-900 mb-4">Table of Contents</h2>
            <div className="grid md:grid-cols-2 gap-2 text-sm">
              <a href="#acceptance" className="text-teal-600 hover:text-teal-800">1. Acceptance of Terms</a>
              <a href="#definitions" className="text-teal-600 hover:text-teal-800">2. Definitions</a>
              <a href="#services" className="text-teal-600 hover:text-teal-800">3. Description of Services</a>
              <a href="#ai-services" className="text-teal-600 hover:text-teal-800">4. AI-Powered Services</a>
              <a href="#accounts" className="text-teal-600 hover:text-teal-800">5. User Accounts</a>
              <a href="#subscriptions" className="text-teal-600 hover:text-teal-800">6. Subscriptions & Payment</a>
              <a href="#user-conduct" className="text-teal-600 hover:text-teal-800">7. User Conduct</a>
              <a href="#intellectual-property" className="text-teal-600 hover:text-teal-800">8. Intellectual Property</a>
              <a href="#disclaimers" className="text-teal-600 hover:text-teal-800">9. Disclaimers</a>
              <a href="#limitation" className="text-teal-600 hover:text-teal-800">10. Limitation of Liability</a>
              <a href="#indemnification" className="text-teal-600 hover:text-teal-800">11. Indemnification</a>
              <a href="#termination" className="text-teal-600 hover:text-teal-800">12. Termination</a>
              <a href="#disputes" className="text-teal-600 hover:text-teal-800">13. Dispute Resolution</a>
              <a href="#general" className="text-teal-600 hover:text-teal-800">14. General Provisions</a>
              <a href="#contact" className="text-teal-600 hover:text-teal-800">15. Contact Information</a>
            </div>
          </nav>

          <div className="max-w-none">
            <section id="acceptance" className="mb-12">
              <div className="flex items-center gap-3 mb-4">
                <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
                  <CheckCircle className="w-4 h-4 text-teal-600" />
                </div>
                <h2 className="text-2xl font-bold text-navy-900 m-0">1. Acceptance of Terms</h2>
              </div>
              <div className="pl-11">
                <p className="text-navy-700 mb-4">
                  By accessing or using the ezLegal.ai website at https://ezlegal.ai (the "Website") and any related services, applications, or features (collectively, the "Services"), you ("User," "you," or "your") agree to be bound by
                </p>
              </div>
            </section>
          </div>
        </div>
      </section>
    </div>
  );
}
```

```
    these Terms of Service ("Terms"), our Privacy Policy, and our AI Governance, Ethics & Access Policy.
  </p>
  <p className="text-navy-700 mb-4">
    If you do not agree to these Terms, you must not access or use our Services. Your continued use of the Services
    after any modifications to these Terms constitutes your acceptance of such modifications.
  </p>
  <p className="text-navy-700">
    You must be at least 18 years of age or the age of majority in your jurisdiction to use our Services.
    By using our Services, you represent and warrant that you meet these eligibility requirements.
  </p>
</div>
</section>

<section id="definitions" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <FileText className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">2. Definitions</h2>
  </div>
  <div className="pl-11">
    <ul className="space-y-3 text-navy-700">
      <li><strong>"Company," "we," "us," or "our"</strong> refers to ezLegal.ai, Inc. and its parent company
LegalBreeze, Inc.</li>
      <li><strong>"Services"</strong> refers to all products, features, applications, and content provided through our
platform, including AI-powered legal assistance, document generation, legal research tools, and attorney matching.</li>
      <li><strong>"User Content"</strong> refers to any information, data, text, documents, or materials that you
submit, upload, or transmit through our Services.</li>
      <li><strong>"AI Output"</strong> refers to any response, document, analysis, or content generated by our
artificial intelligence systems.</li>
      <li><strong>"Subscription"</strong> refers to paid access plans that provide enhanced features and
capabilities.</li>
      <li><strong>"Legal Service Organization (LSO)"</strong> refers to legal aid organizations, pro bono networks, and
nonprofit legal service providers that use our enterprise services.</li>
    </ul>
  </div>
</section>

<section id="services" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <Users className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">3. Description of Services</h2>
  </div>
  <div className="pl-11">
    <h3 className="text-lg font-semibold text-navy-900 mb-3">3.1 What We Provide</h3>
    <p className="text-navy-700 mb-4">
      ezLegal.ai is an AI-powered platform designed to expand access to justice by providing:
    </p>
    <ul className="space-y-2 text-navy-700 mb-6">
      <li>AI-powered legal information and guidance</li>
      <li>Document generation and legal form assistance</li>
      <li>Legal research tools and resources</li>
      <li>Attorney matching and referral services</li>
      <li>Educational legal content and guides</li>
      <li>Pro bono intake and eligibility screening</li>
    </ul>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">3.2 What We Do NOT Provide</h3>
    <div className="bg-orange-50 border border-orange-200 rounded-xl p-4 mb-6">
      <ul className="space-y-2 text-navy-700">
        <li className="flex items-start gap-2">
          <XCircle className="w-5 h-5 text-orange-500 flex-shrink-0 mt-0.5" />
          <span>Legal advice or legal representation</span>
        </li>
        <li className="flex items-start gap-2">
          <XCircle className="w-5 h-5 text-orange-500 flex-shrink-0 mt-0.5" />
          <span>Attorney-client relationships</span>
        </li>
        <li className="flex items-start gap-2">
          <XCircle className="w-5 h-5 text-orange-500 flex-shrink-0 mt-0.5" />
          <span>Guaranteed legal outcomes</span>
        </li>
        <li className="flex items-start gap-2">
          <XCircle className="w-5 h-5 text-orange-500 flex-shrink-0 mt-0.5" />
          <span>Representation in court or legal proceedings</span>
        </li>
      </ul>
    </div>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">3.3 Service Availability</h3>
    <p className="text-navy-700">
      We strive to maintain 24/7 availability of our Services but do not guarantee uninterrupted access.
      We may modify, suspend, or discontinue any aspect of our Services at any time with reasonable notice.
    </p>
  </div>
</section>

<section id="ai-services" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <Brain className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">4. AI-Powered Services</h2>
  </div>
```

```
<div className="pl-11">
  <h3 className="text-lg font-semibold text-navy-900 mb-3">4.1 Nature of AI Services</h3>
  <p className="text-navy-700 mb-4">
    Our Services use AI, which includes large language models and machine learning. The AI gives legal information and
drafts documents. By using the Services, you agree that:
  </p>
  <ul className="space-y-2 text-navy-700 mb-6">
    <li>AI Output is generated by automated systems and may contain errors, inaccuracies, or omissions</li>
    <li>AI Output should not be relied upon as a substitute for professional legal advice</li>
    <li>You are solely responsible for verifying the accuracy and appropriateness of any AI Output</li>
    <li>AI systems may produce different results for similar queries</li>
  </ul>

  <h3 className="text-lg font-semibold text-navy-900 mb-3">4.2 AI Governance Commitment</h3>
  <p className="text-navy-700 mb-4">
    We are committed to ethical AI development and deployment as outlined in our
    <Link to="/ai-governance" className="text-teal-600 hover:text-teal-800"> AI Governance, Ethics & Access
Policy</Link>.
    Our AI systems are designed to:
  </p>
  <ul className="space-y-2 text-navy-700 mb-6">
    <li>Provide clear disclaimers when you are interacting with AI</li>
    <li>Avoid generating content that is discriminatory or biased</li>
    <li>Recommend human legal professionals for complex or high-stakes matters</li>
    <li>Protect your data with enterprise-grade security</li>
  </ul>

  <h3 className="text-lg font-semibold text-navy-900 mb-3">4.3 AI Output Ownership</h3>
  <p className="text-navy-700 mb-4">
    Subject to your compliance with these Terms, you own the AI Output generated specifically for you through our
Services.
    However, due to the nature of AI systems, similar or identical outputs may be generated for other users.
  </p>

  <h3 className="text-lg font-semibold text-navy-900 mb-3">4.4 Data Usage</h3>
  <p className="text-navy-700">
    We use enterprise-tier AI services that contractually prohibit using your data to train or improve general AI
models.
    Your legal data remains yours. See our <Link to="/privacy" className="text-teal-600 hover:text-teal-800">Privacy
Policy</Link> for details.
  </p>
</div>
</section>

<section id="accounts" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <Lock className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">5. User Accounts</h2>
  </div>
  <div className="pl-11">
    <h3 className="text-lg font-semibold text-navy-900 mb-3">5.1 Account Registration</h3>
    <p className="text-navy-700 mb-4">
      Certain features require you to create an account. You agree to provide accurate, current, and complete
      registration information and to update such information to keep it accurate, current, and complete.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">5.2 Account Security</h3>
    <p className="text-navy-700 mb-4">
      You are responsible for maintaining the confidentiality of your account credentials and for all activities
      that occur under your account. You agree to:
    </p>
    <ul className="space-y-2 text-navy-700 mb-6">
      <li>Create a strong, unique password</li>
      <li>Not share your account credentials with others</li>
      <li>Notify us immediately of any unauthorized access</li>
      <li>Log out of your account on shared devices</li>
    </ul>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">5.3 Account Types</h3>
    <p className="text-navy-700">
      We offer individual consumer accounts and organizational accounts for Legal Service Organizations.
      Each account type has specific terms and features as described on our pricing page.
    </p>
  </div>
</section>

<section id="subscriptions" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <CreditCard className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">6. Subscriptions & Payment</h2>
  </div>
  <div className="pl-11">
    <h3 className="text-lg font-semibold text-navy-900 mb-3">6.1 Subscription Plans</h3>
    <p className="text-navy-700 mb-4">We offer the following service tiers:</p>
    <div className="bg-navy-50 rounded-xl p-4 mb-6">
      <ul className="space-y-3 text-navy-700">
        <li><strong>Free Tier:</strong> Unlimited AI questions, basic legal guides, attorney directory access</li>
        <li><strong>Issue Packs ($29-$49 one-time):</strong> Detailed action plans, document templates, deadline
checklists</li>
        <li><strong>Business Plans (from $99/month):</strong> Team access, branded portal, compliance monitoring</li>
        <li><strong>Organization Plans (from $199/month):</strong> For Legal Service Organizations with grant reporting
and custom features</li>
      </ul>
    </div>
  </div>
</section>
```

```
</ul>
</div>

<h3 className="text-lg font-semibold text-navy-900 mb-3">6.2 Billing and Payment</h3>
<ul className="space-y-2 text-navy-700 mb-6">
  <li>Paid subscriptions are billed in advance on a monthly basis</li>
  <li>Payment is processed through secure third-party processors (Stripe)</li>
  <li>You authorize us to charge your payment method on a recurring basis</li>
  <li>All fees are non-refundable except as required by law or our refund policy</li>
</ul>

<h3 className="text-lg font-semibold text-navy-900 mb-3">6.3 Free Trial & Money-Back Guarantee</h3>
<p className="text-navy-700 mb-4">
  We offer a free trial period for new users and a 30-day money-back guarantee for paid subscriptions.
  If you are not satisfied, contact us within 30 days of your first payment for a full refund.
</p>

<h3 className="text-lg font-semibold text-navy-900 mb-3">6.4 Cancellation</h3>
<p className="text-navy-700 mb-4">
  You may cancel your subscription at any time through your account settings. Cancellation takes effect at the
  end of your current billing period. You will retain access to paid features until then.
</p>

<h3 className="text-lg font-semibold text-navy-900 mb-3">6.5 Price Changes</h3>
<p className="text-navy-700">
  We may change subscription prices with at least 30 days' notice. Price changes will take effect at your
  next billing cycle after the notice period.
</p>
</div>
</section>

<section id="user-conduct" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <Users className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">7. User Conduct</h2>
  </div>
  <div className="pl-11">
    <h3 className="text-lg font-semibold text-navy-900 mb-3">7.1 Acceptable Use</h3>
    <p className="text-navy-700 mb-4">You agree to use our Services only for lawful purposes and in accordance with
    these Terms. You agree NOT to:</p>
    <ul className="space-y-2 text-navy-700 mb-6">
      <li>Use our Services for any illegal purpose or to violate any laws</li>
      <li>Attempt to gain unauthorized access to our systems or other users' accounts</li>
      <li>Interfere with or disrupt the integrity or performance of our Services</li>
      <li>Transmit any malware, viruses, or harmful code</li>
      <li>Attempt to reverse engineer, decompile, or extract source code from our AI systems</li>
      <li>Use automated systems to access our Services without permission</li>
      <li>Resell, redistribute, or sublicense our Services without authorization</li>
      <li>Impersonate any person or entity or misrepresent your affiliation</li>
    </ul>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">7.2 User Content Responsibilities</h3>
    <p className="text-navy-700 mb-4">
      You are solely responsible for User Content you submit. By submitting User Content, you represent and warrant
      that:
    </p>
    <ul className="space-y-2 text-navy-700 mb-6">
      <li>You have the right to submit such content</li>
      <li>The content is accurate and not misleading</li>
      <li>The content does not violate any third-party rights</li>
      <li>The content does not contain illegal, defamatory, or harmful material</li>
    </ul>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">7.3 Prohibited Content</h3>
    <p className="text-navy-700">
      You may not use our Services to generate, store, or transmit content that is fraudulent, deceptive,
      discriminatory, harassing, threatening, or that promotes illegal activities.
    </p>
  </div>
</section>

<section id="intellectual-property" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <Shield className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">8. Intellectual Property</h2>
  </div>
  <div className="pl-11">
    <h3 className="text-lg font-semibold text-navy-900 mb-3">8.1 Our Intellectual Property</h3>
    <p className="text-navy-700 mb-4">
      The Services, including all content, features, functionality, software, AI models, and underlying technology,
      are owned by ezLegal.ai and LegalBreeze, Inc. and are protected by intellectual property laws. Our trademarks,
      logos, and service marks may not be used without our prior written consent.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">8.2 Limited License</h3>
    <p className="text-navy-700 mb-4">
      We grant you a limited, non-exclusive, non-transferable, revocable license to access and use our Services
      for your personal or internal business purposes in accordance with these Terms.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">8.3 Your Content</h3>
    <p className="text-navy-700 mb-4">
```



```
<section id="termination" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <Clock className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">12. Termination</h2>
  </div>
  <div className="pl-11">
    <h3 className="text-lg font-semibold text-navy-900 mb-3">12.1 Termination by You</h3>
    <p className="text-navy-700 mb-4">
      You may terminate your account at any time by contacting us or using the account closure feature in your settings. Upon termination, your right to use our Services will immediately cease.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">12.2 Termination by Us</h3>
    <p className="text-navy-700 mb-4">
      We may suspend or terminate your access to our Services at any time, with or without cause, including if we reasonably believe you have violated these Terms. We will provide notice when practicable.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">12.3 Effect of Termination</h3>
    <p className="text-navy-700 mb-4">
      Upon termination, you will no longer have access to your account or any data stored in it. We may delete your data in accordance with our Privacy Policy. Provisions that by their nature should survive termination shall survive, including Sections 8-11, 13, and 14.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">12.4 Data Export</h3>
    <p className="text-navy-700">
      Prior to termination, you may request an export of your data. Contact us at privacy@ezlegal.ai to request your data within 30 days of account closure.
    </p>
  </div>
</section>

<section id="disputes" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <Scale className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">13. Dispute Resolution</h2>
  </div>
  <div className="pl-11">
    <h3 className="text-lg font-semibold text-navy-900 mb-3">13.1 Governing Law</h3>
    <p className="text-navy-700 mb-4">
      These Terms and any disputes arising under these terms shall be governed by and construed in accordance with the laws of the State of Arizona, without regard to its conflict of law provisions.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">13.2 Informal Resolution</h3>
    <p className="text-navy-700 mb-4">
      Before initiating any formal dispute resolution, you agree to contact us at legal@ezlegal.ai to attempt to resolve any dispute informally. We will attempt to resolve disputes within 45 days of receipt of notice.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">13.3 Arbitration</h3>
    <p className="text-navy-700 mb-4">
      If informal resolution fails, any dispute shall be resolved by binding arbitration in accordance with JAMS Comprehensive Arbitration Rules. Arbitration shall be conducted in Pima County, Arizona, or via video conference at your option.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">13.4 Class Action Waiver</h3>
    <p className="text-navy-700 mb-4 font-medium">
      YOU AGREE THAT ANY DISPUTE RESOLUTION PROCEEDINGS WILL BE CONDUCTED ONLY ON AN INDIVIDUAL BASIS AND NOT IN A CLASS, CONSOLIDATED, OR REPRESENTATIVE ACTION.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">13.5 Exceptions</h3>
    <p className="text-navy-700">
      Either party may seek injunctive or other equitable relief in any court of competent jurisdiction to prevent the actual or threatened infringement of intellectual property rights.
    </p>
  </div>
</section>

<section id="general" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <FileText className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">14. General Provisions</h2>
  </div>
  <div className="pl-11">
    <h3 className="text-lg font-semibold text-navy-900 mb-3">14.1 Entire Agreement</h3>
    <p className="text-navy-700 mb-4">
      These Terms, together with our Privacy Policy and AI Governance Policy, constitute the entire agreement between you and ezLegal.ai regarding your use of our Services.
    </p>

    <h3 className="text-lg font-semibold text-navy-900 mb-3">14.2 Severability</h3>
    <p className="text-navy-700 mb-4">
      If any provision of these Terms is found to be unenforceable, the remaining provisions shall continue in full force and effect.
    </p>
  </div>
</section>
```

```

<h3 className="text-lg font-semibold text-navy-900 mb-3">14.3 Waiver</h3>
<p className="text-navy-700 mb-4">
  Our failure to enforce any right or provision of these Terms shall not constitute a waiver of such
  right or provision.
</p>

<h3 className="text-lg font-semibold text-navy-900 mb-3">14.4 Assignment</h3>
<p className="text-navy-700 mb-4">
  You may not assign or transfer these Terms without our prior written consent. We may assign these Terms
  without restriction.
</p>

<h3 className="text-lg font-semibold text-navy-900 mb-3">14.5 Modifications</h3>
<p className="text-navy-700 mb-4">
  We reserve the right to modify these Terms at any time. Material changes will be communicated via email
  or prominent notice on our website at least 30 days before taking effect.
</p>

<h3 className="text-lg font-semibold text-navy-900 mb-3">14.6 Force Majeure</h3>
<p className="text-navy-700">
  We are not liable if events outside our control stop or slow our work. These events include natural disasters,
  war, riots, embargoes, government acts, or outages at outside services we rely on.
</p>
</div>
</section>

<section id="contact" className="mb-12">
  <div className="flex items-center gap-3 mb-4">
    <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center">
      <Mail className="w-4 h-4 text-teal-600" />
    </div>
    <h2 className="text-2xl font-bold text-navy-900 m-0">15. Contact Information</h2>
  </div>
  <div className="pl-11">
    <p className="text-navy-700 mb-6">
      If you have questions about these Terms, please contact us:
    </p>
    <div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
      <div className="flex items-start gap-4 mb-4">
        <Building className="w-5 h-5 text-teal-600 flex-shrink-0 mt-1" />
        <div>
          <p className="font-semibold text-navy-900">ezLegal.ai<sup className="text-[8px]">TM</sup></p>
          <p className="text-navy-600">A <span className="text-navy-800">Legalbre</span><span
            className="text-teal-500">ez</span><span className="text-navy-800">e</span><sup className="text-[8px] text-navy-500">TM</sup>
            Company</p>
          <p className="text-navy-600">177 N. Church Ave., Suite 808</p>
          <p className="text-navy-600">Tucson, AZ 85701</p>
        </div>
      </div>
      <div className="flex items-center gap-4 mb-2">
        <Mail className="w-5 h-5 text-teal-600 flex-shrink-0" />
        <div>
          <p className="text-navy-700">Legal Inquiries: <a href="mailto:legal@ezlegal.ai" className="text-teal-600
            hover:text-teal-800">legal@ezlegal.ai</a></p>
          <p className="text-navy-700">Privacy Inquiries: <a href="mailto:privacy@ezlegal.ai" className="text-teal-600
            hover:text-teal-800">privacy@ezlegal.ai</a></p>
          <p className="text-navy-700">General Support: <a href="mailto:support@legalbreeze.com"
            className="text-teal-600 hover:text-teal-800">support@legalbreeze.com</a></p>
        </div>
      </div>
    </div>
  </div>
</section>
</div>
</div>
</section>

<section className="py-12 bg-gradient-to-br from-teal-700 via-teal-600 to-navy-900 text-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <h2 className="text-2xl font-bold mb-4">Related Policies</h2>
    <p className="text-navy-200 mb-8">
      These Terms work together with our other policies to protect your rights and outline our commitments.
    </p>
    <div className="flex flex-wrap justify-center gap-4">
      <Link
        to="/privacy"
        className="bg-white text-teal-600 px-6 py-3 rounded-lg font-semibold hover:bg-teal-50 transition-colors"
      >
        Privacy Policy
      </Link>
      <Link
        to="/ai-governance"
        className="bg-white/10 border border-white/30 text-white px-6 py-3 rounded-lg font-semibold hover:bg-white/20
        transition-colors"
      >
        AI Governance, Ethics & Access
      </Link>
    </div>
  </div>
</section>

<Footer />
</div>
);
}

```


[48/58] Toolkit

Route: /toolkit | File: src/pages/Toolkit.tsx

```
import { useEffect, useState } from 'react';
import { FileText, QRCode, ScanText, Table as TableIcon, Download, Loader2, CheckCircle2, AlertCircle } from 'lucide-react';
import { buildPdf, templateDefaults, type PdfTemplate } from '../lib/toolkit/pdf';
import { generateQrDataUrl, dataUrlToBlob, type QrEcc } from '../lib/toolkit/qr';
import { runOcr, type OcrLanguage } from '../lib/toolkit/ocr';
import { parseCsv, toCsv, downloadCsv } from '../lib/toolkit/csv';
import { savePdfJob, saveQrCode, saveOcrJob, saveCsvImport, loadHistory, type ToolkitHistory } from '../lib/toolkit/persist';

type Tab = 'pdf' | 'qr' | 'ocr' | 'csv';

const TABS: Array<{ id: Tab; label: string; icon: typeof FileText }> = [
  { id: 'pdf', label: 'PDF Builder', icon: FileText },
  { id: 'qr', label: 'QR Codes', icon: QRCode },
  { id: 'ocr', label: 'OCR', icon: ScanText },
  { id: 'csv', label: 'CSV Tools', icon: TableIcon },
];

export default function Toolkit() {
  const [tab, setTab] = useState<Tab>('pdf');
  const [history, setHistory] = useState<ToolkitHistory>({ pdfs: [], qrs: [], ocrs: [], csvs: [] });

  const refresh = async () => setHistory(await loadHistory());
  useEffect(() => {
    void refresh();
  }, []);

  return (
    <div className="min-h-screen bg-slate-50">
      <header className="bg-white border-b border-slate-200">
        <div className="max-w-6xl mx-auto px-6 py-8">
          <h1 className="text-3xl font-bold text-slate-900">Toolkit</h1>
          <p className="mt-2 text-slate-600">Generate PDFs, QR codes, run OCR, and manage CSVs. All results are stored securely to
your account.</p>
        </div>
      </header>

      <div className="max-w-6xl mx-auto px-6 py-8">
        <div className="flex flex-wrap gap-2 mb-6">
          {TABS.map(({ id, label, icon: Icon }) => (
            <button
              key={id}
              onClick={() => setTab(id)}
              className={`inline-flex items-center gap-2 px-4 py-2 rounded-lg border transition ${
                tab === id
                  ? 'bg-teal-600 border-teal-600 text-white shadow-sm'
                  : 'bg-white border-slate-200 text-slate-700 hover:border-teal-300'
              }`}
            >
              <Icon className="w-4 h-4" />
              {label}
            </button>
          ))}
        </div>

        <div className="grid lg:grid-cols-3 gap-6">
          <div className="lg:col-span-2">
            {tab === 'pdf' && <PdfPanel onSave={refresh} />}
            {tab === 'qr' && <QrPanel onSave={refresh} />}
            {tab === 'ocr' && <OcrPanel onSave={refresh} />}
            {tab === 'csv' && <CsvPanel onSave={refresh} />}
          </div>
          <aside className="lg:col-span-1">
            <HistoryPanel tab={tab} history={history} />
          </aside>
        </div>
      </div>
    </div>
  );
}

function Card({ children, title, subtitle }: { children: React.ReactNode; title: string; subtitle?: string }) {
  return (
    <section className="bg-white border border-slate-200 rounded-xl shadow-sm p-6">
      <div className="mb-5">
        <h2 className="text-lg font-semibold text-slate-900">{title}</h2>
        {subtitle && <p className="mt-1 text-sm text-slate-600">{subtitle}</p>}
      </div>
      {children}
    </section>
  );
}

function Status({ kind, children }: { kind: 'idle' | 'loading' | 'success' | 'error'; children: React.ReactNode }) {
  const styles = {
    idle: 'text-slate-500',
    loading: 'text-teal-700',
    success: 'text-emerald-700',
    error: 'text-rose-700',
  }[kind];
}
```

```

const Icon = kind === 'loading' ? Loader2 : kind === 'success' ? CheckCircle2 : kind === 'error' ? AlertCircle : null;
return (
  <div className={`flex items-center gap-2 text-sm ${styles}`}>
    {Icon && <Icon className={`w-4 h-4 ${kind === 'loading' ? 'animate-spin' : ''}`} />}
    <span>{children}</span>
  </div>
);
}

function PdfPanel({ onSave }: { onSave: () => void }) {
  const [title, setTitle] = useState('Matter Summary');
  const [template, setTemplate] = useState<PdfTemplate>('contract-summary');
  const [body, setBody] = useState('');
  const [status, setStatus] = useState<'idle' | 'loading' | 'success' | 'error'>('idle');

  const applyTemplate = (t: PdfTemplate) => {
    setTemplate(t);
    const d = templateDefaults(t);
    setTitle(d.title);
    setBody(d.sections.map((s) => `${s.heading} \n` : '')`${s.body}`).join('\n\n'));
  };

  const generate = async () => {
    setStatus('loading');
    try {
      const sections = body.split(/\n\n+/).map((chunk) => {
        const match = chunk.match(/^# (.+)\n([\s\S]*)$/);
        return match ? { heading: match[1], body: match[2] } : { body: chunk };
      });
      const { blob } = buildPdf({ title, template, sections, footer: 'ezLegal.ai - Legal information, not legal advice.' });
      const url = URL.createObjectURL(blob);
      const a = document.createElement('a');
      a.href = url;
      a.download = `${title.replace(/ /g, '-').toLowerCase()}.pdf`;
      a.click();
      URL.revokeObjectURL(url);
      await savePdfJob({ title, template, meta: { sections: sections.length } });
      setStatus('success');
      onSave();
    } catch {
      setStatus('error');
    }
  };

  return (
    <Card title="PDF Builder" subtitle="Generate professional PDFs from built-in templates.">
      <div className="space-y-4">
        <div>
          <label className="block text-sm font-medium text-slate-700 mb-1">Template</label>
          <div className="grid grid-cols-2 gap-2">
            {[('contract-summary', 'intake-packet', 'risk-report', 'blank') as PdfTemplate[]].map((t) => (
              <button
                key={t}
                onClick={() => applyTemplate(t)}
                className={`text-left px-3 py-2 rounded-lg border text-sm capitalize ${
                  template === t ? 'border-teal-500 bg-teal-50 text-teal-800' : 'border-slate-200 hover:border-slate-300'
                }`}
              >
                {t.replace('-', ' ')}
              </button>
            ))}
          </div>
        </div>
        <div>
          <label className="block text-sm font-medium text-slate-700 mb-1">Title</label>
          <input
            value={title}
            onChange={(e) => setTitle(e.target.value)}
            className="w-full px-3 py-2 border border-slate-300 rounded-lg focus:ring-2 focus:ring-teal-500 focus:border-teal-500"
          />
        </div>
        <div>
          <label className="block text-sm font-medium text-slate-700 mb-1">Content</label>
          <p className="text-xs text-slate-500 mb-1">Use "# Heading" on its own line to add sections. Separate sections with a blank
line.</p>
          <textarea
            value={body}
            onChange={(e) => setBody(e.target.value)}
            rows={10}
            className="w-full px-3 py-2 border border-slate-300 rounded-lg font-mono text-sm focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
          />
        </div>
        <div className="flex items-center justify-between">
          <Status kind={status}>
            {status === 'idle' && 'Ready to generate.'}
            {status === 'loading' && 'Generating PDF...'}
            {status === 'success' && 'PDF downloaded and saved to history.'}
            {status === 'error' && 'Something went wrong. Try again.'}
          </Status>
          <button
            onClick={generate}
            disabled={status === 'loading'}
            className="inline-flex items-center gap-2 px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white font-medium rounded-lg
disabled:opacity-60"
          >

```

```

        <Download className="w-4 h-4" />
        Generate PDF
      </button>
    </div>
  </div>
</Card>
);
}

function QrPanel({ onSaved }: { onSaved: () => void }) {
  const [label, setLabel] = useState('Intake link');
  const [payload, setPayload] = useState('https://ezlegal.ai');
  const [size, setSize] = useState(256);
  const [ecc, setEcc] = useState<QrEcc>('M');
  const [dataUrl, setDataUrl] = useState('');
  const [status, setStatus] = useState<'idle' | 'loading' | 'success' | 'error'>('idle');

  const generate = async () => {
    setStatus('loading');
    try {
      const url = await generateQrDataURL(payload, { size, ecc });
      setDataUrl(url);
      await saveQrCode({ label, payload, size, ecc, data_url: url });
      setStatus('success');
      onSaved();
    } catch {
      setStatus('error');
    }
  };

  const download = () => {
    if (!dataUrl) return;
    const blob = dataUrlToBlob(dataUrl);
    const url = URL.createObjectURL(blob);
    const a = document.createElement('a');
    a.href = url;
    a.download = `${label.replace(/ /g, '-').toLowerCase()} || 'qr'.png`;
    a.click();
    URL.revokeObjectURL(url);
  };

  return (
    <Card title="QR Codes" subtitle="Create shareable QR codes with error-correction control.">
      <div className="grid md:grid-cols-2 gap-5">
        <div className="space-y-4">
          <div>
            <label className="block text-sm font-medium text-slate-700 mb-1">Label</label>
            <input value={label} onChange={(e) => setLabel(e.target.value)} className="w-full px-3 py-2 border border-slate-300 rounded-lg" />
          </div>
          <div>
            <label className="block text-sm font-medium text-slate-700 mb-1">Payload (URL or text)</label>
            <textarea value={payload} onChange={(e) => setPayload(e.target.value)} rows={3} className="w-full px-3 py-2 border border-slate-300 rounded-lg font-mono text-sm" />
          </div>
          <div className="grid grid-cols-2 gap-3">
            <div>
              <label className="block text-sm font-medium text-slate-700 mb-1">Size (px)</label>
              <input
                type="number"
                min={128}
                max={1024}
                value={size}
                onChange={(e) => setSize(Number(e.target.value) || 256)}
                className="w-full px-3 py-2 border border-slate-300 rounded-lg"
              />
            </div>
            <div>
              <label className="block text-sm font-medium text-slate-700 mb-1">Error correction</label>
              <select value={ecc} onChange={(e) => setEcc(e.target.value as QrEcc)} className="w-full px-3 py-2 border border-slate-300 rounded-lg">
                <option value="L">L (7%)</option>
                <option value="M">M (15%)</option>
                <option value="Q">Q (25%)</option>
                <option value="H">H (30%)</option>
              </select>
            </div>
          </div>
          <div className="flex items-center justify-between pt-2">
            <Status kind={status}>
              {status === 'idle' && 'Enter a payload and generate.'}
              {status === 'loading' && 'Generating QR...'}
              {status === 'success' && 'QR saved to history.'}
              {status === 'error' && 'Failed to generate QR.'}
            </Status>
            <button onClick={generate} disabled={status === 'loading'} className="px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white font-medium rounded-lg disabled:opacity-60">
              Generate
            </button>
          </div>
        </div>
        <div className="flex flex-col items-center justify-center bg-slate-50 rounded-xl border border-dashed border-slate-300 p-6 min-h-[280px]">
          {dataUrl ? (
            <img src={dataUrl} alt={label} className="rounded-lg shadow-sm bg-white" style={{ width: Math.min(size, 220), height:

```

```

Math.min(size, 220) }} loading="lazy" />
      <button onClick={download} className="mt-4 inline-flex items-center gap-2 text-sm text-teal-700 hover:text-teal-800
font-medium">
        <Download className="w-4 h-4" /> Download PNG
      </button>
    </>
  ) : (
    <div className="text-center text-slate-500 text-sm">
      <QrCode className="w-10 h-10 mx-auto mb-2 text-slate-300" />
      Preview appears here.
    </div>
  )
</div>
</div>
</Card>
);
}

function OcrPanel({ onSave }: { onSave: () => void }) {
  const [file, setFile] = useState<File | null>(null);
  const [language, setLanguage] = useState<OcrLanguage>('eng');
  const [progress, setProgress] = useState(0);
  const [text, setText] = useState('');
  const [confidence, setConfidence] = useState<number | null>(null);
  const [status, setStatus] = useState<'idle' | 'loading' | 'success' | 'error'>('idle');

  const run = async () => {
    if (!file) return;
    setStatus('loading');
    setProgress(0);
    try {
      const result = await runOcr(file, language, setProgress);
      setText(result.text);
      setConfidence(result.confidence);
      await saveOcrJob({ file_name: file.name, language, text: result.text, confidence: result.confidence });
      setStatus('success');
      onSave();
    } catch {
      setStatus('error');
    }
  };

  return (
    <Card title="OCR" subtitle="Extract text from images. Processed locally in your browser.">
      <div className="space-y-4">
        <div className="grid md:grid-cols-2 gap-3">
          <div>
            <label className="block text-sm font-medium text-slate-700 mb-1">Image file</label>
            <input
              type="file"
              accept="image/*"
              onChange={(e) => setFile(e.target.files?.[0] ?? null)}
              className="w-full text-sm file:mr-3 file:px-3 file:py-2 file:rounded-lg file:border-0 file:bg-teal-600 file:text-white
hover:file:bg-teal-700"
            />
          </div>
          <div>
            <label className="block text-sm font-medium text-slate-700 mb-1">Language</label>
            <select value={language} onChange={(e) => setLanguage(e.target.value as OcrLanguage)} className="w-full px-3 py-2 border
border-slate-300 rounded-lg">
              <option value="eng">English</option>
              <option value="spa">Spanish</option>
              <option value="eng+spa">English + Spanish</option>
            </select>
          </div>
        </div>

        {status === 'loading' && (
          <div>
            <div className="h-2 bg-slate-100 rounded-full overflow-hidden">
              <div className="h-full bg-teal-600 transition-all" style={{ width: `${progress}%` }} />
            </div>
            <p className="mt-1 text-xs text-slate-500">Recognizing text... {progress}%</p>
          </div>
        )}

        <div className="flex items-center justify-between">
          <Status kind={status}>
            {status === 'idle' && (file ? 'Ready to run OCR.' : 'Choose an image file.')}
            {status === 'loading' && 'Running OCR in your browser...'}
            {status === 'success' && `Done. Confidence ${confidence ?? 0}%.`}
            {status === 'error' && 'OCR failed.'}
          </Status>
          <button onClick={run} disabled={!file || status === 'loading'} className="px-4 py-2 bg-teal-600 hover:bg-teal-700
text-white font-medium rounded-lg disabled:opacity-60">
            Run OCR
          </button>
        </div>

        {text && (
          <div>
            <label className="block text-sm font-medium text-slate-700 mb-1">Extracted text</label>
            <textarea readOnly value={text} rows={10} className="w-full px-3 py-2 border border-slate-300 rounded-lg font-mono
text-sm bg-slate-50" />
          </div>
        )}
      </div>
    </Card>
  );
}

```

```

    </div>
  </Card>
);
}

function CsvPanel({ onSave }: { onSave: () => void }) {
  const [file, setFile] = useState<File | null>(null);
  const [headers, setHeaders] = useState<string[]>([]);
  const [rows, setRows] = useState<Record<string, string>[]>([]);
  const [errors, setErrors] = useState<Array<{ line: number; message: string }>>([]);
  const [status, setStatus] = useState<'idle' | 'loading' | 'success' | 'error'>('idle');

  const handleFile = async () => {
    if (!file) return;
    setStatus('loading');
    try {
      const text = await file.text();
      const parsed = parseCsv(text);
      setHeaders(parsed.headers);
      setRows(parsed.rows);
      setErrors(parsed.errors);
      await saveCsvImport({
        file_name: file.name,
        row_count: parsed.rows.length,
        error_count: parsed.errors.length,
        sample: parsed.rows.slice(0, 5),
      });
      setStatus('success');
      onSave();
    } catch {
      setStatus('error');
    }
  };

  const exportClean = () => {
    if (headers.length === 0) return;
    downloadCsv('cleaned.csv', toCsv(headers, rows));
  };

  return (
    <Card title="CSV Tools" subtitle="Parse, validate, and export CSV files with schema feedback.">
      <div className="space-y-4">
        <div>
          <label className="block text-sm font-medium text-slate-700 mb-1">CSV file</label>
          <input
            type="file"
            accept=".csv,text/csv"
            onChange={(e) => setFile(e.target.files?.[0] ?? null)}
            className="w-full text-sm file:mr-3 file:px-3 file:py-2 file:rounded-lg file:border-0 file:bg-teal-600 file:text-white
            hover:file:bg-teal-700"
          />
        </div>
        <div className="flex items-center justify-between">
          <Status kind={status}>
            {status === 'idle' && (file ? 'Ready to parse.' : 'Choose a CSV file.')}
            {status === 'loading' && 'Parsing CSV...'}
            {status === 'success' && `Parsed ${rows.length} rows. ${errors.length} issues.`}
            {status === 'error' && 'Failed to parse CSV.'}
          </Status>
          <div className="flex gap-2">
            <button onClick={handleFile} disabled={!file || status === 'loading'} className="px-4 py-2 bg-teal-600 hover:bg-teal-700
            text-white font-medium rounded-lg disabled:opacity-60">
              Parse
            </button>
            <button onClick={exportClean} disabled={rows.length === 0} className="px-4 py-2 border border-slate-300 text-slate-700
            hover:bg-slate-50 font-medium rounded-lg disabled:opacity-60">
              Export
            </button>
          </div>
        </div>
        {errors.length > 0 && (
          <div className="bg-amber-50 border border-amber-200 rounded-lg p-3 text-sm text-amber-800">
            <div className="font-medium mb-1">Warnings</div>
            <ul className="list-disc ml-5 space-y-0.5">
              {errors.slice(0, 5).map((e, i) => (
                <li key={i}>Line {e.line}: {e.message}</li>
              ))}
              {errors.length > 5 && <li>...and {errors.length - 5} more.</li>}
            </ul>
          </div>
        )}
        {rows.length > 0 && (
          <div className="overflow-x-auto border border-slate-200 rounded-lg">
            <table className="min-w-full text-sm">
              <thead className="bg-slate-50 text-slate-700">
                <tr>
                  {headers.map((h) => (
                    <th key={h} className="px-3 py-2 text-left font-medium border-b border-slate-200">{h}</th>
                  ))}
                </tr>
              </thead>
              <tbody>
                {rows.slice(0, 10).map((r, i) => (
                  <tr key={i} className="odd:bg-white even:bg-slate-50">

```

```

        {headers.map((h) => (
          <td key={h} className="px-3 py-2 border-b border-slate-100 text-slate-700">{r[h]}</td>
        ))}
      </tr>
    ))}
  </tbody>
</table>
{rows.length > 10 && <div className="px-3 py-2 text-xs text-slate-500 bg-slate-50">Showing 10 of {rows.length}
rows.</div>}
</div>
)}
</div>
</Card>
);
}

function HistoryPanel({ tab, history }: { tab: Tab; history: ToolkitHistory }) {
  const items =
    tab === 'pdf'
      ? history.pdfs.map((p) => ({ id: p.id, title: p.title, sub: p.template, date: p.created_at }))
      : tab === 'qr'
      ? history.qrs.map((q) => ({ id: q.id, title: q.label || 'QR', sub: q.payload, date: q.created_at }))
      : tab === 'ocr'
      ? history.ocrs.map((o) => ({ id: o.id, title: o.file_name, sub: `${o.language} - ${o.confidence}%`, date: o.created_at }))
      : history.csvs.map((c) => ({ id: c.id, title: c.file_name, sub: `${c.row_count} rows, ${c.error_count} issues`, date:
c.created_at }));

  return (
    <section className="bg-white border border-slate-200 rounded-xl shadow-sm p-6">
      <h2 className="text-lg font-semibold text-slate-900 mb-3">Recent activity</h2>
      {items.length === 0 ? (
        <p className="text-sm text-slate-500">No items yet. Generate something to see it here.</p>
      ) : (
        <ul className="space-y-3">
          {items.slice(0, 8).map((it) => (
            <li key={it.id} className="border-b border-slate-100 pb-3 last:border-none last:pb-0">
              <div className="text-sm font-medium text-slate-900 truncate">{it.title}</div>
              <div className="text-xs text-slate-500 truncate">{it.sub}</div>
              <div className="text-xs text-slate-400 mt-1">{new Date(it.date).toLocaleString()}</div>
            </li>
          ))}
        </ul>
      )}
      <p className="mt-4 text-xs text-slate-500">Saved securely via Supabase (row-level security).</p>
    </section>
  );
}

```

[49/58] Trust Center

Route: /trust-center | File: src/pages/TrustCenter.tsx

```
import { useState } from 'react';
import { Link } from 'react-router-dom';
import Breadcrumbs from '../components/Breadcrumbs';
import RelatedLinks from '../components/RelatedLinks';
import {
  Shield, Lock, FileText, AlertCircle, Eye, Database, Server,
  CheckCircle, Clock, Trash2, Download, MessageSquare,
  ExternalLink, HelpCircle, Flag, Users, Brain, ShieldCheck,
  Fingerprint, Building2, Layers, Key, Globe, Ban, Network
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import TrustSafetyReportModal from '../components/TrustSafetyReportModal';
import TrustFAQ from '../components/TrustFAQ';
import SafeUseChecklist from '../components/SafeUseChecklist';

function generatePDF(title: string, content: string) {
  const htmlContent = `
    <!DOCTYPE html>
    <html>
    <head>
      <title>${title} - ezLegal.ai&trade;</title>
      <style>
        body { font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif; max-width: 800px; margin: 40px auto; padding: 20px;
color: #102A43; line-height: 1.6; }
        h1 { color: #0D9488; border-bottom: 2px solid #0D9488; padding-bottom: 10px; }
        h2 { color: #0A8A8A; margin-top: 30px; }
        h3 { color: #102A43; margin-top: 20px; }
        ul { padding-left: 20px; }
        li { margin: 8px 0; }
        .header { display: flex; align-items: center; gap: 10px; margin-bottom: 30px; }
        .logo { font-size: 24px; font-weight: bold; color: #0D9488; }
        .date { color: #627D98; font-size: 14px; margin-top: 5px; }
        .footer { margin-top: 50px; padding-top: 20px; border-top: 1px solid #D9E2EC; color: #627D98; font-size: 12px; }
        .check { color: #16A34A; }
        .tm { font-size: 0.7em; vertical-align: super; }
      </style>
    </head>
    <body>
      <div class="header">
        <div class="logo">ezLegal.ai<span class="tm">&trade;</span></div>
      </div>
      <h1>${title}</h1>
      <p class="date">Generated: ${new Date().toLocaleDateString('en-US', { year: 'numeric', month: 'long', day: 'numeric' })}</p>
      ${content}
      <div class="footer">
        <p>ezLegal.ai&trade; - AI-Powered Legal Information Platform</p>
        <p>Powered by LegalBreeze&trade;</p>
        <p>This document is for informational purposes only and does not constitute legal advice.</p>
        <p>Contact: trust@ezlegal.ai | www.ezlegal.ai/trust-center</p>
      </div>
    </body>
    </html>
  `;

  const blob = new Blob([htmlContent], { type: 'text/html' });
  const url = URL.createObjectURL(blob);
  const printWindow = window.open(url, '_blank');

  if (printWindow) {
    printWindow.onload = () => {
      setTimeout(() => {
        printWindow.print();
      }, 250);
    };
  }
}

const pdfContents = {
  privacy: {
    title: 'Privacy & Data Practices Policy',
    content: `
      <h2>Data Collection</h2>
      <ul>
        <li><span class="check">&#10003;</span> We collect only information necessary to provide our services</li>
        <li><span class="check">&#10003;</span> Chat conversations are stored to improve your experience</li>
        <li><span class="check">&#10003;</span> Account information for registered users</li>
      </ul>

      <h2>Data Use</h2>
      <ul>
        <li><span class="check">&#10003;</span> <strong>Never used to train AI models</strong></li>
        <li><span class="check">&#10003;</span> Not sold to third parties</li>
        <li><span class="check">&#10003;</span> Used only to provide and improve services</li>
      </ul>

      <h2>Data Retention</h2>
      <ul>
        <li><span class="check">&#10003;</span> Chat history automatically deleted after 90 days</li>
    `
  }
}
```



```

    <li><span class="check">&#10003;</span> Documents retained for 1 year, then automatically deleted</li>
    <li><span class="check">&#10003;</span> Free chat sessions expire after 24 hours of inactivity</li>
  </ul>

  <h2>Your Rights</h2>
  <ul>
    <li><span class="check">&#10003;</span> Export your data in JSON or CSV format from your profile</li>
    <li><span class="check">&#10003;</span> Request data deletion with immediate or scheduled options</li>
    <li><span class="check">&#10003;</span> Access and correct your personal information</li>
  </ul>

  <h2>Contact</h2>
  <p>For privacy-related inquiries, contact us at: privacy@ezlegal.ai</p>
},
dataSovereignty: {
  title: 'Data Sovereignty & AI Training Policy',
  content:
    <h2>Zero Training Guarantee</h2>
    <p><strong>Your client data is NEVER used to train foundational large language models.</strong> This is a core principle of our platform architecture, not just a policy choice.</p>

    <h2>Inference-Only Architecture</h2>
    <p>Our AI uses pre-trained models in inference-only mode. Your queries and conversations are processed to generate responses but are never fed back into model training pipelines.</p>

    <h2>Isolated Processing</h2>
    <p>Your data runs in its own space. It is never mixed with another client's data at any step.</p>

    <h2>White-Label Client Guarantees</h2>
    <h3>Logical Isolation</h3>
    <p>Each white-label setup runs in its own space. It has its own database, API routes, and access rules.</p>

    <h3>Encryption</h3>
    <p>All data is encrypted at rest (AES-256) and in transit (TLS 1.3) via our cloud infrastructure provider (Supabase).</p>

    <h3>Data Hosting</h3>
    <p>Data is hosted in the United States via Supabase's managed cloud infrastructure.</p>

    <h2>What We Guarantee</h2>
    <ul>
      <li><span class="check">&#10003;</span> Your data is never used to train, fine-tune, or improve any AI models</li>
      <li><span class="check">&#10003;</span> Your data is never shared with AI model providers for their training purposes</li>
      <li><span class="check">&#10003;</span> Your data is never accessible to other ezLegal.ai<sup>®</sup> clients or tenants</li>
      <li><span class="check">&#10003;</span> Complete data deletion is available within 30 days upon request</li>
    </ul>

    <h2>Audit & Verification</h2>
    <ul>
      <li><span class="check">&#10003;</span> Infrastructure provider (Supabase) maintains SOC 2 Type II certification</li>
      <li><span class="check">&#10003;</span> Row Level Security enforces data access controls at the database level</li>
      <li><span class="check">&#10003;</span> Activity audit logs track user actions and data access</li>
      <li><span class="check">&#10003;</span> Data export and deletion available through account settings</li>
    </ul>
},
security: {
  title: 'Security Whitepaper',
  content:
    <h2>Encryption</h2>
    <h3>TLS 1.3 (in transit) + AES-256 (at rest)</h3>
    <p>All data is encrypted in transit using TLS 1.3 and at rest using AES-256 encryption via our cloud infrastructure provider.</p>
    <p><strong>Last verified:</strong> January 2026</p>

    <h2>Secure Cloud Infrastructure</h2>
    <p>Built on enterprise-grade cloud infrastructure with continuous monitoring, automated backups, and redundancy.</p>
    <p><strong>Infrastructure provider:</strong> Supabase (SOC 2 Type II certified)</p>

    <h2>Compliance</h2>
    <h3>CCPA Compliant</h3>
    <p>We comply with the California Consumer Privacy Act and honor data access and deletion requests.</p>

    <h2>Security Practices</h2>
    <ul>
      <li><span class="check">&#10003;</span> Multi-factor authentication available</li>
      <li><span class="check">&#10003;</span> Secure session management via Supabase Auth</li>
      <li><span class="check">&#10003;</span> Row Level Security for database access control</li>
      <li><span class="check">&#10003;</span> Activity logging and audit trails</li>
    </ul>

    <h2>Infrastructure Security</h2>
    <ul>
      <li>Hosted on Supabase (SOC 2 Type II certified infrastructure)</li>
      <li>Automated database backups and point-in-time recovery</li>
      <li>Managed PostgreSQL with high availability</li>
      <li>Serverless edge functions for secure API processing</li>
    </ul>
},
aiEthics: {
  title: 'AI Ethics & Governance Policy',
  content:
    <h2>Accuracy & Limitations</h2>
    <h3>Citations & Sources</h3>
    <p>Where possible, AI responses include references to relevant laws, statutes, and jurisdiction-specific information. We

```

indicate when information may be outdated or when uncertainty exists.</p>

<p>We ask for your location to provide jurisdiction-relevant information. Laws vary significantly between states and countries.</p>

<p>AI explicitly indicates when it's uncertain or when a question is too complex for general guidance. We recommend attorney consultation for high-stakes matters.</p>

✓ No Dark Patterns: No urgency pressure, hidden fees, or manipulative upgrade prompts

✓ Clear Escalation Paths: Always provide routes to human attorneys and free legal aid

✓ Crisis Safety Rails: Automatic detection and escalation for crisis situations

✓ Access to Justice: Free tier and pro bono pathways ensure access regardless of ability to pay

✓ Bias Monitoring: Regular audits for bias in AI responses across demographics

Human oversight of AI decision-making

Regular model evaluation and testing

Transparent disclosure of AI capabilities and limitations

Continuous improvement based on user feedback

Fairness: AI treats all users equitably

Transparency: Clear about what AI can and cannot do

Accountability: Human oversight and review processes

Privacy: Minimal data collection, maximum protection

</>
</>

export default function TrustCenter() {
 const [showReportModal, setShowReportModal] = useState(false);

const handleDownloadPDF = (type: keyof typeof pdfContents) => {
 const pdf = pdfContents[type];
 generatePDF(pdf.title, pdf.content);
 };

return (
 <div className="min-h-screen bg-navy-50">
 <Navigation />
 <Breadcrumbs className="mt-24" />
 <TrustSafetyReportModal isOpen={showReportModal} onClose={() => setShowReportModal(false)} />

<section className="bg-gradient-to-br from-navy-900 via-navy-800 to-navy-900 text-white py-16 pt-32">
 <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
 <div className="text-center">
 <div className="inline-flex items-center gap-2 bg-white/10 border border-white/30 px-4 py-2 rounded-full mb-6">
 <ShieldCheck className="w-4 h-4 text-gold-300" />
 Trust & Safety
 </div>
 <h2 className="text-4xl sm:text-5xl font-bold mb-4">Trust Center</h2>
 <p className="text-xl text-teal-100 max-w-3xl mx-auto">
 Transparency, security, and ethical AI practices are foundational to ezLegal.ai™.
 Learn how we protect your data and ensure responsible AI use.
 </p>
 </div>
 </div>
 </section>

<section className="py-12 bg-white border-b border-navy-200">
 <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
 <div className="mb-8">
 <h2 className="text-2xl font-bold text-navy-900 mb-4">Quick Answers</h2>
 <p className="text-navy-600 mb-6">Find specific information quickly</p>
 <div className="grid sm:grid-cols-2 lg:grid-cols-3 gap-3">
 <Link
 to="/privacy-faq"
 className="p-4 bg-teal-50 border border-teal-200 rounded-lg hover:border-teal-400 hover:bg-teal-100 transition-all
group">
 <Eye className="w-6 h-6 text-teal-600 mb-2" />
 <h3 className="font-semibold text-navy-900 mb-1 group-hover:text-teal-700">Privacy FAQ</h3>
 <p className="text-sm text-navy-600">Common privacy questions</p>
 </Link>

<Link
 to="/security-faq"
 className="p-4 bg-teal-50 border border-teal-200 rounded-lg hover:border-teal-400 hover:bg-teal-100 transition-all
group">
 <Shield className="w-6 h-6 text-teal-600 mb-2" />
 <h3 className="font-semibold text-navy-900 mb-1 group-hover:text-teal-700">Security FAQ</h3>

```
        <p className="text-sm text-navy-600">How we protect your data</p>
    </Link>

    <Link
    to="/scope-disclaimers"
    className="p-4 bg-teal-50 border border-teal-200 rounded-lg hover:border-teal-400 hover:bg-teal-100 transition-all
group"
    >
    <HelpCircle className="w-6 h-6 text-teal-600 mb-2" />
    <h3 className="font-semibold text-navy-900 mb-1 group-hover:text-teal-700">Scope FAQ</h3>
    <p className="text-sm text-navy-600">What we can and can't do</p>
    </Link>
</div>
</div>

<h2 className="text-xl font-bold text-navy-900 mb-4">Full Documentation</h2>
<div className="grid sm:grid-cols-2 lg:grid-cols-5 gap-4">
    <div className="bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400 transition-colors group
overflow-hidden">
        <a href="#privacy" className="flex items-center gap-3 p-4">
            <Lock className="w-6 h-6 text-teal-600" />
            <span className="font-semibold text-navy-900 group-hover:text-teal-600">Privacy & Data</span>
        </a>
        <button
            onClick={() => handleDownloadPDF('privacy')}
            className="w-full flex items-center justify-center gap-2 px-4 py-2 bg-navy-50 text-teal-600 hover:bg-teal-100
text-sm font-medium border-t border-navy-200 transition-colors"
        >
            <Download className="w-4 h-4" />
            Download PDF
        </button>
    </div>
    <div className="bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400 transition-colors group
overflow-hidden">
        <a href="#data-sovereignty" className="flex items-center gap-3 p-4">
            <Fingerprint className="w-6 h-6 text-teal-600" />
            <span className="font-semibold text-navy-900 group-hover:text-teal-600">Data Sovereignty</span>
        </a>
        <button
            onClick={() => handleDownloadPDF('dataSovereignty')}
            className="w-full flex items-center justify-center gap-2 px-4 py-2 bg-teal-50 text-teal-600 hover:bg-teal-100
text-sm font-medium border-t border-navy-200 transition-colors"
        >
            <Download className="w-4 h-4" />
            Download PDF
        </button>
    </div>
    <div className="bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400 transition-colors group
overflow-hidden">
        <a href="#security" className="flex items-center gap-3 p-4">
            <Shield className="w-6 h-6 text-teal-600" />
            <span className="font-semibold text-navy-900 group-hover:text-teal-600">Security</span>
        </a>
        <button
            onClick={() => handleDownloadPDF('security')}
            className="w-full flex items-center justify-center gap-2 px-4 py-2 bg-navy-50 text-teal-600 hover:bg-teal-100
text-sm font-medium border-t border-navy-200 transition-colors"
        >
            <Download className="w-4 h-4" />
            Download PDF
        </button>
    </div>
    <div className="bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400 transition-colors group
overflow-hidden">
        <a href="#ai-ethics" className="flex items-center gap-3 p-4">
            <Brain className="w-6 h-6 text-teal-600" />
            <span className="font-semibold text-navy-900 group-hover:text-teal-600">AI Ethics</span>
        </a>
        <button
            onClick={() => handleDownloadPDF('aiEthics')}
            className="w-full flex items-center justify-center gap-2 px-4 py-2 bg-navy-50 text-teal-600 hover:bg-teal-100
text-sm font-medium border-t border-navy-200 transition-colors"
        >
            <Download className="w-4 h-4" />
            Download PDF
        </button>
    </div>
    <div className="bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400 transition-colors group
overflow-hidden">
        <a href="#report" className="flex items-center gap-3 p-4">
            <Flag className="w-6 h-6 text-teal-600" />
            <span className="font-semibold text-navy-900 group-hover:text-teal-600">Report Concern</span>
        </a>
        <button
            onClick={() => setShowReportModal(true)}
            className="w-full flex items-center justify-center gap-2 px-4 py-2 bg-red-50 text-red-600 hover:bg-red-100 text-sm
font-medium border-t border-navy-200 transition-colors"
        >
            <Flag className="w-4 h-4" />
            Submit Report
        </button>
    </div>
</div>
</div>
</section>
```

```
<section className="py-6 bg-amber-50 border-b border-amber-200">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-start gap-4">
      <AlertCircle className="w-6 h-6 text-amber-600 flex-shrink-0 mt-0.5" />
      <div>
        <h3 className="font-bold text-navy-900 mb-1">Important Legal Notice</h3>
        <p className="text-navy-700 text-sm">
          <strong>ezLegal.ai™ gives legal information, not legal advice.</strong> We are not a law firm.
          Using this service does not create an attorney-client relationship, and your messages here
          do not carry attorney-client privilege. For complex matters, court representation, or
          advice on your case, talk to a licensed attorney.
        </p>
      </div>
    </div>
  </div>
</section>

<TrustFAQ />
<SafeUseChecklist />

<section id="privacy" className="py-16 bg-white">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-center gap-3 mb-8">
      <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center">
        <Lock className="w-6 h-6 text-teal-600" />
      </div>
      <div>
        <h2 className="text-2xl font-bold text-navy-900">Privacy & Data Practices</h2>
        <p className="text-navy-600">How we collect, use, and protect your information</p>
      </div>
    </div>

    <div className="grid md:grid-cols-2 gap-6">
      <div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
        <div className="flex items-start gap-4">
          <Database className="w-5 h-5 text-teal-600 mt-1" />
          <div>
            <h3 className="font-bold text-navy-900 mb-2">Data Collection</h3>
            <ul className="text-navy-600 text-sm space-y-2">
              <li className="flex items-start gap-2">
                <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
                <span>We collect only information necessary to provide our services</span>
              </li>
              <li className="flex items-start gap-2">
                <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
                <span>Chat conversations are stored to improve your experience</span>
              </li>
              <li className="flex items-start gap-2">
                <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
                <span>Account information for registered users</span>
              </li>
            </ul>
          </div>
        </div>
      </div>

      <div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
        <div className="flex items-start gap-4">
          <Eye className="w-5 h-5 text-teal-600 mt-1" />
          <div>
            <h3 className="font-bold text-navy-900 mb-2">Data Use</h3>
            <ul className="text-navy-600 text-sm space-y-2">
              <li className="flex items-start gap-2">
                <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
                <span><strong>Never used to train AI models</strong></span>
              </li>
              <li className="flex items-start gap-2">
                <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
                <span>Not sold to third parties</span>
              </li>
              <li className="flex items-start gap-2">
                <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
                <span>Used only to provide and improve services</span>
              </li>
            </ul>
          </div>
        </div>
      </div>

      <div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
        <div className="flex items-start gap-4">
          <Clock className="w-5 h-5 text-teal-600 mt-1" />
          <div>
            <h3 className="font-bold text-navy-900 mb-2">Data Retention</h3>
            <ul className="text-navy-600 text-sm space-y-2">
              <li className="flex items-start gap-2">
                <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
                <span>Chat history automatically deleted after 90 days</span>
              </li>
              <li className="flex items-start gap-2">
                <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
                <span>Documents retained for 1 year, then automatically deleted</span>
              </li>
              <li className="flex items-start gap-2">
                <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
                <span>Free chat sessions expire after 24 hours of inactivity</span>
              </li>
            </ul>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
```

```

        </li>
      </ul>
    </div>
  </div>
</div>

<div className="bg-navy-50 rounded-xl p-6 border border-navy-200">
  <div className="flex items-start gap-4">
    <Trash2 className="w-5 h-5 text-teal-600 mt-1" />
    <div>
      <h3 className="font-bold text-navy-900 mb-2">Your Rights</h3>
      <ul className="text-navy-600 text-sm space-y-2">
        <li className="flex items-start gap-2">
          <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
          <span>Export your data in JSON or CSV format from your profile</span>
        </li>
        <li className="flex items-start gap-2">
          <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
          <span>Request data deletion with immediate or scheduled options</span>
        </li>
        <li className="flex items-start gap-2">
          <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
          <span>Access and correct your personal information</span>
        </li>
      </ul>
    </div>
  </div>
</div>

<div className="mt-6 flex flex-wrap gap-4">
  <Link
    to="/privacy"
    className="inline-flex items-center gap-2 text-teal-600 hover:text-navy-700 font-semibold"
  >
    <FileText className="w-4 h-4" />
    Full Privacy Policy
    <Externallink className="w-3 h-3" />
  </Link>
  <Link
    to="/terms"
    className="inline-flex items-center gap-2 text-teal-600 hover:text-navy-700 font-semibold"
  >
    <FileText className="w-4 h-4" />
    Terms of Service
    <Externallink className="w-3 h-3" />
  </Link>
</div>
</div>
</section>

<section id="data-sovereignty" className="py-16 bg-navy-50 border-b border-navy-200">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-center gap-3 mb-8">
      <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center">
        <Fingerprint className="w-6 h-6 text-teal-600" />
      </div>
      <div>
        <h2 className="text-2xl font-bold text-navy-900">Data Sovereignty & AI Training Policy</h2>
        <p className="text-navy-600">Your data remains yours - never used to train AI models</p>
      </div>
    </div>
  </div>

  <div className="bg-gradient-to-br from-teal-50 to-white rounded-2xl border-2 border-teal-200 p-8 mb-8">
    <div className="flex items-start gap-4 mb-6">
      <div className="w-14 h-14 bg-teal-100 rounded-xl flex items-center justify-center flex-shrink-0">
        <Ban className="w-7 h-7 text-teal-600" />
      </div>
      <div>
        <h3 className="text-xl font-bold text-navy-900 mb-2">Zero Training Guarantee</h3>
        <p className="text-navy-700 text-lg">
          <strong>Your client data is NEVER used to train foundational large language models.</strong> This is a core
          principle of our platform architecture, not just a policy choice.
        </p>
      </div>
    </div>
  </div>

  <div className="grid md:grid-cols-2 gap-6">
    <div className="bg-white rounded-xl p-5 border border-navy-200">
      <div className="flex items-center gap-3 mb-3">
        <Database className="w-5 h-5 text-teal-600" />
        <h4 className="font-bold text-navy-900">Inference-Only Architecture</h4>
      </div>
      <p className="text-navy-600 text-sm">
        Our AI uses pre-trained models in inference-only mode. Your queries and conversations are processed to generate
        responses but are never fed back into model training pipelines.
      </p>
    </div>

    <div className="bg-white rounded-xl p-5 border border-navy-200">
      <div className="flex items-center gap-3 mb-3">
        <Network className="w-5 h-5 text-teal-600" />
        <h4 className="font-bold text-navy-900">Isolated Processing</h4>
      </div>
      <p className="text-navy-600 text-sm">
        All data processing occurs in logically isolated environments. Your organization's data is never commingled with

```

other clients' data during any stage of processing.

```
</p>
</div>
</div>
</div>

<div className="mb-8">
  <h3 className="text-lg font-bold text-navy-900 mb-4 flex items-center gap-2">
    <Building2 className="w-5 h-5 text-navy-600" />
    White-Label Client Guarantees
  </h3>
  <div className="bg-white rounded-xl border border-navy-200 overflow-hidden">
    <div className="grid md:grid-cols-3 divide-y md:divide-y-0 md:divide-x divide-navy-200">
      <div className="p-5">
        <div className="flex items-center gap-2 mb-3">
          <div className="w-8 h-8 bg-green-100 rounded-lg flex items-center justify-center">
            <Layers className="w-4 h-4 text-green-600" />
          </div>
          <h4 className="font-semibold text-navy-900">Logical Isolation</h4>
        </div>
        <p className="text-navy-600 text-sm">
          Each white-label setup runs in its own space. It has its own database, API routes, and access rules.
        </p>
      </div>
      <div className="p-5">
        <div className="flex items-center gap-2 mb-3">
          <div className="w-8 h-8 bg-green-100 rounded-lg flex items-center justify-center">
            <Key className="w-4 h-4 text-green-600" />
          </div>
          <h4 className="font-semibold text-navy-900">Encryption Standards</h4>
        </div>
        <p className="text-navy-600 text-sm">
          All data encrypted at rest (AES-256) and in transit (TLS 1.3) via our infrastructure provider (Supabase).
        </p>
      </div>
      <div className="p-5">
        <div className="flex items-center gap-2 mb-3">
          <div className="w-8 h-8 bg-green-100 rounded-lg flex items-center justify-center">
            <Globe className="w-4 h-4 text-green-600" />
          </div>
          <h4 className="font-semibold text-navy-900">US-Based Hosting</h4>
        </div>
        <p className="text-navy-600 text-sm">
          Data is hosted in the United States via Supabase's managed cloud infrastructure with automated backups.
        </p>
      </div>
    </div>
  </div>
</div>
</div>

<div className="grid md:grid-cols-2 gap-6">
  <div className="bg-white rounded-xl p-6 border border-navy-200">
    <h4 className="font-bold text-navy-900 mb-4 flex items-center gap-2">
      <CheckCircle className="w-5 h-5 text-green-600" />
      What We Guarantee
    </h4>
    <ul className="space-y-3 text-sm text-navy-600">
      <li className="flex items-start gap-2">
        <CheckCircle className="w-4 h-4 text-green-600 mt-0.5 flex-shrink-0" />
        <span>Your data is never used to train, fine-tune, or improve any AI models</span>
      </li>
      <li className="flex items-start gap-2">
        <CheckCircle className="w-4 h-4 text-green-600 mt-0.5 flex-shrink-0" />
        <span>Your data is never shared with AI model providers for their training purposes</span>
      </li>
      <li className="flex items-start gap-2">
        <CheckCircle className="w-4 h-4 text-green-600 mt-0.5 flex-shrink-0" />
        <span>Your data is never accessible to other ezLegal.ai™ clients or tenants</span>
      </li>
      <li className="flex items-start gap-2">
        <CheckCircle className="w-4 h-4 text-green-600 mt-0.5 flex-shrink-0" />
        <span>Complete data deletion is available within 30 days upon request</span>
      </li>
    </ul>
  </div>

  <div className="bg-white rounded-xl p-6 border border-navy-200">
    <h4 className="font-bold text-navy-900 mb-4 flex items-center gap-2">
      <Eye className="w-5 h-5 text-teal-600" />
      Audit & Verification
    </h4>
    <ul className="space-y-3 text-sm text-navy-600">
      <li className="flex items-start gap-2">
        <CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" />
        <span>Infrastructure provider (Supabase) maintains SOC 2 Type II certification</span>
      </li>
      <li className="flex items-start gap-2">
        <CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" />
        <span>Contractual DPA (Data Processing Agreement) for enterprise clients</span>
      </li>
      <li className="flex items-start gap-2">
        <CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" />
        <span>Annual third-party security assessments available on request</span>
      </li>
      <li className="flex items-start gap-2">
        <CheckCircle className="w-4 h-4 text-teal-600 mt-0.5 flex-shrink-0" />

```

```
        <span>Real-time access logs available for enterprise clients</span>
      </li>
    </ul>
  </div>
</div>

<div className="mt-6">
  <Link
    to="/partner-hub"
    className="inline-flex items-center gap-2 text-teal-600 hover:text-teal-700 font-semibold"
  >
    <Building2 className="w-4 h-4" />
    Learn more about our Partner Program
    <Externallink className="w-3 h-3" />
  </Link>
</div>
</section>
```

```
<section id="security" className="py-16 bg-white">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-center gap-3 mb-8">
      <div className="w-12 h-12 bg-success-100 rounded-xl flex items-center justify-center">
        <Shield className="w-6 h-6 text-success-600" />
      </div>
      <div>
        <h2 className="text-2xl font-bold text-navy-900">Security</h2>
        <p className="text-navy-600">Enterprise-grade protection for your information</p>
      </div>
    </div>
  </div>
```

```
<div className="grid sm:grid-cols-2 lg:grid-cols-3 gap-6">
  <div className="bg-white rounded-xl p-6 border border-navy-200">
    <Lock className="w-8 h-8 text-success-600 mb-4" />
    <h3 className="font-bold text-navy-900 mb-2">TLS 1.3 (in transit) + AES-256 (at rest)</h3>
    <p className="text-navy-600 text-sm">
```

provider.

All data is encrypted in transit using TLS 1.3 and at rest using AES-256 encryption via our cloud infrastructure

```
</p>
<div className="mt-3 pt-3 border-t border-navy-100">
  <p className="text-xs text-navy-500">
    <span className="font-semibold">Last verified:</span> January 2026
  </p>
</div>
</div>
```

```
<div className="bg-white rounded-xl p-6 border border-navy-200">
  <Server className="w-8 h-8 text-success-600 mb-4" />
  <h3 className="font-bold text-navy-900 mb-2">Secure Cloud Infrastructure</h3>
  <p className="text-navy-600 text-sm">
    Built on enterprise-grade cloud infrastructure with continuous monitoring, automated backups, and redundancy.
  </p>
  <div className="mt-3 pt-3 border-t border-navy-100">
    <p className="text-xs text-navy-500">
      <span className="font-semibold">Infrastructure:</span> Hosted on Supabase (SOC 2 Type II certified)
    </p>
  </div>
</div>
```

```
<div className="bg-white rounded-xl p-6 border border-navy-200">
  <ShieldCheck className="w-8 h-8 text-success-600 mb-4" />
  <h3 className="font-bold text-navy-900 mb-2">CCPA Compliant</h3>
  <p className="text-navy-600 text-sm">
    We comply with the California Consumer Privacy Act and honor data access and deletion requests.
  </p>
  <div className="mt-3 pt-3 border-t border-navy-100">
    <p className="text-xs text-navy-500">
      <span className="font-semibold">Compliance verified:</span> January 2026
    </p>
  </div>
</div>
</div>
```

```
<div className="mt-8 bg-white rounded-xl p-6 border border-navy-200">
  <h3 className="font-bold text-navy-900 mb-4">Security Practices</h3>
  <div className="grid sm:grid-cols-2 gap-4 text-sm text-navy-600">
    <div className="flex items-start gap-2">
      <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
      <span>Row Level Security for database access control</span>
    </div>
    <div className="flex items-start gap-2">
      <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
      <span>Multi-factor authentication available</span>
    </div>
    <div className="flex items-start gap-2">
      <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
      <span>Secure session management</span>
    </div>
    <div className="flex items-start gap-2">
      <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
      <span>Activity logging and audit trails</span>
    </div>
    <div className="flex items-start gap-2">
      <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
      <span>Automated database backups via Supabase</span>
    </div>
  </div>
```

```
<div className="flex items-start gap-2">
  <CheckCircle className="w-4 h-4 text-success-600 mt-0.5 flex-shrink-0" />
  <span>Role-based access permissions</span>
</div>
</div>
</div>
</div>
</section>
```

```
<section id="ai-ethics" className="py-16 bg-white">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-center gap-3 mb-8">
      <div className="w-12 h-12 bg-teal-100 rounded-xl flex items-center justify-center">
        <Brain className="w-6 h-6 text-teal-700" />
      </div>
      <div>
        <h2 className="text-2xl font-bold text-navy-900">AI Ethics & Accuracy</h2>
        <p className="text-navy-600">How we ensure responsible, accurate AI guidance</p>
      </div>
    </div>
  </div>
```

```
<div className="grid md:grid-cols-2 gap-8">
  <div>
    <h3 className="font-bold text-navy-900 mb-4">Accuracy & Limitations</h3>
    <div className="space-y-4">
      <div className="bg-navy-50 rounded-lg p-4 border border-navy-200">
        <h4 className="font-semibold text-navy-900 mb-2">Citations & Sources</h4>
        <p className="text-navy-600 text-sm">
          Where possible, AI responses include references to relevant laws, statutes, and
          jurisdiction-specific information. We indicate when information may be outdated
          or when uncertainty exists.
        </p>
      </div>
      <div className="bg-navy-50 rounded-lg p-4 border border-navy-200">
        <h4 className="font-semibold text-navy-900 mb-2">Jurisdiction Awareness</h4>
        <p className="text-navy-600 text-sm">
          We ask for your location to provide jurisdiction-relevant information. Laws vary
          significantly between states and countries.
        </p>
      </div>
      <div className="bg-navy-50 rounded-lg p-4 border border-navy-200">
        <h4 className="font-semibold text-navy-900 mb-2">Uncertainty & Limitations</h4>
        <p className="text-navy-600 text-sm">
          AI explicitly indicates when it's uncertain or when a question is too complex
          for general guidance. We recommend attorney consultation for high-stakes matters.
        </p>
      </div>
    </div>
  </div>
</div>
```

```
<div>
  <h3 className="font-bold text-navy-900 mb-4">Ethical Commitments</h3>
  <div className="space-y-4">
    <div className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-success-600 mt-0.5 flex-shrink-0" />
      <div>
        <h4 className="font-semibold text-navy-900">No Dark Patterns</h4>
        <p className="text-navy-600 text-sm">No urgency pressure, hidden fees, or manipulative upgrade prompts</p>
      </div>
    </div>
    <div className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-success-600 mt-0.5 flex-shrink-0" />
      <div>
        <h4 className="font-semibold text-navy-900">Clear Escalation Paths</h4>
        <p className="text-navy-600 text-sm">Always provide routes to human attorneys and free legal aid</p>
      </div>
    </div>
    <div className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-success-600 mt-0.5 flex-shrink-0" />
      <div>
        <h4 className="font-semibold text-navy-900">Crisis Safety Rails</h4>
        <p className="text-navy-600 text-sm">Automatic detection and escalation for crisis situations</p>
      </div>
    </div>
    <div className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-success-600 mt-0.5 flex-shrink-0" />
      <div>
        <h4 className="font-semibold text-navy-900">Access to Justice</h4>
        <p className="text-navy-600 text-sm">Free tier and pro bono pathways ensure access regardless of ability to
        pay</p>
      </div>
    </div>
    <div className="flex items-start gap-3">
      <CheckCircle className="w-5 h-5 text-success-600 mt-0.5 flex-shrink-0" />
      <div>
        <h4 className="font-semibold text-navy-900">Bias Monitoring</h4>
        <p className="text-navy-600 text-sm">Regular audits for bias in AI responses across demographics</p>
      </div>
    </div>
  </div>
</div>
```

```
<div className="mt-8 bg-navy-50 rounded-xl p-6 border border-navy-200">
  <h3 className="font-bold text-navy-900 mb-3 flex items-center gap-2">
    <Users className="w-5 h-5 text-navy-600" />
```



```

    Attorney Matching & Referral Transparency
  </h3>
  <div className="text-sm text-navy-600 space-y-2">
    <p>
      We match attorneys on four factors: practice area, jurisdiction, availability, and user rating. Attorneys cannot pay
for higher rankings.
    </p>
    <p>
      Attorneys opt into our directory and we verify their profiles. We do not endorse any attorney. Check their
credentials and disciplinary history yourself before you hire.
    </p>
    <Link
      to="/find-attorney"
      className="inline-flex items-center gap-1.5 text-teal-600 hover:text-teal-700 font-semibold mt-1"
    >
      View Lawyer Directory
    <ExternalLink className="w-3 h-3" />
    </Link>
  </div>
</div>

<div className="mt-6">
  <Link
    to="/ai-governance"
    className="inline-flex items-center gap-2 bg-teal-600 hover:bg-navy-700 text-white px-6 py-3 rounded-lg font-semibold
transition-colors"
  >
    <FileText className="w-5 h-5" />
    View Full AI Governance Policy
  </Link>
</div>
</div>
</section>

<section id="report" className="py-16 bg-navy-50">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex items-center gap-3 mb-8">
      <div className="w-12 h-12 bg-red-100 rounded-xl flex items-center justify-center">
        <Flag className="w-6 h-6 text-red-600" />
      </div>
      <div>
        <h2 className="text-2xl font-bold text-navy-900">Report a Concern</h2>
        <p className="text-navy-600">Help us improve by reporting issues</p>
      </div>
    </div>
    <div>
      <div className="grid md:grid-cols-2 gap-6">
        <div className="bg-white rounded-xl p-6 border border-navy-200">
          <h3 className="font-bold text-navy-900 mb-4">What You Can Report</h3>
          <ul className="space-y-3 text-sm text-navy-600">
            <li className="flex items-start gap-2">
              <AlertCircle className="w-4 h-4 text-amber-600 mt-0.5 flex-shrink-0" />
              <span><strong>Inaccurate Information:</strong> AI provided incorrect or misleading legal information</span>
            </li>
            <li className="flex items-start gap-2">
              <AlertCircle className="w-4 h-4 text-amber-600 mt-0.5 flex-shrink-0" />
              <span><strong>Bias or Discrimination:</strong> AI showed bias based on demographics or case type</span>
            </li>
            <li className="flex items-start gap-2">
              <AlertCircle className="w-4 h-4 text-amber-600 mt-0.5 flex-shrink-0" />
              <span><strong>Privacy Concerns:</strong> Issues with data handling or privacy</span>
            </li>
            <li className="flex items-start gap-2">
              <AlertCircle className="w-4 h-4 text-amber-600 mt-0.5 flex-shrink-0" />
              <span><strong>Ethical Issues:</strong> AI behaved unethically or inappropriately</span>
            </li>
            <li className="flex items-start gap-2">
              <AlertCircle className="w-4 h-4 text-amber-600 mt-0.5 flex-shrink-0" />
              <span><strong>Safety Concerns:</strong> Missed crisis detection or inappropriate responses</span>
            </li>
          </ul>
        </div>
        <div className="bg-white rounded-xl p-6 border border-navy-200">
          <h3 className="font-bold text-navy-900 mb-4">How It Works</h3>
          <div className="space-y-3 mb-5">
            <div className="flex items-start gap-3">
              <div className="w-6 h-6 rounded-full bg-navy-100 flex items-center justify-center flex-shrink-0 mt-0.5">
                <span className="text-xs font-bold text-navy-700">1</span>
              </div>
              <p className="text-sm text-navy-600"><strong>Submit:</strong> File your report via the button below or email
trust@ezlegal.ai. You will receive an acknowledgment within 1 business day.</p>
            </div>
            <div className="flex items-start gap-3">
              <div className="w-6 h-6 rounded-full bg-navy-100 flex items-center justify-center flex-shrink-0 mt-0.5">
                <span className="text-xs font-bold text-navy-700">2</span>
              </div>
              <p className="text-sm text-navy-600"><strong>Review:</strong> Our Trust & Safety team investigates every report
within 24 hours. Critical safety issues are escalated immediately.</p>
            </div>
            <div className="flex items-start gap-3">
              <div className="w-6 h-6 rounded-full bg-navy-100 flex items-center justify-center flex-shrink-0 mt-0.5">
                <span className="text-xs font-bold text-navy-700">3</span>
              </div>
              <p className="text-sm text-navy-600"><strong>Resolution:</strong> We take corrective action (model adjustments,
content fixes, policy updates) and document findings internally.</p>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
```

```

    </div>
    <div className="flex items-start gap-3">
      <div className="w-6 h-6 rounded-full bg-navy-100 flex items-center justify-center flex-shrink-0 mt-0.5">
        <span className="text-xs font-bold text-navy-700">4</span>
      </div>
      <p className="text-sm text-navy-600"><strong>Follow-Up:</strong> If you provided contact information, we will
notify you of the outcome and any changes made.</p>
    </div>
  </div>
  <div className="space-y-3">
    <button
      onClick={() => setShowReportModal(true)}
      className="flex items-center gap-2 w-full bg-red-600 hover:bg-red-700 text-white px-4 py-3 rounded-lg
font-semibold transition-colors justify-center"
    >
      <Flag className="w-4 h-4" />
      Submit a Concern Report
    </button>
    <a
      href="mailto:trust@ezlegal.ai"
      className="flex items-center gap-2 w-full border border-navy-300 bg-white hover:bg-navy-50 text-navy-700 px-4 py-3
rounded-lg font-semibold transition-colors justify-center"
    >
      <MessageSquare className="w-4 h-4" />
      Email: trust@ezlegal.ai
    </a>
  </div>
</div>
</div>
</div>
</section>

<section className="py-12 bg-teal-50 border-t border-teal-200">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="flex flex-col md:flex-row items-center gap-6 justify-between">
      <div>
        <h3 className="text-xl font-bold text-navy-900 mb-2">Enterprise Security Documentation</h3>
        <p className="text-navy-600">
          For legal aid organizations and nonprofits: security architecture overview, infrastructure details, and data
handling documentation.
        </p>
      </div>
      <Link
        to="/enterprise-security"
        className="flex-shrink-0 bg-teal-600 hover:bg-teal-700 text-white px-6 py-3 rounded-lg font-semibold
transition-colors"
      >
        View Enterprise Security
      </Link>
    </div>
  </div>
</section>

<section className="py-16 bg-white border-t border-navy-200">
  <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
    <h2 className="text-2xl font-bold text-navy-900 mb-8 text-center">Quick Links</h2>
    <div className="grid sm:grid-cols-2 lg:grid-cols-4 gap-4">
      <Link
        to="/privacy"
        className="flex items-center gap-3 p-4 bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400
transition-colors"
      >
        <Lock className="w-5 h-5 text-teal-600" />
        <span className="font-medium text-navy-900">Privacy Policy</span>
      </Link>
      <Link
        to="/terms"
        className="flex items-center gap-3 p-4 bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400
transition-colors"
      >
        <FileText className="w-5 h-5 text-teal-600" />
        <span className="font-medium text-navy-900">Terms of Service</span>
      </Link>
      <Link
        to="/ai-governance"
        className="flex items-center gap-3 p-4 bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400
transition-colors"
      >
        <Brain className="w-5 h-5 text-teal-600" />
        <span className="font-medium text-navy-900">AI Governance</span>
      </Link>
      <Link
        to="/contact"
        className="flex items-center gap-3 p-4 bg-navy-50 border border-navy-200 rounded-xl hover:border-teal-400
transition-colors"
      >
        <HelpCircle className="w-5 h-5 text-teal-600" />
        <span className="font-medium text-navy-900">Contact Support</span>
      </Link>
    </div>
  </div>
</section>

<RelatedLinks />
<Footer />
</div>

```


[50/58] Channel Landing

Route: /welcome | File: src/pages/ChannelLanding.tsx

```
import { useEffect, useState } from 'react';
import { Link, useSearchParams } from 'react-router-dom';
import {
  MessageCircle, Shield, CheckCircle, ArrowRight, Globe,
  Scale, Home, Briefcase, Baby, Car, MapPin, Users,
  Lock, Clock, Star, Phone, ChevronRight
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import WhatsAppOptIn from '../components/WhatsAppOptIn';
import ShareButton from '../components/ShareButton';
import { useLanguage } from '../contexts/LanguageContext';
import { supabase } from '../lib/supabase';

const CHANNEL_CONFIG: Record<string, {
  en: { headline: string; subheadline: string; cta: string };
  es: { headline: string; subheadline: string; cta: string };
  color: string;
  icon: typeof MessageCircle;
}> = {
  whatsapp: {
    en: {
      headline: 'Free Legal Help on WhatsApp',
      subheadline: 'Get confidential legal information in English or Spanish. Response within 24 hours.',
      cta: 'Get Help on WhatsApp',
    },
    es: {
      headline: 'Ayuda Legal Gratis por WhatsApp',
      subheadline: 'Recibe información legal confidencial en español o inglés. Respuesta en menos de 24 horas.',
      cta: 'Recibir Ayuda por WhatsApp',
    },
    color: '#25D366',
    icon: MessageCircle,
  },
  facebook: {
    en: {
      headline: 'Free Legal Answers for Your Community',
      subheadline: 'Ask any legal question in plain English. Get jurisdiction-specific answers with real citations, completely free.',
      cta: 'Ask Your Question Free',
    },
    es: {
      headline: 'Respuestas Legales Gratis para tu Comunidad',
      subheadline: 'Haz cualquier pregunta legal en español simple. Obtén respuestas con citas reales, completamente gratis.',
      cta: 'Haz tu Pregunta Gratis',
    },
    color: '#1877F2',
    icon: Users,
  },
  nextdoor: {
    en: {
      headline: 'Your Neighbors Recommended This Legal Resource',
      subheadline: 'ezLegal.ai helps your community understand their legal rights. Free, confidential, and available 24/7.',
      cta: 'Get Free Legal Help',
    },
    es: {
      headline: 'Tus Vecinos Recomendaron Este Recurso Legal',
      subheadline: 'ezLegal.ai ayuda a tu comunidad a entender sus derechos legales. Gratis, confidencial y disponible 24/7.',
      cta: 'Obtener Ayuda Legal Gratis',
    },
    color: '#8ED500',
    icon: MapPin,
  },
  sms: {
    en: {
      headline: 'Someone Shared Free Legal Help With You',
      subheadline: 'Ask any legal question and get clear, cited answers. Free to start, available 24/7.',
      cta: 'Start Your Free Question',
    },
    es: {
      headline: 'Alguien te Compartió Ayuda Legal Gratis',
      subheadline: 'Haz cualquier pregunta legal y recibe respuestas claras con citas. Gratis para comenzar, disponible 24/7.',
      cta: 'Haz tu Pregunta Gratis',
    },
    color: '#64748b',
    icon: Phone,
  },
  qr: {
    en: {
      headline: 'Scan Complete - Free Legal Help Awaits',
      subheadline: 'You scanned a QR code to get free legal information. Ask any question and get answers with real legal citations.',
      cta: 'Ask Your Question Now',
    },
    es: {
      headline: 'Escaneo Completado - Ayuda Legal Gratis te Espera',
      subheadline: 'Escaneaste un código QR para obtener información legal gratuita. Haz cualquier pregunta y recibe respuestas con citas legales reales.',
      cta: 'Haz tu Pregunta Ahora',
    }
  }
}
```

```

    },
    color: '#0d9488',
    icon: CheckCircle,
  },
  google: {
    en: {
      headline: 'Get Clear Legal Answers, Not Confusion',
      subheadline: 'ezLegal.ai explains your legal rights in plain language with citations to real laws. Free and confidential.',
      cta: 'Ask Your Legal Question',
    },
    es: {
      headline: 'Obtien Respuestas Legales Claras, No Confusion',
      subheadline: 'ezLegal.ai explica tus derechos legales en lenguaje simple con citas de leyes reales. Gratis y confidencial.',
      cta: 'Haz tu Pregunta Legal',
    },
    color: '#0d9488',
    icon: Scale,
  },
};

const LEGAL_AREAS = [
  { icon: Globe, en: 'Immigration', es: 'Inmigracion', color: 'bg-teal-500' },
  { icon: Briefcase, en: 'Employment', es: 'Trabajo', color: 'bg-amber-500' },
  { icon: Home, en: 'Housing', es: 'Vivienda', color: 'bg-emerald-500' },
  { icon: Baby, en: 'Family Law', es: 'Derecho Familiar', color: 'bg-rose-500' },
  { icon: Car, en: 'Accidents', es: 'Accidentes', color: 'bg-sky-500' },
  { icon: Scale, en: 'Criminal', es: 'Criminal', color: 'bg-navy-500' },
];

export default function ChannelLanding() {
  const [searchParams] = useSearchParams();
  const { language } = useLanguage();
  const es = language === 'es';
  const [tracked, setTracked] = useState(false);

  const channel = searchParams.get('ch') || searchParams.get('utm_source') || 'direct';
  const utmSource = searchParams.get('utm_source') || '';
  const utmMedium = searchParams.get('utm_medium') || '';
  const utmCampaign = searchParams.get('utm_campaign') || '';
  const utmContent = searchParams.get('utm_content') || '';

  const config = CHANNEL_CONFIG[channel] || CHANNEL_CONFIG['google'];
  const content = es ? config.es : config.en;

  useEffect(() => {
    if (tracked) return;
    const track = async () => {
      try {
        await supabase.from('channel_landing_visits').insert({
          channel,
          utm_source: utmSource || null,
          utm_medium: utmMedium || null,
          utm_campaign: utmCampaign || null,
          utm_content: utmContent || null,
          language: es ? 'es' : 'en',
          referrer_url: document.referrer || null,
          user_agent: navigator.userAgent || null,
          session_id: sessionStorage.getItem('session_id') || crypto.randomUUID(),
        });
      } catch {}
    };
    track();
    setTracked(true);
  }, [tracked, channel, utmSource, utmMedium, utmCampaign, utmContent, es]);

  const isWhatsAppChannel = channel === 'whatsapp';

  return (
    <>
      <Navigation />
      <main id="main-content" className="pt-20">
        <section
          className="relative py-20 lg:py-28 overflow-hidden"
          style={{ background: `linear-gradient(135deg, ${config.color}15, ${config.color}05, white)` }}
        >
          <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
            <div className="grid lg:grid-cols-2 gap-12 items-center">
              <div>
                <div
                  className="inline-flex items-center gap-2 px-3 py-1.5 rounded-full mb-6 text-sm font-semibold"
                  style={{ backgroundColor: `${config.color}15`, color: config.color }}
                >
                  <config.icon className="w-4 h-4" />
                  {es ? 'Recurso Recomendado' : 'Recommended Resource'}
                </div>
                <h1 className="text-3xl md:text-5xl font-bold text-navy-900 mb-6 leading-tight">
                  {content.headline}
                </h1>
                <p className="text-lg text-navy-600 mb-8 leading-relaxed">
                  {content.subheadline}
                </p>
                <div className="flex flex-col sm:flex-row gap-4 mb-8">
                  <Link
                    to="/chat"

```

```

        className="inline-flex items-center justify-center gap-2 px-8 py-4 bg-teal-600 text-white rounded-xl font-bold
text-lg hover:bg-teal-500 transition-all shadow-lg shadow-teal-600/20"
    >
        {content.cta}
        <ArrowRight className="w-5 h-5" />
    </Link>
    {!isWhatsAppChannel && (
        <Link
            to="/espanol"
            className="inline-flex items-center justify-center gap-2 px-6 py-4 bg-white text-navy-700 rounded-xl
font-semibold border border-navy-200 hover:border-navy-300 transition-all"
        >
            <Globe className="w-5 h-5 text-teal-600" />
            {es ? 'Página en Español' : 'En Español'}
        </Link>
    )}
</div>

<div className="grid grid-cols-1 sm:grid-cols-3 gap-4">
    {[
        { icon: Shield, en: 'Confidential', es: 'Confidencial' },
        { icon: Clock, en: 'Available 24/7', es: 'Disponible 24/7' },
        { icon: Lock, en: 'Free to Start', es: 'Gratis para Comenzar' },
    ].map(item => (
        <div key={item.en} className="flex items-center gap-2 text-sm text-navy-600">
            <item.icon className="w-4 h-4 text-teal-600 flex-shrink-0" />
            <span className="font-medium">{es ? item.es : item.en}</span>
        </div>
    ))}
</div>
</div>

<div>
    {isWhatsAppChannel ? (
        <WhatsAppOptIn
            source={channel}
            utmSource={utmSource}
            utmMedium={utmMedium}
            utmCampaign={utmCampaign}
        />
    ) : (
        <div className="bg-white rounded-2xl border border-navy-200 shadow-xl p-8">
            <h2 className="text-lg font-bold text-navy-900 mb-4">
                {es ? 'Áreas Legales que Cubrimos' : 'Legal Areas We Cover'}
            </h2>
            <div className="grid grid-cols-1 sm:grid-cols-2 gap-3 mb-6">
                {LEGAL_AREAS.map(area => (
                    <div key={area.en} className="flex items-center gap-3 p-3 bg-navy-50 rounded-xl">
                        <div className={`w-8 h-8 ${area.color} rounded-lg flex items-center justify-center flex-shrink-0`}>
                            <area.icon className="w-4 h-4 text-white" />
                        </div>
                        <span className="text-sm font-medium text-navy-800">{es ? area.es : area.en}</span>
                    </div>
                ))}
            </div>
            <Link
                to="/chat"
                className="w-full inline-flex items-center justify-center gap-2 py-3.5 bg-teal-600 text-white rounded-xl
font-semibold hover:bg-teal-500 transition-all"
            >
                {content.cta}
                <ChevronRight className="w-5 h-5" />
            </Link>
            <p className="text-[11px] text-navy-400 text-center mt-3">
                {es
                    ? 'Información legal, no asesoría legal. Consulte a un abogado para asesoramiento.'
                    : 'Legal information, not legal advice. Consult an attorney for counsel.'}
            </p>
        </div>
    )}
</div>
</div>
</div>
</section>

<section className="py-16 bg-white">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
            <h2 className="text-2xl md:text-3xl font-bold text-navy-900 mb-3">
                {es ? 'Familias Confían en Nosotros' : 'Families Trust ezLegal.ai'}
            </h2>
            <p className="text-navy-600">
                {es
                    ? 'Información legal real, explicada en lenguaje simple.'
                    : 'Real legal information, explained in plain language.'}
            </p>
        </div>
        <div className="grid md:grid-cols-3 gap-8">
            {[
                {
                    en: { stat: '50', label: 'U.S. States Covered', desc: 'Jurisdiction-aware legal information for every state' },
                    es: { stat: '50', label: 'Estados Cubiertos', desc: 'Información legal adaptada a cada estado' },
                },
                {
                    en: { stat: '24/7', label: 'Always Available', desc: 'AI-powered answers any time, day or night' },
                    es: { stat: '24/7', label: 'Siempre Disponible', desc: 'Respuestas impulsadas por IA a cualquier hora' },
                }
            ]}
        </div>
    </div>
</section>

```

```

    },
    {
      en: { stat: 'EN/ES', label: 'Bilingual Support', desc: 'Full English and Spanish language coverage' },
      es: { stat: 'EN/ES', label: 'Soporte Bilingüe', desc: 'Cobertura completa en inglés y español' },
    },
  ].map(item => {
    const d = es ? item.es : item.en;
    return (
      <div key={d.label} className="text-center p-6 bg-navy-50 rounded-2xl">
        <p className="text-4xl font-bold text-teal-600 mb-1">{d.stat}</p>
        <p className="font-semibold text-navy-900 mb-1">{d.label}</p>
        <p className="text-sm text-navy-500">{d.desc}</p>
      </div>
    );
  })
</div>
</div>
</section>

<section className="py-16 bg-navy-50">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="grid md:grid-cols-2 gap-8 items-center">
      <div>
        <h2 className="text-2xl font-bold text-navy-900 mb-6">
          {es ? 'Tu Privacidad Importa' : 'Your Privacy Matters'}
        </h2>
        <div className="space-y-4">
          {[
            { icon: Shield, en: 'Your data is never sold or shared with third parties', es: 'Tus datos nunca se venden ni se comparten con terceros' },
            { icon: Lock, en: 'AES-256 encryption protects all conversations', es: 'Cifrado AES-256 protege todas las conversaciones' },
            { icon: Globe, en: 'We never share information with ICE or law enforcement', es: 'NUNCA compartimos información con ICE o la policia' },
            { icon: CheckCircle, en: 'You can delete your data anytime', es: 'Puedes eliminar tus datos en cualquier momento' },
          ]}.map(item => (
            <div key={item.en} className="flex items-start gap-3">
              <div className="w-8 h-8 bg-teal-100 rounded-lg flex items-center justify-center flex-shrink-0 mt-0.5">
                <item.icon className="w-4 h-4 text-teal-600" />
              </div>
              <p className="text-navy-700 font-medium">{es ? item.es : item.en}</p>
            </div>
          )))
        </div>
      </div>
      <div className="flex flex-col gap-4">
        {isWhatsAppChannel && (
          <WhatsAppOptIn
            source={channel}
            utmSource={utmSource}
            utmMedium={utmMedium}
            utmCampaign={utmCampaign}
            variant="compact"
          />
        )}
        <ShareButton context="legal-help" />
      </div>
    </div>
  </div>
</section>

<section className="py-16 bg-white">
  <div className="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="bg-navy-50 rounded-2xl p-8 border-navy-100">
      <div className="flex items-center gap-1 mb-4">
        {[1,2,3,4,5].map(i => (
          <Star key={i} className="w-5 h-5 text-amber-400 fill-amber-400" />
        ))}
      </div>
      <blockquote className="text-navy-700 text-lg leading-relaxed mb-4 italic">
        {es
          ? '"Tenia miedo de buscar ayuda legal por mi estatus. ezLegal me explico mis derechos de forma clara y confidencial. Ahora se que tengo opciones."'
          : '"I was afraid to seek legal help because of my status. ezLegal explained my rights clearly and confidentially. Now I know I have options."'
        }
      </blockquote>
      <p className="text-navy-500 text-sm">- Maria G., Tucson, AZ</p>
    </div>
  </div>
</section>

<section className="py-16 bg-teal-600">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
    <h2 className="text-2xl md:text-3xl font-bold text-white mb-4">
      {es ? 'Obtén Respuestas Legales Ahora' : 'Get Legal Answers Now'}
    </h2>
    <p className="text-teal-100 mb-8 text-lg">
      {es
        ? 'Gratis para comenzar. Sin tarjeta de crédito. Disponible 24/7.'
        : 'Free to start. No credit card. Available 24/7.'
      }
    </p>
    <Link
      to="/chat"
      className="inline-flex items-center gap-2 px-10 py-4 bg-white text-teal-700 rounded-xl font-bold text-lg
      hover:bg-teal-50 transition-all shadow-lg"
    >

```

```
        >
        {es ? 'Haz tu Pregunta Gratis' : 'Ask Your Question Free'}
        <ArrowRight className="w-5 h-5" />
      </Link>
    </div>
  </section>
</main>
<Footer />
</>
  );
}
```


[51/58] Dashboard Home

Route: /dashboard | File: src/pages/Dashboard.tsx

```
import { useState, useEffect } from 'react';
import { Link, useSearchParams } from 'react-router-dom';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import { supabase } from '../lib/supabase';
import {
  MessageSquare, FileText, Search, Users,
  Sparkles, ArrowRight, Zap, Shield, BookOpen, Award,
  ChevronDown, ChevronUp, X, Brain
} from 'lucide-react';
import { practiceAreas } from '../data/practiceAreas';
import AttorneyConnections from '../components/AttorneyConnections';
import OutcomePredictionWidget from '../components/OutcomePredictionWidget';
import PredictionConsentGate from '../components/PredictionConsentGate';
import PostPurchaseActivation from '../components/PostPurchaseActivation';
import TrialOnboarding from '../components/TrialOnboarding';
import { getUserEntitlements, getEntitlementStatusLabel, type Entitlement } from '../services/entitlement-service';

interface RecentActivity {
  id: string;
  type: 'chat' | 'document' | 'research';
  title: string;
  timestamp: string;
}

export default function Dashboard() {
  const { user, profile } = useAuth();
  const { t, language } = useLanguage();
  const [searchParams, setSearchParams] = useSearchParams();
  const [expandedCategory, setExpandedCategory] = useState<string | null>(null);
  const [showPredictionModal, setShowPredictionModal] = useState(false);
  const [predictionConsented, setPredictionConsented] = useState(false);
  const [_consentedJurisdiction, setConsentedJurisdiction] = useState('');
  const [recentActivity, setRecentActivity] = useState<RecentActivity[]>([]);
  const [loading, setLoading] = useState(true);
  const [entitlements, setEntitlements] = useState<Entitlement[]>([]);
  const [showAdvancedTools, setShowAdvancedTools] = useState(() => {
    try { return localStorage.getItem('ezLegal-dashboard-advanced') === 'true'; } catch { return false; }
  });

  useEffect(() => {
    loadDashboardData();
    if (user) {
      getUserEntitlements(user.id).then(setEntitlements);
    }
  }, [user]);

  useEffect(() => {
    if (searchParams.get('prediction') === 'open') {
      setShowPredictionModal(true);
      searchParams.delete('prediction');
      setSearchParams(searchParams, { replace: true });
    }
  }, [searchParams, setSearchParams]);

  const loadDashboardData = async () => {
    if (!user) return;

    try {
      const today = new Date();
      today.setHours(0, 0, 0, 0);

      const monthStart = new Date(today.getFullYear(), today.getMonth(), 1);

      const { count: _todayCount } = await supabase
        .from('chat_messages')
        .select('*', { count: 'exact', head: true })
        .eq('user_id', user.id)
        .eq('role', 'user')
        .gte('created_at', today.toISOString());

      const { count: _monthCount } = await supabase
        .from('chat_messages')
        .select('*', { count: 'exact', head: true })
        .eq('user_id', user.id)
        .eq('role', 'user')
        .gte('created_at', monthStart.toISOString());

      const { data: recentChats } = await supabase
        .from('chat_messages')
        .select('id, message, created_at')
        .eq('user_id', user.id)
        .eq('role', 'user')
        .order('created_at', { ascending: false })
        .limit(5);

      // Metrics computed from query results above
      // todayCount and monthCount available from prior queries
    }
  }
}
```

```

    if (recentChats) {
      setRecentActivity(
        recentChats.map(chat => ({
          id: chat.id,
          type: 'chat' as const,
          title: chat.message.substring(0, 60) + (chat.message.length > 60 ? '...' : ''),
          timestamp: new Date(chat.created_at).toLocaleDateString(),
        })))
    };
  } catch (error) {
    console.error('Error loading dashboard data:', error);
  } finally {
    setLoading(false);
  }
};

const isSimpleMode = (!profile?.user_type || profile.user_type === 'individual') && !showAdvancedTools;

if (loading) {
  return (
    <div className="min-h-screen flex items-center justify-center bg-navy-50">
      <div className="animate-spin rounded-full h-12 w-12 border-b-2 border-teal-600"></div>
    </div>
  );
}

return (
  <div className="min-h-screen bg-navy-50">
    <div className="bg-gradient-to-br from-teal-600 to-teal-700 text-white shadow-xl">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-8">
        <div className="flex items-center justify-between flex-wrap gap-4">
          <div>
            <h1 className="text-2xl sm:text-3xl font-bold text-white mb-1">
              {language === 'en' ? 'Your Action Plan' : 'Tu Plan de Accion'}{profile?.full_name ? `, ${profile.full_name.split('
'))[0]}` : ''}
            </h1>
            <p className="text-teal-100 text-sm">
              {language === 'en' ? 'Tasks and next steps for your legal issues' : 'Tareas y proximos pasos para tus asuntos
legales'}
            </p>
          </div>
          <div>
            <Link
              to="/chat"
              className="flex items-center gap-2 bg-white text-teal-700 px-5 py-3 rounded-xl font-bold hover:bg-teal-50
transition-all shadow-lg text-sm"
            >
              <MessageSquare className="w-4 h-4" />
              {t('dash.askQuestions')}
              <ArrowRight className="w-4 h-4" />
            </Link>
          </div>
        </div>
      </div>
    </div>
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-8">
      <PostPurchaseActivation />
      <TrialOnboarding />

      <div className="mb-8">
        <div className="flex items-center justify-between mb-6">
          <h2 className="text-2xl font-bold text-navy-900">
            {language === 'en' ? 'What do you need help with?' : 'En que necesitas ayuda?'}
          </h2>
          <div>
            {(!profile?.user_type || profile.user_type === 'individual') && (
              <button
                onClick={() => {
                  const next = !showAdvancedTools;
                  setShowAdvancedTools(next);
                  try { localStorage.setItem('ezlegal-dash-board-advanced', String(next)); } catch {}
                }}
                className={`flex items-center gap-1.5 text-xs font-medium px-3 py-1.5 rounded-full border transition-all ${
                  showAdvancedTools
                    ? 'bg-teal-50 border-teal-300 text-teal-700'
                    : 'bg-navy-50 border-navy-200 text-navy-500 hover:border-navy-300'
                }`}
              >
                <Zap className="w-3 h-3" />
                {showAdvancedTools
                  ? (language === 'en' ? 'Fewer options' : 'Menos opciones')
                  : (language === 'en' ? 'More tools' : 'Mas herramientas')}
              </button>
            )}
          </div>
        </div>

        <div className={`grid grid-cols-1 ${isSimpleMode ? 'md:grid-cols-3' : 'md:grid-cols-2 lg:grid-cols-4'} gap-4`}
          <Link
            to="/chat"
            className="group bg-white rounded-xl p-6 border-2 border-navy-200 hover:border-teal-600 hover:shadow-xl
transition-all"
          >
            <div className="w-12 h-12 bg-teal-50 group-hover:bg-teal-100 rounded-xl flex items-center justify-center mb-4
transition-colors">
              <MessageSquare className="w-6 h-6 text-teal-600" />
            </div>
          </div>

```

```

</div>
<h3 className="text-lg font-bold text-navy-900 mb-2 group-hover:text-teal-600 transition-colors">
  {t('dash.aiChatAssistant')}
</h3>
<p className="text-sm text-navy-600 mb-3">
  {t('dash.aiChatDesc')}
</p>
<div className="flex items-center gap-2 text-teal-600 font-semibold text-sm">
  {t('dash.startChatting')}
  <ArrowRight className="w-4 h-4 group-hover:translate-x-1 transition-transform" />
</div>
</Link>

<Link
  to="/dashboard/lawyer-profiles"
  className="group bg-white rounded-xl p-6 border-2 border-navy-200 hover:border-teal-600 hover:shadow-xl
transition-all"
>
  <div className="w-12 h-12 bg-orange-50 group-hover:bg-orange-100 rounded-xl flex items-center justify-center mb-4
transition-colors">
    <Users className="w-6 h-6 text-orange-600" />
  </div>
  <h3 className="text-lg font-bold text-navy-900 mb-2 group-hover:text-teal-600 transition-colors">
    {t('dash.findLawyer')}
  </h3>
  <p className="text-sm text-navy-600 mb-3">
    {t('dash.findLawyerDesc')}
  </p>
  <div className="flex items-center gap-2 text-teal-600 font-semibold text-sm">
    {t('dash.browseLawyers')}
    <ArrowRight className="w-4 h-4 group-hover:translate-x-1 transition-transform" />
  </div>
</Link>

<Link
  to="/pricing"
  className="group bg-white rounded-xl p-6 border-2 border-navy-200 hover:border-green-500 hover:shadow-xl
transition-all"
>
  <div className="w-12 h-12 bg-green-50 group-hover:bg-green-100 rounded-xl flex items-center justify-center mb-4
transition-colors">
    <FileText className="w-6 h-6 text-green-600" />
  </div>
  <h3 className="text-lg font-bold text-navy-900 mb-2 group-hover:text-green-600 transition-colors">
    {language === 'en' ? 'Your Action Plans' : 'Tus Planes de Accion'}
  </h3>
  <p className="text-sm text-navy-600 mb-3">
    {language === 'en' ? 'Step-by-step action plans and document templates.' : 'Planes de accion paso a paso y
plantillas de documentos.'}
  </p>
  <div className="flex items-center gap-2 text-green-600 font-semibold text-sm">
    {language === 'en' ? 'View action plans' : 'Ver planes de accion'}
    <ArrowRight className="w-4 h-4 group-hover:translate-x-1 transition-transform" />
  </div>
</Link>

{!isSimpleMode && (
  <>
    <Link
      to="/dashboard/ai-assistant"
      className="group bg-gradient-to-br from-teal-600 to-teal-700 rounded-xl p-6 border-2 border-teal-600
hover:shadow-2xl transition-all relative overflow-hidden"
    >
      <div className="w-12 h-12 bg-white/20 backdrop-blur rounded-xl flex items-center justify-center mb-4
transition-colors">
        <Sparkles className="w-6 h-6 text-white" />
      </div>
      <h3 className="text-lg font-bold text-white mb-2">
        {t('dash.aiLawyerMatch')}
      </h3>
      <p className="text-sm text-teal-100 mb-3">
        {t('dash.aiLawyerMatchDesc')}
      </p>
      <div className="flex items-center gap-2 text-white font-semibold text-sm">
        {t('dash.tryItNow')}
        <ArrowRight className="w-4 h-4 group-hover:translate-x-1 transition-transform" />
      </div>
    </Link>

    <Link
      to="/dashboard/documents"
      className="group bg-white rounded-xl p-6 border-2 border-navy-200 hover:border-teal-600 hover:shadow-xl
transition-all"
    >
      <div className="w-12 h-12 bg-green-50 group-hover:bg-green-100 rounded-xl flex items-center justify-center mb-4
transition-colors">
        <FileText className="w-6 h-6 text-green-600" />
      </div>
      <h3 className="text-lg font-bold text-navy-900 mb-2 group-hover:text-teal-600 transition-colors">
        {t('dash.generateDocs')}
      </h3>
      <p className="text-sm text-navy-600 mb-3">
        {t('dash.generateDocsDesc')}
      </p>
      <div className="flex items-center gap-2 text-teal-600 font-semibold text-sm">
        {t('dash.createDocument')}
      </div>
    </Link>
  </>
)

```

```

        <ArrowRight className="w-4 h-4 group-hover:translate-x-1 transition-transform" />
      </div>
    </Link>

    <Link
      to="/dashboard/research"
      className="group bg-white rounded-xl p-6 border-2 border-navy-200 hover:border-teal-600 hover:shadow-xl
transition-all"
    >
      <div className="w-12 h-12 bg-teal-50 group-hover:bg-teal-100 rounded-xl flex items-center justify-center mb-4
transition-colors">
        <Search className="w-6 h-6 text-teal-600" />
      </div>
      <h3 className="text-lg font-bold text-navy-900 mb-2 group-hover:text-teal-600 transition-colors">
        {t('dash.legalResearch')}
      </h3>
      <p className="text-sm text-navy-600 mb-3">
        {t('dash.legalResearchDesc')}
      </p>
      <div className="flex items-center gap-2 text-teal-600 font-semibold text-sm">
        {t('dash.startResearch')}
      </div>
      <ArrowRight className="w-4 h-4 group-hover:translate-x-1 transition-transform" />
    </div>
    </Link>

    <button
      onClick={() => setShowPredictionModal(true)}
      className="group bg-gradient-to-br from-teal-500 to-cyan-600 rounded-xl p-6 border-2 border-teal-500
hover:shadow-2xl transition-all text-left relative overflow-hidden"
    >
      <div className="w-12 h-12 bg-white/20 backdrop-blur rounded-xl flex items-center justify-center mb-4
transition-colors">
        <Brain className="w-6 h-6 text-white" />
      </div>
      <h3 className="text-lg font-bold text-white mb-2">
        {t('dash.outcomeScenarios')}
      </h3>
      <p className="text-sm text-teal-100 mb-3">
        {t('dash.outcomeScenariosDesc')}
      </p>
      <div className="flex items-center gap-2 text-white font-semibold text-sm">
        {t('dash.analyzeCase')}
      </div>
      <ArrowRight className="w-4 h-4 group-hover:translate-x-1 transition-transform" />
    </div>
    </button>
  </>
  </div>
</div>

{entitlements.length > 0 && (
  <div className="bg-white rounded-xl p-6 border border-navy-200 shadow-sm mb-8">
    <h3 className="text-lg font-bold text-navy-900 mb-4 flex items-center gap-2">
      <Award className="w-5 h-5 text-teal-600" />
      Your Purchases & Subscriptions
    </h3>
    <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 gap-3">
      {entitlements.map((ent) => {
        const statusInfo = getEntitlementStatusLabel(ent.status);
        return (
          <div key={ent.id} className="border border-navy-200 rounded-lg p-3">
            <div className="flex items-center justify-between mb-2">
              <span className="text-sm font-semibold text-navy-800 capitalize">
                {ent.product_type.replace('_', ' ')}
              </span>
              <span className={`text-xs px-2 py-0.5 rounded-full border font-medium ${statusInfo.color}`}>
                {statusInfo.label}
              </span>
            </div>
            <div>
              {ent.product_id && (
                <p className="text-xs text-navy-500 capitalize mb-1">{ent.product_id.replace(/-/g, ' ')}</p>
              )}
              {ent.expires_at && (
                <p className="text-xs text-navy-400">
                  {ent.status === 'active' ? 'Expires' : 'Expired'}: {new Date(ent.expires_at).toLocaleDateString()}
                </p>
              )}
              {ent.status === 'expired' && (
                <Link to="/pricing" className="text-xs text-teal-600 hover:underline font-medium mt-1 inline-block">
                  Renew
                </Link>
              )}
              {ent.status === 'payment_failed' && (
                <Link to="/pricing" className="text-xs text-red-600 hover:underline font-medium mt-1 inline-block">
                  Update payment method
                </Link>
              )}
            </div>
          </div>
        );
      })};
    </div>
  </div>
)

{recentActivity.length > 0 && (
  <div className="bg-white rounded-xl p-6 border border-navy-200 shadow-sm mb-8">

```

```

<div className="flex items-center justify-between mb-4">
  <h3 className="text-lg font-bold text-navy-900">{t('dash.recentActivity')}

```

```

    ))}
  </div>
</div>
)}
</div>}
</div>

<div className="bg-navy-900 text-white">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-8">
    <div className="flex items-center justify-between flex-wrap gap-4">
      <div className="flex items-center gap-3">
        <Shield className="w-6 h-6 text-navy-300" />
        <div>
          <h3 className="text-lg font-bold">{t('dash.needHumanAttorney')}</h3>
          <p className="text-navy-300 text-sm">{t('dash.aiGuidanceNote')}</p>
        </div>
      </div>
      <Link
        to="/dashboard/lawyer-profiles"
        className="inline-flex items-center gap-2 bg-white text-navy-900 px-5 py-2.5 rounded-lg font-semibold
hover:bg-navy-100 transition-all text-sm"
      >
        <Users className="w-4 h-4" />
        {t('dash.browseAttorneys')}
        <ArrowRight className="w-4 h-4" />
      </Link>
    </div>
  </div>
</div>

{showPredictionModal && (
  <div className="fixed inset-0 bg-black/50 flex items-center justify-center z-50 p-4">
    <div className="max-w-2xl w-full max-h-[90vh] overflow-y-auto">
      {!predictionConsented ? (
        <PredictionConsentGate
          onConsent={() => {
            setConsentedJurisdiction(jurisdiction);
            setPredictionConsented(true);
          }}
          onDecline={() => setShowPredictionModal(false)}
        />
      ) : (
        <OutcomePredictionWidget onClose={() => { setShowPredictionModal(false); setPredictionConsented(false); }} />
      )}
    </div>
  </div>
)}
</div>
);
}

```

[52/58] Cases

Route: /dashboard/cases | File: src/pages/Cases.tsx

```
import { useState, useEffect } from 'react';
import { Link } from 'react-router-dom';
import { useAuth } from '../../contexts/AuthContext';
import { supabase } from '../../lib/supabase';
import { Plus, Search, Calendar, AlertCircle, CheckCircle, Clock, Filter } from 'lucide-react';

interface Case {
  id: string;
  title: string;
  case_number: string;
  case_type: string;
  status: string;
  description: string;
  priority: string;
  deadline: string | null;
  created_at: string;
}

export default function Cases() {
  const [cases, setCases] = useState<Case[]>([]);
  const [filteredCases, setFilteredCases] = useState<Case[]>([]);
  const [loading, setLoading] = useState(true);
  const [showModal, setShowModal] = useState(false);
  const [searchTerm, setSearchTerm] = useState('');
  const [statusFilter, setStatusFilter] = useState('all');
  const { user } = useAuth();

  const [formData, setFormData] = useState({
    title: '',
    case_number: '',
    case_type: 'civil',
    status: 'open',
    description: '',
    priority: 'medium',
    deadline: '',
  });

  useEffect(() => {
    loadCases();
  }, []);

  useEffect(() => {
    filterCases();
  }, [cases, searchTerm, statusFilter]);

  const loadCases = async () => {
    if (!user) return;

    const { data, error } = await supabase
      .from('cases')
      .select('*')
      .eq('user_id', user.id)
      .order('created_at', { ascending: false });

    if (!error && data) {
      setCases(data);
    }
    setLoading(false);
  };

  const filterCases = () => {
    let filtered = cases;

    if (searchTerm) {
      filtered = filtered.filter(
        (c) =>
          c.title.toLowerCase().includes(searchTerm.toLowerCase()) ||
          c.case_number.toLowerCase().includes(searchTerm.toLowerCase())
      );
    }

    if (statusFilter !== 'all') {
      filtered = filtered.filter((c) => c.status === statusFilter);
    }

    setFilteredCases(filtered);
  };

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    if (!user) return;

    const { error } = await supabase.from('cases').insert({
      user_id: user.id,
      ...formData,
      deadline: formData.deadline || null,
    });

    if (!error) {

```

```

    setShowModal(false);
    setFormData({
      title: '',
      case_number: '',
      case_type: 'civil',
      status: 'open',
      description: '',
      priority: 'medium',
      deadline: '',
    });
    loadCases();
  }
};

const getPriorityColor = (priority: string) => {
  switch (priority) {
    case 'high':
      return 'bg-red-100 text-red-700 border-red-200';
    case 'medium':
      return 'bg-yellow-100 text-yellow-700 border-yellow-200';
    case 'low':
      return 'bg-green-100 text-green-700 border-green-200';
    default:
      return 'bg-navy-100 text-navy-700 border-navy-200';
  }
};

const getStatusIcon = (status: string) => {
  switch (status) {
    case 'open':
      return <Clock className="w-4 h-4" />;
    case 'in_progress':
      return <AlertCircle className="w-4 h-4" />;
    case 'closed':
      return <CheckCircle className="w-4 h-4" />;
    default:
      return null;
  }
};

if (loading) {
  return (
    <div className="flex items-center justify-center min-h-[60vh]">
      <div className="animate-spin rounded-full h-12 w-12 border-b-2 border-teal-600"></div>
    </div>
  );
}

return (
  <div className="p-6 max-w-7xl mx-auto">
    {!user && (
      <div className="bg-gradient-to-r from-navy-50 to-navy-100 border-2 border-navy-200 rounded-xl px-6 py-4 mb-6">
        <div className="flex items-center justify-between gap-4 flex-wrap">
          <div className="flex items-center gap-3">
            <Calendar className="w-6 h-6 text-navy-600" />
            <div>
              <p className="font-semibold text-navy-900">Sign Up to Track Your Cases</p>
              <p className="text-sm text-navy-600">Never miss a deadline - manage all your legal matters in one place</p>
            </div>
          </div>
          <div className="flex gap-2">
            <Link
              to="/signup"
              className="px-4 py-2 bg-navy-600 hover:bg-navy-700 text-white rounded-lg transition-all font-semibold shadow-md
text-sm"
            >
              Create Account
            </Link>
          </div>
        </div>
      </div>
    )}

    <div className="mb-8">
      <h1 className="text-3xl font-bold text-navy-900 mb-2">Case Management</h1>
      <p className="text-navy-600">Track deadlines, organize documents, and manage all your legal matters</p>
    </div>

    <div className="bg-white rounded-xl shadow-sm border border-navy-200 p-4 mb-6">
      <div className="flex flex-col lg:flex-row gap-4">
        <div className="flex-1 relative">
          <Search className="absolute left-3 top-1/2 transform -translate-y-1/2 text-navy-400 w-5 h-5" />
          <input
            type="text"
            placeholder="Search cases..."
            value={searchTerm}
            onChange={(e) => setSearchTerm(e.target.value)}
            className="w-full pl-10 pr-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
          />
        </div>

        <div className="flex gap-3">
          <div className="relative">
            <Filter className="absolute left-3 top-1/2 transform -translate-y-1/2 text-navy-400 w-5 h-5" />
            <select

```



```

        value={statusFilter}
        onChange={(e) => setStatusFilter(e.target.value)}
        className="pl-10 pr-8 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500 focus:border-teal-500
appearance-none bg-white"
      >
        <option value="all">All Status</option>
        <option value="open">Open</option>
        <option value="in_progress">In Progress</option>
        <option value="closed">Closed</option>
      </select>
    </div>

    <button
      onClick={() => setShowModal(true)}
      className="bg-teal-600 hover:bg-teal-700 text-white px-4 py-2 rounded-lg font-medium flex items-center gap-2
transition-colors"
    >
      <Plus className="w-5 h-5" />
      New Case
    </button>
  </div>
</div>
</div>

<div className="grid grid-cols-1 lg:grid-cols-2 gap-6">
  {filteredCases.map((caseItem) => (
    <div
      key={caseItem.id}
      className="bg-white rounded-xl shadow-sm border border-navy-200 p-6 hover:shadow-md transition-shadow"
    >
      <div className="flex items-start justify-between mb-4">
        <div className="flex-1">
          <h2 className="text-lg font-semibold text-navy-900 mb-1">
            {caseItem.title}
          </h2>
          {caseItem.case_number && (
            <p className="text-sm text-navy-500">Case #{caseItem.case_number}</p>
          )}
        </div>
        <span
          className={`px-3 py-1 rounded-full text-xs font-medium border ${getPriorityColor(
            caseItem.priority
          )}`}
        >
          {caseItem.priority}
        </span>
      </div>
      <div>
        <p className="text-sm text-navy-600 mb-4 line-clamp-2">
          {caseItem.description}
        </p>
        <div className="flex flex-wrap gap-2 mb-4">
          <span className="px-3 py-1 bg-navy-100 text-navy-700 rounded-full text-xs font-medium flex items-center gap-1">
            {getStatusIcon(caseItem.status)}
            {caseItem.status.replace('_', ' ')}
          </span>
          <span className="px-3 py-1 bg-teal-50 text-teal-700 rounded-full text-xs font-medium">
            {caseItem.case_type}
          </span>
        </div>
          {caseItem.deadline && (
            <div className="flex items-center gap-2 text-sm text-navy-600">
              <Calendar className="w-4 h-4" />
              Deadline: {new Date(caseItem.deadline).toLocaleDateString()}
            </div>
          )}
        </div>
      </div>
    </div>
  ))}
</div>

{filteredCases.length === 0 && (
  <div className="text-center py-12 bg-white rounded-xl border border-navy-200">
    <div className="w-16 h-16 bg-navy-100 rounded-full flex items-center justify-center mx-auto mb-4">
      <Search className="w-8 h-8 text-navy-400" />
    </div>
    <h3 className="text-lg font-semibold text-navy-900 mb-2">No cases found</h3>
    <p className="text-navy-600 mb-4">
      {searchTerm || statusFilter !== 'all'
        ? 'Try adjusting your filters'
        : 'Get started by creating your first case'}
    </p>
    {!searchTerm && statusFilter === 'all' && (
      <button
        onClick={() => setShowModal(true)}
        className="bg-teal-600 hover:bg-teal-700 text-white px-6 py-2 rounded-lg font-medium inline-flex items-center gap-2
transition-colors"
      >
        <Plus className="w-5 h-5" />
        Create Case
      </button>
    )}
  </div>
)}

```

```

{showModal && (
  <div className="fixed inset-0 bg-navy-900 bg-opacity-50 flex items-center justify-center z-50 p-4">
    <div className="bg-white rounded-2xl shadow-xl max-w-2xl w-full max-h-[90vh] overflow-y-auto">
      <div className="p-6 border-b border-navy-200">
        <h2 className="text-2xl font-bold text-navy-900">Create New Case</h2>
      </div>

      <form onSubmit={handleSubmit} className="p-6 space-y-6">
        <div className="grid grid-cols-1 md:grid-cols-2 gap-6">
          <div className="md:col-span-2">
            <label className="block text-sm font-medium text-navy-700 mb-2">
              Case Title
            </label>
            <input
              type="text"
              required
              value={formData.title}
              onChange={(e) => setFormData({ ...formData, title: e.target.value })}
              className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500"
            />
          </div>

          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              Case Number
            </label>
            <input
              type="text"
              value={formData.case_number}
              onChange={(e) =>
                setFormData({ ...formData, case_number: e.target.value })
              }
              className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500"
            />
          </div>

          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              Case Type
            </label>
            <select
              value={formData.case_type}
              onChange={(e) => setFormData({ ...formData, case_type: e.target.value })}
              className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500"
            >
              <option value="civil">Civil</option>
              <option value="criminal">Criminal</option>
              <option value="family">Family</option>
              <option value="corporate">Corporate</option>
              <option value="intellectual_property">Intellectual Property</option>
              <option value="employment">Employment</option>
              <option value="real_estate">Real Estate</option>
            </select>
          </div>

          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              Status
            </label>
            <select
              value={formData.status}
              onChange={(e) => setFormData({ ...formData, status: e.target.value })}
              className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500"
            >
              <option value="open">Open</option>
              <option value="in_progress">In Progress</option>
              <option value="closed">Closed</option>
            </select>
          </div>

          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              Priority
            </label>
            <select
              value={formData.priority}
              onChange={(e) => setFormData({ ...formData, priority: e.target.value })}
              className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500"
            >
              <option value="low">Low</option>
              <option value="medium">Medium</option>
              <option value="high">High</option>
            </select>
          </div>

          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              Deadline
            </label>
            <input
              type="date"

```

```

        value={formData.deadline}
        onChange={(e) => setFormData({ ...formData, deadline: e.target.value })}
        className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
      />
    </div>

    <div className="md:col-span-2">
      <label className="block text-sm font-medium text-navy-700 mb-2">
        Description
      </label>
      <textarea
        rows={4}
        value={formData.description}
        onChange={(e) =>
          setFormData({ ...formData, description: e.target.value })
        }
        className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
      />
    </div>
  </div>

  <div className="flex gap-3 justify-end pt-4 border-t border-navy-200">
    <button
      type="button"
      onClick={() => setShowModal(false)}
      className="px-6 py-2 border border-navy-300 text-navy-700 rounded-lg font-medium hover:bg-navy-50
transition-colors"
    >
      Cancel
    </button>
    <button
      type="submit"
      className="px-6 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-lg font-medium transition-colors"
    >
      Create Case
    </button>
  </div>
</form>
</div>
</div>
</div>
  )}
</div>
);
}

```

[53/58] Matters

Route: /dashboard/matters | File: src/pages/Matters.tsx

```
import { useState, useEffect } from 'react';
import { Link } from 'react-router-dom';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import { supabase } from '../lib/supabase';
import {
  Plus, Search, Calendar, AlertCircle, CheckCircle, Clock, Filter,
  FolderOpen, FileText, Users, ChevronRight, Archive,
  MoreVertical, Download, Scale, MapPin
} from 'lucide-react';
import { US_STATES } from '../data/jurisdictions';

interface Matter {
  id: string;
  title: string;
  description: string | null;
  practice_area: string | null;
  jurisdiction: string | null;
  status: 'open' | 'closed' | 'on_hold' | 'archived';
  priority: 'low' | 'medium' | 'high' | 'urgent';
  created_at: string;
  updated_at: string;
  document_count?: number;
  message_count?: number;
  participant_count?: number;
}

interface MatterStats {
  total: number;
  open: number;
  closed: number;
  on_hold: number;
}

const PRACTICE_AREAS = [
  'Family Law',
  'Criminal Defense',
  'Immigration',
  'Employment',
  'Housing & Tenant Rights',
  'Consumer Protection',
  'Small Claims',
  'Estate Planning',
  'Business Formation',
  'Contracts',
  'Personal Injury',
  'Civil Rights',
];

export default function Matters() {
  const { user } = useAuth();
  const { t } = useLanguage();
  const [matters, setMatters] = useState<Matter[]>([]);
  const [filteredMatters, setFilteredMatters] = useState<Matter[]>([]);
  const [stats, setStats] = useState<MatterStats>({ total: 0, open: 0, closed: 0, on_hold: 0 });
  const [loading, setLoading] = useState(true);
  const [showModal, setShowModal] = useState(false);
  const [searchTerm, setSearchTerm] = useState('');
  const [statusFilter, setStatusFilter] = useState('all');
  const [practiceAreaFilter, setPracticeAreaFilter] = useState('all');
  const [selectedMatter, setSelectedMatter] = useState<Matter | null>(null);
  const [showExportModal, setShowExportModal] = useState(false);
  const [exporting, setExporting] = useState(false);

  const [formData, setFormData] = useState({
    title: '',
    description: '',
    practice_area: '',
    jurisdiction: 'Arizona',
    status: 'open',
    priority: 'medium',
  });

  useEffect(() => {
    if (user) {
      loadMatters();
    }
  }, [user]);

  useEffect(() => {
    filterMatters();
  }, [matters, searchTerm, statusFilter, practiceAreaFilter]);

  const loadMatters = async () => {
    if (!user) return;

    const { data, error } = await supabase
      .from('matters')
      .select(`
```

```

    *,
    matter_documents(count),
    matter_participants(count)
  `)
  .order('updated_at', { ascending: false });

if (!error && data) {
  const mattersWithCounts = data.map(m => ({
    ...m,
    document_count: m.matter_documents?.[0]?.count || 0,
    participant_count: m.matter_participants?.[0]?.count || 0,
  }));
  setMatters(mattersWithCounts);

  setStats({
    total: data.length,
    open: data.filter(m => m.status === 'open').length,
    closed: data.filter(m => m.status === 'closed').length,
    on_hold: data.filter(m => m.status === 'on_hold').length,
  });
}
setLoading(false);
};

const filterMatters = () => {
  let filtered = matters;

  if (searchTerm) {
    const term = searchTerm.toLowerCase();
    filtered = filtered.filter(
      m =>
        m.title.toLowerCase().includes(term) ||
        m.description?.toLowerCase().includes(term) ||
        m.practice_area?.toLowerCase().includes(term)
    );
  }

  if (statusFilter !== 'all') {
    filtered = filtered.filter(m => m.status === statusFilter);
  }

  if (practiceAreaFilter !== 'all') {
    filtered = filtered.filter(m => m.practice_area === practiceAreaFilter);
  }

  setFilteredMatters(filtered);
};

const handleSubmit = async (e: React.FormEvent) => {
  e.preventDefault();
  if (!user) return;

  const { error } = await supabase.from('matters').insert({
    user_id: user.id,
    ...formData,
  });

  if (!error) {
    setShowModal(false);
    setFormData({
      title: '',
      description: '',
      practice_area: '',
      jurisdiction: 'Arizona',
      status: 'open',
      priority: 'medium',
    });
    loadMatters();
  }
};

const handleExportRecord = async (matterId: string) => {
  setExporting(true);
  try {
    const { data, error } = await supabase.rpc('export_matter_record', {
      p_matter_id: matterId
    });

    if (error) throw error;

    const blob = new Blob([JSON.stringify(data, null, 2)], { type: 'application/json' });
    const url = URL.createObjectURL(blob);
    const a = document.createElement('a');
    a.href = url;
    a.download = `matter-record-${matterId}-${new Date().toISOString().split('T')[0]}.json`;
    document.body.appendChild(a);
    a.click();
    document.body.removeChild(a);
    URL.revokeObjectURL(url);
  } catch (err) {
    console.error('Export failed:', err);
  } finally {
    setExporting(false);
    setShowExportModal(false);
  }
};

```

```

const getPriorityColor = (priority: string) => {
  switch (priority) {
    case 'urgent':
      return 'bg-red-100 text-red-700 border-red-200';
    case 'high':
      return 'bg-orange-100 text-orange-700 border-orange-200';
    case 'medium':
      return 'bg-yellow-100 text-yellow-700 border-yellow-200';
    case 'low':
      return 'bg-green-100 text-green-700 border-green-200';
    default:
      return 'bg-navy-100 text-navy-700 border-navy-200';
  }
};

const getStatusConfig = (status: string) => {
  switch (status) {
    case 'open':
      return { icon: Clock, color: 'text-teal-600 bg-teal-50', label: t('matters.open') };
    case 'on_hold':
      return { icon: AlertCircle, color: 'text-amber-600 bg-amber-50', label: t('matters.onHold') };
    case 'closed':
      return { icon: CheckCircle, color: 'text-green-600 bg-green-50', label: t('matters.closed') };
    case 'archived':
      return { icon: Archive, color: 'text-navy-500 bg-navy-100', label: t('matters.archived') };
    default:
      return { icon: Clock, color: 'text-navy-500 bg-navy-100', label: status };
  }
};

if (!user) {
  return (
    <div className="min-h-screen bg-navy-50 flex items-center justify-center p-4">
      <div className="bg-white rounded-2xl shadow-xl p-8 max-w-md w-full text-center">
        <div className="w-16 h-16 bg-teal-100 rounded-full flex items-center justify-center mx-auto mb-4">
          <FolderOpen className="w-8 h-8 text-teal-600" />
        </div>
        <h2 className="text-2xl font-bold text-navy-900 mb-2">{t('matters.title')}</h2>
        <p className="text-navy-600 mb-6">
          {t('matters.signInPrompt')}
        </p>
        <div className="flex gap-3 justify-center">
          <Link
            to="/login"
            className="px-6 py-2 border-2 border-navy-200 text-navy-700 rounded-lg font-semibold hover:bg-navy-50 transition-all"
          >
            {t('matters.signIn')}
          </Link>
          <Link
            to="/signup"
            className="px-6 py-2 bg-teal-600 text-white rounded-lg font-semibold hover:bg-teal-700 transition-all"
          >
            {t('matters.createAccount')}
          </Link>
        </div>
      </div>
    </div>
  );
}

if (loading) {
  return (
    <div className="flex items-center justify-center min-h-[60vh]">
      <div className="animate-spin rounded-full h-12 w-12 border-b-2 border-teal-600"></div>
    </div>
  );
}

return (
  <div className="min-h-screen bg-navy-50">
    <div className="bg-gradient-to-br from-teal-600 to-teal-700 text-white">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-8">
        <div className="flex items-start justify-between flex-wrap gap-6">
          <div>
            <h1 className="text-3xl font-bold mb-2">{t('matters.heading')}</h1>
            <p className="text-teal-100">{t('matters.subtitle')}</p>
          </div>
          <button
            onClick={() => setShowModal(true)}
            className="bg-white text-teal-600 px-5 py-2.5 rounded-lg font-semibold flex items-center gap-2 hover:bg-teal-50 transition-all shadow-lg"
          >
            <Plus className="w-5 h-5" />
            {t('matters.newMatter')}
          </button>
        </div>

        <div className="grid grid-cols-2 md:grid-cols-4 gap-4 mt-8">
          <div className="bg-white/10 backdrop-blur rounded-xl p-4 border border-white/20">
            <div className="text-3xl font-bold">{stats.total}</div>
            <div className="text-sm text-teal-100">{t('matters.totalMatters')}</div>
          </div>
          <div className="bg-white/10 backdrop-blur rounded-xl p-4 border border-white/20">
            <div className="text-3xl font-bold text-green-300">{stats.open}</div>
            <div className="text-sm text-teal-100">{t('matters.active')}</div>
          </div>
        </div>
      </div>
    </div>
  </div>
);

```

```

    </div>
    <div className="bg-white/10 backdrop-blur rounded-xl p-4 border border-white/20">
      <div className="text-3xl font-bold text-amber-300">{stats.on_hold}</div>
      <div className="text-sm text-teal-100">{t('matters.onHold')}</div>
    </div>
    <div className="bg-white/10 backdrop-blur rounded-xl p-4 border border-white/20">
      <div className="text-3xl font-bold text-navy-300">{stats.closed}</div>
      <div className="text-sm text-teal-100">{t('matters.closed')}</div>
    </div>
  </div>
</div>
</div>
</div>

<div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-6">
  <div className="bg-white rounded-xl shadow-sm border border-navy-200 p-4 mb-6">
    <div className="flex flex-col lg:flex-row gap-4">
      <div className="flex-1 relative">
        <Search className="absolute left-3 top-1/2 transform -translate-y-1/2 text-navy-400 w-5 h-5" />
        <input
          type="text"
          placeholder={t('matters.searchPlaceholder')}
          value={searchTerm}
          onChange={(e) => setSearchTerm(e.target.value)}
          className="w-full pl-10 pr-4 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600"
        />
      </div>

      <div className="flex flex-wrap gap-3">
        <div className="relative">
          <Filter className="absolute left-3 top-1/2 transform -translate-y-1/2 text-navy-400 w-4 h-4" />
          <select
            value={statusFilter}
            onChange={(e) => setStatusFilter(e.target.value)}
            className="pl-9 pr-8 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600 appearance-none bg-white text-sm"
          >
            <option value="all">{t('matters.allStatus')}</option>
            <option value="open">{t('matters.open')}</option>
            <option value="on_hold">{t('matters.onHold')}</option>
            <option value="closed">{t('matters.closed')}</option>
            <option value="archived">{t('matters.archived')}</option>
          </select>
        </div>

        <div className="relative">
          <Scale className="absolute left-3 top-1/2 transform -translate-y-1/2 text-navy-400 w-4 h-4" />
          <select
            value={practiceAreaFilter}
            onChange={(e) => setPracticeAreaFilter(e.target.value)}
            className="pl-9 pr-8 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600 appearance-none bg-white text-sm"
          >
            <option value="all">{t('matters.allPracticeAreas')}</option>
            {PRACTICE_AREAS.map(area => (
              <option key={area} value={area}>{area}</option>
            ))}
          </select>
        </div>
      </div>
    </div>
  </div>
</div>

{filteredMatters.length === 0 ? (
  <div className="bg-white rounded-xl border border-navy-200 p-12 text-center">
    <div className="w-16 h-16 bg-navy-100 rounded-full flex items-center justify-center mx-auto mb-4">
      <FolderOpen className="w-8 h-8 text-navy-400" />
    </div>
    <h2 className="text-lg font-semibold text-navy-900 mb-2">
      {searchTerm || statusFilter !== 'all' || practiceAreaFilter !== 'all'
        ? t('matters.noMatch')
        : t('matters.noMatters')}
    </h2>
    <p className="text-navy-600 mb-6 max-w-md mx-auto">
      {searchTerm || statusFilter !== 'all' || practiceAreaFilter !== 'all'
        ? t('matters.adjustFilters')
        : t('matters.createFirst')}
    </p>
    {!searchTerm && statusFilter === 'all' && practiceAreaFilter === 'all' && (
      <button
        onClick={() => setShowModal(true)}
        className="bg-teal-600 text-white px-6 py-2.5 rounded-lg font-semibold inline-flex items-center gap-2
hover:bg-teal-700 transition-all"
      >
        <Plus className="w-5 h-5" />
        {t('matters.createFirstBtn')}
      </button>
    )}
  </div>
) : (
  <div className="space-y-4">
    {filteredMatters.map((matter) => {
      const statusConfig = getStatusConfig(matter.status);
      const StatusIcon = statusConfig.icon;

      return (

```

```

    <div
      key={matter.id}
      className="bg-white rounded-xl shadow-sm border border-navy-200 hover:shadow-md hover:border-navy-300
transition-all"
    >
      <div className="p-6">
        <div className="flex items-start justify-between gap-4">
          <div className="flex-1 min-w-0">
            <div className="flex items-center gap-3 mb-2">
              <h3 className="text-lg font-semibold text-navy-900 truncate">
                {matter.title}
              </h3>
              <span className={`px-2.5 py-1 rounded-full text-xs font-medium border
${getPriorityColor(matter.priority)}}`>
                {matter.priority}
              </span>
            </div>

            {matter.description && (
              <p className="text-sm text-navy-600 mb-3 line-clamp-2">
                {matter.description}
              </p>
            )}

            <div className="flex flex-wrap items-center gap-3 text-sm">
              <span className={`inline-flex items-center gap-1.5 px-2.5 py-1 rounded-lg ${statusConfig.color}`}>
                <StatusIcon className="w-3.5 h-3.5" />
                {statusConfig.label}
              </span>

              {matter.practice_area && (
                <span className="inline-flex items-center gap-1.5 px-2.5 py-1 bg-teal-50 text-teal-700 rounded-lg">
                  <Scale className="w-3.5 h-3.5" />
                  {matter.practice_area}
                </span>
              )}

              {matter.jurisdiction && (
                <span className="inline-flex items-center gap-1.5 px-2.5 py-1 bg-navy-100 text-navy-600 rounded-lg">
                  <MapPin className="w-3.5 h-3.5" />
                  {matter.jurisdiction}
                </span>
              )}
            </div>
          </div>
          <div>
            <div className="flex items-center gap-2">
              <button
                onClick={() => {
                  setSelectedMatter(matter);
                  setShowExportModal(true);
                }}
                className="p-2 text-navy-400 hover:text-navy-600 hover:bg-navy-100 rounded-lg transition-colors"
                title={t('matters.exportRecord')}
              >
                <Download className="w-5 h-5" />
              </button>
              <button className="p-2 text-navy-400 hover:text-navy-600 hover:bg-navy-100 rounded-lg transition-colors">
                <MoreVertical className="w-5 h-5" />
              </button>
            </div>
          </div>

          <div className="flex items-center justify-between mt-4 pt-4 border-t border-navy-100">
            <div className="flex items-center gap-6 text-sm text-navy-500">
              <div className="flex items-center gap-1.5">
                <FileText className="w-4 h-4" />
                <span>{matter.document_count || 0} {t('matters.documents')}</span>
              </div>
              <div className="flex items-center gap-1.5">
                <Users className="w-4 h-4" />
                <span>{matter.participant_count || 0} {t('matters.participants')}</span>
              </div>
              <div className="flex items-center gap-1.5">
                <Calendar className="w-4 h-4" />
                <span>{t('matters.updated')} {new Date(matter.updated_at).toLocaleDateString()}</span>
              </div>
            </div>

            <button
              onClick={() => setSelectedMatter(matter)}
              className="inline-flex items-center gap-1 text-teal-600 font-medium text-sm hover:gap-2 transition-all"
            >
              {t('matters.viewDetails')}
              <ChevronRight className="w-4 h-4" />
            </button>
          </div>
        </div>
      </div>
    </div>
  );
  }}}
</div>
)}
</div>
{showModal && (

```



```

<div className="fixed inset-0 bg-navy-900/50 flex items-center justify-center z-50 p-4">
  <div className="bg-white rounded-2xl shadow-xl max-w-2xl w-full max-h-[90vh] overflow-y-auto">
    <div className="p-6 border-b border-navy-200">
      <h2 className="text-2xl font-bold text-navy-900">{t('matters.createNewMatter')}</h2>
      <p className="text-navy-600 text-sm mt-1">
        {t('matters.createDesc')}
      </p>
    </div>

    <form onSubmit={handleSubmit} className="p-6 space-y-6">
      <div>
        <label className="block text-sm font-medium text-navy-700 mb-2">
          {t('matters.matterTitle')} <span className="text-red-500">*</span>
        </label>
        <input
          type="text"
          required
          placeholder="e.g., Lease Agreement Review, Employment Dispute"
          value={formData.title}
          onChange={(e) => setFormData({ ...formData, title: e.target.value })}
          className="w-full px-4 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600"
        />
      </div>

      <div className="grid grid-cols-1 md:grid-cols-2 gap-6">
        <div>
          <label className="block text-sm font-medium text-navy-700 mb-2">
            {t('matters.practiceArea')}
          </label>
          <select
            value={formData.practice_area}
            onChange={(e) => setFormData({ ...formData, practice_area: e.target.value })}
            className="w-full px-4 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600"
          >
            <option value="">{t('matters.selectPracticeArea')}</option>
            {PRACTICE_AREAS.map(area => (
              <option key={area} value={area}>{area}</option>
            ))}
          </select>
        </div>

        <div>
          <label className="block text-sm font-medium text-navy-700 mb-2">
            {t('matters.jurisdictionLabel')}
          </label>
          <select
            value={formData.jurisdiction}
            onChange={(e) => setFormData({ ...formData, jurisdiction: e.target.value })}
            className="w-full px-4 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600"
          >
            {US_STATES.map(j => (
              <option key={j.code} value={j.name}>{j.name}</option>
            ))}
          </select>
        </div>

        <div>
          <label className="block text-sm font-medium text-navy-700 mb-2">
            {t('matters.priority')}
          </label>
          <select
            value={formData.priority}
            onChange={(e) => setFormData({ ...formData, priority: e.target.value })}
            className="w-full px-4 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600"
          >
            <option value="low">{t('matters.priorityLow')}</option>
            <option value="medium">{t('matters.priorityMedium')}</option>
            <option value="high">{t('matters.priorityHigh')}</option>
            <option value="urgent">{t('matters.priorityUrgent')}</option>
          </select>
        </div>

        <div>
          <label className="block text-sm font-medium text-navy-700 mb-2">
            {t('matters.status')}
          </label>
          <select
            value={formData.status}
            onChange={(e) => setFormData({ ...formData, status: e.target.value })}
            className="w-full px-4 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600"
          >
            <option value="open">{t('matters.open')}</option>
            <option value="on_hold">{t('matters.onHold')}</option>
          </select>
        </div>
      </div>

      <div>
        <label className="block text-sm font-medium text-navy-700 mb-2">
          {t('matters.description')}
        </label>
      </div>
    </form>
  </div>
</div>

```

```

        <textarea
          rows={4}
          placeholder="Briefly describe the legal matter..."
          value={formData.description}
          onChange={(e) => setFormData({ ...formData, description: e.target.value })}
          className="w-full px-4 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-600
focus:border-teal-600"
        />
      </div>

      <div className="flex gap-3 justify-end pt-4 border-t border-navy-200">
        <button
          type="button"
          onClick={() => setShowModal(false)}
          className="px-6 py-2.5 border border-navy-300 text-navy-700 rounded-lg font-medium hover:bg-navy-50
transition-colors"
        >
          {t('matters.cancel')}
        </button>
        <button
          type="submit"
          className="px-6 py-2.5 bg-teal-600 hover:bg-teal-700 text-white rounded-lg font-medium transition-colors"
        >
          {t('matters.createMatter')}
        </button>
      </div>
    </form>
  </div>
</div>
)}

{showExportModal && selectedMatter && (
  <div className="fixed inset-0 bg-navy-900/50 flex items-center justify-center z-50 p-4">
    <div className="bg-white rounded-2xl shadow-xl max-w-md w-full">
      <div className="p-6">
        <div className="w-12 h-12 bg-teal-100 rounded-full flex items-center justify-center mb-4">
          <Download className="w-6 h-6 text-teal-600" />
        </div>
        <h3 className="text-xl font-bold text-navy-900 mb-2">{t('matters.exportTitle')}</h3>
        <p className="text-navy-600 mb-4">
          {t('matters.exportDesc')}
        </p>
        <div className="bg-navy-50 rounded-lg p-4 mb-6">
          <h4 className="text-sm font-semibold text-navy-700 mb-2">{t('matters.exportIncludes')}</h4>
          <ul className="text-sm text-navy-600 space-y-1">
            <li className="flex items-center gap-2">
              <CheckCircle className="w-4 h-4 text-green-500" />
              {t('matters.exportItem1')}
            </li>
            <li className="flex items-center gap-2">
              <CheckCircle className="w-4 h-4 text-green-500" />
              {t('matters.exportItem2')}
            </li>
            <li className="flex items-center gap-2">
              <CheckCircle className="w-4 h-4 text-green-500" />
              {t('matters.exportItem3')}
            </li>
            <li className="flex items-center gap-2">
              <CheckCircle className="w-4 h-4 text-green-500" />
              {t('matters.exportItem4')}
            </li>
          </ul>
        </div>
        <div className="flex gap-3">
          <button
            onClick={() => setShowExportModal(false)}
            className="flex-1 px-4 py-2.5 border border-navy-300 text-navy-700 rounded-lg font-medium hover:bg-navy-50
transition-colors"
          >
            {t('matters.cancel')}
          </button>
          <button
            onClick={() => handleExportRecord(selectedMatter.id)}
            disabled={exporting}
            className="flex-1 px-4 py-2.5 bg-teal-600 hover:bg-teal-700 text-white rounded-lg font-medium transition-colors
disabled:opacity-50 flex items-center justify-center gap-2"
          >
            {exporting ? (
              <>
                <div className="w-4 h-4 border-2 border-white/30 border-t-white rounded-full animate-spin" />
                {t('matters.exporting')}
              </>
            ) : (
              <>
                <Download className="w-4 h-4" />
                {t('matters.exportJSON')}
              </>
            )}
          </button>
        </div>
      </div>
    </div>
  )}
</div>
);

```


[54/58] History

Route: /dashboard/history | File: src/pages/History.tsx

```
import { useState, useEffect, useCallback } from 'react';
import { Link } from 'react-router-dom';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import { supabase } from '../lib/supabase';
import {
  Search,
  Filter,
  Star,
  MessageSquare,
  Users,
  FileText,
  TrendingUp,
  X,
  Download,
  RefreshCw,
  Clock,
  ChevronDown,
  Briefcase,
  Settings,
  Crown,
  Sparkles,
  BarChart3,
  Lock
} from 'lucide-react';
import ActivityTimeline from '../components/ActivityTimeline';
import ActivityStatsBar from '../components/ActivityStatsBar';
import {
  Activity,
  ActivityType,
  ActivityStats,
  getActivities,
  getActivityStats,
  groupActivitiesByDate,
  getActivityTypeConfig
} from '../services/activity-service';
import { trackFeatureView, trackExport, trackConversion } from '../services/engagement-service';

type DateFilter = 'all' | 'today' | 'week' | 'month' | 'custom';

const activityTypeOptions: { type: ActivityType; label: string; icon: React.ComponentType<{ className?: string }> }[] = [
  { type: 'chat', label: 'Chat Sessions', icon: MessageSquare },
  { type: 'lawyer_match', label: 'Lawyer Matches', icon: Users },
  { type: 'document', label: 'Documents', icon: FileText },
  { type: 'prediction', label: 'Predictions', icon: TrendingUp },
  { type: 'case', label: 'Cases', icon: Briefcase },
  { type: 'system', label: 'System', icon: Settings }
];

export default function History() {
  const [activities, setActivities] = useState<Activity[]>([]);
  const [stats, setStats] = useState<ActivityStats | null>(null);
  const [loading, setLoading] = useState(true);
  const [statsLoading, setStatsLoading] = useState(true);
  const [showUpgradeModal, setShowUpgradeModal] = useState(false);

  const [searchTerm, setSearchTerm] = useState('');
  const [selectedTypes, setSelectedTypes] = useState<ActivityType[]>([]);
  const [showFavoritesOnly, setShowFavoritesOnly] = useState(false);
  const [dateFilter, setDateFilter] = useState<DateFilter>('all');
  const [showFilters, setShowFilters] = useState(false);

  const [hasMore, setHasMore] = useState(true);
  const [loadingMore, setLoadingMore] = useState(false);

  const { user, profile } = useAuth();
  const { t } = useLanguage();
  const isPremium = profile?.subscription_tier === 'premium' || profile?.subscription_tier === 'enterprise';

  const getTypeLabel = (type: ActivityType): string => {
    const labels: Record<ActivityType, string> = {
      chat: t('history.typeChatSessions'),
      lawyer_match: t('history.typeLawyerMatches'),
      document: t('history.typeDocuments'),
      prediction: t('history.typePredictions'),
      case: t('history.typeCases'),
      system: t('history.typeSystem'),
    };
    return labels[type] || type;
  };

  const FREE_ACTIVITY_LIMIT = 50;
  const FREE_EXPORT_LIMIT = 10;

  const loadActivities = useCallback(async (reset: boolean = false) => {
    if (!user) return;

    const currentOffset = reset ? 0 : activities.length;
    const limit = 20;
```

```

    if (!reset) setLoadingMore(true);
    else setLoading(true);

    const startDate = getStartDateFromFilter(dateFilter);
    const endDate = dateFilter === 'custom' ? new Date() : undefined;

    const { activities: newActivities, total } = await getActivities({
      limit,
      offset: currentOffset,
      activityTypes: selectedTypes.length > 0 ? selectedTypes : undefined,
      favoritesOnly: showFavoritesOnly,
      searchTerm: searchTerm || undefined,
      startDate,
      endDate
    });

    if (reset) {
      setActivities(newActivities);
    } else {
      setActivities(prev => [...prev, ...newActivities]);
    }

    setHasMore(currentOffset + newActivities.length < total);
    setLoading(false);
    setLoadingMore(false);
  }, [user, activities.length, selectedTypes, showFavoritesOnly, searchTerm, dateFilter]);

  const loadStats = useCallback(async () => {
    if (!user) return;
    setStatsLoading(true);
    const statsData = await getActivityStats(30);
    setStats(statsData);
    setStatsLoading(false);
  }, [user]);

  useEffect(() => {
    loadActivities(true);
  }, [selectedTypes, showFavoritesOnly, dateFilter]);

  useEffect(() => {
    loadStats();
  }, [loadStats]);

  useEffect(() => {
    trackFeatureView('activity_center', { isPremium });
  }, [isPremium]);

  useEffect(() => {
    const delayDebounceFn = setTimeout(() => {
      loadActivities(true);
    }, 300);

    return () => clearTimeout(delayDebounceFn);
  }, [searchTerm]);

  const handleRefresh = () => {
    loadActivities(true);
    loadStats();
  };

  const handleLoadMore = () => {
    if (!loadingMore && hasMore) {
      loadActivities(false);
    }
  };

  const toggleTypeFilter = (type: ActivityType) => {
    setSelectedTypes(prev =>
      prev.includes(type)
        ? prev.filter(t => t !== type)
        : [...prev, type]
    );
  };

  const clearFilters = () => {
    setSelectedTypes([]);
    setShowFavoritesOnly(false);
    setDateFilter('all');
    setSearchTerm('');
  };

  const hasActiveFilters = selectedTypes.length > 0 || showFavoritesOnly || dateFilter !== 'all' || searchTerm;

  const groupedActivities = groupActivitiesByDate(activities);

  const handleExport = async () => {
    const exportActivities = isPremium ? activities : activities.slice(0, FREE_EXPORT_LIMIT);

    if (!isPremium && activities.length > FREE_EXPORT_LIMIT) {
      setShowUpgradeModal(true);
    }

    const csvContent = exportActivities.map(a =>
      `${a.created_at},"${a.activity_type}","${a.action}","${a.title.replace(/"/g, '""')}"${a.description?.replace(/"/g, '""')}`
    )
    || '","${a.status}"'
    ).join('\n');

```

```
const header = `Date,Type,Action,Title,Description,Status\n`;
const blob = new Blob([header + csvContent], { type: 'text/csv' });
const url = URL.createObjectURL(blob);
const link = document.createElement('a');
link.href = url;
link.download = `ezlegal-activity-history-${new Date().toISOString().split('T')[0]}.csv`;
link.click();
URL.revokeObjectURL(url);

trackExport('activity_center');
};

const migrateExistingChats = async () => {
  if (!user) return;

  const { data: existingChats } = await supabase
    .from('chat_messages')
    .select('*')
    .eq('user_id', user.id)
    .order('created_at', { ascending: true });

  if (existingChats && existingChats.length > 0) {
    const activitiesToInsert = existingChats.map(chat => ({
      user_id: user.id,
      activity_type: 'chat',
      action: 'message_sent',
      title: chat.message.substring(0, 100) + (chat.message.length > 100 ? '...' : ''),
      description: chat.response?.substring(0, 200),
      metadata: {
        messageId: chat.id,
        jurisdiction: chat.jurisdiction,
        isFavorite: chat.is_favorite
      },
      related_id: chat.id,
      related_type: 'chat_message',
      is_favorite: chat.is_favorite || false,
      status: 'completed',
      created_at: chat.created_at
    })));

    await supabase.from('activity_log').insert(activitiesToInsert);
    handleRefresh();
  }
};

return (
  <div className="min-h-screen bg-gradient-to-b from-navy-50 to-white">
    <div className="max-w-xl mx-auto px-4 sm:px-6 lg:px-8 py-8">
      <div className="mb-8">
        <div className="flex flex-col sm:flex-row sm:items-center sm:justify-between gap-4">
          <div>
            <h1 className="text-3xl font-bold text-navy-900">{t('history.title')}</h1>
            <p className="text-navy-600 mt-1">
              {t('history.subtitle')}
            </p>
          </div>
          <div className="flex items-center gap-3">
            <button
              onClick={handleRefresh}
              className="p-2 text-navy-500 hover:text-navy-700 hover:bg-navy-100 rounded-lg transition-all"
              title={t('history.refresh')}
            >
              <RefreshCw className={`w-5 h-5 ${loading ? 'animate-spin' : ''}`} />
            </button>
            <button
              onClick={handleExport}
              disabled={activities.length === 0}
              className="flex items-center gap-2 px-4 py-2 text-navy-700 bg-white border border-navy-300 rounded-lg
hover:bg-navy-50 transition-all disabled:opacity-50 disabled:cursor-not-allowed"
            >
              <Download className="w-4 h-4" />
              <span className="hidden sm:inline">{t('history.export')}</span>
            </button>
            <a
              href="/chat"
              className="flex items-center gap-2 px-4 py-2 bg-gradient-to-r from-brand-600 to-brand-700 text-white rounded-lg
hover:from-brand-700 hover:to-brand-800 transition-all shadow-sm"
            >
              <MessageSquare className="w-4 h-4" />
              <span className="hidden sm:inline">{t('history.newChat')}</span>
            </a>
          </div>
        </div>
      </div>
      <ActivityStatsBar stats={stats} loading={statsLoading} />

      <div className="bg-white rounded-xl border border-navy-200 shadow-sm p-4 mb-6">
        <div className="flex flex-col lg:flex-row gap-4">
          <div className="flex-1 relative">
            <Search className="absolute left-3 top-1/2 transform -translate-y-1/2 text-navy-400 w-5 h-5" />
            <input
              type="text"
              placeholder={t('history.search')}
              value={searchTerm}
            />
          </div>
        </div>
      </div>
    </div>
  </div>
);
```

```

        onChange={(e) => setSearchTerm(e.target.value)}
        className="w-full pl-10 pr-4 py-2.5 border border-navy-300 rounded-lg focus:ring-2 focus:ring-brand-500
focus:border-brand-500 transition-all"
      />
      {searchTerm && (
        <button
          onClick={() => setSearchTerm('')}
          className="absolute right-3 top-1/2 transform -translate-y-1/2 text-navy-400 hover:text-navy-600"
        >
          <X className="w-4 h-4" />
        </button>
      )}
    </div>

    <div className="flex flex-wrap gap-2">
      <button
        onClick={() => setShowFavoritesOnly(!showFavoritesOnly)}
        className={`px-4 py-2.5 rounded-lg font-medium transition-all flex items-center gap-2 ${
          showFavoritesOnly
            ? 'bg-amber-100 text-amber-700 border border-amber-300'
            : 'bg-navy-100 text-navy-700 hover:bg-navy-200 border border-transparent'
          }`}
      >
        <Star className={`w-4 h-4 ${showFavoritesOnly ? 'fill-current' : ''}`} />
        {t('history.favorites')}
      </button>

      <div className="relative">
        <button
          onClick={() => setShowFilters(!showFilters)}
          className={`px-4 py-2.5 rounded-lg font-medium transition-all flex items-center gap-2 ${
            selectedTypes.length > 0
              ? 'bg-brand-100 text-brand-700 border border-brand-300'
              : 'bg-navy-100 text-navy-700 hover:bg-navy-200 border border-transparent'
            }`}
        >
          <Filter className="w-4 h-4" />
          {t('history.type')}
          {selectedTypes.length > 0 && (
            <span className="bg-brand-600 text-white text-xs px-1.5 py-0.5 rounded-full">
              {selectedTypes.length}
            </span>
          )}
          <ChevronDown className="w-4 h-4" />
        </button>

        {showFilters && (
          <div>
            <div className="fixed inset-0 z-10" onClick={() => setShowFilters(false)} />
            <div className="absolute right-0 top-12 w-64 bg-white rounded-xl shadow-lg border border-navy-200 py-2 z-20">
              <div className="px-4 py-2 border-b border-navy-100">
                <span className="text-xs font-semibold text-navy-500 uppercase">
                  tracking-wider">{t('history.activityTypes')}</span>
                </div>
                {activityTypeOptions.map(({ type, icon: Icon }) => {
                  const config = getActivityTypeConfig(type);
                  const isSelected = selectedTypes.includes(type);
                  return (
                    <button
                      key={type}
                      onClick={() => toggleTypeFilter(type)}
                      className={`w-full px-4 py-2.5 text-left text-sm flex items-center gap-3 transition-all ${
                        isSelected ? config.lightBg : 'hover:bg-navy-50'
                      }`}
                    >
                      <div className={`w-6 h-6 rounded flex items-center justify-center ${isSelected ? config.bgColor :
'bg-navy-200'}`}>
                        <Icon className={`w-3.5 h-3.5 ${isSelected ? 'text-white' : 'text-navy-500'}`} />
                      </div>
                        <span className={isSelected ? config.textColor : 'text-navy-700'}>{getTypeLabel(type)}</span>
                        {isSelected && (
                          <span className="ml-auto text-xs text-navy-400">{t('history.active')}</span>
                        )}
                      </button>
                    </div>
                  );
                })}
              </div>
            </div>
          </div>
        )}
      </div>

      <select
        value={dateFilter}
        onChange={(e) => setDateFilter(e.target.value as DateFilter)}
        className={`px-4 py-2.5 rounded-lg font-medium transition-all border ${
          dateFilter !== 'all'
            ? 'bg-brand-100 text-brand-700 border-brand-300'
            : 'bg-navy-100 text-navy-700 hover:bg-navy-200 border-transparent'
          }`}
      >
        <option value="all">{t('history.allTime')}</option>
        <option value="today">{t('history.today')}</option>
        <option value="week">{t('history.last7Days')}</option>
        <option value="month">{t('history.last30Days')}</option>
      </select>

```

```

        {hasActiveFilters && (
            <button
                onClick={clearFilters}
                className="px-4 py-2.5 text-navy-500 hover:text-navy-700 hover:bg-navy-100 rounded-lg transition-all flex
items-center gap-2"
            >
                <X className="w-4 h-4" />
                {t('history.clear')}
            </button>
        )}
    </div>
</div>
</div>

{loading ? (
    <div className="space-y-4">
        {[...Array(5)].map( (_, i) => (
            <div key={i} className="flex gap-4 animate-pulse">
                <div className="w-10 h-10 bg-navy-200 rounded-full" />
                <div className="flex-1 bg-white rounded-xl border border-navy-200 p-4">
                    <div className="h-4 bg-navy-200 rounded w-1/4 mb-2" />
                    <div className="h-3 bg-navy-100 rounded w-3/4" />
                </div>
            </div>
        ))}
    </div>
) : activities.length === 0 ? (
    <div className="text-center py-16 bg-white rounded-xl border border-navy-200">
        <div className="w-20 h-20 bg-gradient-to-br from-brand-100 to-teal-100 rounded-2xl flex items-center justify-center
mx-auto mb-6">
            <Clock className="w-10 h-10 text-brand-600" />
        </div>
        <h2 className="text-xl font-semibold text-navy-900 mb-2">
            {hasActiveFilters ? t('history.noMatch') : t('history.noActivity')}
        </h2>
        <p className="text-navy-600 mb-6 max-w-md mx-auto">
            {hasActiveFilters
                ? t('history.adjustFilters')
                : t('history.willAppear')}
        </p>
        <div className="flex flex-col sm:flex-row items-center justify-center gap-3">
            {hasActiveFilters ? (
                <button
                    onClick={clearFilters}
                    className="px-6 py-3 bg-navy-100 text-navy-700 rounded-lg font-medium hover:bg-navy-200 transition-all"
                >
                    {t('history.clearFilters')}
                </button>
            ) : (
                <a
                    href="/chat"
                    className="px-6 py-3 bg-gradient-to-r from-brand-600 to-brand-700 text-white rounded-lg font-semibold
hover:from-brand-700 hover:to-brand-800 transition-all shadow-md flex items-center gap-2"
                >
                    <MessageSquare className="w-5 h-5" />
                    {t('history.startChat')}
                </a>
                <button
                    onClick={migrateExistingChats}
                    className="px-6 py-3 bg-navy-100 text-navy-700 rounded-lg font-medium hover:bg-navy-200 transition-all flex
items-center gap-2"
                >
                    <RefreshCw className="w-5 h-5" />
                    {t('history.importHistory')}
                </button>
            </>
        </div>
    </div>
) : (
    <>
        {Array.from(groupedActivities.entries()).map( ([groupLabel, groupActivities]) => (
            <ActivityTimeline
                key={groupLabel}
                groupLabel={groupLabel}
                activities={groupActivities}
                onActivityUpdate={handleRefresh}
            />
        ))}

        {hasMore && (
            <div className="text-center py-8">
                <button
                    onClick={handleLoadMore}
                    disabled={loadingMore}
                    className="px-6 py-3 bg-white border border-navy-300 text-navy-700 rounded-lg font-medium hover:bg-navy-50
transition-all disabled:opacity-50 flex items-center gap-2 mx-auto"
                >
                    {loadingMore ? (
                        <>
                            <RefreshCw className="w-5 h-5 animate-spin" />
                            {t('history.loading')}
                        </>
                    ) : (
                        <>

```



```

        <ChevronDown className="w-5 h-5" />
        {t('history.loadMore')}}
    </>
  )}
</button>
</div>
)}

{!isPremium && activities.length >= FREE_ACTIVITY_LIMIT && (
  <div className="mt-8 bg-gradient-to-br from-amber-50 via-orange-50 to-amber-50 border-2 border-amber-200 rounded-2xl
p-6 shadow-md">
    <div className="flex flex-col md:flex-row md:items-center gap-6">
      <div className="flex-shrink-0">
        <div className="w-16 h-16 bg-gradient-to-br from-amber-400 to-orange-500 rounded-2xl flex items-center
justify-center shadow-lg">
          <Crown className="w-8 h-8 text-white" />
        </div>
      </div>
      <div className="flex-1">
        <h3 className="text-xl font-bold text-navy-900 mb-2">
          {t('history.unlockTitle')}
        </h3>
        <p className="text-navy-700 mb-3">
          {t('history.unlockDesc')}
        </p>
        <div className="flex flex-wrap gap-4 text-sm">
          <div className="flex items-center gap-2 text-amber-700">
            <BarChart3 className="w-4 h-4" />
            <span>{t('history.advancedAnalytics')}</span>
          </div>
          <div className="flex items-center gap-2 text-amber-700">
            <Download className="w-4 h-4" />
            <span>{t('history.unlimitedExports')}</span>
          </div>
          <div className="flex items-center gap-2 text-amber-700">
            <Clock className="w-4 h-4" />
            <span>{t('history.fullHistory')}</span>
          </div>
        </div>
      </div>
      <div className="flex-shrink-0">
        <Link
          to="/pricing"
          onClick={() => trackConversion('activity_center')}
          className="inline-flex items-center gap-2 px-6 py-3 bg-gradient-to-r from-amber-500 to-orange-500
hover:from-amber-600 hover:to-orange-600 text-white rounded-xl font-semibold shadow-md hover:shadow-lg transition-all"
        >
          <Sparkles className="w-5 h-5" />
          {t('history.upgradeNow')}
        </Link>
      </div>
    </div>
  </div>
)}
</>
)}

{showUpgradeModal && (
  <div className="fixed inset-0 bg-black/60 backdrop-blur-sm z-50 flex items-center justify-center p-4" onClick={() =>
setShowUpgradeModal(false)}>
    <div className="bg-white rounded-2xl shadow-2xl max-w-md w-full overflow-hidden" onClick={e => e.stopPropagation()}>
      <div className="bg-gradient-to-r from-amber-400 to-orange-500 p-6 text-center">
        <div className="w-16 h-16 bg-white/20 rounded-2xl flex items-center justify-center mx-auto mb-4">
          <Lock className="w-8 h-8 text-white" />
        </div>
        <h3 className="text-2xl font-bold text-white mb-2">{t('history.exportLimitTitle')}</h3>
        <p className="text-white/90">
          {t('history.exportLimitDesc')}
        </p>
      </div>
      <div className="p-6">
        <p className="text-navy-700 mb-6 text-center">
          Upgrade to Premium to export your complete activity history with no limits.
        </p>
        <div className="space-y-3 mb-6">
          <div className="flex items-center gap-3 text-navy-700">
            <div className="w-8 h-8 bg-emerald-100 rounded-lg flex items-center justify-center">
              <Download className="w-4 h-4 text-emerald-600" />
            </div>
            <span>{t('history.exportLimitFeature1')}</span>
          </div>
          <div className="flex items-center gap-3 text-navy-700">
            <div className="w-8 h-8 bg-emerald-100 rounded-lg flex items-center justify-center">
              <BarChart3 className="w-4 h-4 text-emerald-600" />
            </div>
            <span>{t('history.exportLimitFeature2')}</span>
          </div>
          <div className="flex items-center gap-3 text-navy-700">
            <div className="w-8 h-8 bg-emerald-100 rounded-lg flex items-center justify-center">
              <Clock className="w-4 h-4 text-emerald-600" />
            </div>
            <span>{t('history.exportLimitFeature3')}</span>
          </div>
        </div>
        <div className="flex gap-3">
          <button

```

```

        onClick={() => setShowUpgradeModal(false)}
        className="flex-1 px-4 py-3 border border-navy-300 text-navy-700 rounded-xl font-medium hover:bg-navy-50
transition-all"
    >
        {t('history.maybeLater')}
    </button>
    <Link
        to="/pricing"
        onClick={() => {
            trackConversion('activity_center_export_modal');
            setShowUpgradeModal(false);
        }}
        className="flex-1 px-4 py-3 bg-gradient-to-r from-amber-500 to-orange-500 hover:from-amber-600
hover:to-orange-600 text-white rounded-xl font-semibold shadow-md hover:shadow-lg transition-all text-center"
    >
        {t('history.upgrade')}
    </Link>
</div>
</div>
</div>
</div>
    )}
</div>
</div>
    );
}

function getStartDateFromFilter(filter: DateFilter): Date | undefined {
    const now = new Date();
    switch (filter) {
        case 'today':
            return new Date(now.getFullYear(), now.getMonth(), now.getDate());
        case 'week':
            const weekAgo = new Date(now);
            weekAgo.setDate(weekAgo.getDate() - 7);
            return weekAgo;
        case 'month':
            const monthAgo = new Date(now);
            monthAgo.setDate(monthAgo.getDate() - 30);
            return monthAgo;
        default:
            return undefined;
    }
}

```

[55/58] Documents

Route: /dashboard/documents | File: src/pages/Documents.tsx

```
import { useState, useEffect, useMemo } from 'react';
import { Link, useSearchParams } from 'react-router-dom';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import usePersonaRouting from '../hooks/usePersonaRouting';
import { supabase } from '../lib/supabase';
import { Plus, FileText, Download, Search, Sparkles, X, MapPin, CheckCircle, AlertTriangle, Wand2, Loader2, Building2, Users, Workflow, Award, Gavel, Scale, Upload } from 'lucide-react';
import { JURISDICTION_GROUPS, getJurisdictionName } from '../data/jurisdictions';
import ValidatedFormField from '../components/ValidatedFormField';
import DocumentOCRProcessor from '../components/DocumentOCRProcessor';
import AIModelSelector from '../components/AIModelSelector';
import DocumentIntelligencePanel from '../components/DocumentIntelligencePanel';
import { getFieldConfig, validateField } from '../lib/document-validation';
import { AIGovernanceNotice, ScopeBoundaryCard, DataUseAndPrivacyCard } from '../components/trust';

const SUPABASE_URL = import.meta.env.VITE_SUPABASE_URL;
const SUPABASE_ANON_KEY = import.meta.env.VITE_SUPABASE_ANON_KEY;

function stripThinkingDetails(text: string): string {
  if (!text) return '';
  let out = text;
  const endMarker = out.indexOf('---END_THINKING---');
  if (endMarker !== -1) {
    out = out.slice(endMarker + '---END_THINKING---'.length);
  } else if (out.includes('---THINKING_DETAILS---')) {
    const afterKey = out.lastIndexOf('KEY_ISSUE:');
    if (afterKey !== -1) {
      const nl = out.indexOf('\n', afterKey);
      out = nl !== -1 ? out.slice(nl + 1) : '';
    } else {
      out = out.replace(/---THINKING_DETAILS---[\s\S]*/g, '');
    }
  }
  return out
    .replace(/^\s*LEGAL_AREA:[\n]*\n?/gm, '')
    .replace(/^\s*JURISDICTION:[\n]*\n?/gm, '')
    .replace(/^\s*KEY_ISSUE:[\n]*\n?/gm, '')
    .trim();
}

interface Document {
  id: string;
  title: string;
  document_type: string;
  content: string;
  template_used: string | null;
  created_at: string;
  jurisdiction?: string | null;
}

const templates = {
  '501c3_formation': {
    name: '501(c)(3) Formation',
    fields: ['organization_name', 'state', 'purpose', 'registered_agent', 'incorporator_name', 'effective_date'],
    template: `ARTICLES OF INCORPORATION FOR 501(c)(3) NONPROFIT

ARTICLE I - NAME
The name of this corporation is [organization_name].

ARTICLE II - PURPOSE
This corporation is organized exclusively for charitable, religious, educational, and/or scientific purposes under Section 501(c)(3) of the Internal Revenue Code.

The specific purpose of this corporation is: [purpose]

ARTICLE III - NONPROFIT STATUS
No part of the net earnings shall inure to the benefit of any private shareholder or individual.

ARTICLE IV - REGISTERED AGENT
The name and address of the registered agent in the State of [state] is: [registered_agent]

ARTICLE V - INCORPORATOR
The name and address of the incorporator is: [incorporator_name]

ARTICLE VI - DISSOLUTION
Upon dissolution, assets shall be distributed for exempt purposes under Section 501(c)(3) of the Internal Revenue Code.

ARTICLE VII - EFFECTIVE DATE
These Articles of Incorporation are effective as of [effective_date].

IN WITNESS WHEREOF, the undersigned incorporator has executed these Articles of Incorporation.

_____  
[incorporator_name] Date  
Incorporator`
  },
  general_partnership_formation: {
    name: 'General Partnership Formation',
  }
}
```

```
fields: ['partnership_name', 'partner1_name', 'partner2_name', 'business_purpose', 'capital_contribution', 'effective_date'],
template: `GENERAL PARTNERSHIP AGREEMENT

This General Partnership Agreement is entered into as of [effective_date] by and between [partner1_name] and [partner2_name]
(collectively, the "Partners").

ARTICLE I - FORMATION
The Partners hereby form a general partnership under the name [partnership_name].

ARTICLE II - PURPOSE
The purpose of the Partnership is: [business_purpose]

ARTICLE III - CAPITAL CONTRIBUTIONS
Each Partner shall contribute the following capital: $[capital_contribution]

ARTICLE IV - PROFIT AND LOSS SHARING
Profits and losses shall be shared equally among the Partners.

ARTICLE V - MANAGEMENT
All Partners shall have equal rights in the management and conduct of the Partnership business.

ARTICLE VI - TERM
The Partnership shall continue until dissolved by mutual agreement or operation of law.

IN WITNESS WHEREOF, the Partners have executed this Agreement.
```

```
_____[partner1_name]_____[partner2_name]
Partner                Partner`
},
llc_dissolution: {
  name: 'LLC Dissolution',
  fields: ['llc_name', 'state', 'dissolution_date', 'member_name', 'reason_for_dissolution'],
  template: `ARTICLES OF DISSOLUTION
```

LIMITED LIABILITY COMPANY DISSOLUTION

```
ARTICLE I - COMPANY NAME
The name of the Limited Liability Company being dissolved is: [llc_name]

ARTICLE II - STATE OF FORMATION
This LLC was formed in the State of [state].

ARTICLE III - DISSOLUTION DATE
The effective date of dissolution is: [dissolution_date]

ARTICLE IV - REASON FOR DISSOLUTION
Reason for dissolution: [reason_for_dissolution]

ARTICLE V - MEMBER APPROVAL
The dissolution has been approved by the required vote of members.

ARTICLE VI - LIABILITIES
All debts, obligations, and liabilities of the LLC have been paid or adequately provided for.

ARTICLE VII - ASSET DISTRIBUTION
All remaining assets have been distributed to members according to the Operating Agreement.

ARTICLE VIII - CERTIFICATION
The undersigned certifies that the information contained herein is true and correct.
```

```
_____[member_name]_____[Date]
Member/Manager`
},
multiple_member_llc_formation: {
  name: 'Multiple Member LLC Formation',
  fields: ['llc_name', 'state', 'member1_name', 'member2_name', 'member1_ownership', 'member2_ownership', 'effective_date'],
  template: `OPERATING AGREEMENT FOR MULTIPLE MEMBER LLC
```

OPERATING AGREEMENT OF [llc_name], LLC

```
This Operating Agreement is entered into as of [effective_date].

ARTICLE I - FORMATION
The Members hereby form a Limited Liability Company under the laws of [state].

ARTICLE II - NAME AND PURPOSE
The name of the LLC is [llc_name], LLC. The LLC may engage in any lawful business activity.

ARTICLE III - MEMBERS AND OWNERSHIP
[member1_name]: [member1_ownership]%
[member2_name]: [member2_ownership]%

ARTICLE IV - CAPITAL CONTRIBUTIONS
Each Member shall contribute capital proportionate to their ownership interest.

ARTICLE V - DISTRIBUTIONS
Distributions shall be made to Members in proportion to their ownership percentages.

ARTICLE VI - MANAGEMENT
The LLC shall be managed by its Members. Major decisions require majority vote.

ARTICLE VII - TRANSFER OF INTERESTS
No Member may transfer their interest without written consent of other Members.
```

IN WITNESS WHEREOF, the Members have executed this Agreement.

```
[member1_name]                [member2_name]`
},
asset_sale_purchase: {
  name: 'Prepare Asset Sale and Purchase Agreement',
  fields: ['seller_name', 'buyer_name', 'asset_description', 'purchase_price', 'closing_date'],
  template: 'ASSET SALE AND PURCHASE AGREEMENT'
```

This Asset Sale and Purchase Agreement is made between [seller_name] ("Seller") and [buyer_name] ("Buyer").

ARTICLE I - ASSETS BEING SOLD

The Seller agrees to sell and the Buyer agrees to purchase the following assets:
[asset_description]

ARTICLE II - PURCHASE PRICE

The total purchase price for the Assets is: \$[purchase_price]

ARTICLE III - CLOSING

The closing of this transaction shall occur on [closing_date].

ARTICLE IV - REPRESENTATIONS

Seller represents that:

- Seller has full authority to sell the Assets
- The Assets are free and clear of all liens and encumbrances
- All information provided regarding the Assets is accurate

ARTICLE V - CONDITIONS

This sale is contingent upon:

- Buyer's satisfactory inspection of Assets
- Completion of due diligence
- Execution of all required documents

ARTICLE VI - TRANSFER OF OWNERSHIP

Title to the Assets shall transfer to Buyer upon receipt of full payment.

```
[seller_name]                [buyer_name]
Seller                        Buyer`
},
buy_sell_agreement: {
  name: 'Prepare Buy-Sell Agreement',
  fields: ['company_name', 'owner1_name', 'owner2_name', 'trigger_event', 'valuation_method', 'effective_date'],
  template: 'BUY-SELL AGREEMENT'
```

This Buy-Sell Agreement is made as of [effective_date] among the owners of [company_name].

ARTICLE I - PARTIES

Owner 1: [owner1_name]

Owner 2: [owner2_name]

ARTICLE II - PURPOSE

This Agreement governs the purchase and sale of ownership interests upon certain triggering events.

ARTICLE III - TRIGGERING EVENTS

The following events shall trigger this Agreement: [trigger_event]

ARTICLE IV - VALUATION

The ownership interests shall be valued using: [valuation_method]

ARTICLE V - PURCHASE OBLIGATION

Upon a triggering event, the remaining owners shall have the right and obligation to purchase the departing owner's interest.

ARTICLE VI - PAYMENT TERMS

Payment may be made in a lump sum or in installments over 60 months with interest at the prime rate.

ARTICLE VII - LIFE INSURANCE FUNDING

The owners may maintain life insurance policies to fund this Agreement.

```
[owner1_name]                [owner2_name]`
},
consultant_agreement: {
  name: 'Prepare Consultant Agreement',
  fields: ['consultant_name', 'client_name', 'services_description', 'compensation', 'start_date', 'end_date'],
  template: 'CONSULTANT AGREEMENT'
```

This Consultant Agreement is entered into as of [start_date] between [client_name] ("Client") and [consultant_name] ("Consultant").

ARTICLE I - SERVICES

Consultant agrees to provide the following services: [services_description]

ARTICLE II - TERM

This Agreement begins on [start_date] and ends on [end_date], unless terminated earlier.

ARTICLE III - COMPENSATION

Client shall pay Consultant: \$[compensation]

Payment terms: Net 30 days from invoice date.

ARTICLE IV - INDEPENDENT CONTRACTOR

Consultant is an independent contractor, not an employee. Consultant is responsible for all taxes.

ARTICLE V - CONFIDENTIALITY

Consultant shall maintain the confidentiality of all proprietary information.

ARTICLE VI - WORK PRODUCT

All work product created under this Agreement shall be the property of Client.

ARTICLE VII - TERMINATION

Either party may terminate with 14 days written notice.

```
[consultant_name]
Consultant
},
corporate_bylaws: {
  name: 'Prepare Corporate Bylaws',
  fields: ['corporation_name', 'state', 'fiscal_year_end', 'number_of_directors', 'registered_agent'],
  template: `CORPORATE BYLAWS OF [corporation_name]
```

ARTICLE I - OFFICES

The principal office shall be located in the State of [state].

Registered Agent: [registered_agent]

ARTICLE II - SHAREHOLDERS

Section 2.1 - Annual Meetings shall be held within 60 days of fiscal year end.

Section 2.2 - Special Meetings may be called by the Board or holders of 10% of shares.

Section 2.3 - Quorum shall be a majority of outstanding shares.

ARTICLE III - BOARD OF DIRECTORS

Section 3.1 - Number: The Board shall consist of [number_of_directors] directors.

Section 3.2 - Term: Directors serve one-year terms.

Section 3.3 - Meetings: Regular meetings shall be held quarterly.

ARTICLE IV - OFFICERS

The officers shall include President, Secretary, and Treasurer.

ARTICLE V - FISCAL YEAR

The fiscal year shall end on [fiscal_year_end].

ARTICLE VI - AMENDMENTS

These Bylaws may be amended by a majority vote of shareholders.

ADOPTED by the Board of Directors on _____.

```
Secretary`
},
demand_letter: {
  name: 'Prepare Demand Letter',
  fields: ['sender_name', 'recipient_name', 'amount_owed', 'reason_for_debt', 'payment_deadline'],
  template: `DEMAND LETTER
```

Date: _____

[recipient_name]
[Recipient Address]

RE: DEMAND FOR PAYMENT

Dear [recipient_name],

This letter serves as a formal demand for payment of the amount owed to [sender_name].

AMOUNT DUE: \$[amount_owed]

REASON FOR DEBT: [reason_for_debt]

You are hereby demanded to pay the full amount of \$[amount_owed] on or before [payment_deadline].

CONSEQUENCES OF NON-PAYMENT:

If payment is not received by the deadline, we will have no choice but to pursue all available legal remedies, including but not limited to:

- Filing a lawsuit in the appropriate court
- Seeking attorney's fees and court costs
- Reporting to credit agencies

PAYMENT INSTRUCTIONS:

Please remit payment to:

[sender_name]
[Payment address/method]

This is a serious matter. Please treat it accordingly.

Sincerely,

```
[sender_name]`
},
employee_severance: {
  name: 'Prepare Employee Severance Agreement',
  fields: ['employee_name', 'company_name', 'severance_amount', 'last_work_date', 'benefits_end_date'],
  template: `EMPLOYEE SEVERANCE AGREEMENT
```

This Severance Agreement is entered into between [company_name] ("Company") and [employee_name] ("Employee").

ARTICLE I - SEPARATION

Employee's last day of employment shall be [last_work_date].

ARTICLE II - SEVERANCE PAYMENT

Company shall pay Employee severance of: \$[severance_amount]

Payment shall be made within 30 days of execution of this Agreement.

ARTICLE III - BENEFITS

Employee benefits shall continue through [benefits_end_date].
COBRA information will be provided separately.

ARTICLE IV - RELEASE OF CLAIMS

Employee releases Company from all claims arising from employment, except for vested benefits.

ARTICLE V - CONFIDENTIALITY

Employee agrees to maintain confidentiality regarding proprietary information and the terms of this Agreement.

ARTICLE VI - NON-DISPARAGEMENT

Both parties agree not to make disparaging statements about the other.

ARTICLE VII - RETURN OF PROPERTY

Employee shall return all company property by the separation date.

ARTICLE VIII - CONSIDERATION PERIOD

Employee has 21 days to consider and 7 days to revoke this Agreement.

```
[employee_name]           [company_name]
Employee                   Company Representative`
},
employee_stock_option: {
  name: 'Prepare Employee Stock Option Agreement',
  fields: ['employee_name', 'company_name', 'number_of_shares', 'exercise_price', 'vesting_start_date', 'grant_date'],
  template: `EMPLOYEE STOCK OPTION AGREEMENT`
```

This Stock Option Agreement is entered into as of [grant_date] between [company_name] ("Company") and [employee_name] ("Optionee").

ARTICLE I - GRANT OF OPTION

Company grants Optionee the option to purchase [number_of_shares] shares of Common Stock.

ARTICLE II - EXERCISE PRICE

The exercise price per share is: \$[exercise_price]

ARTICLE III - VESTING SCHEDULE

Vesting commencement date: [vesting_start_date]
- 25% vests after 12 months (cliff)
- Remaining shares vest monthly over the following 36 months

ARTICLE IV - EXERCISE PERIOD

Options must be exercised within 10 years of the grant date or 90 days after termination, whichever is earlier.

ARTICLE V - METHOD OF EXERCISE

Options may be exercised by written notice and payment of the exercise price.

ARTICLE VI - TAX CONSEQUENCES

Optionee is responsible for all tax obligations arising from exercise of options.

ARTICLE VII - RESTRICTIONS

These options are non-transferable except by will or laws of descent.

```
[employee_name]           [company_name]
Optionee                   Authorized Representative`
},
employment_agreement: {
  name: 'Prepare Employment Agreement',
  fields: ['employee_name', 'company_name', 'position', 'salary', 'start_date'],
  template: `EMPLOYMENT AGREEMENT`
```

This Employment Agreement is made between [company_name] ("Employer") and [employee_name] ("Employee").

ARTICLE I - POSITION AND DUTIES

Employee is hired as [position]. Employee shall perform duties as assigned.

ARTICLE II - START DATE

Employment begins on [start_date].

ARTICLE III - COMPENSATION

Base Salary: \$[salary] per year, paid bi-weekly.
Employee is eligible for bonuses at Employer's discretion.

ARTICLE IV - BENEFITS

Employee is eligible for standard company benefits including health insurance, 401(k), and PTO.

ARTICLE V - AT-WILL EMPLOYMENT

Employment is at-will and may be terminated by either party at any time with or without cause.

ARTICLE VI - CONFIDENTIALITY

Employee shall maintain confidentiality of all proprietary information during and after employment.

ARTICLE VII - NON-COMPETE

Employee agrees not to compete with Employer for 12 months following termination within 50 miles.

ARTICLE VIII - INTELLECTUAL PROPERTY

All work product created during employment belongs to Employer.

```
[employee_name]           [company_name]
Employee                   Employer`
},
joint_venture_agreement: {
```

```
name: 'Prepare Joint Venture Agreement',
fields: ['party1_name', 'party2_name', 'venture_name', 'purpose', 'contribution1', 'contribution2', 'effective_date'],
template: `JOINT VENTURE AGREEMENT`
```

This Joint Venture Agreement is entered into as of [effective_date] between [party1_name] ("Party A") and [party2_name] ("Party B").

ARTICLE I - FORMATION

The parties hereby form a joint venture known as [venture_name].

ARTICLE II - PURPOSE

The purpose of this Joint Venture is: [purpose]

ARTICLE III - CONTRIBUTIONS

Party A shall contribute: [contribution1]

Party B shall contribute: [contribution2]

ARTICLE IV - PROFIT AND LOSS SHARING

Profits and losses shall be shared 50/50 unless otherwise agreed.

ARTICLE V - MANAGEMENT

Major decisions require unanimous consent. Day-to-day operations shall be managed jointly.

ARTICLE VI - TERM

This Joint Venture shall continue until completed or terminated by mutual agreement.

ARTICLE VII - CONFIDENTIALITY

Both parties shall maintain confidentiality of Joint Venture information.

ARTICLE VIII - DISPUTE RESOLUTION

Disputes shall be resolved through mediation, then binding arbitration.

```
[party1_name]           [party2_name]
Party A                 Party B`
},
license_agreement: {
  name: 'Prepare License Agreement',
  fields: ['licensor_name', 'licensee_name', 'licensed_property', 'license_fee', 'territory', 'term_length'],
  template: `LICENSE AGREEMENT`
```

This License Agreement is made between [licensor_name] ("Licensor") and [licensee_name] ("Licensee").

ARTICLE I - GRANT OF LICENSE

Licensor grants Licensee a non-exclusive license to use: [licensed_property]

ARTICLE II - TERRITORY

The license is valid in: [territory]

ARTICLE III - TERM

The license term is [term_length] from the effective date.

ARTICLE IV - LICENSE FEE

Licensee shall pay Licensor: \$[license_fee]

Payment terms: Due upon execution of this Agreement.

ARTICLE V - PERMITTED USE

Licensee may use the Licensed Property for lawful business purposes as specified.

ARTICLE VI - RESTRICTIONS

Licensee shall not sublicense, modify, or reverse engineer the Licensed Property.

ARTICLE VII - INTELLECTUAL PROPERTY

All intellectual property rights remain with Licensor.

ARTICLE VIII - TERMINATION

Either party may terminate with 30 days notice for material breach.

```
[licensor_name]         [licensee_name]
Licensor                Licensee`
},
master_service_agreement: {
  name: 'Prepare Master Service Agreement',
  fields: ['provider_name', 'client_name', 'services_scope', 'payment_terms', 'effective_date'],
  template: `MASTER SERVICE AGREEMENT`
```

This Master Service Agreement is made as of [effective_date] between [provider_name] ("Provider") and [client_name] ("Client").

ARTICLE I - SERVICES

Provider shall provide services as described in executed Statements of Work (SOWs).

General scope: [services_scope]

ARTICLE II - STATEMENTS OF WORK

Individual projects shall be governed by SOWs that reference this MSA.

ARTICLE III - COMPENSATION

Payment terms: [payment_terms]

Invoices are due Net 30 unless otherwise specified in the SOW.

ARTICLE IV - TERM

This Agreement remains in effect for 2 years and auto-renews unless terminated.

ARTICLE V - CONFIDENTIALITY

Both parties shall protect confidential information for 3 years following disclosure.

ARTICLE VI - INTELLECTUAL PROPERTY

Pre-existing IP remains with original owner. Work product ownership defined in each SOW.

ARTICLE VII - LIABILITY

Neither party liable for indirect, consequential, or punitive damages.

ARTICLE VIII - TERMINATION

Either party may terminate with 60 days written notice.

```
[provider_name]      [client_name]
Provider             Client`
},
non_compete_agreement: {
  name: 'Prepare Non-Compete Agreement',
  fields: ['employee_name', 'company_name', 'restricted_period', 'geographic_area', 'effective_date'],
  template: `NON-COMPETE AGREEMENT`
```

This Non-Compete Agreement is made as of [effective_date] between [company_name] ("Company") and [employee_name] ("Employee").

ARTICLE I - CONSIDERATION

In exchange for employment/continued employment and other valuable consideration, Employee agrees to the following restrictions.

ARTICLE II - NON-COMPETITION

During employment and for [restricted_period] after termination, Employee shall not:

- Work for any competing business
- Start a competing business
- Solicit Company's customers or employees

ARTICLE III - GEOGRAPHIC SCOPE

These restrictions apply within: [geographic_area]

ARTICLE IV - NON-SOLICITATION

Employee shall not solicit or hire Company employees for [restricted_period] after termination.

ARTICLE V - REASONABLENESS

Both parties acknowledge these restrictions are reasonable and necessary to protect legitimate business interests.

ARTICLE VI - REMEDIES

Company may seek injunctive relief and damages for breach of this Agreement.

ARTICLE VII - SEVERABILITY

If any provision is unenforceable, it shall be modified to be enforceable.

```
[employee_name]      [company_name]
Employee             Company Representative`
},
non_disclosure_agreement: {
  name: 'Prepare Non-Disclosure Agreement',
  fields: ['discloser_name', 'recipient_name', 'purpose', 'confidential_info_description', 'effective_date'],
  template: `NON-DISCLOSURE AGREEMENT`
```

This Non-Disclosure Agreement is entered into as of [effective_date] by and between [discloser_name] ("Disclosing Party") and [recipient_name] ("Receiving Party").

ARTICLE I - PURPOSE

This Agreement protects confidential information shared for: [purpose]

ARTICLE II - CONFIDENTIAL INFORMATION

Confidential Information includes: [confidential_info_description]

ARTICLE III - OBLIGATIONS

The Receiving Party shall:

- Use Confidential Information only for the stated purpose
- Protect information with reasonable care
- Not disclose to third parties without consent
- Return or destroy information upon request

ARTICLE IV - EXCLUSIONS

This Agreement does not apply to information that:

- Is publicly available
- Was known prior to disclosure
- Is independently developed
- Is required to be disclosed by law

ARTICLE V - TERM

This Agreement remains in effect for 3 years from the Effective Date.

ARTICLE VI - REMEDIES

Disclosing Party may seek injunctive relief for breach.

```
[discloser_name]      [recipient_name]
Disclosing Party      Receiving Party`
},
partnership_agreement: {
  name: 'Prepare Partnership Agreement',
  fields: ['partnership_name', 'partner1_name', 'partner2_name', 'business_purpose', 'profit_share_percent', 'effective_date'],
  template: `PARTNERSHIP AGREEMENT`
```

This Partnership Agreement is made as of [effective_date] between [partner1_name] and [partner2_name] (the "Partners").

ARTICLE I - FORMATION

The Partners form a partnership under the name [partnership_name].

ARTICLE II - PURPOSE

The Partnership shall engage in: [business_purpose]

ARTICLE III - CAPITAL
Each Partner shall contribute capital as agreed. Additional contributions require unanimous consent.

ARTICLE IV - PROFITS AND LOSSES
Profits and losses shall be divided: [profit_share_percent]% to each Partner.

ARTICLE V - MANAGEMENT
Partners shall have equal management rights. Major decisions require unanimous consent.

ARTICLE VI - BANKING
Partnership funds shall be deposited in accounts designated by the Partners.

ARTICLE VII - WITHDRAWAL
A Partner may withdraw with 90 days written notice.

ARTICLE VIII - DISSOLUTION
The Partnership shall dissolve upon mutual agreement, death, or bankruptcy of a Partner.

ARTICLE IX - DISPUTE RESOLUTION
Disputes shall be resolved through mediation, then arbitration.

```
_____  
[partner1_name]           [partner2_name]`  
},  
power_of_attorney: {  
  name: 'Prepare Power of Attorney',  
  fields: ['principal_name', 'agent_name', 'powers_granted', 'effective_date', 'state'],  
  template: `POWER OF ATTORNEY`  
}
```

STATE OF [state]

I, [principal_name] ("Principal"), hereby appoint [agent_name] ("Agent") as my Attorney-in-Fact.

ARTICLE I - POWERS GRANTED
I grant my Agent authority to act on my behalf in the following matters:
[powers_granted]

ARTICLE II - EFFECTIVE DATE
This Power of Attorney is effective as of [effective_date].

ARTICLE III - DURABILITY
This Power of Attorney shall remain in effect even if I become incapacitated.

ARTICLE IV - AGENT'S DUTIES
Agent shall act in my best interest, keep accurate records, and avoid conflicts of interest.

ARTICLE V - THIRD PARTY RELIANCE
Third parties may rely on this Power of Attorney in good faith.

ARTICLE VI - REVOCATION
I may revoke this Power of Attorney at any time in writing.

ARTICLE VII - GOVERNING LAW
This Power of Attorney is governed by the laws of [state].

```
_____  
[principal_name]           Date  
Principal
```

ACKNOWLEDGMENT BY AGENT:
I accept this appointment.

```
_____  
[agent_name]               Date  
Agent`  
},  
settlement_agreement: {  
  name: 'Prepare Settlement Agreement',  
  fields: ['party1_name', 'party2_name', 'dispute_description', 'settlement_amount', 'payment_deadline'],  
  template: `SETTLEMENT AGREEMENT AND RELEASE`  
}
```

This Settlement Agreement is made between [party1_name] ("Party A") and [party2_name] ("Party B").

RECITALS
Given that a dispute exists between the parties regarding: [dispute_description]
Given that the parties wish to resolve this dispute without further litigation.

ARTICLE I - SETTLEMENT PAYMENT
Party B shall pay Party A: \$[settlement_amount]
Payment due by: [payment_deadline]

ARTICLE II - RELEASE OF CLAIMS
Upon receipt of payment, Party A releases Party B from all claims arising from the dispute.

ARTICLE III - MUTUAL RELEASE
Both parties release each other from any and all claims related to the dispute.

ARTICLE IV - NO ADMISSION
This settlement is not an admission of liability by either party.

ARTICLE V - CONFIDENTIALITY
The terms of this settlement shall remain confidential.

ARTICLE VI - NON-DISPARAGEMENT

Neither party shall make disparaging statements about the other.

ARTICLE VII - ENTIRE AGREEMENT

This Agreement constitutes the entire agreement between the parties.

```
[party1_name]      [party2_name]
Party A            Party B`
},
shareholder_agreement: {
  name: 'Prepare Shareholder Agreement',
  fields: ['company_name', 'shareholder1_name', 'shareholder2_name', 'shareholder1_shares', 'shareholder2_shares',
'effective_date'],
  template: `SHAREHOLDER AGREEMENT
```

This Shareholder Agreement is made as of [effective_date] among the shareholders of [company_name].

ARTICLE I - SHAREHOLDERS

[shareholder1_name]: [shareholder1_shares] shares
[shareholder2_name]: [shareholder2_shares] shares

ARTICLE II - BOARD REPRESENTATION

Shareholders shall be entitled to board representation proportionate to ownership.

ARTICLE III - VOTING

Major decisions require approval of shareholders holding 2/3 of outstanding shares.

ARTICLE IV - TRANSFER RESTRICTIONS

No shareholder may transfer shares without first offering them to other shareholders (Right of First Refusal).

ARTICLE V - DRAG-ALONG

If majority shareholders accept a genuine offer, minority shareholders must sell on same terms.

ARTICLE VI - TAG-ALONG

If majority shareholders sell, minority shareholders may participate proportionately.

ARTICLE VII - DIVIDENDS

Dividends shall be declared at the Board's discretion and distributed pro rata.

ARTICLE VIII - DISPUTE RESOLUTION

Disputes shall be resolved through binding arbitration.

```
[shareholder1_name]      [shareholder2_name]`
},
terms_of_service: {
  name: 'Prepare Terms of Service/Use Agreement',
  fields: ['company_name', 'website_url', 'service_description', 'jurisdiction', 'effective_date'],
  template: `TERMS OF SERVICE
```

Effective Date: [effective_date]

Welcome to [website_url]. These Terms of Service govern your use of [company_name]'s services.

1. ACCEPTANCE

By using our services, you agree to these Terms. If you do not agree, do not use our services.

2. SERVICES

[company_name] provides: [service_description]

3. USER ACCOUNTS

You are responsible for maintaining the security of your account and all activities under your account.

4. ACCEPTABLE USE

You agree not to:

- Violate any laws
- Infringe intellectual property rights
- Transmit harmful code
- Interfere with service operation

5. INTELLECTUAL PROPERTY

All content and materials are owned by [company_name] and protected by copyright.

6. LIMITATION OF LIABILITY

[company_name] is not liable for indirect, incidental, or consequential damages.

7. TERMINATION

We may terminate your access for violation of these Terms.

8. GOVERNING LAW

These Terms are governed by the laws of [jurisdiction].

9. CHANGES

We may modify these Terms at any time. Continued use constitutes acceptance.

```
[company_name]`
},
website_hosting_agreement: {
  name: 'Prepare Website Hosting Agreement',
  fields: ['provider_name', 'client_name', 'monthly_fee', 'storage_limit', 'bandwidth_limit', 'effective_date'],
  template: `WEBSITE HOSTING AGREEMENT
```

This Website Hosting Agreement is made as of [effective_date] between [provider_name] ("Provider") and [client_name] ("Client").

ARTICLE I - HOSTING SERVICES

Provider shall provide website hosting services including:

- Web server space: [storage_limit]
- Monthly bandwidth: [bandwidth_limit]
- Email accounts
- Technical support

ARTICLE II - FEES
Monthly hosting fee: \$[monthly_fee]
Payment due on the 1st of each month.

ARTICLE III - UPTIME GUARANTEE
Provider guarantees 99.9% uptime, excluding scheduled maintenance.

ARTICLE IV - CLIENT RESPONSIBILITIES
Client shall:

- Provide accurate account information
- Not host illegal or harmful content
- Maintain current payment

ARTICLE V - BACKUPS
Provider performs daily backups. Client is responsible for maintaining independent backups.

ARTICLE VI - TERM AND TERMINATION
This Agreement is month-to-month. Either party may terminate with 30 days notice.

ARTICLE VII - LIMITATION OF LIABILITY
Provider's liability is limited to fees paid in the preceding 12 months.

[provider_name]
Provider

[client_name]
Client`

},

routine_document_review: {
 name: 'Routine Document Review',
 fields: ['client_name', 'document_type', 'document_description', 'review_date', 'reviewer_name'],
 template: `DOCUMENT REVIEW CHECKLIST`

Client: [client_name]
Document Type: [document_type]
Description: [document_description]
Review Date: [review_date]
Reviewer: [reviewer_name]

REVIEW CHECKLIST:

- [] Document completeness verified
- [] All parties properly identified
- [] Dates and deadlines confirmed
- [] Financial terms verified
- [] Legal terminology appropriate
- [] Governing law specified
- [] Signature blocks present
- [] Exhibits/attachments included
- [] Compliance with applicable laws
- [] No conflicting provisions

COMMENTS AND RECOMMENDATIONS:

RISK ASSESSMENT:

- [] Low Risk
- [] Medium Risk
- [] High Risk - Further review recommended

RECOMMENDATION:

- [] Approved as-is
- [] Approved with minor changes
- [] Requires significant revision
- [] Not recommended

[reviewer_name]
Reviewer`

Date

},

s_corp_c_corp_formation: {
 name: 'S-corp or C-corp Formation',
 fields: ['corporation_name', 'state', 'shares_authorized', 'incorporator_name', 'registered_agent', 'effective_date'],
 template: `ARTICLES OF INCORPORATION`

ARTICLE I - NAME
The name of this corporation is: [corporation_name]

ARTICLE II - PURPOSE
The purpose of the corporation is to engage in any lawful business activity.

ARTICLE III - AUTHORIZED SHARES
The corporation is authorized to issue [shares_authorized] shares of common stock.

ARTICLE IV - REGISTERED AGENT
The registered agent in [state] is: [registered_agent]

ARTICLE V - INCORPORATOR
The name of the incorporator is: [incorporator_name]

ARTICLE VI - BOARD OF DIRECTORS

The initial Board shall consist of one or more directors as determined by the incorporator.

ARTICLE VII - INDEMNIFICATION

The corporation shall indemnify directors and officers to the fullest extent permitted by law.

ARTICLE VIII - AMENDMENTS

These Articles may be amended by shareholder vote as provided by law.

EFFECTIVE DATE: [effective_date]

IN WITNESS WHEREOF, the incorporator has executed these Articles.

[incorporator_name] Date
Incorporator

NOTE: For S-Corp election, file IRS Form 2553 within 75 days of formation.`
},
single_member_llc_formation: {
 name: 'Single Member LLC Formation',
 fields: ['llc_name', 'member_name', 'state', 'business_purpose', 'initial_contribution', 'effective_date'],
 template: `OPERATING AGREEMENT FOR SINGLE MEMBER LLC`
}

OPERATING AGREEMENT OF [llc_name], LLC

This Operating Agreement is made as of [effective_date] by [member_name] (the "Member").

ARTICLE I - FORMATION

The Member forms a single member limited liability company in [state] under the name [llc_name], LLC.

ARTICLE II - PURPOSE

The purpose of the LLC is: [business_purpose]

ARTICLE III - MEMBER

The sole Member is: [member_name]
The Member holds 100% of the membership interest.

ARTICLE IV - CAPITAL CONTRIBUTION

Initial capital contribution: \$[initial_contribution]

ARTICLE V - MANAGEMENT

The LLC shall be managed by its Member.

ARTICLE VI - DISTRIBUTIONS

The Member may make distributions at any time at Member's sole discretion.

ARTICLE VII - TAX TREATMENT

The LLC shall be treated as a disregarded entity for federal tax purposes unless the Member elects otherwise.

ARTICLE VIII - DISSOLUTION

The LLC shall dissolve upon Member's death, bankruptcy, or written decision to dissolve.

[member_name] Date
Member`
}
};

```
interface DocumentFormFieldsProps {
  selectedTemplate: keyof typeof templates;
  templates: typeof templates;
  formData: Record<string, string>;
  setFormData: (data: Record<string, string>) => void;
  onBack: () => void;
  onGenerate: () => void;
}

function DocumentFormFields({
  selectedTemplate,
  templates,
  formData,
  setFormData,
  onBack,
  onGenerate
}: DocumentFormFieldsProps) {
  const [attemptedSubmit, setAttemptedSubmit] = useState(false);

  const fieldConfigs = useMemo(() => {
    return templates[selectedTemplate].fields.map(field =>
      getFieldConfig(selectedTemplate, field)
    );
  }, [selectedTemplate, templates]);

  const validationStatus = useMemo(() => {
    const results: Record<string, { isValid: boolean; error: string | null }> = {};
    let allValid = true;
    let filledCount = 0;
    const totalRequired = fieldConfigs.filter(f => f.required).length;

    fieldConfigs.forEach(config => {
      const value = formData[config.name] || '';
      const result = validateField(value, config, formData);
      results[config.name] = result;

      if (config.required && value.trim()) {
        filledCount++;
      }
    });
  }, [formData, fieldConfigs]);
```

```

    }

    if (config.required && !result.isValid) {
      allValid = false;
    }
  });

  return {
    results,
    allValid,
    filledCount,
    totalRequired,
    progress: totalRequired > 0 ? Math.round((filledCount / totalRequired) * 100) : 0
  };
}, [fieldConfigs, formData]);

const handleGenerate = () => {
  setAttemptedSubmit(true);
  if (validationStatus.allValid) {
    onGenerate();
  }
};

return (
  <div>
    <div className="flex items-center justify-between mb-6">
      <div>
        <h2 className="text-lg font-semibold text-navy-900">
          {templates[selectedTemplate].name}
        </h2>
        <p className="text-sm text-navy-500 mt-1">
          Fill in the details below to generate your document
        </p>
      </div>
      <div className="flex items-center gap-3">
        <div className="text-right">
          <div className="text-xs text-navy-500 mb-1">Completion</div>
          <div className="flex items-center gap-2">
            <div className="w-24 h-2 bg-navy-200 rounded-full overflow-hidden">
              <div
                className={`h-full transition-all duration-300 ${
                  validationStatus.progress === 100
                    ? 'bg-green-500'
                    : validationStatus.progress > 50
                      ? 'bg-teal-500'
                      : 'bg-amber-500'
                }`}
                style={{ width: `${validationStatus.progress}%` }}
              </div>
            </div>
            <span className="text-sm font-medium text-navy-700">
              {validationStatus.progress}%
            </span>
          </div>
        </div>
      </div>
    </div>

    {attemptedSubmit && !validationStatus.allValid && (
      <div className="mb-6 p-4 bg-amber-50 border border-amber-200 rounded-lg flex items-start gap-3">
        <AlertTriangle className="w-5 h-5 text-amber-600 flex-shrink-0 mt-0.5" />
        <div>
          <p className="font-medium text-amber-800">Please complete all required fields</p>
          <p className="text-sm text-amber-700 mt-1">
            {validationStatus.totalRequired - validationStatus.filledCount} required field(s) need your attention
          </p>
        </div>
      </div>
    )}

    {validationStatus.progress === 100 && validationStatus.allValid && (
      <div className="mb-6 p-4 bg-green-50 border border-green-200 rounded-lg flex items-start gap-3">
        <CheckCircle className="w-5 h-5 text-green-600 flex-shrink-0 mt-0.5" />
        <div>
          <p className="font-medium text-green-800">All fields completed</p>
          <p className="text-sm text-green-700 mt-1">
            Your document is ready to generate
          </p>
        </div>
      </div>
    )}

    <div className="space-y-5">
      {fieldConfigs.map((config) => (
        <ValidatedFormField
          key={config.name}
          config={config}
          value={formData[config.name] || ''}
          onChange={(value) => setFormData({ ...formData, [config.name]: value })}
          allValues={formData}
          showValidation={attemptedSubmit || (formData[config.name]?.length > 0)}
        </>
      ))}
    </div>

    <div className="flex items-center justify-between mt-8 pt-6 border-t border-navy-200">

```

```

<div className="text-sm text-navy-500">
  <span className="text-red-500">*</span> Required fields
</div>
<div className="flex gap-3">
  <button
    onClick={onBack}
    className="px-6 py-2.5 border border-navy-300 text-navy-700 rounded-lg font-medium hover:bg-navy-50 transition-colors"
  >
    Back
  </button>
  <button
    onClick={handleGenerate}
    disabled={!attemptedSubmit && !validationStatus.allValid}
    className={`px-6 py-2.5 rounded-lg font-medium flex items-center gap-2 transition-all ${
      validationStatus.allValid
        ? 'bg-teal-600 hover:bg-teal-700 text-white'
        : 'bg-navy-100 text-navy-400 cursor-not-allowed'
    }`}
  >
    <Sparkles className="w-5 h-5" />
    Generate Document
  </button>
</div>
</div>
</div>
);
}

export default function Documents() {
  const [documents, setDocuments] = useState<Document[]>([]);
  const [loading, setLoading] = useState(true);
  const [showModal, setShowModal] = useState(false);
  const [showOCRScanner, setShowOCRScanner] = useState(false);
  const [ocrPurpose, setOcrPurpose] = useState<'analyze' | 'draft'>('analyze');
  const [searchTerm, setSearchTerm] = useState('');
  const [selectedJurisdiction, setSelectedJurisdiction] = useState('');
  const [documentJurisdiction, setDocumentJurisdiction] = useState('');
  const [selectedModel, setSelectedModel] = useState<string | null>(null);
  const [selectedTemplate, setSelectedTemplate] = useState<keyof typeof templates | 'custom' | ''>('');
  const [formData, setFormData] = useState<{ [key: string]: string }>({});
  const [generatedContent, setGeneratedContent] = useState('');
  const [documentTitle, setDocumentTitle] = useState('');
  const [customDocumentType, setCustomDocumentType] = useState('');
  const [customDocumentDescription, setCustomDocumentDescription] = useState('');
  const [customDocumentParties, setCustomDocumentParties] = useState('');
  const [customDocumentDetails, setCustomDocumentDetails] = useState('');
  const [draftingMode, setDraftingMode] = useState<'quick_form' | 'associate' | 'partner'>('associate');
  const [draftingPresets, setDraftingPresets] = useState<Array<{
    mode: 'quick_form' | 'associate' | 'partner';
    display_name: string;
    description: string;
    min_tier: string;
    default_model: string;
    max_tokens: number;
    draft_passes: number;
    rag_top_k: number;
    system_prompt: string;
  }>>([]);
  const [isGeneratingCustom, setIsGeneratingCustom] = useState(false);
  const [generationStage, setGenerationStage] = useState('');
  const [analyzingDocument, setAnalyzingDocument] = useState<Document | null>(null);
  const [isAdmin, setIsAdmin] = useState(false);
  const [showIntelligenceHub, setShowIntelligenceHub] = useState(false);
  const { user } = useAuth();
  const { language } = useLanguage();
  const { isBusiness, isOrganization } = usePersonaRouting();

  const [searchParams, setSearchParams] = useSearchParams();

  useEffect(() => {
    loadDocuments();
  }, []);

  useEffect(() => {
    if (searchParams.get('draft') !== '1') return;
    const goal = searchParams.get('goal') || '';
    const step = searchParams.get('step') || '';
    const detail = searchParams.get('detail') || '';
    if (!goal && !step) return;
    setSelectedTemplate('custom');
    setCustomDocumentType(step || 'Drafted document');
    setCustomDocumentDescription([goal, detail].filter(Boolean).join(' - '));
    setCustomDocumentDetails(detail);
    setDocumentTitle(step || goal);
    setShowModal(true);
    searchParams.delete('draft');
    searchParams.delete('goal');
    searchParams.delete('step');
    searchParams.delete('detail');
    setSearchParams(searchParams, { replace: true });
  }, [searchParams, setSearchParams]);

  useEffect(() => {
    let cancelled = false;
    async function loadPresets() {
      const { data } = await supabase

```

```

        .from('drafting_mode_presets')
        .select('mode, display_name, description, min_tier, default_model, max_tokens, draft_passes, rag_top_k, system_prompt')
        .order('display_order');
    if (!cancelled && data) {
        setDraftingPresets(data as typeof draftingPresets);
    }
}
loadPresets();
return () => { cancelled = true; };
}, []);

useEffect(() => {
    let cancelled = false;
    async function loadAdmin() {
        if (!user?.id) {
            setIsAdmin(false);
            return;
        }
        const { data } = await supabase
            .from('profiles')
            .select('is_admin')
            .eq('id', user.id)
            .maybeSingle();
        if (!cancelled) setIsAdmin(Boolean(data?.is_admin));
    }
    loadAdmin();
    return () => { cancelled = true; };
}, [user?.id]);

const loadDocuments = async () => {
    if (!user) {
        setLoading(false);
        return;
    }

    const { data, error } = await supabase
        .from('documents')
        .select('*')
        .eq('user_id', user.id)
        .order('created_at', { ascending: false });

    if (!error && data) {
        setDocuments(data);
    }
    setLoading(false);
};

const handleTemplateSelect = (template: keyof typeof templates) => {
    setSelectedTemplate(template);
    const templateData = templates[template];
    const initialFormData: { [key: string]: string } = {};
    templateData.fields.forEach(field => {
        initialFormData[field] = '';
    });
    setFormData(initialFormData);
    setDocumentTitle(templateData.name);
    setGeneratedContent('');
};

const generateDocument = () => {
    if (!selectedTemplate || selectedTemplate === 'custom') return;

    let content = templates[selectedTemplate].template;
    Object.entries(formData).forEach(([key, value]) => {
        content = content.replace(new RegExp(`\\[${key}\\]`, 'g'), value);
    });
    setGeneratedContent(content);
};

const generateCustomDocument = async () => {
    if (!customDocumentType.trim() || !customDocumentDescription.trim()) return;

    setIsGeneratingCustom(true);
    setGenerationStage('Preparing drafting brief');

    const preset = draftingPresets.find((p) => p.mode === draftingMode);
    const effectiveModel = selectedModel || preset?.default_model || undefined;
    const maxTokens = preset?.max_tokens ?? 8192;
    const draftPasses = preset?.draft_passes ?? 1;
    const ragTopK = preset?.rag_top_k ?? 0;

    try {
        let contextDocuments: Array<{ title: string; citation?: string; jurisdiction?: string; excerpt: string; url?: string }> = [];

        if (ragTopK > 0) {
            setGenerationStage('Retrieving controlling authorities');
            const retrievalQuery = `${customDocumentType}. ${customDocumentDescription}. ${customDocumentDetails}`.slice(0, 2000);
            try {
                const ragRes = await fetch(`${SUPABASE_URL}/functions/v1/legalbreeze-rag`, {
                    method: 'POST',
                    headers: {
                        'Content-Type': 'application/json',
                        'Authorization': `Bearer ${SUPABASE_ANON_KEY}`,
                    },
                    body: JSON.stringify({
                        query: retrievalQuery,

```



```

        sessionId: crypto.randomUUID(),
        jurisdiction: documentJurisdiction || 'Arizona',
        includeCompliance: false,
    })),
    });
    if (ragRes.ok) {
        const ragData = await ragRes.json();
        const citations = Array.isArray(ragData.citations) ? ragData.citations : [];
        contextDocuments = citations.slice(0, ragTopK).map((c: { title?: string; source?: string; jurisdiction?: string;
excerpt?: string; url?: string }) => ({
            title: c.title || c.source || 'Authority',
            citation: c.source,
            jurisdiction: c.jurisdiction,
            excerpt: (c.excerpt || '').slice(0, 2400),
            url: c.url,
        }));
    }
} catch (ragErr) {
    console.warn('RAG retrieval failed, continuing without grounding:', ragErr);
}
}

setGenerationStage(
    draftingMode === 'partner'
        ? 'Drafting senior-partner document (multi-pass)'
        : draftingMode === 'associate'
        ? 'Drafting associate-level document'
        : 'Generating form'
);

const prompt = `Produce a complete legal document matching the specification below.

DOCUMENT TYPE: ${customDocumentType}

DESCRIPTION / PURPOSE: ${customDocumentDescription}

${customDocumentParties ? `PARTIES INVOLVED: ${customDocumentParties}\n` : ''}${customDocumentDetails ? `ADDITIONAL DETAILS:
${customDocumentDetails}\n` : ''}${documentJurisdiction ? `GOVERNING JURISDICTION: ${documentJurisdiction}\n` : ''}
Follow the drafting posture defined in your system instructions. Return the execution-ready document text only.`;

const response = await fetch(`${SUPABASE_URL}/functions/v1/openai-chat`, {
    method: 'POST',
    headers: {
        'Content-Type': 'application/json',
        'Authorization': `Bearer ${SUPABASE_ANON_KEY}`,
    },
    body: JSON.stringify({
        messages: [{ role: 'user', content: prompt }],
        sessionId: crypto.randomUUID(),
        userId: user?.id,
        jurisdiction: documentJurisdiction || 'General',
        modelOverride: effectiveModel,
        maxTokens,
        temperature: 0.2,
        draftingMode,
        draftPasses,
        contextDocuments,
        systemPromptOverride: preset?.system_prompt,
    })),
});

if (!response.ok) {
    throw new Error('Failed to generate document');
}

const data = await response.json();
let generatedText = data.response || '';

const followUpStart = generatedText.indexOf('---FOLLOW_UP_QUESTIONS---');
if (followUpStart !== -1) {
    generatedText = generatedText.substring(0, followUpStart).trim();
}

const thinkingEnd = generatedText.indexOf('---END_THINKING_DETAILS---');
if (thinkingEnd !== -1) {
    generatedText = generatedText.substring(thinkingEnd + '---END_THINKING_DETAILS---'.length).trim();
}

setGeneratedContent(generatedText);
setDocumentTitle(customDocumentType);

if (user?.id) {
    await supabase.from('document_generation_requests').insert({
        user_id: user.id,
        document_type: customDocumentType,
        drafting_mode: draftingMode,
        model_used: data.modelUsed || effectiveModel || '',
        jurisdiction: documentJurisdiction || '',
        rag_context_count: data.ragContextCount ?? contextDocuments.length,
        draft_passes: data.draftPasses ?? draftPasses,
        tokens_used: data.usage?.totalTokens ?? 0,
        status: 'success',
    });
}
} catch (error) {
    console.error('Error generating custom document:', error);
    if (user?.id) {

```

```

        await supabase.from('document_generation_requests').insert({
          user_id: user.id,
          document_type: customDocumentType,
          drafting_mode: draftingMode,
          model_used: effectiveModel || '',
          jurisdiction: documentJurisdiction || '',
          rag_context_count: 0,
          draft_passes: draftPasses,
          status: 'error',
          error_message: error instanceof Error ? error.message : 'Unknown error',
        });
      }
      alert('Failed to generate document. Please try again.');
```

```

    } finally {
      setIsGeneratingCustom(false);
      setGenerationStage('');
    }
  };

const handleSaveDocument = async () => {
  if (!generatedContent) return;

  if (!user) {
    const blob = new Blob([generatedContent], { type: 'text/plain' });
    const url = URL.createObjectURL(blob);
    const a = document.createElement('a');
    a.href = url;
    a.download = `${documentTitle || 'document'}.txt`;
    document.body.appendChild(a);
    a.click();
    document.body.removeChild(a);
    URL.revokeObjectURL(url);

    alert('Document downloaded! Sign up to save and manage all your documents online.');
```

```

    return;
  }

  const { error } = await supabase.from('documents').insert({
    user_id: user.id,
    title: documentTitle,
    document_type: selectedTemplate || 'custom',
    content: generatedContent,
    template_used: selectedTemplate || null,
    case_id: null,
    jurisdiction: documentJurisdiction || null,
  });

  if (!error) {
    setShowModal(false);
    setSelectedTemplate('');
    setFormData({});
    setGeneratedContent('');
    setDocumentTitle('');
    setDocumentJurisdiction('');
    loadDocuments();
  }
};

const filteredDocuments = documents.filter(doc => {
  const matchesSearch = doc.title.toLowerCase().includes(searchTerm.toLowerCase()) ||
    doc.document_type.toLowerCase().includes(searchTerm.toLowerCase());
  const matchesJurisdiction = !selectedJurisdiction || doc.jurisdiction === selectedJurisdiction;
  return matchesSearch && matchesJurisdiction;
});

if (loading) {
  return (
    <div className="flex items-center justify-center min-h-[60vh]">
      <div className="animate-spin rounded-full h-12 w-12 border-b-2 border-teal-600"></div>
    </div>
  );
}

return (
  <div className="p-6 max-w-7xl mx-auto">
    {!user && (
      <div className="bg-gradient-to-r from-green-50 to-green-100 border-2 border-green-200 rounded-xl px-6 py-4 mb-6">
        <div className="flex items-center justify-between gap-4 flex-wrap">
          <div className="flex items-center gap-3">
            <Sparkles className="w-6 h-6 text-green-600" />
            <div>
              <p className="font-semibold text-navy-900">Try Document Generation Free!</p>
              <p className="text-sm text-navy-600">Generate documents now, sign up to save them online</p>
            </div>
          </div>
          <div className="flex gap-2">
            <Link
              to="/signup"
              className="px-4 py-2 bg-green-600 hover:bg-green-700 text-white rounded-lg transition-all font-semibold shadow-md text-sm"
            >
              Create Account
            </Link>
          </div>
        </div>
      </div>
    )}
  </div>
);

```

```

    })
    <div className="mb-8">
      <h1 className="text-3xl font-bold text-navy-900 mb-2">
        {language === 'en' ? 'Legal Documents' : 'Documentos Legales'}
      </h1>
      <p className="text-navy-600">
        {language === 'en' ? 'Generate professional legal documents in minutes' : 'Genera documentos legales profesionales en minutos'}
      </p>
    </div>

    <div className="mb-6 rounded-2xl border border-teal-200 bg-gradient-to-br from-teal-50 via-white to-white p-5 shadow-sm">
      <div className="flex flex-wrap items-start justify-between gap-4">
        <div className="flex items-start gap-3">
          <div className="flex h-11 w-11 items-center justify-center rounded-xl bg-teal-600 text-white">
            <Workflow className="h-6 w-6" />
          </div>
          <div>
            <h2 className="text-lg font-semibold text-navy-900">
              {language === 'en' ? 'Document Intelligence Hub' : 'Centro de Inteligencia Documental'}
            </h2>
            <p className="mt-0.5 max-w-2xl text-sm text-navy-600">
              {language === 'en'
                ? 'Clause navigation, risk detection, drafting suggestions, intake triage, and multi-step research planning – all in one place.'
                : 'Navegacion de clausulas, deteccion de riesgos, sugerencias de redaccion, triaje de admision y planificacion de investigacion.'}
            </p>
            <div className="mt-2 flex flex-wrap gap-1.5">
              {[ 'Clause navigator', 'Risk detection', 'Clause suggestions', 'Intake triage', 'Research planner' ].map((tag) => (
                <span key={tag} className="rounded-full border border-teal-200 bg-white px-2 py-0.5 text-[11px] font-medium text-teal-700">
                  {tag}
                </span>
              ))}
            </div>
            <div>
              <button
                type="button"
                onClick={() => setShowIntelligenceHub((v) => !v)}
                className="inline-flex items-center gap-2 rounded-lg bg-teal-600 px-4 py-2 text-sm font-medium text-white hover:bg-teal-700">
                >
                <Sparkles className="h-4 w-4" />
                {showIntelligenceHub
                  ? language === 'en' ? 'Hide' : 'Ocultar'
                  : language === 'en' ? 'Open hub' : 'Abrir'}
              </button>
            </div>
            {showIntelligenceHub && (
              <div className="mt-5">
                <DocumentIntelligencePanel documentId={null} documentContent="" />
                <p className="mt-3 text-xs text-navy-500">
                  {language === 'en'
                    ? 'To run clause navigation and risk detection on an existing document, click Analyze on any saved document card below.'
                    : 'Para ejecutar navegacion de clausulas y deteccion de riesgos en un documento existente, haga clic en Analizar en cualquier tarjeta guardada.'}
                </p>
              </div>
            )}
            </div>
          </div>
          <div>
            {isOrganization && (
              <div className="mb-6 p-4 bg-amber-50 border border-amber-200 rounded-xl flex items-start gap-3">
                <Users className="w-5 h-5 text-amber-600 flex-shrink-0 mt-0.5" />
                <div className="text-sm">
                  <p className="font-semibold text-amber-800 mb-1">
                    {language === 'en' ? 'Organization Mode' : 'Modo Organizacion'}
                  </p>
                  <p className="text-amber-700">
                    {language === 'en'
                      ? 'Documents generated here are templates requiring attorney review before client distribution. Always verify jurisdiction-specific requirements.'
                      : 'Los documentos generados aquí son plantillas que requieren revision de abogado antes de la distribucion al cliente. Siempre verifique los requisitos jurisdiccionales.'}
                  </p>
                </div>
              </div>
            )}
            {isBusiness && (
              <div className="mb-6 p-4 bg-blue-50 border border-blue-200 rounded-xl flex items-start gap-3">
                <Building2 className="w-5 h-5 text-blue-600 flex-shrink-0 mt-0.5" />
                <div className="text-sm">
                  <p className="font-semibold text-blue-800 mb-1">
                    {language === 'en' ? 'Business Templates' : 'Plantillas de Negocios'}
                  </p>
                  <p className="text-blue-700">
                    {language === 'en'
                      ? 'Recommended: LLC Formation, Employment Agreements, NDAs, Consultant Agreements, and Master Service Agreements.'
                      : 'Recomendados: Formacion de LLC, Contratos de Empleo, NDAs, Contratos de Consultor y Acuerdos de Servicios.'}
                  </p>
                </div>
              </div>
            )}
          </div>
        </div>
      </div>
    </div>

```

```

    </div>
  )}

  <div className="bg-white rounded-xl shadow-sm border border-navy-200 p-4 mb-6">
    <div className="flex flex-col lg:flex-row gap-4">
      <div className="flex-1 relative">
        <Search className="absolute left-3 top-1/2 transform -translate-y-1/2 text-navy-400 w-5 h-5" />
        <input
          type="text"
          placeholder={language === 'en' ? 'Search documents...' : 'Buscar documentos...'}
          value={searchTerm}
          onChange={(e) => setSearchTerm(e.target.value)}
          className="w-full pl-10 pr-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
        />
      </div>

      <div className="w-full lg:w-64">
        <div className="flex items-center gap-2">
          <MapPin className="text-navy-400 w-5 h-5 flex-shrink-0" />
          <select
            value={selectedJurisdiction}
            onChange={(e) => setSelectedJurisdiction(e.target.value)}
            className="flex-1 px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
            aria-label="Filter by jurisdiction"
          >
            <option value="">All Jurisdictions</option>
            {JURISDICTION_GROUPS.map((group) => (
              <optgroup key={group.label} label={group.label}>
                {group.options.map((jurisdiction) => (
                  <option key={jurisdiction.code} value={jurisdiction.code}>
                    {jurisdiction.name}
                  </option>
                ))}
              </optgroup>
            ))}
          </select>
        </div>
      </div>

      <button
        onClick={() => {
          setOcrPurpose('analyze');
          setShowOCRScanner(true);
        }}
        className="bg-navy-700 hover:bg-navy-800 text-white px-4 py-2 rounded-lg font-medium flex items-center gap-2
transition-colors whitespace-nowrap"
      >
        <Upload className="w-5 h-5" />
        {language === 'en' ? 'Upload to Analyze' : 'Subir para Analizar'}
      </button>
      <button
        onClick={() => {
          try {
            const storedGoal = sessionStorage.getItem('ezlegal-research-goal') || '';
            const storedStepRaw = sessionStorage.getItem('ezlegal-research-draft-step');
            const storedStep = storedStepRaw ? JSON.parse(storedStepRaw) : null;
            if (storedGoal || storedStep) {
              setSelectedTemplate('custom');
              setCustomDocumentType(storedStep?.title || 'Drafted document');
              setCustomDocumentDescription(
                [storedGoal, storedStep?.detail].filter(Boolean).join(' - ')
              );
              setCustomDocumentDetails(storedStep?.detail || '');
              setDocumentTitle(storedStep?.title || storedGoal);
            }
          } catch {}
          setShowModal(true);
        }}
        className="bg-teal-600 hover:bg-teal-700 text-white px-4 py-2 rounded-lg font-medium flex items-center gap-2
transition-colors whitespace-nowrap"
      >
        <Plus className="w-5 h-5" />
        {language === 'en' ? 'Generate Document' : 'Generar Documento'}
      </button>
    </div>
  </div>

  <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
    {filteredDocuments.map((doc) => (
      <div
        key={doc.id}
        className="bg-white rounded-xl shadow-sm border border-navy-200 p-6 hover:shadow-md transition-shadow"
      >
        <div className="flex items-start gap-3 mb-4">
          <div className="w-12 h-12 bg-teal-50 rounded-lg flex items-center justify-center flex-shrink-0">
            <FileText className="w-6 h-6 text-teal-600" />
          </div>
          <div className="flex-1 min-w-0">
            <h3 className="font-semibold text-navy-900 mb-1 truncate">{doc.title}</h3>
            <p className="text-sm text-navy-500 capitalize">{doc.document_type.replace('_', ' ')}</p>
          </div>
        </div>
        <p className="text-sm text-navy-600 mb-4 line-clamp-3">

```

```

        {stripThinkingDetails(doc.content).substring(0, 150)}}...
    </p>

    <div className="flex items-center justify-between text-xs text-navy-500">
        <div className="flex items-center justify-between text-xs text-navy-500">
            <span>{new Date(doc.created_at).toLocaleDateString()}</span>
            {doc.jurisdiction && (
                <span className="flex items-center gap-1 px-2 py-0.5 bg-teal-50 text-teal-700 rounded text-xs font-medium">
                    <MapPin className="w-3 h-3" />
                    {getJurisdictionName(doc.jurisdiction)}
                </span>
            )}
        </div>
        <div className="flex items-center gap-3">
            <button
                onClick={() => setAnalyzingDocument(doc)}
                className="text-teal-600 hover:text-teal-700 flex items-center gap-1"
            >
                <Workflow className="w-4 h-4" />
                {language === 'en' ? 'Analyze' : 'Analizar'}
            </button>
            <button className="text-teal-600 hover:text-teal-700 flex items-center gap-1">
                <Download className="w-4 h-4" />
                {language === 'en' ? 'Download' : 'Descargar'}
            </button>
        </div>
    </div>
</div>
)}}
</div>

{filteredDocuments.length === 0 && (
    <div className="text-center py-12 bg-white rounded-xl border border-navy-200">
        <div className="w-16 h-16 bg-navy-100 rounded-full flex items-center justify-center mx-auto mb-4">
            <FileText className="w-8 h-8 text-navy-400" />
        </div>
        <h3 className="text-lg font-semibold text-navy-900 mb-2">
            {language === 'en' ? 'No documents found' : 'No se encontraron documentos'}
        </h3>
        <p className="text-navy-600 mb-4">
            {language === 'en' ? 'Generate your first legal document' : 'Genera tu primer documento legal'}
        </p>
        <button
            onClick={() => setShowModal(true)}
            className="bg-teal-600 hover:bg-teal-700 text-white px-6 py-2 rounded-lg font-medium inline-flex items-center gap-2 transition-colors"
        >
            <Sparkles className="w-5 h-5" />
            {language === 'en' ? 'Generate Document' : 'Generar Documento'}
        </button>
    </div>
)}}

{showModal && (
    <div className="fixed inset-0 bg-navy-900 bg-opacity-50 flex items-center justify-center z-50 p-4">
        <div className="bg-white rounded-2xl shadow-xl max-w-4xl w-full max-h-[90vh] overflow-y-auto">
            <div className="p-6 border-b border-navy-200 flex items-center justify-between">
                <h2 className="text-2xl font-bold text-navy-900">
                    {language === 'en' ? 'Generate Legal Document' : 'Generar Documento Legal'}
                </h2>
                <button
                    onClick={() => {
                        setShowModal(false);
                        setSelectedTemplate('');
                        setFormData({});
                        setGeneratedContent('');
                        setDocumentTitle('');
                        setDocumentJurisdiction('');
                        setCustomDocumentType('');
                        setCustomDocumentDescription('');
                        setCustomDocumentParties('');
                        setCustomDocumentDetails('');
                    }}
                    className="text-navy-400 hover:text-navy-600 transition-colors"
                >
                    <X className="w-6 h-6" />
                </button>
            </div>

            <div className="p-6">
                {!selectedTemplate ? (
                    <div>
                        <h3 className="text-lg font-semibold text-navy-900 mb-4">Choose a Template</h3>
                        <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
                            {Object.entries(templates).map(([key, template]) => (
                                <button
                                    key={key}
                                    onClick={() => handleTemplateSelect(key as keyof typeof templates)}
                                    className="p-4 border-2 border-navy-200 rounded-xl hover:border-teal-500 hover:bg-teal-50 transition-all text-left"
                                >
                                    <FileText className="w-8 h-8 text-teal-600 mb-2" />
                                    <h4 className="font-semibold text-navy-900">{template.name}</h4>
                                </button>
                            ))}
                        </div>
                    </div>
                )}
            </div>
        </div>
    </div>
)}

```

```

        onClick={() => {
            setSelectedTemplate('custom');
            setDocumentTitle('');
            setGeneratedContent('');
        }}
        className="p-4 border-2 border-dashed border-teal-300 rounded-xl hover:border-teal-500 hover:bg-teal-50
transition-all text-left bg-gradient-to-br from-teal-50 to-white"
    >
        <div className="flex items-center gap-2 mb-2">
            <Wand2 className="w-8 h-8 text-teal-600" />
            <span className="text-xs font-medium px-2 py-0.5 bg-teal-100 text-teal-700 rounded-full">AI-Powered</span>
        </div>
        <h4 className="font-semibold text-navy-900">Custom Document</h4>
        <p className="text-sm text-navy-500 mt-1">Describe any document type and let AI generate it for you</p>
    </button>
</div>
</div>
) : selectedTemplate === 'custom' && !generatedContent ? (
    <div>
        <div className="flex items-center justify-between mb-6">
            <div>
                <h3 className="text-lg font-semibold text-navy-900">Create Custom Document</h3>
                <p className="text-sm text-navy-500 mt-1">Describe the document you need and AI will generate it</p>
            </div>
            <div className="flex items-center gap-2 px-3 py-1.5 bg-teal-50 rounded-full">
                <Wand2 className="w-4 h-4 text-teal-600" />
                <span className="text-sm font-medium text-teal-700">AI-Powered</span>
            </div>
        </div>
        <div className="space-y-5">
            <div>
                <label className="block text-sm font-medium text-navy-700 mb-2">
                    Document Type <span className="text-red-500">*</span>
                </label>
                <input
                    type="text"
                    value={customDocumentType}
                    onChange={(e) => setCustomDocumentType(e.target.value)}
                    placeholder="e.g., Independent Contractor Agreement, Cease and Desist Letter, Release of Liability..."
                    className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
                />
                <p className="text-xs text-navy-500 mt-1">Enter any type of legal document you need</p>
            </div>
            <div>
                <label className="block text-sm font-medium text-navy-700 mb-2">
                    Description & Purpose <span className="text-red-500">*</span>
                </label>
                <textarea
                    value={customDocumentDescription}
                    onChange={(e) => setCustomDocumentDescription(e.target.value)}
                    placeholder="Describe what this document is for, its purpose, and any specific requirements..."
                    rows={4}
                    className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
                />
            </div>
            <div>
                <label className="block text-sm font-medium text-navy-700 mb-2">
                    Parties Involved
                </label>
                <input
                    type="text"
                    value={customDocumentParties}
                    onChange={(e) => setCustomDocumentParties(e.target.value)}
                    placeholder="e.g., Company ABC (Employer) and John Doe (Contractor)"
                    className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
                />
            </div>
            <div>
                <label className="block text-sm font-medium text-navy-700 mb-2">
                    Additional Details
                </label>
                <textarea
                    value={customDocumentDetails}
                    onChange={(e) => setCustomDocumentDetails(e.target.value)}
                    placeholder="Any specific terms, clauses, dates, amounts, or other details to include..."
                    rows={3}
                    className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
                />
            </div>
            <div>
                <label className="block text-sm font-medium text-navy-700 mb-2">
                    Jurisdiction
                </label>
                <select
                    value={documentJurisdiction}
                    onChange={(e) => setDocumentJurisdiction(e.target.value)}
                    className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500"
                >

```

```

focus:border-teal-500"
    >
    <option value="">Select Jurisdiction (optional)</option>
    {JURISDICTION_GROUPS.map((group) => (
      <optgroup key={group.label} label={group.label}>
        {group.options.map((jurisdiction) => (
          <option key={jurisdiction.code} value={jurisdiction.code}>
            {jurisdiction.name}
          </option>
        ))}
      </optgroup>
    ))}
  </select>
  <p className="text-xs text-navy-500 mt-1">If applicable, select the state whose laws should govern this
document</p>
</div>
</div>

<div className="mt-6">
  <label className="block text-sm font-semibold text-navy-900 mb-3">
    Drafting Posture
  </label>
  <div className="grid grid-cols-1 md:grid-cols-3 gap-3">
    {[
      { mode: 'quick_form' as const, icon: FileText, label: 'Quick Form', blurb: 'Clean fillable template. Ready
in seconds.', badge: 'Free' },
      { mode: 'associate' as const, icon: Scale, label: 'Associate Draft', blurb: 'Mid-level associate quality.
Jurisdiction-aware.', badge: 'Free' },
      { mode: 'partner' as const, icon: Award, label: 'Senior Partner', blurb: 'Am Law 100 execution-quality.
Multi-pass with authority grounding.', badge: 'Premium' },
    ].map(({ mode, icon: Icon, label, blurb, badge }) => {
      const isSelected = draftingMode === mode;
      return (
        <button
          key={mode}
          type="button"
          onClick={() => setDraftingMode(mode)}
          className={`text-left p-4 rounded-xl border-2 transition-all ${
            isSelected
              ? 'border-teal-500 bg-teal-50 shadow-md'
              : 'border-navy-200 bg-white hover:border-teal-300'
            }`}
        >
          <div className="flex items-start gap-3">
            <div className={`${p-2 rounded-lg ${isSelected ? 'bg-teal-100 text-teal-700' : 'bg-navy-50
text-navy-600'}}`}>
              <Icon className="w-5 h-5" />
            </div>
            <div className="flex-1 min-w-0">
              <div className="flex items-center gap-2">
                <h4 className="font-bold text-navy-900 text-sm">{label}</h4>
                <span className={`${text-[10px] px-2 py-0.5 rounded-full font-semibold ${badge === 'Premium' ?
'bg-amber-100 text-amber-800' : 'bg-emerald-100 text-emerald-800'}}`}>
                  {badge}
                </span>
              </div>
              <p className="text-xs text-navy-600 mt-1 leading-relaxed">{blurb}</p>
            </div>
          </div>
        </button>
      );
    })}
  </div>
  {draftingMode === 'partner' && (
    <div className="mt-3 p-3 bg-amber-50 border border-amber-200 rounded-lg flex items-start gap-2">
      <Gavel className="w-4 h-4 text-amber-700 flex-shrink-0 mt-0.5" />
      <p className="text-xs text-amber-900">
        Senior-partner mode retrieves controlling statutes and case law, drafts in three passes with
self-critique, and produces a Drafting Notes appendix citing only verified authorities. Generation may take 30-90 seconds.
      </p>
    </div>
  )}
</div>

{isAdmin && (
  <div className="mt-6 p-4 bg-slate-50 rounded-lg border border-slate-200">
    <AIModelSelector
      selectedModel={selectedModel}
      onModelChange={setSelectedModel}
      variant="compact"
      label="AI Model for Document Generation"
      showDescription={false}
    />
    <p className="text-xs text-navy-500 mt-2">Admin only: Premium models (GPT-5 series) provide more comprehensive
legal documents</p>
  </div>
)}

<div className="flex items-center justify-between mt-8 pt-6 border-t border-navy-200">
  <div className="text-sm text-navy-500">
    <span className="text-red-500">*</span> Required fields
  </div>
  <div className="flex gap-3">
    <button
      onClick={() => {
        setSelectedTemplate('');

```

```

        setCustomDocumentType('');
        setCustomDocumentDescription('');
        setCustomDocumentParties('');
        setCustomDocumentDetails('');
    }}
    className="px-6 py-2.5 border border-navy-300 text-navy-700 rounded-lg font-medium hover:bg-navy-50
transition-colors"
    >
    </button>
    <button
    onClick={generateCustomDocument}
    disabled={!customDocumentType.trim() || !customDocumentDescription.trim() || isGeneratingCustom}
    className={`px-6 py-2.5 rounded-lg font-medium flex items-center gap-2 transition-all ${
        customDocumentType.trim() && customDocumentDescription.trim() && !isGeneratingCustom
        ? 'bg-teal-600 hover:bg-teal-700 text-white'
        : 'bg-navy-200 text-navy-400 cursor-not-allowed'
    }`}
    >
    {isGeneratingCustom ? (
    <>
    <Loader2 className="w-5 h-5 animate-spin" />
    {generationStage || 'Generating...'}
    </>
    ) : (
    <>
    <Wand2 className="w-5 h-5" />
    Generate Document
    </>
    )}
    </button>
</div>
</div>
</div>
) : selectedTemplate !== 'custom' && !generatedContent ? (
<DocumentFormFields
selectedTemplate={selectedTemplate as keyof typeof templates}
templates={templates}
formData={formData}
setFormData={setFormData}
onBack={() => {
setSelectedTemplate('');
setFormData({});
}}
onGenerate={generateDocument}
/>
) : (
<div>
<h3 className="text-lg font-semibold text-navy-900 mb-4">Preview & Save</h3>
<div className="grid grid-cols-1 md:grid-cols-2 gap-4 mb-4">
<div>
<label className="block text-sm font-medium text-navy-700 mb-2">
Document Title
</label>
<input
type="text"
value={documentTitle}
onChange={(e) => setDocumentTitle(e.target.value)}
className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
/>
</div>
<div>
<label className="block text-sm font-medium text-navy-700 mb-2">
Jurisdiction
</label>
<div className="flex items-center gap-2">
<MapPin className="text-navy-400 w-5 h-5 flex-shrink-0" />
<select
value={documentJurisdiction}
onChange={(e) => setDocumentJurisdiction(e.target.value)}
className="flex-1 px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-teal-500"
aria-label="Select document jurisdiction"
>
<option value="">Select Jurisdiction</option>
{JURISDICTION_GROUPS.map((group) => (
<optgroup key={group.label} label={group.label}>
{group.options.map((jurisdiction) => (
<option key={jurisdiction.code} value={jurisdiction.code}>
{jurisdiction.name}
</option>
))}
</optgroup>
))}
</select>
</div>
<p className="text-xs text-navy-500 mt-1">
Select the jurisdiction this document applies to
</p>
</div>
</div>
<div className="bg-navy-50 border border-navy-200 rounded-lg p-6 mb-4 max-h-96 overflow-y-auto">
<pre className="whitespace-pre-wrap text-sm text-navy-700 font-mono">
{generatedContent}
</pre>

```



```

    </div>
    <div className="flex gap-3 justify-end">
      <button
        onClick={() => setGeneratedContent('')}
        className="px-6 py-2 border border-navy-300 text-navy-700 rounded-lg font-medium hover:bg-navy-50"
      >
        Edit
      </button>
      <button
        onClick={handleSaveDocument}
        className="px-6 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-lg font-medium"
      >
        {user ? 'Save Document' : 'Download Document'}
      </button>
    </div>
  </div>
</div>
)}

{analyzingDocument && (
  <div className="fixed inset-0 bg-navy-900/60 flex items-center justify-center z-50 p-4 backdrop-blur-sm overflow-y-auto">
    <div className="max-w-4xl w-full my-8">
      <DocumentIntelligencePanel
        documentId={analyzingDocument.id}
        documentContent={analyzingDocument.content}
        onClose={() => setAnalyzingDocument(null)}
      />
    </div>
  </div>
)}

{showOCRScanner && (
  <div className="fixed inset-0 bg-navy-900/60 flex items-center justify-center z-50 p-4 backdrop-blur-sm">
    <div className="max-w-3xl w-full">
      <DocumentOCRProcessor
        onClose={() => setShowOCRScanner(false)}
        onTextExtracted={async (text) => {
          setShowOCRScanner(false);
          if (ocrPurpose === 'analyze') {
            if (!user) return;
            const title = `Uploaded document - ${new Date().toLocaleString()}`;
            const { data, error } = await supabase
              .from('documents')
              .insert({
                user_id: user.id,
                title,
                document_type: 'uploaded',
                content: text,
                template_used: null,
                jurisdiction: selectedJurisdiction || null,
              })
              .select('id, title, document_type, content, template_used, created_at, jurisdiction')
              .maybeSingle();
            if (!error && data) {
              loadDocuments();
              setAnalyzingDocument(data as Document);
            }
          } else {
            setCustomDocumentDescription(text);
            setSelectedTemplate('custom');
            setShowModal(true);
          }
        }}
      />
    </div>
  </div>
)}

<div className="max-w-4xl mx-auto px-4 sm:px-6 mt-8 mb-8 grid sm:grid-cols-3 gap-3">
  <AIGovernanceNotice variant="compact" />
  <ScopeBoundaryCard variant="banner" />
  <DataUseAndPrivacyCard variant="compact" />
</div>
</div>
);
}

```

[56/58] Research

Route: /dashboard/research | File: src/pages/Research.tsx

```
import { useState, useEffect } from 'react';
import { Link } from 'react-router-dom';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import { supabase } from '../lib/supabase';
import {
  Search, BookOpen, Clock, Tag, MapPin, Scale, FileText,
  Building2, Landmark, Loader2, ChevronDown, ChevronUp,
  ExternalLink, Sparkles, Filter, History, Bookmark
} from 'lucide-react';
import { JURISDICTION_GROUPS, getJurisdictionName } from '../data/jurisdictions';

const SUPABASE_URL = import.meta.env.VITE_SUPABASE_URL;
const SUPABASE_ANON_KEY = import.meta.env.VITE_SUPABASE_ANON_KEY;

interface ResearchQuery {
  id: string;
  query: string;
  results: string;
  category: string | null;
  created_at: string;
  jurisdiction?: string | null;
  source_types?: string[] | null;
}

interface ResearchResult {
  type: 'case_law' | 'statute' | 'regulation' | 'precedent' | 'secondary';
  title: string;
  citation: string;
  jurisdiction: string;
  date?: string;
  summary: string;
  relevance: 'high' | 'medium' | 'low';
  keyPoints?: string[];
}

interface ParsedResults {
  summary: string;
  results: ResearchResult[];
  practicalGuidance: string;
  disclaimer: string;
}

const categories = [
  'Contract Law',
  'Criminal Law',
  'Family Law',
  'Corporate Law',
  'Intellectual Property',
  'Employment Law',
  'Real Estate Law',
  'Tax Law',
  'Immigration Law',
  'Personal Injury',
  'Bankruptcy',
  'Civil Rights',
  'Environmental Law',
  'Healthcare Law',
  'Securities Law',
];

const sourceTypes = [
  { id: 'case_law', label: 'Case Law', icon: Scale, description: 'Court decisions and judicial opinions' },
  { id: 'statutes', label: 'Statutes', icon: FileText, description: 'Federal and state legislation' },
  { id: 'regulations', label: 'Regulations', icon: Building2, description: 'Administrative rules and agency guidance' },
  { id: 'precedents', label: 'Legal Precedents', icon: Landmark, description: 'Binding and persuasive authority' },
];

export default function Research() {
  const [queries, setQueries] = useState<ResearchQuery[]>([]);
  const [loading, setLoading] = useState(false);
  const [searchQuery, setSearchQuery] = useState('');
  const [selectedCategory, setSelectedCategory] = useState('');
  const [selectedJurisdiction, setSelectedJurisdiction] = useState('FED');
  const [selectedSources, setSelectedSources] = useState<string[]>(['case_law', 'statutes', 'regulations', 'precedents']);
  const [searchResults, setSearchResults] = useState('');
  const [parsedResults, setParsedResults] = useState<ParsedResults | null>(null);
  const [showFilters, setShowFilters] = useState(false);
  const [expandedResults, setExpandedResults] = useState<Set<number>>(new Set());
  const [activeTab, setActiveTab] = useState<'search' | 'history'>('search');
  const [expandedHistoryIds, setExpandedHistoryIds] = useState<Set<string>>(new Set());
  const { user } = useAuth();
  const { t } = useLanguage();

  useEffect(() => {
    loadQueries();
  }, []);

  const loadQueries = async () => {
```

```

if (!user) return;

const { data, error } = await supabase
  .from('research_queries')
  .select('*')
  .eq('user_id', user.id)
  .order('created_at', { ascending: false })
  .limit(20);

if (!error && data) {
  setQueries(data);
}
};

const toggleSource = (sourceId: string) => {
  setSelectedSources(prev =>
    prev.includes(sourceId)
      ? prev.filter(s => s !== sourceId)
      : [...prev, sourceId]
  );
};

const toggleResultExpanded = (index: number) => {
  setExpandedResults(prev => {
    const next = new Set(prev);
    if (next.has(index)) {
      next.delete(index);
    } else {
      next.add(index);
    }
    return next;
  });
};

const parseAIResults = (rawResults: string): ParsedResults => {
  const sections = {
    summary: '',
    results: [] as ResearchResult[],
    practicalGuidance: '',
    disclaimer: ''
  };

  const summaryMatch = rawResults.match(/RESEARCH SUMMARY[:\s]*([\s\S]*?)(?=RELEVANT (?:AUTHORITIES|CASE LAW)|APPLICABLE STATUTES|ADMINISTRATIVE REGULATIONS|KEY LEGAL PRECEDENTS|CASE[:\s]|STATUTE[:\s]|REGULATION[:\s]|PRACTICAL GUIDANCE|DISCLAIMER|$)/i);
  if (summaryMatch) {
    sections.summary = summaryMatch[1].trim();
  }

  const caseMatches = rawResults.matchAll(/(?:CASE|DECISION):\s*([^\n]+\n(?:CITATION:\s*([^\n]+\n)?(?:COURT|JURISDICTION):\s*([^\n]+\n)?(?:DATE:\s*([^\n]+\n)?(?:SUMMARY|HOLDING):\s*([\s\S]*?)(?=(?:CASE|DECISION|STATUTE|REGULATION|PRACTICAL|DISCLAIMER|$)))/gi);
  for (const match of caseMatches) {
    sections.results.push({
      type: 'case_law',
      title: match[1].trim() || '',
      citation: match[2].trim() || '',
      jurisdiction: match[3].trim() || '',
      date: match[4].trim(),
      summary: match[5].trim() || '',
      relevance: 'high'
    });
  }

  const statuteMatches = rawResults.matchAll(/STATUTE:\s*([^\n]+\n(?:CITATION:\s*([^\n]+\n)?(?:JURISDICTION:\s*([^\n]+\n)?(?:SUMMARY|PROVISION):\s*([\s\S]*?)(?=(?:CASE|STATUTE|REGULATION|PRACTICAL|DISCLAIMER|$)))/gi);
  for (const match of statuteMatches) {
    sections.results.push({
      type: 'statute',
      title: match[1].trim() || '',
      citation: match[2].trim() || '',
      jurisdiction: match[3].trim() || '',
      summary: match[4].trim() || '',
      relevance: 'high'
    });
  }

  const regulationMatches = rawResults.matchAll(/REGULATION:\s*([^\n]+\n(?:CITATION:\s*([^\n]+\n)?(?:AGENCY:\s*([^\n]+\n)?(?:SUMMARY|PROVISION):\s*([\s\S]*?)(?=(?:CASE|STATUTE|REGULATION|PRACTICAL|DISCLAIMER|$)))/gi);
  for (const match of regulationMatches) {
    sections.results.push({
      type: 'regulation',
      title: match[1].trim() || '',
      citation: match[2].trim() || '',
      jurisdiction: match[3].trim() || '',
      summary: match[4].trim() || '',
      relevance: 'medium'
    });
  }

  const guidanceMatch = rawResults.match(/PRACTICAL GUIDANCE[:\s]*([\s\S]*?)(?=DISCLAIMER|$)/i);
  if (guidanceMatch) {
    sections.practicalGuidance = guidanceMatch[1].trim();
  }

  const disclaimerMatch = rawResults.match(/DISCLAIMER[:\s]*([\s\S]*?)$/i);
  if (disclaimerMatch) {

```

```

    sections.disclaimer = disclaimerMatch[1].trim();
  }

  if (sections.results.length === 0 && !sections.summary) {
    sections.summary = rawResults;
  }

  return sections;
};

const performResearch = async (e: React.FormEvent) => {
  e.preventDefault();
  if (!searchQuery.trim() || selectedSources.length === 0) return;

  setLoading(true);
  setParsedResults(null);
  setSearchResults('');

  try {
    const jurisdictionName = getJurisdictionName(selectedJurisdiction) || selectedJurisdiction;
    const sourceLabels = selectedSources.map(s => sourceTypes.find(st => st.id === s)?.label || s).join(', ');

    const prompt = `You are a legal research assistant. Conduct comprehensive legal research on the following query.

RESEARCH QUERY: ${searchQuery}

JURISDICTION: ${jurisdictionName}
${selectedCategory ? `PRACTICE AREA: ${selectedCategory}` : ''}
SOURCES TO SEARCH: ${sourceLabels}

Please provide a thorough legal research response in the following structured format:

RESEARCH SUMMARY:
Provide a 2-3 paragraph overview of the legal landscape for this query, including the current state of the law and any recent developments.

${selectedSources.includes('case_law')} ? `
RELEVANT CASE LAW:
For each relevant case, provide:
CASE: [Full case name]
CITATION: [Official citation]
COURT: [Court name and jurisdiction]
DATE: [Decision date]
SUMMARY: [2-3 sentence summary of holding and relevance]
` : ''}

${selectedSources.includes('statutes')} ? `
APPLICABLE STATUTES:
For each relevant statute, provide:
STATUTE: [Statute name/title]
CITATION: [Citation, e.g., 42 U.S.C. § 1983]
JURISDICTION: [Federal/State]
SUMMARY: [Key provisions and how they apply]
` : ''}

${selectedSources.includes('regulations')} ? `
ADMINISTRATIVE REGULATIONS:
For each relevant regulation, provide:
REGULATION: [Regulation name/title]
CITATION: [CFR or state regulatory citation]
AGENCY: [Issuing agency]
SUMMARY: [Key requirements and applicability]
` : ''}

${selectedSources.includes('precedents')} ? `
KEY LEGAL PRECEDENTS:
Identify binding and persuasive precedents that would apply to this matter in ${jurisdictionName}.
` : ''}

PRACTICAL GUIDANCE:
Based on this research, provide practical guidance for someone dealing with this legal issue, including:
- Key considerations
- Potential legal strategies
- Important deadlines or limitations
- Recommended next steps

DISCLAIMER:
This research is for informational purposes only and does not constitute legal advice. Laws and regulations change frequently.
Consult with a licensed attorney in your jurisdiction for advice specific to your situation.`;

    const response = await fetch(`${SUPABASE_URL}/functions/v1/openai-chat`, {
      method: 'POST',
      headers: {
        'Content-Type': 'application/json',
        'Authorization': `Bearer ${SUPABASE_ANON_KEY}`,
      },
      body: JSON.stringify({
        messages: [{ role: 'user', content: prompt }],
        sessionId: crypto.randomUUID(),
        jurisdiction: jurisdictionName,
        maxTokens: 4000,
        temperature: 0.2,
      })),
    });

    if (!response.ok) {

```

```

    throw new Error('Failed to perform research');
  }

  const data = await response.json();
  let results = data.response || '';

  const followUpStart = results.indexOf('---FOLLOW_UP_QUESTIONS---');
  if (followUpStart !== -1) {
    results = results.substring(0, followUpStart).trim();
  }

  setSearchResults(results);
  setParsedResults(parseAIResults(results));

  if (user) {
    const { data: insertedData, error } = await supabase
      .from('research_queries')
      .insert({
        user_id: user.id,
        query: searchQuery,
        results: results,
        category: selectedCategory || null,
      })
      .select()
      .single();

    if (!error && insertedData) {
      setQueries([insertedData, ...queries]);
    }
  }
} catch (error) {
  console.error('Research error:', error);
  setSearchResults('An error occurred while performing the research. Please try again.');
} finally {
  setLoading(false);
}
};

const getSourceIcon = (type: ResearchResult['type']) => {
  switch (type) {
    case 'case_law': return Scale;
    case 'statute': return FileText;
    case 'regulation': return Building2;
    case 'precedent': return Landmark;
    default: return BookOpen;
  }
};

const getSourceColor = (type: ResearchResult['type']) => {
  switch (type) {
    case 'case_law': return 'bg-teal-50 text-teal-700 border-teal-200';
    case 'statute': return 'bg-emerald-50 text-emerald-700 border-emerald-200';
    case 'regulation': return 'bg-amber-50 text-amber-700 border-amber-200';
    case 'precedent': return 'bg-navy-100 text-navy-700 border-navy-300';
    default: return 'bg-navy-50 text-navy-700 border-navy-200';
  }
};

const getRelevanceBadge = (relevance: ResearchResult['relevance']) => {
  switch (relevance) {
    case 'high': return 'bg-green-100 text-green-800';
    case 'medium': return 'bg-yellow-100 text-yellow-800';
    case 'low': return 'bg-navy-100 text-navy-600';
  }
};

return (
  <div className="p-6 max-w-7xl mx-auto">
    {!user && (
      <div className="bg-gradient-to-r from-teal-50 to-teal-50 border-2 border-teal-200 rounded-xl px-6 py-4 mb-6">
        <div className="flex items-center justify-between gap-4 flex-wrap">
          <div className="flex items-center gap-3">
            <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center">
              <Sparkles className="w-5 h-5 text-teal-600" />
            </div>
            <div>
              <p className="font-semibold text-navy-900">{t('research.title')}</p>
              <p className="text-sm text-navy-600">{t('research.signupPrompt')}</p>
            </div>
          </div>
          <div className="flex gap-2">
            <Link
              to="/signup"
              className="px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-lg transition-all font-semibold shadow-md
text-sm"
            >
              {t('research.createAccount')}
            </Link>
          </div>
        </div>
      </div>
    )}

    <div className="mb-8">
      <div className="flex items-center gap-3 mb-2">
        <div className="w-12 h-12 bg-gradient-to-br from-teal-500 to-teal-500 rounded-xl flex items-center justify-center">

```

```

        <Scale className="w-6 h-6 text-white" />
      </div>
    <div>
      <h1 className="text-3xl font-bold text-navy-900">{t('research.heading')}</h1>
      <p className="text-navy-600">{t('research.subtitle')}</p>
    </div>
  </div>
</div>

<div className="flex gap-2 mb-6">
  <button
    onClick={() => setActiveTab('search')}
    className={`px-4 py-2 rounded-lg font-medium flex items-center gap-2 transition-all ${
      activeTab === 'search'
        ? 'bg-teal-600 text-white'
        : 'bg-white text-navy-600 border border-navy-200 hover:bg-navy-50'
    }`}
  >
    <Search className="w-4 h-4" />
    {t('research.newResearch')}
  </button>
  <button
    onClick={() => setActiveTab('history')}
    className={`px-4 py-2 rounded-lg font-medium flex items-center gap-2 transition-all ${
      activeTab === 'history'
        ? 'bg-teal-600 text-white'
        : 'bg-white text-navy-600 border border-navy-200 hover:bg-navy-50'
    }`}
  >
    <History className="w-4 h-4" />
    {t('research.researchHistory')}
    {queries.length > 0 && (
      <span className={`text-xs px-1.5 py-0.5 rounded-full ${
        activeTab === 'history' ? 'bg-teal-500 text-white' : 'bg-navy-100'
      }`}>
        {queries.length}
      </span>
    )}
  </button>
</div>

{activeTab === 'search' && (
  <>
    <div className="bg-white rounded-xl shadow-sm border border-navy-200 p-6 mb-8">
      <form onSubmit={performResearch} className="space-y-6">
        <div>
          <label className="block text-sm font-medium text-navy-700 mb-2">
            {t('research.queryLabel')}
          </label>
          <div className="relative">
            <Search className="absolute left-4 top-1/2 transform -translate-y-1/2 text-navy-400 w-5 h-5" />
            <input
              type="text"
              value={searchQuery}
              onChange={(e) => setSearchQuery(e.target.value)}
              placeholder={t('research.queryPlaceholder')}
              className="w-full pl-12 pr-4 py-4 border border-navy-300 rounded-xl focus:ring-2 focus:ring-teal-500 focus:border-teal-500 text-lg"
            />
          </div>
        </div>

        <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              <MapPin className="w-4 h-4 inline mr-1" />
              {t('research.jurisdiction')}
            </label>
            <select
              value={selectedJurisdiction}
              onChange={(e) => setSelectedJurisdiction(e.target.value)}
              className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500 focus:border-teal-500"
            >
              {JURISDICTION_GROUPS.map((group) => (
                <optgroup key={group.label} label={group.label}>
                  {group.options.map((jurisdiction) => (
                    <option key={jurisdiction.code} value={jurisdiction.code}>
                      {jurisdiction.name}
                    </option>
                  ))}
                </optgroup>
              ))}
            </select>
          </div>

          <div>
            <label className="block text-sm font-medium text-navy-700 mb-2">
              <Tag className="w-4 h-4 inline mr-1" />
              {t('research.practiceArea')}
            </label>
            <select
              value={selectedCategory}
              onChange={(e) => setSelectedCategory(e.target.value)}
              className="w-full px-4 py-3 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500 focus:border-teal-500"
            >

```

```

    >
    <option value="">{t('research.allPracticeAreas')}</option>
    {categories.map((cat) => (
      <option key={cat} value={cat}>
        {cat}
      </option>
    ))}
  </select>
</div>
</div>

<div>
  <button
    type="button"
    onClick={() => setShowFilters(!showFilters)}
    className="flex items-center gap-2 text-sm font-medium text-navy-600 hover:text-navy-900 transition-colors"
  >
    <Filter className="w-4 h-4" />
    {t('research.sourceFilters')}
    {showFilters ? <ChevronUp className="w-4 h-4" /> : <ChevronDown className="w-4 h-4" />}
  </button>

  {showFilters && (
    <div className="mt-4 grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-3">
      {sourceTypes.map((source) => {
        const Icon = source.icon;
        const isSelected = selectedSources.includes(source.id);
        const sourceLabels: Record<string, string> = {
          case_law: t('research.caseLaw'),
          statutes: t('research.statutes'),
          regulations: t('research.regulations'),
          precedents: t('research.legalPrecedents'),
        };
        const sourceDescs: Record<string, string> = {
          case_law: t('research.caseLawDesc'),
          statutes: t('research.statutesDesc'),
          regulations: t('research.regulationsDesc'),
          precedents: t('research.legalPrecedentsDesc'),
        };
        return (
          <button
            key={source.id}
            type="button"
            onClick={() => toggleSource(source.id)}
            className={`p-4 rounded-xl border-2 text-left transition-all ${
              isSelected
                ? 'border-teal-500 bg-teal-50'
                : 'border-navy-200 bg-white hover:border-navy-300'
            }`}
          >
            <div className="flex items-center gap-3 mb-2">
              <div className={`w-8 h-8 rounded-lg flex items-center justify-center ${
                isSelected ? 'bg-teal-500 text-white' : 'bg-navy-100 text-navy-500'
              }`} >
                <Icon className="w-4 h-4" />
              </div>
              <span className={`font-medium ${isSelected ? 'text-teal-700' : 'text-navy-700'}`}>
                {sourceLabels[source.id] || source.label}
              </span>
            </div>
            <p className="text-xs text-navy-500">{sourceDescs[source.id] || source.description}</p>
          </button>
        );
      })}
    </div>
  )}
</div>

<button
  type="submit"
  disabled={loading || !searchQuery.trim() || selectedSources.length === 0}
  className="w-full bg-gradient-to-r from-teal-600 to-teal-600 hover:from-teal-700 hover:to-teal-700 text-white font-medium py-4 px-6 rounded-xl transition-all disabled:opacity-50 disabled:cursor-not-allowed flex items-center justify-center gap-3 text-lg shadow-lg shadow-teal-500/25"
>
  {loading ? (
    <>
      <Loader2 className="w-6 h-6 animate-spin" />
      {t('research.researching')}
    </>
  ) : (
    <>
      <Sparkles className="w-6 h-6" />
      {t('research.conductResearch')}
    </>
  )}
</button>

  {selectedSources.length === 0 && (
    <p className="text-sm text-amber-600 text-center">{t('research.selectSource')}</p>
  )}
</form>
</div>

{searchResults || parsedResults} && (
  <div className="space-y-6">

```

```

{parsedResults?.summary && (
  <div className="bg-white rounded-xl shadow-sm border border-navy-200 p-6">
    <div className="flex items-center gap-3 mb-4">
      <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center">
        <BookOpen className="w-5 h-5 text-teal-600" />
      </div>
      <h2 className="text-lg font-semibold text-navy-900">{t('research.summary')}</h2>
    </div>
    <div className="text-navy-700 leading-relaxed whitespace-pre-wrap">{parsedResults.summary}</div>
  </div>
)}

{parsedResults && parsedResults.results.length > 0 && (
  <div className="bg-white rounded-xl shadow-sm border border-navy-200 p-6">
    <div className="flex items-center justify-between mb-4">
      <div className="flex items-center gap-3">
        <div className="w-10 h-10 bg-emerald-100 rounded-lg flex items-center justify-center">
          <Scale className="w-5 h-5 text-emerald-600" />
        </div>
        <h3 className="text-lg font-semibold text-navy-900">{t('research.relevantAuthorities')}</h3>
      </div>
      <span className="text-sm text-navy-500">{parsedResults.results.length} {t('research.sourcesFound')}</span>
    </div>

    <div className="space-y-4">
      {parsedResults.results.map((result, index) => {
        const Icon = getSourceIcon(result.type);
        const isExpanded = expandedResults.has(index);
        return (
          <div
            key={index}
            className={`border rounded-xl overflow-hidden transition-all ${getSourceColor(result.type)} `}
          >
            <button
              onClick={() => toggleResultExpanded(index)}
              className="w-full p-4 flex items-start justify-between text-left"
            >
              <div className="flex items-start gap-3 flex-1">
                <div className="w-8 h-8 bg-white rounded-lg flex items-center justify-center flex-shrink-0 shadow-sm">
                  <Icon className="w-4 h-4" />
                </div>
                <div className="flex-1 min-w-0">
                  <div className="flex items-center gap-2 flex-wrap mb-1">
                    <h4 className="font-semibold text-navy-900">{result.title}</h4>
                    <span className={`text-xs px-2 py-0.5 rounded-full capitalize
                      ${getRelevanceBadge(result.relevance)} `}>
                      {result.relevance === 'high' ? t('research.highRelevance') : result.relevance === 'medium' ?
t('research.mediumRelevance') : t('research.lowRelevance')}
                    </span>
                  </div>
                </div>
              </div>
              <div className="flex items-center gap-3 text-xs text-navy-500 mt-1">
                {result.jurisdiction && (
                  <span className="flex items-center gap-1">
                    <MapPin className="w-3 h-3" />
                    {result.jurisdiction}
                  </span>
                )}
                {result.date && (
                  <span className="flex items-center gap-1">
                    <Clock className="w-3 h-3" />
                    {result.date}
                  </span>
                )}
              </div>
            </div>
            <div>
              {isExpanded ? (
                <ChevronUp className="w-5 h-5 text-navy-400 flex-shrink-0" />
              ) : (
                <ChevronDown className="w-5 h-5 text-navy-400 flex-shrink-0" />
              )}
            </div>
            <div className="px-4 pb-4 pt-0">
              <div className="pl-11">
                <div className="bg-white/50 rounded-lg p-4 border border-navy-100">
                  <p class="text-sm text-navy-700 leading-relaxed whitespace-pre-wrap">
                    {result.summary}
                  </p>
                  <div>
                    {result.keyPoints && result.keyPoints.length > 0 && (
                      <div className="mt-3 pt-3 border-t border-navy-100">
                        <p class="text-xs font-medium text-navy-500 mb-2">{t('research.keyPoints')}</p>
                        <ul class="space-y-1">
                          {result.keyPoints.map((point, i) => (
                            <li key={i} class="text-sm text-navy-600 flex items-start gap-2">
                              <span class="w-1.5 h-1.5 bg-navy-400 rounded-full mt-1.5 flex-shrink-0" />
                              {point}
                            </li>
                          ))}
                        </ul>
                      </div>
                    )}
                  </div>
                </div>
              </div>
            </div>
          </div>
        )}
      )}
    </div>
  )}
)

```



```

        </div>
      </div>
    )}
  </div>
);
}}
</div>
</div>
)}

{parsedResults?.practicalGuidance && (
  <div className="bg-white rounded-xl shadow-sm border border-navy-200 p-6">
    <div className="flex items-center gap-3 mb-4">
      <div className="w-10 h-10 bg-teal-100 rounded-lg flex items-center justify-center">
        <Bookmark className="w-5 h-5 text-teal-600" />
      </div>
      <h3 className="text-lg font-semibold text-navy-900">{t('research.practicalGuidance')}</h3>
    </div>
    <div className="bg-teal-50 rounded-lg p-4 border border-teal-100">
      <p className="text-navy-700 leading-relaxed whitespace-pre-wrap">{parsedResults.practicalGuidance}</p>
    </div>
  </div>
)}

{!parsedResults?.summary && !parsedResults?.results.length && searchResults && (
  <div className="bg-white rounded-xl shadow-sm border border-navy-200 p-6">
    <h3 className="text-lg font-semibold text-navy-900 mb-4">{t('research.results')}</h3>
    <div className="bg-navy-50 border border-navy-200 rounded-lg p-6">
      <pre className="whitespace-pre-wrap text-sm text-navy-700 font-sans leading-relaxed">
        {searchResults}
      </pre>
    </div>
  </div>
)}

<div className="bg-amber-50 border border-amber-200 rounded-xl p-4">
  <p className="text-sm text-amber-800">
    <strong>{t('research.disclaimer')}:</strong> {parsedResults?.disclaimer || t('research.disclaimerText')}
  </p>
</div>
</div>
)}
</>
)}

{activeTab === 'history' && (
  <div>
    <div className="space-y-4">
      {queries.length === 0 ? (
        <div className="text-center py-12 bg-white rounded-xl border border-navy-200">
          <div className="w-16 h-16 bg-navy-100 rounded-full flex items-center justify-center mx-auto mb-4">
            <BookOpen className="w-8 h-8 text-navy-400" />
          </div>
          <h3 className="text-lg font-semibold text-navy-900 mb-2">{t('research.noHistory')}</h3>
          <p className="text-navy-600 mb-4">Start researching legal topics to build your history</p>
          <button
            onClick={() => setActiveTab('search')}
            className="px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-lg font-medium"
          >
            {t('research.startResearching')}
          </button>
        </div>
      ) : (
        queries.map((query) => (
          <div
            key={query.id}
            className="bg-white rounded-xl shadow-sm border border-navy-200 p-6 hover:shadow-md transition-shadow"
          >
            <div className="flex items-start justify-between mb-3">
              <div className="flex items-center gap-3 flex-1">
                <div className="w-10 h-10 bg-teal-50 rounded-lg flex items-center justify-center flex-shrink-0">
                  <BookOpen className="w-5 h-5 text-teal-600" />
                </div>
                <div className="flex-1 min-w-0">
                  <h3 className="font-semibold text-navy-900 mb-1">{query.query}</h3>
                  <div className="flex items-center gap-3 text-sm text-navy-500">
                    <span className="flex items-center gap-1">
                      <Clock className="w-4 h-4" />
                      {new Date(query.created_at).toLocaleDateString()}
                    </span>
                    {query.category && (
                      <span className="px-2 py-1 bg-teal-50 text-teal-700 rounded text-xs font-medium">
                        {query.category}
                      </span>
                    )}
                  </div>
                </div>
              </div>
            </div>
            <div>
              <button
                onClick={() => {
                  setSearchQuery(query.query);
                  setSelectedCategory(query.category || '');
                  setActiveTab('search');
                }}
                className="text-teal-600 hover:text-teal-700 text-sm font-medium flex items-center gap-1"
              >

```

```

        <ExternalLink className="w-4 h-4" />
        {t('research.researchAgain')}}
    </button>
</div>
<div className="bg-navy-50 border border-navy-200 rounded-lg p-4 mt-4">
    <p className={`text-sm text-navy-700 whitespace-pre-wrap ${expandedHistoryIds.has(query.id) ? '' :
'line-clamp-4'}}>{query.results}</p>
    {query.results && query.results.length > 300 && (
        <button
            onClick={() => setExpandedHistoryIds(prev => {
                const next = new Set(prev);
                if (next.has(query.id)) next.delete(query.id);
                else next.add(query.id);
                return next;
            })}
            className="text-teal-600 hover:text-teal-700 text-xs font-medium mt-2"
        >
            {expandedHistoryIds.has(query.id) ? t('research.showLess') : t('research.showFull')}
        </button>
    )}
</div>
</div>
))
)}
</div>
</div>
)}
</div>
);
}

```

[57/58] Profile

Route: /dashboard/profile | File: src/pages/Profile.tsx

```
import { useState, useEffect, useRef } from 'react';
import { useAuth } from '../contexts/AuthContext';
import { useLanguage } from '../contexts/LanguageContext';
import { supabase } from '../lib/supabase';
import { User, Mail, Phone, Briefcase, Building2, FileText, Bell, Lock, Save, Camera, Download, Trash2, Shield, AlertTriangle, Clock, CheckCircle, XCircle } from 'lucide-react';

interface ProfileData {
  full_name: string;
  email: string;
  phone: string;
  company: string;
  job_title: string;
  bio: string;
  avatar_url: string;
  notification_email: boolean;
  notification_sms: boolean;
}

export default function Profile() {
  const { user, refreshProfile } = useAuth();
  const { t, language } = useLanguage();
  const [loading, setLoading] = useState(true);
  const [saving, setSaving] = useState(false);
  const [uploading, setUploading] = useState(false);
  const [message, setMessage] = useState<{ type: 'success' | 'error'; text: string } | null>(null);
  const [activeTab, setActiveTab] = useState<'profile' | 'settings' | 'security' | 'data'>('profile');
  const avatarInputRef = useRef<HTMLInputElement>(null);
  const [profileData, setProfileData] = useState<ProfileData>({
    full_name: '',
    email: '',
    phone: '',
    company: '',
    job_title: '',
    bio: '',
    avatar_url: '',
    notification_email: true,
    notification_sms: false,
  });
  const [passwordData, setPasswordData] = useState({
    currentPassword: '',
    newPassword: '',
    confirmPassword: '',
  });
  const [dataExporting, setDataExporting] = useState(false);
  const [dataDeleting, setDataDeleting] = useState(false);
  const [showDeleteConfirm, setShowDeleteConfirm] = useState(false);
  const [deleteConfirmText, setDeleteConfirmText] = useState('');
  const [exportRequests, setExportRequests] = useState<Array<{
    id: string;
    status: string;
    requested_at: string;
    completed_at: string | null;
  }>>([]);
  const [deletionRequests, setDeletionRequests] = useState<Array<{
    id: string;
    status: string;
    request_type: string;
    scheduled_for: string | null;
    created_at: string;
  }>>([]);

  useEffect(() => {
    if (user) {
      loadProfile();
    }
  }, [user]);

  useEffect(() => {
    if (user && activeTab === 'data') {
      loadDataRequests();
    }
  }, [user, activeTab]);

  const loadDataRequests = async () => {
    if (!user) return;

    const [exportRes, deletionRes] = await Promise.all([
      supabase
        .from('data_export_requests')
        .select('id, status, requested_at, completed_at')
        .eq('user_id', user.id)
        .order('requested_at', { ascending: false })
        .limit(5),
      supabase
        .from('data_deletion_requests')
        .select('id, status, request_type, scheduled_for, created_at')
        .eq('user_id', user.id)
        .order('created_at', { ascending: false })
    ]
  )
}
```

```

        .limit(5),
    ]);

    if (exportRes.data) setExportRequests(exportRes.data);
    if (deletionRes.data) setDeletionRequests(deletionRes.data);
};

const loadProfile = async () => {
    try {
        const { data, error } = await supabase
            .from('profiles')
            .select('*')
            .eq('id', user?.id)
            .maybeSingle();

        if (error) throw error;

        if (data) {
            setProfileData({
                full_name: data.full_name || '',
                email: data.email || user?.email || '',
                phone: data.phone || '',
                company: data.company || '',
                job_title: data.job_title || '',
                bio: data.bio || '',
                avatar_url: data.avatar_url || '',
                notification_email: data.notification_email ?? true,
                notification_sms: data.notification_sms ?? false,
            });
        }
    } catch (error) {
        console.error('Error loading profile:', error);
        setMessage({ type: 'error', text: 'Failed to load profile data' });
    } finally {
        setLoading(false);
    }
};

const handleSaveProfile = async () => {
    setSaving(true);
    setMessage(null);

    try {
        const trimmedEmail = profileData.email.trim().toLowerCase();
        const emailChanged = !!user?.email && trimmedEmail && trimmedEmail !== user.email.toLowerCase();
        const emailValid = /^[^@]+@[^@]+\.[^@]+$/.test(trimmedEmail);

        if (emailChanged && !emailValid) {
            setMessage({ type: 'error', text: 'Please enter a valid email address.' });
            setSaving(false);
            return;
        }

        const { error } = await supabase
            .from('profiles')
            .update({
                full_name: profileData.full_name,
                phone: profileData.phone,
                company: profileData.company,
                job_title: profileData.job_title,
                bio: profileData.bio,
                notification_email: profileData.notification_email,
                notification_sms: profileData.notification_sms,
                updated_at: new Date().toISOString(),
            })
            .eq('id', user?.id);

        if (error) throw error;

        if (emailChanged) {
            const { error: emailErr } = await supabase.auth.updateUser({ email: trimmedEmail });
            if (emailErr) throw emailErr;
            setMessage({
                type: 'success',
                text: 'Profile saved. Check your new inbox to confirm the email change.',
            });
        } else {
            setMessage({ type: 'success', text: 'Profile updated successfully' });
        }

        await refreshProfile();
    } catch (error) {
        console.error('Error updating profile:', error);
        const text = error instanceof Error ? error.message : 'Failed to update profile';
        setMessage({ type: 'error', text });
    } finally {
        setSaving(false);
    }
};

const handleChangePassword = async () => {
    if (passwordData.newPassword !== passwordData.confirmPassword) {
        setMessage({ type: 'error', text: 'Passwords do not match' });
        return;
    }
}

```

```

if (passwordData.newPassword.length < 6) {
  setMessage({ type: 'error', text: 'Password must be at least 6 characters' });
  return;
}

setSaving(true);
setMessage(null);

try {
  const { error } = await supabase.auth.updateUser({
    password: passwordData.newPassword,
  });

  if (error) throw error;

  setMessage({ type: 'success', text: 'Password updated successfully' });
  setPasswordData({ currentPassword: '', newPassword: '', confirmPassword: '' });
} catch (error) {
  console.error('Error updating password:', error);
  setMessage({ type: 'error', text: 'Failed to update password' });
} finally {
  setSaving(false);
}
};

const handleExportData = async (format: 'json' | 'csv' = 'json') => {
  if (!user) return;
  setDataExporting(true);
  setMessage(null);

  try {
    const { data: session } = await supabase.auth.getSession();
    if (!session?.session?.access_token) {
      throw new Error('No active session');
    }

    const response = await fetch(
      `${import.meta.env.VITE_SUPABASE_URL}/functions/v1/data-export`,
      {
        method: 'POST',
        headers: {
          'Authorization': `Bearer ${session.session.access_token}`,
          'Content-Type': 'application/json',
        },
        body: JSON.stringify({
          format,
          includeChatHistory: true,
          includeDocuments: true,
          includeProfile: true,
          includeActivityLogs: false,
        }),
      }
    );

    if (!response.ok) {
      const errorData = await response.json();
      throw new Error(errorData.error || 'Export failed');
    }

    const blob = await response.blob();
    const url = window.URL.createObjectURL(blob);
    const a = document.createElement('a');
    a.href = url;
    a.download = `ezlegal_data_export_${new Date().toISOString().split('T')[0]}.${format}`;
    document.body.appendChild(a);
    a.click();
    window.URL.revokeObjectURL(url);
    document.body.removeChild(a);

    setMessage({ type: 'success', text: 'Your data has been exported successfully' });
    loadDataRequests();
  } catch (error) {
    console.error('Export error:', error);
    setMessage({ type: 'error', text: error instanceof Error ? error.message : 'Failed to export data' });
  } finally {
    setDataExporting(false);
  }
};

const handleRequestDeletion = async (immediate: boolean = false) => {
  if (!user || deleteConfirmText !== 'DELETE') return;
  setDataDeleting(true);
  setMessage(null);

  try {
    const { data: session } = await supabase.auth.getSession();
    if (!session?.session?.access_token) {
      throw new Error('No active session');
    }

    const response = await fetch(
      `${import.meta.env.VITE_SUPABASE_URL}/functions/v1/data-deletion`,
      {
        method: 'POST',
        headers: {
          'Authorization': `Bearer ${session.session.access_token}`,

```

```

        'Content-Type': 'application/json',
      },
      body: JSON.stringify({
        requestType: 'chat_only',
        reason: 'User requested deletion',
        legalBasis: 'user_request',
        immediate,
      })),
    });

const result = await response.json();

if (!response.ok) {
  throw new Error(result.error || 'Deletion request failed');
}

if (result.blockedByLegalHold) {
  setMessage({ type: 'error', text: result.message });
} else if (result.status === 'scheduled') {
  setMessage({ type: 'success', text: result.message });
} else {
  setMessage({ type: 'success', text: 'Your data has been deleted successfully' });
}

setShowDeleteConfirm(false);
setDeleteConfirmText('');
loadDataRequests();
} catch (error) {
  console.error('Deletion error:', error);
  setMessage({ type: 'error', text: error instanceof Error ? error.message : 'Failed to request deletion' });
} finally {
  setDataDeleting(false);
}
};

const handleCancelDeletion = async (requestId: string) => {
  try {
    const { error } = await supabase
      .from('data_deletion_requests')
      .update({ status: 'cancelled' })
      .eq('id', requestId)
      .eq('user_id', user?.id);

    if (error) throw error;

    setMessage({ type: 'success', text: 'Deletion request cancelled' });
    loadDataRequests();
  } catch (error) {
    console.error('Cancel error:', error);
    setMessage({ type: 'error', text: 'Failed to cancel deletion request' });
  }
};

const handleAvatarUpload = async (event: React.ChangeEvent<HTMLInputElement>) => {
  const file = event.target.files?.[0];
  if (!file || !user) return;

  if (file.size > 2097152) {
    setMessage({ type: 'error', text: 'File size must be less than 2MB' });
    return;
  }

  const allowedTypes = ['image/jpeg', 'image/png', 'image/webp', 'image/gif'];
  if (!allowedTypes.includes(file.type)) {
    setMessage({ type: 'error', text: 'Only JPEG, PNG, WebP, and GIF images are allowed' });
    return;
  }

  setUploading(true);
  setMessage(null);

  try {
    const fileExt = file.name.split('.').pop();
    const fileName = `${user.id}/avatar.${fileExt}`;

    const { error: uploadError } = await supabase.storage
      .from('avatars')
      .upload(fileName, file, { upsert: true });

    if (uploadError) throw uploadError;

    const { data: { publicURL } } = supabase.storage
      .from('avatars')
      .getPublicURL(fileName);

    const updatedProfileData = { ...profileData, avatar_url: publicURL };
    setProfileData(updatedProfileData);

    const { error: updateError } = await supabase
      .from('profiles')
      .upsert({
        id: user.id,
        avatar_url: publicURL,
      });
  }
};

```

```

    if (updateError) throw updateError;

    await refreshProfile();
    setMessage({ type: 'success', text: 'Profile photo updated successfully' });
  } catch (error) {
    console.error('Error uploading avatar:', error);
    setMessage({ type: 'error', text: 'Failed to upload photo' });
  } finally {
    setUploading(false);
  }
};

if (loading) {
  return (
    <div className="flex items-center justify-center min-h-screen">
      <div className="animate-spin rounded-full h-12 w-12 border-b-2 border-teal-600"></div>
    </div>
  );
}

return (
  <div className="min-h-screen bg-navy-50 py-8">
    <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
      <div className="mb-8">
        <h1 className="text-3xl font-bold text-navy-900">{t('profile.title')}</h1>
        <p className="mt-2 text-navy-600">{t('profile.subtitle')}</p>
      </div>

      {message && (
        <div
          className={`mb-6 p-4 rounded-lg ${
            message.type === 'success'
              ? 'bg-green-50 text-green-800 border border-green-200'
              : 'bg-red-50 text-red-800 border border-red-200'
          }`}
        >
          {message.text}
        </div>
      )}

      <div className="bg-white rounded-xl shadow-sm overflow-hidden">
        <div className="border-b border-navy-200">
          <nav className="flex -mb-px">
            <button
              onClick={() => setActiveTab('profile')}
              className={`px-6 py-4 text-sm font-medium border-b-2 transition-colors ${
                activeTab === 'profile'
                  ? 'border-teal-600 text-teal-600'
                  : 'border-transparent text-navy-600 hover:text-navy-900 hover:border-navy-300'
              }`}
            >
              <User className="w-5 h-5 inline-block mr-2" />
              {t('profile.tabProfile')}
            </button>
            <button
              onClick={() => setActiveTab('settings')}
              className={`px-6 py-4 text-sm font-medium border-b-2 transition-colors ${
                activeTab === 'settings'
                  ? 'border-teal-600 text-teal-600'
                  : 'border-transparent text-navy-600 hover:text-navy-900 hover:border-navy-300'
              }`}
            >
              <Bell className="w-5 h-5 inline-block mr-2" />
              {t('profile.tabPreferences')}
            </button>
            <button
              onClick={() => setActiveTab('security')}
              className={`px-6 py-4 text-sm font-medium border-b-2 transition-colors ${
                activeTab === 'security'
                  ? 'border-teal-600 text-teal-600'
                  : 'border-transparent text-navy-600 hover:text-navy-900 hover:border-navy-300'
              }`}
            >
              <Lock className="w-5 h-5 inline-block mr-2" />
              {t('profile.tabSecurity')}
            </button>
            <button
              onClick={() => setActiveTab('data')}
              className={`px-6 py-4 text-sm font-medium border-b-2 transition-colors ${
                activeTab === 'data'
                  ? 'border-teal-600 text-teal-600'
                  : 'border-transparent text-navy-600 hover:text-navy-900 hover:border-navy-300'
              }`}
            >
              <Shield className="w-5 h-5 inline-block mr-2" />
              {t('profile.tabData')}
            </button>
          </nav>
        </div>

        <div className="p-6">
          {activeTab === 'profile' && (
            <div className="space-y-6">
              <div className="flex items-center gap-6 pb-6 border-b border-navy-200">
                <div className="relative">
                  {profileData.avatar_url ? (

```

```

        <img
          src={profileData.avatar_url}
          alt="Profile"
          className="w-24 h-24 rounded-full object-cover border-2 border-navy-200"
        />
      ) : (
        <div className="w-24 h-24 rounded-full bg-gradient-to-br from-teal-500 to-teal-600 flex items-center
justify-center text-white text-3xl font-semibold">
          {profileData.full_name ? profileData.full_name.charAt(0).toUpperCase() :
user?.email?.charAt(0).toUpperCase()}
        </div>
      )}
    <input
      ref={avatarInputRef}
      type="file"
      accept="image/jpeg, image/png, image/webp, image/gif"
      onChange={handleAvatarUpload}
      className="hidden"
    />
    <button
      onClick={() => avatarInputRef.current?.click()}
      disabled={uploading}
      className="absolute bottom-0 right-0 bg-white rounded-full p-2 shadow-lg border border-navy-200
hover:bg-navy-50 transition-colors disabled:opacity-50 disabled:cursor-not-allowed"
      title="Upload photo"
    >
      <Camera className="w-4 h-4 text-navy-600" />
    </button>
  </div>
  <div>
    <h2 className="text-lg font-semibold text-navy-900">{t('profile.photoTitle')}</h2>
    <p className="text-sm text-navy-600 mt-1">
      {uploading ? t('profile.photoUploading') : t('profile.photoDesc')}
    </p>
    <p className="text-xs text-navy-500 mt-1">{t('profile.photoFormats')}</p>
  </div>
</div>

<div className="grid grid-cols-1 md:grid-cols-2 gap-6">
  <div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
      <User className="w-4 h-4 inline-block mr-1" />
      {t('profile.fullName')}
    </label>
    <input
      type="text"
      value={profileData.full_name}
      onChange={(e) => setProfileData({ ...profileData, full_name: e.target.value })}
      className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent"
      placeholder="John Doe"
    />
  </div>

  <div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
      <Mail className="w-4 h-4 inline-block mr-1" />
      {t('profile.emailAddress')}
    </label>
    <input
      type="email"
      value={profileData.email}
      onChange={(e) => setProfileData({ ...profileData, email: e.target.value })}
      autoComplete="email"
      autoCapitalize="none"
      autoCorrect="off"
      spellCheck={false}
      inputMode="email"
      className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent text-navy-900"
    />
    <p className="mt-1 text-xs text-navy-500">
      Changing your email sends a confirmation link to the new address. The change
      takes effect after you confirm it.
    </p>
  </div>

  <div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
      <Phone className="w-4 h-4 inline-block mr-1" />
      {t('profile.phoneNumber')}
    </label>
    <input
      type="tel"
      value={profileData.phone}
      onChange={(e) => setProfileData({ ...profileData, phone: e.target.value })}
      className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent"
      placeholder="+1 (555) 123-4567"
    />
  </div>

  <div>
    <label className="block text-sm font-medium text-navy-700 mb-2">
      <Briefcase className="w-4 h-4 inline-block mr-1" />
      {t('profile.jobTitle')}
    </label>
  </div>
</div>

```



```

        </label>
        <input
          type="text"
          value={profileData.job_title}
          onChange={(e) => setProfileData({ ...profileData, job_title: e.target.value })}
          className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent"
          placeholder="Senior Attorney"
        />
      </div>

      <div className="md:col-span-2">
        <label className="block text-sm font-medium text-navy-700 mb-2">
          <Building2 className="w-4 h-4 inline-block mr-1" />
          {t('profile.company')}
        </label>
        <input
          type="text"
          value={profileData.company}
          onChange={(e) => setProfileData({ ...profileData, company: e.target.value })}
          className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent"
          placeholder="ABC Organization"
        />
      </div>

      <div className="md:col-span-2">
        <label className="block text-sm font-medium text-navy-700 mb-2">
          <FileText className="w-4 h-4 inline-block mr-1" />
          {t('profile.bio')}
        </label>
        <textarea
          value={profileData.bio}
          onChange={(e) => setProfileData({ ...profileData, bio: e.target.value })}
          rows={4}
          className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent resize-none"
          placeholder={t('profile.bioPlaceholder')}
        />
      </div>
    </div>

    <div className="flex justify-end pt-6 border-t border-navy-200">
      <button
        onClick={handleSaveProfile}
        disabled={saving}
        className="px-6 py-2 bg-teal-600 text-white rounded-lg font-medium hover:bg-teal-700 transition-colors
disabled:opacity-50 disabled:cursor-not-allowed flex items-center gap-2"
      >
        <Save className="w-4 h-4" />
        {saving ? t('profile.saving') : t('profile.saveChanges')}
      </button>
    </div>
  </div>
)}

{activeTab === 'settings' && (
  <div className="space-y-6">
    <div>
      <h3 className="text-lg font-semibold text-navy-900 mb-4">{t('profile.notifTitle')}</h3>
      <div className="space-y-4">
        <div className="flex items-center justify-between p-4 bg-navy-50 rounded-lg">
          <div>
            <div className="font-medium text-navy-900">{t('profile.emailNotif')}</div>
            <div className="text-sm text-navy-600 mt-1">
              {t('profile.emailNotifDesc')}
            </div>
          </div>
          <label className="relative inline-flex items-center cursor-pointer">
            <input
              type="checkbox"
              checked={profileData.notification_email}
              onChange={(e) =>
                setProfileData({ ...profileData, notification_email: e.target.checked })
              }
              className="sr-only peer"
            />
            <div className="w-11 h-6 bg-navy-300 peer-focus:outline-none peer-focus:ring-4 peer-focus:ring-teal-300
rounded-full peer peer-checked:after:translate-x-full peer-checked:after:border-white after:content-[''] after:absolute
after:top-[2px] after:left-[2px] after:bg-white after:border-navy-300 after:border after:rounded-full after:h-5 after:w-5
after:transition-all peer-checked:bg-teal-600"></div>
          </label>
        </div>
        <div className="flex items-center justify-between p-4 bg-navy-50 rounded-lg">
          <div>
            <div className="font-medium text-navy-900">{t('profile.smsNotif')}</div>
            <div className="text-sm text-navy-600 mt-1">
              {t('profile.smsNotifDesc')}
            </div>
          </div>
          <label className="relative inline-flex items-center cursor-pointer">
            <input
              type="checkbox"
              checked={profileData.notification_sms}
              onChange={(e) =>

```

```

        setProfileData({ ...profileData, notification_sms: e.target.checked })
      }
      className="sr-only peer"
    />
    <div className="w-11 h-6 bg-navy-300 peer-focus:outline-none peer-focus:ring-4 peer-focus:ring-teal-300
rounded-full peer peer-checked:after:translate-x-full peer-checked:after:border-white after:content-[''] after:absolute
after:top-[2px] after:left-[2px] after:bg-white after:border-navy-300 after:border after:rounded-full after:h-5 after:w-5
after:transition-all peer-checked:bg-teal-600"></div>
  </label>
</div>
</div>
</div>

<div className="flex justify-end pt-6 border-t border-navy-200">
  <button
    onClick={handleSaveProfile}
    disabled={saving}
    className="px-6 py-2 bg-teal-600 text-white rounded-lg font-medium hover:bg-teal-700 transition-colors
disabled:opacity-50 disabled:cursor-not-allowed flex items-center gap-2"
  >
    <Save className="w-4 h-4" />
    {saving ? t('profile.saving') : t('profile.savePreferences')}
  </button>
</div>
</div>
)}

{activeTab === 'security' && (
  <div className="space-y-6">
    <div>
      <h3 className="text-lg font-semibold text-navy-900 mb-4">{t('profile.changePassword')}</h3>
      <p className="text-sm text-navy-600 mb-6">
        {t('profile.changePasswordDesc')}
      </p>

      <div className="space-y-4 max-w-md">
        <div>
          <label className="block text-sm font-medium text-navy-700 mb-2">
            {t('profile.newPassword')}
          </label>
          <input
            type="password"
            value={passwordData.newPassword}
            onChange={(e) =>
              setPasswordData({ ...passwordData, newPassword: e.target.value })
            }
            className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent"
            placeholder="Enter new password"
          />
        </div>

        <div>
          <label className="block text-sm font-medium text-navy-700 mb-2">
            {t('profile.confirmPassword')}
          </label>
          <input
            type="password"
            value={passwordData.confirmPassword}
            onChange={(e) =>
              setPasswordData({ ...passwordData, confirmPassword: e.target.value })
            }
            className="w-full px-4 py-2 border border-navy-300 rounded-lg focus:ring-2 focus:ring-teal-500
focus:border-transparent"
            placeholder="Confirm new password"
          />
        </div>

        <div className="pt-4">
          <button
            onClick={handleChangePassword}
            disabled={saving || !passwordData.newPassword || !passwordData.confirmPassword}
            className="px-6 py-2 bg-teal-600 text-white rounded-lg font-medium hover:bg-teal-700 transition-colors
disabled:opacity-50 disabled:cursor-not-allowed flex items-center gap-2"
          >
            <Lock className="w-4 h-4" />
            {saving ? t('profile.updating') : t('profile.updatePassword')}
          </button>
        </div>
      </div>
    </div>

    <div className="pt-6 border-t border-navy-200">
      <h3 className="text-lg font-semibold text-navy-900 mb-2">{t('profile.accountInfo')}</h3>
      <div className="space-y-2 text-sm text-navy-600">
        <p>
          <span className="font-medium text-navy-700">{t('profile.accountId')}</span> {user?.id}
        </p>
        <p>
          <span className="font-medium text-navy-700">{t('profile.emailLabel')}</span> {user?.email}
        </p>
        <p>
          <span className="font-medium text-navy-700">{t('profile.accountCreated')}</span>{' '}
          {user?.created_at ? new Date(user.created_at).toLocaleDateString(language === 'es' ? 'es-ES' : 'en-US') :
'N/A'}
        </p>
      </div>
    </div>
  </div>
)

```

```

    </div>
  </div>
</div>
)}

{activeTab === 'data' && (
  <div className="space-y-8">
    <div className="bg-teal-50 border border-teal-200 rounded-xl p-6">
      <div className="flex items-start gap-4">
        <Shield className="w-6 h-6 text-teal-600 flex-shrink-0 mt-1" />
        <div>
          <h3 className="font-semibold text-navy-900 mb-2">{t('profile.dataRights')}</h3>
          <p className="text-sm text-navy-600">
            {t('profile.dataRightsDesc')}
          </p>
        </div>
      </div>
    </div>
    <div>
      <h3 className="text-lg font-semibold text-navy-900 mb-4">{t('profile.exportTitle')}</h3>
      <p className="text-sm text-navy-600 mb-4">
        {t('profile.exportDesc')}
      </p>
      <div className="flex flex-wrap gap-3">
        <button
          onClick={() => handleExportData('json')}
          disabled={dataExporting}
          className="px-4 py-2 bg-teal-600 text-white rounded-lg font-medium hover:bg-teal-700 transition-colors
disabled:opacity-50 disabled:cursor-not-allowed flex items-center gap-2"
        >
          <Download className="w-4 h-4" />
          {dataExporting ? t('profile.exportingData') : t('profile.exportJSON')}
        </button>
        <button
          onClick={() => handleExportData('csv')}
          disabled={dataExporting}
          className="px-4 py-2 bg-white text-navy-700 border border-navy-300 rounded-lg font-medium hover:bg-navy-50
transition-colors disabled:opacity-50 disabled:cursor-not-allowed flex items-center gap-2"
        >
          <Download className="w-4 h-4" />
          {dataExporting ? t('profile.exportingData') : t('profile.exportCSV')}
        </button>
      </div>
    </div>

    {exportRequests.length > 0 && (
      <div className="mt-4">
        <h4 className="text-sm font-medium text-navy-700 mb-2">{t('profile.recentExports')}</h4>
        <div className="space-y-2">
          {exportRequests.map((req) => (
            <div key={req.id} className="flex items-center gap-3 text-sm text-navy-600 bg-navy-50 p-3 rounded-lg">
              {req.status === 'completed' ? (
                <CheckCircle className="w-4 h-4 text-green-600" />
              ) : req.status === 'failed' ? (
                <XCircle className="w-4 h-4 text-red-600" />
              ) : (
                <Clock className="w-4 h-4 text-amber-600" />
              )}
              <span className="capitalize">{req.status}</span>
              <span className="text-navy-400">-</span>
              <span>{new Date(req.requested_at).toLocaleDateString(language === 'es' ? 'es-ES' : 'en-US')}</span>
            </div>
          ))}
        </div>
      </div>
    )}
  </div>
)}
</div>

<div className="pt-6 border-t border-navy-200">
  <h3 className="text-lg font-semibold text-navy-900 mb-2">{t('profile.dataRetention')}</h3>
  <div className="grid sm:grid-cols-2 gap-4 mb-6">
    <div className="bg-navy-50 p-4 rounded-lg">
      <div className="flex items-center gap-2 mb-2">
        <Clock className="w-4 h-4 text-navy-500" />
        <span className="font-medium text-navy-700">{t('profile.chatHistory')}</span>
      </div>
      <p className="text-sm text-navy-600">{t('profile.chatRetention')}</p>
    </div>
    <div className="bg-navy-50 p-4 rounded-lg">
      <div className="flex items-center gap-2 mb-2">
        <FileText className="w-4 h-4 text-navy-500" />
        <span className="font-medium text-navy-700">{t('profile.documentsLabel')}</span>
      </div>
      <p className="text-sm text-navy-600">{t('profile.docRetention')}</p>
    </div>
  </div>

  <div className="pt-6 border-t border-navy-200">
    <h3 className="text-lg font-semibold text-red-600 mb-2">{t('profile.deleteTitle')}</h3>
    <p className="text-sm text-navy-600 mb-4">
      {t('profile.deleteDesc')}
    </p>

    {deletionRequests.some(r => ['pending', 'verified', 'scheduled'].includes(r.status)) ? (
      <div className="bg-amber-50 border border-amber-200 rounded-lg p-4">

```

```

<div className="flex items-start gap-3">
  <AlertTriangle className="w-5 h-5 text-amber-600 flex-shrink-0 mt-0.5" />
  <div>
    <p className="font-medium text-amber-800">{t('profile.deletionPending')}

```

```

    <XCircle className="w-4 h-4 text-navy-400" />
  ) : (
    <Clock className="w-4 h-4 text-amber-600" />
  )}
  <span className="capitalize">{req.status}</span>
  <span className="text-navy-400">-</span>
  <span className="capitalize">{req.request_type.replace('_', ' ')}</span>
  <span className="text-navy-400">-</span>
  <span>{new Date(req.created_at).toLocaleDateString(language === 'es' ? 'es-ES' : 'en-US')}</span>
</div>
)}}
</div>
</div>
)}
</div>
</div>
</div>
</div>
);
}

```

[58/58] Billing

Route: /dashboard/billing | File: src/pages/Billing.tsx

```
import { useEffect, useState } from 'react';
import { Link, useSearchParams } from 'react-router-dom';
import {
  CreditCard, CheckCircle, Sparkles, Receipt, AlertTriangle,
  Loader2, ExternalLink, ArrowUpRight, Mail,
} from 'lucide-react';
import Navigation from '../components/Navigation';
import Footer from '../components/Footer';
import { useAuth } from '../contexts/AuthContext';
import { supabase } from '../lib/supabase';
import { setPendingPlan } from '../lib/plan-context';

interface Plan {
  id: string;
  name: string;
  description: string;
  price_cents: number;
  currency: string;
  interval: string;
  tier: string;
  features: string[];
}

interface Invoice {
  id: string;
  description: string;
  amount_cents: number;
  currency: string;
  status: string;
  hosted_invoice_url: string;
  receipt_url: string;
  paid_at: string | null;
  created_at: string;
}

interface Intent {
  id: string;
  plan_id: string;
  amount_cents: number;
  status: string;
  created_at: string;
}

function formatMoney(cents: number, currency: string): string {
  return new Intl.NumberFormat('en-US', { style: 'currency', currency: currency.toUpperCase() }).format(cents / 100);
}

function formatDate(value: string | null): string {
  if (!value) return '-';
  return new Date(value).toLocaleDateString(undefined, { year: 'numeric', month: 'short', day: 'numeric' });
}

export default function Billing() {
  const { user, profile } = useAuth();
  const [plans, setPlans] = useState<Plan[]>([]);
  const [invoices, setInvoices] = useState<Invoice[]>([]);
  const [intents, setIntents] = useState<Intent[]>([]);
  const [loading, setLoading] = useState(true);
  const [actioning, setActioning] = useState<string | null>(null);
  const [actionError, setActionError] = useState('');
  const [actionNotice, setActionNotice] = useState('');
  const [searchParams] = useSearchParams();

  const tier = profile?.subscription_tier ?? 'free';
  const isFree = tier === 'free' || tier === '';

  useEffect(() => {
    if (!user) return;
    let cancelled = false;
    setLoading(true);
    Promise.all([
      supabase.from('subscription_plans').select('*').eq('is_active', true).order('sort_order'),
      supabase.from('billing_invoices').select('*').order('created_at', { ascending: false }).limit(20),
      supabase.from('purchase_intents').select('*').order('created_at', { ascending: false }).limit(10),
    ]).then(([planRes, invoiceRes, intentRes]) => {
      if (cancelled) return;
      setPlans((planRes.data ?? []) as Plan[]);
      setInvoices((invoiceRes.data ?? []) as Invoice[]);
      setIntents((intentRes.data ?? []) as Intent[]);
      setLoading(false);
    });
    return () => { cancelled = true; };
  }, [user]);

  useEffect(() => {
    const status = searchParams.get('status');
    if (status === 'success') setActionNotice('Payment received. Your plan will activate within a few seconds.');
```

```

async function startCheckout(planId: string) {
  setActioning(planId);
  setActionError('');
  setActionNotice('');
  setPendingPlan(planId, 'billing');
  try {
    const { data: session } = await supabase.auth.getSession();
    const accessToken = session.session?.access_token;
    if (!accessToken) {
      setActionError('You must be signed in to manage billing.');
```

```

        isFree ? 'bg-amber-100 text-amber-800' : 'bg-teal-100 text-teal-800'}}>
        <CheckCircle className="w-3.5 h-3.5" />
        {isFree ? 'Free tier' : 'Active'}
      </span>
    </div>
    <p className="text-xs text-navy-500">Account email: <span className="font-medium text-navy-700">{user.email}</span></p>
  </div>

  <div className="bg-gradient-to-br from-teal-600 to-navy-800 rounded-2xl text-white p-6 shadow-lg">
    <Sparkles className="w-6 h-6 mb-3 opacity-80" />
    <p className="text-lg font-bold leading-tight">Need more chats this month?</p>
    <p className="text-sm text-teal-100 mt-1">Pro unlocks unlimited chats, PDF exports, and priority models.</p>
    <button onClick={() => startCheckout('pro_monthly')} disabled={actioning === 'pro_monthly'}
      className="mt-4 w-full inline-flex items-center justify-center gap-2 bg-white text-navy-900 font-semibold py-2.5
rounded-lg hover:bg-teal-50 transition disabled:opacity-60">
      {actioning === 'pro_monthly' ? <Loader2 className="w-4 h-4 animate-spin" /> : <ArrowUpRight className="w-4 h-4" />}
      Upgrade to Pro
    </button>
  </div>
</div>

<section className="mb-10">
  <h2 className="text-xl font-bold text-navy-900 mb-4">Available plans</h2>
  {loading ? (
    <div className="bg-white rounded-2xl border border-navy-200 p-12 text-center text-navy-500">
      <Loader2 className="w-6 h-6 animate-spin mx-auto" />
    </div>
  ) : (
    <div className="grid sm:grid-cols-2 lg:grid-cols-4 gap-4">
      {plans.map((plan) => {
        const isCurrent = plan.tier === tier;
        return (
          <div key={plan.id}
            className={`bg-white rounded-2xl border p-5 flex flex-col ${isCurrent ? 'border-teal-500 ring-2 ring-teal-200' :
'border-navy-200'}`}>
            <div className="flex items-start justify-between mb-2">
              <h3 className="font-bold text-navy-900">{plan.name}</h3>
              {isCurrent && (
                <span className="text-[10px] font-bold uppercase tracking-wider text-teal-700 bg-teal-50 px-2 py-0.5
rounded-full">Current</span>
              )}
            </div>
            <p className="text-xs text-navy-600 mb-3 min-h-[2.5rem]">{plan.description}</p>
            <p className="text-2xl font-bold text-navy-900">
              {plan.price_cents === 0 ? 'Free' : formatMoney(plan.price_cents, plan.currency)}
              {plan.price_cents > 0 && plan.interval !== 'one_time' && (
                <span className="text-xs font-normal text-navy-500"> / {plan.interval}</span>
              )}
            </p>
            <ul className="text-xs text-navy-700 space-y-1 mt-3 mb-4 flex-1">
              {plan.features.slice(0, 4).map((f, i) => (
                <li key={i} className="flex items-start gap-1.5">
                  <CheckCircle className="w-3 h-3 text-teal-600 mt-0.5 flex-shrink-0" />{f}
                </li>
              ))}
            </ul>
            <button onClick={() => startCheckout(plan.id)}
              disabled={isCurrent || plan.price_cents === 0 || actioning === plan.id}
              className="w-full inline-flex items-center justify-center gap-2 bg-navy-900 hover:bg-navy-800 text-white
text-sm font-semibold py-2 rounded-lg transition disabled:opacity-50 disabled:cursor-not-allowed">
              {actioning === plan.id ? <Loader2 className="w-3.5 h-3.5 animate-spin" />
                : isCurrent ? 'Active' : plan.price_cents === 0 ? 'Free tier' : 'Choose'}
            </button>
          </div>
        );
      })}
    </div>
  )}
</section>

<section className="mb-10">
  <div className="flex items-center justify-between mb-4">
    <h2 className="text-xl font-bold text-navy-900">Payment history</h2>
    <span className="text-xs text-navy-500 inline-flex items-center gap-1">
      <Receipt className="w-3.5 h-3.5" /> Last 20 invoices
    </span>
  </div>
  <div className="bg-white rounded-2xl border border-navy-200 overflow-hidden">
    {loading ? (
      <div className="p-12 text-center text-navy-500"><Loader2 className="w-6 h-6 animate-spin mx-auto" /></div>
    ) : invoices.length === 0 ? (
      <div className="p-10 text-center">
        <CreditCard className="w-8 h-8 text-navy-300 mx-auto mb-2" />
        <p className="text-sm text-navy-600">No invoices yet. Once you upgrade, your receipts appear here.</p>
      </div>
    ) : (
      <table className="w-full text-sm">
        <thead className="bg-navy-50 text-navy-700">
          <tr>
            <th className="text-left px-4 py-3 font-semibold">Date</th>
            <th className="text-left px-4 py-3 font-semibold">Description</th>
            <th className="text-left px-4 py-3 font-semibold">Status</th>
            <th className="text-right px-4 py-3 font-semibold">Amount</th>
            <th className="text-right px-4 py-3 font-semibold">Receipt</th>
          </tr>
        </thead>

```



```

<tbody>
  {invoices.map((inv) => (
    <tr key={inv.id} className="border-t border-navy-100">
      <td className="px-4 py-3 text-navy-700">{formatDate(inv.paid_at ?? inv.created_at)}</td>
      <td className="px-4 py-3 text-navy-900">{inv.description || inv.id.slice(0, 8)}</td>
      <td className="px-4 py-3">
        <span className={`inline-flex items-center px-2 py-0.5 rounded-full text-xs font-semibold ${
          inv.status === 'paid' ? 'bg-green-100 text-green-800'
          : inv.status === 'failed' ? 'bg-red-100 text-red-800'
          : 'bg-amber-100 text-amber-800'}`}>
          {inv.status}
        </span>
      </td>
      <td className="px-4 py-3 text-right text-navy-900 font-semibold">
        {formatMoney(inv.amount_cents, inv.currency)}
      </td>
      <td className="px-4 py-3 text-right">
        {inv.receipt_url || inv.hosted_invoice_url ? (
          <a href={inv.receipt_url || inv.hosted_invoice_url} target="_blank" rel="noreferrer"
            className="inline-flex items-center gap-1 text-teal-700 hover:text-teal-800 font-medium">
              View <ExternalLink className="w-3 h-3" />
            </a>
          ) : <span className="text-navy-400 text-xs">—</span>)}
      </td>
    </tr>
  )})
</tbody>
</table>
</div>
</section>

{intents.length > 0 && (
  <section className="mb-10">
    <h2 className="text-xl font-bold text-navy-900 mb-4">Pending purchases</h2>
    <div className="bg-amber-50 border border-amber-200 rounded-2xl p-4">
      <p className="text-sm text-amber-900 mb-3 inline-flex items-center gap-2">
        <Mail className="w-4 h-4" /> These purchase requests are queued and will activate once Stripe is fully wired.
      </p>
      <ul className="space-y-2">
        {intents.map((intent) => (
          <li key={intent.id} className="flex items-center justify-between text-sm">
            <span className="text-navy-800">
              <span className="font-semibold capitalize">{intent.plan_id.replace(/_/g, ' ')}</span>
              <span className="text-navy-500 ml-2">{formatDate(intent.created_at)}</span>
            </span>
            <span className="text-navy-700 font-medium">{formatMoney(intent.amount_cents, 'usd')}</span>
          </li>
        )})
      </ul>
    </div>
  </section>
)}
</div>
<Footer />
</div>
);
}

```