

AI Search

Tristan Slater

October 6, 2022

Contents

1	Defining Search Problems	1
1.1	Successor Function	1
1.2	Goal Test Function	2
1.3	Step Cost Function	2
1.4	Solution	2
2	Basic Search	2
3	Informed Search	3
3.1	Best-First Search	3
3.2	A*	3
3.3	Heuristics	3

1 Defining Search Problems

1. Initial state
2. Successor
3. Goal test
4. Step cost

1.1 Successor Function

Tells us where we can go from a state:

$$S(s_0) = \{(a_1, s_1), \dots, (a_n, s_n)\} \quad (1)$$

When actions are inferrable from states:

$$S(s_0) = \{s_1, \dots, s_n\} \quad (2)$$

1.2 Goal Test Function

Tells when solution has been reached. **Explicit** defines which state is a goal. **Implicit** is some set of conditions that could happen at various states under various conditions.

1.3 Step Cost Function

Tells how much a single step costs:

$$c(s_1, a, s_2) \geq 0 \quad (3)$$

1.4 Solution

Any path from initial state to goal state:

$$\{a_1, \dots, a_n\}$$

When actions are inferrable from states:

$$\{s_1, \dots, s_n\}$$

2 Basic Search

A **node** is an abstract data structure that contains information about a state, parent node, action, path cost, and depth (optional).

The **frontier** is the collection of nodes that have been *generated*, but *not expanded*.

Table 1: Comparison of Basic Search Strategies

	BFS	UCS	DFS
Node ADS	Queue	Min queue ³	Stack
Nodes to Expand First	Shallowest	Cheapest	Deepest
Complete?	Yes ¹	Yes ⁴	No
Optimal?	Yes ²	Yes	No
Time Complexity	$O(b^{d+1})$	$O(b^{\lceil C^*/\epsilon \rceil})^5$	$O(b^m)$
Space Complexity	$O(b^{d+1})$	$O(b^{\lceil C^*/\epsilon \rceil})$	$O(bm)$

¹ If b infinite

² If step costs equal

³ Path cost

⁴ If step cost > 0

⁵ C^* cost of solution

DLS is exactly like DFS except with the depth limited.

IDS is exactly like DLS except it tries all depths starting at 0.

IDS is *complete*.

IDS is *optimal* if the step cost is 1.

3 Informed Search

3.1 Best-First Search

3.2 A*

3.3 Heuristics