

separator-rule package

Fernando Pujaico Rivera

July 4, 2025

Abstract

Creates macros to show separator rules

1 Install package

Put the `separator-rule.sty` file in any of these locations

- Put the `separator-rule.sty` file in the same path of main tex file, or.
- Execute the command:

```
kpsewhich -var-value=TEXMFHOME
```

and this returns the path of local tex files. By example, it returns

```
/home/username/texmf
```

then, put the `separator-rule.sty` file in the directory.

```
/home/username/texmf/tex/latex/separator-rule/separator-rule.sty
```

2 Load the package

To load the package use the next command in the preamble of main tex document.

```
\usepackage{separator-rule}
```

3 Using the package

Next, I will provide examples that demonstrate the use of all the macros included in the package. This will help illustrate how each macro functions within the context of the package and provide practical insights into their applications.

3.1 Command: `HCharFill`

`\HCharFill[Overlap]{Character}`

Overlap: Distance de overlap of characters.

Character: Character to be repeated.

The next code shows a use example:

```
\lipsum [1][1-4]

\noindent \HCharFill [2em]{x}

\lipsum [1][1-4]
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

x x

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

3.2 Command: HPgfoFill

`\HCharFill[KeyVals]{Ornament}`

KeyVals: **Width=2cm** Width of ornament.

Color=black Color of ornament.

Symmetry=none Symmetry can be: h,v,c.

Ornament: Number of pgfornament that will be used.

The next code shows a use example:

```
\lipsum [1][1-4]

\noindent \HPgfoFill [Width=1cm,Color=blue]{193}

\lipsum [1][1-4]
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

3.3 Command: HGraphicFill

`\HCharFill[KeyVals]{Ornament}`

KeyVals: **Width=2cm** Width of ornament.

ImgPath: Path of image.

The next code shows a use example:

```
\lipsum [1][1-4]

\noindent \HGraphicFill [Width=1cm]{chan-chan.png}

\lipsum [1][1-4]
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

3.4 Command: `\HRule`

`\HRule[Height]`

Height: Height of rule.

The next code shows a use example:

```
\lipsum [1][1-4]

\HRule {2pt}

\lipsum [1][1-4]
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

3.5 Command: `\HTextRule`

`\HTextRule[Height]{Text}`

Height: Height of rule.

Text: Text in the middle of rule.

The next code shows a use example:

```
\lipsum [1][1-4]

\HTextRule [5pt]{My text}

\lipsum [1][1-4]
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

————— **My text** —————

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

3.6 Command: `\HObjectTextRule`

`\HObjectTextRule[ObjectTextLength]{LeftObject}{Text}{RightObject}`

ObjectTextLength: Length distance between any object and the text.

LeftObject: Object that will be placed in the left side of text.

Text: Text in the middle of rule.

RightObject: Object that will be placed in the right side of text.

```
\usepackage{pgfornament}
```

The next code shows a use example:

```
\lipsum [1][1-4]

\HObjectTextRule {\pgfornament [width=2cm]{72}}{\Text}{\pgfornament [width=2cm]{73}}

\lipsum [1][1-4]
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

3.7 Command: HPgfoTextRule

See more about pgfornament in your homepage.

```
\HPgfoTextRule[KeyVals]{LeftOrnament}{Text}
```

KeyVals: **Separator=3pt** Length distance between any object and the text.

OrnamentWidth=2cm Width of ornament.

OrnamentColor=black Color of ornament.

TextColor=black Color of text.

TextFormat=\bfseries Format of text.

BeforeSpace=-5pt Space before the rule.

AfterSpace=5pt Space after the rule.

LeftOrnament: Number of pgfornament that will be placed in the left side of text.

Text: Text in the middle of rule.

The next code shows a use example:

```
\lipsum [1][1-4]

\HPgfoTextRule {87}{Text}

\lipsum [1][1-4]
```


Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.




Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

Anexos: Examples

4 PGF ornaments example








111:



112:




113:



114:




115:




116:



117:



118:




119:




120:



121:



122:



123:



124:



125:



126:




127:




128:



129:



130:



131:



132:



133:



134:



135:



136:



137:



138:



139:




140:



141:







5 More examples

```
\noindent
\foreach \a in {0,30,...,330}{%
\put(\a;1.5cm){\pgfornament[width=3ex]{10}}%
}%
\put[B1](0;0){Text that begin in the middle of circle}
```

Text that begin in the middle of circle