

Swish™ System Catalog






Table of Contents

Page #



Implant Design & Surface

1



SwishTapered & SwishPlus Implant Dimensions

2-3

SwishActive Implant Dimensions & All-in-1 Arch Procedure



SwishActive Selection Chart

6-11

Swish Implants



SwishPlus & SwishTapered Straight Abutments Selection Chart

12-13

SwishActive Prosthetics



Overdenture & Screw-Receiving Abutment Ancillary Components

14-19

SwishPlus & SwishTapered Prosthetics



Surgical Drills

21-26

Insertion Instruments & Prosthetic Tools



Swish Surgical Tray

27

Surgical Sequence






Compatibility with Enhanced Versatility & Simplicity

The Swish™ Implant System now offers the simplicity of one surgical tray and one price at any level. Each Swish implant design is surgically-compatible with the Straumann drills¹ and deliver All-in-1 Packaging with a transfer/carrier, cover screw and healing collar. The new bone-level SwishActive implant features platform-shifting and a conical hex connection. The internal hex provides six indexing positions for precise prosthetic placement while matched transgingival profiles on a range of prosthetics also allow for consistent soft tissue management throughout treatment.



The tissue-level SwishPlus and the versatile SwishTapered, which may be placed at either tissue- or bone-level, both feature an industry-standard internal octagon connection.² A square is also broached into the flats of the octagon (patent pending) to allow the clinician to apply higher insertion torque without risk of damaging the internal connection. With a range of implant dimension options – including a short, 6mm length – as well as a breadth of stock and custom prosthetics, there is a Swish solution to meet the scope of your clinical needs.



SBM Surface: Over 20 Years of Clinical Success

Swish implants have a medium-rough SBM textured surface extending the length of the implant body. This surface also extends halfway up the transmucosal portion of the SwishPlus implant while the entire transmucosal portion of the SwishTapered implant has a lightly textured surface. SBM surface is created by using a Soluble Blast Media of Hydroxylapatite (HA) crystals to create a medium-rough and a lightly textured transmucosal section, without rounding of threads. We use the same vendor for SBM surface treatments as used by Paragon Implant Company from 1992-2000 when these studies were conducted.


Surface textured by blasting with variable size soluble HA Particles to create SwishTapered's Dual Blast SBM surface on the body (rough) and transmucosal (light) portion of implant.




Animal Studies Bone Response to SBM Surface



Brazilian Study* Shows SBM % Provides Superior Bone Contact
Mean Percentage of Bone Contact




LSU Study* Shows SBM % Provides Superior Bone Contact



¹Except Bone-Level Tapered drills. Some restrictions apply for 5.7mm diameter implants. SwishActive surgical compatibility excludes profiling drills.
²Excludes 3.3mm diameter.




SwishActive Implant Dimensions






SwishActive: Clinical Procedure for All-in-1-Arch




1A. Use tissue punch to remove soft tissue at each drill site. **B.** Prepare the osteotomy following the appropriate drill sequence.



2A. Place SwishActive implant into posterior osteotomy with a SPFMD drill or SPRI ratchet insertion tool over the back of the carrier.
B. Placing the implant at an angle allows use of a longer implant for greater bone contact without entering sinus cavity.



3. Ensure one of the circular indentations on the carrier is aligned, mesial or distal, with the angle of the implant. Pull down to remove the carrier.




4. Follow the drill sequence and placement procedure for the remaining implants.




5. Attach screw-receiving angled overdenture abutments to posterior implants with 1.25mmD hex tool.




6. Attach straight screw-receiving abutments to the anterior implants with 1.25mmD hex tool.



7. Attach included white carrier transfers to abutments, then make an abutment level impression.



8. Press fit comfort caps to abutments.



9. Process model and attach Titanium Temporary Copings [1000-69] to analogs with fixation screw [1000-05], then retrofit to patient's denture to create provisional prosthesis.



10. Seat denture over titanium copings to confirm passive placement. Check occlusion with opposing arch. Trim copings as needed. Occlude screw access hole with cotton pellet.






11. Use autopolymerizing acrylic or similar light cure material to attach prosthesis to Titanium Temporary Copings.



12. Allow acrylic to set. Trim denture as needed, attach to abutments with 1.25mmD hex tool and confirm bite.






SwishPlus Implant Dimensions





SwishTapered Implant Dimensions




SwishActive

SwishActive Implant System

Features & Benefits

- Bone-level implant featuring surgical compatibility with Straumann® drills¹
- 12° conical hex connection with platform switching (utilizes InterActive prosthetics)
- Micro-grooves for improved tissue attachment & reduced stress²
- Progressively-deeper single-lead threads for increased initial stability
- Self-tapping groove for surgical simplicity
- 2mm extender retained by cover screw for use as a healing collar for one-stage surgery features a concave transgingival profile which matches prosthetics
- Color-coded carrier features demarcations for easy indexing and functions as a transfer

• 3.0mmD Platform



• 3.4mmD Platform



• 3.4mmD Platform




• 3.3mmD Implant




• 4.1mmD Implant



• 4.8mmD Implant



SwishActive Packaging



Placing Carrier/Transfers & Making Impressions




Color-coded Titanium fixture-mount carrier



Index carrier indentations to labial



Apply impression material



Frictional carrier is picked up in impression

¹Except profiling drills and Bone-Level Tapered drills.

²Hansson S. The implant neck: Smooth or provided with retention elements. A biomechanical approach. Clin Oral Impl Res. 1999; 10:394-405.

SwishActive: Bone-Level Implant

Includes Cover Screw, Extender & Carrier/Transfer Extender NOT supplied with 6mmL implant

3.3mmD

SBM Code	Diameter	Length	• Platform	Price
943308	3.3mmD	8mmL	3.0mmD	\$150.00
943310	3.3mmD	10mmL	3.0mmD	\$150.00
943312	3.3mmD	12mmL	3.0mmD	\$150.00
943314	3.3mmD	14mmL	3.0mmD	\$150.00
943316	3.3mmD	16mmL	3.0mmD	\$150.00



4.1mmD

SBM Code	Diameter	Length	• Platform	Price
944106	4.1mmD	6mmL	3.4mmD	\$150.00
944108	4.1mmD	8mmL	3.4mmD	\$150.00
944110	4.1mmD	10mmL	3.4mmD	\$150.00
944112	4.1mmD	12mmL	3.4mmD	\$150.00
944114	4.1mmD	14mmL	3.4mmD	\$150.00
944116	4.1mmD	16mmL	3.4mmD	\$150.00

4.8mmD

SBM Code	Diameter	Length	• Platform	Price
944806	4.8mmD	6mmL	3.4mmD	\$150.00
944808	4.8mmD	8mmL	3.4mmD	\$150.00
944810	4.8mmD	10mmL	3.4mmD	\$150.00
944812	4.8mmD	12mmL	3.4mmD	\$150.00
944814	4.8mmD	14mmL	3.4mmD	\$150.00



Replacement Surgical Cover Screws

*Components include Tri-Grip™ feature for use with 1.25mmD Hex Tool,
Nobel Unigrip ScrewDriver or Straumann SCS Driver*

Code [*for 6mmL Only]	• Platform	Price
6530-01	• 3.0mmD	\$20.00
*6530-01S	• 3.0mmD	\$20.00
6534-01	• 3.4mmD	\$20.00
*6534-01S	• 3.4mmD	\$20.00



SwishPlus

SwishPlus Implant System

Features & Benefits



- Complete compatibility with Straumann® Tissue-Level drills, tools & prosthetics plus standard ratchet & hex tools (excluding 3.3mmD & 5.7mmD)
- 2mm neck half textured for tissue-level or esthetic placement¹
- Micro-grooves for improved tissue attachment & reduced stress^{2*}
- Progressively-deeper single-lead threads for initial stability*
- Self-tapping groove for surgical simplicity
- All-in-1 Packaging includes Cover Screw, 2mm Healing Collar & Carrier/Transfer
- Color-coded carrier features demarcations for easy indexing of internal octagon flats

* Excluding the 3.3mmD which features a SwishTapered implant thread pattern


- 3.7mmD Platform
- 4.8mmD Platform
- 4.8mmD Platform
- 6.5mmD Platform
- 6.5mmD Platform



- 3.3mmD* Implant
- 4.1mmD Implant
- 4.8mmD Implant
- 4.8mmD Implant
- 5.7mmD Implant



SwishPlus Packaging




One-Stage Implant Placement Options




Tissue-level placement



Esthetic placement



Cover Screw on Implant



Cover Screw & 2mm Extender on Implant

¹Buser et. al. Int J Oral Maxillofacial Implants 2005; 20: 677-686

²Stig Hansson. The Implant Neck: Smooth or Provided with Retention Elements. A Biomechanical Approach. Clin Oral Impl Res 1999;10:394-405

SwishPlus: Tissue-Level Implant

Includes Cover Screw, Extender & Carrier

3.3mmD

SBM Code	Diameter	Length	Platform	Price
923308	3.3mmD	8mmL	3.7mmD	\$150.00
923310	3.3mmD	10mmL	3.7mmD	\$150.00
923312	3.3mmD	12mmL	3.7mmD	\$150.00
923314	3.3mmD	14mmL	3.7mmD	\$150.00
923316	3.3mmD	16mmL	3.7mmD	\$150.00



4.1mmD

SBM Code	Diameter	Length	Platform	Price
924106	4.1mmD	6mmL	4.8mmD	\$150.00
924108	4.1mmD	8mmL	4.8mmD	\$150.00
924110	4.1mmD	10mmL	4.8mmD	\$150.00
924112	4.1mmD	12mmL	4.8mmD	\$150.00
924114	4.1mmD	14mmL	4.8mmD	\$150.00
924116	4.1mmD	16mmL	4.8mmD	\$150.00



4.8mmD

SBM Code	Diameter	Length	Platform	Price
924806	4.8mmD	6mmL	4.8mmD	\$150.00
924808	4.8mmD	8mmL	4.8mmD	\$150.00
924810	4.8mmD	10mmL	4.8mmD	\$150.00
924812	4.8mmD	12mmL	4.8mmD	\$150.00
924814	4.8mmD	14mmL	4.8mmD	\$150.00



4.8mmD

SBM Code	Diameter	Length	Platform	Price
924806W	4.8mmD	6mmL	6.5mmD	\$150.00
924808W	4.8mmD	8mmL	6.5mmD	\$150.00
924810W	4.8mmD	10mmL	6.5mmD	\$150.00
924812W	4.8mmD	12mmL	6.5mmD	\$150.00
924814W	4.8mmD	14mmL	6.5mmD	\$150.00



5.7mmD

SBM Code	Diameter	Length	Platform	Price
925706	5.7mmD	6mmL	6.5mmD	\$150.00
925708	5.7mmD	8mmL	6.5mmD	\$150.00
925710	5.7mmD	10mmL	6.5mmD	\$150.00
925712	5.7mmD	12mmL	6.5mmD	\$150.00
925714	5.7mmD	14mmL	6.5mmD	\$150.00



SwishTapered

SwishTapered Implant System

Features & Benefits

- Complete compatibility with Straumann® Tissue-Level drills, tools & prosthetics plus standard ratchet & hex tools (excluding 3.3mmD & 5.7mmD)
- Implant dimensions designed to allow insertion in soft bone using Straumann drills
- 2mm neck lightly textured for bone- or tissue-level placement
- Micro-threads for improved tissue attachment, reduced stress & increased stability¹
- Tapered body for soft bone expansion
- Progressively-deeper double-lead threads for increased initial stability & faster insertion
- Self-tapping groove for surgical simplicity
- All-in-1 Packaging includes Cover Screw, 2mm Healing Collar & Carrier/Transfer
- Color-coded carrier features demarcations for easy indexing of internal octagon flats


• 3.7mmD Platform • 4.8mmD Platform • 4.8mmD Platform • 6.5mmD Platform • 6.5mmD Platform



• 3.3mmD Implant • 4.1mmD Implant • 4.8mmD Implant • 4.8mmD Implant • 5.7mmD Implant



SwishTapered Packaging



One-Stage Implant Placement Options



Tissue-level placement



Bone-level placement



Cover Screw on Implant



Cover Screw & 2mm Extender on Implant

¹Stig Hansson. The Implant Neck: Smooth or Provided with Retention Elements. A Biomechanical Approach. Clin Oral Impl Res 1999;10:394-405

SwishTapered: Bone- or Tissue-Level Implant

Includes Cover Screw, Extender & Carrier / Transfer

3.3mmD

SBM Code	Diameter	Length	Platform	Price
933308	3.3mmD	8mmL	3.7mmD	\$150.00
933310	3.3mmD	10mmL	3.7mmD	\$150.00
933312	3.3mmD	12mmL	3.7mmD	\$150.00
933314	3.3mmD	14mmL	3.7mmD	\$150.00



4.1mmD

SBM Code	Diameter	Length	Platform	Price
934106	4.1mmD	6mmL	4.8mmD	\$150.00
934108	4.1mmD	8mmL	4.8mmD	\$150.00
934110	4.1mmD	10mmL	4.8mmD	\$150.00
934112	4.1mmD	12mmL	4.8mmD	\$150.00
934114	4.1mmD	14mmL	4.8mmD	\$150.00

4.8mmD

SBM Code	Diameter	Length	Platform	Price
934806	4.8mmD	6mmL	4.8mmD	\$150.00
934808	4.8mmD	8mmL	4.8mmD	\$150.00
934810	4.8mmD	10mmL	4.8mmD	\$150.00
934812	4.8mmD	12mmL	4.8mmD	\$150.00
934814	4.8mmD	14mmL	4.8mmD	\$150.00



4.8mmD

SBM Code	Diameter	Length	Platform	Price
934806W	4.8mmD	6mmL	6.5mmD	\$150.00
934808W	4.8mmD	8mmL	6.5mmD	\$150.00
934810W	4.8mmD	10mmL	6.5mmD	\$150.00
934812W	4.8mmD	12mmL	6.5mmD	\$150.00



5.7mmD


SBM Code	Diameter	Length	Platform	Price
935708	5.7mmD	8mmL	6.5mmD	\$150.00
935710	5.7mmD	10mmL	6.5mmD	\$150.00
935712	5.7mmD	12mmL	6.5mmD	\$150.00





SwishActive™ Selection Chart

3.0mmD Platform



Transfers & Abutment Analogs



Cover Screw & Implant Analog



Healing Collars



Straight Abutments




Straight & Angled Contoured & Lab Abutments



Engaging & Non-Engaging Abutments




Ball & Screw-Receiving Overdenture Abutments



*6530-01S and 6534-01S for 6mML implants only

[†]non-engaging

3.4mmD Platform



6534-05N	6534-08N	6534N	6534-05	6534-08	6534	6534-05W	6534-08W					
6534-01*			6534-06									
6534-12N	6534-13N	6534-15N	6534-12	6534-13	6534-15	6534-12W	6534-13W	6534-15W				
6534-21N	6534-22N	6534-23N	6534-21	6534-22	6534-23	6534-21W	6534-22W	6534-23W				
6534-31N	6534-51N	6534-32N	6534-52N	6534-33N	6534-53N	6534-31	6534-51	6534-32	6534-52	6534-33	6534-53	6534-30LW
6534-40N	6534-47N			6534-40	6534-41	6534-47	6534-49					
6534-71N	6534-72N		6534-73N	6534-74N	6534-75N							
6534-61N	6534-62N		6534-63N	6534-64N	6534-65N	6534-62-15S	6534-63-30S	6534-63-15S	6534-64-30S			



SwishActive Healing Collars, Transfers & Analogs

Narrow Healing Collars

Components include Tri-Grip™ feature for use with 1.25mmD Hex Tool, Nobel Unigrip ScrewDriver or Straumann SCS Driver


Code	Width	Length	• Platform	Price
6530-12N	3.8mmD	2mmL	• 3.0mmD	\$35.00
6530-13N	3.8mmD	3mmL	• 3.0mmD	\$35.00
6530-15N	3.8mmD	5mmL	• 3.0mmD	\$35.00
6534-12N	5.0mmD	2mmL	• 3.4mmD	\$35.00
6534-13N	5.0mmD	3mmL	• 3.4mmD	\$35.00
6534-15N	5.0mmD	5mmL	• 3.4mmD	\$35.00



Healing Collars

Components include Tri-Grip™ feature for use with 1.25mmD Hex Tool, Nobel Unigrip ScrewDriver or Straumann SCS Driver

Code	Width	Length	• Platform	Price
6530-12	5.0mmD	2mmL	• 3.0mmD	\$35.00
6530-13	5.0mmD	3mmL	• 3.0mmD	\$35.00
6530-15	5.0mmD	5mmL	• 3.0mmD	\$35.00
6534-12	5.8mmD	2mmL	• 3.4mmD	\$35.00
6534-13	5.8mmD	3mmL	• 3.4mmD	\$35.00
6534-15	5.8mmD	5mmL	• 3.4mmD	\$35.00



Wide Healing Collars

Code	Width	Length	• Platform	Price
6534-12W	6.6mmD	2mmL	3.4mmD	\$35.00
6534-13W	6.6mmD	3mmL	3.4mmD	\$35.00
6534-15W	6.6mmD	5mmL	3.4mmD	\$35.00



Closed-Tray Implant Transfers

Includes Tri-Grip™ Fixation Screw

Code	• Platform	Replacement Screw - 2ea	Price
6530-05N	• 3.0mmD	1000-36	\$40.00
6530-05	• 3.0mmD	1000-36	\$40.00
6534-05N	• 3.4mmD	1000-33	\$40.00
6534-05	• 3.4mmD	1000-33	\$40.00
6534-05W	• 3.4mmD	1000-33	\$40.00



Open-Tray Implant Transfers

Includes Tri-Grip™ Fixation Screw

Code	• Platform	Replacement Screw - 2ea	Price
6530-08N	• 3.0mmD	1000-37	\$40.00
6530-08	• 3.0mmD	1000-37	\$40.00
6534-08N	• 3.4mmD	1000-35	\$40.00
6534-08	• 3.4mmD	1000-35	\$40.00
6534-08W	• 3.4mmD	1000-35	\$40.00



Implant Analogs

Code	• Platform	Price
6530-06	• 3.0mmD	\$20.00
6534-06	• 3.4mmD	\$20.00





SwishActive Straight Abutments, Snap-on Transfers & Lab Analogs

Straight Abutment Kits

Includes Straight Abutment Transfer, Analog, Castable Coping, Comfort Cap & Fixation Screw with Tri-Grip™

Code	Platform	Abutment Width	Collar Heights	Replacement Screw	Price
6530-21N	• 3.0mmD	3.7mmD	1mm	1000-34	\$125.00
6530-22N	• 3.0mmD	3.7mmD	2mm	1000-34	\$125.00
6530-23N	• 3.0mmD	3.7mmD	3mm	1000-34	\$125.00
6530-21	• 3.0mmD	4.7mmD	1mm	1000-34	\$125.00
6530-22	• 3.0mmD	4.7mmD	2mm	1000-34	\$125.00
6530-23	• 3.0mmD	4.7mmD	3mm	1000-34	\$125.00
6534-21N	• 3.4mmD	4.7mmD	1mm	1000-32	\$125.00
6534-22N	• 3.4mmD	4.7mmD	2mm	1000-32	\$125.00
6534-23N	• 3.4mmD	4.7mmD	3mm	1000-32	\$125.00
6534-21	• 3.4mmD	5.7mmD	1mm	1000-32	\$125.00
6534-22	• 3.4mmD	5.7mmD	2mm	1000-32	\$125.00
6534-23	• 3.4mmD	5.7mmD	3mm	1000-32	\$125.00
6534-21W	• 3.4mmD	6.5mmD	1mm	1000-32	\$125.00
6534-22W	• 3.4mmD	6.5mmD	2mm	1000-32	\$125.00
6534-23W	• 3.4mmD	6.5mmD	3mm	1000-32	\$125.00



Straight Abutment Transfers

Code	Abutment Width	Price (includes two pieces)
3037-02	3.7mmD	\$30.00
3047-02	4.7mmD	\$30.00
3057-02	5.7mmD	\$30.00
3065-02	6.5mmD	\$30.00



Straight Abutment Comfort Caps

Code	Abutment Width	Price (includes two pieces)
3037-26	3.7mmD	\$30.00
3047-26	4.7mmD	\$30.00
3057-26	5.7mmD	\$30.00
3065-26	6.5mmD	\$30.00



Straight Abutment Analogs


Includes Castable Coping

Code	Abutment Width	Price
3037	3.7mmD	\$35.00
3047	4.7mmD	\$35.00
3057	5.7mmD	\$35.00
3065	6.5mmD	\$35.00



Straight Abutment Castable Copings

Code	Abutment Width	Price (includes two pieces)
3037-28	3.7mmD	\$30.00
3047-28	4.7mmD	\$30.00
3057-28	5.7mmD	\$30.00
3065-28	6.5mmD	\$30.00





SwishActive: Lab, Engaging & Non-Engaging Abutments

Straight Full Contour Abutments

Includes Tri-Grip™ Fixation Screw

Code	Collar Heights	• Platform	Replacement Screw	Price
6530-30L	-	● 3.0mmD	1000-34	\$85.00
6534-30LW	-	● 3.4mmD	1000-32	\$85.00



Gold Engaging Cast-to Abutments

Includes Tri-Grip™ Fixation Screw


Code	Collar Heights	• Platform	Replacement Screw	Price
6530-40N	1mm	● 3.0mmD	1000-34	\$120.00
6530-40	1mm	● 3.0mmD	1000-34	\$120.00
6534-40N	1mm	● 3.4mmD	1000-32	\$120.00
6534-40	1mm	● 3.4mmD	1000-32	\$120.00



Gold Non-Engaging Cast-to Abutments

Includes Tri-Grip™ Fixation Screw

Code	Collar Heights	• Platform	Replacement Screw	Price
6530-41	1mm	● 3.0mmD	1000-54	\$120.00
6534-41	1mm	● 3.4mmD	1000-52	\$120.00



Plastic Engaging Temporary Abutments

Includes Tri-Grip™ Fixation Screw

Code	Collar Heights	• Platform	Replacement Screw	Price
6530-47N	-	● 3.0mmD	1000-36	\$40.00
6530-47	-	● 3.0mmD	1000-36	\$40.00
6534-47N	-	● 3.4mmD	1000-33	\$40.00
6534-47	-	● 3.4mmD	1000-33	\$40.00



Titanium Non-Engaging Temporary Abutments

Includes Tri-Grip™ Fixation Screw

Code	Collar Heights	• Platform	Replacement Screw	Price
6530-49	-	● 3.0mmD	1000-54	\$40.00
6534-49	-	● 3.4mmD	1000-52	\$40.00



Scan Adapters

Includes Tri-Grip™ Fixation Screw {For use with Implant Direct design library}


Code	Collar Heights	• Platform	Replacement Screw	Price
6530-09P	-	● 3.0mmD	1000-34	\$25.00
6534-09P	-	● 3.4mmD	1000-32	\$25.00



Replacement Fixation Screws

Components include Tri-Grip™ feature for use with 1.25mmD Hex Tool, Nobel Unigrip ScrewDriver or Straumann SCS Driver. Short (S) screws are Dual-Grip™

Code	• Platform	Price (includes two pieces)
1000-34S ¹	● 3.0mmD	\$30.00
1000-34	● 3.0mmD	\$30.00
1000-36	● 3.0mmD	\$30.00
1000-37	● 3.0mmD	\$30.00
1000-54	● 3.0mmD	\$30.00
1000-32S ¹	● 3.4mmD	\$30.00
1000-32	● 3.4mmD	\$30.00
1000-33	● 3.4mmD	\$30.00
1000-35	● 3.4mmD	\$30.00
1000-52	● 3.4mmD	\$30.00





SwishActive: Fixture-Mounts, Analogs, Straight & Angled Contoured Titanium Abutments

Fixture-Mounts

Includes Tri-Grip™ Fixation Screw

Code	• Platform	Collar Heights	Price
6530-02N	• 3.0mmD	2mm	\$120.00
6530-02	• 3.0mmD	2mm	\$120.00
6534-02N	• 3.4mmD	2mm	\$120.00
6534-02	• 3.4mmD	2mm	\$120.00



Fixture-Mount Analogs- Concave Profile

Code	• Platform	Abutment Width	Price
6530N	• 3.0mmD	3.7mmD	\$30.00
6530	• 3.0mmD	4.7mmD	\$30.00
6534N	• 3.4mmD	4.7mmD	\$30.00
6534	• 3.4mmD	5.7mmD	\$30.00



Straight Titanium Contoured Abutments

Includes Tri-Grip™ Fixation Screw

Code	• Platform	Collar Heights	Replacement Screw	Price
6530-31N	• 3.0mmD	1mm	1000-34	\$100.00
6530-32N	• 3.0mmD	2mm	1000-34	\$100.00
6530-33N	• 3.0mmD	3mm	1000-34	\$100.00
6530-31	• 3.0mmD	1mm	1000-34	\$100.00
6530-32	• 3.0mmD	2mm	1000-34	\$100.00
6530-33	• 3.0mmD	3mm	1000-34	\$100.00
6534-31N	• 3.4mmD	1mm	1000-32	\$100.00
6534-32N	• 3.4mmD	2mm	1000-32	\$100.00
6534-33N	• 3.4mmD	3mm	1000-32	\$100.00
6534-31	• 3.4mmD	1mm	1000-32	\$100.00
6534-32	• 3.4mmD	2mm	1000-32	\$100.00
6534-33	• 3.4mmD	3mm	1000-32	\$100.00



15° Angled Titanium Contoured Abutments

Includes Tri-Grip™ Fixation Screw


Code	• Platform	Collar Heights	Replacement Screw	Price
6530-51N	• 3.0mmD	1mm	1000-34	\$100.00
6530-52N	• 3.0mmD	2mm	1000-34	\$100.00
6530-53N	• 3.0mmD	3mm	1000-34	\$100.00
6530-51	• 3.0mmD	1mm	1000-34	\$100.00
6530-52	• 3.0mmD	2mm	1000-34	\$100.00
6530-53	• 3.0mmD	3mm	1000-34	\$100.00
6534-51N	• 3.4mmD	1mm	1000-32	\$100.00
6534-52N	• 3.4mmD	2mm	1000-32	\$100.00
6534-53N	• 3.4mmD	3mm	1000-32	\$100.00
6534-51	• 3.4mmD	1mm	1000-32	\$100.00
6534-52	• 3.4mmD	2mm	1000-32	\$100.00
6534-53	• 3.4mmD	3mm	1000-32	\$100.00





SwishActive Selection Chart: Overdenture & Screw-Retained Restorations

• 3.0mmD Platform



• 3.4mmD Platform



Overdenture Abutments (*Includes Transfer and Comfort Cap)



Overdenture Abutment Transfers, Analog & Comfort Cap



Overdenture Copings



Ball Abutments (**Includes Transfer and Comfort Cap)



Ball Attachments





SwishActive: Screw-Receiving, Ball Abutments & Angled Base Components

Overdenture Abutments

Includes Transfer & Comfort Cap [1.25mmD Hex Tool, Nobel Unigrip ScrewDriver or Straumann SCS Driver]

Code	Collar Heights	Platform	Price
6530-61	1mm	• 3.0mmD	\$100.00
6530-62	2mm	• 3.0mmD	\$100.00
6530-63	3mm	• 3.0mmD	\$100.00
6530-64	4mm	• 3.0mmD	\$100.00
6530-65	5mm	• 3.0mmD	\$100.00
6534-61N	1mm	• 3.4mmD	\$100.00
6534-62N	2mm	• 3.4mmD	\$100.00
6534-63N	3mm	• 3.4mmD	\$100.00
6534-64N	4mm	• 3.4mmD	\$100.00
6534-65N	5mm	• 3.4mmD	\$100.00



Angled Overdenture Abutments

Includes Dual-Grip™ Abutment Screw, Transfer & Comfort Cap

Platform	Collar Heights	15° Angled	30° Angled	Price
• 3.0mmD	2.5mm	6530-62-15S		\$120.00
• 3.0mmD	3.5mm	6530-63-15S	6530-63-30S	\$120.00
• 3.0mmD	4.5mm		6530-64-30S	\$120.00
• 3.4mmD	2.5mm	6534-62-15S		\$120.00
• 3.4mmD	3.5mm	6534-63-15S	6534-63-30S	\$120.00
• 3.4mmD	4.5mm		6534-64-30S	\$120.00



Ball Abutments

Includes Transfer & Comfort Cap [Requires 1.25mmD Hex Tool]

Code	Collar Heights	Platform	Price
6530-71	1mm	• 3.0mmD	\$90.00
6530-72	2mm	• 3.0mmD	\$90.00
6530-73	3mm	• 3.0mmD	\$90.00
6530-74	4mm	• 3.0mmD	\$90.00
6530-75	5mm	• 3.0mmD	\$90.00
6534-71N	1mm	• 3.4mmD	\$90.00
6534-72N	2mm	• 3.4mmD	\$90.00
6534-73N	3mm	• 3.4mmD	\$90.00
6534-74N	4mm	• 3.4mmD	\$90.00
6534-75N	5mm	• 3.4mmD	\$90.00



Replacement Tops for Angled Abutments

Includes Transfer & Comfort Cap

Code	Description	Price
1000-70S	Replacement Ball Top for Angled Base Short [Requires 1.25mmD Hex Tool]	\$35.00



1000-70S



SwishPlus & SwishTapered Selection Chart: Straight Abutments (Snap-On), Transfers & Analogs

• 3.7mmD Platform



Implant Transfer
closed-tray 9037-05
open-tray 9037-08



Implant Analog
9037-06



Straight
Abutment

Covered
bevel
narrow
profile Exposed
bevel
platform
switching



9037-21 8530-21



Straight Abutment
Transfer 9037-02

Comfort
Cap
3037-26 Castable
Coping
3037-28

Straight
Abutment
Analog
9037
incl. Castable Coping



• 3.7mmD Platform	• 4.8mmD Platform	• 6.5mmD Platform
Implant Transfer closed-tray 9037-05 open-tray 9037-08	Implant Transfer closed-tray 9048-05N open-tray 9048-08N	Implant Transfer closed-tray 9048-05 open-tray 9048-08 Flared 4.8 to 5.7
Implant Analog 9037-06	Implant Analog 9048-06	Implant Analog 9048-06
Straight Abutment	Straight Abutments	Straight Abutments with Flared Collars 4.8 to 5.7
Covered bevel narrow profile Exposed bevel platform switching	Covered bevel narrow profile Exposed bevel 2-piece Abutment 1-piece Solid Abutment	Covered bevel
9037-21 8530-21	9048-21N 9048-20 9048-20-1	9048-21 9048-22
Straight Abutment Transfer 9037-02	Straight Abutment Transfer 9047-02	Straight Abutment Transfer 3057-02
Comfort Cap 3037-26 Castable Coping 3037-28	Comfort Cap 3047-26 Castable Coping 3047-28	Comfort Cap 3057-26 Castable Coping 3057-28
Comfort Cap 3037-26 incl. Castable Coping	Comfort Cap 3047-26 incl. Castable Coping	Comfort Cap 3057-26 incl. Castable Coping
9037 incl. Castable Coping	9047 incl. Castable Coping	3057 incl. Castable Coping



SwishPlus & SwishTapered Cover Screws, Healing Collars, Transfers & Analogs

Surgical Cover Screws

Components include Duo-Grip™ feature for use with 1.25mmD Hex Tool or Straumann SCS Driver

Code	Platform	Width	Length	Price
9037-01H	• 3.7mmD	3.8mmD	1mmL	\$20.00
9048-01H	• 4.8mmD	4.9mmD	1mmL	\$20.00
9065-01H	• 6.5mmD	6.6mmD	1mmL	\$20.00



Duo-Grip™ Healing Collars

Components include Duo-Grip™ feature for use with 1.25mmD Hex Tool or Straumann SCS Driver

Code	Platform	Width	Length	Price
9037-12H	• 3.7mmD	3.7mmD	2mmL	\$35.00
9037-13H	• 3.7mmD	3.7mmD	3mmL	\$35.00
9048-12NH	• 4.8mmD	5.1mmD	2mmL	\$35.00
9048-13NH	• 4.8mmD	5.1mmD	3mmL	\$35.00
9048-12H	• 4.8mmD	5.8mmD	2mmL	\$35.00
9048-13H	• 4.8mmD	5.8mmD	3mmL	\$35.00
9065-12H	• 6.5mmD	6.5mmD	2mmL	\$35.00
9065-13H	• 6.5mmD	6.5mmD	3mmL	\$35.00



Closed-Tray Implant Transfers

Price includes Fixation Screw

Code	Platform	Replacement Screw	Price
9037-05	• 3.7mmD	1000-41	\$35.00
9048-05N	• 4.8mmD	1000-42	\$35.00
9048-05	• 4.8mmD	1000-42	\$35.00
9065-05	• 6.5mmD	1000-42	\$35.00



Open-Tray Implant Transfers

Price includes Fixation Screw

Code	Platform	Replacement Screw	Price
9037-08	• 3.7mmD	1000-26	\$35.00
9048-08N	• 4.8mmD	1000-18	\$35.00
9048-08	• 4.8mmD	1000-18	\$35.00
9065-08	• 6.5mmD	1000-18	\$35.00



Implant Analogs

Code	Platform	Price
9037-06	• 3.7mmD	\$20.00
9048-06	• 4.8mmD	\$20.00
9065-06	• 6.5mmD	\$20.00





SwishPlus & SwishTapered Straight Abutments, Snap-on Transfers & Lab Analogs



Duo-Grip™ allows you the flexibility to use either a Straumann SCS Driver or a standard 1.25mmD hex tool. All screws featuring Duo-Grip™ are anodized yellow for easy identification. The Duo-Grip™ icon also identifies additional prosthetic components with this feature.



The screws for the 3.7mmD platform feature a hex that requires a standard 1.25mmD hex tool. All screws featuring the hex are anodized blue for easy identification.

Straight Abutments

Includes Transfer, Comfort Cap & Fixation Screw. "PS" for Platform Switching Interface.

Code	Platform	Collar Heights	Use Analog	Price
8530-21	• 3.7mmD PS	1.0mm	3037	\$100.00
8530-22	• 3.7mmD PS	2.0mm	3037	\$100.00
8530-23	• 3.7mmD PS	3.0mm	3037	\$100.00
9037-21	• 3.7mmD	0.5mm	3037	\$100.00
9037-22	• 3.7mmD	2.0mm	3037	\$100.00
9048-21N	• 4.8mmD	0.5mm	9047	\$100.00
9048-22N	• 4.8mmD	2.0mm	9047	\$100.00
9048-21	• 4.8mmD	0.5mm	3057	\$100.00
9048-22	• 4.8mmD	2.0mm	3057	\$100.00



Straight Abutments - Exposed Bevel

Code	Platform	Abutment Kit	Price
9048-20	• 4.8mmD	Includes Analog 9047	\$125.00
9048-20-1	• 4.8mmD	Includes Analog 9047	\$115.00
9065-20	• 6.5mmD	Includes Analog 3065	\$125.00
9065-20-1	• 6.5mmD	Includes Analog 3065	\$115.00




Straight Abutment Transfer

Code	Abutment Width	Price (includes two pieces)
9037-02	3.7mmD	\$30.00
9047-02	4.7mmD	\$30.00
3057-02	5.7mmD	\$30.00
3065-02	6.5mmD	\$30.00



Straight Abutment Comfort Caps

Code	Abutment Width	Price (includes two pieces)
3037-26	3.7mmD	\$30.00
3047-26	4.7mmD	\$30.00
3057-26	5.7mmD	\$30.00
3065-26	6.5mmD	\$30.00



Straight Abutment Analogs

Includes Castable Coping

Code	Abutment Width	Price
9037	3.7mmD	\$35.00
9047	4.7mmD	\$35.00
3057	5.7mmD	\$35.00
3065	6.5mmD	\$35.00



Straight Abutment Castable Coping

Code	Abutment Width	Price (includes two pieces)
3037-28	3.7mmD	\$30.00
3047-28	4.7mmD	\$30.00
3057-28	5.7mmD	\$30.00
3065-28	6.5mmD	\$30.00





SwishPlus & SwishTapered Straight & Angled Contoured, Titanium & Zirconia Abutments

Straight Contoured Abutments

Includes Fixation Screw

Code	•● Platform	Collar Heights	Replacement Screw	Price
8530-31	● 3.7mmD PS	1.0mm	1000-20	\$100.00
8530-32	● 3.7mmD PS	2.0mm	1000-20	\$100.00
9048-31	● 4.8mmD	0.5mm	1000-19	\$100.00
9048-32	● 4.8mmD	2.0mm	1000-19	\$100.00
9048-31P	● 4.8mmD PS	0.75mm	1000-19	\$100.00
9065-31P	● 6.5mmD PS	0.75mm	1000-19	\$100.00



Angled Contoured Abutments

Includes Fixation Screw


Code	●● Platform	Collar Heights	Replacement Screw	Price
8530-51	● 3.7mmD PS	0.75mm	1000-20	\$100.00
8530-52	● 3.7mmD PS	2.0mm	1000-20	\$100.00
9048-51	● 4.8mmD	0.5mm	1000-19	\$100.00
9048-52	● 4.8mmD	2.0mm	1000-19	\$100.00
9048-51P	● 4.8mmD PS	0.75mm	1000-19	\$100.00
9065-51P	● 6.5mmD PS	0.75mm	1000-19	\$100.00



0°, 8° & 15° Zirconia Contoured Abutments

Includes Fixation Screw

Code	● Platform	Angulation	Collar Heights	Replacement Screw	Price
9037-31C	● 3.7mmD	0°	1.0mm	1000-20	\$120.00
9037-32C	● 3.7mmD	0°	2.0mm	1000-20	\$120.00
9037-51-08C	● 3.7mmD	8°	1.0mm	1000-20	\$120.00
9037-52-08C	● 3.7mmD	8°	2.0mm	1000-20	\$120.00
9037-51-15C	● 3.7mmD	15°	1.0mm	1000-20	\$120.00
9037-52-15C	● 3.7mmD	15°	2.0mm	1000-20	\$120.00
9037-30CB	● 3.7mmD	-	0.5mm	1000-20	\$120.00
9048-31C	● 4.8mmD	0°	1.0mm	1000-19	\$120.00
9048-32C	● 4.8mmD	0°	2.0mm	1000-19	\$120.00
9048-51-08C	● 4.8mmD	8°	1.0mm	1000-19	\$120.00
9048-52-08C	● 4.8mmD	8°	2.0mm	1000-19	\$120.00
9048-51-15C	● 4.8mmD	15°	1.0mm	1000-19	\$120.00
9048-52-15C	● 4.8mmD	15°	2.0mm	1000-19	\$120.00
9048-30CB	● 4.8mmD	-	0.5mm	1000-19	\$120.00





SwishPlus & SwishTapered Plastic & Titanium Engaging, Non-Engaging Abutments

Gold Engaging Cast-to Abutments

Includes Fixation Screw. "PS" for Platform Switching Interface

Code	• Platform	Collar Heights	Replacement Screw	Price
8530-40	• 3.7mmD PS	1.0mm	1000-20	\$120.00
9048-40	• 4.8mmD	1.0mm	1000-19	\$120.00



8530-40 9048-40

Gold Non-Engaging Cast-to Abutments

Includes Fixation Screw

Code	• Platform	Collar Heights	Replacement Screw	Price
8530-41	• 3.7mmD PS	1.0mm	1000-20	\$120.00
9048-41	• 4.8mmD	1.0mm	1000-19	\$120.00



8530-41 9048-41

Plastic Non-Engaging Castable Abutments

Includes Fixation Screw

Code	•● Platform	Collar Heights	Replacement Screw	Price
8530-46	•● 3.7mmD PS	1.0mm	1000-20	\$35.00
9048-46	•● 4.8mmD	1.0mm	1000-19	\$35.00
9065-46	•● 6.5mmD	1.0mm	1000-19	\$35.00



8530-46 9048-46 9065-46

Plastic Engaging Temporary Abutments

Includes Fixation Screw

Code	•● Platform	Collar Heights	Replacement Screw	Price
8530-47	•● 3.7mmD PS	1.0mm	1000-41	\$40.00
9048-47	•● 4.8mmD	1.0mm	1000-42	\$40.00
9065-47	•● 6.5mmD	1.0mm	1000-42	\$40.00



8530-47 9048-47 9065-47

Titanium Non-Engaging Temporary Abutments

Includes Fixation Screw

Code	•● Platform	Collar Heights	Replacement Screw	Price
8530-49	•● 3.7mmD PS	1.0mm	1000-20	\$40.00
9048-49	•● 4.8mmD	1.0mm	1000-19	\$40.00
9065-49	•● 6.5mmD	1.0mm	1000-19	\$40.00



8530-49 9048-49 9065-49

Scan Adapters

Includes Fixation Screw

Code	•● Platform	Collar Heights	Replacement Screw	Price
8530-09	•● 3.7mmD PS	-	1000-41	\$25.00
9048-09	•● 4.8mmD	-	1000-42	\$25.00
9065-09	•● 6.5mmD	-	1000-42	\$25.00



8530-09 9048-09 9065-09

Replacement Fixation Screws

Includes Fixation Screw

Code	Description	Price (includes two pieces)
1000-20S	For use with 3.7mmD hexagon platform	\$30.00
1000-20	For use with 3.7mmD hexagon platform	\$30.00
1000-41	For use with 3.7mmD hexagon platform	\$30.00
1000-26	For use with 3.7mmD hexagon platform	\$30.00
1000-18	For use with 4.8 & 6.5mmD octagon platforms	\$30.00
1000-19S	For use with 4.8 & 6.5mmD octagon platforms	\$30.00
1000-19	For use with 4.8 & 6.5mmD octagon platforms	\$30.00
1000-42	For use with 4.8 & 6.5mmD octagon platforms	\$30.00






SwishPlus & SwishTapered Selection Chart: Overdenture & Screw-Retained Restorations

• 3.7mmD Platform



Overdenture Abutment Transfer, Analog & Comfort Cap



Overdenture Copings



Ball Abutments (**Includes Transfer and Comfort Cap)



Ball Attachments



GPS Abutments (**Includes Transfer, Abutment Housing Kit and Comfort Cap)



GPS Attachments



Abutments are compatible with Straumann Tissue level implants with 4.8mmD and 6.5mmD prosthetic platforms



SwishPlus & SwishTapered Screw-Receiving, Ball, GPS & Angled Abutments

Overdenture Abutments

Includes Transfer & Comfort Cap. Requires 1.25mmD Hex Tool


Code	Platform	Collar Heights	Price
9037-61	● 3.7mmD	1mm	\$100.00
9037-62	● 3.7mmD	2mm	\$100.00
9037-63	● 3.7mmD	3mm	\$100.00
9048-61	● 4.8mmD	1mm	\$100.00
9048-62	● 4.8mmD	2mm	\$100.00
9048-63	● 4.8mmD	3mm	\$100.00
9048-64	● 4.8mmD	4mm	\$100.00



Ball Abutments

Includes Transfer & Comfort Cap. Requires 1.25mmD Hex Tool

Code	Platform	Collar Heights	Price
9037-71	● 3.7mmD	1mm	\$90.00
9037-72	● 3.7mmD	2mm	\$90.00
9037-73	● 3.7mmD	3mm	\$90.00
9048-71	● 4.8mmD	1mm	\$90.00
9048-72	● 4.8mmD	2mm	\$90.00
9048-73	● 4.8mmD	3mm	\$90.00



GPS Abutments

Includes Transfer, Comfort Cap, Metal Housing, White Male Liner & Spacer - Can be used with 1.25mmD Hex Tool or Straumann SCS Driver

Code	Platform	Collar Heights	Price
9037-91	● 3.7mmD	1mm	\$100.00
9037-92	● 3.7mmD	2mm	\$100.00
9037-93	● 3.7mmD	3mm	\$100.00
9037-94	● 3.7mmD	4mm	\$100.00
9048-91	● 4.8mmD	1mm	\$100.00
9048-92	● 4.8mmD	2mm	\$100.00
9048-93	● 4.8mmD	3mm	\$100.00
9048-94	● 4.8mmD	4mm	\$100.00



Screw-Receiving Angled Overdenture Abutments

Includes Transfer & Comfort Cap

Platform	Collar Heights	15° Angled	30° Angled	Price
● 3.7mmD PS	2.5mmD	8530-62-15S		\$120.00
● 3.7mmD PS	3.5mmD	8530-63-15S	8530-63-30S	\$120.00
● 3.7mmD PS	4.5mmD		8530-64-30S	\$120.00
● 4.8mmD	3.0mmD	9048-64-15S		\$120.00
● 4.8mmD	4.0mmD		9048-64-30S	\$120.00



Angled GPS Abutments

Includes Transfer, Comfort Cap, Metal Housing, White Male Liner & Spacer [GPS Top requires GoDirect Tool]

Platform	Collar Heights	15° Angled	30° Angled	Price
● 3.7mmD PS	2.5mmD	8530-92-15S		\$120.00
● 3.7mmD PS	3.5mmD	8530-93-15S	8530-93-30S	\$120.00
● 3.7mmD PS	4.5mmD		8530-94-30S	\$120.00
● 4.8mmD	3.0mmD	9048-94-15S		\$120.00
● 4.8mmD	4.0mmD		9048-94-30S	\$120.00



Replacement Tops for Angled Abutments

Includes Transfer & Comfort Cap

Code	Description	Price
1000-70S	Replacement Ball Top for Short Angled Base [Requires 1.25mmD Hex Tool]	\$35.00
1000-90S	Replacement GPS Top for Short Angled Base [Requires GoDirect Implant Tool]	\$35.00





Ancillary Components for Overdenture & Screw-Retained Restorations

Overdenture Abutment Comfort Cap, Transfers & Analog

Screws require 1.25mmD Hex Tool

Code	Platform	Description	Price
1000-61	5.0mmD	Aluminum Analog	\$30.00
1000-62	5.0mmD	Open-Tray Transfer plus Fixation Screw	\$35.00
1000-63	5.0mmD	Closed-Tray Transfer plus Fixation Screw	\$35.00
1000-68	5.0mmD	Plastic Abutment Transfer - 2ea	\$35.00
4000-13	5.0mmD	Plastic Comfort Cap - 2ea	\$30.00
1000-14	-	Replacement Open-Tray Fixation Screw - 2ea	\$30.00
1000-15	-	Replacement Closed-Tray Fixation Screw - 2ea	\$30.00



Overdenture Abutment Copings


Includes Fixation Screw [1000-05]

Code	Platform	Description	Price
1000-64	5.0mmD	Gold Coping	\$80.00
1000-65	5.0mmD	Titanium Coping	\$40.00
1000-66	5.0mmD	Plastic Coping	\$35.00
1000-67	5.0mmD	Gold & Plastic Coping	\$80.00
1000-69	5.0mmD	Titanium Temporary Coping	\$35.00
1000-05	-	Coping Fixation Screw - 2ea	\$30.00



Ball Abutment Components

Code	Description	Price
1000-81	Ball Abutment Housing - 2ea	\$30.00
1000-82	Nylon Liner - 2ea	\$15.00
1000-83	Nylon Liner Transfer - 2ea	\$15.00
1000-84	Ball Abutment Transfer - 2ea	\$30.00
1000-85	Ball Abutment Analog	\$20.00
1000-86	Ball Abutment Tools	\$65.00
1000-87	Ball Abutment Comfort Cap - 2ea	\$30.00
1000-88	Ball Abutment Housing & Nylon Liner	\$22.00



GPS Abutment Transfer, Analogs & Alignment Tools

Code	Description	Price
1000-94	Impression Coping - 2ea	\$30.00
1000-95	Abutment Analog 4mmD - 2ea	\$40.00
1000-97	Abutment Parallel Post - 4ea	\$16.00
4500-26	Comfort Cap - 2ea	\$10.00
1000-99	Plastic Abutment Angle Measure Guide	\$5.00



GPS Abutment Components

Code	Retention Force	Description	Price
1000-92W	5.0lbs	Internal Replacement Male White - 4ea	\$22.00
1000-92C	4.5lbs	External Replacement Male Clear - 4ea	\$16.00
1000-92P	3.0lbs	Internal Replacement Male Pink - 4ea	\$22.00
1000-92G	3.0lbs	External Replacement Male Green - 4ea	\$16.00
1000-92E	2.0lbs	External Replacement Male Orange - 4ea	\$16.00
1000-92B	1.5lbs	Internal Replacement Male Blue - 4ea	\$22.00
1000-92R	1.0lb	External Replacement Male Red - 4ea	\$16.00
1000-91	-	GPS Housing Kit - 1ea	\$10.00
1000-91W	-	GPS Housing Kit w/White Internal Male- 1ea	\$15.00
1000-93	-	Black Processing Male - 4ea	\$16.00
1000-98SI	Assorted	Internal Processing Cap/Male Kit - 1ea	\$26.00
1000-98S	Assorted	Processing Cap/Male Kit - 1ea	\$20.00



GPS Instrumentation

Code	Description	Price
1000-96	Core Tool - Male Removal & Seating Tool	\$75.00





Surgical & Prosthetic Instruments

Tapered Hex Tools


Code	Description	Price
THT1.25	1.25mmD Tapered Hex Tool-Long	\$40.00
THT1.25S	1.25mmD Tapered Hex Tool-Short	\$40.00



Straight Hex Tools

Square connection for use with Ratchet or Torque Wrench


Code	Description	Price
HT1.25L	1.25mmD Straight Hex Tool Extra Long (For use with Torque Wrench)	\$40.00
HT1.25	1.25mmD Straight Hex Tool Long (For use with Torque Wrench)	\$40.00
HT1.25S	1.25mmD Straight Hex Tool Short (For use with Torque Wrench)	\$40.00



SwishActive Straight Hex Tools

Square connection for use with Ratchet or Torque Wrench


Code	Description	Price
HT2.3	2.3mmD Straight Hex Tool Long (with retentive O-ring)	\$40.00
HT2.3S	2.3mmD Straight Hex Tool Short (with retentive O-ring)	\$40.00
HT2.7	2.7mmD Straight Hex Tool Long (with retentive O-ring)	\$40.00
HT2.7S	2.7mmD Straight Hex Tool Short (with retentive O-ring)	\$40.00
AXS3.0	3.0mmD Abutment Removal Screw (For use with Straight 1.25mmD Hex Tools)	\$40.00
AXS3.4	3.4mmD Abutment Removal Screw (For use with Straight 1.25mmD Hex Tools)	\$40.00



SwishActive Hex Drills

Latch head connection for use with Surgical Motor

Code	Description	Price
HD1.25	1.25mmD Hex Drill	\$40.00
HD2.3	2.3mmD Hex Drill (with retentive O-ring)	\$40.00
HD2.7	2.7mmD Hex Drill (with retentive O-ring)	\$40.00





Surgical & Prosthetic Instruments

SwishPlus & SwishTapered Straight Hex Tools

Square connection for use with Ratchet or Torque Wrench

Code	Description	Price
HT2.0	2.0mmD Hex Tool Long	\$40.00
HT2.0S	2.0mmD Hex Tool Short	\$40.00
9048-07	SwishPlus & SwishTapered Insertion Tool	\$60.00
OCTT	Octagon Alignment Tool	\$60.00



SwishPlus & SwishTapered Hex Drills


Latch head connection for use with Surgical Motor

Code	Description	Price
HD1.25	1.25mmD Hex Drill	\$40.00
HD2.0	2.0mmD Hex Drill	\$40.00



Insertion Instruments

Code	Description	Price
R	Ratchet	\$125.00
SPRI	Swish Ratchet Insert	\$40.00
TW30	30Ncm Torque Wrench	\$125.00
TW35	35Ncm Torque Wrench	\$125.00
IFMT	Fixture Mount Tool	\$40.00
SPFMD	Swish Fixture Mount Drill	\$80.00
PAR	Paralleling Tool 2.8/2.3	\$15.00
LDRILL	Locator Drill	\$30.00
DE	Drill Extender	\$40.00
TWM	Multi-Setting Torque Wrench (15, 20, 25, 30, 35, 40, 45, 50 & 60Ncm)	\$395.00
ABH	Analog Holder	\$85.00



Surgical Trays

Code	Description	Price
SPST	Empty Surgical Tray for Swish Implants	\$250.00
SPBST	Basic Surgical Kit for Swish Implants	\$1535.00
SPCST	Complete Surgical Kit for Swish Implants	\$2510.00





Surgical Drills

Pilot Drills

Code	Description	Price
SPD2.3	2.3mmD Straight Drill with 6-16 markings	\$60.00
SD2.3S	2.3/2.0mmD Step Drill with 6-10 markings	\$60.00

SPD2.3

SD2.3S



3.3mmD Implants

Code	Description	Price
SPD2.8	2.8mmD Straight Drill with 6-16 markings	\$60.00
SD2.8S	2.8/2.3mmD Step Drill with 6-10 markings	\$60.00
SPCD3.3	3.7 / 3.3mmD Swish Countersink Drill	\$60.00

SPD2.8

SD2.8S

SPCD3.3



4.1mmD Implants

Code	Description	Price
SPD3.2	3.2mmD Straight Drill with 6-16 markings	\$60.00
SPD3.2S	3.2mmD Straight Drill with 6-10 markings	\$60.00
SPD3.5	3.5mmD Straight Drill with 6-16 markings	\$60.00
SPD3.5S	3.5mmD Straight Drill with 6-10 markings	\$60.00
SPCD4.1	4.8 / 4.1mmD Swish Countersink Drill	\$60.00

SPD3.2

SPD3.2S

SPD3.5

SPD3.5S

SPCD4.1



4.8mmD Implants

Code	Description	Price
SPD3.8	3.8mmD Straight Drill with 6-16 markings	\$60.00
SPD3.8S	3.8mmD Straight Drill with 6-10 markings	\$60.00
SPD4.2	4.2mmD Straight Drill with 6-16 markings	\$60.00
SPD4.2S	4.2mmD Straight Drill with 6-10 markings	\$60.00
SPCD4.8	4.8 / 4.8mmD Swish Countersink Drill	\$60.00
SPCD4-6	6.5 / 4.8mmD Swish Countersink Drill	\$60.00

SPD3.8

SPD3.8S

SPD4.2

SPD4.2S

SPCD4.8

SPCD4-6



5.7mmD Implants

Code	Description	Price
SPD5.1	5.1mmD Straight Drill with 6-16 markings	\$60.00
D5.1S	5.1mmD Straight Drill with 6-10 markings	\$60.00
SPCD5-6	6.5 / 5.7mmD Swish Countersink Drill	\$60.00

SPD5.1

D5.1S

SPCD5-6






Drill Sequence

3.3mm Diameter




Dense Bone Final




Very Dense Bone Optional



4.1mm Diameter




Dense Bone Final




Very Dense Bone Optional



4.8mm Diameter




Dense Bone Final




Very Dense Bone Optional



4.8mm Diameter with 6.5mm Platform




Dense Bone Final




Very Dense Bone Optional



5.7mm Diameter



Dense Bone Final




■ SwishActive ■ SwishPlus ■ SwishTapered

Note: Tissue-level placement will differ between **SwishTapered & SwishPlus** with the exception of the 6mmL SwishTapered which follows the SwishPlus tissue-level protocol.



Swish Complete Surgical Tray Contents





Surgical Tray

Surgical Tray Contents			Complete Surgical Tray	Basic Surgical Tray
Code	Description	Price		
ST	Empty Surgical Tray	\$250.00	X	X
SPD2.3	2.3/2.0mmD Step Drill-Long	\$60.00	X	X
SPD2.3S	2.3/2.0mmD Step Drill-Short	\$60.00	X	
SPD2.8	2.8/2.3mmD Straight Step Drill	\$60.00	X	X
SPD2.8S	2.8/2.3mmD Straight Step Drill-Short	\$60.00	X	
SPCD3.3	3.7/3.3mmD Swish Countersink Drill	\$60.00	X	
SPD3.2	3.2mmD Straight Drill	\$60.00	X	X
SPD3.2S	3.2mmD Straight Drill-Short	\$60.00	X	
SPD3.5	3.5mmD Straight Drill	\$60.00	X	X
SPD3.5S	3.5mmD Straight Drill-Short	\$60.00	X	
SPCD4.1	4.8/4.1mmD Swish Countersink Drill	\$60.00	X	X
SPD3.8	3.8mmD Straight Drill	\$60.00	X	X
SPD3.8S	3.8mmD Straight Drill-Short	\$60.00	X	
SPD4.2	4.2mmD Straight Drill	\$60.00	X	X
SPD4.2S	4.2mmD Straight Drill-Short	\$60.00	X	
SPCD4.8	4.8/4.8mmD Swish Countersink Drill	\$60.00	X	X
SPCD4-6	6.5/4.8mmD Swish Countersink Drill	\$60.00	X	X
SPD5.1	5.1mmD Straight Drill	\$60.00	X	X
D5.1S	5.1mmD Straight Drill-Short	\$60.00	X	
SPCD5-6	6.5/5.7mmD Swish Countersink Drill	\$60.00	X	X
Hex Tools				
THT1.25	1.25mmD Tapered Hex Tool-Long	\$40.00	X	X
THT1.25S	1.25mmD Tapered Hex Tool-Short	\$40.00	X	
HT1.25	1.25mmD Straight Hex Tool-Long	\$40.00	X	X
HT1.25S	1.25mmD Straight Hex Tool-Short	\$40.00	X	
HT2.0	2.0mmD Straight Hex Tool-Long	\$40.00	X	X
HT2.0S	2.0mmD Straight Hex Tool-Short	\$40.00	X	
HT2.3	2.3mmD Hex Tool-Long	\$40.00	X	X
HT2.3S	2.3mmD Hex Tool-Short	\$40.00	X	
HT2.7	2.7mmD Hex Tool-Long	\$40.00	X	X
HT2.7S	2.7mmD Hex Tool-Short	\$40.00	X	
HD1.25	1.25mmD Hex Drill	\$40.00	X	
HD2.0	2.0mmD Hex Drill	\$40.00	X	
HD2.3	2.3mmD Hex Drill	\$40.00	X	
HD2.7	2.7mmD Hex Drill	\$40.00	X	
Ancillary Instrumentation				
SPFMD	Swish Fixture Mount Drill	\$80.00	X	X
LDRILL	Locator Drill	\$30.00	X	
DE	Drill Extender	\$40.00	X	
R	Ratchet	\$125.00	X	X
PAR (x4)	Paralleling Tool 2.8/2.3	\$60.00	X	X
9048-07	SwishPlus & SwishTapered Insertion Tool	\$60.00	X	X
SPRI	Swish Ratchet Insert	\$40.00	X	X
TW30	30Ncm Torque Wrench	\$125.00	X	

SWISH™

simply brilliant

Straumann®-compatible¹ design



NEW SwishTapered™

Tissue- or Bone-Level Implant
with Internal Octagon Connection
SwishPlant™ Implant Body
with New Packaging

All-in-1 Packaging

includes implant, cover screw, healing collar & carrier/transfer – **\$150** SBM

\$435 TRUE SAVINGS for Straumann Customers
we dare to compare

SwishPlus™

Tissue-Level Implant with
Internal Octagon Connection

NEW SwishActive™

Bone-Level Implant with
12° Conical Hex Connection

With **1** surgical tray, All-in-**1** Packaging and **1** price at any level, the simplicity of the Swish™ Implant System is evident. The design enhancements combined with Straumann-compatibility¹ are what make it truly brilliant.

Each implant body design promotes self-tapping, initial stability and reduced crestal bone stress.

The **NEW** SwishActive also features a superior platform-shifting conical hex connection with six indexing positions for precise prosthetic placement. Matched transgingival profiles on prosthetics allow for consistent soft tissue management throughout treatment.

All this with **TRUE SAVINGS** of \$435 compared to Straumann. Now that's simply brilliant.



www.implantdirect.com | 888-649-6425

¹SwishPlus and SwishTapered fully compatible with Straumann tissue level implants, with some restrictions for 3.3mm and 5.7mm diameter implants. SwishActive surgically compatible with Straumann drills with exception of profiling drills and Bone-Level Tapered drills. Price comparisons based upon US list prices for comparable items as of January 2015. All trademarks are property of their respective companies.

