VERIFICATION - SIGNED EVIDENCE

FalseGreen Verification Report

INSUFFICIENT EVIDENCE

The required evidence could not be established for the exact source tree verified by FalseGreen.

This does not prove universal correctness. Assurance is limited to the explicit formal properties, assumptions, models, summaries, and scope recorded in this report.

Job	`520d2155-f6c4-43c6-953c-1829b6dd5cc3`
Language	`not recorded`
Source tree	`e8006c3f8784d4f439eff39ce6354cbd256c987bb17243c3a45c57f92726d25d`
Contract SHA-256	`e5994e7c7513719eb7bbc8e71819af12bee6973055b2cb3c5f458f5e4b1f12b7`
Criteria SHA-256	`d34458a3179d885efdb609b2971179f2f58aabd17860731a25031594a5d329cb`
Criteria	`3 / 3 PASSED`
Attempts	`7`
Duration	`27.1s`
Verifier environment	`rust - rustc 1.99.0 (rustc) (1.99.0)`
Schema	`v9`
Signed	`2026-10-23 07:09:08 UTC`

`Canonical report digest: 3d1e96d85b3782635788c090ca8e226c035b364f9f45d4f87707a998da0390f2`
`HMAC-SHA256 signature: d7220bdfcd1234377c758b1cbeb961b257ffc15569c6ab4c6a6e7f35b0004346`

CONTRACT (FROZEN)

(contract embedding unavailable - schema v2 report)

PLAN (FROZEN)

Objective	Re-smoke FalseGreen 0.10.0 end-to-end on the ledger demo: th e falsegreen.toml invariant set captures every implemented b ehavior claim (DESIGN.md sections 1-10 + README exit-code co ntract + threat-model scope), the baseline run is accepted w ith all five security witnesses carrying real evidence, and three dedicated break workspaces prove the SCA (#10), SAST (#14), and secret (#12) classes now actually gate the verdict ; the HTML/PDF report parity (#13) and the invariant carry (#7) are re-observed on the signed artifacts.
Plan digest	fc5315fcb0033384496bdcf05184fb8aaf2768ad689e9f045a968c93cd8a a2bf
Work items	7

Work item	Outcome	Depends on	Omission risk
contract-inv ariants	falsegreen.toml carries ten [[inva riant]] sections mapping 1:1 to th e implemented behavior: canonical form, validation, hash chain, appe nd-only store, Merkle/Ed25519 seal s, compaction, policy evaluation, exit-code precedence, export/impor t round-trips, and the threat-mode l scope	-	-
behavior-tes ts	the workspace test suite (run by t he frozen contract criteria) pins each behavior the invariants claim	-	-
green-baseli ne	one accepted Job over the clean tr ee with real (never-empty) evidenc e from all five witnesses	contract-invar iants, behavio r-tests	-
sca-break	a pinned CRITICAL advisory (smallv ec 1.6.0) yields a signed critical finding and a failed verdict	green-baseline	-
sast-break	a payload matching a SARIF rule wh ose defaultConfiguration.level is error yields a high finding and a failed verdict	green-baseline	-
secret-break	a planted below-D0-threshold secre t token in-tree is found by the fi le-scanning gitleaks witness and f ails the secret class	green-baseline	-
inventory-ev idence	supply_chain and license classes c arry real SBOM facts (component ro ws + license facts) and are record ed severity-less — they inform, ne ver severity-gate	green-baseline	-

Scope	Condition	Evidence
contract-inv ariants	every DESIGN.md section and the README exit-code contra ct is claimed by exactly one invariant; the signed repo rt's contract section echoes all ten verbatim (fixes #7)	inspection
contract-inv ariants	the threat-model invariant states both halves: what ver ify proves and what it explicitly does not prove	inspection

behavior-tests	canonical serialization is deterministic; key-order edits do not change the canonical form; hashing/signing run over canonical bytes	behavioral-test
behavior-tests	unknown fields, empty required fields, non-object context, and out-of-range timestamps are rejected as corrupt-class, never normalized	behavioral-test
behavior-tests	record hash commits to canonical event + prev_hash; the link rule and its named failures (bad_record_hash, broken_link, sequence_gap) hold	behavioral-test
behavior-tests	append continues the verified head and never rewrites shard content; parse errors report shard and line	behavioral-test
behavior-tests	Merkle construction (odd-leaf duplication), seal message fields, signature coverage, and count-mismatch detection hold	behavioral-test
behavior-tests	compaction keeps the genesis prev_hash and root link unchanged, embeds the source seal verbatim, and breaks on rewrite	behavioral-test
behavior-tests	deny and require_outcome rules flag exactly the matching events at verify time, with rule_id in the report	behavioral-test
behavior-tests	exit codes 0/1/2/3/4/5/255 and the corrupt>gap>signature>tampered>policy precedence hold	behavioral-test
behavior-tests	export/import reproduces identical record hashes into a fresh ledger	behavioral-test
green-baseline	the clean workspace passes every required criterion and the verdict is accepted	build
green-baseline	the signed report shows non-empty raw_output_digest (not e3b0c442...) for gitleaks and both syft witnesses, and echoes all ten contract invariants (fixes #7 #11 #12 vacuity)	artifact
sca-break	the signed report carries a dependency_vulnerability finding at severity critical, class posture fail, verdict failed — the advisory is never silently dropped (#10 fixed)	artifact
sast-break	the signed report carries a static_analysis finding at severity high (rule-level SARIF default honored), class posture fail, verdict failed (#14 fixed)	artifact
secret-break	the signed report carries a secret-class finding (no raw secret value), class posture fail, verdict failed (#12 fixed)	artifact
inventory-evidence	the signed report shows the syft SBOM projection (components as pkg:cargo purls) and license facts from the dependency manifest; both classes pass on the clean tree without severity rows (#11 fixed, DP-10.3)	artifact
overall	all legs observed live: baseline accepted with five real witnesses and ten echoed invariants; SCA, SAST, and secret break runs each end in a signed failed verdict with the finding present; inventory facts real; HTML and PDF VEX sections both carry the JSON-report URL (#13)	artifact
overall	each Job's entitlement is consumed exactly once at its terminal verdict, with the account posture readable per Job	artifact

ENVIRONMENT

Ecosystem	`rust`
Toolchain	`rustc 1.99.0 (rustc)`
Version	`1.99.0`
Fingerprint	`cb72048928286df9d194d6d7356350b373cefcc81d7ee1899729b6ebe14c8817`

anstream 1.0.0 sha256:824a212faf96e9acacdbd09febd34438f8f711fb84e09a8916013cd7815ca28d
anstyle 1.0.14 sha256:940b3a0ca603d1eade50a4846a2afffd5ef57a9feac2c0e2ec2e14f9ead76000
anstyle-parse 1.0.0 sha256:52ce7f38b242319f7cabaa6813055467063ecdc9d355bbb4ce0c68908cd8130e
anstyle-query 1.1.5 sha256:40c48f72fd53cd289104fc64099abca73db4166ad86ea0b4341abe65af83dadc
anstyle-wincon 3.0.11 sha256:291e6a250ff86cd4a820112fb8898808a366d8f9f58ce16d1f538353ad55747d
base64ct 1.8.3 sha256:2af50177e190e07a26ab74f8b1efbfe2ef87da2116221318cb1c2e82baf7de06
bitflags 2.13.2 sha256:3ded4057c258ba199e2d26386d3af3780957ecaee6c4ef4041c6b4b8b97c0b06
block-buffer 0.10.4 sha256:3078c7629b62d3f0439517fa394996acacc5cbc91c5a20d8c658e77abd503a71
cfg-if 1.0.5 sha256:4e7648175b45a9a48536d676f68d918270699102aa8dab5496df06904c914600
clap 4.6.7 sha256:aa8876b300ab35ba921adea3dfd70157a46249b33f95c9084ae5709785478946
clap_builder 4.6.7 sha256:ec0797fb7aeb1406c84efac526901f7ec3ead2124f946b494e72879d4b54704d
clap_derive 4.6.7 sha256:f9c751b79415d4e559e3d1fcf128e09e720eb673a06d26cf6f392d37d75b66e0
clap_lex 1.1.1 sha256:1c133bc6a41be0d194c306b5506d15e6feeea7b1d6604bd3f8310dfb2ca96486
colorchoice 1.0.5 sha256:1d07550c9036bf2ae0c684c4297d503f838287c83c53686d05370d0e139ae570
const-oid 0.9.6 sha256:c2459377285ad874054d797f3ccebf984978aa39129f6eafde5cdc8315b612f8
cpufeatures 0.2.17 sha256:59ed5838eebb26a2bb2e58f6d5b5316989ae9d08bab10e0e6d103e656d1b0280
crypto-common 0.1.7 sha256:78c8292055d1c1df0cce5d180393dc8cce0abec0a7102adb6c7b1eef6016d60a
curve25519-dalek 4.1.3 sha256:97fb8b7c4503de7d6ae7b42ab72a5a59857b4c937ec27a3d4539dba95b5ab2be
curve25519-dalek-derive 0.1.1 sha256:f46882e17999c6cc590af592290432be3bce0428cb0d5f8b6715e4dc7b383eb3
der 0.7.10 sha256:e7c1832837b905bbfb5101e07cc24c8deddf52f93225eee6ead5f4d63d53ddcb
digest 0.10.7 sha256:9ed9a281f7bc9b7576e61468ba615a66a5c8cfdff42420a70aa82701a3b1e292
ed25519 2.2.3 sha256:115531babc129696a58c64a4fef0a8bf9e9698629fb97e9e40767d235cfbcd53
ed25519-dalek 2.2.0 sha256:70e796c081cee67dc755e1a36a0a172b897fab85fc3f6bc48307991f64e4eca9
errno 0.3.14 sha256:39cab71617ae0d63f51a36d69f866391735b51691dbda63cf6f96d042b63efeb
fastrand 2.5.0 sha256:da7c62ceae207dd37ea5b845da6a0696c799f85e97da1ab5b7910be3c1c80223
fiat-crypto 0.2.9 sha256:28dea519a9695b9977216879a3ebfddf92f1c08c05d984f8996aecd6ecdc811d
generic-array 0.14.7 sha256:85649ca51fd72272d7821adaf274ad91c288277713d9c18820d8499a7ff69e9a
getrandom 0.2.17 sha256:ff2abc00be7fca6ebc474524697ae276ad847ad0a6b3faa4bcb027e9a4614ad0
getrandom 0.4.3 sha256:300e883d756b2e4ec94e02791f39b04b522276138852cfc41d9fb7e904106099
heck 0.5.0 sha256:2304e00983f87ffb38b55b444b5e3b60a884b5d30c0fca7d82fe33449bbe55ea
hex 0.4.3 sha256:7f24254aa9a54b5c858eaee2f5bccdb46aaf0e486a595ed5fd8f86ba55232a70
is_terminal_polyfill 1.70.2 sha256:a6cb138bb79a146c1bd460005623e142ef0181e3d0219cb493e02f7d08a35695
itoa 1.0.18 sha256:8f42a60cbdf9a97f5d2305f08a87dc4e09308d1276d28c869c684d7777685682
libc 0.2.191 sha256:65cd87c9a6d60536580b316ad985726104730a5151c99845f2490428ef91240a
linux-raw-sys 0.12.1 sha256:32a66949e030da00e8c7d4434b251670a91556f4144941d37452769c25d58a53
memchr 2.8.3 sha256:cf8baf1c55e62ffcace7a9f06f4bd9cd3f0c4beb022d3b367256b91b87513d98
once_cell 1.21.4 sha256:9f7c3e4beb33f85d45ae3e3a1792185706c8e16d043238c593331cc7cd313b50
once_cell_polyfill 1.70.2 sha256:384b8ab6d37215f3c5301a95a4accb5d64aa607f1fcb26a11b5303878451b4fe
pkcs8 0.10.2 sha256:f950b2377845cebe5cf8b5165cb3cc1a5e0fa5cfa3e1f7f55707d8fd82e0a7b7
ppv-lite86 0.2.21 sha256:85eae3c4ed2f50dcfe72643da4befc30deadb458a9b590d720cde2f2b1e97da9
proc-macro2 1.0.107 sha256:985e7ec9bb745e6ce6535b544d84d6cd6f7ad8bd711c398938ae983b91a766d9
quote 1.0.47 sha256:1fbf4db142a473a8d80c26bbf18454ed458bf8d26c8219c331daecfdbd079001
r-efi 6.0.0 sha256:f8dcc9c7d52a811697d2151c701e0d08956f92b0e24136cf4cf27b57a6a0d9bf
rand 0.8.8 sha256:e058c7de0b26af77780c769414d6257830bb240f3c38477dbc2c16e5f54d6d4c
rand_chacha 0.3.1 sha256:e6c10a63a0fa32252be49d21e7709d4d4baf8d231c2dbce1eaa8141b9b127d88
rand_core 0.6.4 sha256:ec0be4795e2f6a28069bec0b5ff3e2ac9bafc99e6a9a7dc3547996c5c816922c
rustc_version 0.4.1 sha256:cfcb3a22ef46e85b45de6ee7e79d063319ebb6594faafcf1c225ea92ab6e9b92
rustix 1.1.5 sha256:891efababe418670775f199f0d233d84843c227a0949a883ce15b37c78d6629d
semver 1.0.28 sha256:8a7852d02fc848982e0c167ef163aaff9cd91dc640ba85e263cb1ce46fae51cd
serde 1.0.229 sha256:4148590afebada386688f18773da617792bf2ef03ffc1e4cbd2b1d45b023e0ba
serde_core 1.0.229 sha256:67dca2c9c51e58a4791a4b1ed58308b39c64224d349a935ab5039aa360942a48
serde_derive 1.0.229 sha256:e7a5d71263a5a7d47b41f6b3f06ba276f10cc18b0931f1799f710578e2309348
serde_json 1.0.154 sha256:e7e9cc8b1b85264074fbcc02a88680c4096b1e47df8f739dceb03bf482f04bd6
sha2 0.10.9 sha256:a7507d819769d01a365ab707794a4084392c824f54a7a6a7862f8c3d0892b283
signature 2.2.0 sha256:77549399552de45a898a580c1b41d445bf730df867cc44e6c0233bbc4b8329de
smallvec 1.6.0 sha256:1a55ca5f3b68e41c979bf8c46a6f1da892ca4db8f94023ce0bd32407573b1ac0
spki 0.7.3 sha256:d91ed6c858b01f942cd56b37a94b3e0a1798290327d1236e4d9cf4eaca44d29d

strsim 0.11.1 sha256:7da8b5736845d9f2fcb837ea5d9e2628564b3b043a70948a3f0b778838c5fb4f
subtle 2.6.1 sha256:13c2bddecc57b384dee18652358fb23172facb8a2c51ccc10d74c157bdea3292
syn 2.0.119 sha256:872831b642d1a07999a962a351ed35b955ea2cfc8f3862091e2a240a84f17297
syn 3.0.9 sha256:d78c8dee4c7bf0e14673097256fed6142ce9d3b85a408189d07482442145823b
tempfile 3.27.0 sha256:32497e9a4c7b38532efcdebeef879707aa9f794296a4f0244f6f69e9bc8574bd
typenum 1.20.1 sha256:b6f5e870be6c3b371b77fe0ee0bafb859fa4964b4404c27de1d380043c4dda20
unicode-ident 1.0.27 sha256:a2c754d6c33795a1c324727428e5a7dedb5b06195f9890bdbcba760d3e246563
utf8parse 0.2.2 sha256:06abde3611657adf66d383f00b093d7faecc7fa57071cce2578660c9f1010821
version_check 0.9.5 sha256:0b928f33d975fc6ad9f86c8f283853ad26bdd5b10b7f1542aa2fa15e2289105a
wasi 0.11.1+wasi-snapshot-preview1 sha256:ccf3ec651a847eb01de73ccad15eb7d99f80485de043efb2f370cd654f4ea44b
windows-link 0.2.1 sha256:f0805222e57f7521d6a62e36fa9163bc891acd422f971defe97d64e70d0a4fe5
windows-sys 0.61.2 sha256:ae137229bcbd6cdf0f7b80a31df61766145077ddf49416a728b02cb3921ff3fc
zerocopy 0.8.63 sha256:e5fe1f8f1b06191a00962174c61aa5005e0bb391a6d80d07e24d115c01a92ed8
zerocopy-derive 0.8.63 sha256:863ad3ac83293fb4d740aedbfdc9240dd8d1a50c1099acd76ce80ce7c7230c7f
zeroize 1.9.1 sha256:e13084392c5e4bc371903e2935a5eaeed24905a7511356b883835e18a78f6879
zmij 1.0.23 sha256:29666d0abbfad1e3dc4dcf6144730dd3a3ab225bbbdac83319345b1b44ccfc1b

EVIDENCE MANIFEST

Attempt 1 - passed - 2026-10-21 17:51:56 - wall 42.2s
source sha256: c29cc78fa67a8ad57fe6b25c3b42fd29f5d6cfb4d9fcfcf06263ce8e4686811e
env sha256: f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552

Attempt 2 - passed - 2026-10-21 17:54:42 - wall 29.2s
source sha256: 4db442db0b30ff15694e4c46da2b8be04d9c388e312903c3b3b69144543dccdd
env sha256: f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552

Attempt 3 - passed - 2026-10-21 17:55:50 - wall 29.2s
source sha256: bdfbca2b16dfbe856fb4b96879974d70b50882791902d790ae24e85e8e8640b7
env sha256: f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552

Attempt 4 - passed - 2026-10-21 17:57:04 - wall 34.8s
source sha256: 0f803b6e96e7060ae83e7e589cfac7c1eda124872402cc22dcd2ee43df2c0067
env sha256: f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552

Attempt 5 - passed - 2026-10-21 17:59:09 - wall 28.5s
source sha256: 0d0034d14e791fcb13b7db8875d18e7f884f2a4da9c393040ced7f5d2f34178e
env sha256: f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552

Attempt 6 - passed - 2026-10-21 18:00:14 - wall 28.0s
source sha256: 0cb7c13b10d359ba5965e6dc9285a64043fa73a95985c7facde439fecd6b1e86
env sha256: f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552

Attempt 7 - passed - 2026-10-21 18:01:22 - wall 29.4s
source sha256: de6b2e18c7c9cf41b4b6389af49aac4728bb34db020bfe3fa770ceb6b17f6872
env sha256: f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552

Attempt 8 - passed - - wall 27.1s
source sha256: not recorded
env sha256: f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552

VULNERABILITY FINDINGS (VEX)

5046f75b49bcc91e972fe6e37dff89bd730acac66b5c0835cdfea59610c6a9a5 — high

538efbca6ab37d1de7206475fd690628e0d69cbb5b3b1d27719f69b6caaf43f7 — high

The full SBOM, VEX and OSCAL are in the signed JSON report.
JSON report: https://falsegreen.com/report/520d2155-f6c4-43c6-953c-1829b6dd5cc3

INVARIANT CHECKS

(no invariant checks were frozen for this Job)

SECURITY & STANDARDS

Policy	falsegreen-platform
Policy digest	372d3c74758acb113c1bef14b20b08b326a7703dd57d943247de6541743c0fad
Required standards	-
Result	NOT SATISFIED

Evidence class	Required	Status	Reasons
Dependency/SCA	yes	FAIL	vulnerability snapshot is stale (observed 2026-10-21T17:30:12Z, freshness bound 24h); finding 5046f75b49bcc91e972fe6e37dff89bd730acac66b5c0835cdfea59610c6a9a5 severity `high` is frozen-fail (osv/RUSTSEC-2021-0003); finding 538efbca6ab37d1de7206475fd690628e0d69cbb5b3b1d27719f69b6caaf43f7 severity `high` is frozen-fail (osv/GHSA-43w2-9j62-hq99)
Static analysis	yes	PASS	
Secrets	yes	PASS	
Supply chain	yes	PASS	
License policy	yes	PASS	

Attempt security history (the full per-attempt sections are in the signed JSON report):

Attempt	Result	Open findings	Demonstrated violations
#1	NOT SATISFIED	0	-
#2	NOT SATISFIED	0	-
#3	NOT SATISFIED	0	-
#4	NOT SATISFIED	0	-
#5	NOT SATISFIED	0	-
#6	NOT SATISFIED	0	-
#7	NOT SATISFIED	0	-

Finding	Class	Subject	Severity	Rule	State
5046f75b49bcc91e972fe6e37dff89bd730acac66b5c0835cdfea59610c6a9a5	Dependency/SCA	pkg:crates.io/smallvec@1.6.0	high	osv/RUSTSEC-2021-0003	OPEN
538efbca6ab37d1de7206475fd690628e0d69cbb5b3b1d27719f69b6caaf43f7	Dependency/SCA	pkg:crates.io/smallvec@1.6.0	high	osv/GHSA-43w2-9j62-hq99	OPEN
585dc8dd419afdf4e9bf3c874f2701e31d5f3338bc9b4203dc562020a35876ec	Supply chain	pkg:cargo/anstream@1.0.0	-	syft/anstream@1.0.0	OPEN
5812a90517ca8a7be4835875c4821ace43a4835c915372e2902c66fdb38fdc43	Supply chain	pkg:cargo/anstyle@1.0.14	-	syft/anstyle@1.0.14	OPEN
0c2acffbd95840f484ecf5ead5dbf02d3043c8cd99e95cffcecb6dd06aad1689	Supply chain	pkg:cargo/anstyle-parse@1.0.0	-	syft/anstyle-parse@1.0.0	OPEN
38e530b1f35c1f97754741dcb41c150fc5f37b19537d0a862f1cf412d5d5eb77	Supply chain	pkg:cargo/anstyle-query@1.1.5	-	syft/anstyle-query@1.1.5	OPEN

43a7bbf00d060e71d216d2dba5a8507586b4879c8c606cb5701f4721a1340984	Supply chain	pkg:cargo/anstyle-wincon@3.0.11	-	syft/anstyle-wincon@3.0.11	OPEN
b53200027bb397c19303a57035a312ff9896f23494778cfe8417bf3b566802b7	Supply chain	pkg:cargo/base64ct@1.8.3	-	syft/base64ct@1.8.3	OPEN
a27f471935b3ca54a96a87c1168029f17d49df469b5d7fb9768f5be6a479cb5a	Supply chain	pkg:cargo/bitflags@2.13.2	-	syft/bitflags@2.13.2	OPEN
d954449ff474a768cbba77304caa220f9361597bbb1fdcfa4f395dc2ff3ab6a3	Supply chain	pkg:cargo/block-buffer@0.10.4	-	syft/block-buffer@0.10.4	OPEN
298a3dc87ed455182e39269edd7bcb85eb69d2fdfaed33bb248b55ce4ef400bf	Supply chain	pkg:cargo/cfg-if@1.0.5	-	syft/cfg-if@1.0.5	OPEN
c945fdb692b50e54a5707923beed9b74cc8840b872dda759232c54f54faf3e13	Supply chain	pkg:cargo/clap@4.6.7	-	syft/clap@4.6.7	OPEN
4c660220014879503df0995f4e53893f079ed601c9ca4351754a91d944cd5747	Supply chain	pkg:cargo/clap_builder@4.6.7	-	syft/clap_builder@4.6.7	OPEN
8bb04af9d989b5eb357e0b7a5a47760babc2e2e30e6622131f0b704e82099de2	Supply chain	pkg:cargo/clap_derive@4.6.7	-	syft/clap_derive@4.6.7	OPEN
0806d9370588be53df7d7e7b13b4cd97fe96353945c1a2e612f0cb42e6b0a9fa	Supply chain	pkg:cargo/clap_lex@1.1.1	-	syft/clap_lex@1.1.1	OPEN
564bee5e0ca4f5b0b9d5c7f3c80949c2379225cc93896b64d7cf40572e67f707	Supply chain	pkg:cargo/colorchoice@1.0.5	-	syft/colorchoice@1.0.5	OPEN
e67b364fc025909689d2318cd8edbb4eff67f8550970a92413e57be11015fa73	Supply chain	pkg:cargo/const-oid@0.9.6	-	syft/const-oid@0.9.6	OPEN
6d706f34a5c990989290bf9a40545e25199499f4d7896fb17db92c9f5704d9dd	Supply chain	pkg:cargo/cpufeatures@0.2.17	-	syft/cpufeatures@0.2.17	OPEN
145a268fb83cc9efa6d7dbc1f2c7a5bb878887bd309a7a13c70db7c26a3dd4a6	Supply chain	pkg:cargo/crypto-common@0.1.7	-	syft/crypto-common@0.1.7	OPEN
787a89ac66a8ee454e76700ba05fd7449ee2e0a02adba4d5703b4e43a3ad63ee	Supply chain	pkg:cargo/curve25519-dalek@4.1.3	-	syft/curve25519-dalek@4.1.3	OPEN
e363a3158ed2912497701f7a913b490cfd8e21da33cc9bf6cadf72aebdb110e38	Supply chain	pkg:cargo/curve25519-dalek-derive@0.1.1	-	syft/curve25519-dalek-derive@0.1.1	OPEN

5751ef29264c20e19c6275a8edbcb5fe4e9fd09f069d6478509958c3c665a5e5	Supply chain	pkg:cargo/der@0.7.10	-	syft/der@0.7.10	OPEN
abddfb4ca732e056419f5daea9c997464fb39a808c74315e77618f63aad577b5	Supply chain	pkg:cargo/digest@0.10.7	-	syft/digest@0.10.7	OPEN
09b4b23b72b30909f311f514c3047c3b683412752ce0f30b550c35f69175ccb1	Supply chain	pkg:cargo/ed25519@2.2.3	-	syft/ed25519@2.2.3	OPEN
5e9cb7bd671ff507af20938bceec17825515186a8d16aaaebdc53f2962c62f4d	Supply chain	pkg:cargo/ed25519-dalek@2.2.0	-	syft/ed25519-dalek@2.2.0	OPEN
ebfe761a2619776f2942064a3f4868f3e0008f237546af684b50af44dfc3b099	Supply chain	pkg:cargo/errno@0.3.14	-	syft/errno@0.3.14	OPEN
305b6e419555a415bf2c3931f34c2f2a305b322905e7d62a155a394c36a7f9ee	Supply chain		-	syft/falsegreen-ledger@0.1.0	OPEN
037fe54909861dd855fbdb0b49d679ac7e8db1fef9f31cee62b92f74ea406033	Supply chain		-	syft/falsegreen-ledger-core@0.1.0	OPEN
6114365595d08a3bfc7e5d101289c1511fd658287c777c4ec53b73a764a8419f	Supply chain	pkg:cargo/fastrand@2.5.0	-	syft/fastrand@2.5.0	OPEN
8c813dcb9098a7c8941eb1aaffa3513c58020c83e085b04e6767488e300c6c97	Supply chain	pkg:cargo/fiat-crypto@0.2.9	-	syft/fiat-crypto@0.2.9	OPEN
5e9894b399a2c47a307185031536daaee5ded5c707a623024827a381aad89903	Supply chain	pkg:cargo/generic-array@0.14.7	-	syft/generic-array@0.14.7	OPEN
992e1c30dd219f9cf75f520e5d8dbf0588faae5d1a6bc9f2607da898d9f5c847	Supply chain	pkg:cargo/getrandom@0.2.17	-	syft/getrandom@0.2.17	OPEN
11a15cd49953aaee1017644804d1c3f9e5c0f2dece9366168276bff362fc0d24	Supply chain	pkg:cargo/getrandom@0.4.3	-	syft/getrandom@0.4.3	OPEN
c2a49ee05fb8e39068222324fb06d7af16937aff1e9a9ea99a8e17acc514f457	Supply chain	pkg:cargo/heck@0.5.0	-	syft/heck@0.5.0	OPEN
e29ecb67830b5145d857685e3f25db579bbcf432c785c6d223baf8bea97d1a9d	Supply chain	pkg:cargo/hex@0.4.3	-	syft/hex@0.4.3	OPEN
b3d93215b7294d3158ac885a5f44df493b9205f88c1d1b8730891332fd3b7030	Supply chain	pkg:cargo/is_terminal_polyfill@1.70.2	-	syft/is_terminal_polyfill@1.70.2	OPEN

2198026ba7738261a15516b44aed3a688f8b546c317b64b35c08cd6141612cd3	Supply chain	pkg:cargo/itoa@1.0.18	-	syft/itoa@1.0.18	OPEN
61aaeff62260c1d967d95422d89a28bc19dd0e5a930b6c9dfd3f031a4999dd7f	Supply chain	pkg:cargo/libc@0.2.191	-	syft/libc@0.2.191	OPEN
9638a8b320f9ef1e348eb212d7b9b5aff9cff37075971380c717f44f8c144d91	Supply chain	pkg:cargo/linux-raw-sys@0.12.1	-	syft/linux-raw-sys@0.12.1	OPEN
e2d6e087930e3834218a876fdb280683d5efcdaf50ae2eab592e1e22f97d815d	Supply chain	pkg:cargo/memchr@2.8.3	-	syft/memchr@2.8.3	OPEN
06cfdd42abb0c9e4d1075d601a05b33ad12f4e0770c117f758e768a380957b48	Supply chain	pkg:cargo/once_cell@1.21.4	-	syft/once_cell@1.21.4	OPEN
25d8ffe4413b6cf3ccf7a0646d5136789bd33d4b513d6ef17a7f8549d27ff3c4	Supply chain	pkg:cargo/once_cell_polyfill@1.70.2	-	syft/once_cell_polyfill@1.70.2	OPEN
426f5a3c744e86d89a996166238d634b5159d615a2642460863a26de9ebe1afe	Supply chain	pkg:cargo/pkcs8@0.10.2	-	syft/pkcs8@0.10.2	OPEN
c694e303f6d517d79b9440f754fd2092277919227356a55095046c9b6938a128	Supply chain	pkg:cargo/ppv-lite86@0.2.21	-	syft/ppv-lite86@0.2.21	OPEN
83840aaef8208540db5387d039d782fb6638ce97e06bd3f18ce20661ab601f55	Supply chain	pkg:cargo/proc-macro2@1.0.107	-	syft/proc-macro2@1.0.107	OPEN
7ec44be48b990fd8c38cb446e9e2cde3c7a02c7b35c9e4514bf7974c9def81eb	Supply chain	pkg:cargo/quote@1.0.47	-	syft/quote@1.0.47	OPEN
e5bc87872cb19c9a211895bbde8092b0512f0338b0bde534dade96b289166a5b	Supply chain	pkg:cargo/r-efi@6.0.0	-	syft/r-efi@6.0.0	OPEN
f119984d74172df79e8ed614888308c422e4e3e76e09acdd7c7df03156c6ebab	Supply chain	pkg:cargo/rand@0.8.8	-	syft/rand@0.8.8	OPEN
da733f873e8e22258550231003a3cc91d78301c5807ea9c5c6c953bdfc93a386	Supply chain	pkg:cargo/rand_chacha@0.3.1	-	syft/rand_chacha@0.3.1	OPEN
303db3e1caa7ec327fb3d438d968f3ece32234dbb594a8d0ef3addca9bcb61de	Supply chain	pkg:cargo/rand_core@0.6.4	-	syft/rand_core@0.6.4	OPEN
8c2b4d1a270f8c039f231929858e0a81f04e4168eaa9e3884e96d2cf67fa0b9f	Supply chain	pkg:cargo/rustc_version@0.4.1	-	syft/rustc_version@0.4.1	OPEN

94f78cc0a41219cf8bd76e72370c1e3f7a25a1c5d3682c962ebcac51f96e6107	Supply chain	pkg:cargo/rustix@1.1.5	-	syft/rustix@1.1.5	OPEN
9e26a95ae3dfd058f160efaaad125c58e9e4df33de1cd9e89f238a5af96e1d8d	Supply chain	pkg:cargo/semver@1.0.28	-	syft/semver@1.0.28	OPEN
6b250dfbe70ae2dd0686b791c854ea29d60fcced5847ef1097b33776640b726b	Supply chain	pkg:cargo/serde@1.0.229	-	syft/serde@1.0.229	OPEN
0907c849ff021995b320333d903013c3e35609e44fdd439d0185cdd6b2b42b33	Supply chain	pkg:cargo/serde_core@1.0.229	-	syft/serde_core@1.0.229	OPEN
eea06b68ab5dfabe29545176a15ca67d241e54bcf1a54c735e99406c378c3b0d	Supply chain	pkg:cargo/serde_derive@1.0.229	-	syft/serde_derive@1.0.229	OPEN
567f9a6ec6dd74ea27cceeecd20cc8f83ec2bad60cb4992da15e71fa478e3c8b	Supply chain	pkg:cargo/serde_json@1.0.154	-	syft/serde_json@1.0.154	OPEN
1dc35a3d9010bd6a84e1fe0d75e39d2f1507e7d761fba360a6a011b297aff75b	Supply chain	pkg:cargo/sha2@0.10.9	-	syft/sha2@0.10.9	OPEN
039783866d8dc87a18a205702b098ce8341f6e3032a121b65f5888dbc79dbf86	Supply chain	pkg:cargo/signature@2.2.0	-	syft/signature@2.2.0	OPEN
64738dd926f6eb4044f0de2fde1b326703bbc228579b56e08373f9fb8b6936c3	Supply chain	pkg:cargo/smallvec@1.6.0	-	syft/smallvec@1.6.0	OPEN
b1b266ef80a1dcba71b6ea153bd32e5b3d9e89c33461e3638c6b56ecea92fde9	Supply chain	pkg:cargo/spki@0.7.3	-	syft/spki@0.7.3	OPEN
a2d0f5f6f8ebcca0da8bbf2c323fb2013afa905a47a570b6c73442bc9a5b8620	Supply chain	pkg:cargo/strsim@0.11.1	-	syft/strsim@0.11.1	OPEN
6ef75c868a28b31d2d9bdd28764b8c3e232fbcdb70190659f0ecebb57c8e2a3e	Supply chain	pkg:cargo/subtle@2.6.1	-	syft/subtle@2.6.1	OPEN
172012ad51c91dc3a2e8a3a4c30026893420917739d047e5dc8918d5af26e93e	Supply chain	pkg:cargo/syn@2.0.119	-	syft/syn@2.0.119	OPEN
4cf5b83b5e47207b200be1c28233d037d4896752b572d0edb52975dc429e0b1c	Supply chain	pkg:cargo/syn@3.0.9	-	syft/syn@3.0.9	OPEN
96826fe9035d6551629c4e2a5e7d6f2df945796fac5128adf613901f231612ce	Supply chain	pkg:cargo/tempfile@3.27.0	-	syft/tempfile@3.27.0	OPEN

4cabb90893a6e4935 8a09f507c1134173b 15a041a74b54cf9d4 c1d93ce6d2e82	Supply chain	pkg:cargo/typenum @1.20.1	-	syft/typenum@1. 20.1	OPEN
cdf512d7b7b4b6aad 7b87252ee1d8aa13d eced196dc20e86af4 c693914775db0	Supply chain	pkg:cargo/unicode -ident@1.0.27	-	syft/unicode-id ent@1.0.27	OPEN
493be846b106eef37 41941ff4fbf118d15 6cd42bcbf90ef0820 faff50ed6aeb4	Supply chain	pkg:cargo/utf8par se@0.2.2	-	syft/utf8parse@ 0.2.2	OPEN
4113c0d164e406e38 97d48a025ec03de35 91018065c023d609a a9a1a24a8535e	Supply chain	pkg:cargo/version _check@0.9.5	-	syft/version_ch eck@0.9.5	OPEN
2908eeb04b59a653d 934e0cdb89832021b faa96dec7ff3dafcf fbf192d06ba0b	Supply chain	pkg:cargo/wasi@0. 11.1%2Bwasi-snaps hot-preview1	-	syft/wasi@0.11. 1+wasi-snapshot -preview1	OPEN
6e216a5e2b506734f 75006b2f0a084aa65 5272534631ff3e365 dae942872f46e	Supply chain	pkg:cargo/windows -link@0.2.1	-	syft/windows-li nk@0.2.1	OPEN
9077dd0b2b86b914f 0b095c8d6bcc18916 7ee95b7021993b570 88bd5e25c724f	Supply chain	pkg:cargo/windows -sys@0.61.2	-	syft/windows-sy s@0.61.2	OPEN
e88bf689d1aa0a4bc dfaefe867dd26346d f4be90d067004b93b 7d73fb75cfe38	Supply chain	pkg:cargo/zerocop y@0.8.63	-	syft/zerocopy@0 .8.63	OPEN
2f618422a7648ae74 d807312d3a397d16e ef2a47e85b7a412fe 58ff50268a109	Supply chain	pkg:cargo/zerocop y-derive@0.8.63	-	syft/zerocopy-d erive@0.8.63	OPEN
3cfb926e0c9258ea2 7f8d32a2de899d498 b245fbd099dff9cbf 872a3d9832914	Supply chain	pkg:cargo/zeroize @1.9.1	-	syft/zeroize@1. 9.1	OPEN
57cc8ce7a77d7b267 625f03e149331e422 afd6e028ace34137f e11514f19b0e4	Supply chain	pkg:cargo/zmij@1. 0.23	-	syft/zmij@1.0.2 3	OPEN
3cb3f72855ec8da34 228f8a8b8b49d110c 5f6296126a0396e38 4b78dff93858b	License policy	pkg:cargo/anstrea m@1.0.0	-	license/MIT OR Apache-2.0	OPEN
105d7e1b0ce045f5e aecf4886b2a3a53f1 1740059022390aeed 0641349be6370	License policy	pkg:cargo/anstyle @1.0.14	-	license/MIT OR Apache-2.0	OPEN
6a1bdd16582f18fdb 1fa91303573db6370 cbc6c6791e13662c5 19f3bf67e2b58	License policy	pkg:cargo/anstyle -parse@1.0.0	-	license/MIT OR Apache-2.0	OPEN
c32d140352b51004c c522860ec69e78b16 48a34309a6a9be6f3 bcdf6b34c3ea8	License policy	pkg:cargo/anstyle -query@1.1.5	-	license/MIT OR Apache-2.0	OPEN

4e5f3b8af12d986d540eb760ff9cd8b6855eaad28f2aad327cfb27528eddab32	License policy	pkg:cargo/anstyle-wincon@3.0.11	-	license/MIT OR Apache-2.0	OPEN
d87de0e2410e4ce9c1b03a1c509b3ddf5960b0936f81d4647ba1c5d6d89fc86b	License policy	pkg:cargo/base64ct@1.8.3	-	license/Apache-2.0 OR MIT	OPEN
0ae447b9c774db7ecc15622af01746eae86cf6f47a4192ff75afdbb184bd4f0d	License policy	pkg:cargo/bitflags@2.13.2	-	license/MIT OR Apache-2.0	OPEN
88f6dcc043cb942462a57d4e8de3f5e67de6a2bcfe84ec10f2977e7df83f3f70	License policy	pkg:cargo/block-buffer@0.10.4	-	license/MIT OR Apache-2.0	OPEN
6dc467fded10560a16e1a85aae690fdd4d560ab3a7854ff858b0790cbced7ab2	License policy	pkg:cargo/cfg-if@1.0.5	-	license/MIT OR Apache-2.0	OPEN
d62527e65bfebf56c615db5a8b57a52ebb14d9d01d5737b36026ffcd385e020f	License policy	pkg:cargo/clap@4.6.7	-	license/MIT OR Apache-2.0	OPEN
50222236 58ce227834152beda2f8039c2f620048d573cdfafca1df7435cd10a4	License policy	pkg:cargo/clap_builder@4.6.7	-	license/MIT OR Apache-2.0	OPEN
b4acb80d59203342fec461529a44fbdf49e70bc6ca659f541896faa542ea43c5	License policy	pkg:cargo/clap_derive@4.6.7	-	license/MIT OR Apache-2.0	OPEN
f18f5e7c89578e9678c5c7348530bcd16566d209feb0453558bd4177a56e4519	License policy	pkg:cargo/clap_lex@1.1.1	-	license/MIT OR Apache-2.0	OPEN
3aa7445371bcced37f805b8b93e9c78dc9638f3ebccedb2087fd6a4bf369b408	License policy	pkg:cargo/colorchoice@1.0.5	-	license/MIT OR Apache-2.0	OPEN
e23a545bde38131ecd1958e9a627d1c94d4e1e13ac04f45d6d19ea0ba3ffa3d6	License policy	pkg:cargo/const-oid@0.9.6	-	license/Apache-2.0 OR MIT	OPEN
524744fd861891b779e920a35054e452215c00ca7ad2ecd0c314ce8176be8972	License policy	pkg:cargo/cpufeatures@0.2.17	-	license/MIT OR Apache-2.0	OPEN
7f21367b3adac10c420edf92206d55530b768dbb37f26d97ab71624f4897a4ef	License policy	pkg:cargo/crypto-common@0.1.7	-	license/MIT OR Apache-2.0	OPEN
fe2c38830f0c36aa5c2b7e92c8ce6e5f5ffce3359ea8c601e5c38043e1bdf8a2	License policy	pkg:cargo/curve25519-dalek@4.1.3	-	license/BSD-3-Clause	OPEN
22e858ebe1e0cd3085665c0b1ddb0258c163e74d25bd86359b4b5f2a6c9ac9a4	License policy	pkg:cargo/curve25519-dalek-derive@0.1.1	-	license/MIT/Apache-2.0	OPEN

1d544f0845dcc666855e99dd2b294924d14fc9a59ee95d04ab545ef5a456563a	License policy	pkg:cargo/der@0.7.10	-	license/Apache-2.0 OR MIT	OPEN
52412f24e374c82ecd63af7620df4b525ebf66faccde3420a82407886bd0c284	License policy	pkg:cargo/digest@0.10.7	-	license/MIT OR Apache-2.0	OPEN
ae41ba9e474899a525f07dedebf70d5b4d90f42b867dade39a918ff0dc56cdbd	License policy	pkg:cargo/ed25519@2.2.3	-	license/Apache-2.0 OR MIT	OPEN
bfba5b2b48789d0999e04341c49eb12720a3312e6c03ae463dc733e6fbb7f47a	License policy	pkg:cargo/ed25519-dalek@2.2.0	-	license/BSD-3-Clause	OPEN
3e1257c111ee0929dbe8413202dd62d02da5e23805b3c7b82ee7db2e60e2e5bf	License policy	pkg:cargo/errno@0.3.14	-	license/MIT OR Apache-2.0	OPEN
413b301a14873d3fa09cfbeb904a1753aff90083f7faf45c9fa10ae41e514c95	License policy	pkg:cargo/fastrand@2.5.0	-	license/Apache-2.0 OR MIT	OPEN
ca89f09616c15bc6e6aac2d3d9a826d665ed042c69fe8093e11ca0e11215fa88	License policy	pkg:cargo/fiat-crypto@0.2.9	-	license/MIT OR Apache-2.0 OR BSD-1-Clause	OPEN
b56a6ad063aa5b2a36eb7f5ca9f3d6a67d4edee01d6b1bf01994bd1049382aa1	License policy	pkg:cargo/generic-array@0.14.7	-	license/MIT	OPEN
a2e087ff1e664313a70e2e8ce7eed24cea66820e3750c483ddf3f4d1e254d8bf	License policy	pkg:cargo/getrandom@0.2.17	-	license/MIT OR Apache-2.0	OPEN
e8a05789f8c7ca2d56115d6721959efab7dee18603092589b99cc0603b4e4931	License policy	pkg:cargo/getrandom@0.4.3	-	license/MIT OR Apache-2.0	OPEN
a045045ab5f79bbc6d89c842641627a66ef7838cf2c4a6956b7cdb1c8adcce1f	License policy	pkg:cargo/heck@0.5.0	-	license/MIT OR Apache-2.0	OPEN
2bfc1148428c407eb319a7e6c10fde0605121ffa1716eaa1db0ddd9d8aad5e7b	License policy	pkg:cargo/hex@0.4.3	-	license/MIT OR Apache-2.0	OPEN
1607bce4d21887f6c3c6cd523cd4781bb966af2914910df1bf0813f5ca357718	License policy	pkg:cargo/is_terminal_polyfill@1.70.2	-	license/MIT OR Apache-2.0	OPEN
44e4a8a96ba5fffac1618980329c98bbaae8b6acc5365659a688553c4c36f5cd	License policy	pkg:cargo/itoa@1.0.18	-	license/MIT OR Apache-2.0	OPEN
90ce55778cfac3e0f098de0b24f5e2e035d65d0b28f7c09647bf2a433f0ced65	License policy	pkg:cargo/libc@0.2.191	-	license/MIT OR Apache-2.0	OPEN

92fa2f521dd2cabdf45f3ba7d0efa52f4d91674015be492d2f7fd994d1843c9b	License policy	pkg:cargo/linux-raw-sys@0.12.1	-	license/Apache-2.0 WITH LLVM-exception OR Apache-2.0 OR MIT	OPEN
71154f949e7c2014f20dbe7d654741451e3def11140bc8612e413c799d1d8c28	License policy	pkg:cargo/memchr@2.8.3	-	license/Unlicense OR MIT	OPEN
72d443496cd2f5431e7f4347680d3790fed414966236ac9d635539cddfc310d7	License policy	pkg:cargo/once_cell@1.21.4	-	license/MIT OR Apache-2.0	OPEN
d0ca8c614318f904a95eef3273640692f921fbea88f4681b46a944098a7f4767	License policy	pkg:cargo/once_cell_polyfill@1.70.2	-	license/MIT OR Apache-2.0	OPEN
33502fd83559ad67d44c080bde985d7528478ab1397cfd11a8218d36537c4e31	License policy	pkg:cargo/pkcs8@0.10.2	-	license/Apache-2.0 OR MIT	OPEN
f36a59e9dbd1511f0ef2b47db501e35a66e0dd081a18f992255f811a35b17415	License policy	pkg:cargo/ppv-lite86@0.2.21	-	license/MIT OR Apache-2.0	OPEN
875825c505903cfb9b602a23e74f0edf7eb1621583ed9e583c410103af3d402d	License policy	pkg:cargo/proc-macro2@1.0.107	-	license/MIT OR Apache-2.0	OPEN
d94338e54aeaf7fdb9048fc5ec3defa5504f99aab2210cec5156b23ac309f0fd	License policy	pkg:cargo/quote@1.0.47	-	license/MIT OR Apache-2.0	OPEN
73c9c8606efa4200ec16f7e1121489b31dba86fe5c2093dd9907af8d742ee0d3	License policy	pkg:cargo/r-efi@6.0.0	-	license/MIT OR Apache-2.0 OR LGPL-2.1-or-later	OPEN
583bffa666173cd89ec5435a820a182f195e80ec3430f14ae356e22996f0c604	License policy	pkg:cargo/rand@0.8.8	-	license/MIT OR Apache-2.0	OPEN
c25b8b5f19fbb27189204b7c69f7d0bb55b519b678667bf698371f8884cc9037	License policy	pkg:cargo/rand_chacha@0.3.1	-	license/MIT OR Apache-2.0	OPEN
9b2b8375abad347b471c42d1cf7a4c0535119bbe425e5485aad498ec17f767c4	License policy	pkg:cargo/rand_core@0.6.4	-	license/MIT OR Apache-2.0	OPEN
175e264aed60c77f52af0e9e671e8ac55bec5e6e45abdc84a5ebcb3ec8228a32	License policy	pkg:cargo/rustc_version@0.4.1	-	license/MIT OR Apache-2.0	OPEN
0af9738feb17c972c978f5fb2a9d015e97b728ba66aa088f9c16113be8df3a91	License policy	pkg:cargo/rustix@1.1.5	-	license/Apache-2.0 WITH LLVM-exception OR Apache-2.0 OR MIT	OPEN
2dba13d7eff3023b8735741b2cebfcf48401ab80634cc83fa074d62e0029c6e5	License policy	pkg:cargo/semver@1.0.28	-	license/MIT OR Apache-2.0	OPEN

b7f56764e7744f74cad3387a716a5246077d8c6e9f0089883df0dbb8288aeb5d	License policy	pkg:cargo/serde@1.0.229	-	license/MIT OR Apache-2.0	OPEN
881652ce03c9fbb009ba2d5e92cacd9454e5366d43e3712ab99c1a0bb52cb0c8	License policy	pkg:cargo/serde_core@1.0.229	-	license/MIT OR Apache-2.0	OPEN
7d3cf8ea302039c6b559c6537f587340c694b5e20193dbc5bcb157a006d26b8a	License policy	pkg:cargo/serde_derive@1.0.229	-	license/MIT OR Apache-2.0	OPEN
da48400504894d432651db8f2dc88973bc202459db2f7d825ad79be718e1475d	License policy	pkg:cargo/serde_json@1.0.154	-	license/MIT OR Apache-2.0	OPEN
4e1769b1e32b9db38c1c88b395bbb79d75dbc84ccebcd482bc8e372323612ea5	License policy	pkg:cargo/sha2@0.10.9	-	license/MIT OR Apache-2.0	OPEN
7d786c3589077e405f9f6eefb654a291c2151ab077bdf2fd98c88ca1872cb009	License policy	pkg:cargo/signature@2.2.0	-	license/Apache-2.0 OR MIT	OPEN
137f488cae7954a76b606a56914e8a17efe4b31f2b08ac1e0f518150c86ca603	License policy	pkg:cargo/smallvec@1.6.0	-	license/MIT/Apache-2.0	OPEN
2da68b323dc569bcbc497ed8b2cfb0120654e76776cf3c35f8d3e950f5747bc0	License policy	pkg:cargo/spki@0.7.3	-	license/Apache-2.0 OR MIT	OPEN
190387b967c5696b7e77e95e77baff38bd4c4cf266e724c09cc8cc70dc665da5	License policy	pkg:cargo/strsim@0.11.1	-	license/MIT	OPEN
f09ee24c509b49380459f50c80591806cd7c73ad6c6c2dc99229670041fee674	License policy	pkg:cargo/subtle@2.6.1	-	license/BSD-3-Clause	OPEN
88cca70db371b2eb5db003aa26dca694e18d04d14f10fea6bb7b77c9d8a5915c	License policy	pkg:cargo/syn@2.0.119	-	license/MIT OR Apache-2.0	OPEN
15bedfcd4863b93f38b7d0bc2bd56e41531843d5c2953974ebb947a686aebc48	License policy	pkg:cargo/syn@3.0.9	-	license/MIT OR Apache-2.0	OPEN
1c2df16adcb1e41856c04a70f745f44ed8efe15e1f2423e4d6a024902014f96c	License policy	pkg:cargo/tempfile@3.27.0	-	license/MIT OR Apache-2.0	OPEN
7ce501395a51a046ddd2de234813e8610fecb37a279dd7581b6a230876216f09	License policy	pkg:cargo/typenum@1.20.1	-	license/MIT OR Apache-2.0	OPEN
10ebd1e19e81d1b55e547bcf583a4da0d086d5d47b86817360bc2d6fa1daecc8	License policy	pkg:cargo/unicode-ident@1.0.27	-	license/(MIT OR Apache-2.0) AND Unicode-3.0	OPEN

2a48ac251537ab5616cb3a1c8b7c09ed5253e442bcb585a6a812cc2e12df9a99	License policy	pkg:cargo/utf8parse@0.2.2	-	license/Apache-2.0 OR MIT	OPEN
a178fed10f746a25a38e1a123cff01f7148bdfc82f2d75d55aa653a382c86dcb	License policy	pkg:cargo/version_check@0.9.5	-	license/MIT/Apache-2.0	OPEN
b505efbcbc2188a627d169bdbdc34901dec4f22b50255975c9c07961ddf3391d	License policy	pkg:cargo/wasi@0.11.1+wasi-snapshot-preview1	-	license/Apache-2.0 WITH LLVM-exception OR Apache-2.0 OR MIT	OPEN
7cc0ff2a3a61ff414a371dabeaef2dfd080dc6981383f0d056f5807f9f7f7716	License policy	pkg:cargo/windows-link@0.2.1	-	license/MIT OR Apache-2.0	OPEN
88f3e265d85daf89a5f53123d8cb24aa877f866f5a9e0798e3fcbfba44e07401	License policy	pkg:cargo/windows-sys@0.61.2	-	license/MIT OR Apache-2.0	OPEN
ccde7aa1c7e4a197172dbdd8d438652d4e46433fa65f363abd51fd3f4d5e042a	License policy	pkg:cargo/zerocopy@0.8.63	-	license/BSD-2-Clause OR Apache-2.0 OR MIT	OPEN
155008951dcca3c42ca968720dec1ba279f3836ef1c6921e7384a41ced42b7fb	License policy	pkg:cargo/zerocopy-derive@0.8.63	-	license/BSD-2-Clause OR Apache-2.0 OR MIT	OPEN
44f17f90be8e27066147ced08a81acf0709bf297e99ffb794be4f91f07a37819	License policy	pkg:cargo/zeroize@1.9.1	-	license/Apache-2.0 OR MIT	OPEN
9c06bc92074e46c9fad575585278ef5b558d6f9e86471f5f1afb991819aab2c7	License policy	pkg:cargo/zmij@1.0.23	-	license/MIT	OPEN

`osv-scanner 2.7.0 [Dependency/SCA] invocation sha256:ccd91f56f4900e7561b4ac09ffcd8f32a89fd4ee9a01d47d046ffe8a44d6b13d f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552`

`semgrep 1.181.0 [Static analysis] invocation sha256:f3dfe0ed2197c2c55812c31eb6a20c881e8fc0e28e8e6fdc69e149337e14a88f f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552`

`gitleaks 8.30.1 [Secrets] invocation sha256:497dd2010d6a321cfa4645d9c366e8d2e8bc923e320c1bed1834e7c3ec0c54e5 f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552`

`syft 1.54.1 [Supply chain] invocation sha256:22eee92de7a91a923a00982dc2fa798362f2df94202d1750cdc71125a0dddb5c f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552`

`dependency-manifest 1 [License policy] invocation sha256:41dd72d0f0c625cedddffd7035ef794b142f250ac3553faa884b254c6bb66b42 f94232bb359ccba42a8dbf82c6ce4ee702015af403e42ac2920c636e91ab6552`

(no standards were mapped for this Job)

EXPORTS

Full content is embedded in the signed JSON report (schema v6).

`spdx-3.0 sha256:8a2aee4b5534a3abdc1efa927770ba0fff6c35594aa328c5b23c2300ef40c169 report-artifact:sbom:spdx-3.0`

`cyclonedx-1.7 sha256:e9f8f5f0695dfee26e0e3d9058c8650350732d7a982c3ef7200f6590aa591629 report-artifact:sbom:cyclonedx-1.7`

`oscal-assessment-results-1.1.2 sha256:38599f99e2e14f1705540bb767dee006f5ef5429ff72d8782fce0113bfd94a08 report-artifact:oscal:assessment-results`

`cyclonedx-1.7-vex sha256:e6bb4cb187a9bf29c17a65d160533b072e2d4e1de20d94466478b9b1120a5bee report-artifact:vex:cyclonedx-1.7-vex`

SIGNATURE

This report is cryptographically signed: Ed25519 over the canonical report content.
The public key is embedded in the report - verification is offline and
registry-free (falsegreen verify-report).


```
key id: fg-report-9fc1a2c5-134c-4ca1-a0f2-56b2d1bcde67-20261018-1
ed25519 public key: ie4eQdY1lt7O5aCCQzO+/192Yzc4pLQsGyVNqSKtlmA=
ed25519 signature: ILWYZ374P0raIvmCvo3hY9ImZ1gTK5LSq2+O3+O5i5v89MDYZUKFfzwjrSFQrGkG9Sz22SFO08gTYe1As
0FTBA==
digest: 3d1e96d85b3782635788c090ca8e226c035b364f9f45d4f87707a998da0390f2
```


This is a presentation of the signed canonical evidence (the JSON artifact). It is not an
audit certificate. - FalseGreen v0.13.0