VERIFICATION - SIGNED EVIDENCE

FalseGreen Verification Report

ACCEPTED

All required criteria passed for the exact source tree built and verified by FalseGree
n.

This does not prove universal correctness. Assurance is limited to the explicit formal properties, assumptions, models, summaries, and scope recorded in this report.

Job	`7e1c9441-70ad-4bef-b906-224fccd4bd0d`
Language	`rust`
Source tree	`5b632f62b9dc40cb6017d79b7de8f26c64da44774205a840f5f836a4d53d76b7`
Contract SHA-256	`d26096cf05dd45302f918681df1b1a86c336509080cc6410484f4b249b45cded`
Criteria SHA-256	`355294746657d2985d541b3596b3f835f85af67bba2f87b8a0133c66f700fb19`
Criteria	`2 / 2 PASSED`
Attempts	`1`
Duration	`1m 4s`
Verifier environment	`rust - rustc 1.99.0 (rustc) (1.99.0)`
Schema	`v9`
Signed	`2026-10-23 06:43:37 UTC`

`Canonical report digest: d747da284becc5c2c05c80528840ca7f53fffc1882db5d2eb019262fbc405d11`
`HMAC-SHA256 signature: a49904e25b78fa7e3337cc880978a42b0a0511cf52424f34f2d5690e44872be6`

CONTRACT (FROZEN)

Language	rust
Wall budget	3600s

Criterion	Title	Required	Result	Duration
smoke_build	The package builds offline	yes	PASS	4.8s
test_suite	The unit test suite passes	yes	PASS	0.2s

Invariants	2 declared
accumulator-and-countdown-proved	rung-l0, rung-l2, acc-l2
accumulator-and-countdown-model-checked	rung-l0, rung-l1, acc-l1-bounded

PLAN (FROZEN)

Objective	Prove on production that the 0.13.0 proof ladder is live in ONE Job: the same claim is carried by three machine rungs (L0 executable check, L1 bounded model checking via Kani, L2 unbounded proof via Creusot/Why3) inside one attempt, the Job is accepted, and the signed report keeps the three decisions apart and bound to the same source tree, with the bounded rung labelled bounded.
Plan digest	4073d832f1daa7ecb163e62fff775550a299cdd5701fae3fa2c1ba9b34cdd543
Work items	3

Work item	Outcome	Depends on	Omission risk
rung-l0	Both invariants carry a frozen executable check and both run every attempt; the report carries an L0 row per invariant.	-	the L0 floor being reported as if it proved the sentence rather than the encoding
rung-l1	The Kani rung runs kani-driver on proofs/ladder_kani.rs in the job container and returns PROVEN within the harness's own unwind bound, recorded as bounded.	rung-l0	a bounded proven being read as a proof for all inputs
rung-l2	The Creusot rung discharges both goals for loop_add and countdown with no trusted item, so the claim holds for ALL inputs and not merely up to a bound.	rung-l0	a model axiom or trusted item quietly standing in for the proof

Scope	Condition	Evidence
rung-l0	Both check argvs exit 0 and print the expected summary line; an invariant without a check is refused BAD_CONTRACT before anything is published.	behavioral-test
rung-l1	The signed report carries an L1 row naming the kani rung with a bounded proven decision; a missing harness is UNAVAILABLE and must not yield accepted.	behavioral-test
rung-l1	The bounded decision is labelled bounded wherever it is presented, so a reader cannot mistake it for the unbounded claim.	inspection
rung-l2	The L2 row records proven with 2/2 goals and an empty trust set; an undecided or unavailable L2 must never yield accepted (DP-13.3).	proof

overall	The Job reaches accepted on attempt 1 and the signed report carries the three rungs as distinct rows (L0 twice, L1 proven-bounded, L2 proven with 2/2 goals and no model axiom), each naming its rung; exactly one entitlement is spent at the terminal verdict; the report verifies locally with its embedded Ed25519 key.	proof
overall	The workspace publishes and verifies with no host-side source store and no network: the shim streams the snapshot over HTTPS, the job builds --offline, and creusot-std resolves from the image's primed cache.	build

ENVIRONMENT

Ecosystem	rust
Toolchain	rustc 1.99.0 (rustc)
Version	1.99.0
Fingerprint	930a99e164d11524e508f5f1ac053af4c75c2f8ec130f5c77eba60955292ca8f

bumpalo 3.20.3 sha256:72f5acc6cb2ba439de613abc23857ec3d78374d8ed5ac84e9d11336e87da8649
cfg-if 1.0.5 sha256:4e7648175b45a9a48536d676f68d918270699102aa8dab5496df06904c914600
creusot-std 0.14.0 sha256:b019630da7e585ab18eff475d7ea820474c3fc0cd05a57706facf37f67ab2705
creusot-std-proc 0.14.0 sha256:5a21564d3da8f97ce00e03125d0c3f7c9faedfa68e5d182d88beb25c82c12d25
futures-core 0.3.34 sha256:92d699e522242e69e3003b94ecc1f960f3a5e015aa7c5d7486e65ad01dd94f5e
futures-task 0.3.34 sha256:cd417de3d1d015fc3bfd2b1ea46dfc7bab72ef86f1cc7cc9c78e728b34a6d1fd
futures-util 0.3.34 sha256:0d50a92467f8ba5dd6e3ee5d4bd04d73ab2e4e1c44474a0674821dfce14b79bc
getrandom 0.4.3 sha256:300e883d756b2e4ec94e02791f39b04b522276138852cfc41d9fb7e904106099
js-sys 0.3.106 sha256:7883d941dae510fb2d978fc3fe018c71c9e2892fd38854de3e8b92c2e5ad9cc5
libc 0.2.191 sha256:65cd87c9a6d60536580b316ad985726104730a5151c99845f2490428ef91240a
once_cell 1.21.4 sha256:9f7c3e4beb33f85d45ae3e3a1792185706c8e16d043238c593331cc7cd313b50
pearlite-syn 0.14.0 sha256:e0cada22bee420c97f91bd98f0e1effdd6ef5ab219df0561f35144dcb504ebfd
pin-project-lite 0.2.17 sha256:a89322df9ebe1c1578d689c92318e070967d1042b512afbe49518723f4e6d5cd
proc-macro2 1.0.107 sha256:985e7ec9bb745e6ce6535b544d84d6cd6f7ad8bd711c398938ae983b91a766d9
quote 1.0.47 sha256:1fbf4db142a473a8d80c26bbf18454ed458bf8d26c8219c331daecfdbd079001
r-efi 6.0.0 sha256:f8dcc9c7d52a811697d2151c701e0d08956f92b0e24136cf4cf27b57a6a0d9bf
rustversion 1.0.23 sha256:cf54715a573b99ac80df0bc206da022bcd442c974952c7b9720069370852e21f
slab 0.4.12 sha256:0c790de23124f9ab44544d7ac05d60440adc586479ce501c1d6d7da3cd8c9cf5
syn 2.0.119 sha256:872831b642d1a07999a962a351ed35b955ea2cfc8f3862091e2a240a84f17297
syn 3.0.9 sha256:d78c8dee4c7bf0e14673097256fed6142ce9d3b85a408189d07482442145823b
unicode-ident 1.0.27 sha256:a2c754d6c33795a1c324727428e5a7dedb5b06195f9890bdbcba760d3e246563
uuid 1.28.0 sha256:7cc1186384beb7dd8eedea376413fd654937285ea6c9cfbb928dc3043ea4b606
wasm-bindgen 0.2.129 sha256:9bb54f33acc68fd454578d9820b0bde1a1a3d17aa17bb7b6595806d02886d409
wasm-bindgen-macro 0.2.129 sha256:2e29d0c35b16e224a7eeb5cd2d25e3e1968fbd65604117b44d3b789d00ee8535
wasm-bindgen-macro-support 0.2.129 sha256:6f501a8bc3719dba86ef8ae4728879c08001bea749eb1333ac5b91e040e2a6b7
wasm-bindgen-shared 0.2.129 sha256:23f0c9c52aa7cd7d77769a4cfe2a9adb1b331f489a41d912ce14513d5ab995c6

EVIDENCE MANIFEST

Attempt 1 - passed - 2026-10-23 06:43:37 - wall 1m 4s

source sha256: 5b632f62b9dc40cb6017d79b7de8f26c64da44774205a840f5f836a4d53d76b7
env sha256: 97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9

VULNERABILITY FINDINGS (VEX)

No vulnerability findings.

The full SBOM, VEX and OSCAL are in the signed JSON report.

JSON report: https://falsegreen.com/report/7e1c9441-70ad-4bef-b906-224fccd4bd0d

INVARIANT CHECKS

Invariant checks - which rung of the proof ladder decided each frozen claim (a bounded rung is labelled as one); the full per-attempt rov

Attempt	Invariant	Claim	Rung	Result
#1	accumulator-and-countdown-proved	For every input: loop_add returns exactly its bound, and countdown never overshoots its argument (L0 floor + L2 unbounded proof)	check	PROVEN
#1	accumulator-and-countdown-model-checked	The same claim over the same functions, encoded for bounded model checking (L0 floor + L1 Kani)	check	PROVEN
#1	accumulator-and-countdown-model-checked	The same claim over the same functions, encoded for bounded model checking (L0 floor + L1 Kani)	kani (bounded)	PROVEN
#1	accumulator-and-countdown-proved	For every input: loop_add returns exactly its bound, and countdown never overshoots its argument (L0 floor + L2 unbounded proof)	creusot	PROVEN 4 / 4

SECURITY & STANDARDS

Policy	smoke-policy
Policy digest	2a4f12221d0d7cc49b043bece3a66bbb7ac8d241789d2bf8e62185e61c8c8631
Required standards	nist-ssdf, owasp-samm
Result	SATISFIED

Evidence class	Required	Status	Reasons
Dependency/SCA	yes	PASS	
Static analysis	yes	PASS	
Secrets	yes	PASS	
Supply chain	yes	PASS	
License policy	yes	PASS	

Attempt security history (the full per-attempt sections are in the signed JSON report):

Attempt	Result	Open findings	Demonstrated violations
#1	SATISFIED	0	-

Finding	Class	Subject	Severity	Rule	State
7c7783daff6a7d155286cca0cff6d6680da913d25c6b2f9b8cbaa7796870b15c	Supply chain	pkg:cargo/bumpalo@3.20.3	-	syft/bumpalo@3.20.3	OPEN
298a3dc87ed455182e39269edd7bcb85eb69d2fdfaed33bb248b55ce4ef400bf	Supply chain	pkg:cargo/cfg-if@1.0.5	-	syft/cfg-if@1.0.5	OPEN
a289092557745e0eefda7242068cc669dc6c675bbd343c368809ac5ba3b7b585	Supply chain	pkg:cargo/creusot-std@0.14.0	-	syft/creusot-std@0.14.0	OPEN
bd757a2946d6e2f74809027c535554d69bb14965a21b50d1296dd4269251ca4f	Supply chain	pkg:cargo/creusot-std-proc@0.14.0	-	syft/creusot-std-proc@0.14.0	OPEN

476954817da44f19713c85a7f20edf24ebe14e973b2dd69ba13f6555d75a3094	Supply chain	pkg:cargo/futures-core@0.3.34	-	syft/futures-core@0.3.34	OPEN
fee6978da35e4f5c6b8d96529cb65dee180d4cb7666707e503d34f0cfc05ef9a	Supply chain	pkg:cargo/futures-task@0.3.34	-	syft/futures-task@0.3.34	OPEN
d13989ae04350bcd91aced9f34a985abfd8185befd3143d4606db9aa484286f2	Supply chain	pkg:cargo/futures-util@0.3.34	-	syft/futures-util@0.3.34	OPEN
11a15cd49953aaee1017644804d1c3f9e5c0f2dece9366168276bff362fc0d24	Supply chain	pkg:cargo/getrandom@0.4.3	-	syft/getrandom@0.4.3	OPEN
77600897c032e28e90244d67c57a80b30db75d51812cb1dbcaa25d4c6fdee41c	Supply chain	pkg:cargo/js-sys@0.3.106	-	syft/js-sys@0.3.106	OPEN
dcd3bb126c93a10db5529e8055e4a5ec5b63c247728b17580a3a061ae4fb457b	Supply chain		-	syft/ledger@0.1.0	OPEN
61aaeff62260c1d967d95422d89a28bc19dd0e5a930b6c9dfd3f031a4999dd7f	Supply chain	pkg:cargo/libc@0.2.191	-	syft/libc@0.2.191	OPEN
06cfdd42abb0c9e4d1075d601a05b33ad12f4e0770c117f758e768a380957b48	Supply chain	pkg:cargo/once_cell@1.21.4	-	syft/once_cell@1.21.4	OPEN
b8d773cef58aeb5fe067d9ae18794bd0971d08dd6c7d6d4b53712c6f778cdd08	Supply chain	pkg:cargo/pearlite-syn@0.14.0	-	syft/pearlite-syn@0.14.0	OPEN
d70cae8bcb70f31e4c6b7164e3081c4a5431d743e96c3c24760e8b86e1a6eb7f	Supply chain	pkg:cargo/pin-project-lite@0.2.17	-	syft/pin-project-lite@0.2.17	OPEN
83840aaef8208540db5387d039d782fb6638ce97e06bd3f18ce20661ab601f55	Supply chain	pkg:cargo/proc-macro2@1.0.107	-	syft/proc-macro2@1.0.107	OPEN
7ec44be48b990fd8c38cb446e9e2cde3c7a02c7b35c9e4514bf7974c9def81eb	Supply chain	pkg:cargo/quote@1.0.47	-	syft/quote@1.0.47	OPEN
e5bc87872cb19c9a211895bbde8092b0512f0338b0bde534dade96b289166a5b	Supply chain	pkg:cargo/r-efi@6.0.0	-	syft/r-efi@6.0.0	OPEN
aa23aa4807d46c98279b059d07943e631594c35e66ce52182c16b51cf7d43f12	Supply chain	pkg:cargo/rustversion@1.0.23	-	syft/rustversion@1.0.23	OPEN
9bce2547a13eaf182484f1a571040d8cce743c62cb11c3b0adcb3a934d9771ff	Supply chain	pkg:cargo/slab@0.4.12	-	syft/slab@0.4.12	OPEN

172012ad51c91dc3a2e8a3a4c30026893420917739d047e5dc8918d5af26e93e	Supply chain	pkg:cargo/syn@2.0.119	-	syft/syn@2.0.119	OPEN
4cf5b83b5e47207b200be1c28233d037d4896752b572d0edb52975dc429e0b1c	Supply chain	pkg:cargo/syn@3.0.9	-	syft/syn@3.0.9	OPEN
cdf512d7b7b4b6aad7b87252ee1d8aa13deced196dc20e86af4c693914775db0	Supply chain	pkg:cargo/unicode-ident@1.0.27	-	syft/unicode-ident@1.0.27	OPEN
9582d4f239f7864b3b3b0fe0e400cb3bef7b6e4cafa8d4ffcf46bf2037b8b2d1	Supply chain	pkg:cargo/uuid@1.28.0	-	syft/uuid@1.28.0	OPEN
795f67b52a5a715e44751a89cd6e3eebe56440405d5b50d45fd590265e8b070c	Supply chain	pkg:cargo/wasm-bindgen@0.2.129	-	syft/wasm-bindgen@0.2.129	OPEN
cdb73c713e3e48e4825973e061b272376c716442e995252af01cd807cb800f5c	Supply chain	pkg:cargo/wasm-bindgen-macro@0.2.129	-	syft/wasm-bindgen-macro@0.2.129	OPEN
0e7c814d552fbfcb44b8a3d5bf843864865499653a32ab9c8cfca4b3b5c696ed	Supply chain	pkg:cargo/wasm-bindgen-macro-support@0.2.129	-	syft/wasm-bindgen-macro-support@0.2.129	OPEN
9c56e78576d675ae7a5b5e0eb53a91c8704424a30d7257fcd6d017493453ecf3	Supply chain	pkg:cargo/wasm-bindgen-shared@0.2.129	-	syft/wasm-bindgen-shared@0.2.129	OPEN
112eba865d6e313d6f23bd9b4eb1bb1740fb2f837c273ec7124e835cc0da005d	License policy	pkg:cargo/bumpalo@3.20.3	-	license/MIT OR Apache-2.0	OPEN
6dc467fded10560a16e1a85aae690fdd4d560ab3a7854ff858b0790cbced7ab2	License policy	pkg:cargo/cfg-if@1.0.5	-	license/MIT OR Apache-2.0	OPEN
19e2b4591ae75b11535dd3adef8e6a0ee04d76d24038de6751a8b7537b96d5aa	License policy	pkg:cargo/creusot-std@0.14.0	-	license/LGPL-2.1-or-later	OPEN
3cd2d76a6803b9cba3f213e24939049e38bd414067a7394974c19fdacc0fc663	License policy	pkg:cargo/creusot-std-proc@0.14.0	-	license/LGPL-2.1-or-later	OPEN
c6aeb45eaedd541244c476c372e812d3e20d16010265ee4571a3763242392da2	License policy	pkg:cargo/futures-core@0.3.34	-	license/MIT OR Apache-2.0	OPEN
301d6620277659895b68463d36b4239436b98a7dc028f4d60d5d04c4b334f741	License policy	pkg:cargo/futures-task@0.3.34	-	license/MIT OR Apache-2.0	OPEN
2df66b072bb07a9e9a837604f76f68aa7c29f5388ae32a5c9be71b9858ac5f8c	License policy	pkg:cargo/futures-util@0.3.34	-	license/MIT OR Apache-2.0	OPEN

e8a05789f8c7ca2d56115d6721959efab7dee18603092589b99cc0603b4e4931	License policy	pkg:cargo/getrandom@0.4.3	-	license/MIT OR Apache-2.0	OPEN
93859812ef1acb1ac4078d220de712708a6509b708dff095c708eb414e618cbe	License policy	pkg:cargo/js-sys@0.3.106	-	license/MIT OR Apache-2.0	OPEN
90ce55778cfac3e0f098de0b24f5e2e035d65d0b28f7c09647bf2a433f0ced65	License policy	pkg:cargo/libc@0.2.191	-	license/MIT OR Apache-2.0	OPEN
72d443496cd2f5431e7f4347680d3790fed414966236ac9d635539cddfc310d7	License policy	pkg:cargo/once_cell@1.21.4	-	license/MIT OR Apache-2.0	OPEN
a0fc8e8d71ece792a231095f168ab0c7cffca251fcacce43289829e77fb75ef5	License policy	pkg:cargo/pearlite-syn@0.14.0	-	license/MIT OR Apache-2.0	OPEN
f9bf8d0cc7852f11cf6152dec7595b43e8a75d0f5fed01aefb19963f05a61094	License policy	pkg:cargo/pin-project-lite@0.2.17	-	license/Apache-2.0 OR MIT	OPEN
875825c505903cfb9b602a23e74f0edf7eb1621583ed9e583c410103af3d402d	License policy	pkg:cargo/proc-macro2@1.0.107	-	license/MIT OR Apache-2.0	OPEN
d94338e54aeaf7fdb9048fc5ec3defa5504f99aab2210cec5156b23ac309f0fd	License policy	pkg:cargo/quote@1.0.47	-	license/MIT OR Apache-2.0	OPEN
73c9c8606efa4200ec16f7e1121489b31dba86fe5c2093dd9907af8d742ee0d3	License policy	pkg:cargo/r-efi@6.0.0	-	license/MIT OR Apache-2.0 OR LGPL-2.1-or-later	OPEN
70f4a38d76116971c51011dab9ec757f6973bf8279d2ec62777f3f1bf9d0d9c4	License policy	pkg:cargo/rustversion@1.0.23	-	license/MIT OR Apache-2.0	OPEN
803d1a04fde4297e52e15eafb9f7045b38466b7ac9de09d53b23a5b801788df3	License policy	pkg:cargo/slab@0.4.12	-	license/MIT	OPEN
88cca70db371b2eb5db003aa26dca694e18d04d14f10fea6bb7b77c9d8a5915c	License policy	pkg:cargo/syn@2.0.119	-	license/MIT OR Apache-2.0	OPEN
15bedfcd4863b93f38b7d0bc2bd56e41531843d5c2953974ebb947a686aebc48	License policy	pkg:cargo/syn@3.0.9	-	license/MIT OR Apache-2.0	OPEN
10ebd1e19e81d1b55e547bcf583a4da0d086d5d47b86817360bc2d6fa1daecc8	License policy	pkg:cargo/unicode-ident@1.0.27	-	license/(MIT OR Apache-2.0) AND Unicode-3.0	OPEN
f7242a40ee73e10ece190b2216fb89d082f1503d7eedadcb5949eefcfec5c507	License policy	pkg:cargo/uuid@1.28.0	-	license/Apache-2.0 OR MIT	OPEN

86e8295bb7e74e6094ed25146fb85276095476aedf328c258f22d7928a971e28	License policy	pkg:cargo/wasm-bindgen@0.2.129	-	license/MIT OR Apache-2.0	OPEN
a8540d02003fc3df4b8bc38b7fb3f9d162f939ac2ea1c4b4401bd727c55443f2	License policy	pkg:cargo/wasm-bindgen-macro@0.2.129	-	license/MIT OR Apache-2.0	OPEN
ae94b33243d55cba9685b0da91cf31941957149cbef3cfb8a8b3c47ec027124c	License policy	pkg:cargo/wasm-bindgen-macro-support@0.2.129	-	license/MIT OR Apache-2.0	OPEN
b649102b4e27d450d6253da4c54818d3ecc38316817fde3de4f3adf5177f1025	License policy	pkg:cargo/wasm-bindgen-shared@0.2.129	-	license/MIT OR Apache-2.0	OPEN

osv-scanner 2.7.0 [Dependency/SCA] invocation sha256:499d67bb5ed19d03af1455330a60dcfb1b7c402e3d446d064f8e831bea3b207c 97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9

semgrep 1.181.0 [Static analysis] invocation sha256:02ce68f0d50374d5a68fa61ad1e8c7af825492b9aa70b22821826e0a91248ca6 97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9

gitleaks 8.30.1 [Secrets] invocation sha256:3be7080ed222d82157f00633303d10d6b2fddd48d796212377280f00033e5a55 97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9

syft 1.54.1 [Supply chain] invocation sha256:054bf91260852f2ec4ab00cc7cad805442537a664ed1112893125fb7accf26e3 97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9

dependency-manifest 1 [License policy] invocation sha256:93565424d7bbf5a847116214567e76faeda74b99800f8e479b6c5464181187b8 97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9

Standard	NIST SP 800-218 / SSDF 1.1 SP 800-218 Rev 1 (SSDF 1.1)
Profile	nist-ssdf
Profile content sha256	31f322fc36ae0be815dbb6d4348afe9aea733ad1f63cf441b01c3fbe51c7f282
Posture	SATISFIED
Coverage note	v1 maps PG 1-13, PS 1-4, PV 1-8, RT 1-4 (29 of 35 practices) : every mapped practice has a defensible FalseGreen evidence class. Organizational requirements are out of scope (dropped from the projection — FalseGreen verifies the code, not the organization). PV 9-14 ship with the v2 profile.

Requirement	Status	Evidence
Use external components in a secure manner	SATISFIED	4f53cda18c2baa0c0354bb5f9a3ecbe5ed12ab4d8e11ba873c2f11161202b945, 9e4efacc9f0d496ac27f901c1b5828e56ef1835e67140d10806586c77793972f
Provide toolchain support	SATISFIED	97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9
Instrument the build and release processes	SATISFIED	97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9, 8ebd9047969b6f80fd3f7f665601bc99746b930f91c43f9b9e93644ef61a13d0
Protect the software from unauthorized access and tampering	SATISFIED	5b632f62b9dc40cb6017d79b7de8f26c64da44774205a840f5f836a4d53d76b7, 8ebd9047969b6f80fd3f7f665601bc99746b930f91c43f9b9e93644ef61a13d0

Protect all forms of code from unauthorized access and tampering	SATISFIED	5b632f62b9dc40cb6017d79b7de8f26c64da44774205a840f5f836a4d53d76b7, 9e4efacc9f0d496ac27f901c1b5828e56ef1835e67140d10806586c77793972f
Generate and protect software bill-of-materials (SBOM)	SATISFIED	9e4efacc9f0d496ac27f901c1b5828e56ef1835e67140d10806586c77793972f
Verify the integrity of all external software releases	SATISFIED	4f53cda18c2baa0c0354bb5f9a3ecbe5ed12ab4d8e11ba873c2f11161202b945, 9e4efacc9f0d496ac27f901c1b5828e56ef1835e67140d10806586c77793972f
Store all software releases in a trusted repository	SATISFIED	9e4efacc9f0d496ac27f901c1b5828e56ef1835e67140d10806586c77793972f
Archive all software releases	SATISFIED	9e4efacc9f0d496ac27f901c1b5828e56ef1835e67140d10806586c77793972f
Use a secure compiler, linker, and related tools	SATISFIED	97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9
Compile and link code without malicious or insecure code	SATISFIED	8ebd9047969b6f80fd3f7f665601bc99746b930f91c43f9b9e93644ef61a13d0, 4f53cda18c2baa0c0354bb5f9a3ecbe5ed12ab4d8e11ba873c2f11161202b945
Review and resolve issues in third-party components	SATISFIED	4f53cda18c2baa0c0354bb5f9a3ecbe5ed12ab4d8e11ba873c2f11161202b945
Review and resolve code errors	SATISFIED	8ebd9047969b6f80fd3f7f665601bc99746b930f91c43f9b9e93644ef61a13d0
Generate software release artifacts from trusted sources	SATISFIED	9e4efacc9f0d496ac27f901c1b5828e56ef1835e67140d10806586c77793972f, 97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9
Analyze identified vulnerabilities	SATISFIED	4f53cda18c2baa0c0354bb5f9a3ecbe5ed12ab4d8e11ba873c2f11161202b945
Identify and prioritize vulnerabilities	SATISFIED	4f53cda18c2baa0c0354bb5f9a3ecbe5ed12ab4d8e11ba873c2f11161202b945, 2a4f12221d0d7cc49b043bece3a66bbb7ac8d241789d2bf8e62185e61c8c8631
Track, remediate, and report on vulnerabilities	SATISFIED	4f53cda18c2baa0c0354bb5f9a3ecbe5ed12ab4d8e11ba873c2f11161202b945

Standard	OWASP SAMM SAMM 2.0
Profile	owasp-samm
Profile content sha256	cfaaa920c4ebf78058cbc6e03dd1f6d194e9aeaf8bb9e382ff0124a59b4d799f
Posture	SATISFIED
Coverage note	v1 maps all 28 practices (PO 1-6, GV 1-3, DS 1-4, IM 1-5, VA 1-5, OP 1-5). SAMM is process-heavy: organizational practices are out of scope (dropped from the projection — never manufactured). Practice titles follow the SAMM 2.0 catalog; corrections ship as v2.

Requirement	Status	Evidence
Managing Third-Party Risks	SATISFIED	4f53cda18c2baa0c0354bb5f9a3ecbe5ed12ab4d8e11ba873c2f11161202b945, 9e4efacc9f0d496ac27f901c1b5828e56ef1835e67140d10806586c77793972f
Applying Secure Configuration	SATISFIED	97fe3ba4b92136b002097559a67ed8742777d20a03c0c474ba36df767c3d20d9
Performing Static Application Testing	SATISFIED	4f53cda18c2baa0c0354bb5f9a3ecbe5ed12ab4d8e11ba873c2f11161202b945
Performing Dynamic Application Testing	SATISFIED	8ebd9047969b6f80fd3f7f665601bc99746b930f91c43f9b9e93644ef61a13d0
Performing Application Security Testing	SATISFIED	8ebd9047969b6f80fd3f7f665601bc99746b930f91c43f9b9e93644ef61a13d0

EXPORTS

Full content is embedded in the signed JSON report (schema v6).

spdx-3.0 sha256:a0f2b732353f2a21c8af96fcb1d2745ca871b257482a0afc2f8997bdabfb7f6c report-artifact:sbom:spdx-3.0

cyclonedx-1.7 sha256:3202f4c1ec1ae246f551822c6110a347f5f948f6ae57af73036b2816f1121738 report-artifact:sbom:cyclonedx-1.7

oscal-assessment-results-1.1.2 sha256:e93e642153cdbcc3cd55a595128645f1f306e58816e8497699f117b76a067722 report-artifact:oscal:assessment-results

cyclonedx-1.7-vex sha256:f06e255826909e5cacda41f8d6222660a9e4090d9881ed709e6427cf6f90067c report-artifact:vex:cyclonedx-1.7-vex

SIGNATURE

This report is cryptographically signed: Ed25519 over the canonical report content.
The public key is embedded in the report - verification is offline and
registry-free (falsegreen verify-report).

key id: fg-report-9fc1a2c5-134c-4ca1-a0f2-56b2d1bcde67-20261018-1

ed25519 public key: ie4eQdY1lt7O5aCCQzO+/192Yzc4pLQsGyVNqSKtlmA=

ed25519 signature: TnhfGOKWU/z9ZsU1qyRXpAVGPLm8x0+Q5tMvmocrFkpzClFDDgYQs9b/FdaHCkX6+y8TYiT2iPR5bK3BTfZABQ==

digest: d747da284becc5c2c05c80528840ca7f53fffc1882db5d2eb019262fbc405d11

This is a presentation of the signed canonical evidence (the JSON artifact). It is not an audit certificate. - FalseGreen v0.13.0