VERIFICATION - SIGNED EVIDENCE

FalseGreen Verification Report

ACCEPTED

All required criteria passed for the exact source tree built and verified by FalseGree
n.

This does not prove universal correctness. Assurance is limited to the explicit formal properties, assumptions, models, summaries, and scope recorded in this report.

Job	`d54370e9-a8ba-4acd-82b7-6d5d23ba675d`
Language	`rust`
Source tree	`f22021f47607c45c0ec80fe4117b2bd3f3dd6c9a01cb5f62686fff54e2dbcc9e`
Contract SHA-256	`cac85cf8e27b297419721cc6448fd7d052b9fa96cd1445cca4bca9e857cf76e7`
Criteria SHA-256	`d34458a3179d885efdb609b2971179f2f58aabd17860731a25031594a5d329cb`
Criteria	`3 / 3 PASSED`
Attempts	`3`
Duration	`1m 27s`
Verifier environment	`rust - rustc 1.99.0 (rustc) (1.99.0)`
Schema	`v9`
Signed	`2026-10-23 16:05:34 UTC`

Canonical report digest: 831e17f77ddcd5bc394799e042423ad5343de9096585fa73274e4329119a1e2f
HMAC-SHA256 signature: c9af19c0ec33bb5bdc0e43171fbf6644edb38c8114d8ccd8bd83f62e54aedfa3

CONTRACT (FROZEN)

Language	`rust`
Wall budget	`2700s`

Criterion	Title	Required	Result	Duration
`build`	the workspace compiles	yes	**PASS**	`17.1s`
`tests`	the full test suite passes offline	yes	**PASS**	`7.3s`
`lint`	clippy and fmt are clean	no	**PASS**	`4.3s`

Invariants	`12 declared`
canonical bytes are stable	`behavior-tests.a-canonical`
invalid events are rejected, never normalized	`behavior-tests.a-validate`
the hash chain commits to content and order	`behavior-tests.a-chain`
the shard store is append-only	`behavior-tests.a-append`
seals commit to the Merkle root and record chain	`behavior-tests.a-seal`
compaction preserves the cross-shard root link	`behavior-tests.a-compact`
policy evaluation is per-event and per-rule	`behavior-tests.a-policy`
exit codes form the CI contract with fixed precedence	`behavior-tests.a-exit`
export and import round-trips are hash-stable	`behavior-tests.a-roundtrip`
the threat model states exactly what verify proves	`contract-invariants.a-scope-stated`
shard naming is total, fixed-width, and order-preserving on the documented index domain	`rules-extract`
chain linking is exact successor arithmetic and never wraps at the u64 boundary	`rules-extract, l1-kani-harness, l2-creusot-spec, repair-close`

PLAN (FROZEN)

Objective	`Run B: the first LIVE proof of the two 0.11.0 verdict gates on production. Attempt 1's tree carries an injected drift component (payload-sc1: a standalone nested crate whose lockfile declares byteorder, absent from the root declared manifest) — the supply_chain class must go FAIL via SC-1 and the attempt must land FAILED. Attempt 2 (drift removed) carries synfx-dsp 0.5.6 (GPL-3.0-or-later, one MIT dep) — outside the frozen 12-expression allow-set — the opt-in license gate must FAIL the attempt. Attempt 3 (clean) must ACCEPT. accepted must be unreachable while a gate fires.`
Plan digest	`a72684afe12b8d6fade588af9d86d95a0837872803671bec8203f9c762eb7fb2`
Work items	`3`

Work item	Outcome	Depends on	Omission risk
`sc1-drift-fire`	The injected drift component (byte order via payload-sc1's nested lockfile, absent from the declared root manifest) is DISCOVERED by the syft witness and FAILS the supply_chain class via SC-1, failing attempt 1.	`-`	`syft missing the nested lock would silently pass the injection — pre-flighted in the image before the Job`

license-gate-fire	With the drift removed, adding synfx-dsp 0.5.6 (GPL-3.0-or-later) makes the declared manifest carry an SPDX expression outside the frozen 12-expression allow-set; the opt-in license gate FAILS attempt 2.	sc1-drift-fire	-
clean-accept	Removing the GPL dependency restores the clean declared set; attempt 3 ACCEPTS with every class satisfied and every criterion green.	license-gate-fire	-

Scope	Condition	Evidence
sc1-drift-fire	attempt 1's security section: supply_chain class FAIL with a reason naming byteorder@1.5.0 as discovered-but-not-declared (SC-1); the attempt verdict is failed; every other class satisfied.	inspection
license-gate-fire	attempt 2's security section: license class FAIL with a reason naming GPL-3.0-or-later (synfx-dsp) as not in the frozen allow-set; supply_chain now satisfied (synfx-dsp + num-traits are declared); the attempt verdict is failed.	inspection
clean-accept	attempt 3: all five classes satisfied, all criteria + invariant checks green, verdict accepted on the same frozen contract + plan + policy digest; one spend at this terminal verdict.	inspection
overall	The signed report shows three attempts on one frozen boundary: attempt 1 failed with a supply_chain FAIL reason naming byteorder (SC-1); attempt 2 failed with a license FAIL reason naming GPL-3.0-or-later (not in the frozen allow-set); attempt 3 accepted with all five classes satisfied. One spend total.	inspection
overall	No collateral damage: all contract criteria and all 12 invariant checks (L0 + the two ladder rungs) stay green across the three attempts — the gates fail attempts for CLASS reasons only.	behavioral-test

ENVIRONMENT

Ecosystem	rust
Toolchain	rustc 1.99.0 (rustc)
Version	1.99.0
Fingerprint	082bc3245e9239997a1b3d3e423c6c1984e05bc7ff3fb9cfe873e0ccb2c6a9e5

```
anstream 1.0.0 sha256:824a212faf96e9acacdbd09febd34438f8f711fb84e09a8916013cd7815ca28d
anstyle 1.0.14 sha256:940b3a0ca603d1eade50a4846a2afffd5ef57a9feac2c0e2ec2e14f9ead76000
anstyle-parse 1.0.0 sha256:52ce7f38b242319f7cabaa6813055467063ecdc9d355bbb4ce0c68908cd8130e
anstyle-query 1.1.5 sha256:40c48f72fd53cd289104fc64099abca73db4166ad86ea0b4341abe65af83dadc
anstyle-wincon 3.0.11 sha256:291e6a250ff86cd4a820112fb8898808a366d8f9f58ce16d1f538353ad55747d
base64ct 1.8.3 sha256:2af50177e190e07a26ab74f8b1efbfe2ef87da2116221318cb1c2e82baf7de06
bitflags 2.13.2 sha256:3ded4057c258ba199e2d26386d3af3780957ecaee6c4ef4041c6b4b8b97c0b06
block-buffer 0.10.4 sha256:3078c7629b62d3f0439517fa394996acacc5cbc91c5a20d8c658e77abd503a71
bumpalo 3.20.3 sha256:72f5acc6cb2ba439de613abc23857ec3d78374d8ed5ac84e9d11336e87da8649
cfg-if 1.0.5 sha256:4e7648175b45a9a48536d676f68d918270699102aa8dab5496df06904c914600
clap 4.6.7 sha256:aa8876b300ab35ba921adea3dfd70157a46249b33f95c9084ae5709785478946
clap_builder 4.6.7 sha256:ec0797fb7aeb1406c84efac526901f7ec3ead2124f946b494e72879d4b54704d
clap_derive 4.6.7 sha256:f9c751b79415d4e559e3d1fcf128e09e720eb673a06d26cf6f392d37d75b66e0
clap_lex 1.1.1 sha256:1c133bc6a41be0d194c306b5506d15e6feeea7b1d6604bd3f8310dfb2ca96486
colorchoice 1.0.5 sha256:1d07550c9036bf2ae0c684c4297d503f838287c83c53686d05370d0e139ae570
const-oid 0.9.6 sha256:c2459377285ad874054d797f3ccebf984978aa39129f6eafde5cdc8315b612f8
cpufeatures 0.2.17 sha256:59ed5838eebb26a2bb2e58f6d5b5316989ae9d08bab10e0e6d103e656d1b0280
```

creusot-std 0.14.0 sha256:b019630da7e585ab18eff475d7ea820474c3fc0cd05a57706facf37f67ab2705
creusot-std-proc 0.14.0 sha256:5a21564d3da8f97ce00e03125d0c3f7c9faedfa68e5d182d88beb25c82c12d25
crypto-common 0.1.7 sha256:78c8292055d1c1df0cce5d180393dc8cce0abec0a7102adb6c7b1eef6016d60a
curve25519-dalek 4.1.3 sha256:97fb8b7c4503de7d6ae7b42ab72a5a59857b4c937ec27a3d4539dba95b5ab2be
curve25519-dalek-derive 0.1.1 sha256:f46882e17999c6cc590af592290432be3bce0428cb0d5f8b6715e4dc7b383eb3
der 0.7.10 sha256:e7c1832837b905bbfb5101e07cc24c8deddf52f93225eee6ead5f4d63d53ddcb
digest 0.10.7 sha256:9ed9a281f7bc9b7576e61468ba615a66a5c8cfdff42420a70aa82701a3b1e292
ed25519 2.2.3 sha256:115531babc129696a58c64a4fef0a8bf9e9698629fb97e9e40767d235cfbcd53
ed25519-dalek 2.2.0 sha256:70e796c081cee67dc755e1a36a0a172b897fab85fc3f6bc48307991f64e4eca9
errno 0.3.14 sha256:39cab71617ae0d63f51a36d69f866391735b51691dbda63cf6f96d042b63efeb
fastrand 2.5.0 sha256:da7c62ceae207dd37ea5b845da6a0696c799f85e97da1ab5b7910be3c1c80223
fiat-crypto 0.2.9 sha256:28dea519a9695b9977216879a3ebfddf92f1c08c05d984f8996aecd6ecdc811d
futures-core 0.3.34 sha256:92d699e522242e69e3003b94ecc1f960f3a5e015aa7c5d7486e65ad01dd94f5e
futures-task 0.3.34 sha256:cd417de3d1d015fc3bfd2b1ea46dfc7bab72ef86f1cc7cc9c78e728b34a6d1fd
futures-util 0.3.34 sha256:0d50a92467f8ba5dd6e3ee5d4bd04d73ab2e4e1c44474a0674821dfce14b79bc
generic-array 0.14.7 sha256:85649ca51fd72272d7821adaf274ad91c288277713d9c18820d8499a7ff69e9a
getrandom 0.2.17 sha256:ff2abc00be7fca6ebc474524697ae276ad847ad0a6b3faa4bcb027e9a4614ad0
getrandom 0.4.3 sha256:300e883d756b2e4ec94e02791f39b04b522276138852cfc41d9fb7e904106099
heck 0.5.0 sha256:2304e00983f87ffb38b55b444b5e3b60a884b5d30c0fca7d82fe33449bbe55ea
hex 0.4.3 sha256:7f24254aa9a54b5c858eaee2f5bccdb46aaf0e486a595ed5fd8f86ba55232a70
is_terminal_polyfill 1.70.2 sha256:a6cb138bb79a146c1bd460005623e142ef0181e3d0219cb493e02f7d08a35695
itoa 1.0.18 sha256:8f42a60cbdf9a97f5d2305f08a87dc4e09308d1276d28c869c684d7777685682
js-sys 0.3.106 sha256:7883d941dae510fb2d978fc3fe018c71c9e2892fd38854de3e8b92c2e5ad9cc5
libc 0.2.191 sha256:65cd87c9a6d60536580b316ad985726104730a5151c99845f2490428ef91240a
linux-raw-sys 0.12.1 sha256:32a66949e030da00e8c7d4434b251670a91556f4144941d37452769c25d58a53
memchr 2.8.3 sha256:cf8baf1c55e62ffcace7a9f06f4bd9cd3f0c4beb022d3b367256b91b87513d98
once_cell 1.21.4 sha256:9f7c3e4beb33f85d45ae3e3a1792185706c8e16d043238c593331cc7cd313b50
once_cell_polyfill 1.70.2 sha256:384b8ab6d37215f3c5301a95a4accb5d64aa607f1fcb26a11b5303878451b4fe
pearlite-syn 0.14.0 sha256:e0cada22bee420c97f91bd98f0e1effdd6ef5ab219df0561f35144dcb504ebfd
pin-project-lite 0.2.17 sha256:a89322df9ebe1c1578d689c92318e070967d1042b512afbe49518723f4e6d5cd
pkcs8 0.10.2 sha256:f950b2377845cebe5cf8b5165cb3cc1a5e0fa5cfa3e1f7f55707d8fd82e0a7b7
ppv-lite86 0.2.21 sha256:85eae3c4ed2f50dcfe72643da4befc30deadb458a9b590d720cde2f2b1e97da9
proc-macro2 1.0.107 sha256:985e7ec9bb745e6ce6535b544d84d6cd6f7ad8bd711c398938ae983b91a766d9
quote 1.0.47 sha256:1fbf4db142a473a8d80c26bbf18454ed458bf8d26c8219c331daecfdbd079001
r-efi 6.0.0 sha256:f8dcc9c7d52a811697d2151c701e0d08956f92b0e24136cf4cf27b57a6a0d9bf
rand 0.8.8 sha256:e058c7de0b26af77780c769414d6257830bb240f3c38477dbc2c16e5f54d6d4c
rand_chacha 0.3.1 sha256:e6c10a63a0fa32252be49d21e7709d4d4baf8d231c2dbce1eaa8141b9b127d88
rand_core 0.6.4 sha256:ec0be4795e2f6a28069bec0b5ff3e2ac9bafc99e6a9a7dc3547996c5c816922c
rustc_version 0.4.1 sha256:cfcb3a22ef46e85b45de6ee7e79d063319ebb6594faafcf1c225ea92ab6e9b92
rustix 1.1.5 sha256:891efababe418670775f199f0d233d84843c227a0949a883ce15b37c78d6629d
rustversion 1.0.23 sha256:cf54715a573b99ac80df0bc206da022bcd442c974952c7b9720069370852e21f
semver 1.0.28 sha256:8a7852d02fc848982e0c167ef163aaff9cd91dc640ba85e263cb1ce46fae51cd
serde 1.0.229 sha256:4148590afebada386688f18773da617792bf2ef03ffc1e4cbd2b1d45b023e0ba
serde_core 1.0.229 sha256:67dca2c9c51e58a4791a4b1ed58308b39c64224d349a935ab5039aa360942a48
serde_derive 1.0.229 sha256:e7a5d71263a5a7d47b41f6b3f06ba276f10cc18b0931f1799f710578e2309348
serde_json 1.0.154 sha256:e7e9cc8b1b85264074fbcc02a88680c4096b1e47df8f739dceb03bf482f04bd6
sha2 0.10.9 sha256:a7507d819769d01a365ab707794a4084392c824f54a7a6a7862f8c3d0892b283
signature 2.2.0 sha256:77549399552de45a898a580c1b41d445bf730df867cc44e6c0233bbc4b8329de
slab 0.4.12 sha256:0c790de23124f9ab44544d7ac05d60440adc586479ce501c1d6d7da3cd8c9cf5
spki 0.7.3 sha256:d91ed6c858b01f942cd56b37a94b3e0a1798290327d1236e4d9cf4eaca44d29d
strsim 0.11.1 sha256:7da8b5736845d9f2fcb837ea5d9e2628564b3b043a70948a3f0b778838c5fb4f
subtle 2.6.1 sha256:13c2bddecc57b384dee18652358fb23172facb8a2c51ccc10d74c157bdea3292
syn 2.0.119 sha256:872831b642d1a07999a962a351ed35b955ea2cfc8f3862091e2a240a84f17297
syn 3.0.9 sha256:d78c8dee4c7bf0e14673097256fed6142ce9d3b85a408189d07482442145823b
tempfile 3.27.0 sha256:32497e9a4c7b38532efcdebeef879707aa9f794296a4f0244f6f69e9bc8574bd
typenum 1.20.1 sha256:b6f5e870be6c3b371b77fe0ee0bafb859fa4964b4404c27de1d380043c4dda20
unicode-ident 1.0.27 sha256:a2c754d6c33795a1c324727428e5a7dedb5b06195f9890bdbcba760d3e246563

utf8parse 0.2.2 sha256:06abde3611657adf66d383f00b093d7faecc7fa57071cce2578660c9f1010821

uuid 1.28.0 sha256:7cc1186384beb7dd8eedea376413fd654937285ea6c9cfbb928dc3043ea4b606

version_check 0.9.5 sha256:0b928f33d975fc6ad9f86c8f283853ad26bdd5b10b7f1542aa2fa15e2289105a

wasi 0.11.1+wasi-snapshot-preview1 sha256:ccf3ec651a847eb01de73ccad15eb7d99f80485de043efb2f370cd654f4ea44b

wasm-bindgen 0.2.129 sha256:9bb54f33acc68fd454578d9820b0bde1a1a3d17aa17bb7b6595806d02886d409

wasm-bindgen-macro 0.2.129 sha256:2e29d0c35b16e224a7eeb5cd2d25e3e1968fbd65604117b44d3b789d00ee8535

wasm-bindgen-macro-support 0.2.129 sha256:6f501a8bc3719dba86ef8ae4728879c08001bea749eb1333ac5b91e040e2a6b7

wasm-bindgen-shared 0.2.129 sha256:23f0c9c52aa7cd7d77769a4cfe2a9adb1b331f489a41d912ce14513d5ab995c6

windows-link 0.2.1 sha256:f0805222e57f7521d6a62e36fa9163bc891acd422f971defe97d64e70d0a4fe5

windows-sys 0.61.2 sha256:ae137229bcbd6cdf0f7b80a31df61766145077ddf49416a728b02cb3921ff3fc

zerocopy 0.8.63 sha256:e5fe1f8f1b06191a00962174c61aa5005e0bb391a6d80d07e24d115c01a92ed8

zerocopy-derive 0.8.63 sha256:863ad3ac83293fb4d740aedbfdc9240dd8d1a50c1099acd76ce80ce7c7230c7f

zeroize 1.9.1 sha256:e13084392c5e4bc371903e2935a5eaeed24905a7511356b883835e18a78f6879

zmij 1.0.23 sha256:29666d0abbfad1e3dc4dcf6144730dd3a3ab225bbbdac83319345b1b44ccfc1b

EVIDENCE MANIFEST

Attempt 1 - passed - 2026-10-23 15:58:26 - wall 1m 22s

source sha256: 8e7bde15cc23a5f000dd5b493dd451b4990c0d14ed9d8c9434bbc75629c32fec

env sha256: 39692e8bb1a7dc5e464d1fb48e19afdc2d7a8ace836553f780fc660e3897a4ab

Attempt 2 - passed - 2026-10-23 16:03:14 - wall 1m 25s

source sha256: c049976dfc687474d767c8d0513e9af768d9473ec5aecbc77b56a1b2052f8f86

env sha256: f5d52b4fc6228793a77fbac2a6001869488249824c77bef8321c6a46f63cd36d

Attempt 3 - passed - 2026-10-23 16:05:34 - wall 1m 27s

source sha256: f22021f47607c45c0ec80fe4117b2bd3f3dd6c9a01cb5f62686fff54e2dbcc9e

env sha256: 39692e8bb1a7dc5e464d1fb48e19afdc2d7a8ace836553f780fc660e3897a4ab

VULNERABILITY FINDINGS (VEX)

No vulnerability findings.

The full SBOM, VEX and OSCAL are in the signed JSON report.

JSON report: https://falsegreen.com/report/d54370e9-a8ba-4acd-82b7-6d5d23ba675d

INVARIANT CHECKS

Invariant checks - which rung of the proof ladder decided each frozen claim (a bounded rung is labelled as one); the full per-attempt rov

Attempt	Invariant	Claim	Rung	Result
#1	canonical bytes ar e stable	all hashed and signed materi al is canonical JSON (keys s orted lexicographically, no whitespace); hashing and sig ning always run over canonic al bytes; key-order edits ch ange stored JSON but not the canonical form (not tamper events), while any byte chan ge to a value is; invalid va lues are rejected by validat ion, never silently normaliz ed	check	PROVEN

#1	invalid events are rejected, never normalized	event structs deny unknown fields; validation rejects empty required fields, a non-object context, out-of-range timestamps, and unknown fields; an invalid event is a corrupt-class failure at verify time, not a silent normalization	check	PROVEN
#1	the hash chain commits to content and order	each record hash is SHA-256 over the canonical event map merged with prev_hash; the first record of the ledger links to GENESIS_HASH; record N links to N-1 iff prev_hash equals record N-1's hash AND seq equals record N-1's seq plus 1; any mismatch surfaces as a named failure: bad_record_hash, broken_link, or sequence_gap	check	PROVEN
#1	the shard store is append-only	one append-only JSONL file per shard (shard-NNNNNN.jsonl, zero-padded index); append continues the verified head — seq derived from the head record and prev_hash from the head hash or the previous shard's root — and never rewrites existing shard content; line-level parse errors report the shard and line number	check	PROVEN
#1	seals commit to the Merkle root and record count	the Merkle root is pairwise SHA-256 over the shard's record hashes with an odd final leaf duplicated; the Ed25519 signature covers the canonical JSON of {count, kind: seal, merkle_root, prev_shard_root, sealed_at_ms} — signature and public_key are not part of the message; flipping any seal field breaks the signature, and a count mismatch is bad_seal_count	check	PROVEN
#1	compaction preserves the cross-shard root link	compact_last_sealed replaces the last sealed shard with a single compaction record carrying the original seal verbatim and keeping the shard's genesis prev_hash, so root links into and out of the shard are unchanged; the new seal (count 1) re-signs over the compaction record; rewriting a compacted shard breaks the seal signature; the original content is no longer reconstructible from the ledger	check	PROVEN

#1	policy evaluation is per-event and per-rule	at verify time every ledger event is evaluated against every policy rule: a deny rule flags any event matching its set matchers, a require_outcome rule flags a matching event whose decision outcome differs; violations appear as policy_violation failures carrying the rule_id	check	PROVEN
#1	exit codes form the CI contract with fixed precedence	verify exits 0 clean, 1 tampered (bad_record_hash, broken_link, bad_merkle_root, broken_root_link), 2 gap (sequence_gap), 3 signature (bad_signature, bad_seal_count), 4 policy (policy_violation), 5 corrupt (parse_line, invalid_event, bad_seal_structure), 255 usage; when several classes coexist the most specific diagnosis wins in the order corrupt, gap, signature, tampered, policy	check	PROVEN
#1	export and import round-trips are hash-stable	export emits one JSON document with deterministic typed shard serialization (never the raw stored lines, so file key order cannot leak); importing an exported ledger's events (without seq — it is derived) into a fresh ledger reproduces identical record hashes	check	PROVEN
#1	the threat model states exactly what verify proves	given an uncorrupted copy of the sealed shards and a known public key, verify proves content integrity, ordering and completeness within a shard, seal integrity, cross-shard continuity, and the compaction boundary; it does not prove: total replacement by a private-key holder with a re-signed shard, unanchored pre-seal history, shard loss (detected, not repaired), the truthfulness of written events, or membership of the policy file in the signed boundary	check	PROVEN
#1	shard naming is total, fixed-width, and order-preserving on the documented index domain	for every u32 shard index up to 999_999 the store name shard-NNNNNN.jsonl round-trips back to the exact index through the directory-scan parser, has fixed width 19, and lexicographic name order equals numeric index order (which is what makes the store's sorted scan sound)	check	PROVEN

#1	chain linking is exact successor arithmetic and never wraps at the u64 ceiling	record N links to record N-1 iff prev_hash equals record N-1's hash AND seq is the exact u64 successor of record N-1's seq; the successor is never taken modulo the u64 ceiling — no seq may link past u64::MAX (the chain cannot wrap) — and on the guarded domain (prev below u64::MAX) the predicate is exactly seq == prev + 1	check	PROVEN
#1	chain linking is exact successor arithmetic and never wraps at the u64 ceiling	record N links to record N-1 iff prev_hash equals record N-1's hash AND seq is the exact u64 successor of record N-1's seq; the successor is never taken modulo the u64 ceiling — no seq may link past u64::MAX (the chain cannot wrap) — and on the guarded domain (prev below u64::MAX) the predicate is exactly seq == prev + 1	kani (bounded)	PROVEN
#1	chain linking is exact successor arithmetic and never wraps at the u64 ceiling	record N links to record N-1 iff prev_hash equals record N-1's hash AND seq is the exact u64 successor of record N-1's seq; the successor is never taken modulo the u64 ceiling — no seq may link past u64::MAX (the chain cannot wrap) — and on the guarded domain (prev below u64::MAX) the predicate is exactly seq == prev + 1	creusot	PROVEN 1 / 1
#2	canonical bytes are stable	all hashed and signed material is canonical JSON (keys sorted lexicographically, no whitespace); hashing and signing always run over canonical bytes; key-order edits change stored JSON but not the canonical form (not tamper events), while any byte change to a value is; invalid values are rejected by validation, never silently normalized	check	PROVEN
#2	invalid events are rejected, never normalized	event structs deny unknown fields; validation rejects empty required fields, a non-object context, out-of-range timestamps, and unknown fields; an invalid event is a corrupt-class failure at verify time, not a silent normalization	check	PROVEN

#2	the hash chain commits to content and order	each record hash is SHA-256 over the canonical event map merged with prev_hash; the first record of the ledger links to GENESIS_HASH; record N links to N-1 iff prev_hash equals record N-1's hash AND seq equals record N-1's seq plus 1; any mismatch surfaces as a named failure: bad_record_hash, broken_link, or sequence_gap	check	PROVEN
#2	the shard store is append-only	one append-only JSONL file per shard (shard-NNNNNN.jsonl, zero-padded index); append continues the verified head — seq derived from the head record and prev_hash from the head hash or the previous shard's root — and never rewrites existing shard content; line-level parse errors report the shard and line number	check	PROVEN
#2	seals commit to the Merkle root and record count	the Merkle root is pairwise SHA-256 over the shard's record hashes with an odd final leaf duplicated; the Ed25519 signature covers the canonical JSON of {count, kind: seal, merkle_root, prev_shard_root, sealed_at_ms} — signature and public_key are not part of the message; flipping any seal field breaks the signature, and a count mismatch is bad_seal_count	check	PROVEN
#2	compaction preserves the cross-shard root link	compact_last_sealed replaces the last sealed shard with a single compaction record carrying the original seal verbatim and keeping the shard's genesis prev_hash, so root links into and out of the shard are unchanged; the new seal (count 1) re-signs over the compaction record; rewriting a compacted shard breaks the seal signature; the original content is no longer reconstructible from the ledger	check	PROVEN
#2	policy evaluation is per-event and per-rule	at verify time every ledger event is evaluated against every policy rule: a deny rule flags any event matching its set matchers, a require_outcome rule flags a matching event whose decision outcome differs; violations appear as policy_violation failures carrying the rule_id	check	PROVEN

#2	exit codes form th e CI contract with fixed precedence	verify exits 0 clean, 1 tamp ered (bad_record_hash, broke n_link, bad_merkle_root, bro ken_root_link), 2 gap (seque nce_gap), 3 signature (bad_s ignature, bad_seal_count), 4 policy (policy_violation), 5 corrupt (parse_line, inval id_event, bad_seal_structure), 255 usage; when several c lasses coexist the most spec ific diagnosis wins in the o rder corrupt, gap, signature , tampered, policy	check	PROVEN
#2	export and import round-trips are ha sh-stable	export emits one JSON docume nt with deterministic typed shard serialization (never t he raw stored lines, so file key order cannot leak); imp orting an exported ledger's events (without seq — it is derived) into a fresh ledger reproduces identical record hashes	check	PROVEN
#2	the threat model s tates exactly what verify proves	given an uncorrupted copy of the sealed shards and a kno wn public key, verify proves content integrity, ordering and completeness within a s hard, seal integrity, cross-shard continuity, and the co mpaction boundary; it does n ot prove: total replacement by a private-key holder with a re-signed shard, unanchor ed pre-seal history, shard l oss (detected, not repaired) , the truthfulness of writte n events, or membership of t he policy file in the signed boundary	check	PROVEN
#2	shard naming is to tal, fixed-width, and order-preservi ng on the document ed index domain	for every u32 shard index up to 999_999 the store name s hard-NNNNNN.jsonl round-trip s back to the exact index th rough the directory-scan par ser, has fixed width 19, and lexicographic name order eq uals numeric index order (wh ich is what makes the store' s sorted scan sound)	check	PROVEN
#2	chain linking is e xact successor ari thmetic and never wraps at the u64 c eiling	record N links to record N-1 iff prev_hash equals record N-1's hash AND seq is the e xact u64 successor of record N-1's seq; the successor is never taken modulo the u64 ceiling — no seq may link pa st u64::MAX (the chain canno t wrap) — and on the guarded domain (prev below u64::MAX) the predicate is exactly s eq == prev + 1	check	PROVEN

#2	chain linking is exact successor arithmetic and never wraps at the u64 ceiling	record N links to record N-1 iff prev_hash equals record N-1's hash AND seq is the exact u64 successor of record N-1's seq; the successor is never taken modulo the u64 ceiling — no seq may link past u64::MAX (the chain cannot wrap) — and on the guarded domain (prev below u64::MAX) the predicate is exactly seq == prev + 1	kani (bounded)	PROVEN
#2	chain linking is exact successor arithmetic and never wraps at the u64 ceiling	record N links to record N-1 iff prev_hash equals record N-1's hash AND seq is the exact u64 successor of record N-1's seq; the successor is never taken modulo the u64 ceiling — no seq may link past u64::MAX (the chain cannot wrap) — and on the guarded domain (prev below u64::MAX) the predicate is exactly seq == prev + 1	creusot	PROVEN 1 / 1
#3	canonical bytes are stable	all hashed and signed material is canonical JSON (keys sorted lexicographically, no whitespace); hashing and signing always run over canonical bytes; key-order edits change stored JSON but not the canonical form (not tamper events), while any byte change to a value is; invalid values are rejected by validation, never silently normalized	check	PROVEN
#3	invalid events are rejected, never normalized	event structs deny unknown fields; validation rejects empty required fields, a non-object context, out-of-range timestamps, and unknown fields; an invalid event is a corrupt-class failure at verify time, not a silent normalization	check	PROVEN
#3	the hash chain commits to content and order	each record hash is SHA-256 over the canonical event map merged with prev_hash; the first record of the ledger links to GENESIS_HASH; record N links to N-1 iff prev_hash equals record N-1's hash AND seq equals record N-1's seq plus 1; any mismatch surfaces as a named failure: bad_record_hash, broken_link, or sequence_gap	check	PROVEN

#3	the shard store is append-only	one append-only JSONL file per shard (shard-NNNNNN.jsonl, zero-padded index); append continues the verified head — seq derived from the head record and prev_hash from the head hash or the previous shard's root — and never rewrites existing shard content; line-level parse errors report the shard and line number	check	PROVEN
#3	seals commit to the Merkle root and record count	the Merkle root is pairwise SHA-256 over the shard's record hashes with an odd final leaf duplicated; the Ed25519 signature covers the canonical JSON of {count, kind: seal, merkle_root, prev_shard_root, sealed_at_ms} — signature and public_key are not part of the message; flipping any seal field breaks the signature, and a count mismatch is bad_seal_count	check	PROVEN
#3	compaction preserves the cross-shard root link	compact_last_sealed replaces the last sealed shard with a single compaction record carrying the original seal verbatim and keeping the shard's genesis prev_hash, so root links into and out of the shard are unchanged; the new seal (count 1) re-signs over the compaction record; rewriting a compacted shard breaks the seal signature; the original content is no longer reconstructible from the ledger	check	PROVEN
#3	policy evaluation is per-event and per-rule	at verify time every ledger event is evaluated against every policy rule: a deny rule flags any event matching its set matchers, a require_outcome rule flags a matching event whose decision outcome differs; violations appear as policy_violation failures carrying the rule_id	check	PROVEN
#3	exit codes form the CI contract with fixed precedence	verify exits 0 clean, 1 tampered (bad_record_hash, broken_link, bad_merkle_root, broken_root_link), 2 gap (sequence_gap), 3 signature (bad_signature, bad_seal_count), 4 policy (policy_violation), 5 corrupt (parse_line, invalid_event, bad_seal_structure), 255 usage; when several classes coexist the most specific diagnosis wins in the order corrupt, gap, signature, tampered, policy	check	PROVEN

#3	export and import round-trips are hash-stable	export emits one JSON document with deterministic typed shard serialization (never the raw stored lines, so file key order cannot leak); importing an exported ledger's events (without seq — it is derived) into a fresh ledger reproduces identical record hashes	check	PROVEN
#3	the threat model states exactly what verify proves	given an uncorrupted copy of the sealed shards and a known public key, verify proves content integrity, ordering and completeness within a shard, seal integrity, cross-shard continuity, and the compaction boundary; it does not prove: total replacement by a private-key holder with a re-signed shard, unanchored pre-seal history, shard loss (detected, not repaired), the truthfulness of written events, or membership of the policy file in the signed boundary	check	PROVEN
#3	shard naming is total, fixed-width, and order-preserving on the documented index domain	for every u32 shard index up to 999_999 the store name shard-NNNNNN.jsonl round-trips back to the exact index through the directory-scan parser, has fixed width 19, and lexicographic name order equals numeric index order (which is what makes the store's sorted scan sound)	check	PROVEN
#3	chain linking is exact successor arithmetic and never wraps at the u64 ceiling	record N links to record N-1 iff prev_hash equals record N-1's hash AND seq is the exact u64 successor of record N-1's seq; the successor is never taken modulo the u64 ceiling — no seq may link past u64::MAX (the chain cannot wrap) — and on the guarded domain (prev below u64::MAX) the predicate is exactly seq == prev + 1	check	PROVEN
#3	chain linking is exact successor arithmetic and never wraps at the u64 ceiling	record N links to record N-1 iff prev_hash equals record N-1's hash AND seq is the exact u64 successor of record N-1's seq; the successor is never taken modulo the u64 ceiling — no seq may link past u64::MAX (the chain cannot wrap) — and on the guarded domain (prev below u64::MAX) the predicate is exactly seq == prev + 1	kani (bounded)	PROVEN

#3	chain linking is exact successor arithmetic and never wraps at the u64 ceiling	record N links to record N-1 iff prev_hash equals record N-1's hash AND seq is the exact u64 successor of record N-1's seq; the successor is never taken modulo the u64 ceiling — no seq may link past u64::MAX (the chain cannot wrap) — and on the guarded domain (prev below u64::MAX) the predicate is exactly seq == prev + 1	creusot	PROVEN 1 / 1

SECURITY & STANDARDS

Policy	campaign-run-b
Policy digest	3c9d13f010b0d019726827030d3dd3088ee3bd633795f69f11e389f01c262f5c
Required standards	-
Result	SATISFIED

Evidence class	Required	Status	Reasons
Dependency/SCA	yes	PASS	
Static analysis	yes	PASS	
Secrets	yes	PASS	
Supply chain	yes	PASS	
License policy	yes	PASS	

Attempt security history (the full per-attempt sections are in the signed JSON report):

Attempt	Result	Open findings	Demonstrated violations
#1	NOT SATISFIED	0	-
#2	NOT SATISFIED	0	-
#3	SATISFIED	0	-

Finding	Class	Subject	Severity	Rule	State
585dc8dd419afdf4e9bf3c874f2701e31d5f3338bc9b4203dc562020a35876ec	Supply chain	pkg:cargo/anstream@1.0.0	-	syft/anstream@1.0.0	OPEN
5812a90517ca8a7be4835875c4821ace43a4835c915372e2902c66fdb38fdc43	Supply chain	pkg:cargo/anstyle@1.0.14	-	syft/anstyle@1.0.14	OPEN
0c2acffbd95840f484ecf5ead5dbf02d3043c8cd99e95cffcecb6dd06aad1689	Supply chain	pkg:cargo/anstyle-parse@1.0.0	-	syft/anstyle-parse@1.0.0	OPEN
38e530b1f35c1f97754741dcb41c150fc5f37b19537d0a862f1cf412d5d5eb77	Supply chain	pkg:cargo/anstyle-query@1.1.5	-	syft/anstyle-query@1.1.5	OPEN
43a7bbf00d060e71d216d2dba5a8507586b4879c8c606cb5701f4721a1340984	Supply chain	pkg:cargo/anstyle-wincon@3.0.11	-	syft/anstyle-wincon@3.0.11	OPEN
b53200027bb397c19303a57035a312ff9896f23494778cfe8417bf3b566802b7	Supply chain	pkg:cargo/base64ct@1.8.3	-	syft/base64ct@1.8.3	OPEN

a27f471935b3ca54a96a87c1168029f17d49df469b5d7fb9768f5be6a479cb5a	Supply chain	pkg:cargo/bitflags@2.13.2	-	syft/bitflags@2.13.2	OPEN
d954449ff474a768cbba77304caa220f9361597bbb1fdcfa4f395dc2ff3ab6a3	Supply chain	pkg:cargo/block-buffer@0.10.4	-	syft/block-buffer@0.10.4	OPEN
7c7783daff6a7d155286cca0cff6d6680da913d25c6b2f9b8cbaa7796870b15c	Supply chain	pkg:cargo/bumpalo@3.20.3	-	syft/bumpalo@3.20.3	OPEN
298a3dc87ed455182e39269edd7bcb85eb69d2fdfaed33bb248b55ce4ef400bf	Supply chain	pkg:cargo/cfg-if@1.0.5	-	syft/cfg-if@1.0.5	OPEN
c945fdb692b50e54a5707923beed9b74cc8840b872dda759232c54f54faf3e13	Supply chain	pkg:cargo/clap@4.6.7	-	syft/clap@4.6.7	OPEN
4c660220014879503df0995f4e53893f079ed601c9ca4351754a91d944cd5747	Supply chain	pkg:cargo/clap_builder@4.6.7	-	syft/clap_builder@4.6.7	OPEN
8bb04af9d989b5eb357e0b7a5a47760babc2e2e30e6622131f0b704e82099de2	Supply chain	pkg:cargo/clap_derive@4.6.7	-	syft/clap_derive@4.6.7	OPEN
0806d9370588be53df7d7e7b13b4cd97fe96353945c1a2e612f0cb42e6b0a9fa	Supply chain	pkg:cargo/clap_lex@1.1.1	-	syft/clap_lex@1.1.1	OPEN
564bee5e0ca4f5b0b9d5c7f3c80949c2379225cc93896b64d7cf40572e67f707	Supply chain	pkg:cargo/colorchoice@1.0.5	-	syft/colorchoice@1.0.5	OPEN
e67b364fc025909689d2318cd8edbb4eff67f8550970a92413e57be11015fa73	Supply chain	pkg:cargo/const-oid@0.9.6	-	syft/const-oid@0.9.6	OPEN
6d706f34a5c990989290bf9a40545e25199499f4d7896fb17db92c9f5704d9dd	Supply chain	pkg:cargo/cpufeatures@0.2.17	-	syft/cpufeatures@0.2.17	OPEN
a289092557745e0eefda7242068cc669dc6c675bbd343c368809ac5ba3b7b585	Supply chain	pkg:cargo/creusot-std@0.14.0	-	syft/creusot-std@0.14.0	OPEN
bd757a2946d6e2f74809027c535554d69bb14965a21b50d1296dd4269251ca4f	Supply chain	pkg:cargo/creusot-std-proc@0.14.0	-	syft/creusot-std-proc@0.14.0	OPEN
145a268fb83cc9efa6d7dbc1f2c7a5bb878887bd309a7a13c70db7c26a3dd4a6	Supply chain	pkg:cargo/crypto-common@0.1.7	-	syft/crypto-common@0.1.7	OPEN
787a89ac66a8ee454e76700ba05fd7449ee2e0a02adba4d5703b4e43a3ad63ee	Supply chain	pkg:cargo/curve25519-dalek@4.1.3	-	syft/curve25519-dalek@4.1.3	OPEN

e363a3158ed291249701f7a913b490cfd8e21da33cc9bf6cadf72aebdb110e38	Supply chain	pkg:cargo/curve25519-dalek-derive@0.1.1	-	syft/curve25519-dalek-derive@0.1.1	OPEN
5751ef29264c20e19c6275a8edbcb5fe4e9fd09f069d64785099 58c3c665a5e5	Supply chain	pkg:cargo/der@0.7.10	-	syft/der@0.7.10	OPEN
abddfb4ca732e056419f5daea9c997464fb39a808c74315e77618f63aad577b5	Supply chain	pkg:cargo/digest@0.10.7	-	syft/digest@0.10.7	OPEN
09b4b23b72b30909f311f514c3047c3b683412752ce0f30b550c35f69175ccb1	Supply chain	pkg:cargo/ed25519@2.2.3	-	syft/ed25519@2.2.3	OPEN
5e9cb7bd671ff507af20938bceec17825515186a8d16aaaebdc53f2962c62f4d	Supply chain	pkg:cargo/ed25519-dalek@2.2.0	-	syft/ed25519-dalek@2.2.0	OPEN
ebfe761a2619776f2942064a3f4868f3e0008f237546af684b50af44dfc3b099	Supply chain	pkg:cargo/errno@0.3.14	-	syft/errno@0.3.14	OPEN
305b6e419555a415bf2c3931f34c2f2a305b322905e7d62a155a394c36a7f9ee	Supply chain		-	syft/falsegreen-ledger@0.1.0	OPEN
037fe54909861dd855fbdb0b49d679ac7e8db1fef9f31cee62b92f74ea406033	Supply chain		-	syft/falsegreen-ledger-core@0.1.0	OPEN
6114365595d08a3bfc7e5d101289c1511fd658287c777c4ec53b73a764a8419f	Supply chain	pkg:cargo/fastrand@2.5.0	-	syft/fastrand@2.5.0	OPEN
8c813dcb9098a7c8941eb1aaffa3513c58020c83e085b04e6767488e300c6c97	Supply chain	pkg:cargo/fiat-crypto@0.2.9	-	syft/fiat-crypto@0.2.9	OPEN
476954817da44f19713c85a7f20edf24ebe14e973b2dd69ba13f6555d75a3094	Supply chain	pkg:cargo/futures-core@0.3.34	-	syft/futures-core@0.3.34	OPEN
fee6978da35e4f5c6b8d96529cb65dee180d4cb7666707e503d34f0cfc05ef9a	Supply chain	pkg:cargo/futures-task@0.3.34	-	syft/futures-task@0.3.34	OPEN
d13989ae04350bcd91aced9f34a985abfd8185befd3143d4606db9aa484286f2	Supply chain	pkg:cargo/futures-util@0.3.34	-	syft/futures-util@0.3.34	OPEN
5e9894b399a2c47a307185031536daaee5ded5c707a623024827a381aad89903	Supply chain	pkg:cargo/generic-array@0.14.7	-	syft/generic-array@0.14.7	OPEN
992e1c30dd219f9cf75f520e5d8dbf0588faae5d1a6bc9f2607da898d9f5c847	Supply chain	pkg:cargo/getrandom@0.2.17	-	syft/getrandom@0.2.17	OPEN

11a15cd49953aaee1017644804d1c3f9e5c0f2dece9366168276bff362fc0d24	Supply chain	pkg:cargo/getrandom@0.4.3	-	syft/getrandom@0.4.3	OPEN
c2a49ee05fb8e39068222324fb06d7af16937aff1e9a9ea99a8e17acc514f457	Supply chain	pkg:cargo/heck@0.5.0	-	syft/heck@0.5.0	OPEN
e29ecb67830b5145d857685e3f25db579bbcf432c785c6d223baf8bea97d1a9d	Supply chain	pkg:cargo/hex@0.4.3	-	syft/hex@0.4.3	OPEN
b3d93215b7294d3158ac885a5f44df493b9205f88c1d1b8730891332fd3b7030	Supply chain	pkg:cargo/is_terminal_polyfill@1.70.2	-	syft/is_terminal_polyfill@1.70.2	OPEN
2198026ba7738261a15516b44aed3a688f8b546c317b64b35c08cd6141612cd3	Supply chain	pkg:cargo/itoa@1.0.18	-	syft/itoa@1.0.18	OPEN
77600897c032e28e90244d67c57a80b30db75d51812cb1dbcaa25d4c6fdee41c	Supply chain	pkg:cargo/js-sys@0.3.106	-	syft/js-sys@0.3.106	OPEN
82e10e1e4aa51b63a42d56e499f37bd54621783cf1bc559ef30799321b6ed1fb	Supply chain		-	syft/ledger-rules@0.1.0	OPEN
b9037477e254792147b6d53596c94dc9434242c5dd69072fb803a6ed039e52f4	Supply chain		-	syft/ledger-spec@0.1.0	OPEN
61aaeff62260c1d967d95422d89a28bc19dd0e5a930b6c9dfd3f031a4999dd7f	Supply chain	pkg:cargo/libc@0.2.191	-	syft/libc@0.2.191	OPEN
9638a8b320f9ef1e348eb212d7b9b5aff9cff37075971380c717f44f8c144d91	Supply chain	pkg:cargo/linux-raw-sys@0.12.1	-	syft/linux-raw-sys@0.12.1	OPEN
e2d6e087930e3834218a876fdb280683d5efcdaf50ae2eab592e1e22f97d815d	Supply chain	pkg:cargo/memchr@2.8.3	-	syft/memchr@2.8.3	OPEN
06cfdd42abb0c9e4d1075d601a05b33ad12f4e0770c117f758e768a380957b48	Supply chain	pkg:cargo/once_cell@1.21.4	-	syft/once_cell@1.21.4	OPEN
25d8ffe4413b6cf3ccf7a0646d5136789bd33d4b513d6ef17a7f8549d27ff3c4	Supply chain	pkg:cargo/once_cell_polyfill@1.70.2	-	syft/once_cell_polyfill@1.70.2	OPEN
b8d773cef58aeb5fe067d9ae18794bd0971d08dd6c7d6d4b53712c6f778cdd08	Supply chain	pkg:cargo/pearlite-syn@0.14.0	-	syft/pearlite-syn@0.14.0	OPEN
d70cae8bcb70f31e4c6b7164e3081c4a5431d743e96c3c24760e8b86e1a6eb7f	Supply chain	pkg:cargo/pin-project-lite@0.2.17	-	syft/pin-project-lite@0.2.17	OPEN

426f5a3c744e86d89a996166238d634b5159d615a2642460863a26de9ebe1afe	Supply chain	pkg:cargo/pkcs8@0.10.2	-	syft/pkcs8@0.10.2	OPEN
c694e303f6d517d79b9440f754fd2092277919227356a55095046c9b6938a128	Supply chain	pkg:cargo/ppv-lite86@0.2.21	-	syft/ppv-lite86@0.2.21	OPEN
83840aaef8208540db5387d039d782fb6638ce97e06bd3f18ce20661ab601f55	Supply chain	pkg:cargo/proc-macro2@1.0.107	-	syft/proc-macro2@1.0.107	OPEN
7ec44be48b990fd8c38cb446e9e2cde3c7a02c7b35c9e4514bf7974c9def81eb	Supply chain	pkg:cargo/quote@1.0.47	-	syft/quote@1.0.47	OPEN
e5bc87872cb19c9a211895bbde8092b0512f0338b0bde534dade96b289166a5b	Supply chain	pkg:cargo/r-efi@6.0.0	-	syft/r-efi@6.0.0	OPEN
f119984d74172df79e8ed614888308c422e4e3e76e09acdd7c7df03156c6ebab	Supply chain	pkg:cargo/rand@0.8.8	-	syft/rand@0.8.8	OPEN
da733f873e8e22258550231003a3cc91d78301c5807ea9c5c6c953bdfc93a386	Supply chain	pkg:cargo/rand_chacha@0.3.1	-	syft/rand_chacha@0.3.1	OPEN
303db3e1caa7ec327fb3d438d968f3ece32234dbb594a8d0ef3addca9bcb61de	Supply chain	pkg:cargo/rand_core@0.6.4	-	syft/rand_core@0.6.4	OPEN
8c2b4d1a270f8c039f231929858e0a81f04e4168eaa9e3884e96d2cf67fa0b9f	Supply chain	pkg:cargo/rustc_version@0.4.1	-	syft/rustc_version@0.4.1	OPEN
94f78cc0a41219cf8bd76e72370c1e3f7a25a1c5d3682c962ebcac51f96e6107	Supply chain	pkg:cargo/rustix@1.1.5	-	syft/rustix@1.1.5	OPEN
aa23aa4807d46c98279b059d07943e631594c35e66ce52182c16b51cf7d43f12	Supply chain	pkg:cargo/rustversion@1.0.23	-	syft/rustversion@1.0.23	OPEN
9e26a95ae3dfd058f160efaaad125c58e9e4df33de1cd9e89f238a5af96e1d8d	Supply chain	pkg:cargo/semver@1.0.28	-	syft/semver@1.0.28	OPEN
6b250dfbe70ae2dd0686b791c854ea29d60fcced5847ef1097b33776640b726b	Supply chain	pkg:cargo/serde@1.0.229	-	syft/serde@1.0.229	OPEN
0907c849ff021995b320333d903013c3e35609e44fdd439d0185cdd6b2b42b33	Supply chain	pkg:cargo/serde_core@1.0.229	-	syft/serde_core@1.0.229	OPEN
eea06b68ab5dfabe29545176a15ca67d241e54bcf1a54c735e99406c378c3b0d	Supply chain	pkg:cargo/serde_derive@1.0.229	-	syft/serde_derive@1.0.229	OPEN

567f9a6ec6dd74ea27cceeecd20cc8f83ec2bad60cb4992da15e71fa478e3c8b	Supply chain	pkg:cargo/serde_json@1.0.154	-	syft/serde_json@1.0.154	OPEN
1dc35a3d9010bd6a84e1fe0d75e39d2f1507e7d761fba360a6a011b297aff75b	Supply chain	pkg:cargo/sha2@0.10.9	-	syft/sha2@0.10.9	OPEN
039783866d8dc87a18a205702b098ce8341f6e3032a121b65f5888dbc79dbf86	Supply chain	pkg:cargo/signature@2.2.0	-	syft/signature@2.2.0	OPEN
9bce2547a13eaf182484f1a571040d8cce743c62cb11c3b0adcb3a934d9771ff	Supply chain	pkg:cargo/slab@0.4.12	-	syft/slab@0.4.12	OPEN
b1b266ef80a1dcba71b6ea153bd32e5b3d9e89c33461e3638c6b56ecea92fde9	Supply chain	pkg:cargo/spki@0.7.3	-	syft/spki@0.7.3	OPEN
a2d0f5f6f8ebcca0da8bbf2c323fb2013afa905a47a570b6c73442bc9a5b8620	Supply chain	pkg:cargo/strsim@0.11.1	-	syft/strsim@0.11.1	OPEN
6ef75c868a28b31d2d9bdd28764b8c3e232fbcdb70190659f0cebb57c8e2a3e	Supply chain	pkg:cargo/subtle@2.6.1	-	syft/subtle@2.6.1	OPEN
172012ad51c91dc3a2e8a3a4c30026893420917739d047e5dc8918d5af26e93e	Supply chain	pkg:cargo/syn@2.0.119	-	syft/syn@2.0.119	OPEN
4cf5b83b5e47207b200be1c28233d037d4896752b572d0edb52975dc429e0b1c	Supply chain	pkg:cargo/syn@3.0.9	-	syft/syn@3.0.9	OPEN
96826fe9035d6551629c4e2a5e7d6f2df945796fac5128adf613901f231612ce	Supply chain	pkg:cargo/tempfile@3.27.0	-	syft/tempfile@3.27.0	OPEN
4cabb90893a6e49358a09f507c1134173b15a041a74b54cf9d4c1d93ce6d2e82	Supply chain	pkg:cargo/typenum@1.20.1	-	syft/typenum@1.20.1	OPEN
cdf512d7b7b4b6aad7b87252ee1d8aa13deced196dc20e86af4c693914775db0	Supply chain	pkg:cargo/unicode-ident@1.0.27	-	syft/unicode-ident@1.0.27	OPEN
493be846b106eef3741941ff4fbf118d156cd42bcbf90ef0820faff50ed6aeb4	Supply chain	pkg:cargo/utf8parse@0.2.2	-	syft/utf8parse@0.2.2	OPEN
9582d4f239f7864b3b3b0fe0e400cb3bef7b6e4cafa8d4ffcf46bf2037b8b2d1	Supply chain	pkg:cargo/uuid@1.28.0	-	syft/uuid@1.28.0	OPEN
4113c0d164e406e3897d48a025ec03de3591018065c023d609aa9a1a24a8535e	Supply chain	pkg:cargo/version_check@0.9.5	-	syft/version_check@0.9.5	OPEN

2908eeb04b59a653d934e0cdb89832021bfaa96dec7ff3dafcffbf192d06ba0b	Supply chain	pkg:cargo/wasi@0.11.1%2Bwasi-snapshot-preview1	-	syft/wasi@0.11.1+wasi-snapshot-preview1	OPEN
795f67b52a5a715e44751a89cd6e3eebe56440405d5b50d45fd590265e8b070c	Supply chain	pkg:cargo/wasm-bindgen@0.2.129	-	syft/wasm-bindgen@0.2.129	OPEN
cdb73c713e3e48e4825973e061b272376c716442e995252af01cd807cb800f5c	Supply chain	pkg:cargo/wasm-bindgen-macro@0.2.129	-	syft/wasm-bindgen-macro@0.2.129	OPEN
0e7c814d552fbfcb44b8a3d5bf843864865499653a32ab9c8fca4b3b5c696ed	Supply chain	pkg:cargo/wasm-bindgen-macro-support@0.2.129	-	syft/wasm-bindgen-macro-support@0.2.129	OPEN
9c56e78576d675ae7a5b5e0eb53a91c8704424a30d7257fcd6d017493453ecf3	Supply chain	pkg:cargo/wasm-bindgen-shared@0.2.129	-	syft/wasm-bindgen-shared@0.2.129	OPEN
6e216a5e2b506734f75006b2f0a084aa655272534631ff3e365dae942872f46e	Supply chain	pkg:cargo/windows-link@0.2.1	-	syft/windows-link@0.2.1	OPEN
9077dd0b2b86b914f0b095c8d6bcc189167ee95b7021993b57088bd5e25c724f	Supply chain	pkg:cargo/windows-sys@0.61.2	-	syft/windows-sys@0.61.2	OPEN
e88bf689d1aa0a4bcdfaefe867dd26346df4be90d067004b93b7d73fb75cfe38	Supply chain	pkg:cargo/zerocopy@0.8.63	-	syft/zerocopy@0.8.63	OPEN
2f618422a7648ae74d807312d3a397d16eef2a47e85b7a412fe58ff50268a109	Supply chain	pkg:cargo/zerocopy-derive@0.8.63	-	syft/zerocopy-derive@0.8.63	OPEN
3cfb926e0c9258ea27f8d32a2de899d498b245fbd099dff9cbf872a3d9832914	Supply chain	pkg:cargo/zeroize@1.9.1	-	syft/zeroize@1.9.1	OPEN
57cc8ce7a77d7b267625f03e149331e422afd6e028ace34137fe11514f19b0e4	Supply chain	pkg:cargo/zmij@1.0.23	-	syft/zmij@1.0.23	OPEN
3cb3f72855ec8da34228f8a8b8b49d110c5f6296126a0396e384b78dff93858b	License policy	pkg:cargo/anstream@1.0.0	-	license/MIT OR Apache-2.0	OPEN
105d7e1b0ce045f5eaecf4886b2a3a53f11740059022390aeed0641349be6370	License policy	pkg:cargo/anstyle@1.0.14	-	license/MIT OR Apache-2.0	OPEN
6a1bdd16582f18fdb1fa91303573db6370cbc6c6791e13662c519f3bf67e2b58	License policy	pkg:cargo/anstyle-parse@1.0.0	-	license/MIT OR Apache-2.0	OPEN
c32d140352b51004cc522860ec69e78b1648a34309a6a9be6f3bcdf6b34c3ea8	License policy	pkg:cargo/anstyle-query@1.1.5	-	license/MIT OR Apache-2.0	OPEN

4e5f3b8af12d986d540eb760ff9cd8b6855eaad28f2aad327cfb27528eddab32	License policy	pkg:cargo/anstyle-wincon@3.0.11	-	license/MIT OR Apache-2.0	OPEN
d87de0e2410e4ce9c1b03a1c509b3ddf5960b0936f81d4647ba1c5d6d89fc86b	License policy	pkg:cargo/base64ct@1.8.3	-	license/Apache-2.0 OR MIT	OPEN
0ae447b9c774db7ecc15622af01746eae86cf6f47a4192ff75afdbb184bd4f0d	License policy	pkg:cargo/bitflags@2.13.2	-	license/MIT OR Apache-2.0	OPEN
88f6dcc043cb942462a57d4e8de3f5e67de6a2bcfe84ec10f2977e7df83f3f70	License policy	pkg:cargo/block-buffer@0.10.4	-	license/MIT OR Apache-2.0	OPEN
112eba865d6e313d6f23bd9b4eb1bb1740fb2f837c273ec7124e835cc0da005d	License policy	pkg:cargo/bumpalo@3.20.3	-	license/MIT OR Apache-2.0	OPEN
6dc467fded10560a16e1a85aae690fdd4d560ab3a7854ff858b0790cbced7ab2	License policy	pkg:cargo/cfg-if@1.0.5	-	license/MIT OR Apache-2.0	OPEN
d62527e65bfebf56c615db5a8b57a52ebb14d9d01d5737b36026ffcd385e020f	License policy	pkg:cargo/clap@4.6.7	-	license/MIT OR Apache-2.0	OPEN
5022223658ce227834152beda2f8039c2f620048d573cdfafca1df7435cd10a4	License policy	pkg:cargo/clap_builder@4.6.7	-	license/MIT OR Apache-2.0	OPEN
b4acb80d59203342fec461529a44fbdf49e70bc6ca659f541896faa542ea43c5	License policy	pkg:cargo/clap_derive@4.6.7	-	license/MIT OR Apache-2.0	OPEN
f18f5e7c89578e9678c5c7348530bcd16566d209feb0453558bd4177a56e4519	License policy	pkg:cargo/clap_lex@1.1.1	-	license/MIT OR Apache-2.0	OPEN
3aa7445371bcced37f805b8b93e9c78dc9638f3ebccedb2087fd6a4bf369b408	License policy	pkg:cargo/colorchoice@1.0.5	-	license/MIT OR Apache-2.0	OPEN
e23a545bde38131ecd1958e9a627d1c94d4e1e13ac04f45d6d19ea0ba3ffa3d6	License policy	pkg:cargo/const-oid@0.9.6	-	license/Apache-2.0 OR MIT	OPEN
524744fd861891b779e920a35054e452215c00ca7ad2ecd0c314ce8176be8972	License policy	pkg:cargo/cpufeatures@0.2.17	-	license/MIT OR Apache-2.0	OPEN
19e2b4591ae75b11535dd3adef8e6a0ee04d76d24038de6751a8b7537b96d5aa	License policy	pkg:cargo/creusot-std@0.14.0	-	license/LGPL-2.1-or-later	OPEN
3cd2d76a6803b9cba3f213e24939049e38bd414067a7394974c19fdacc0fc663	License policy	pkg:cargo/creusot-std-proc@0.14.0	-	license/LGPL-2.1-or-later	OPEN

7f21367b3adac10c420edf92206d55530b768dbb37f26d97ab71624f4897a4ef	License policy	pkg:cargo/crypto-common@0.1.7	-	license/MIT OR Apache-2.0	OPEN
fe2c38830f0c36aa5c2b7e92c8ce6e5f5ffce3359ea8c601e5c38043e1bdf8a2	License policy	pkg:cargo/curve25519-dalek@4.1.3	-	license/BSD-3-Clause	OPEN
22e858ebe1e0cd3085665c0b1ddb0258c163e74d25bd86359b4b5f2a6c9ac9a4	License policy	pkg:cargo/curve25519-dalek-derive@0.1.1	-	license/MIT/Apache-2.0	OPEN
1d544f0845dcc666855e99dd2b294924d14fc9a59ee95d04ab545ef5a456563a	License policy	pkg:cargo/der@0.7.10	-	license/Apache-2.0 OR MIT	OPEN
52412f24e374c82ecd63af7620df4b525ebf66faccde3420a82407886bd0c284	License policy	pkg:cargo/digest@0.10.7	-	license/MIT OR Apache-2.0	OPEN
ae41ba9e474899a525f07dedebf70d5b4d90f42b867dade39a918ff0dc56cdbd	License policy	pkg:cargo/ed25519@2.2.3	-	license/Apache-2.0 OR MIT	OPEN
bfba5b2b48789d0999e04341c49eb12720a3312e6c03ae463dc733e6fbb7f47a	License policy	pkg:cargo/ed25519-dalek@2.2.0	-	license/BSD-3-Clause	OPEN
3e1257c111ee0929dbe8413202dd62d02da5e23805b3c7b82ee7db2e60e2e5bf	License policy	pkg:cargo/errno@0.3.14	-	license/MIT OR Apache-2.0	OPEN
413b301a14873d3fa09cfbeb904a1753aff90083f7faf45c9fa10ae41e514c95	License policy	pkg:cargo/fastrand@2.5.0	-	license/Apache-2.0 OR MIT	OPEN
ca89f09616c15bc6e6aac2d3d9a826d665ed042c69fe8093e11ca0e11215fa88	License policy	pkg:cargo/fiat-crypto@0.2.9	-	license/MIT OR Apache-2.0 OR BSD-1-Clause	OPEN
c6aeb45eaedd541244c476c372e812d3e20d16010265ee4571a3763242392da2	License policy	pkg:cargo/futures-core@0.3.34	-	license/MIT OR Apache-2.0	OPEN
301d6620277659895b68463d36b4239436b98a7dc028f4d60d5d04c4b334f741	License policy	pkg:cargo/futures-task@0.3.34	-	license/MIT OR Apache-2.0	OPEN
2df66b072bb07a9e9a837604f76f68aa7c29f5388ae32a5c9be71b9858ac5f8c	License policy	pkg:cargo/futures-util@0.3.34	-	license/MIT OR Apache-2.0	OPEN
b56a6ad063aa5b2a36eb7f5ca9f3d6a67d4edee01d6b1bf01994bd1049382aa1	License policy	pkg:cargo/generic-array@0.14.7	-	license/MIT	OPEN
a2e087ff1e664313a70e2e8ce7eed24cea66820e3750c483ddf3f4d1e254d8bf	License policy	pkg:cargo/getrandom@0.2.17	-	license/MIT OR Apache-2.0	OPEN

e8a05789f8c7ca2d56115d6721959efab7dee18603092589b99cc0603b4e4931	License policy	pkg:cargo/getrandom@0.4.3	-	license/MIT OR Apache-2.0	OPEN
a045045ab5f79bbc6d89c842641627a66ef7838cf2c4a6956b7cdb1c8adcce1f	License policy	pkg:cargo/heck@0.5.0	-	license/MIT OR Apache-2.0	OPEN
2bfc1148428c407eb319a7e6c10fde0605121ffa1716eaa1db0ddd9d8aad5e7b	License policy	pkg:cargo/hex@0.4.3	-	license/MIT OR Apache-2.0	OPEN
1607bce4d21887f6c3c6cd523cd4781bb966af2914910df1bf0813f5ca357718	License policy	pkg:cargo/is_terminal_polyfill@1.70.2	-	license/MIT OR Apache-2.0	OPEN
44e4a8a96ba5fffac1618980329c98bbaae8b6acc5365659a688553c4c36f5cd	License policy	pkg:cargo/itoa@1.0.18	-	license/MIT OR Apache-2.0	OPEN
93859812ef1acb1ac4078d220de712708a6509b708dff095c708eb414e618cbe	License policy	pkg:cargo/js-sys@0.3.106	-	license/MIT OR Apache-2.0	OPEN
90ce55778cfac3e0f098de0b24f5e2e035d65d0b28f7c09647bf2a433f0ced65	License policy	pkg:cargo/libc@0.2.191	-	license/MIT OR Apache-2.0	OPEN
92fa2f521dd2cabdf45f3ba7d0efa52f4d91674015be492d2f7fd994d1843c9b	License policy	pkg:cargo/linux-raw-sys@0.12.1	-	license/Apache-2.0 WITH LLVM-exception OR Apache-2.0 OR MIT	OPEN
71154f949e7c2014f20dbe7d654741451e3def11140bc8612e413c799d1d8c28	License policy	pkg:cargo/memchr@2.8.3	-	license/Unlicense OR MIT	OPEN
72d443496cd2f5431e7f4347680d3790fed414966236ac9d635539cddfc310d7	License policy	pkg:cargo/once_cell@1.21.4	-	license/MIT OR Apache-2.0	OPEN
d0ca8c614318f904a95eef3273640692f921fbea88f4681b46a944098a7f4767	License policy	pkg:cargo/once_cell_polyfill@1.70.2	-	license/MIT OR Apache-2.0	OPEN
a0fc8e8d71ece792a231095f168ab0c7cffca251fcacce43289829e77fb75ef5	License policy	pkg:cargo/pearlite-syn@0.14.0	-	license/MIT OR Apache-2.0	OPEN
f9bf8d0cc7852f11cf6152dec7595b43e8a75d0f5fed01aefb19963f05a61094	License policy	pkg:cargo/pin-project-lite@0.2.17	-	license/Apache-2.0 OR MIT	OPEN
33502fd83559ad67d44c080bde985d7528478ab1397cfd11a8218d36537c4e31	License policy	pkg:cargo/pkcs8@0.10.2	-	license/Apache-2.0 OR MIT	OPEN
f36a59e9dbd1511f0ef2b47db501e35a66e0dd081a18f992255f811a35b17415	License policy	pkg:cargo/ppv-lite86@0.2.21	-	license/MIT OR Apache-2.0	OPEN

875825c505903cfb9b602a23e74f0edf7eb1621583ed9e583c410103af3d402d	License policy	pkg:cargo/proc-macro2@1.0.107	-	license/MIT OR Apache-2.0	OPEN
d94338e54aeaf7fdb9048fc5ec3defa5504f99aab2210cec5156b23ac309f0fd	License policy	pkg:cargo/quote@1.0.47	-	license/MIT OR Apache-2.0	OPEN
73c9c8606efa4200ec16f7e1121489b31dba86fe5c2093dd9907af8d742ee0d3	License policy	pkg:cargo/r-efi@6.0.0	-	license/MIT OR Apache-2.0 OR LGPL-2.1-or-later	OPEN
583bffa666173cd89ec5435a820a182f195e80ec3430f14ae356e22996f0c604	License policy	pkg:cargo/rand@0.8.8	-	license/MIT OR Apache-2.0	OPEN
c25b8b5f19fbb27189204b7c69f7d0bb55b519b678667bf698371f8884cc9037	License policy	pkg:cargo/rand_chacha@0.3.1	-	license/MIT OR Apache-2.0	OPEN
9b2b8375abad347b471c42d1cf7a4c0535119bbe425e5485aad498ec17f767c4	License policy	pkg:cargo/rand_core@0.6.4	-	license/MIT OR Apache-2.0	OPEN
175e264aed60c77f52af0e9e671e8ac55bec5e6e45abdc84a5ebcb3ec8228a32	License policy	pkg:cargo/rustc_version@0.4.1	-	license/MIT OR Apache-2.0	OPEN
0af9738feb17c972c978f5fb2a9d015e97b728ba66aa088f9c16113be8df3a91	License policy	pkg:cargo/rustix@1.1.5	-	license/Apache-2.0 WITH LLVM-exception OR Apache-2.0 OR MIT	OPEN
70f4a38d76116971c51011dab9ec757f6973bf8279d2ec62777f3f1bf9d0d9c4	License policy	pkg:cargo/rustversion@1.0.23	-	license/MIT OR Apache-2.0	OPEN
2dba13d7eff3023b8735741b2cebfcf48401ab80634cc83fa074d62e0029c6e5	License policy	pkg:cargo/semver@1.0.28	-	license/MIT OR Apache-2.0	OPEN
b7f56764e7744f74cad3387a716a5246077d8c6e9f0089883df0dbb8288aeb5d	License policy	pkg:cargo/serde@1.0.229	-	license/MIT OR Apache-2.0	OPEN
881652ce03c9fbb009ba2d5e92cacd9454e5366d43e3712ab99c1a0bb52cb0c8	License policy	pkg:cargo/serde_core@1.0.229	-	license/MIT OR Apache-2.0	OPEN
7d3cf8ea302039c6b559c6537f587340c694b5e20193dbc5bcb157a006d26b8a	License policy	pkg:cargo/serde_derive@1.0.229	-	license/MIT OR Apache-2.0	OPEN
da48400504894d432651db8f2dc88973bc202459db2f7d825ad79be718e1475d	License policy	pkg:cargo/serde_json@1.0.154	-	license/MIT OR Apache-2.0	OPEN
4e1769b1e32b9db38c1c88b395bbb79d75dbc84ccebcd482bc8e372323612ea5	License policy	pkg:cargo/sha2@0.10.9	-	license/MIT OR Apache-2.0	OPEN

7d786c3589077e405f9f6eefb654a291c2151ab077bdf2fd98c88ca1872cb009	License policy	pkg:cargo/signature@2.2.0	-	license/Apache-2.0 OR MIT	OPEN
803d1a04fde4297e52e15eafb9f7045b38466b7ac9de09d53b23a5b801788df3	License policy	pkg:cargo/slab@0.4.12	-	license/MIT	OPEN
2da68b323dc569bcbc497ed8b2cfb0120654e76776cf3c35f8d3e950f5747bc0	License policy	pkg:cargo/spki@0.7.3	-	license/Apache-2.0 OR MIT	OPEN
190387b967c5696b7e77e95e77baff38bd4c4cf266e724c09cc8cc70dc665da5	License policy	pkg:cargo/strsim@0.11.1	-	license/MIT	OPEN
f09ee24c509b49380459f50c80591806cd7c73ad6c6c2dc99229670041fee674	License policy	pkg:cargo/subtle@2.6.1	-	license/BSD-3-Clause	OPEN
88cca70db371b2eb5db003aa26dca694e18d04d14f10fea6bb7b77c9d8a5915c	License policy	pkg:cargo/syn@2.0.119	-	license/MIT OR Apache-2.0	OPEN
15bedfcd4863b93f38b7d0bc2bd56e41531843d5c2953974ebb947a686aebc48	License policy	pkg:cargo/syn@3.0.9	-	license/MIT OR Apache-2.0	OPEN
1c2df16adcb1e41856c04a70f745f44ed8efe15e1f2423e4d6a024902014f96c	License policy	pkg:cargo/tempfile@3.27.0	-	license/MIT OR Apache-2.0	OPEN
7ce501395a51a046ddd2de234813e8610fecb37a279dd7581b6a230876216f09	License policy	pkg:cargo/typenum@1.20.1	-	license/MIT OR Apache-2.0	OPEN
10ebd1e19e81d1b55e547bcf583a4da0d086d5d47b86817360bc2d6fa1daecc8	License policy	pkg:cargo/unicode-ident@1.0.27	-	license/(MIT OR Apache-2.0) AND Unicode-3.0	OPEN
2a48ac251537ab5616cb3a1c8b7c09ed5253e442bcb585a6a812cc2e12df9a99	License policy	pkg:cargo/utf8parse@0.2.2	-	license/Apache-2.0 OR MIT	OPEN
f7242a40ee73e10ecee190b2216fb89d082f1503d7eedadcb5949eefcfec5c507	License policy	pkg:cargo/uuid@1.28.0	-	license/Apache-2.0 OR MIT	OPEN
a178fed10f746a25a38e1a123cff01f7148bdfc82f2d75d55aa653a382c86dcb	License policy	pkg:cargo/version_check@0.9.5	-	license/MIT/Apache-2.0	OPEN
b505efbcbc2188a627d169bdbdc34901dec4f22b50255975c9c07961ddf3391d	License policy	pkg:cargo/wasi@0.11.1+wasi-snapshot-preview1	-	license/Apache-2.0 WITH LLVM-exception OR Apache-2.0 OR MIT	OPEN
86e8295bb7e74e6094ed25146fb852760955476aedf328c258f22d7928a971e28	License policy	pkg:cargo/wasm-bindgen@0.2.129	-	license/MIT OR Apache-2.0	OPEN

a8540d02003fc3df4b8bc38b7fb3f9d162f939ac2ea1c4b4401bd727c55443f2	License policy	pkg:cargo/wasm-bindgen-macro@0.2.129	-	license/MIT OR Apache-2.0	OPEN
ae94b33243d55cba9685b0da91cf31941957149cbef3cfb8a8b3c47ec027124c	License policy	pkg:cargo/wasm-bindgen-macro-support@0.2.129	-	license/MIT OR Apache-2.0	OPEN
b649102b4e27d450d6253da4c54818d3ecc38316817fde3de4f3adf5177f1025	License policy	pkg:cargo/wasm-bindgen-shared@0.2.129	-	license/MIT OR Apache-2.0	OPEN
7cc0ff2a3a61ff414a371dabeaef2dfd080dc6981383f0d056f5807f9f7f7716	License policy	pkg:cargo/windows-link@0.2.1	-	license/MIT OR Apache-2.0	OPEN
88f3e265d85daf89a5f53123d8cb24aa877f866f5a9e0798e3fcbfba44e07401	License policy	pkg:cargo/windows-sys@0.61.2	-	license/MIT OR Apache-2.0	OPEN
ccde7aa1c7e4a197172dbdd8d438652d4e46433fa65f363abd51fd3f4d5e042a	License policy	pkg:cargo/zerocopy@0.8.63	-	license/BSD-2-Clause OR Apache-2.0 OR MIT	OPEN
155008951dcca3c42ca968720dec1ba279f3836ef1c6921e7384a41ced42b7fb	License policy	pkg:cargo/zerocopy-derive@0.8.63	-	license/BSD-2-Clause OR Apache-2.0 OR MIT	OPEN
44f17f90be8e27066147ced08a81acf0709bf297e99ffb794be4f91f07a37819	License policy	pkg:cargo/zeroize@1.9.1	-	license/Apache-2.0 OR MIT	OPEN
9c06bc92074e46c9fad575585278ef5b558d6f9e86471f5f1afb991819aab2c7	License policy	pkg:cargo/zmij@1.0.23	-	license/MIT	OPEN

osv-scanner 2.7.0 [Dependency/SCA] invocation sha256:96f98a33daa2f27d26f8dfd6479634365051671 93f2626399b22ebcdf62ba9a0 39692e8bb1a7dc5e464d1fb48e19afdc2d7a8ace836553f780fc660e3897a4ab

semgrep 1.181.0 [Static analysis] invocation sha256:9eb55cd5c1c0d366d7b62700d19770048831f5e1c45762661d9ba9a401a229eb 39692e8bb1a7dc5e464d1fb48e19afdc2d7a8ace836553f780fc660e3897a4ab

gitleaks 8.30.1 [Secrets] invocation sha256:ededcffaf1cd0a81d51d2ff03aa023fafbaa7d79b153a21a1ce9fb1beeab4f92 39692e8bb1a7dc5e464d1fb48e19afdc2d7a8ace836553f780fc660e3897a4ab

syft 1.54.1 [Supply chain] invocation sha256:768297bd3d075f1ca13a0c67af39afc4b3b52366a7c42b48cf9dd3424691d93a 39692e8bb1a7dc5e464d1fb48e19afdc2d7a8ace836553f780fc660e3897a4ab

dependency-manifest 1 [License policy] invocation sha256:191061bcf1a75122b084458bf7422bd8bcd75116de992314ed6d4e1e9cdb7a4c 39692e8bb1a7dc5e464d1fb48e19afdc2d7a8ace836553f780fc660e3897a4ab

(no standards were mapped for this Job)

EXPORTS

Full content is embedded in the signed JSON report (schema v6).

spdx-3.0 sha256:ec9e72329245a44f9ed62a63432d48b76fc30e0f74355fade7deb57c14466ded report-artifact:sbom:spdx-3.0

cyclonedx-1.7 sha256:6ec581b5ee9ad7beef743c4f5f8540a6897652b187b1d4ae68d85c80973d9aea report-artifact:sbom:cyclonedx-1.7

oscal-assessment-results-1.1.2 sha256:b93bb17f223d289fef58c6ffad701f13361ae42564f6278f2b7c6def08808cb2 report-artifact:oscal:assessment-results

cyclonedx-1.7-vex sha256:0bc57dc839d34b95689bc31f7226c5c98ae14464e7cd4c6e53f452c755cc41eb report-artifact:vex:cyclonedx-1.7-vex

SIGNATURE

This report is cryptographically signed: Ed25519 over the canonical report content.
The public key is embedded in the report - verification is offline and
registry-free (falsegreen verify-report).

```
key id: fg-report-9fc1a2c5-134c-4ca1-a0f2-56b2d1bcde67-20261018-1
ed25519 public key: ie4eQdY1lt7O5aCCQzO+/192Yzc4pLQsGyVNqSKtlmA=
ed25519 signature: 4KSOp+PAHtghIr1dCtojPHaYbRHgjSVGft30ku71K4PrOisvnO92PDLivbc0eUk+1HzchQXA567+IrA7b
qx0DQ==
digest: 831e17f77ddcd5bc394799e042423ad5343de9096585fa73274e4329119a1e2f
```

This is a presentation of the signed canonical evidence (the JSON artifact). It is not an
audit certificate. - FalseGreen v0.13.0