ELASTICSEARCH, TWITTER AND SOME NEWS

FUNCTION SCORES AND AGGREGATIONS WITH ES

Daniel Trümper / @truemped

ABOUT ME

ELASTICSEARCH

```
"status": 200,
    "name": "Deathurge",
    "cluster_name": "elasticsearch",

"version": {
        "number": "1.4.0",
        "build_hash": "bc94bd81298f81c656893ab1ddddd30a99356066",
        "build_timestamp": "2014-11-05T14:26:12Z",
        "build_snapshot": false,
        "lucene_version": "4.10.2"
        },
        "tagline": "You Know, for Search"
}
```

distributed, RESTful, JSON, Lucene


THIS TALK

Create a simple news aggregator using Twitter
Rank news by retweets, favorites and time
Insights into data
Filter news

AGENDA


FRONTEND

Start Bootstrap Admin 2



DATA

Twitter Streaming API



FUNCTION SCORE

Hacker News/Reddit style relevance

kikesma

② 35 minutes ago ago via Twitter ♣ 54 ★ 15 source

Mexicans in biggest protest yet over missing students http://t.co/8Z0c1R0egM #YaMeCanse #AccionGlobalporAyotzinapa http://t.co/J9EYpnBfDY

• theguardian.com/world/2014/nov...





AstroKatie


② an hour ago ago via Twitter ♣ 41 ★ 38 source

xkcd does the physics of space and time dimensions and makes it look easy. http://t.co/iXgNwfQ93i #scicomm

• wired.com/2014/11/xkcd-g...


AGGREGATIONS I

Simple aggregrations on domains




AGGREGATIONS II

Histogram Aggregations



AGGREGATIONS III

Top Hits Aggregations for grouping



TWITTER STREAMING API

- follow a list of user ids
- track keywords
- locations geo bounding boxes

https://dev.twitter.com/streaming/reference/post/statuses/filter

TRACKING URLS

track=theguardian com matches tweets with links to theguardian.com

A TWEET WITH URLS

also contains the expanded full url

```
"urls": [{
    "url": "http://t.co/9bsuTIFUWs",
    "indices": [29, 51],
    "expanded_url": "http://www.theguardian.com/teacher-network/teacher-blog/2
    "display_url": "theguardian.com/teacher-networ..."
}]
```

IN PYTHON

Using twython library

RETWEETS

- contain the original tweet
- update retweets
- update favorites
- only the newest copy of a tweet indexed

UPDATE THE STREAMER

DELETIONS

Twitter notifies about deleted tweets

DATA ENHANCING

Add domain to the urls

This allows for a simple filtering per news paper

```
"urls": [{
    "url": "http://t.co/9bsuTIFUWs",
    "indices": [29, 51],
    "expanded_url": "http://www.theguardian.com/teacher-network/teacher-blog/2
    "display_url": "theguardian.com/teacher-networ...",
    "domain": "theguardian.com"
}]
```

FINAL INDEXING METHOD

```
def on_success(self, tweet):
    if 'delete' in tweet:
        status_id = tweet['delete']['status']['id']
        self._es.delete('news-tweets', 'tweet', status_id)
        return

if 'retweeted_status' in tweet:
        tweet = tweet['retweeted_status']

for url in tweet['entities']['urls']:
        if 'theguardian.com' in url['expanded_url']:
            url['domain'] = 'theguardian.com'

self._es.index('news-tweets', 'tweet',
            tweet['id_str'], json.dumps(tweet))
```

TIMELINE

Ranking news by importance

kikesma

② 35 minutes ago ago via Twitter ♣ 54 ★ 15 source

Mexicans in biggest protest yet over missing students http://t.co/8Z0c1R0egM #YaMeCanse #AccionGlobalporAyotzinapa http://t.co/J9EYpnBfDY

theguardian.com/world/2014/nov...





AstroKatie

② an hour ago ago via Twitter ♣ 41 ★ 38 source

xkcd does the physics of space and time dimensions and makes it look easy. http://t.co/iXgNwfQ93i #scicomm

• wired.com/2014/11/xkcd-g...

HACKER NEWS

Y Hacker News new | comments | show | ask | jobs | submit

- 1. A How to reward skilled coders with something other than people management (lizthedeveloper.com)
 216 points by koopajah 8 hours ago | 76 comments
- 2. A Show HN: Prophet A financial micro-framework in Python (michaelsu.io)
 67 points by Emsu 5 hours ago | 5 comments
- 3. ▲ Show HN: TrueJob OkCupid for Jobs (truejob.com)

104 points by eggbrain 8 hours ago | 42 comments

4. ▲ Let's Encrypt: How It Works (letsencrypt.org)

300 points by espadrine 21 hours ago | 98 comments

5. ▲ Open Sourcing a Failed Startup (nirvdrum.com)

299 points by nirvdrum 16 hours ago | 148 comments

≜ Ten Years of World of Warcraft (raphkoster.com)

83 points by magoghm 9 hours ago | 60 comments

7. ▲ The Algorithm Design Manual (algorist.com)

123 points by johnwards 13 hours ago | 35 comments

8. A Bufferbloat: Dark Buffers in the Internet (2011) (acm.org)

20 points by tel 5 hours ago | discuss

9. A Harvard researchers build \$10 robot to teach kids to code (wired.com)

106 points by hansy 13 hours ago | 36 comments

10. ▲ Representing Trees in PostgreSQL (woss.name)

138 points by mathie 16 hours ago | 57 comments

11.

Electricity stored as temperature difference (windpowerengineering.com)

54 points by simon_ks 15 hours ago | 19 comments

RANKING

Two components: votes and time since published


$$score = votes/(t + 2)^g$$

Nice blog post about HN/Reddit scoring: http://amix.dk/blog/post/19574


GRAVITY

g determines the importance of time smaller g means more influence of votes


EXAMPLE G=1.8




G-EFFECT



FUNCTION SCORE IN ES





SIMPLE AGGREGATIONS

Retrieve the top domains and the top hashtags

DOMAIN


```
def domain():
    return {'aggregations': {'domains': {
        'terms': {'field': 'entities.urls.domain'}}}}
```

HASHTAGS


```
def hashtags():
    return {'aggregations': {'hashtags': {
        'terms': {'field': 'entities.hashtags.text'}}}}
```

ES RESPONSE

FRONTEND



HISTOGRAM OF LINKS PER DOMAIN



ES AGGREGATION BASICS


- create buckets
- count documents per bucket
- sub-aggregations on each bucket

DATE HISTOGRAM


ALMOST THERE

SUB-AGGREGRATIONS

ES RESPONSE



TOP TWEETS PER DOMAIN



AGGREGATE DOMAINS

```
def topdomains():
    return {'aggregations': {'top_tweets': {
        'terms': {'field': 'entities.urls.domain'}}
    }}
```

GET THE TOP HITS PER DOMAIN

```
def topdomains():
    return {'aggregations': {'top_tweets': {
        'terms': {'field': 'entities.urls.domain'}},
        'aggregations': {'top_domain_hits': {
            'top_hits': {}
        }}}
```


ES RESULT

```
"buckets": [{"key": "theguardian.com",
   "doc count": 6361,
   "top domain hits": {
       "hits": {
            "total": 6361,
            "max score": 1.2440135e-14,
            "hits": [{
                    " index": "news-tweets",
                    " type": "tweet",
                    " id": "535810990223687680",
                    " score": 1.2440135e-14,
                    " source": {...}
                },{
                    " index": "news-tweets",
                    " type": "tweet",
                    " id" • "535915107364651009"
```

SORTING THE BUCKETS

Currently extra aggregator is necessary to ensure sorting of **terms** buckets

RESULT



CRAZY IDEAS

- tweets per url
- download and index news
- extract more metadata (category, author...)
- classify news I read

THE END