NOISY U-TV | 5%-50% sampling

Held-out PCM evaluation • checkpoint from epoch 5, step 22,500


- Model: 4-level U-Net, 128 initial filters, 512 PDHG iterations
- Evaluation GPU: RTX 4070 (training continues separately on RTX 4090)
- Five PCM categories; 10 held-out TEST images per category (50 images total)
- Six sample ratios, coarse J=6; 300 reconstructions
- Fresh, reproducibly seeded noise draw per image and sampling ratio
- Dark / bias / beam sigma sampled from the SAME variable-noise ranges used in training
- One noise realisation per image per ratio; results are descriptive, not final test-set estimates
- Metrics computed by the existing LION compute_metrics implementation (unchanged)
- The learned scale-factor key is shared across all ratios (as in training).
- 5% falls below the fully sampled J6 block; existing sampler selects a subset from J6.


Sampling	Mean MSE	Mean PSNR (dB)	Mean SSIM	Mean HaarPSI
5%	0.00533	24.59	0.632	0.461
10%	0.00439	25.57	0.631	0.509
20%	0.00258	27.67	0.691	0.583
30%	0.00263	27.87	0.682	0.591
40%	0.00335	26.64	0.661	0.535
50%	0.00251	27.95	0.693	0.597


Source: snapshot best_val_loss_s0.20_cJ6.pt; saved training checkpoint is NOT accessed during testing.


All category averages use equal numbers of samples. See metrics_summary.csv and metrics_per_image.csv.

Sampling ratio response by category











CIGS / image0249 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling



10% sampling



20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   24.79 dB  0.627   0.396
10%   18.30 dB  0.259   0.245
20%   27.89 dB  0.767   0.452
30%   28.98 dB  0.793   0.512
40%   28.89 dB  0.774   0.507
50%   22.08 dB  0.478   0.336
```


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.




CIGS / image0249 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling



30% sampling



40% sampling



50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


PSNR / SSIM / HaarPSI
 5%   24.79 dB  0.627   0.396
10%   18.30 dB  0.259   0.245
20%   27.89 dB  0.767   0.452
30%   28.98 dB  0.793   0.512
40%   28.89 dB  0.774   0.507
50%   22.08 dB  0.478   0.336
```

Crop: x=160:256, y=64:160. All panels use the same coordinates and intensity scale.


CIGS / image0288 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling




30% sampling



40% sampling




50% sampling



CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


	PSNR	SSIM	HaarPSI
5%	25.86 dB	0.754	0.397
10%	26.80 dB	0.718	0.472
20%	28.31 dB	0.750	0.506
30%	26.83 dB	0.700	0.462
40%	28.84 dB	0.779	0.511
50%	29.19 dB	0.792	0.524

Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.



CIGS / image0288 | Local detail (automatically selected gradient-rich 96px crop)


HELD-OUT TEST SPLIT




```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   25.86 dB  0.754   0.397
10%   26.80 dB  0.718   0.472
20%   28.31 dB  0.750   0.506
30%   26.83 dB  0.700   0.462
40%   28.84 dB  0.779   0.511
50%   29.19 dB  0.792   0.524
```


Crop: x=64:160, y=0:96. All panels use the same coordinates and intensity scale.




CIGS / image0611 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling




30% sampling



40% sampling



50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


PSNR / SSIM / HaarPSI
 5%   26.69 dB  0.748   0.444
10%   15.99 dB  0.182   0.218
20%   28.96 dB  0.780   0.511
30%   29.88 dB  0.795   0.563
40%   30.11 dB  0.803   0.564
50%   30.14 dB  0.795   0.574
```

Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.

CIGS / image0611 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT


Ground truth



5% sampling



10% sampling



20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   26.69 dB  0.748   0.444
10%   15.99 dB  0.182   0.218
20%   28.96 dB  0.780   0.511
30%   29.88 dB  0.795   0.563
40%   30.11 dB  0.803   0.564
50%   30.14 dB  0.795   0.574
```


Crop: x=96:192, y=160:256. All panels use the same coordinates and intensity scale.




CIGS / image0674 | Full 256x256 field

TRAINING SPLIT - qualitative illustration ONLY (excluded from test metrics)


Ground truth




5% sampling




10% sampling




20% sampling




30% sampling



40% sampling



50% sampling



CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


Visual only; not used in
held-out aggregate metrics.

Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.

CIGS / image0674 | Thin 1-pixel line detail (manually specified known location)

TRAINING SPLIT - qualitative illustration ONLY (excluded from test metrics)

Ground truth



5% sampling

10% sampling

20% sampling

30% sampling


40% sampling

50% sampling


```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

Visual only; not used in
held-out aggregate metrics.
```


Crop: x=78:175, y=82:179. All panels use the same coordinates and intensity scale.




CIGS / image0917 | Full 256x256 field

VALIDATION SPLIT - qualitative illustration ONLY (excluded from test metrics)


Ground truth




5% sampling




10% sampling



20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

Visual only; not used in
held-out aggregate metrics.
```

Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.




CIGS / image0917 | Local detail (automatically selected gradient-rich 96px crop)

VALIDATION SPLIT - qualitative illustration ONLY (excluded from test metrics)

Ground truth




5% sampling



10% sampling



20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

Visual only; not used in
held-out aggregate metrics.
```


Crop: x=96:192, y=0:96. All panels use the same coordinates and intensity scale.




Organic / image0249 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth



5% sampling



10% sampling



20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   27.85 dB  0.828   0.582
10%   31.51 dB  0.839   0.757
20%   33.04 dB  0.847   0.836
30%   33.14 dB  0.848   0.833
40%   35.13 dB  0.860   0.848
50%   36.12 dB  0.869   0.863
```


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.



Organic / image0249 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT

Ground truth



5% sampling



10% sampling




20% sampling




30% sampling



40% sampling



50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


PSNR / SSIM / HaarPSI
 5%   27.85 dB  0.828   0.582
10%   31.51 dB  0.839   0.757
20%   33.04 dB  0.847   0.836
30%   33.14 dB  0.848   0.833
40%   35.13 dB  0.860   0.848
50%   36.12 dB  0.869   0.863
```

Crop: x=160:256, y=144:240. All panels use the same coordinates and intensity scale.

Organic / image0288 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling



10% sampling



20% sampling



30% sampling



40% sampling




50% sampling



CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

	PSNR	SSIM	HaarPSI
5%	26.17 dB	0.806	0.551
10%	29.52 dB	0.826	0.649
20%	33.40 dB	0.845	0.826
30%	34.55 dB	0.854	0.849
40%	33.29 dB	0.839	0.831
50%	35.19 dB	0.854	0.850


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.



Organic / image0288 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT

Ground truth




5% sampling




10% sampling




20% sampling




30% sampling



40% sampling




50% sampling



CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

	PSNR	SSIM	HaarPSI
5%	26.17 dB	0.806	0.551
10%	29.52 dB	0.826	0.649
20%	33.40 dB	0.845	0.826
30%	34.55 dB	0.854	0.849
40%	33.29 dB	0.839	0.831
50%	35.19 dB	0.854	0.850


Crop: x=0:96, y=16:112. All panels use the same coordinates and intensity scale.




Organic / image0611 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling



10% sampling




20% sampling




30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   26.22 dB  0.833   0.501
10%   24.88 dB  0.738   0.461
20%   32.42 dB  0.867   0.772
30%   34.25 dB  0.883   0.825
40%   34.39 dB  0.885   0.807
50%   29.59 dB  0.846   0.687
```


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.




Organic / image0611 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT

Ground truth




5% sampling



10% sampling



20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   26.22 dB  0.833   0.501
10%   24.88 dB  0.738   0.461
20%   32.42 dB  0.867   0.772
30%   34.25 dB  0.883   0.825
40%   34.39 dB  0.885   0.807
50%   29.59 dB  0.846   0.687
```


Crop: x=0:96, y=144:240. All panels use the same coordinates and intensity scale.




Perovskite / image0249 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling




30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   24.40 dB  0.535   0.373
10%   26.52 dB  0.645   0.450
20%   25.46 dB  0.612   0.415
30%   26.46 dB  0.620   0.439
40%   24.69 dB  0.554   0.387
50%   27.41 dB  0.668   0.493
```


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.




Perovskite / image0249 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling




30% sampling



40% sampling



50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


PSNR / SSIM / HaarPSI
 5%   24.40 dB  0.535   0.373
10%   26.52 dB  0.645   0.450
20%   25.46 dB  0.612   0.415
30%   26.46 dB  0.620   0.439
40%   24.69 dB  0.554   0.387
50%   27.41 dB  0.668   0.493
```

Crop: x=48:144, y=64:160. All panels use the same coordinates and intensity scale.


Perovskite / image0288 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling




30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   25.30 dB  0.629   0.431
10%   26.59 dB  0.652   0.465
20%   27.18 dB  0.655   0.477
30%   27.43 dB  0.678   0.488
40%   27.44 dB  0.666   0.496
50%   25.01 dB  0.547   0.402
```


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.




Perovskite / image0288 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling




30% sampling



40% sampling



50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


PSNR / SSIM / HaarPSI
 5%   25.30 dB  0.629   0.431
10%   26.59 dB  0.652   0.465
20%   27.18 dB  0.655   0.477
30%   27.43 dB  0.678   0.488
40%   27.44 dB  0.666   0.496
50%   25.01 dB  0.547   0.402
```

Crop: x=112:208, y=96:192. All panels use the same coordinates and intensity scale.


Perovskite / image0611 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling



10% sampling




20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   30.02 dB  0.722   0.614
10%   31.27 dB  0.735   0.716
20%   30.76 dB  0.697   0.684
30%   34.27 dB  0.754   0.797
40%   22.25 dB  0.482   0.328
50%   35.05 dB  0.759   0.821
```


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.




Perovskite / image0611 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT

Ground truth



5% sampling



10% sampling



20% sampling



30% sampling



40% sampling



50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


PSNR / SSIM / HaarPSI
 5%   30.02 dB  0.722   0.614
10%   31.27 dB  0.735   0.716
20%   30.76 dB  0.697   0.684
30%   34.27 dB  0.754   0.797
40%   22.25 dB  0.482   0.328
50%   35.05 dB  0.759   0.821
```

Crop: x=128:224, y=128:224. All panels use the same coordinates and intensity scale.


Reference / image0249 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling



20% sampling




30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   22.24 dB  0.343   0.331
10%   29.77 dB  0.648   0.586
20%   31.40 dB  0.658   0.639
30%   31.57 dB  0.658   0.636
40%   23.41 dB  0.414   0.343
50%   30.84 dB  0.620   0.628
```


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.




Reference / image0249 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling



20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   22.24 dB  0.343   0.331
10%   29.77 dB  0.648   0.586
20%   31.40 dB  0.658   0.639
30%   31.57 dB  0.658   0.636
40%   23.41 dB  0.414   0.343
50%   30.84 dB  0.620   0.628
```


Crop: x=48:144, y=112:208. All panels use the same coordinates and intensity scale.




Reference / image0288 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


PSNR / SSIM / HaarPSI
 5%   25.24 dB  0.627   0.457
10%   25.03 dB  0.609   0.447
20%   26.54 dB  0.637   0.542
30%   25.42 dB  0.552   0.490
40%   21.61 dB  0.365   0.316
50%   24.76 dB  0.542   0.470
```

Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.



Reference / image0288 | Local detail (automatically selected gradient-rich 96px crop)


HELD-OUT TEST SPLIT




```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   25.24 dB  0.627   0.457
10%   25.03 dB  0.609   0.447
20%   26.54 dB  0.637   0.542
30%   25.42 dB  0.552   0.490
40%   21.61 dB  0.365   0.316
50%   24.76 dB  0.542   0.470
```


Crop: x=112:208, y=48:144. All panels use the same coordinates and intensity scale.




Reference / image0611 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling



10% sampling



20% sampling




30% sampling



40% sampling



50% sampling



CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


	PSNR	SSIM	HaarPSI
5%	23.46 dB	0.411	0.365
10%	25.82 dB	0.448	0.396
20%	26.33 dB	0.452	0.409
30%	26.46 dB	0.449	0.398
40%	24.93 dB	0.428	0.359
50%	26.57 dB	0.459	0.402

Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.

Reference / image0611 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT

Ground truth



5% sampling




10% sampling



20% sampling




30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   23.46 dB  0.411   0.365
10%   25.82 dB  0.448   0.396
20%   26.33 dB  0.452   0.409
30%   26.46 dB  0.449   0.398
40%   24.93 dB  0.428   0.359
50%   26.57 dB  0.459   0.402
```


Crop: x=16:112, y=144:240. All panels use the same coordinates and intensity scale.




Silicone / image0249 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling



30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   24.16 dB  0.669   0.584
10%   25.08 dB  0.677   0.670
20%   25.24 dB  0.684   0.645
30%   25.85 dB  0.701   0.731
40%   23.45 dB  0.663   0.609
50%   20.28 dB  0.587   0.384
```


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.




Silicone / image0249 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling




20% sampling




30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   24.16 dB  0.669   0.584
10%   25.08 dB  0.677   0.670
20%   25.24 dB  0.684   0.645
30%   25.85 dB  0.701   0.731
40%   23.45 dB  0.663   0.609
50%   20.28 dB  0.587   0.384
```


Crop: x=16:112, y=96:192. All panels use the same coordinates and intensity scale.




Silicone / image0288 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling



20% sampling




30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   23.69 dB  0.661   0.588
10%   15.57 dB  0.273   0.234
20%   22.33 dB  0.629   0.515
30%   25.39 dB  0.698   0.736
40%   20.96 dB  0.618   0.418
50%   26.89 dB  0.713   0.784
```


Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.




Silicone / image0288 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT


Ground truth



5% sampling




10% sampling



20% sampling




30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   23.69 dB  0.661   0.588
10%   15.57 dB  0.273   0.234
20%   22.33 dB  0.629   0.515
30%   25.39 dB  0.698   0.736
40%   20.96 dB  0.618   0.418
50%   26.89 dB  0.713   0.784
```


Crop: x=16:112, y=160:256. All panels use the same coordinates and intensity scale.




Silicone / image0611 | Full 256x256 field

HELD-OUT TEST SPLIT


Ground truth




5% sampling




10% sampling



20% sampling




30% sampling



40% sampling




50% sampling



```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]


PSNR / SSIM / HaarPSI
 5%   23.05 dB  0.595   0.492
10%   23.97 dB  0.606   0.600
20%   23.59 dB  0.593   0.594
30%   22.16 dB  0.565   0.504
40%   18.76 dB  0.460   0.313
50%   25.35 dB  0.640   0.680
```

Cyan box indicates the crop shown on the following page. No per-image autoscaling is used.



Silicone / image0611 | Local detail (automatically selected gradient-rich 96px crop)

HELD-OUT TEST SPLIT




```
CHECKPOINT: epoch 5 / step 22500
Test ratios: 5, 10, 20, 30, 40, 50%
Display limits: [0, 1]

PSNR / SSIM / HaarPSI
 5%   23.05 dB  0.595   0.492
10%   23.97 dB  0.606   0.600
20%   23.59 dB  0.593   0.594
30%   22.16 dB  0.565   0.504
40%   18.76 dB  0.460   0.313
50%   25.35 dB  0.640   0.680
```

Crop: x=144:240, y=112:208. All panels use the same coordinates and intensity scale.

