SWINBURNE UNIVERSITY OF TECHNOLOGY

COS20007 OBJECT ORIENTED PROGRAMMING

5.3C - Drawing Program - Saving and Loading

PDF generated at 12:33 on Tuesday $4^{\rm th}$ April, 2023

File 1 of 8 Program class

```
using System;
   using SplashKitSDK;
   namespace ShapeDrawer
   {
5
        public class Program
6
            private enum ShapeKind { Rectangle, Circle, Line };
            public static void Main()
            {
10
                 Window window = new Window("Shape Drawer", 800, 600);
11
                Drawing myDrawing = new Drawing(Color.White);
12
                ShapeKind kindToAdd = ShapeKind.Circle;
13
                do
15
                 {
                     SplashKit.ProcessEvents();
17
                     SplashKit.ClearScreen();
18
19
                         (SplashKit.MouseClicked(MouseButton.LeftButton))
20
                     {
                         Shape newShape;
22
23
                         if (kindToAdd == ShapeKind.Circle)
24
                         {
25
                              newShape = new MyCircle();
26
                         }
27
                         else if (kindToAdd == ShapeKind.Rectangle)
28
                         {
29
                              newShape = new MyRectangle();
30
                         }
31
                         else
32
                          {
                              newShape = new MyLine();
34
                         }
35
36
                         newShape.X = SplashKit.MouseX();
37
                         newShape.Y = SplashKit.MouseY();
38
39
                         myDrawing.AddShape(newShape);
40
                     }
41
42
                         (SplashKit.KeyDown(KeyCode.RKey))
43
                     {
44
                         kindToAdd = ShapeKind.Rectangle;
45
                     }
46
                     else if (SplashKit.KeyDown(KeyCode.CKey))
47
                     {
48
                         kindToAdd = ShapeKind.Circle;
49
                     }
50
                     else if (SplashKit.KeyDown(KeyCode.LKey))
51
                     {
52
                         kindToAdd = ShapeKind.Line;
53
```

File 1 of 8 Program class

```
}
54
55
                        (SplashKit.KeyDown(KeyCode.SpaceKey))
56
                         myDrawing.Background = SplashKit.RandomRGBColor(255);
58
                     if (SplashKit.MouseClicked(MouseButton.RightButton))
59
                         myDrawing.SelectedShapesAt(SplashKit.MousePosition());
60
61
                     if ((SplashKit.KeyTyped(KeyCode.BackspaceKey)) ||
        (SplashKit.KeyTyped(KeyCode.DeleteKey)))
                    {
63
                         foreach (Shape shape in myDrawing.SelectedShapes)
64
                             myDrawing.RemoveShape(shape);
65
                    }
66
67
                        (SplashKit.KeyDown(KeyCode.SKey))
                    if
                    {
69
70
       myDrawing.Save("E:/COS20017_Object_Oriented_Programming/Portfolio/5.3C - Drawing
       Program - Saving and Loading/TestDrawing.txt");
                    if (SplashKit.KeyDown(KeyCode.OKey))
72
                    {
73
                         try
74
                         {
75
76
       myDrawing.Load("E:/COS20017_Object_Oriented_Programming/Portfolio/5.3C - Drawing
       Program - Saving and Loading/TestDrawing.txt");
                         catch (Exception e)
78
79
                             Console.Error.WriteLine("Error loading file: {0}",
80
       e.Message);
                         }
81
                    }
82
83
                    myDrawing.Draw();
84
                    SplashKit.RefreshScreen();
86
87
                     } while (!window.CloseRequested);
88
            }
89
        }
90
   }
91
```

File 2 of 8 ExtensionMethods class

```
using System;
   using System. IO;
   using SplashKitSDK;
   namespace ShapeDrawer
6
       public static class ExtensionMethods
            public static int ReadInteger(this StreamReader reader)
            {
                return Convert.ToInt32(reader.ReadLine());
12
13
            public static float ReadSingle(this StreamReader reader)
            {
15
                return Convert.ToSingle(reader.ReadLine());
            }
17
18
            public static Color ReadColor(this StreamReader reader)
19
            {
20
                return Color.RGBColor(reader.ReadSingle(), reader.ReadSingle(),
       reader.ReadSingle());
            }
22
23
            public static void WriteColor(this StreamWriter writer, Color clr)
24
25
                writer.WriteLine("\{0\}\n\{1\}\n\{2\}", clr.R, clr.G, clr.B);
26
            }
27
       }
28
   }
29
```

File 3 of 8 Drawing class

```
using SplashKitSDK;
   using System;
   using System.Collections.Generic;
   using System. IO;
   namespace ShapeDrawer
6
        public class Drawing
            private readonly List<Shape> _shapes;
            private Color _background;
12
            public Drawing(Color background)
13
                 _shapes = new List<Shape>();
15
                 _background = background;
            }
17
            public Drawing() : this(Color.White)
18
            {
19
            }
20
            public List<Shape> SelectedShapes
22
            {
23
                 get
24
                 {
25
                     List<Shape> selectedShapes = new List<Shape>();
26
                     foreach (Shape shape in _shapes)
27
                     {
                          if (shape.Selected)
29
                              selectedShapes.Add(shape);
30
31
                     return selectedShapes;
32
                 }
34
            public int ShapeCount
35
36
                 get
37
38
                     return _shapes.Count;
39
40
            }
41
            public Color Background
42
43
                 get
                 {
                     return _background;
46
                 }
47
                 set
48
                 {
49
                     _background = value;
50
                 }
51
            }
52
53
```

File 3 of 8 Drawing class

```
public void Draw()
54
             {
55
                 SplashKit.ClearScreen(_background);
56
                 foreach (Shape shape in _shapes)
58
                      shape.Draw();
59
             }
60
             public void SelectedShapesAt(Point2D point)
61
                 foreach (Shape shape in _shapes)
                 {
64
                      if (shape.IsAt(point))
65
                          shape.Selected = true;
66
                      else
67
                          shape.Selected = false;
68
                 }
             }
70
             public void AddShape(Shape shape)
72
             {
73
                 _shapes.Add(shape);
             }
75
             public void RemoveShape(Shape shape)
76
                 _shapes.Remove(shape);
             }
79
             public void Save(string filename)
82
                 StreamWriter writer = new StreamWriter(filename);
83
                 try
84
                 {
85
                      writer.WriteColor(Background);
                      writer.WriteLine(ShapeCount);
87
                      foreach (Shape shape in _shapes)
89
                          shape.SaveTo(writer);
90
                 }
                 finally
92
                 {
93
                      writer.Close();
94
                 }
95
             }
96
             public void Load(string filename)
             {
99
                 StreamReader reader = new StreamReader(filename);
100
                 try
101
                 {
102
                      Background = reader.ReadColor();
103
                      int count = reader.ReadInteger();
104
105
                      _shapes.Clear();
106
```

File 3 of 8 Drawing class

```
107
                      for (int i = 0; i < count; i++)
108
                       {
109
                           string kind = reader.ReadLine();
110
                           Shape s;
111
                           switch (kind)
112
113
                                case "Rectangle":
114
                                    s = new MyRectangle();
                                    break;
116
                                case "Circle":
117
                                    s = new MyCircle();
118
                                    break;
119
                                case "Line":
120
                                    s = new MyLine();
121
                                    break;
122
                                default:
123
                                    throw new InvalidDataException("Unknown shape kind: " +
124
        kind);
                           }
125
                           s.LoadFrom(reader);
126
                           AddShape(s);
127
                      }
128
129
                  finally
130
131
                      reader.Close();
132
                  }
133
             }
134
         }
135
    }
136
```

File 4 of 8 Shape class

```
using SplashKitSDK;
    using System;
2
   namespace ShapeDrawer
    {
5
        public abstract class Shape
6
             private Color _color;
             private float _x;
10
             private float _y;
11
12
             private bool _selected;
13
             public Shape(Color color, float x, float y)
14
             {
15
                  _color = color;
16
17
                  _{x} = x;
18
                 _y = y;
19
             }
20
             public Shape() : this(SplashKit.RandomRGBColor(255), 0, 0)
             {
22
             }
23
24
             public Color Color
25
26
                 get
27
                  {
                      return _color;
29
                 }
30
                 set
31
                  {
32
                      _color = value;
34
             }
35
             public float X
36
37
                 get
38
                  {
39
40
                      return _x;
                 }
41
                 set
42
43
                      _x = value;
44
                 }
45
             }
46
             public float Y
47
48
                 get
49
                  {
50
                      return _y;
51
                  }
52
                  set
53
```

File 4 of 8 Shape class

```
{
54
                     _y = value;
55
                 }
56
            }
58
            public abstract void Draw();
59
60
            public abstract bool IsAt(Point2D point2D);
61
62
            public bool Selected
63
64
                 get
65
                 {
66
                     return _selected;
67
                 }
68
                 set
                 {
70
                      _selected = value;
72
            }
73
            public abstract void DrawOutline();
75
76
            public virtual void SaveTo(StreamWriter writer)
77
            {
78
                 writer.WriteColor(Color);
79
                 writer.WriteLine(X);
                 writer.WriteLine(Y);
            }
82
83
            public virtual void LoadFrom(StreamReader reader)
84
85
                 Color = reader.ReadColor();
                 X = reader.ReadSingle();
87
                 Y = reader.ReadSingle();
88
            }
89
        }
90
   }
```

File 5 of 8 MyRectangle class

```
using SplashKitSDK;
   using System;
2
   namespace ShapeDrawer
   {
5
        public class MyRectangle : Shape
6
            private int _width;
            private int _height;
10
            public MyRectangle(Color color, float x, float y, int width, int height)
11
12
                 Color = color;
13
                 X = x;
                 Y = y;
15
                 Width = width;
                 Height = height;
17
18
            public MyRectangle() : this(Color.Green, 0, 0, 100, 100)
19
            {
20
            }
22
            public int Width
23
24
                 get
25
                 {
26
                      return _width;
27
                 }
                 set
29
                 {
30
                      _width = value;
31
                 }
32
            }
            public int Height
34
             {
35
                 get
36
                 {
37
                      return _height;
38
39
                 set
40
41
                      _height = value;
42
43
            }
            public override void Draw()
46
47
                 if (Selected)
48
                      DrawOutline();
49
50
                 SplashKit.FillRectangle(Color, X, Y, Width, Height);
51
            }
52
53
```

File 5 of 8 MyRectangle class

```
public override bool IsAt(Point2D point2D)
54
            {
55
                 if (point2D.X >= X && point2D.X < X + Width && point2D.Y >= Y &&
56
       point2D.Y < Y + Height)</pre>
                     return true;
57
                else
58
                     return false;
59
            }
60
61
            public override void DrawOutline()
62
63
                SplashKit.FillRectangle(Color.Black, X - 2, Y - 2, Width + 4, Height +
64
        4);
            }
65
66
            public override void SaveTo(StreamWriter writer)
68
                writer.WriteLine("Rectangle");
69
                base.SaveTo(writer);
70
                writer.WriteLine(Width);
71
                writer.WriteLine(Height);
            }
73
            public override void LoadFrom(StreamReader reader)
75
            {
76
                base.LoadFrom(reader);
                Width = reader.ReadInteger();
                Height = reader.ReadInteger();
79
            }
80
        }
81
   }
82
```

File 6 of 8 MyCircle class

```
using SplashKitSDK;
   using System;
   namespace ShapeDrawer
   {
5
        public class MyCircle : Shape
6
            private int _radius;
            public MyCircle(Color color, float x, float y, int radius)
11
                 Color = color;
12
                 X = x;
13
                 Y = y;
                 Radius = radius;
15
            public MyCircle() : this(Color.Blue, 0, 0, 50)
17
            {
18
            }
19
20
            public int Radius
22
                 get
23
                 {
24
                     return _radius;
25
                 }
26
                 set
27
                     _radius = value;
29
30
            }
31
            public override void Draw()
32
                 if (Selected)
34
                     DrawOutline();
35
                 SplashKit.FillCircle(Color, X, Y, _radius);
36
            }
37
38
            public override void DrawOutline()
39
            {
40
                 SplashKit.FillCircle(Color.Black, X, Y, _radius + 2);
41
            }
42
43
            public override bool IsAt(Point2D point2D)
                 float a = (float)(point2D.X - X);
46
                 float b = (float)(point2D.Y - Y);
47
48
                 if (Math.Sqrt(a * a + b * b) < _radius)</pre>
49
                     return true;
50
51
                 return false;
52
            }
53
```

File 6 of 8 MyCircle class

```
54
            public override void SaveTo(StreamWriter writer)
55
            {
56
                writer.WriteLine("Circle");
                base.SaveTo(writer);
58
                writer.WriteLine(Radius);
59
            }
60
61
            public override void LoadFrom(StreamReader reader)
            {
63
                base.LoadFrom(reader);
64
                Radius = reader.ReadInteger();
65
            }
66
        }
   }
```

File 7 of 8 MyLine class

```
using SplashKitSDK;
   using System;
2
   namespace ShapeDrawer
   {
5
        public class MyLine : Shape
6
             // Endpoint(_x2, _y2)
             private float _x2;
             private float _y2;
11
             public MyLine(Color color, float startX, float startY, float endX, float
12
        endY)
             {
13
                 Color = color;
14
                 X = startX;
                 Y = startY;
16
                 X2 = endX;
17
                 Y2 = endY;
18
             }
19
             public MyLine() : this(Color.Red, 0, 0, 100, 100)
21
             {
22
             }
23
24
             public float X2
25
26
                 get
                 {
28
                      return _x2;
29
                 }
30
                 set
31
                      _x2 = value;
33
34
             }
35
36
             public float Y2
37
             {
38
                 get
39
                 {
40
                      return _y2;
41
42
                 set
43
                 {
                      _y2 = value;
45
                 }
46
             }
47
48
             public override void Draw()
49
             {
                 if (Selected)
51
                      DrawOutline();
52
```

File 7 of 8 MyLine class

```
53
                // By default, the start point (X, Y) will be the coordinates of the
54
        mouse when clicking, and the end point (X2, Y2) will be (0, 0)
                SplashKit.DrawLine(Color, X, Y, X2, Y2);
            }
56
57
            public override bool IsAt(Point2D point2D)
58
59
                return SplashKit.PointOnLine(point2D, SplashKit.LineFrom(X, Y, X2, Y2));
            }
61
            public override void DrawOutline()
63
64
                Point2D[] points = new Point2D[4];
65
                points[0] = SplashKit.PointAt(X - 2, Y - 2);
66
                points[1] = SplashKit.PointAt(X + 2, Y - 2);
                points[2] = SplashKit.PointAt(X2 - 2, Y2 + 2);
68
                points[3] = SplashKit.PointAt(X2 + 2, Y2 + 2);
69
70
                Quad outlineQuad = new Quad();
                outlineQuad.Points = points;
73
                SplashKit.FillQuad(Color.Black, outlineQuad);
75
76
            public override void SaveTo(StreamWriter writer)
                writer.WriteLine("Line");
                base.SaveTo(writer);
80
                writer.WriteLine(X2);
                writer.WriteLine(Y2);
82
            }
83
            public override void LoadFrom(StreamReader reader)
85
            {
86
                base.LoadFrom(reader);
87
                X2 = reader.ReadSingle();
88
                Y2 = reader.ReadSingle();
90
            }
        }
91
   }
92
```

