


The row of buttons above will appear throughout the app usage.

1) Go back to the previous screen.

2) Open the Settings Dialog.

3) Open VrmlViewer, by default it will open the WORKING_DIR folder (users can find the VRML file in another folder)



Setting Dialog, allows changing the following configurations:

- **GAMOS_HOME_DIR**: Path to the Gamos installation directory. Note: select the GAMOS.X.X.X folder located beside to the "external" folder.
- **WORKING_DIR**: This is the path to which the Terminal will execute the "cd" command before running the "gamos" command. Input files will also be created in this directory.

VRML

Execute


```
## -----  
## FILE: /home/ntrung/Desktop/2023_12_29___17_22_45_DEMO/my.geom  
  
:ROTM R00 0. 0. 0.  
  
:VOLUME world BOX 300. 100. 100. G4_AIR  
:COLOR world 1. 1. 1. 1.  
:VIS world ON  
  
:SOLID my_matter_1 BOX 100. 50. 1  
:VOLUME my_matter_1 my_matter_1 G4_Pb  
:COLOR my_matter_1 1. 1. 1.  
:PLACE my_matter 1 1 world R00 0 0 0
```

COMPLETED

Open VrmViewer in the folder containing the Input and Output files.



```
*****
*****
Name
*****
*****
Name
*****
*****
Name
```



Dolly

COMPLETED