

Question **11**

Answer saved

Marked out of 1.00

What are intent filters?

Select one:

- ☐ a. Intents filter are a separate league of components that expose a specific sets of data to applications
- ☒ b. Intents filter are used to register activity, services, broadcast receiver as being capable of performing an action on a particular kind of actions
- ☐ c. All of these
- ☐ d. Intents filter are programs that can run in the background for an indefinite period

[Clear my choice](#)

Question **12**

Answer saved

Marked out of 1.00

What is Content Provider?

Select one:

- ☐ a. Content Providers store and retrieve data thus making it accessible to all
- ☐ b. Content Providers are a separate league of components that expose a specific sets of data to applications
- ☒ c. All of these
- ☐ d. Content Providers are the only way to share data across Android applications

[Clear my choice](#)

Question **13**

Answer saved

Marked out of 1.00

What is not a service?

Select one:

- ☐ a. It is a program that can run in the background for an indefinite period
- ☐ b. Like an activity, it has lifecycle methods that you can implement to monitor changes in its state.
- ☒ c. Intercept the events from a user's interaction with your application
- ☐ d. Service is another building block of android application it does not provide a UI

[Clear my choice](#)

Question **14**

Answer saved

Marked out of 1.00

How do you declare 4 components (Activity, Service, BroadcastReceiver, ContentProvider) of android in manifestfile?

Select one:

- ☐ a. <activity>, <service>, <broadcast>, <provider>
- ☒ b. <activity>, <service>, <receiver>, <provider>
- ☐ c. <activity>, <service>, <broadcastreceiver>, <contentprovider>
- ☐ d. <activity>, <service>, <receiver>, <content>

Clear my choice

Question **15**

Answer saved

Marked out of 1.00

In Android, the___ method of ___ class to return the full path to external storage.

Select one:

- ☐ a. getExternalStorageDirectory(), File
- ☐ b. getExternalStorage(), Context
- ☐ c. getExternalStorage(), System
- ☒ d. getExternalStorageDirectory(), Environment

Clear my choice

Question **16**

Answer saved

Marked out of 1.00

What constant value is returned from onStartCommand() method or services that indicates the services being explicit started and stopped as needed?

Select one:

- ☐ a. START_FLAG_RETRY
- ☐ b. START_CONTINUATION_MASK
- ☒ c. START_STICKY
- ☐ d. START_REDELIVER_INTENT

Clear my choice

Question **17**

Answer saved

Marked out of 1.00

___ class exposes methods to manage a SQLite database.

Select one:

- ☐ a. SQLiteHelper
- ☐ b. SQLiteQuery
- ☐ c. SQLiteBuilder
- ☒ d. SQLiteDatabase

[Clear my choice](#)Question **18**

Answer saved

Marked out of 1.00

___ defined in the intent class that function as metadata for the intent.

Select one:

- ☐ a. Extras
- ☐ b. Category
- ☒ c. Data
- ☐ d. Flags

[Clear my choice](#)

Question **19**

Answer saved

Marked out of 1.00

Which method to use show image for Intent?

Select one:

- ☒ a. setType("image/pictures/*");
- ☐ b. setAction("image/pictures/*");
- ☐ c. setImage("image/pictures/*");
- ☐ d. setData("image/pictures/*");

Clear my choice

Question **20**

Answer saved

Marked out of 1.00

To use an explicit intent, we need to know the ____ name of the activity/service.

Select one:

- ☒ a. class
- ☐ b. context
- ☐ c. explicit
- ☐ d. implicit

Clear my choice

<<