perotac
MADE IN TAIWAN

CDX STAINLESS STEEL HORIZONTAL SINGLE-STAGE CENTRIFUGAL PUMP



Structure features:

- **CDX** series of pump is single-stage centrifugal pump and features axial suction and radial discharge;
- Compact structure, the pump is directly connected with the motor, coaxial installation;
- Convenient installation, screw thread water inlet and outlet;
- Light weight, thin plate pressing structure for main parts and components;
- A little corrosion resistance, material of wet parts is AISI 304 or AISI 316 stainless steel;

Application :

- Pressurization and pumping of industrial and civilian clean water or other liquids;
- Water treatment;
- Water circulating system;
- Agricultural irrigation;
- Other fields;

Definition of model :

CDX 90/10

CDX 90 / 10

- 10 — Rated Power(kw)
- 90 — Rated flow(l/min)
- CDX — Light stainless steelhorizontal single-stage centrifugal pump(50Hz)


CDX *STAINLESS STEEL HORIZONTAL SINGLE-STAGE CENTRIFUGAL PUMP*

perotac MADE IN TAIWAN

Exploded view:

NO.	Name
1	Plug
2	Washer
3	Inside hexagonal bolt
4	Pump housring component
5	O-Rring
6	Hexagonal Nut
7	Spring washar
8	Impeller
9	Mechanical seal
10	Pump Cover
11	Flanqe Cover Pad
12	Shaft seal ring
13	Oil seal
14	Motor


CDX 50/ 100



Exploded view:

NO.	Name
1	Dust cap
2	O-Rring
3	Plug
4	Washer
5	Inside hexagonal bolt
6	Pump housring component
7	O-Rring
8	Dust cap
9	O-Rring
10	Hexagonal Nut
11	Spring washar
12	Washer
13	Key
14	Impeller
15	Mechanical seal
16	Pump Cover
17	Motor


CDX 90 / 120 /200



CDX *STAINLESS STEEL HORIZONTAL SINGLE-STAGE CENTRIFUGAL PUMP*

perotac MADE IN TAIWAN


Performance curves:



Techni cal par ameter list:

Model	Power(P_2) kw	(Amps) 220V/50Hz	(Amps) 380V/50Hz	Reted head (m)	Reted flow (m3/h)	DNA	DNM	(KG)	Packing size (mm)	(Qty'/20)
CDX50/025(T)	0.25	2.0	0.7	9	3	G1¼	G1	6.3	295x185x255	2010
CDX50/037(T)	0.37	2.5	1.0	11	3	G1¼	G1	7	295x185x255	2010
CDX90/037(T)	0.37	2.5	1.0	13	4.2	G1¼	G1	7.5	295x185x255	2010
CDX100/055(T)	0.55	3.8	1.4	12	5	G1¼	G1	8	295x185x255	2010


Overall dimension:



CDX *STAINLESS STEEL HORIZONTAL SINGLE-STAGE CENTRIFUGAL PUMP*


perotac MADE IN TAIWAN

Performance curves:



Techni cal par ameter list:

Model	Power(P_2)		(Amps)		Reted head (m)	Reted flow (m3/h)	DNA	DNM	(KG)	Packing size (mm)	(Qty/20')
	(Kw)	(Hp)	220V/50Hz	380V/50Hz							
CDX90/05	0.55	0.75	3.8	1.4	14	4.2	G1¼	G1	9.4	360X245X280	1140
CDX90/10	0.75	1	5.2	18	19	4.2	G1¼	G1	10.6	360X245X280	1140
CDX90/15	1.0	1.3	6.2	2.4	22	4.2	G1¼	G1	11.2	360X245X280	1140
CDX120/10	0.75	1	5.2	1.8	14	7.2	G1¼	G1	10.3	360X245X280	1140
CDX(M) 120/15	1.1	1.5	7.0	2.6	17	7.2	G1¼	G1	15.6	360X245X280	1070
CDX(M) 120/20	1.5	2	9.2	3.5	22	7.2	G1¼	G1	17	420X260x295	896
CDX(M) 120/25	1.85	2.5	13	4.1	25	7.2	G1¼	G1	18.5	420X260x295	896




Model	Size(mm)							
	A	B	D	F	L	H	H1	H2
CDX90/05	140	220	143	53	325	234	220	110
CDX90/10	140	220	143	53	325	234	220	110
CDX90/15	140	220	143	53	325	234	220	110
CDX120/10	140	220	143	53	325	234	220	110
CDX(M) 120/15	140	220	143	53	325	234	220	110
CDX(M) 120/20	170	230	143	53	360	260	230	120
CDX(M) 120/25	170	230	143	53	360	260	230	120

CDX *STAINLESS STEEL HORIZONTAL SINGLE-STAGE CENTRIFUGAL PUMP*


perotac MADE IN TAIWAN

Performance curves:



Techni cal par ameter list:

Model	Power(P_2)		(Amps)		Reted head (m)	Reted flow (m3/h)	DNA	DNM	(KG)	Packing size (mm)	(Qty/20')
	(Kw)	(Hp)	220V/50Hz	380V/50Hz							
CDX200/100	1.1	1.5	7.0	2.6	15	9	G1½	G1	16	385X245X280	1070
CDX200/150	1.5	2	9.2	3.5	20	10	G1½	G1	19.1	420X260X295	896
CDX200/150-B	1.5	2	9.2	3.5	20	10	G1½	G1	18.5	395X260x295	957
CDX200/185	1.85	2.5	13	4.1	21	12	G1½	G1	21.3	420X260x295	896
CDX200/185	1.85	2.5	13	4.1	21	12	G1½	G1	20.5	410X260X295	922



Model	Size(mm)							
	A	B	D	F	L	H	H1	H2
CDX200/100	150	230	146	53	366	230	238	120
CDX200/150	150	230	146	53	366	230	238	120
CDX200/150-B	150	230	146	53	366	230	238	120
CDX200/185	150	230	146	53	366	230	238	120
CDX200/185	150	230	146	53	366	230	238	120