Marwadi University Marwadi Chandarana Group NAAC A+	**Marwadi University** **Faculty of Engineering & Technology** **Department of Information and Communication Technology**	
Subject: Programming With Python (01CT1309)	**Aim:** Analysis of Discrete-Time Signals Using Z-Transform	
Experiment No: 17	**Date:**	**Enrollment No:92510133011**

Aim: Analysis of Discrete-Time Signals Using Z-Transform

IDE:

Install Library

pip install sympy

Example 1:

```
import sympy as sp
# Define symbols
n, z, a = sp.symbols('n z a')
# Define the signal x[n] = a^n * u[n]
x_n = a**n
# Compute the Z-transform
X_z = sp.summation(x_n * z**(-n), (n, 0, sp.oo))
# Print the result
print("Z-transform of x[n] = a^n u[n]:")
sp.pprint(X_z, use_unicode=True)
```

output:

```
PS C:\Users\trupa\OneDrive\Documents\PWP> python -u "c:\Users\trupa\OneDrive\Documents\PWP\PWP EXP 17.py"
Z-transform of x[n] = a^n u[n]:
⎧    1            │a│
⎪  ───────    for │─│ < 1
⎪    a            │z│
⎪  - ─ + 1
⎪    z
⎪
⎪  ∞
⎨ ___
⎪ ╲
⎪  ╲    n  -n
⎪  ╱   a ⋅z      otherwise
⎪ ╱
⎪ ‾‾‾
⎪n = 0
⎩
```

Example 2:

```
# Define symbols
```

```
n, z, a = sp.symbols('n z a')
# Define the signal x[n] = a^n * u[n]
x_n = 2**n
# Compute the Z-transform
X_z = sp.summation(x_n * z**(-n), (n, 0, sp.oo))
# Print the result
print("Z-transform of x[n] = a^n u[n]:")
sp.pprint(X_z, use_unicode=True)
```

output:

```
PS C:\Users\trupa\OneDrive\Documents\PWP> python -u "c:\Users\trupa\OneDrive\Documents\PWP\PWP EXP 17.py"
Z-transform of x[n] = a^n u[n]:
⎧   1            1
⎪ ─────     for ─── < 1/2
⎪     2         │z│
⎪ 1 - ─
⎪     z
⎪
⎨ ∞
⎪ ___
⎪ ╲
⎪  ╲    n  -n
⎪  ╱   2 ⋅z      otherwise
⎪ ╱
⎪ ‾‾‾
⎩n = 0
```

Example 3:

```
import sympy as sp
# Define symbols
n, z = sp.symbols('n z')
# Define the unit step signal u[n]
u_n = 1
# Compute the Z-transform
U_z = sp.summation(u_n * z**(-n), (n, 0, sp.oo))
# Print the result
print("Z-transform of the unit step signal u[n]:")
sp.pprint(U_z, use_unicode=True)
```

output:

```
PS C:\Users\trupa\OneDrive\Documents\PWP> python -u "c:\Users\trupa\OneDrive\Documents\PWP\PWP EXP 17.py"
Z-transform of the unit step signal u[n]:
⎧   1          1
⎪ ─────   for ─── < 1
⎪     1       │z│
⎪ 1 - ─
⎪     z
⎪
⎪ ∞
⎨ ___
⎪ ╲
⎪  ╲   -n
⎪  ╱  z      otherwise
⎪ ╱
⎪ ‾‾‾
⎪n = 0
⎩
```

Example 4:

```
import sympy as sp
# Define symbols
n, z, alpha = sp.symbols('n z alpha')
# Define the signal x[n] = exp(alpha * n) * u[n]
x_n = sp.exp(alpha * n)
# Compute the Z-transform
X_z = sp.summation(x_n * z**(-n), (n, 0, sp.oo))
# Print the result
print("Z-transform of x[n] = exp(alpha * n) u[n]:")
sp.pprint(X_z, use_unicode=True)
```

output:

```
PS C:\Users\trupa\OneDrive\Documents\PWP> python -u "c:\Users\trupa\OneDrive\Documents\PWP\PWP EXP 17.py"
Z-transform of x[n] = exp(alpha * n) u[n]:
  ∞
 ___
 ╲
  ╲    -n  α⋅n
  ╱   z  ⋅ℯ
 ╱
 ‾‾‾
n = 0
```

Example 5:

```
import sympy as sp
# Define symbols
n, z = sp.symbols('n z')
# Define the finite sequence x[n] = {1, 2, 3}
x_n = [1, 2, 3]
# Compute the Z-transform manually
X_z = sum(x_n[i] * z**(-i) for i in range(len(x_n)))
# Print the result
print("Z-transform of the finite sequence {1, 2, 3}:")
sp.pprint(X_z, use_unicode=True)
```

output:

```
PS C:\Users\trupa\OneDrive\Documents\PWP> python -u "c:\Users\trupa\OneDrive\Documents\PWP\PWP EXP 17.py"
Z-transform of the finite sequence {1, 2, 3}:
    2   3
1 + ─ + ──
    z    2
        z
```

Example 6

```
import sympy as sp
# Define symbols
n, z, omega = sp.symbols('n z omega')
# Define the sinusoidal sequence x[n] = sin(omega * n) * u[n]
x_n = sp.sin(omega * n)
# Compute the Z-transform
X_z = sp.summation(x_n * z**(-n), (n, 0, sp.oo))
# Print the result
print("Z-transform of x[n] = sin(omega * n) u[n]:")
sp.pprint(X_z, use_unicode=True)
```

output:

```
PS C:\Users\trupa\OneDrive\Documents\PWP> python -u "c:\Users\trupa\OneDrive\Documents\PWP\PWP EXP 17.py"
Z-transform of x[n] = sin(omega * n) u[n]:
  ∞
 ___
 ╲
  ╲    -n
  ╱   z  ·sin(n⋅ω)
 ╱
 ‾‾‾
n = 0
```

Post Lab Exercise:

- Using Python, compute the Z-transform of the sequence $x[n] = 3^n u[n]$.

```
PS C:\Users\trupa\OneDrive\Documents\PWP> python -u "c:\Users\trupa\OneDrive\Documents\PWP\PWP POST LAB 17.py"
Z-transform of x[n] = 3^n u[n]:
⎧   z
⎪  ─────      for z > 3 ∨ z < -3
⎪  z - 3
⎪
⎪  ∞
⎨ ___
⎪ ╲
⎪  ╲    n  -n
⎪  ╱   3 ·z        otherwise
⎪ ╱
⎪ ‾‾‾
⎪n = 0
⎩
```

- Using Python, compute the Z-transform of the sequence $x[n] = \cos{(wn)}u[n]$.

```
PS C:\Users\trupa\OneDrive\Documents\PWP> python -u "c:\Users\trupa\OneDrive\Documents\PWP\PWP POST LAB 17.py"

Z-transform of x[n] = cos(w*n) u[n]:
  ∞
 ___
 ╲
  ╲    -n
  ╱   z  ·cos(n⋅w)
 ╱
 ‾‾‾
n = 0
```

Github link:

https://github.com/trupalijasani05/trupali-jasani