 Marwadi University Marwadi Chandarana Group	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology	
Subject: Programming With Python (01CT1309)	Aim: Practical based on Data Visualization with Seaborn	
Experiment No: 27	Date:	Enrollment No: 92510133011

Aim: Practical based on Data Visualization with Seaborn

IDE:

Installation

```
pip install seaborn
```

Histplot: Seaborn Histplot is used to visualize the univariate set of distributions(single variable). It plots a histogram, with some other variations like kdeplot and rugplot.

```
import numpy as np
```

```
import seaborn as sns
```

```
sns.set(style="white")
```

```
# Generate a random univariate dataset
```


```
rs = np.random.RandomState(10)
```


```
d = rs.normal(size=100)
```

```
# Plot a simple histogram and kde
```


```
sns.histplot(d, kde=True, color="m")
```


Output

 Marwadi University Marwadi Chandarana Group	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology	
Subject: Programming With Python (01CT1309)	Aim: Practical based on Data Visualization with Seaborn	
Experiment No: 27	Date:	Enrollment No: 92510133011



Distplot: Seaborn distplot is used to visualize the univariate set of distributions(Single features) and plot the histogram with some other variations like kdeplot and rugplot.



 Marwadi University Marwadi Chandarana Group	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology	
Subject: Programming With Python (01CT1309)	Aim: Practical based on Data Visualization with Seaborn	
Experiment No: 27	Date:	Enrollment No: 92510133011

Lineplot: The line plot is one of the most basic plots in the seaborn library. This plot is mainly used to visualize the data in the form of some time series, i.e. in a continuous manner.

```
import seaborn as sns
```

```
sns.set(style="dark")
```

```
fmri = sns.load_dataset("fmri")
```

```
# Plot the responses for different\
```

```
# events and regions
```

```
sns.lineplot(x="timepoint",
```


```
    y="signal",
```


```
    hue="region",
```

```
    style="event",
```

```
    data=fmri)
```

```
output
```



 Marwadi University Marwadi Chandarana Group	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology	
Subject: Programming With Python (01CT1309)	Aim: Practical based on Data Visualization with Seaborn	
Experiment No: 27	Date:	Enrollment No: 92510133011

Implot: The Implot is another most basic plot. It shows a line representing a linear regression model along with data points on the 2D space and x and y can be set as the horizontal and vertical labels respectively.

```
import seaborn as sns
```

```
sns.set(style="ticks")
```


```
# Loading the dataset
```


```
df = sns.load_dataset("anscombe")
```

```
# Show the results of a linear regression
```

```
sns.lmplot(x="x", y="y", data=df)
```

Output



 Marwadi University Marwadi Chandarana Group	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology	
Subject: Programming With Python (01CT1309)	Aim: Practical based on Data Visualization with Seaborn	
Experiment No: 27	Date:	Enrollment No: 92510133011

Post Lab

Visualize the data with a box plot and pandas:

```
import pandas as pd
```

```
import seaborn as sns
```


```
# initialise data of lists
```


```
data = {'Name': [ 'Mohe' , 'Karnal' , 'Yrik' , 'jack' ],
```

```
        'Age': [ 30 , 21 , 29 , 28 ]}
```

```
df = pd.DataFrame( data )
```

```
sns.boxplot( data['Age'] )
```



 Marwadi University Marwadi Chandarana Group	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology	
Subject: Programming With Python (01CT1309)	Aim: Practical based on Data Visualization with Seaborn	
Experiment No: 27	Date:	Enrollment No: 92510133011

Draw the violin plot with Pandas

```
import pandas as pd
```


```
import seaborn as sns
```

```
# initialise data of lists
```

```
data = {'Name': [ 'Mohe' , 'Karnal' , 'Yrik' , 'jack' ],
        'Age': [ 30 , 21 , 29 , 28 ]}
```

```
df = pd.DataFrame( data )
```

```
sns.violinplot(data['Age'])
```



Github link: <https://github.com/trupalijasani05/trupali-jasani>