

 Marwadi University <small>Marwadi Chandarana Group</small>	 NAAC A+	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology
Subject: Programming With Python (01CT1309)	Aim: Practical based on matplotlib	
Experiment No: 10	Date: 28/08/2025	Enrollment No: 92510133011

Aim: Practical based on matplotlib

IDE:

What is Matplotlib?

Matplotlib is a popular plotting library in Python used for creating high-quality visualizations and graphs. It offers various tools to generate diverse plots, facilitating data analysis, exploration, and presentation. Matplotlib is flexible, supporting multiple plot types and customization options, making it valuable for scientific research, data analysis, and visual communication. It can create different types of visualization reports like line plots, scatter plots, histograms, bar charts, pie charts, box plots, and many more different plots. This library also supports 3-dimensional plotting.

Installation of Matplotlib

pip install matplotlib

To verify the installation, you would have to write the following code chunk:

```
import matplotlib as plt
print(plt.__version__)
```

Line Plots

Line graphs are commonly used to visualize trends over time or relationships between variables.

Example

```
import matplotlib.pyplot as plt
# data to display on plots
x = [3, 1, 3]
y = [3, 2, 1]
plt.plot(x, y)
plt.title("Line Chart")
# Adding the legends
plt.legend(["Line"])
plt.show()
```

Output:



Subject: Programming With Python (01CT1309)


Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

Line Chart



Note: xlabel, ylabel, title, plt.xlabel("X-axis") # add X-axis label, plt.ylabel("Y-axis") # add Y-axis label
plt.title("Any suitable title") # add title, plt.show(), plt.grid(), plt.axhline(y=0, color='k'), plt.axvline(x=0, color='k')

Stem Plots

A stem plot, also known as a stem-and-leaf plot, is a type of plot used to display data along a number line. Stem plots are particularly useful for visualizing discrete data sets, where the values are represented as "stems" extending from a baseline, with data points indicated as "leaves" along the stems.



Marwadi
University
Marwadi Chandarana Group




Marwadi University
Faculty of Engineering & Technology
Department of Information and Communication Technology

Subject: Programming With Python (01CT1309)	Aim: Practical based on matplotlib	
Experiment No: 10	Date: 28/08/2025	Enrollment No: 92510133011

Example

```
import matplotlib.pyplot as plt  
import numpy as np  
x = np.linspace(0.1, 2 * np.pi, 41)  
y = np.exp(np.sin(x))  
plt.stem(x, y, use_line_collection = True)
```

Output:



 Marwadi University Marwadi Chandarana Group	NAAC  A+	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology
Subject: Programming With Python (01CT1309)	Aim: Practical based on matplotlib	
Experiment No: 10	Date: 28/08/2025	Enrollment No: 92510133011

Bar Charts

A **bar plot** or bar chart is a graph that represents the category of data with rectangular bars with lengths and heights that is proportional to the values which they represent. The bar plots can be plotted horizontally or vertically. A bar chart describes the comparisons between the discrete categories. It can be created using the **bar()** method.

Example

```
import matplotlib.pyplot as plt
# data to display on plots
x = [3, 1, 3, 12, 2, 4, 4]
y = [3, 2, 1, 4, 5, 6, 7]
```

```
# This will plot a simple bar chart
```

```
plt.bar(x, y)
# Title to the plot
plt.title("Bar Chart")
# Adding the legends
plt.legend(["bar"])
plt.show()
```

Output:



Subject: Programming With Python (01CT1309)


Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

Bar Chart



Histogram Plot

A histogram is basically used to represent data in the form of some groups. It is a type of bar plot where the X-axis represents the bin ranges while the Y-axis gives information about frequency. To create a histogram the first step is to create a bin of the ranges, then distribute the whole range of the values into a series of intervals, and count the values which fall into each of the intervals. Bins are clearly identified as consecutive, non-overlapping intervals of variables.



Marwadi University
Faculty of Engineering & Technology
Department of Information and Communication Technology

Subject: Programming With Python (01CT1309)

Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

```
import matplotlib.pyplot as plt
# data to display on plots
x = [1, 2, 3, 4, 5, 6, 7, 4]
# This will plot a simple histogram
plt.hist(x, bins = [1, 2, 3, 4, 5, 6, 7])
# Title to the plot
plt.title("Histogram")
# Adding the legends
plt.legend(["bar"])
plt.show()
Output:
```



Subject: Programming With Python (01CT1309)


Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

Histogram



Scatter Plot

Scatter plots are ideal for visualizing the relationship between two continuous variables.

Example


```
import matplotlib.pyplot as plt
# data to display on plots
x = [3, 1, 3, 12, 2, 4, 4]
```

Subject: Programming With Python (01CT1309)
Aim: Practical based on matplotlib

Experiment No: 10
Date: 28/08/2025

Enrollment No: 92510133011

```
y = [3, 2, 1, 4, 5, 6, 7]
# This will plot a simple scatter chart
plt.scatter(x, y)
# Adding legend to the plot
plt.legend("A")
# Title to the plot
plt.title("Scatter chart")
plt.show()
```

Output:

Box Plot



Subject: Programming With Python (01CT1309)

Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

A box plot, also known as a box-and-whisker plot, provides a visual summary of the distribution of a dataset. It represents key statistical measures such as the median, quartiles, and potential outliers in a concise and intuitive manner. Box plots are particularly useful for comparing distributions across different groups or identifying anomalies in the data.

Example

```
import matplotlib.pyplot as plt
import numpy as np
# Creating dataset
np.random.seed(10)
data = np.random.normal(100, 20, 200)
fig = plt.figure(figsize =(10, 7))
# Creating plot
plt.boxplot(data)

# show plot
plt.show()
Output :
```



Subject: Programming With Python (01CT1309)


Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

Boxplot Example



Pie chart

A Pie Chart is a circular statistical plot that can display only one series of data. The area of the chart is the total percentage of the given data. The area of slices of the pie represents the percentage of the parts of the data. The slices of pie are called wedges. The area of the wedge is determined by the length of the arc of the wedge.


Example

```
import matplotlib.pyplot as plt
# data to display on plots
x = [1, 2, 3, 4]
# this will explode the 1st wedge
# i.e. will separate the 1st wedge
```

Subject: Programming With Python (01CT1309)
Aim: Practical based on matplotlib

Experiment No: 10
Date: 28/08/2025
Enrollment No: 92510133011

```
#from the chart
e =(0.1, 0, 0, 0)
# This will plot a simple pie chart
plt.pie(x, explode = e)
# Title to the plot
plt.title("Pie chart")
plt.show()
Output :
```





Subject: Programming With Python (01CT1309)

Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

Error plots display the variability or uncertainty associated with each data point in a dataset. They are commonly used in scientific research, engineering, and statistical analysis to visualize measurement errors, confidence intervals, standard deviations, or other statistical properties of the data. By incorporating error bars into plots, we can convey not only the central tendency of the data but also the range of possible values around each point.

Example

```
# importing matplotlib
import matplotlib.pyplot as plt
# making a simple plot
x =[1, 2, 3, 4, 5, 6, 7]
y =[1, 2, 1, 2, 1, 2, 1]
# creating error
y_error = 0.2
# plotting graph
plt.plot(x, y)
plt.errorbar(x, y,yerr = y_error,fmt ='o')
```

Output:



Subject: Programming With Python (01CT1309)


Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

Line Plot with Error Bars



Note:

lets the creation of a 3D plot in Matplotlib. We can create different types of 3D plots like scatter plots, contour plots, surface plots, etc. Let's create a simple 3D line plot.

Example

```
import matplotlib.pyplot as plt
x = [1, 2, 3, 4, 5]
y = [1, 4, 9, 16, 25]
z = [1, 8, 27, 64, 125]
# Creating the figure object
fig = plt.figure()
# keeping the projection = 3d
# creates the 3d plot
```



Subject: Programming With Python (01CT1309)

Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025


Enrollment No: 92510133011

```
ax = plt.axes(projection = '3d')
```

```
ax.plot3D(z, y, x)
```

Output :

3D Line Plot



Post Lab Exercise:

- Write a Python program to draw a line with suitable label in the x axis, y axis and a title.

```
import matplotlib.pyplot as plt
```

```
# Data
x = [1, 2, 3, 4, 5]
y = [2, 4, 6, 8, 10]
# Plot
plt.plot(x, y)
# Labels and title
plt.xlabel("X Axis")
```



Subject: Programming With Python (01CT1309)


Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

```
plt.ylabel("Y Axis")
plt.title("Simple Line Plot")
plt.show()
output:
```



- b. Write a Python program to plot two or more lines on same plot with suitable legends of each line.

```
import matplotlib.pyplot as plt
```

```
# Data
x = [1, 2, 3, 4, 5]
y1 = [1, 2, 3, 4, 5]
y2 = [1, 4, 9, 16, 25]
y3 = [1, 8, 27, 64, 125]
```

```
# Plot multiple lines
```



Subject: Programming With Python (01CT1309)


Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

```
plt.plot(x, y1, label="y = x")
plt.plot(x, y2, label="y = x^2")
plt.plot(x, y3, label="y = x^3")
# Labels, title and legend
plt.xlabel("X Axis")
plt.ylabel("Y Axis")
plt.title("Multiple Line Plot")
plt.legend()
plt.show()
output:
```



- c. Write a Python programming to display a bar chart of the popularity of programming Languages.
Sample data:



Subject: Programming With Python (01CT1309)

Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

Programming languages: Java, Python, PHP, JavaScript, C#, C++

Popularity: 22.2, 17.6, 8.8, 8, 7.7, 6.7

```
import matplotlib.pyplot as plt
```

```
# Sample data
```

```
languages = ['Java', 'Python', 'PHP', 'JavaScript', 'C#', 'C++']  
popularity = [22.2, 17.6, 8.8, 8, 7.7, 6.7]
```

```
# Bar chart
```

```
plt.bar(languages, popularity)
```

```
# Labels and title
```


```
plt.xlabel("Programming Languages")
```

```
plt.ylabel("Popularity (%)")
```

```
plt.title("Popularity of Programming Languages")
```

```
plt.show()
```

```
output:
```





Marwadi
University
Marwadi Chandarana Group



Marwadi University
Faculty of Engineering & Technology
Department of Information and Communication Technology

Subject: Programming With Python (01CT1309)

Aim: Practical based on matplotlib

Experiment No: 10

Date: 28/08/2025

Enrollment No: 92510133011

Reference : <https://medium.com/@DebaprasannBhoi/python-matplotlib-exercises-cc46c994563c>