



Department of Molecular Virology

Reporting Time: 21-Sep-2021 16:19

COVID-19 (Corona) Virus

Qualitative Polymerase Chain Reaction (PCR)

Specimen

Swab

Result

Not Detected

If your test result is Detected, you are advised to stay in isolation to prevent the spread of the virus.

Home isolation guidelines can be found at www.chughtailab.com/coronavirus.

For travel purposes, we recommend that you wait 14 days before getting a repeat test.

Test performed using TaqPath 2019 nCoV RealTime PCR Assay Kit CE-IVD by Thermo Fisher Scientific.

PCR test performed at Chughtai Lab Head Office, Lahore.

Chughtai Lab has enabled encrypted QR code for report verification.

To verify this report, please scan the encrypted QR code using Chughtai Lab PCR Report Scanner App.



You can download the Chughtai Lab PCR Report Scanner App by scanning the QR code below.



Play Store



App Store

Dr. N. A. Malik
M.B.B.S. (Pb) , M. Phil.
Consultant Haematologist

Dr. Ayisha Imran
M.B.B.S., F.C.P.S.
Consultant Haematologist

Prof Waheed UZ Tariq
M.B.B.S., PhD. DpBact
F.C.P.S, F.R.C.Path,
F.R.C.P.E Consultant Virologist

Dr. Omar Chughtai
M.B.B.S., M.D., F.C.A.P.
Diplomate American Board of
Anatomic and Clinical Pathology

Dr. A. S. Chughtai
M.B.B.S., M.I.A.C., M.Phil.
F.C.P.S., F.C.P.P. Consultant
Pathologist