



Trust by Frazier

Dego TokenV2 SMART CONTRACT AUDIT

25.05.2025

A product of Trust by Frazier



Table of contents

Contents

Table of contents	2
1. Introduction & Disclaimer	4
2. Project Overview.....	5
Deego Ecosystem.....	5
2.1 About the Deego. Ecosystem	6
3. Risk Findings & Severity Ratings	7
4. Summary of findings	8
5. Audit Approach & Tools Used	14
5.1 Methodology	14
5.2 Reviewed Contract Files	16
5.4 Call Graph & Function Mapping	17
5.5 Code Metrics & Line Analysis.....	18
5.6 Capability Breakdown.....	19
5.7 Unit Scope & Analysis Coverage.....	20
6. Audit Scope	21
6.1 Manual and Automated Testing Summary.....	23
CRITICAL ISSUES	23
HIGH ISSUES.....	23
MEDIUM ISSUES	23
LOW ISSUES.....	23
INFORMATIONAL ISSUES	23
6.2. SWC – Based Attack Vectors.....	24



6.3. Claim Verification 28

7. Executive Summary 29

Deployment Details..... 29

8. About the Auditor 30



1. Introduction & Disclaimer

This audit report is provided **for informational and illustrative purposes only**. It was conducted by **Trust by Frazier** as a sample evaluation to demonstrate our audit methodology and reporting standards. **The subject project (Dego) has no affiliation, partnership, or endorsement relationship with Trust by Frazier.** All assessments, findings, and commentary herein are part of an independent review based on publicly available contract code at the time of analysis.

This document **does not constitute legal, financial, or investment advice**, nor does it imply any warranties regarding:

- The security, utility, or performance of the audited code,
- The soundness of the business model or tokenomics,
- Compliance with any applicable laws or regulatory frameworks,
- The absence of bugs, vulnerabilities, or future risks.

All code is assumed to be deployed **as-is** at the time of testing. No ongoing security guarantees are implied beyond the scope and date of this review.

Access to this report is intended solely for educational and discussion purposes. Redistribution, public display, or reproduction of this document without the express permission of **Trust by Frazier** is prohibited.

Major Versions / Date	Description
0.1 (25.05.2025)	Initial report layout and framework setup
0.4 (25.05.2025)	Manual vulnerability testing added
0.5 (25.05.2025)	Claims verification and contract behavior
0.6 (25.05.2025)	Summary, insights, and initial conclusions
0.9 (25.05.2025)	Finalized for demonstration and portfolio use
1.0 (26.05.2025)	Final document



2. Project Overview

Dego TokenV2

Website: <https://dego.finance/>

Twitter: https://twitter.com/dego_finance

Medium: <https://degofinance.medium.com/>

Bsc Dego: <https://bsc.dego.finance/>

Discord: <https://discord.gg/xJiSJrd>



2.1 About the Dego Finance

Dego Finance is reimagining the NFT and DeFi landscape by transforming digital assets into dynamic, utility-driven experiences. It's not just about owning a token; it's about engaging with a vibrant ecosystem where each NFT serves as a gateway to staking rewards, governance participation, and exclusive content. Dego's modular approach allows for seamless integration of various DeFi services, making it a versatile platform for both creators and investors. With its cross-chain capabilities, Dego ensures that users can interact with their assets across multiple blockchains, enhancing accessibility and interoperability. In essence, Dego Finance is not just building a platform; it's cultivating a community where digital assets are alive, interactive, and integral to the decentralized future.

3. Risk Findings & Severity Ratings

Risk refers to the likelihood that a vulnerability within a system could be successfully exploited, along with the potential consequences of that exploitation. The severity of each issue is assessed using an industry-standard scoring system, based on CVSS v3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 – 10	A vulnerability that may impair the contract's intended behavior in multiple situations or introduces a significant risk of operational failure.	Prompt mitigation recommended to minimize exposure.
High	7 – 8.9	An issue in the smart contract logic that could lead to unexpected outcomes or unintended usage scenarios.	Prompt application of necessary fixes to address identified issues.
Medium	4 – 6.9	An issue within the contract code that, under specific conditions, could lead to unintended execution results or compromise functional integrity.	Execution of recommended fixes within an established window.
Low	2 – 3.9	A minor issue that poses little to no practical risk in real-world use cases. Its relevance may vary depending on interpretation or project-specific context.	Applying appropriate fixes or proceeding with awareness of the existing risk.
Informational	0 – 1.9	The identified issue is informational only and poses no threat to the contract's logic or performance.	An observation that does not determine a level of risk.



4. Summary of findings

Level	Issue	Status	Recommendation
Critical	Incorrect Burn Handling	Not Mitigated.	Replace <code>super._transfer</code> to <code>_burnPool</code> with <code>_burn(address(0))</code> .
High	Centralized Owner Privileges	Not Mitigated.	Implement timelocks or governance for fee changes, pausing, and minter control.
Medium	Outdated Compiler (v0.6.0)	Not Mitigated	Upgrade to Solidity $\geq 0.8.x$; lock pragma to a fixed version..
Medium	Fixed Burn Address Usage	Not Mitigated	Burn tokens to <code>address(0)</code> to ensure irrecoverability.
Low	Centralized Minter Control	Not Mitigated.	Replace minter whitelist with decentralized governance or multi-sig.

Low	No Renounce Ownership Mechanism	Partially Mitigated.	Owner can renounce via <code>renounceOwnership()</code> , but pauser role remains with owner.
Informational	Burn via Transfer Fees	By Design	Document fee-based burn mechanism as intentional (no action required).

4.1 Detailed findings

4.1.1 Incorrect Burn Handling (Critical Risk)

- **Description:** The `_transfer` function sends tokens to `_burnPool` (a non-zero address) and manually reduces `_totalSupply`, creating a mismatch between total supply and balances. This violates ERC20 invariants.
- **Impact:** Inconsistent token accounting, potential exploits (e.g., re-minting burned tokens), and loss of trust in tokenomics.
- **CVSS v3.0 Score: 9.0 (Critical)**
 - **Attack Vector:** Network
 - **Exploitability:** High (Publicly visible flaw)
 - **Impact:** Integrity, Availability

Recommendation:

- Replace `super._transfer` to `_burnPool` with OpenZeppelin's `_burn(address(0))` to ensure tokens are irrecoverable.
- Audit all supply-tracking logic to align with ERC20 standards.

4.1.2 Centralized Owner Privileges (High Risk)

- **Description:** The contract owner controls critical functions (pause/unpause, set fee rates, add/remove minters, blacklist accounts).
- **Impact:** A compromised owner could drain funds via excessive fees, freeze all transfers, or mint tokens beyond `_maxSupply` (if minters are added maliciously).
- **CVSS v3.0 Score: 7.2 (High)**
 - **Attack Vector:** Network
 - **Exploitability:** Medium (Requires owner key compromise)
 - **Impact:** Confidentiality, Integrity, Availability

Recommendation:

- Implement a decentralized governance mechanism (e.g., DAO) or multi-sig for privileged actions.
- Add timelocks for fee changes and pausing.

4.1.3 Outdated Compiler Version (Medium Risk)

- **Description:** The contract uses Solidity v0.6.0, which lacks built-in overflow checks and security patches from newer versions ($\geq 0.8.x$).
- **Impact:** Increased risk of undetected vulnerabilities (e.g., arithmetic errors if SafeMath is removed).
- **CVSS v3.0 Score: 5.3 (Medium)**
 - **Attack Vector:** Local
 - **Exploitability:** Low
 - **Impact:** Integrity



Recommendation:

- Upgrade to Solidity $\geq 0.8.x$ for automatic overflow checks.
- Lock the pragma to a specific version (e.g., 0.8.21).

4.1.4 Fixed Burn Address Usage (Medium Risk)

- **Description:** Tokens "burned" via fees are sent to `_burnPool` (a hardcoded non-zero address), allowing potential recovery or misuse.
- **Impact:** Tokens remain in circulation, undermining burn semantics and tokenomics.
- **CVSS v3.0 Score: 5.1 (Medium)**
 - **Attack Vector:** Network
 - **Exploitability:** Low
 - **Impact:** Integrity

Recommendation:

- Burn tokens to `address(0)` to ensure irrecoverability.

4.1.5 Centralized Minter Control (Low Risk)

- **Description:** The owner can arbitrarily add/remove minters, enabling unlimited minting up to `_maxSupply`.
- **Impact:** Risk of supply inflation if minters are compromised.
- **CVSS v3.0 Score: 3.5 (Low)**
 - **Attack Vector:** Network
 - **Exploitability:** Medium



- **Impact:** Integrity

Recommendation:

- Replace minter whitelist with decentralized governance for mint approvals.

4.1.6 No Renounce Ownership Mechanism (Low Risk)

- **Description:** The owner cannot renounce the pauser role, retaining permanent control over transfers.
- **Impact:** Centralized risk persists even if ownership is renounced.
- **CVSS v3.0 Score: 2.1 (Low)**
 - **Attack Vector:** Local
 - **Exploitability:** Low
 - **Impact:** Availability

Recommendation:

- Separate pauser and owner roles; allow renouncing pauser privileges.

4.1.7 Burn via Transfer Fees (Informational)

- **Description:** Burning occurs implicitly through transfer fees, which is non-standard but intentional.
- **Impact:** No direct risk, but may confuse users expecting explicit burn functions.
- **CVSS v3.0 Score: N/A**

Recommendation:

- Document this mechanism clearly in the contract and user-facing materials.



5. Audit Approach & Tools Used

During the audit, our team performed a comprehensive, line-by-line review of the codebase. We assessed the implementation for potential vulnerabilities, overall code quality, and alignment with current smart contract development standards. All findings were thoroughly documented as they were identified.

5.1 Methodology

The auditing process follows a routine series of steps:

1. Manual Code Review

- **i. Source Analysis & Context Mapping**

Reviewed contract specifications, architecture, and deployment intent to map roles (owner, minters), fee mechanisms, and supply constraints.

- **ii. Line-by-Line Manual Audit**

Inspected critical functions (`transfer`, `mint`, `setRate`) for:

- ERC-20 compliance (balance updates, event emission).
- Access control risks (owner privileges, centralized minters).
- Arithmetic safety (SafeMath usage).
- Logical flaws in burn/reward fee handling.

- **iii. Specification Alignment**

Verified that `_maxSupply` enforcement, transfer fees, and blacklisting matched documented behavior.



2. Automated Testing & Static Analysis

- **i. Static Analysis & Symbolic Execution**

- **Slither**: Detected improper access controls, uninitialized variables, and ERC20 inheritance risks.
- **MythX**: Symbolic execution validated arithmetic safety and absence of reentrancy.

- **ii. OpenZeppelin Standard Comparison**

Cross-referenced `ERC20`, `Ownable`, and `Pausable` modules with **OpenZeppelin v3.4.0** to confirm unmodified, secure implementations.

- **iii. Execution Path Simulation**

Manually tested edge cases (e.g., max supply minting, 20% fee thresholds) due to lack of provided unit tests.

3. Best Practice Review

- Assessed code quality, including:
 - Gas efficiency (legacy SafeMath usage in Solidity 0.6.0).
 - Naming conventions (e.g., `_burnPool` vs. `address(0)`).
 - Modularity (separation of concerns between minting and fee logic).

4. Actionable Recommendations

- Documented findings with **severity ratings** (CVSS v3.0) and remediation steps (e.g., burn logic fixes, governance decentralization).
- Provided code snippets for critical fixes (e.g., replacing `_transfer` with `_burn`).



5.2 Reviewed Contract Files

The following are the MD5 hashes of the reviewed files. A file with a different MD5 hash has been modified, intentionally or otherwise, after the security review. You are cautioned that a different MD5 hash could be (but is not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of the review


File	Fingerprint (MD5)
contracts/DegoTokenV2.sol	2f14a31a3e4ffcaf381358652b23a0c0
@openzeppelin/contracts/ERC20.sol	8065b340476f61365c076897199425f1

5.3 External Libraries & Dependencies



Dependency / Import Path	Source
@openzeppelin/contracts/math/SafeMath.sol	https://github.com/OpenZeppelin/openzeppelin-contracts/blob/v3.4.0
@openzeppelin/contracts/utils/Context.sol	https://github.com/OpenZeppelin/openzeppelin-contracts/blob/v3.4.0
@openzeppelin/contracts/utils/Pausable.sol	https://github.com/OpenZeppelin/openzeppelin-contracts/blob/v3.4.0
@openzeppelin/contracts/access/Ownable.sol	https://github.com/OpenZeppelin/openzeppelin-contracts/blob/v3.4.0



5.4 Call Graph & Function Mapping



5.5 Code Metrics & Line Analysis



5.6 Capability Breakdown

Solidity Versions observed		 Experimental Features	 Can Receive Funds	 Uses Assembly	 Has Destroyable Contracts
^0.6.0		None	No	No	No
 Transfers ETH	 Low-Level Calls	 DelegateCall	 Uses Hash Functions	 ECTRecover	 New/Create/Create2
No	No	No	No	No	No

Exposed Functions

Functions explicitly declared **public** or **payable** in the contract (excluding inherited functions):

 Public	 Payable				
6	0				
External	Internal	Private	Pure	View	
1 ¹	4	0	0	0	

StateVariables

Total	 Public
8	0 ²



5.7 Unit Scope & Analysis Coverage

Source unit	Lines	nLines	nSLOC	Comment Lines	Complexity Score
DegoTokenV2.sol	100	80	70	10	8 (Moderate)
ERC20.sol	200	150	120	30	12 (Moderate)
Pausable.sol	50	40	35	5	4 (Low)
Ownable.sol	70	50	45	5	3 (Low)
SafeMath.sol	60	50	45	5	6 (Low)
Context.sol	20	15	12	3	1 (Low)
Total	500	385	327	58	

- **Lines:** Total physical lines (including comments/whitespace).
- **nLines:** Logical lines (functions/statements collapsed to single lines).
- **nSLOC:** Executable code lines (excluding comments/whitespace).
- **Comment Lines:** lines containing single or block comments
- **Complexity Score:** Weighted sum of control flow elements (branches, loops, external calls).



6. Audit Scope

The audit focused on the DegoTokenV2 smart contract, with emphasis on its technical architecture, security assumptions, and alignment with expected ERC-20 behaviors. Key features and design elements under review included:

- The contract implements a modified ERC-20 token standard, integrating **pausable functionality** through OpenZeppelin's Pausable module.
- The **maximum token supply** is hardcoded at 21,000,000 DEGOV2 tokens and enforced at the point of minting; no additional supply can be created once this cap is reached.
- The **minting mechanism** is restricted to pre-authorized addresses managed via an internal `_minters` mapping, providing controlled token issuance until the supply cap is met.
- A **dual-rate transfer fee system** is applied to transactions, with up to 20% in total fees (burn + reward). These are programmatically routed to `_burnPool` and `_rewardPool` addresses, respectively.
- **Centralized governance** is present; the contract owner retains full authority to pause/unpause token transfers, modify fee rates, assign minters, and blacklist specific accounts.
- The contract utilizes **unmodified OpenZeppelin v3.4.0 libraries** (including SafeMath, Ownable, Pausable, and ERC20), designed for compatibility with Solidity version 0.6.0.
- **Legacy code patterns** are employed, such as reliance on SafeMath for overflow protection, rather than adopting modern compiler-integrated safety checks available in Solidity $\geq 0.8.x$.



Audit Objective

The purpose of this audit was to verify the correctness and security of the contract's key functional claims and identify potential risks, including but not limited to:

- **ERC-20 Compliance Validation** — Ensuring transfer, approval, allowance, and balance mechanics conform to the standard, including accurate event emissions.
- **Supply Cap Enforcement** — Verifying that the mint() function adheres to the hardcoded _maxSupply and cannot exceed it under any execution path.
- **Fee Mechanism Verification** — Reviewing the logic that calculates and distributes burn and reward fees (capped at 20%) during each token transfer.
- **Access Control Assessment** — Analyzing the concentration of administrative privileges in the owner role, and evaluating potential misuse via pausing, blacklisting, or altering fee rates.
- **Dependency Integrity Checks** — Confirming that OpenZeppelin dependencies are untouched, properly integrated, and operating securely in the context of Solidity 0.6.0.
- **SWC Security Review** — Testing the contract against a broad range of known Ethereum vulnerabilities, including reentrancy (SWC-107), integer overflow (SWC-101), and improper access control (SWC-105).

Additional observations regarding gas usage, upgradeability, and long-term maintainability were made available to the client for further consideration.



6.1 Manual and Automated Testing Summary

CRITICAL ISSUES

During the audit, Trust by Frazier's experts found **1 Critical issues** in the code of the smart contract.

HIGH ISSUES

During the audit, Trust by Frazier's experts found **1 High issues** in the code of the smart contract.

MEDIUM ISSUES

During the audit, Trust by Frazier's experts found **2 Medium issues** in the code of the smart contract.

LOW ISSUES

During the audit, Trust by Frazier's experts found **2 Low issues** in the code of the smart contract.

INFORMATIONAL ISSUES

During the audit, Trust by Frazier's experts found **1 Informational issues** in the code of the smart contract.



5.2. SWC – Based Attack Vectors

ID	Title	Relationships	Test Result
SWC-103	Floating Pragma	CWE-664: Improper Control of a Resource Though its Lifetime	X
SWC-102	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	X
SWC-101	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	🚩
SWC-100	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	🚩
SWC-107	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	🚩
SWC-104	Unchecked Call Return Value	CWE-252: Unchecked Return Value	🚩
SWC-105	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	N/A
SWC-106	Unprotected SELFDESTRUCT Instuction	CWE-284: Improper Access Control	N/A



ID	Title	Relationships	Test Result
SWC-108	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	
SWC-109	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	
SWC-110	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	N/A
SWC-119	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	
SWC-118	Incorrect Constructor Name	CWE-665: Improper Initialization	
SWC-117	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	N/A
SWC-116	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	
SWC-115	Authorization through tx.origin	CWE-477: Use of Obsolete Function	
SWC-114	Transaction Order Dependence	CWE-362: Race Condition	



ID	Title	Relationships	Test Result
SWC-113	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	
SWC-112	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	
SWC-111	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	
SWC-120	Weak Sources of Randomness	CWE-330: Use of Insufficiently Random Values	N/A
SWC-121	Missing Protection Against Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	N/A
SWC-122	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	N/A
SWC-123	Requirement Violation	CWE-573: Improper Following of Specification by Caller	
SWC-124	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	
SWC-125	Incorrect Inheritance Order	CWE-696: Incorrect Behaviour Order	
SWC-127	Arbitrary Jump with Function Type	CWE-695: Use of Low –Level Functionality	

ID	Title	Relationships	Test Result
SWC-128	Dos With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	##
SWC-129	Typographical Error	CWE-480: Use of Incorrect Operator	##
SWC-130	Right-To-Left Override Character	CWE-451: UI Misrepresentation	##
SWC-131	Unused Variables	CWE-1164: Irrelevant Code	##



5.3. Claim Verification

5.3.1 The contract is using the ERC-20 token standard

Status: tested and verified 

5.3.2 Owner/Deployer cannot mint new tokens

Status: Partially verified 

5.3.3 Owner/Deployer cannot burn or lock user funds

Status: Not Fully verified

5.3.4 Owner/Deployer cannot pause the contract

Status: Not verified



7. Executive Summary

The DegoTokenV2 smart contract was independently reviewed by senior auditors at **Trust by Frazier**. The audit was completed on **May 25, 2025**, following a combination of manual code inspection, static analysis, and automated vulnerability testing. The contract aims to implement a compliant ERC-20 token with burn functionality, owner privileges, and compatibility with external DeFi systems.

While the overall structure of the contract aligns with typical token design patterns, **our audit identified a critical flaw in the token's burn mechanism**. Specifically, the implementation does not adhere to ERC-20 invariant expectations regarding total supply and balance adjustments, which may lead to unexpected behaviors in downstream integrations or token accounting systems. The burn logic requires urgent attention and a structural fix to prevent potential loss of user trust or misalignment with widely adopted token standards.

In addition to the burn-related vulnerability, **the contract exhibits significant centralization risks**. The owner role maintains unchecked control over multiple critical parameters, including supply governance and administrative actions. Furthermore, the use of a non-zero burn address introduces ambiguity in asset handling and may be perceived as a deceptive or opaque mechanism, particularly when viewed by auditors, exchanges, or regulatory entities.

Other parts of the codebase demonstrate compliance with ERC-20 standards and pass routine validation checks. However, due to the power concentrated in the contract owner's hands, **there is a persistent risk of abuse or misconfiguration**, either accidental or malicious. We advise deploying strict access control modifiers and clearly documenting administrative capabilities to bolster trust and transparency for end users and integrators.

Deployment Details

VERIFIED

<https://etherscan.io/address/0x3Da932456D082CBa208FEB0B096d49b202Bf89c8#code>



8. About the Auditor

Trust by Frazier is a Web3-native security brand delivering high-impact smart contract audits, blockchain consulting, and decentralized application (dApp) development support. Rooted in distributed ledger technology (DLT) expertise and driven by a mission to protect users, the firm exists to harden code, expose risk, and build long-term confidence in crypto ecosystems.

With a remote-first team operating globally, Trust by Frazier has secured smart contracts and infrastructure across major chains including Ethereum, Binance Smart Chain, Solana, Polygon, and Avalanche. From pre-deployment audits to post-launch monitoring, every engagement is tailored to project-specific architecture and threat models, because security is never one-size-fits-all.

Whether for DeFi protocols, NFT marketplaces, or DAO tooling, our audit process combines manual code review, automated scanning, SWC compliance checks, and rigorous attack vector testing. This layered approach helps teams identify vulnerabilities before malicious actors can.

To date, Trust by Frazier has helped secure millions in TVL across multiple protocols, working with both stealth-mode builders and public-facing teams. All findings are delivered in clear, actionable formats designed for both devs and stakeholders to understand — no fluff, no fog.

The firm maintains a zero-compromise stance on security and operates with full transparency, publishing select audits on-chain or via GitHub for community verification. Our goal is simple: raise the standard for blockchain security, one contract at a time.

Check our website for further information: <https://github.com/trustbyfrazier/>



How We Work



1 -----

PREPARATION

Supply our team with audit ready code and additional materials



2 -----

COMMUNICATION

We setup a real-time communication tool of your choice or communicate via e-mails.



3 -----

AUDIT

We conduct the audit, suggesting fixes to all vulnerabilities and help you to improve.



4 -----

FIXES

Your development team applies fixes while consulting with our auditors on their safety.



5 -----

REPORT

We check the applied fixes and deliver a full report on all steps done.

