DASMA SET 4 2026
Agriculture One Set Four Sample Assessment Guide 2026. Senior 6
SECTION A

Item 1

Task (a).

1. Put on protective gear to maintain hygiene and prevent contamination of the product.

2. Assemble all materials and equipment needed to ensure a smooth, uninterrupted process.

3. Wash hands thoroughly with soap and clean water to eliminate pathogens that could contaminate the fish.

4. Select fresh, high-quality tilapia/catfish and wash them thoroughly using clean water to remove slime, blood, and dirt that could harbour bacteria and cause spoilage.

5. Scale, gut, and fillet the fish using a sharp knife on a clean chopping board, removing bones and skin to obtain pure, edible flesh free of hard particles.

6. Mince the fish flesh using a mincer/grinder to break it into a fine, uniform paste that blends easily with other ingredients.

7. Weigh and mix the minced fish with salt, and spices in a mixing bowl, using the correct proportions to enhance flavour, bind the mixture, and extend shelf life.

8. Stuff the mixture into casings using a sausage stuffer/funnel, tying at intervals to form individual links of uniform size for consistent cooking and appealing presentation.

9. Package the sausages in food-grade, vacuum-sealed or wrapped packaging to protect them from contamination and physical damage during storage and transport.

10. Label and brand the package with product name, weight, production/expiry date, and company details/logo to build customer trust, aid traceability, and market identity.

11. Store the packaged sausages under refrigeration/freezing to preserve freshness and extend shelf life until distribution.

12. Sell the sausages to the supermarket, schools, and hotels at an appropriate, competitive price that covers production costs while ensuring profitability.

Task (b): Measures to improve marketing and profitability

Heavy losses from spoilage before reaching distant markets; process the fish into sausages/fillets to extend shelf life and eliminate spoilage losses during transport.

Fish prices fall when many farmers harvest at once; join/form a cooperative to stagger harvesting and regulate supply, stabilizing prices.

Sells individually without cooperating with other farmers; join a farmers' cooperative to gain bargaining power and access to bulk institutional buyers.

Grades fish by visual examination; use a weighing scale for accurate, standardized grading that builds buyer trust and ensures fair pricing.

Packs fish in used food containers; use clean, food-grade packaging to meet hygiene standards required by supermarkets, schools, and hotels.

Sells mostly through middlemen; supply directly to the supermarket, schools, and hotels to increase her profit margin.

Stores unsold fish near the fireplace; invest in cold storage/refrigeration to preserve quality and prevent heat spoilage.

Advertises only by word of mouth; use wider channels (radio, posters, social media) to reach more customers beyond her immediate area.

Relies on boda-boda men for market information; subscribe to formal market information services for reliable, real-time pricing.

Item 2

Task (a):

Boiled the maize mixture for a long time before feeding; this destroys nutrient value and denatures the enzyme supplement added while still hot, resulting in poor feed utilization and undigested material in the dung, lowering milk production.

Mixed the enzyme supplement into the feed while it was still very hot; this denatures the heat-sensitive enzymes, preventing proper breakdown of feed components, leading to poor digestion and reduced feed conversion efficiency.

Supplied highly concentrated mineral solutions during a prolonged dry season; this causes an osmotic imbalance that draws water out of body tissues, leading to dehydration despite regular feeding, reducing overall animal performance.

Selected a breeding bull mainly for its coat colour; this poor selection practice ignores productive traits, resulting in daughters with low productivity, reducing the genetic potential and milk yield of the herd.

Repeatedly mated closely related animals for several generations; this inbreeding increases expression of harmful recessive genes, leading to declining fertility and increased calf mortality, reducing herd productivity.

One heifer failed to conceive despite repeated mating; this is due to reproductive tract abnormalities (confirmed by the veterinary officer), which prevent normal fertilization, reducing the reproductive efficiency of the herd.

Cows were often served several days after showing heat signs; this poor breeding management misses the optimal fertilization window, resulting in repeat services, delayed conception and reduced calving rate.

Calves showed poor growth despite adequate feed and had poorly developed rumens; this is due to prolonged feeding on milk alone without early introduction of solid feed, delaying rumen development and lowering feed utilization and growth rate.

Some animals bled excessively after minor injuries and the bleeding took long to stop; this is due to a possible clotting disorder linked to the inbreeding, increasing vulnerability to blood loss and infection, reducing general health and productivity.

Task (b):

Boiling the maize mixture for too long; prepare and feed the mixture without prolonged boiling to preserve nutrient value and improve digestibility.

Mixing enzyme supplement into hot feed; allow the feed to cool to an appropriate temperature before adding the enzyme supplement to preserve its activity.

Feeding highly concentrated mineral solutions during the dry season; dilute mineral supplements to the recommended concentration and ensure adequate clean water is always available.

Selecting a breeding bull based on coat colour; select breeding bulls based on proven productive traits and performance records to improve the genetic quality of the herd.

Repeated mating of closely related animals; avoid inbreeding by introducing unrelated breeding stock to widen the genetic base and improve fertility.

Heifer with reproductive tract abnormalities; cull the affected heifer and replace her with one of normal reproductive function to maintain herd fertility.

Serving cows several days after heat signs; closely monitor and detect heat signs promptly, and serve cows within the optimal breeding window.

Poor rumen development in calves fed mainly on milk; introduce calves to good quality solid feed early to stimulate rumen development.

Excessive, prolonged bleeding from minor injuries; have a veterinary officer examine and treat affected animals, and avoid further inbreeding to reduce recurrence.

SECTION B — Part I: Animal Production

Item 3

Task (a):

Purchased goats from different sources with some noticeably smaller and weaker at stocking; buying without proper selection for uniformity leads to uneven growth rates and increased competition for feed and space, lowering overall herd performance.

Some goats stood for long periods in corners; this is due to overcrowding forcing weaker goats to withdraw from dominant animals competing for space, increasing stress and reducing feed intake and growth.

Other goats had soiled side coats; this is due to poor drainage/dirty bedding in the housing unit, increasing the risk of skin infections and reducing general health and productivity.

A strong odour was noticeable in the shed; this is due to poor ventilation and accumulation of manure/urine in the housing unit, increasing respiratory disease incidence and reducing growth performance.

Males and females grazed together throughout the year; this uncontrolled breeding leads to random, unplanned kidding, inbreeding and reduced hybrid vigour, lowering reproductive and productive performance.

The farmer was unable to account for income and expenditure at year-end; this poor record-keeping makes it impossible to evaluate profitability or plan improvements, reducing overall enterprise efficiency.

Some goats spent long hours feeding while others moved around searching for more palatable grass; this is due to continuous grazing on the same land without rotation, leading to overgrazing and uneven pasture availability, resulting in uneven weight gain.

Some goats were observed with bleeding hooves; this is due to lack of routine hoof trimming causing overgrown hooves to crack and bleed, leading to lameness that reduces feeding activity and growth rate.

Several animals developed rough hair coats and distended abdomens; this is due to internal parasite infestation competing for nutrients and damaging the digestive tract, reducing nutrient absorption and growth.

Some mature goats were slaughtered two days after administration of intramuscular drugs; this does not allow for the drug withdrawal period, leading to drug residues remaining in the meat, lowering meat safety and market value.

Some carcasses showed bruises and fractured bones; this is due to rough handling of the goats during slaughter, which damages the meat and lowers carcass grade and market value.

Workers were observed handling meat with bare hands during slaughter; this poor hygienic practice increases the risk of meat contamination, lowering meat quality and marketability.

Task (b):

Purchasing goats from different sources without selection for uniformity; select and purchase goats of similar age, size and health status to ensure even growth and reduce competition.

Weaker goats withdrawing into corners due to overcrowding; provide adequate housing space per animal to reduce stress and competition for space.

Soiled coats from poor drainage/dirty bedding; ensure proper drainage and regular bedding changes to reduce skin infections.

Poor ventilation causing strong odour; construct housing with adequate ventilation openings and remove manure regularly to reduce disease incidence.

Uncontrolled breeding from mixed grazing of males and females; separate breeding males from females and practice controlled/planned mating to improve hybrid vigour.

Poor record-keeping of income and expenditure; keep proper farm records to enable evaluation of profitability and informed decision-making.

Continuous grazing on the same land without rotation; practice rotational grazing to allow pasture regeneration and uniform access to quality forage.

Overgrown, bleeding hooves; carry out routine hoof trimming to prevent overgrowth, cracking and lameness.

Rough coats and distended abdomens from internal parasites; carry out regular deworming/drenching to control internal parasites and improve nutrient absorption.

Slaughtering goats without observing drug withdrawal period; observe the recommended withdrawal period before slaughter to ensure meat safety and market value.

Bruised, fractured carcasses from rough handling; handle goats gently and slaughter at a proper facility to prevent carcass damage.

Workers handling meat with bare hands; ensure workers use clean protective gear (gloves) to prevent contamination and maintain meat quality.

Item 4

Task (a):

The pond was dug at varying depths; this poor construction creates uneven water depth zones, causing stress and uneven distribution of fish, reducing uniform growth and overall pond productivity.

Animals were occasionally seen entering the pond; this is due to lack of a perimeter fence, allowing predators to prey on the stocked fish, reducing the surviving population and overall yield.

The pond flooded and water stagnated for about three days after a heavy downpour; this is due to poor site selection near a seasonal swamp without adequate drainage control, diluting water quality and risking fish loss.

Pond depth reduced and became noticeably shallower after three months; this is due to siltation from surface runoff entering the pond, reducing the water volume and lowering the pond's carrying capacity.

Fish were seen swimming near the surface and scraping against pond walls one month after stocking; this is due to low dissolved oxygen/gill irritation from poor water quality, stressing the fish and reducing feeding and growth rate.

Pond water became dark and cloudy with algae accumulation after four months; this is due to nutrient build-up from uneaten feed and waste causing algal bloom, which depletes dissolved oxygen at night and stresses the fish.

Rotting fish feed accumulated at the bottom of the pond; this overfeeding without monitoring consumption leads to water pollution and oxygen depletion as the feed decomposes, reducing fish health and growth.

A mosquito net was used for harvesting during a hot afternoon; this poor harvesting practice causes excessive stress and physical injury to the fish, lowering the quality and market value of the harvest.

Fish were smaller than expected market size; this is due to prolonged stress from poor water quality, which suppresses appetite and metabolic efficiency, slowing growth rate and reducing overall yield at harvest.

Task (b):

Uneven pond depth from poor construction; construct the pond with a uniform, appropriate depth with a gentle slope towards a drainage point.

Predators entering the pond; construct a perimeter fence/net around the pond to keep out predators.

Flooding and water stagnation near the swamp; construct proper inlet and outlet drainage channels with control valves to regulate water flow.

Reduced pond depth from siltation; construct silt traps/contour bunds around the pond to intercept runoff and sediment.

Fish surfacing and scraping against walls; install aeration or increase water exchange to maintain adequate dissolved oxygen levels.

Dark, cloudy water with algae; control feeding rates and remove excess organic matter to prevent nutrient build-up and algal bloom.

Rotting feed at the pond bottom; feed fish in measured quantities based on biomass and observed feeding response to minimize waste.

Use of a mosquito net for harvesting in a hot afternoon; use an appropriate harvesting net and harvest during cooler hours to reduce stress and injury.

Fish smaller than market size; improve overall pond management (water quality, feeding, stocking density) to support optimal growth.

SECTION B — Part II: Crop Production

Item 5

Task (a):

The land had previously been used for uncontrolled grazing; this results in soil compaction and reduced fertility from trampling and overgrazing, which restricts root development and lowers tuber yield.

Cleared the vegetation by burning; this practice destroys soil organic matter and beneficial soil microorganisms, reducing soil fertility and lowering crop yield.

Ploughed the soil only once; this results in poor soil tilth, restricting root penetration and reducing tuber development.

Planted cuttings obtained from farmers in areas with high annual rainfall into a semi-arid region; using planting material not adapted to the drier conditions results in poor establishment and reduced vigour.

Foxtail grew taller than the cassava plants two months after planting; this is due to poor weed control which results into competition for light, nutrients and water suppressing cassava growth, reducing tuber yield.

Crop residues were removed after harvest; this practice depletes soil organic matter and nutrients that would otherwise be recycled, lowering soil fertility for subsequent growth.

Fertilizer was applied occasionally without prior soil testing; this fails to address the specific nutrient deficiencies of the soil, resulting in imbalanced nutrition and reduced yield.

The crop relied entirely on rainfall in a semi-arid region; this exposes the crop to moisture stress during dry spells, reducing tuber bulking and overall yield.

Water sometimes gets stranded in the garden briefly after rainfall; this is due to poor soil drainage from compaction by previous grazing, which deprives roots of oxygen and encourages tuber rot, reducing yield.

The cassava plants developed curled leaves, smaller stems with nearly fused internodes and reduced tuber size; this is due to viral infection (cassava mosaic disease), likely introduced through infected planting material, which reduces leaf area and photosynthesis, lowering tuber yield.

Tubers were harvested while the leaves were entirely green; this premature harvesting before physiological maturity results in low starch content and smaller tubers, reducing yield and quality.

Harvested tubers were dropped on the surface after harvesting; this poor post-harvest handling exposes tubers to sun scorch, pests and mechanical damage, reducing quality and market value.

Task (b):

Clearing vegetation by burning; clear land by slashing/mechanical means instead of burning to conserve organic matter and soil microorganisms.

Ploughing only once; plough and harrow adequately to achieve a fine tilth that allows good root and tuber development.

Using cuttings from high-rainfall areas in a semi-arid region; source planting material from areas with similar (semi-arid) growing conditions to ensure better adaptation.

Weed competition from foxtail; carry out timely weeding, especially within the first two to three months, to eliminate competition for nutrients, light and water.

Removing crop residues after harvest; incorporate crop residues back into the soil to improve organic matter and nutrient recycling.

Applying fertilizer without prior soil testing; carry out soil testing and apply fertilizer based on the identified nutrient deficiencies for balanced crop nutrition.

Sole reliance on rainfall in a semi-arid area; supplement with irrigation during dry spells to maintain adequate soil moisture for tuber bulking.

Water stagnation after rainfall from poor drainage; construct drainage channels/ridges to remove excess water and improve aeration for the roots.

Cassava mosaic disease symptoms; use certified disease-free planting material and uproot and destroy infected plants to control the spread of the virus.

Harvesting while leaves are still green; harvest cassava only after physiological maturity (when most leaves have yellowed/fallen) to ensure optimum starch content.

Dropping harvested tubers on the surface; handle tubers carefully and place them in shade or under cover immediately after harvesting to reduce damage and quality loss.

Item 6

Task (a):

One section of the land was marshy; this is due to poor natural drainage/high water table in that part of the land, causing waterlogging around the plant roots, reducing aeration and lowering root development and yield in that section.

The other section dried quickly and developed surface cracks during dry periods; this is due to low water-holding capacity of the soil in that part, subjecting plants to moisture stress during dry spells and reducing growth and yield in that section.

The land was cleared using surface tillage; this shallow land preparation fails to break the subsoil, resulting in poor root penetration and anchorage, reducing nutrient and water uptake.

Suckers were obtained from neighbouring farms; this risk introducing planting material of unknown health/quality, which can result in weak establishment and reduced productivity.

Some plants appeared closely packed three months after planting; this poor spacing increases competition for light, nutrients and water, resulting in stunted growth and smaller fruit size.

A mixture of maize, sorghum and bean plants grew vigorously in the garden; this uncontrolled intercropping allows the companion crops to compete with the pineapples for nutrients, water and light, reducing pineapple growth.

Soil surface was bare and exposed in some parts of the field; this lack of mulch cover leads to moisture loss through evaporation and exposes the soil to erosion, reducing available soil moisture and yield.

Some plants leaned towards sunlight; this is due to shading from overcrowding or intercrops, causing etiolation and weak stem development, reducing plant vigour and fruiting capacity.

Leaves showed small holes and scotched margins; this is due to insect pest attack feeding on leaf tissue, reducing leaf area for photosynthesis and lowering plant vigour and yield.

Some leaves had yellow strips between the leaf margins; this is due to a nutrient deficiency (e.g. magnesium/zinc), which impairs chlorophyll formation and photosynthesis, reducing growth and fruit development.

Maturity of fruits was judged by estimating the date of planting; this unreliable practice results in harvesting fruits that are immature or overripe, reducing the quality and market value of the harvest.

Some fruits had split eyes and a strong fermented smell; this is due to over-maturity from delayed harvesting, causing fruit sugars to ferment and reducing fruit quality and market value.

Some fruits had deep knife cuts and torn stalk attachments; this poor harvesting technique causes physical damage that creates entry points for rot-causing organisms, reducing shelf life and market value.

Task (b):

Marshy section causing waterlogging; construct drainage channels in the marshy section to remove excess water and improve root development.

Dry section with low water-holding capacity and surface cracks; apply organic matter in that section to improve moisture retention and reduce moisture stress.

Shallow surface tillage; carry out deep cultivation/ploughing to break the subsoil and improve root penetration and anchorage.

Suckers sourced from neighbouring farms without inspection; source planting material from certified/disease-free nurseries to ensure healthy establishment.

Overcrowded planting; plant at the recommended spacing to reduce competition for light, nutrients and water.

Uncontrolled intercropping with maize, sorghum and beans; manage the intercrops through proper spacing and timely thinning to minimize competition with the pineapples.

Bare exposed soil in some parts; mulch the entire plantation uniformly to conserve soil moisture and control erosion.

Plants leaning due to shading; thin out overcrowded plants/intercrops to ensure even sunlight penetration.

Pest damage on leaves; carry out regular scouting and apply appropriate insecticides to control the pests.

Nutrient deficiency symptoms (yellow leaf margins); carry out soil testing and apply the appropriate fertilizer to correct the deficiency.

Judging maturity by planting date alone; use physical maturity indicators (fruit colour change, aroma, eye flattening) to determine correct harvest time.

Overripe fruits with split eyes and fermented smell; harvest fruits promptly once physical maturity signs appear to avoid over-ripening.

Poor harvesting technique causing knife cuts and torn stalks; train workers to use proper harvesting tools and cut cleanly at the correct point.

DASUMIT MIRORS ASSOCIATION
DA CENTER OF SCIENCES
(DASMA)

CONSTRUCT: VALUE ADDITION FOR THE MARKET
TOPIC: Crop and crop product marketing
COMPETENCY: *The learner markets crop and crop products for profit*
Marketing documents.
Introduction

Every trade transaction in crop and crop-product marketing needs a document for verification. This handout covers the eight documents an agricultural enterprise cannot operate without, presented in the order in which they actually arise: the letter of inquiry, the quotation, the local purchase order, the delivery note, the goods received note, the invoice, the payment voucher and the receipt. That order is itself part of the lesson, because each document hands over to the next.

1. The Letter of Inquiry

A letter of inquiry is the letter a buyer writes to one or more suppliers asking what goods they can supply, at what price and on what terms. It states clearly what is wanted and in what quantity, and asks the supplier to reply by a given date.

SAMPLE

BUIKWE FARMERS' COOPERATIVE SOCIETY LTD
Bulk Purchaser of Farm Inputs on Behalf of Registered Member Farmers
P.O. Box 88, Lugazi, Buikwe District, Uganda | Tel: +256 782 640 118

LETTER OF INQUIRY

Date: 2 July 2026

The Sales Manager,
Ssezibwa Agro-Supplies Ltd,
P.O. Box 415, Mukono, Uganda.
Dear Sir/Madam,

RE: INQUIRY FOR THE SUPPLY OF AGRICULTURAL INPUTS AND POST-HARVEST EQUIPMENT

Buikwe Farmers' Cooperative Society Ltd purchases farm inputs in bulk on behalf of its three hundred and forty registered member farmers in Buikwe District. We are preparing for the second planting season of 2026 and are inviting quotations from established suppliers of agricultural inputs and post-harvest equipment.

We should be grateful if you would quote us your best prices for the following items:

No.	Item Description and Specification	Quantity Required
1	Certified maize seed, hybrid, suitable for the Lake Victoria crescent	200 kg
2	NPK compound fertiliser, 50 kg bags	60 bags
3	Hand hoes, forged, size 3.5 lb	150 pieces
4	Drying tarpaulins, approximately 4 m x 6 m	40 pieces
5	Polypropylene storage bags, 100 kg capacity	500 pieces
6	Platform weighing scale, 500 kg capacity	2 pieces

In your reply, kindly indicate the following:

- The unit price of each item and the total cost, stated in Uganda Shillings.
- The period for which your prices will remain firm.
- The delivery period after receipt of an order, and whether transport to our store at Lugazi is included.
- Your payment terms, and whether any discount is allowed for prompt settlement.
- Confirmation that the maize seed offered is certified and supplied in sealed, batch-labelled packs.

Please note that this letter is an inquiry only and does not constitute an order. We should be glad to receive your quotation not later than 8 July 2026, as the committee meets to decide on 9 July 2026.

We look forward to your early reply.

Yours faithfully, ...
Name: _____
Procurement Officer
For: BUIKWE FARMERS' COOPERATIVE SOCIETY LTD

2. The Quotation

A quotation is a formal written offer prepared by a seller at the request of a prospective buyer, setting out the goods available, their quantities and unit prices, and the conditions attached, including how long the prices will hold. It is issued before any order is placed and is an invitation to buy, not a demand for payment. Its importance is that it lets the buyer compare suppliers' item by item and budget with confidence, since a firm quotation holds its prices for a stated validity period.

SAMPLE

SSEZIBWA AGRO-SUPPLIES LTD

Dealers in Agricultural Inputs, Farm Tools and Post-Harvest Equipment
P.O. Box 415, Mukono, Uganda | Tel: +256 772 300 415

QUOTATION

Quotation For
Buikwe Farmers' Cooperative Society Ltd
P.O. Box 88, Lugazi, Buikwe District
The Procurement Officer

Quotation Details
Quotation No.: QTN/SAS/2026/031
Date: 6 July 2026
Type: Firm quotation — prices fixed for the validity period

Items Quoted

No.	Item Description	Qty	Unit Price (UGX)	Total Amount (UGX)
1	Maize seed, Longe 10H (certified)	200 kg	12,000/=	2,400,000/=
2	NPK 25:5:5 fertiliser, 50 kg bags	60 bags	185,000/=	11,100,000/=
3	Hand hoes, forged, size 3.5 lb	150 pcs	14,000/=	2,100,000/=
4	Drying tarpaulins, 4 m x 6 m	40 pcs	65,000/=	2,600,000/=
5	Polypropylene storage bags, 100 kg	500 pcs	2,200/=	1,100,000/=
6	Platform weighing scale, 500 kg	2 pcs	850,000/=	1,700,000/=
			GRAND TOTAL	**21,000,000/=**

Amount in words: Twenty-One Million Uganda Shillings only.

Terms and Conditions

- Prices are firm and valid for 30 days from the date of this quotation.
- Delivery within 7 days of receipt of an approved local purchase order.
- Delivery is to the buyer's store at Lugazi; transport is included in the prices quoted.
- Payment by bank transfer or cash, 30 days from the date of invoice.
- Certified seed is supplied in sealed, batch-labelled packs and is not returnable once opened.

Quoted by

Name: _____ Title: _____

Signature: _____ Date: _____

3. The Local Purchase Order

A local purchase order is the document by which the buyer formally instructs a chosen supplier to supply specified goods. It is prepared by the buyer, repeats the descriptions, quantities and prices from the accepted quotation, and adds the delivery date, delivery location and payment terms under a unique order number.

SAMPLE

BUIKWE FARMERS' COOPERATIVE SOCIETY LTD
Bulk Purchaser of Farm Inputs on Behalf of Registered Member Farmers
P.O. Box 88, Lugazi, Buikwe District, Uganda | Tel: +256 782 640 118

LOCAL PURCHASE ORDER

Supplier
Ssezibwa Agro-Supplies Ltd
Address: P.O. Box 415, Mukono, Uganda
Tel: +256 772 300 415

Order Details
LPO No.: BFC/LPO/2026/017
Date of Issue: 9 July 2026

Items Ordered

No.	Item Description	Qty	Unit Price (UGX)	Total Amount (UGX)
1	Maize seed, Longe 10H (certified)	200 kg	12,000/=	2,400,000/=
2	NPK 25:5:5 fertiliser, 50 kg bags	60 bags	185,000/=	11,100,000/=
3	Hand hoes, forged, size 3.5 lb	150 pcs	14,000/=	2,100,000/=
4	Drying tarpaulins, 4 m x 6 m	40 pcs	65,000/=	2,600,000/=
5	Polypropylene storage bags, 100 kg	500 pcs	2,200/=	1,100,000/=
6	Platform weighing scale, 500 kg	2 pcs	850,000/=	1,700,000/=
			ORDER VALUE	**21,000,000/=**

Amount in words: Twenty-One Million Uganda Shillings only.

Delivery and Payment

Required Delivery Date: 16 July 2026
Delivery Location: Cooperative Central Store, Plot 12 Kampala Road, Lugazi
Receiving Officer: The Storekeeper, Tel: +256 782 640 118
Payment Terms: 30 days from the date of a valid invoice

Conditions

- Goods must match the descriptions, quantities and unit prices stated above.
- Goods delivered short, damaged, wet or otherwise not conforming will be rejected at the supplier's cost.
- Payment is made only against goods accepted on a goods received note signed by our storekeeper.
- Late delivery may lead to cancellation without liability; any variation must be agreed in writing beforehand.

Raised by

Name: _____ **Title:** _____

Signature: _____ **Date:** _____

4. The Delivery Note

A delivery note is the document that travels with the goods from the seller's store to the buyer's premises. It lists the description and quantity of everything being delivered, together with the date and the related order number, and it deliberately shows no prices, because its purpose is to record what physically moved rather than what it is worth. Its importance shows the moment something goes wrong: it is the seller's proof that the goods left and arrived, and the buyer's opportunity to check the consignment and record any shortage on the spot while the driver is still present, rather than discovering the loss weeks later when nothing can be proved.

SAMPLE

SSEZIBWA AGRO-SUPPLIES LTD

Dealers in Agricultural Inputs, Farm Tools and Post-Harvest Equipment

P.O. Box 415, Mukono, Uganda | Tel: +256 772 300 415

DELIVERY NOTE

Delivered To

Buikwe Farmers' Cooperative Society Ltd

Delivery Point: Cooperative Central Store, Plot 12 Kampala Road, Lugazi

District: Buikwe

Delivery Details

Delivery Note No.: DN/SAS/2026/094

Date of Delivery: 16 July 2026

Goods Delivered

No.	Description of Goods	Quantity Delivered	Condition on Arrival
1	Maize seed, Longe 10H (certified)	200 kg	Good
2	NPK 25:5:5 fertiliser, 50 kg bags	60 bags	Good
3	Hand hoes, forged, size 3.5 lb	150 pcs	Good
4	Drying tarpaulins, 4 m x 6 m	40 pcs	Good
5	Polypropylene storage bags, 100 kg	500 pcs	20 pcs torn
6	Platform weighing scale, 500 kg	2 pcs	Good

Delivered by.

Name: _____

Title: _____

Signature: _____

Date: _____

Received by.

Name: _____

Title: _____

Signature: _____

Date: _____

5. The Goods Received Note

A goods received note is raised inside the buying organisation by the storekeeper after the delivery has been unloaded, counted, weighed and inspected. Where the delivery note states what the seller says was sent, the goods received note states what the buyer confirms was actually accepted, and its whole purpose is to record the difference when the two are not the same. Its importance is financial: it makes the three-way match possible, so that the accounts office compares the LPO, delivery note and goods received note and pays only for goods ordered, delivered and accepted.

SAMPLE

BUIKWE FARMERS' COOPERATIVE SOCIETY LTD
Bulk Purchaser of Farm Inputs on Behalf of Registered Member Farmers
P.O. Box 88, Lugazi, Buikwe District, Uganda | Tel: +256 782 640 118

GOODS RECEIVED NOTE

Goods Received From
Ssezibwa Agro-Supplies Ltd
Address: P.O. Box 415, Mukono, Uganda
Delivery Note Ref.: DN/SAS/2026/094 of 16 July 2026

Receipt Details
GRN No.: BFC/GRN/2026/052
Date Received: 16 July 2026

Inspection and Acceptance

No.	Description of Goods	Qty on Delivery Note	Qty Accepted	Qty Rejected	Reason for Rejection
1	Maize seed, Longe 10H (certified)	200	200	—	—
2	NPK 25:5:5 fertiliser, 50 kg bags	60	60	—	—
3	Hand hoes, forged, size 3.5 lb	150	150	—	—
4	Drying tarpaulins, 4 m x 6 m	40	40	—	—
5	Polypropylene storage bags, 100 kg	500	480	20	Bags torn in transit
6	Platform weighing scale, 500 kg	2	2	—	—

RECEIVED AND INSPECTED BY

NAME: _____ **TITLE:** _____

SIGNATURE: _____ **DATE:** _____

6. The Invoice

An invoice is the commercial document by which the seller demands payment for goods already supplied. It repeats the descriptions and quantities, but unlike the delivery note it carries the unit prices, the total payable, the due date and the order it relates to. Its importance is that it turns a delivery into a debt with an enforceable due date: until it is issued the buyer has goods but no obligation to pay by any particular day, and the seller has no enforceable claim. It is the record on which the seller's sales figures and accounts are built, and it carries weight beyond the

two parties, since a supplier seeking a loan is routinely asked to produce invoices as evidence of genuine trade, and unpaid invoices are the ordinary basis on which a court is asked to order payment.

SAMPLE

SSEZIBWA AGRO-SUPPLIES LTD
Dealers in Agricultural Inputs, Farm Tools and Post-Harvest Equipment
P.O. Box 415, Mukono, Uganda | Tel: +256 772 300 415

INVOICE

Bill To
Buikwe Farmers' Cooperative Society Ltd
Address: P.O. Box 88, Lugazi, Buikwe District
Attention: The Accountant

Invoice Details
Invoice No.: INV/SAS/2026/128
Invoice Date: 17 July 2026
Payment Due Date: 16 August 2026

Goods Supplied and Accepted

No.	Item Description	Qty	Unit Price (UGX)	Total Amount (UGX)
1	Maize seed, Longe 10H (certified)	200 kg	12,000/=	2,400,000/=
2	NPK 25:5:5 fertiliser, 50 kg bags	60 bags	185,000/=	11,100,000/=
3	Hand hoes, forged, size 3.5 lb	150 pcs	14,000/=	2,100,000/=
4	Drying tarpaulins, 4 m x 6 m	40 pcs	65,000/=	2,600,000/=
5	Polypropylene storage bags, 100 kg	480 pcs	2,200/=	1,056,000/=
6	Platform weighing scale, 500 kg	2 pcs	850,000/=	1,700,000/=
			TOTAL DUE	**20,956,000/=**

Amount in words: Twenty Million, Nine Hundred Fifty-Six Thousand Uganda Shillings only.

Payment Terms

- Payment is due within thirty (30) days of the invoice date, that is by 16 August 2026.
- Payment by bank transfer or cash; please quote invoice number INV/SAS/2026/128 on all payments.
- Cheques payable to Ssezibwa Agro-Supplies Ltd. Goods remain our property until paid for in full.

Bank Details

Account Name: Ssezibwa Agro-Supplies Ltd
Bank / Branch: _____ **Account Number:** _____

Prepared by

Name: _____ **Title:** _____

Signature: _____ **Date:** _____

7. The Payment Voucher

A payment voucher is an internal document raised by the buying organisation to authorise the release of money. It is not sent to the supplier and it is not a demand for payment; it is the buyer's own record of why a payment is being made, on whose authority, and against which supporting documents. It names the payee, states the amount in figures and words, quotes the invoice being settled, lists the papers attached to it, and carries the signatures of the officer who prepared it, the officer who checked it and the officer who authorised it.

SAMPLE

BUIKWE FARMERS' COOPERATIVE SOCIETY LTD
Bulk Purchaser of Farm Inputs on Behalf of Registered Member Farmers
P.O. Box 88, Lugazi, Buikwe District, Uganda | Tel: +256 782 640 118

PAYMENT VOUCHER

Payee

Ssezibwa Agro-Supplies Ltd
Address: P.O. Box 415, Mukono, Uganda
Method of Payment: Bank transfer

Voucher Details

Voucher No.: BFC/PV/2026/086
Date: 21 July 2026

Particulars of Payment

No.	Particulars	Reference	Amount (UGX)
1	Part payment for supply of certified maize seed, NPK fertiliser, hand hoes, drying tarpaulins, storage bags and platform weighing scales	INV/SAS/2026/128	15,000,000/=

Amount in words: Fifteen Million Uganda Shillings only.

Prepared by

Name: _____ **Title:** _____

Signature: _____ **Date:** _____

DASMA

8. The Receipt

A receipt is the written acknowledgement issued by the seller confirming that payment has actually been received. It states the receipt number, the date, who paid, the amount in figures and words, the method of payment, what the payment relates to, and any balance still outstanding.

SAMPLE

SSEZIBWA AGRO-SUPPLIES LTD

Dealers in Agricultural Inputs, Farm Tools and Post-Harvest Equipment

P.O. Box 415, Mukono, Uganda | Tel: +256 772 300 415

RECEIPT

Receipt No.: RCT/SAS/2026/210

Date: .....

Received with thanks from: .....

The sum of shillings (in words): .....

Being payment for: .....

Amount received (figures): UGX .....

Balance outstanding: UGX .....

Cash / Cheque / Mobile Money No.: .....

Received by: .....

Signature and official stamp: .....

For: SSEZIBWA AGRO-SUPPLIES LTD

DA SUMMIT MIRRORS ASSOCIATION
DA CENTER OF SCIENCES
(DASMA)