

Unit 2

Differences between Strings, Lists, Tuples, Sets, and Dictionary

Feature	Strings	List	Tuple	Set	Dictionary
Syntax	S = "Python"	p =[3, 4, 5]	t =(3, 4, 5)	C ={3, 4, 5}	D = {'a': 2, 'b': 54, 'c': 32}
Constructor	str	list()	tuple()	set()	dict()
Null	S = ""	P = []	t = ()	c= set()	D = {}
Ordered	Yes	Yes	Yes	✗ No	✗ No
Indexed	Yes	Yes	Yes	✗ No	✗ No
Mutable	✗ No (immutable)	✓ Yes (can change)	✗ No (immutable)	✓ Yes	✓ Yes (can change)
Duplicates Allowed	Yes	Yes	Yes	✗ No	Duplicate keys are not allowed
Data Types	-	Can be mixed	Can be mixed	Can be mixed	Can be mixed
Speed		Moderate	Faster than list	Fast	
Use Case		General-purpose data	Fixed data	Unique items	Key-Value pairs
Memory Usage		Moderate	Less	More	
Methods	upper(), lower(), count(), index(), len	Count(), index(), append(), len, pop()	Count(), index(), len, max, min	add(), update(), pop(), clear(), del	Get(), update(), pop(), clear(), del

Methods

Strings	Lists	Tuples	Sets	Dictionary
Case Conversion: upper() lower() title() capitalize()	Adding elements to lists: append() insert() extend()	count() index() max() min() len()	Adding elements to Sets: add() update(set2)	Adding elements to dictionary: update({dict2})
Content	Deleting		Deleting	Deleting

checking: islower() isupper() isdigit() isalnum() isspace()	elements from lists: pop() remove() clear() del		elements from Sets: pop() remove() discard() clear() del	elements from Dictionary: pop() popitem() clear() del
find() replace() split() join(), len, count(), index()	sort() reverse() Count() index(), max(), min(), len		Max(), min(), len	Keys() values() items() get()

1-Mark Questions

Strings:

- Q:** How do you create a string in Python?
A: By enclosing characters in single (' '), double (" "), or triple quotes (' ' ' ' ' ' / " " " " " " ").
- Q:** What is string indexing?
A: Accessing individual characters of a string using their position (index).
- Q:** What is the index of the first character in a Python string?
A: 0 (zero-based indexing).
- Q:** Write the output of "Hello"[1].
A: e.
- Q:** What does slicing do in strings?
A: It extracts a portion (substring) of a string using [start:end].
- Q:** Write the output of "Python"[: :-1].
A: "nohtyP" (reversed string).
- Q:** Name one string method used to convert string to uppercase.
A: upper().
- Q:** Which method is used to remove whitespace from both ends of a string?
A: strip().
- Q:** Is a Python string mutable or immutable?
A: Immutable.

10.Q: Write the output of `"apple".find("p")`.

A: 1.

Lists:

1. Q: How do you create an empty list in Python?

A: `my_list = []` or `my_list = list()`

2. Q: What is the index of the first element in a Python list?

A: 0

3. Q: Write the slicing expression to get the first 3 elements of a list `nums`.

A: `nums[:3]`

4. Q: Which keyword is used in **list comprehension**?

A: `for`

5. Q: Name one method used to add an element to a list.

A: `append()`

Tuples:

6. Q: Can tuples be modified after creation?

A: No, tuples are immutable.

7. Q: How do you access the second element of a tuple `t`?

A: `t[1]`

8. Q: Name a method used with tuples.

A: `count()` or `index()`

Sets:

9. Q: How do you create an empty set in Python?

A: `set()` (not `{}` because that creates a dictionary)

10.Q: Which operation finds common elements between sets?

A: Intersection (& or `.intersection()`)

11.Q: Name one method used with sets.

A: `add()`, `remove()`, `union()`

Dictionaries:

12.Q: How do you create an empty dictionary in Python?

A: `{}` or `dict()`

13.Q: How do you access the value of key "name" in dictionary d?

A: `d["name"]`

14.Q: Name one method used with dictionaries to get all keys.

A: `keys()`

15.Q: Write an example of dictionary comprehension to create a square dictionary for numbers 1 to 3.

A: `{x: x**2 for x in range(1, 4)}`

16.Q: Which function is commonly used to iterate over key-value pairs in a dictionary?

A: `.items()`

◆ 2-Mark Questions

Strings:

1. Q: Explain string immutability in Python with an example.

A: Strings cannot be changed after creation.

2. Q: Differentiate between `isalpha()` and `isdigit()` methods.

A: `isalpha()` → Returns `True` if all characters are alphabets.

- `isdigit()` → Returns `True` if all characters are digits.

3. Q: What is string formatting? Give an example.

A: Inserting variables inside a string using `format()` or f-strings.

Lists:

1. Q: Differentiate between `append()` and `extend()` methods in lists.

A:

- `append()` adds a single element at the end of the list.
- `extend()` adds multiple elements from another iterable to the list.

2. Q: Write a Python program to create a list of squares of numbers from 1 to 5 using list comprehension.

A:

```
squares = [x**2 for x in range(1, 6)]  
print(squares) # [1, 4, 9, 16, 25]
```

Tuples:

3. **Q:** Why are tuples faster than lists in Python?

A: Tuples are immutable and stored in a fixed way, so Python optimizes memory usage and lookup, making them faster than lists.

4. **Q:** Write a Python statement to find the index of element 20 in tuple `t = (10, 20, 30)`.

A:

```
t = (10, 20, 30)  
print(t.index(20))
```

Sets:

5. **Q:** Write the difference between `remove()` and `discard()` in sets.

A:

- `remove()` raises an error if the element is not present.
- `discard()` does not raise an error if the element is missing.

6. **Q:** Write a Python program to find the union of two sets.

A:

```
A = {1, 2, 3}  
B = {3, 4, 5}  
print(A | B)
```

Dictionaries:

7. **Q:** How is a dictionary different from a list in Python?

A:

- Dictionary stores data as **key-value pairs**, while a list stores elements sequentially by index.
- Dictionaries are unordered (before Python 3.7) but lists are ordered.

8. **Q:** Write a dictionary comprehension to create a dictionary of numbers 1 to 5 with their cubes.

A:

```
cubes = {x: x**3 for x in range(1, 6)}  
print(cubes)
```

5-Mark Questions and Answers

Q1. Explain string slicing with an example. Write a program to reverse a string using slicing.

Answer: **String slicing** allows extracting substrings using `[start:end:step]`.

Slicing examples:

```
text = "PythonProgramming"
```

```
print(text[0:6]) # Output: Python
```

```
print(text[-11:-6]) # Output: Progr
```

Reverse string using slicing

```
reversed_text = text[::-1]
```

```
print("Reversed:", reversed_text)
```

Output: gnimmargorPnohtyP

****Q2. What are common string methods? Demonstrate at least four with examples.****

Answer: Common string methods:

1. ``upper()`` → converts to uppercase.
2. ``replace()`` → replaces substrings.
3. ``split()`` → splits a string into a list.
4. ``isupper()`` → Checks whether the string is in uppercase or not.

Eg:

```
s = "hello world"
```

```
print(s.upper()) # HELLO WORLD
```

```
print(s.replace("world", "Python")) # hello Python
```

```
print(s.split()) # ['hello', 'world']
```

```
print(s.isupper()) # False
```

****Q3. Explain list comprehension with an example. Write a program to generate a list of squares of numbers from 1 to 10.****

Answer:

* **List comprehension** provides a concise way to create lists.

* **Syntax:** `[expression for item in iterable if condition]`

List comprehension example

```
squares = [x**2 for x in range(1, 11)]
```

```
print("Squares:", squares)
```

Output: `[1, 4, 9, 16, 25, 36, 49, 64, 81, 100]`

****Q4. Differentiate between lists and tuples. Write a program to access elements using indexing.****

Answer:

* **Lists:** Mutable (can be changed).

* **Tuples:** Immutable (cannot be changed).

List and Tuple example

my_list = [10, 20, 30]

my_tuple = (100, 200, 300)

print("List element at index 1:", my_list[1]) # 20

print("Tuple element at index 2:", my_tuple[2]) # 300

****Q5. Explain set operations with an example. Write a program to find common elements between two sets.****

Answer: Sets support operations like **union, intersection, difference**

Eg:

A = {1, 2, 3, 4}

B = {3, 4, 5, 6}

print("Union:", A | B) # {1,2,3,4,5,6}

print("Intersection:", A & B) # {3,4}

print("Difference:", A - B) # {1,2}

****Q6. What is dictionary comprehension? Write a program to create a dictionary of numbers and their squares.****

Answer:

* **Dictionary comprehension** is a compact way of creating dictionaries.

* **Syntax:** {key: value for item in iterable}

Eg:

squares_dict = {x: x2 for x in range(1, 6)}**

print("Squares Dictionary:", squares_dict)

Output: {1: 1, 2: 4, 3: 9, 4: 16, 5: 25}

****Q7. Write a program to iterate over a dictionary and print keys and values. Explain three dictionary methods.****

Answer:

student = {"name": "Ravi", "age": 20, "marks": 88}

Iterating

for key, value in student.items():
 print(key, ":", value)

Methods

```
print(student.keys()) # dict_keys(['name', 'age', 'marks'])
print(student.values()) # dict_values(['Ravi', 20, 88])
print(student.items()) # dict_items({'name': 'Ravi', 'age': 20, 'marks': 88})
```

* `keys()` → returns all keys.

* `values()` → returns all values.

* `items()` → returns all keys and values

More 5-Mark Questions:

Strings:

1. Write a Python program to check whether a given string is a palindrome.

```
A) s = "malayalam"
   if s == s[::-1]:
       print("It is a palindrome")
   else:
       print("it is not a palindrome")
```

2. Write a Python program to check whether a string contains only digits.

```
1 s = input("Enter a string: ")
2
3 if s.isdigit():
4     print("String contains only digits")
5 else:
6     print("String has non-digit characters")
```

```
Enter a string: 344vk
String has non-digit characters
```

3. Write a Python program to count the number of vowels and consonants in a string.


```

1 s = input("Enter a string: ").lower()
2 vowels = "aeiou"
3 v_count = 0
4 c_count = 0
5
6 for ch in s:
7     if ch.isalpha():
8         if ch in vowels:
9             v_count += 1
10        else:
11            c_count += 1
12
13 print("Vowels:", v_count)
14 print("Consonants:", c_count)

```

Enter a string: Python is interesting and easy to learn
Vowels: 12
Consonants: 21

4. Write a Python program to find the longest word in a given sentence.

```

1 s = input("Enter a sentence: ")
2 words = s.split()
3 longest = max(words, key=len)
4 print("Longest word:", longest)

```

Enter a sentence: Students are interested to learn Python
Longest word: interested

5. Write a Python program to replace all spaces in a string with -.

```

1 text = input("Enter a string: ")
2 new_text = text.replace(" ", "-")
3 print("Modified string:", new_text)

```

Enter a string: This is Python Programming class
Modified string: This-is-Python-Programming-class

Lists:

1. Write a Python program to read 5 numbers into a list and then print the second largest and second smallest numbers.

```

1 numbers = [12, 45, 67, 23, 89, 34]
2 numbers.sort()
3 print("Second largest number:", numbers[-2])
4 print("Second smallest number:", numbers[1])

```

Second largest number: 67
 Second smallest number: 23

2. Explain list slicing with suitable examples. Write a program to reverse a list using slicing.

```

1 my_list = [10, 20, 30, 40, 50]
2 print(my_list[2])           # 30 (indexing)
3 print(my_list[-1])          # 50 (negative index)
4 print(my_list[1:4])          # [20, 30, 40] (slicing)
5 print(my_list[::-1])         # Reverses the list

```

30
 50
 [20, 30, 40]
 [50, 40, 30, 20, 10]

3. Write a Python program using list comprehension to generate a list of even and odd numbers between 1 and 20.

```

1 # with comprehension
2 evens = [x for x in range(1, 21) if x % 2 == 0]
3 print("The even nos are", evens)
4 odds = [x for x in range(1, 21) if x % 2 != 0]
5 print("The odd nos are", odds)

```

The even nos are [2, 4, 6, 8, 10, 12, 14, 16, 18, 20]
 The odd nos are [1, 3, 5, 7, 9, 11, 13, 15, 17, 19]

Tuples:

4. Explain any four properties of tuples with examples.

Properties of Tuples-

1. Tuples are Ordered.
2. Immutable → once created, elements cannot be changed.
3. Allows duplicates.
4. Defined using ().
5. Heterogeneous: Can store different data types (int, string, float, etc.).
6. Indexable and iterable.

5. Write a Python program to create a tuple with numbers and print all the elements at odd indices

```
1 numbers = (10, 20, 30, 40, 50, 60, 70, 80)
2
3 print("Tuple:", numbers)
4 print("Elements at odd indices:")
5
6 # Accessing elements at odd indices using slice
7 for i in range(1, len(numbers), 2): # start
8     print(f"Index {i}: {numbers[i]}")
```

Tuple: (10, 20, 30, 40, 50, 60, 70, 80)

Elements at odd indices:

Index 1: 20

Index 3: 40

Index 5: 60

Index 7: 80

6. Write a program to convert a list into a tuple and print its length.

```

1  # Creating a list
2  my_list = [5, 10, 15, 20, 25]
3
4  # Converting list to tuple
5  my_tuple = tuple(my_list)
6
7  # Printing tuple and its length
8  print("List:", my_list)
9  print("Tuple:", my_tuple)
10 print("Length of tuple:", len(my_tuple))

```

List: [5, 10, 15, 20, 25]
 Tuple: (5, 10, 15, 20, 25)
 Length of tuple: 5

Sets:

7. Write a Python program to find common elements between two sets and also find elements present only in the first set.

```

1  # Create two sets
2  set1 = {1, 2, 3, 4, 5}
3  set2 = {4, 5, 6, 7, 8}
4
5  # Finding common elements
6  common = set1.intersection(set2)
7  # Finding elements present only in the first set
8  only_in_first = set1.difference(set2)
9
10 # Displaying results
11 print("Common Elements:", common)
12 print("Elements only in Set 1:", only_in_first)

```

Common Elements: {4, 5}
 Elements only in Set 1: {1, 2, 3}

8. Explain any four methods of sets with examples.


```

1 # 1. update method - Add elements to a set
2 x = {"apple", "banana", "cherry"}
3 y = {"kiwi", "orange"}
4 x.update(y)
5 print(x) # Output: {"apple", "banana", "cherry", "kiwi", "orange"}
6
7 # 2. clear() method - empties the set:
8 x = {"apple", "banana", "cherry"}
9 x.clear() # Output: set()
10
11 # 3 del method - Deletes the set
12 x = {"apple", "banana", "cherry"}
13 del x
14
15 # 4 pop method - pops out any one element from the set
16 x = {"apple", "banana", "cherry"}
17 y = x.pop()

```

9. Write a program to remove duplicate elements from a list using a set.

```

1 1. Program to find unique elements from a list

```

```

1 numbers = [1, 2, 2, 3, 4, 4, 5, 6, 1, 7]
2 unique_numbers = set(numbers) # removes duplicates
3 print("Unique elements:", unique_numbers)

```

Unique elements: {1, 2, 3, 4, 5, 6, 7}

Dictionaries:

10. Write a Python program to store names and marks of 3 students in a dictionary and print the student with the highest marks.

```

1 x = {"Alice": 85, "Bob": 92, "Charlie": 78}
2 highest = max(x.values())
3 topper = max(x, key=x.get)
4 print(f"Topper is: {topper} with {highest} marks")

```

Topper is: Bob with 92 marks

11. Explain dictionary comprehension with an example. Write a program to create a dictionary of numbers and their squares from 1 to 10.

```
1 squares = {x: x*x for x in range(1, 11) if x%2==0}
2 print(squares)
```

{2: 4, 4: 16, 6: 36, 8: 64, 10: 100}

12. Write a Python program to count the frequency of each character in a given string using a dictionary.

```
1 text = "programming"
2 freq = {ch: text.count(ch) for ch in text}
3 print("Character Count:", freq)
```

Character Count: {'p': 1, 'r': 2, 'o': 1, 'g': 2, 'a': 1, 'm': 2, 'i': 1, 'n': 1}

13. Explain any four properties of Strings with examples.

Ans: Properties of strings:

- 1) Immutable
- 2) Ordered & Indexed
- 3) Iterable
- 4) Supports slicing
- 5) Supports concatenation, repetition
- 6) Case-sensitive
- 7) Works with membership operators

```
1 Property 1. Immutable|
```

```
1 s = "hello"
2 # s[0] = 'H' ❌ Error Strings are immutable
```

```
1 Property 2. Ordered & Indexed - Each character has an index,
2 starting from 0.
```

```
1 word = "PYTHON"
2 print(word[0])    # Ordered and Indexed
3 print(word[3])
```

P
H

1 Property 5. Supports Concatenation and Repetition

```
1 a = "Hello"
2 b = "World"
3 print(a + b) # supports concatenation with +
4
5 print(3*a) # supports repetition with *
```

HelloWorld
HelloHelloHello

1 Property 6. Case sensitive

```
1 a = "Hello"
2 b = "hello"
3 if a == b:
4     print("Strings are same")
5 else:
6     print("Strings are different")
```

Strings are different

1 Property 7. Membership operators on strings

```
1 a = "Hello"
2 print('e' in a)
3 print('s' in a)
```

True
False

