FBQ1: A typical server program creates some remote objects, makes references to these objects accessible and waits for to invoke methods on these objects Answer: *Clients*
FBQ2: The compiler is a typical program Answer: *System*
FBQ3: A Microsoft Windows is a (n) system Answer: *Operating*
FBQ4: Networking refers to the interconnection of computers for the purpose of information and resourceAnswer: *Sharing*
FBQ5: The computer's processor, memory, monitor, keyboard, mouse, disk drive, printer are all examples of devices. Answer: *Hardware*
FBQ6: The size of a file is measured in Answer: *Bytes*
FBQ7: is a general term used to describe a collection of computer programs, procedures and documentation that perform some tasks on a computer system. Answer: *Software*
FBQ8: Keyboards, scanners, barcode readers are all examples of input
Answer: *Devices*
FBQ9: System is the software component of a computer system that is responsible for the management and coordination of activities and the sharing of the resources of the computer. Answer: *Operating*
FBQ10: Interpreter is used as a translator for level languages Answer: *High*
FBQ11: A collection of related data is known as a Answer: *Database*
FBQ12: refers to the running of multiple independent computer programs on the same computer, giving the appearance that it is performing the tasks at the same time. Answer: *Multitasking*
FBQ13: A device is a specific type of computer software developed to allow interaction with hardware devices. Answer: *Driver*
FBQ14: The Access Memory is the sort of memory that the computer uses to temporarily store the information as it is being processed. Answer: *Random*
FBQ15: programs or software consists of programs that perform specific tasks such as writing a letter, tracking payroll information, producing a chart and so on. Answer: *Cutting*
FBQ16: The Ctrl-X is the shortcut command forselected text of a page in most word processing programs Answer: *Application*

FBQ17: Ctrl- is used to paste text held in the clipboard into a document at the cursor in most word processing programs (single letter ed answer) Answer: *V*
FBQ18: The shortcut key to undo an unwanted action in most Windows programs is Ctrl- (single lettered answer) Answer: *Z*
FBQ19: is a collection of information stored in a way that makes it easy to retrieve, modify and search. Answer: *Database*
FBQ20: In a Spreadsheet program, the intersection of a row and a column is called a Answer: *Cell*
FBQ21: Spreadsheets use to create simple to complex mathematical equations. Answer: *Formulas*
FBQ22: graphics are images that are mapped to the tiny dots of the monitor or screen called pixels. Answer: *Bitmapped*
FBQ23: graphics use objects created from mathematical formulas to represent things like lines, curves, fills, line thickness, etc., to create the images. Answer: *Vector*
FBQ24: is the process of requesting from a database attribute information in various perspectives and combinations of factors from a database.
Answer: *Querying* FBQ25: An Internet server provider is required to connect a system to the internet Answer: *Computer*
FBQ26: Database is generally centred Answer: *User*
FBQ27: To protect a computer from virus, you should installon your computer Answer: *Anti-Virus*
FBQ28: <p style="text-align:left">The DVD is an example of adevice Answer: *Storage*</p>
FBQ29: A is an electronic device that receives a signal and retransmits it at a higher level or higher power, or onto the other side of an obstruction, so that the signal can cover longer distances without degradation. Answer: *Repeater*
FBQ30: A network bridge connects multiple network segments at thelayer of the Open System Interconnected (OSI) model. Answer: *data link*
FBQ31: A is a device that forwards and filters OSI layer 2

datagrams between ports based on the MAC-Addresses in the packets. Answer: *Switch*
FBQ32: are networking devices that forward data packets between networks using headers and forwarding tables to determine the best path to forward the packets. Answer: *Routers*
FBQ33: The network determines how computers become part of the network and how they are recognised. Answer: *Protocol*
FBQ34: The altering of data so that it is not usable unless the changes are undone is called Answer: *Encryption*
FBQ35: is the act of surreptitiously listening to a private conversation on a computer systems. Answer: *Eavesdropping*
FBQ36: An is a piece of software, a chunk of data, or sequence of commands that takes advantage of a bug, glitch or vulnerability in order to cause unintended or unanticipated behaviour to occur on computer software, hardware, or something electronic Answer: *Exploit*
FBQ37: A is a program designed by a computer programmer to do a certain unwanted function. Answer: *Virus*
FBQ38: computers were physically large and powerful systems capable of supporting hundreds of users. They are used mainly by large organizations for critical applications, typically bulk data processing such as census, industry and consumer statistics, ERP, and financial transaction processing. Answer: *Mainframe*
FBQ39: A is a computer with a microprocessor as its central processing unit. Answer: microcomputer
FBQ40: The, is a board with series of electronic path ways and connections allowing the CPU to communicate with the other components of the computer. Answer: *Motherboard*
FBQ41: Computers are connected to printers by cables using and sockets. Answer: *Plugs*
FBQ42: There are types of cable which may be used to connect a printer to a computer. Answer: *Two*
FBQ43: Operating systems, device drivers, diagnostic tools, servers, windowing systems, utilities are all examples of software. Answer: *System*
FBQ44: instructions are those operations that are performed one after another. Answer: *Sequential*
FBQ45: instructions are performed such that different sets of instructions execute depending on the value(s) of some data. Answer: *Conditional*

FBQ46:	instructions are performed repetitively and may depend on $% \left(1\right) =\left(1\right) \left(1\right) \left($
some data value. Answer: *Iterative*	
	ating system, you hold down thekey while ass the Recycle Bin and permanently delete files.
	cess operating system services through application (APIs) or system
FBQ49: Normally, plann: cycle. Answer: *First*	ing is the step in the software development life
FBQ50: Microsoft Publis Answer: *Desktop*	sher is a common publishing program.
Multiple Choice Question MCQ1: Specialized programmer as Answer: Relative programmer	gram that allows user to utilize specific application is
MCQ2: System programs Answer: Compiler	include
MCQ3: Which of the fol Answer: Buying pre-writ	Lowing is not a way of acquiring software? Eten software
MCQ4: The interconnection resource sharing is call Answer: Telecommunication	
	lowing is NOT a characteristic of a typical computer? use simple logical rules to make decisions.
MCQ6: Which of the foldevice for a typical conswer: Scanner	
MCQ7: Which of the folterminal; ? Answer: Barcode readers	lowing options is NOT a typical ;portable; data entry
	the computer uses to temporarily store the information as is called
MCQ9: The following are Answer: CD ROM	e all optical storage devices EXCEPT
MCQ10: Which of the fo	llowing devices is both an input AND output device?
MCQ11: Which of the fo	llowing is NOT an example of a typical operating system?
MCQ12: Platform softwan	re includes all the following options EXCEPT
Answer: Firmware	
MCQ13: Which of the fo	llowing is NOT a function of operating systems?

Answer: Providing the user interface				
MCQ14: The following options are all word processing programsAnswer: Microsoft Word				
MCQ15: The following options are all examples of commercial database programs EXCEPTAnswer: Corel Paradox				
MCQ16: The following options are all examples of commercial spreadsheet programs EXCEPTAnswer: Lotus 123				
MCQ17: Which of the following options would you upgrade if you want to improve the performance of your PC? Answer: Printer				
MCQ18: The following options are examples of common desktop publishing programs EXCEPTAnswer: Microsoft Publisher				
MCQ19: DBMSs are categorized according to their data structures or types. Which of the following options is not one of the four most common categories according to the data model? Answer: Hierarchical				
MCQ20: Which of the following is NOT a benefit of the database management system (DBMS)? Answer: Application-data independence				
MCQ21: Features commonly offered by database management systems include all the following options EXCEPTAnswer: Backup and replication				
MCQ22: Typical phases in the software development life cycle (SDLC) include all the following EXCEPTAnswer: Analysis Design				
MCQ23: The first step in the software development life cycle (SDLC) is normally				
Answer: Analysis Design				
MCQ24: The outcomes of the first step in the software development life cycle (SDLC) include all the following options EXCEPTAnswer: Term of Reference (TOR)				
MCQ25: Which of the following is not one of the types of attacks on computer? Answer: <table cellspacing="0" style="cellpadding:1pt; border:none black 0px; width:111pt;border-collapse:collapse;margin-left:;"><tbody><tr class="r0" style="vertical-align: text-top"><td></td></tr><tr><td>MCQ26: The following options are all classifications of computer networks according to their scale EXCEPTAnswer: Personal Area Network</td></tr><tr><td>MCQ27: The following options are all classifications of computer networks according to their connection method EXCEPT Answer: Wireless LAN</td></tr><tr><td>MCQ28: The following options are all classifications of computer networks according to their functional relationship EXCEPT</td></tr></tbody></table>		MCQ26: The following options are all classifications of computer networks according to their scale EXCEPTAnswer: Personal Area Network	MCQ27: The following options are all classifications of computer networks according to their connection method EXCEPT Answer: Wireless LAN	MCQ28: The following options are all classifications of computer networks according to their functional relationship EXCEPT
MCQ26: The following options are all classifications of computer networks according to their scale EXCEPTAnswer: Personal Area Network				
MCQ27: The following options are all classifications of computer networks according to their connection method EXCEPT Answer: Wireless LAN				
MCQ28: The following options are all classifications of computer networks according to their functional relationship EXCEPT				

MCQ29: The following options are all classifications of computer networks according to the network topology EXCEPT ______

Answer: Active network

MCQ30: There are at least three variants of internetwork, depending on who administers and who participates in them. Which of the following options is NOT one of them?

Answer: Burnet

MCQ31: Which of the following components provide physical access to a networking

medium and often provides a low-level addressing system via MAC address?

Answer: Network Interface Cards

MCQ32: ___ can protect messages in transit.

Answer: Firewalls

MCQ33: The following are all typical examples of resources that can be shared on

a network EXCEPT ____

Answer: Peripheral Devices

MCQ34: Which of the following is NOT a common use for the Internet?

Answer: Systems Design

MCQ35: The various types of "attacks" that can be made against computer systems

(threats) can typically be classified into seven categories. Which of the

following options is NOT one of them

Answer: Hardware failure

MCQ36: A state of computer "security" is the conceptual ideal, attained by the use of three processes. Which of the following options is NOT one of these processes?

Answer: Prevention

MCQ37: Which network attack prevention system works by shielding access to internal network services, and block certain kinds of attacks through packet filtering?

Answer: User account access controls

MCQ38: In Windows operating system, which of the following options is NOT a

method for opening documents and programs? Answer: Double click on an icon in a Folder

MCQ39: Which key is typically used to select multiple files

<strong&qt;sequentially</strong&qt; in Windows operating system?

Answer: Ctrl

MCQ40: Which key is typically used to select multiple files non-

sequentially in Windows operating system?

Answer: Ctrl

MCQ41: Which of the following options is NOT a typical category of operating

systems?

Answer: Real-time operating systems

MCQ42: Data stored on disks using files is structured in specific ways for all

the following reasons EXCEPT ____

Answer: Easier indexing

MCQ43: Which of the following is not a serious limitation for PC-Internet based

ICT

Answer: Language

MCQ44: Which of the following signifies a malicious software?

Answer: All of the options

MCQ45: Which of these options is NOT a system development life cycle (SDLC)

model?

Answer: Waterfall

MCQ46: ___ is not a named phase in the System Development Life Cycle

Answer: Stratification

MCQ47: In the software development life cycle (SDLC), the system implementation

phases includes all the following EXCEPT _____

Answer: Acquisition of software

MCQ48: A virus can be introduced into a computer system, through the infected

Answer: file.

MCQ49: ---- is NOT a characteristic of a health job.

Answer: Social relations

MCQ50: Which of the following is not a named phase in the System Development

Life Cycle

Answer: Maintenance