HANDS-ON LAB 04 GUIDE & COPY-PASTE PROMPTS • OMNICHANNEL RETAIL EDITION (RETAIL PULSE)

Delivered by Tryolabs • Powered by Google Antigravity & Gemini Enterprise

TRYOLABS • GOOGLE ANTIGRAVITY WORKSHOP • LAB 04 (EN)

Lab 04: Multi-Agent Capstone — Google ADK, A2A Protocol, Omnichannel Routing & Gemini Enterprise Deployment

Duration: 45 Minutes | **Persona**: Technical & Commercial Track | **Prerequisites**: Labs 01, 02 & 03 Completed

1. Retail Scenario & Business Context

In Labs 01–03, your team stabilized promotional margin floors, repaired True ATP inventory calculations, encoded retail compliance standards (**`GEMINI.md`**, **`.agents/rules/retail-standards.md`**, **`.agents/skills/retail-otif-margin-auditor/SKILL.md`**), and connected Antigravity to **`retail_pulse.db`** via FastMCP and deterministic **`PreToolUse`** hooks.

However, two major operational challenges remain:

1. **35 VIP orders (`DIAMOND` and `GOLD` loyalty tiers)** representing **$749,300.00 in Customer Lifetime Value (LTV)** are still stuck in **`AT_RISK_STOCKOUT`** status because their original flagship store node lacked sufficient True ATP inventory.
2. Enterprise retail operations require **specialist AI agents** — a **Technical WMS/POS Inventory Agent** and a **Commercial Merchandising Margin & OTIF Agent** — that coordinate via **Google ADK (Agent Development Kit)**, expose an open **A2A (Agent2Agent Protocol)** endpoint (**`/.well-known/agent.json`** and **`POST /api/v1/a2a/tasks/send`**), can be inspected locally in the **ADK Web UI (`adk web`)**, and deploy to **Google Cloud Run + Gemini Enterprise** via **Terraform**.

2. Learning Objectives

In this capstone lab, you will:

1. Use **`/plan`**, **`/boost`**, and **`/teamwork`** to implement **`optimize_at_risk_order_routing`** and **`claim_vendor_otif_chargebacks`** in **`src/services/fulfillment_router.py`**:

- **`optimize_at_risk_order_routing`**: Reroutes all 35 **`AT_RISK_STOCKOUT`** VIP orders to the highest post-shipping net margin fulfillment node with **`true_atp >= qty`** (preferring Distribution Centers **`DC`** over **`STORE`** nodes on ties), transitioning orders to **`REROUTED_SAVED`** and protecting **`$749,300.00`** in VIP Customer LTV.
- **`claim_vendor_otif_chargebacks`**: Audits breaching supplier contracts and transitions all 6 breaching contracts (**`actual_otif_pct < contracted_otif_pct`**) to **`CHARGEBACK_CLAIMED`**, recovering **`$98,250.00`** in contractual debit memos.

2. Design and implement a **Multi-Agent System with Google ADK & A2A Protocol** in **`src/agents/adk_a2a_orchestrator.py`**:

- **`WMSInventoryATPAgent`** (**`wms_inventory_atp_agent`**): Technical WMS/POS agent auditing True ATP and executing optimal split-shipment rerouting.
- **`MerchandisingMarginOTIFAgent`** (**`merchandising_margin_otif_agent`**): Commercial Merchandising & Vendor Compliance agent enforcing the 15% gross margin floor and claiming **`$98,250.00`** in OTIF chargebacks.
- **`RetailPulseOrchestratorAgent`**: Root orchestrator (**`run_multi_agent_workflow`**) coordinating A2A handoffs between the Technical WMS agent and the Commercial Merchandising agent.
- Standard **A2A Discovery Card** (**`get_a2a_agent_card`** backing **`GET /.well-known/agent.json`** & **`GET /api/v1/a2a/agent-card`**) and **A2A JSON-RPC 2.0 Task Endpoint** (**`handle_a2a_jsonrpc`** backing **`POST /api/v1/a2a`** & **`POST /api/v1/a2a/tasks/send`** supporting **`tasks/send`**, **`message/send`**, and **`tasks/get`**).

3. Test the multi-agent hierarchy interactively on your laptop using the **ADK Development UI (`adk web`)** via **`./scripts/run_adk_web.sh`** (**`adk_agents/retail_pulse/agent.py`**).
4. Validate **Google Cloud Run + Vertex AI + Gemini Enterprise** infrastructure using **Terraform** (**`infra/terraform/`**) and **`./labs/lab-04-multi-agent-capstone/deploy_gcp.sh --dry-run`**.

3. Architecture Diagram: ADK + A2A + Cloud Run + Gemini Enterprise

4. Step-by-Step Instructions

Step 1: Initialize the Lab 04 Starter State

Run the Lab 04 installer to ensure Labs 01, 02, and 03 solutions are applied and load the Lab 04 starter stubs (**`src/services/fulfillment_router.py`** and **`src/agents/adk_a2a_orchestrator.py`**):

```
./labs/lab-04-multi-agent-capstone/install.sh
```

Run the verification script to observe the failing Lab 04 capstone tests (**`NotImplementedError`** in **`fulfillment_router.py`** and **`adk_a2a_orchestrator.py`**):

```
./labs/lab-04-multi-agent-capstone/verify.sh
```

Step 2: Implement Smart Split-Shipment Routing & OTIF Chargebacks (`src/services/fulfillment_router.py`)

Open **`src/services/fulfillment_router.py`** and implement:

1. **`optimize_at_risk_order_routing(loyalty_tiers=("DIAMOND", "GOLD"), persist_changes=True, db_path=None) -> dict[str, Any]`**:

- Query **`omnichannel_orders`** joined with **`sku_catalog`** for orders in **`loyalty_tiers`** ordered by **`customer_ltv_usd DESC, order_id ASC`**.
- Identify orders where **`status == "AT_RISK_STOCKOUT"`** or the current node's **`evaluate_location_atp(..., required_qty=qty)["oversell_risk"]`** is **`True`**.

- Find candidate locations in **`wms_inventory`** for the SKU where **`evaluate_location_atp(..., required_qty=qty)["can_fulfill"]`** is **`True`**.
- Compute **`shipping_cost = float(loc["shipping_zone_cost_usd"]) * qty`**, **`post_shipping_margin_usd = round((unit_price - unit_cost) * qty - shipping_cost, 2)`**, and **`post_shipping_margin_pct`**, ranking candidates by **`(-c["post_shipping_margin_usd"], 0 if c["location_type"] == "DC" else 1, -c["true_atp"])`**.
- When **`persist_changes=True`**, update **`omnichannel_orders`** (**`assigned_location_id = best["location_id"]`**, **`shipping_cost_usd = best["shipping_cost_usd"]`**, **`status = "REROUTED_SAVED"`**).
- Return **`at_risk_orders_evaluated`**, **`rerouted_orders_count`** (**`35`**), **`vip_ltv_protected_usd`** (**`749300.0`**), **`post_shipping_margin_saved_usd`**, and **`rerouted_orders`**.

2. **`claim_vendor_otif_chargebacks(min_shortfall_pct=0.01, db_path=None) -> dict[str, Any]`**:

- Call **`audit_all_vendor_otif_contracts(only_breaching=True, db_path=db_path)`**, filter to contracts with **`shortfall_pct >= min_shortfall_pct`**, update **`vendor_otif_contracts`** (**`status = 'CHARGEBACK_CLAIMED'`**), and return **`contracts_claimed_count`** (**`6`**), **`total_chargeback_claimed_usd`** (**`98250.0`**), and **`claimed_contracts`**.

Step 3: Implement the Google ADK & A2A Multi-Agent Orchestrator (`src/agents/adk_a2a_orchestrator.py`)

Open **`src/agents/adk_a2a_orchestrator.py`** and review how the multi-agent system bridges the **Technical** and **Commercial** personas:

1. **`WMSInventoryATPAgent.execute(task_payload)`**:

- Runs **`optimize_at_risk_order_routing(...)`** and **`get_inventory_atp_summary(...)`**, returning **`agent_id`**, **`role`**, **`atp_network_summary`**, **`routing_optimization`**, and **`handoff_recommendation`**.

2. **`MerchandisingMarginOTIFAgent.execute(task_payload, wms_routing_output=None)`**:

- Consumes the WMS routing output, runs **`remediate_margin_floor_violations(...)`** (enforcing the 15% gross margin floor across all 28 **`MARGIN_HOLD`** orders), and runs **`claim_vendor_otif_chargebacks(...)`** (recovering **`$98,250.00`** across 6 breaching suppliers).

3. **`RetailPulseOrchestratorAgent.run_multi_agent_workflow(prompt, skill_id=None, metadata=None)`**:

- Coordinates **`WMSInventoryATPAgent`** -> **`MerchandisingMarginOTIFAgent`** via explicit **`a2a_handoffs`**, builds the Google ADK runtime metadata (**`adk_runtime`**), and returns the combined financial impact (**`vip_ltv_protected_usd = 749300.0`**, **`otif_chargebacks_claimed_usd = 98250.0`**, **`margin_recovered_usd = 18420.5`**).

4. **A2A Protocol Functions (`get_a2a_agent_card` & `handle_a2a_jsonrpc`)**:

- **`GET /.well-known/agent.json`** and **`GET /api/v1/a2a/agent-card`**: Returns the A2A Agent Card (**`protocolVersion: "0.2.1"`**) declaring **`wms_atp_rerouting`**, **`promo_margin_guard_audit`**, and **`vendor_otif_chargeback_recovery`** skills.
- **`POST /api/v1/a2a`** and **`POST /api/v1/a2a/tasks/send`**: Processes A2A JSON-RPC 2.0 **`tasks/send`**, **`message/send`**, and **`tasks/get`** requests and returns completed A2A Task objects with **`artifacts`**.

Step 4: Test Locally with the ADK Development UI (`adk web`) & FastAPI Command Center

Google ADK includes a built-in interactive web UI (**`adk web`**) for inspecting multi-agent tool calls, sub-agent transfers, and session state locally before deploying to Cloud Run.

1. Verify the ADK Web configuration in check/dry-run mode:

```
./scripts/run_adk_web.sh --check
```

2. Launch the interactive ADK Development UI on port **`8080`**:

```
./scripts/run_adk_web.sh --port 8080
```

3. Open **`http://127.0.0.1:8080`** in your browser (or via **`/browser`**), select the **`retail_pulse`** agent from the top-left dropdown, and test prompts such as:

- *"Run a full omnichannel triage across WMS True ATP routing, 15% promotional margin floors, and vendor OTIF chargebacks."*
- *"Check the True ATP across all nodes for SKU-OLED-65 and explain the VIP oversell risk."*

4. Launch the **Retail Pulse FastAPI Command Center** on port **`8002`**:

```
./.venv/bin/uvicorn src.main:app --host 127.0.0.1 --port 8002
```

Open **`http://localhost:8002`** and **`http://localhost:8002/.well-known/agent.json`** to inspect the live dashboard and A2A Agent Card.

Step 5: Validate Google Cloud Run + Terraform + Gemini Enterprise Deployment Pipeline

The repository includes production-ready **Terraform Infrastructure-as-Code** (**`infra/terraform/`**), a multi-stage Cloud Run **`Dockerfile`**, and deployment scripts (**`deploy/deploy_gcp.sh`** and **`deploy/register_gemini_enterprise_agent.sh`**).

1. **Test the Cloud Run + Terraform + Gemini Enterprise pipeline in `--dry-run` mode** (no GCP credentials required):

```
 ./labs/lab-04-multi-agent-capstone/deploy_gcp.sh --dry-run --project-id my-retail-gcp \
-project --region us-central1 --gemini-app-id retail-pulse-enterprise-app
```

2. **Optional — Deploy live to Google Cloud Platform** (when authenticated with **`gcloud auth login`**):

```
 ./labs/lab-04-multi-agent-capstone/deploy_gcp.sh --project-id YOUR_GCP_PROJECT_ID --r \
egion us-central1 --gemini-app-id YOUR_GEMINI_ENTERPRISE_APP_ID
```

5. Verification Checklist


Run the full capstone verification script (which runs all **20 automated tests** across Labs 01–04):

```
./labs/lab-04-multi-agent-capstone/verify.sh
```

- [ ] **`./labs/lab-04-multi-agent-capstone/verify.sh`** passes all **20/20 automated tests** across **`test_lab01_triage.py`** (6), **`test_lab02_rules_skills.py`** (4), **`test_lab03_mcp_hooks.py`** (3), and **`test_lab04_capstone.py`** (7).
- [ ] All 35 VIP orders in **`AT_RISK_STOCKOUT`** are transitioned to **`REROUTED_SAVED`** protecting **`$749,300.00`** in VIP Customer LTV, and all 6 breaching vendor contracts transition to **`CHARGEBACK_CLAIMED`** recovering **`$98,250.00`**.
- [ ] **`GET /.well-known/agent.json`** returns a valid A2A Agent Card and **`POST /api/v1/a2a/tasks/send`** executes the multi-agent ADK handoff (**`wms_inventory_atp_agent -> merchandising_margin_otif_agent`**).

- [ ] **`./scripts/run_adk_web.sh --check`** and **`./labs/lab-04-multi-agent-capstone/deploy_gcp.sh --dry-run`** succeed cleanly.

Need to apply the verified capstone solution directly? Run **`./labs/lab-04-multi-agent-capstone/apply_solution.sh`**.



LAB 04 COPY-PASTE ANTIGRAVITY PROMPTS (EN)
Delivered by Tryolabs • Powered by Google Antigravity & Gemini Enterprise

Lab 04 Prompt Playbook: Google ADK, A2A Protocol, Omnichannel Routing & Gemini Enterprise Deployment

Copy and paste these prompts into **Google Antigravity** as you complete the Lab 04 Capstone. Each phase includes prompts for both the **Technical Track** and the **Commercial / Executive Track**.

Phase 1: Discovery & Multi-Agent Planning (`/plan` & `/boost`)

Prompt 1A — Technical Track: Deep Architectural Plan for Routing + ADK + A2A (`/plan`)

```
/plan Read @src/services/fulfillment_router.py, @src/agents/adk_a2a_orchestrator.py, @ad \
  k_agents/retail_pulse/agent.py, @src/main.py, and @tests/test_lab04_capstone.py.
Create a step-by-step implementation plan to complete our Lab 04 Capstone:
1. In `src/services/fulfillment_router.py`, implement `optimize_at_risk_order_routing` a \
  nd `claim_vendor_otif_chargebacks` to rank eligible nodes (`true_atp >= qty`) by `(-po \
  st_shipping_margin_usd, 0 if location_type == 'DC' else 1, -true_atp)`, reroute all 35 \
   `AT_RISK_STOCKOUT` VIP orders to `REROUTED_SAVED` (protecting $749,300.00 in VIP LTV) \
  , and claim $98,250.00 across the 6 breaching vendor OTIF contracts (`CHARGEBACK_CLAIM \
  ED`).
2. In `src/agents/adk_a2a_orchestrator.py`, implement:
   - `WMSInventoryATPAgent.execute(task_payload)` (True ATP network summary + optimal sp \
  lit-shipment rerouting + handoff recommendation)
   - `MerchandisingMarginOTIFAgent.execute(task_payload, wms_routing_output)` (15% gross \
   margin floor remediation + vendor OTIF chargeback recovery)
   - `RetailPulseOrchestratorAgent.run_multi_agent_workflow(prompt, skill_id, metadata)` \
   coordinating `WMSInventoryATPAgent` -> `MerchandisingMarginOTIFAgent` with Google ADK \
   metadata
   - `get_a2a_agent_card(base_url)` and `handle_a2a_jsonrpc(payload, db_path)` for `GET  \
  /.well-known/agent.json` and `POST /api/v1/a2a/tasks/send` (`tasks/send`, `message/sen \
  d`, and `tasks/get`).
```

Prompt 1B — Commercial / Operations Track: Trade-Off & Multi-Agent Governance Analysis (`/boost`)

```
/boost Read @src/services/fulfillment_router.py, @src/agents/adk_a2a_orchestrator.py, an \
  d @tests/test_lab04_capstone.py.
From a retail omnichannel profitability perspective, analyze why separating responsibili \
  ties between a Technical `WMSInventoryATPAgent` (True ATP & DC-first post-shipping mar \
  gin routing) and a Commercial `MerchandisingMarginOTIFAgent` (15% gross margin floor & \
   vendor OTIF debit memos) connected via the A2A Protocol prevents both negative-margin \
   order bleed and VIP stockout cancellations. Then implement both modules so all 20 wor \
  kshop tests pass.
```

Phase 2: Multi-Agent Execution (`/teamwork` & Subagents)

Prompt 2A — Parallel Subagent Orchestration (`/teamwork`)

```
/teamwork Coordinate three specialized workstreams to complete our Lab 04 Capstone:
1. Omnichannel Routing Engineer: Implement `optimize_at_risk_order_routing` and `claim_v \
  endor_otif_chargebacks` in @src/services/fulfillment_router.py so all 35 `AT_RISK_STOC \
  KOUT` VIP orders are rerouted to `REROUTED_SAVED` ($749,300.00 VIP LTV protected) and  \
  all 6 breaching supplier contracts transition to `CHARGEBACK_CLAIMED` ($98,250.00 reco \
  vered).
2. ADK & A2A Systems Architect: Implement `WMSInventoryATPAgent`, `MerchandisingMarginOT \
  IFAgent`, `RetailPulseOrchestratorAgent`, `get_a2a_agent_card`, and `handle_a2a_jsonrp \
  c` in @src/agents/adk_a2a_orchestrator.py.
3. QA, ADK Web & Cloud Run Auditor: Run `./labs/lab-04-multi-agent-capstone/verify.sh` t \
  o validate all 20 tests across Labs 01-04, verify `./scripts/run_adk_web.sh --check` a \
  nd `./labs/lab-04-multi-agent-capstone/deploy_gcp.sh --dry-run`, and produce an execut \
  ive summary table of the financial recovery.
```

Phase 3: Inline Edit (`Cmd+I` / `Ctrl+I`)

Open **`src/services/fulfillment_router.py`**, select **`optimize_at_risk_order_routing`** and **`claim_vendor_otif_chargebacks`**, press **`Cmd+I`** (macOS) or **`Ctrl+I`** (Windows/Linux), and enter:

```
Implement `optimize_at_risk_order_routing` using `evaluate_location_atp` to filter candi \
  date nodes with `can_fulfill == True`, compute `post_shipping_margin_usd = round((unit \
  _price - unit_cost) * qty - shipping_cost, 2)`, sort by `(-post_shipping_margin_usd, 0 \
   if location_type == 'DC' else 1, -true_atp)`, and update `omnichannel_orders` (`statu \
  s='REROUTED_SAVED'`) when `persist_changes=True`. Then implement `claim_vendor_otif_ch \
  argebacks` using `audit_all_vendor_otif_contracts(only_breaching=True)` to transition  \
  breaching contracts to `status='CHARGEBACK_CLAIMED'`.
```

Phase 4: Local Interactive Testing with `adk web` & `/browser`

Prompt 4A — Test Multi-Agent Hierarchy Locally in ADK Web UI (`adk web`)

```
Validate our local Google ADK Development UI setup by running `./scripts/run_adk_web.sh  \
  --check`, and inspect @adk_agents/retail_pulse/agent.py to confirm how `root_agent` (` \
  retail_pulse_orchestrator`) delegates across `wms_inventory_atp_agent` and `merchandis \
  ing_margin_otif_agent`.
```

Prompt 4B — End-to-End Browser Verification of the Retail Pulse Command Center (`/browser`)

```
/browser Start the FastAPI server (`./.venv/bin/uvicorn src.main:app --host 127.0.0.1 -- \
  port 8002`) if it is not already running, open `http://localhost:8002`, and verify:
1. The header displays the Tryolabs logo ("Delivered by Tryolabs") and the Retail Pulse  \
  Command Center KPIs.
2. Execute the remediation actions (`POST /api/v1/remediate/margins`, `POST /api/v1/reme \
  diate/routing`, or `POST /api/v1/a2a/tasks/send`).
3. Confirm that Margin Hold Orders = 0, VIP Stockout Risk = 0 ($749,300.00 VIP LTV prote \
  cted), and all 6 breaching vendor contracts show `CHARGEBACK_CLAIMED` totaling $98,250 \
  .00.
4. Also fetch `http://localhost:8002/.well-known/agent.json` to inspect the live A2A Age \
```

```
nt Card.
```

Phase 5: Cloud Run + Terraform Deployment & Gemini Enterprise Registration

Prompt 5 — Validate Terraform Infrastructure & Gemini Enterprise A2A Registration

```
Read @infra/terraform/main.tf, @deploy/deploy_gcp.sh, and @deploy/register_gemini_enterp \
  rise_agent.sh.
Run `./labs/lab-04-multi-agent-capstone/deploy_gcp.sh --dry-run --project-id retail-puls \
  e-prod --region us-central1 --gemini-app-id retail-pulse-ge-app` and explain each step \
   of the deployment pipeline:
1. Building the container image with Cloud Build & Artifact Registry
2. Provisioning Cloud Run v2, least-privilege IAM Service Account, and Vertex AI binding \
  s with Terraform
3. Registering the Cloud Run A2A Agent Card (`/.well-known/agent.json` & `/api/v1/a2a/ta \
  sks/send`) in Gemini Enterprise (Discovery Engine).
```